

"E"  
(2)

BOOK 1135

SUBDIVISIONS  
of.

T. 29, N., R. 4, W.  
by  
Carl R. Caudle

1135

BOOK 1135

4-671

FIELD NOTES  
GENERAL LAND OFFICE.

No. 1135

*Indexed, Book 1134.*

64

Township 29N R. 4W

6	98	5	72	4	3	2	1
96		95		71			
7	93	8	70	9	10	11	12
92		90		68			
18	88	17	66	16	15	14	13
87		85		65			
19	84	20	63	21	22	23	24
82		80					
30	79	29		28	27	26	25
77		76					
31	74	32		33	34	35	36

Subdivision of T. 29 N. R. 4 W.

65

No. 1135

Oct. 24, 1900

4 ft. base, 2 ft. high, W of cor.  
Land, rolling,

Soil, gravelly & sandy; 3 rd. rate.

No timber. Land covered with  
dense chics under brush & rocks.

East

on a random line bet. secs. 16 & 21

40.00 Set. term.  $\frac{1}{4}$  sec. cor.

79.90 Intersect N. & S. line 2 lks. S. of  
cor. of 15, 16, 21 & 22.

Thence I run

S.  $89^{\circ}59'W$ .

on a true line bet. secs. 16 & 21

Over rolling land covered with  
dense chics under brush.

15.00 Ridges bears N. & S.

39.95 Set a line stone, 16 x 12 x 8 ins

## Subdivision of T. 29 N. R. 4 W.

11 ins. in the ground, for  
 $\frac{1}{4}$  sec. cor., marked <sup>14</sup> on N.  
 and 21 on S. faces; dig pit,  
 18 x 10 x 12 E. & W. of stone, 3  
 ft. dish, and raise a mound  
 of earth, 3  $\frac{1}{2}$  ft. base,  $\frac{1}{2}$  ft.  
 high N. of cor.

79.90 The cor. of secs. 16, 17, 20 & 21.  
 Land, rolling.

Soil, gravel & sand; 3rd. rate  
 No timber. Land covered with  
 dense chid under brush <sup>cls.</sup> 79.90 <sup>24</sup>

Oct. 24: At 8<sup>h</sup> 30<sup>m</sup> a.m. l.m., t.  
 I set off 11° 44' S on decl arc;  
 35° 51' 3" N. on lat arc; and  
 determine a true meridian  
 with the solar, at the cor.  
 of secs. 16, 17, 20 & 21,

## Subdivision of T29 N R 4W

Thence down

N. 0° 3' W.

bet. secs. 16 &amp; 17

Over rolling land covered with  
dense chics under brush.

9.00 Ridge, brass E. &amp; W.

14.00 D rain, course S.W.

17.00 Small drain, course S.W.

40.00 Set a lime stone, 14 X 12 X 5 ins.

10 ins. in the ground, for  
& sec. cor., marked & on W. and  
16 on E. faces; raise a mound  
of stone, 2 ft. base, 1 1/2 ft.  
high W. of cor. Pits impracticable

63.00 D rain, course S.W.

80.00 Set a lime stone, 16 X 10 X 6 ins.

11 ins. in the ground for  
cor. of secs. 8, 9, 16 & 17,  
marked with & notches on

## Subdivision of T. 29 N. R. 4 W.

S. and E. edges; raise a mound of stone, 2 ft. base, 1 1/2 ft. high W. of cor. Pits impracticable

Land, rolling.

Soil, gravelly and sandy. 30 rods. No timber. Land covered with dense chie underbrush 80. chs

N. 89° 59' E.

on a random line bet. secs. 9 & 16

40.00 Set term. 1/4 sec. cor.

79.98 Intersect N. & S. line 4 lks.

S. of cor. of secs. 9, 10, 15 & 16

Thence I run

N. 89° 57' W.

on a true line bet. secs. 9 & 16.

Over rolling land covered with dense chie underbrush.

8.00 Ridge, bears N. & S.

23.00 Drain, course S. E.

## Subdivision of T. 29 N. R. 4 W.

- 39.79 Set a lime stone,  $16 \times 10 \times 10$  ins.  
 11 ins. in the ground, for  $\frac{1}{4}$   
 sec. cor., marked  $\frac{1}{4}$  on N.  
 and 16 on S. faces; dig pits,  
 $18 \times 18 \times 12$  ins. E. & W. of stone,  
 3 ft. dist., and raise a  
 mound of earth,  $3\frac{1}{2}$  ft.  
 base,  $1\frac{1}{2}$  ft. high, N. of cor.
- 63.00 Ridge, bears NE & S.W.
- 79.98 The cor. of secs. 8, 9, 16 & 17.  
 Land, rolling.  
 Soil, gravelly and sandy; 3<sup>rd</sup> rate.  
 No timber. Land covered with  
 dense chics under brush 79.98 chs.
- Oct. 24: at the cor. of secs. 8, 9, 16 & 17  
 I set off  $11^{\circ} 47' S.$  on decl; and at  
 $11^{\text{th}}$   $48^{\text{m}}$  a.m. I m. t. observe  
 the sun on the meridian; the  
 resulting latitude is  $35^{\circ} 52' 20''$

Subdivision of T. 29 N. R. 4 W.

which is the proper latitude.

N. 0° 3' W.

bet secs 8 & 9

Over rolling land covered  
with dense chid underbrush.

10.00

Ridge, bears N.W. & S.E.

40.00

Set a lime stone, 14 X 12 X 4 ins  
11 ins. in the ground, for  $\frac{1}{4}$   
sec. cor. marked  $\frac{1}{4}$  on W. and  
9 on E. faces; dig pits, 18 X 18 X 12  
ins. N. & S. of stone, 3 ft. dist.,  
and raise a mound of earth,  
3  $\frac{1}{2}$  ft. base, 1  $\frac{1}{2}$  ft. high W. of cor.

70.00

Drain, course S.W.

80.00

Set a lime stone, 12 X 10 X 5 ins.  
8 ins. in the ground, for cor.  
of secs. 4, 5, 8 & 9, marked with  
5 grooves on S. and 4 grooves



Subdivision of T. 29 N. R. 4 W.

on E. edges; dig pits, 18 X 18  
X 12 ins. in each sec, 52  
ft. dish, and raise a mound  
of earth, 4 ft. base, 2 ft. high,  
W. of cot.

Land, rolling.

Soil, gravelly and sandy, good, water.  
No timber. Land covered with  
dense ches undergrowth. 50. Ches

N. 89° 57' E.

on a random line bet. secs. 4 & 9.

40.00

Set ten, 4 sec. cor.

80.00

Intersect N. & S. line 14 lks N.

of cor. of secs. 3, 4, 9 & 10.

Thence I run

N. 89° 57' W.

on a true line bet. secs. 4 & 9

Over rolling land covered with  
dense ches under brush.

23.00

Drain course N.

## Subdivision of T. 29 N. R. 4 W.

40.00 Set a lime stone,  $16 \times 10 \times 6$  ins.  
 11 ins. in the ground, for  
 $\frac{1}{4}$  sec. cor., marked  $\frac{1}{4}$  on N.  
 and 9 on S. faces; dig pits,  
 $18 \times 18 \times 12$  ins. E & W. of stone,  
 $\frac{3}{4}$  ft dist  
 and raise a mound of  
 earth,  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft. high,  
 N. of cor.

60.00 Ridge, bears N. & S.

80.00 The cor. of secs. 4, 5, 8 & 9.  
 Land, rolling.  
 Soil, gravel and sandy; 3rd. rate.  
 No timber. Land covered  
 with dense chics under  
 brush 80.00 chs.

---

N.  $0^{\circ} 3' W.$

on a random line bet. secs. 4 & 5.

40.00 Set ten  $\frac{1}{4}$  sec. cor.

Subdivision of T. 29 N. R. 4 W. 73

80.00 Intersect N. bdy. of Tp. 7 lks. W.  
of cor. of secs. 4, 5, 8 & 9 which  
I established Sept. 6, 1900

Thence I run

N. outh

on a true line bet. secs. 4 & 5

Over gently rolling land cover-  
ed with <sup>heavy</sup> chic under brush.

40.00 Set a lime stone, 12x12x4 ins.  
8 ins. in the ground for  $\frac{1}{4}$   
sec. cor., marked  $\frac{1}{4}$  on W. and  
4 on E. faces; dig pits, 18x18x12  
ins. N. & S. of stone, 3 ft. dist.,  
and raise a mound of earth,  
3  $\frac{1}{2}$  ft. base, 1  $\frac{1}{2}$  ft. high W. of  
cor.

80.00 The cor. of secs. 4, 5, 8 & 9.  
Land rolling.  
Soil, gravelly and sandy, red. color.

74

BOOK 1135

Subdivision of T. 29 N. R. 4 W.

No timber. Land covered with  
dense chics under  
brush 80.00 chs.

Oct. 24, 1900

Oct. 25: From the standard corner  
on the S. side of the 1/4.

Top sec 31 & 32 which is a  
line stone 10x8x4 ins.

above ground, marked and  
witnessed and marked as  
described by the surveyor general,  
A. J. ...

N 8° 37' W.

bet. sec. 31 &amp; 32

Over rolling land covered  
with dense chics under brush.

10.00 low ridge, bears E. & W.

34.00 All rain, course E.

40.00 Set a line stone, 18x10x6

## Subdivision of T 29 N R 4 W.

ins. 12 ins. in the ground,  
for  $\frac{1}{4}$  sec. cor., marked  $\frac{1}{4}$   
on W. and 32 on E. faces;  
raise a mound of stone  
2 ft. base,  $1\frac{1}{2}$  ft. high W. of cor.  
Pits impracticable.

53.00 Low ridge, bears E. & W.

63.00 Drain, course ~~N.~~ W

80.00 Set a line stone, 12 x 12 x 8 ins  
8 ins. in the ground, for  
cor. of secs. 28, 30, 31 & 32,  
marked with 1 notch on S. and  
5 notches on E. edges; raise a  
mound of stone, 2 ft. base,  $1\frac{1}{2}$   
ft. high W. of cor. Pits  
impracticable.

Land, rolling.

Soil, gravelly & sandy; 3rd. rate

No timber, land covered

## Subdivision of T. 29 N. R. 4 W.

with dense chris under brush 50 chs.

E. cut

on a random line bet secs. 29 & 32

40.00 Set term.  $\frac{1}{4}$  sec. cor.

78.86 Intersect N. & S. line 14 chs. S. of  
cor. of secs. 28, 29, 32 & 33.

Thence run

S.  $89^{\circ}54'W'$

on a true line bet. secs. 29 & 32

Over rolling land covered  
with dense chris under brush.

7.00 Ridge, bears N. & S.

20.00 Drain, course S.

39.77 Set a line stone,  $18 \times 12 \times 6$  ins.

12 ins. in the ground for  $\frac{1}{4}$  sec.

cor., marked  $\frac{1}{4}$  on N. and 32

on S. face; dig pits,  $18 \times 18 \times 12$  ins

E. & W. of stone, <sup>3 ft. dist.</sup> and raise a

Subdivision of T. 29 N. R. 4 W.

mound of earth,  $3\frac{1}{2}$  ft.  
base, 1 $\frac{1}{2}$  ft. high v. of cor.

44.00 Drain, course N.E.

79.96 The cor. of secs. 29, 30, 31 & 32.

Land, rolling.

Soils, gravelly and sandy; 3rd. rate.

Not timber land covered with dense  
chico under brush 79.96 chs.

West

on a random line bet. secs. 30 & 31

40.00 Sect. ten,  $\frac{1}{4}$  sec. cor.

79.57 Intersect W. bdy. of Tp. 7 lks. S.

of cor. of secs. 25, 30, 31 & 36.

which I established Sept. 5, 1900

Thence I run

N.  $89^{\circ}57'E$ .

on a true line bet. secs. 30 & 31

Over rolling land covered with

## Subdivision of T. 29 N. R. 4 W.

- dense chics under brush
- 17.00 Ridge, bears N. & S.
- 39.87 Set a lime stone, 16 x 14 x 4 ins.  
11 ins. in the ground, for  $\frac{1}{4}$   
sec. cor., marked  $\frac{1}{4}$  on N.  
and 31 on S. faces; raise a  
mound of stone, 2 ft. base 12  
ft. high, N. of cor. P its  
impracticable.
- 43.00 Drain, course S. E.
- 67.00 Small dr., course N. E.
- 79.87 The cor. of secs. 29, 30, 31 & 32.  
Land, rolling.  
Soil, gravelly and sandy, sod rate.  
No timbers Land covered with  
dense chics under brush, 79.87 chs

Oct. 25; at 9<sup>h</sup> 30<sup>m</sup> a. m. Spitz, set  
off 12° 6' S. on decl arc; 39° 50'



## Subdivision of T. 24 N. R. 4W.

N. on lat arc; and determine  
a true meridian with the  
solar, at the cor. of secs. 29, 30,  
31 & 32.

Thence I run

$N. 0^{\circ} 3' W.$

bet. secs. 29 & 30

Over rolling land covered  
with dense chiro-unders brush.

18.00 Drain, course N. E. 75 ft below cor.

39.00 Flat ridge, bears E. & W.

40.00 Set a lime stone, 15 X 10 X 4 ins.

10 ins in the ground, for  
¼ sec. cor., marked 4 on

W. and 29 on E. faces; dig  
pits, 18 X 18 X 12 ins. N. & S.

of stone, 3 ft. dist., and  
raise a mound of earth 3½  
ft. high 1½ ft. base, W. of cor.

80

BOOK 1135  
 Subdivision of T. 29 N. R. 4 W.

50.00 Drain, course N. E.  
 63.00 Ridge, bears E. & W.  
 80.00 Set a lime stone, 18 x 12 x 4  
 ins. 12 ins. in the ground,  
 for cor. of secs. 19, 20, 29 &  
 30, marked with 2 notches  
 on S. and 5 notches on E.  
 edges; dig pits, 18 x 18 x 12  
 ins. ~~in~~ each sec., 5 1/2 ft. dia.,  
 and raise a mound of earth  
 4 ft. base, 2 ft. high, W. of cor.  
 Land, rolling.

Soil, gravelly and sandy; 3 rd. rate.  
 No timber. Land covered with  
 dense chiee - under brush 80 chs.

N. 89° 54' E.

on a random line bet. 20 & 29

40.00

Set then! 4 sec. cor.

## Subdivision of T. 29 N. R. 4 W.

- 80.00 Enter each N. & S. line at cor. of  
secs. 20, 21, 28 & 29.  
Thence down  
S  $89^{\circ}54'W$ .  
on a true line bet. secs. 20 & 29  
Over rolling land covered  
with dense chico under brush.
- 25.00 A rain, course S.E.
- 38.00 Ridge, bears N. & S.
- 40.00 Set a lime stone, 18 X 12 X 8 ins.  
12 ins. in the ground, for  
 $\frac{1}{4}$  sec. cor., marked  $\frac{1}{4}$  on N. and  
29 on S. faces; dig pits, 18 X 10  
X 12 ins. E. & W. of stone, 3 ft.  
dist.; and raise a mound  
of earth,  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft.  
high, N. of cor.
- 57.00 Ridge, bears N. & S.
- 80.00 The cor. of secs. 19, 20, 28 & 29

Subdivision of T. 29 N. R. 4 W.

Land rolling.

Soil, gravelly & sandy; 3rd rate.

No timber. Land covered with  
dense chid under brush 80 cbs.

Oct 25: I set off  $12^{\circ} 8\frac{1}{2}'$  S. on  
Decl. acc; and at  $11^{\text{h}} 44^{\text{m}}$  am.

I m. t., observe the sun on  
the meridian at the cor of sec.

19, 20, 22 & 30. The resulting  
latitude is  $35^{\circ} 50' 40''$  N.

which is correct.

S.  $89^{\circ} 57' W.$

on a random line bet. sec. 19 & 30.

40.00

Set ten  $\frac{1}{4}$  sec. cor.

79.76

Intersect W. bdy. of Tp. 7 lth. S.

of cor. of sec. 19, 24, 25 & 30.

which I established Sept. 5, 1800.

Thence I run

## Subdivision of T. 29 N. R. 4 W.

East

on a true line between 19 &amp; 30

Over rolling land covered with  
dense chies under brush.

- 18.00 Drain, course N.
- 34.00 Ridge, bears N. & S.
- 39.76 Set a lime stone, 18 x 16 x 4 ins.  
12 ins. in the ground, for  
¼ sec. cor., marked ¼ on W.  
and 30 on S. faces; dig pits,  
18 x 18 x 12 ins. E. & W. of stone, 8 ft.  
diam., and raise a mound of  
earth, 3 ½ ft. base, 1 ½ ft high  
W. of cor.
- 51.00 Ridge, bears E. & W.
- 57.00 Drain, course N.
- 79.76 The cor. of secs. 19, 20, 29 & 30.  
Land, rolling.  
Soil, gravelly and sandy; 3 rd. rate.

## Subdivision of T. 29 N. R. 4 W.

No timber. Land covered with  
dense chico under brush 79.76 ch

N. 0° 3' W.

bet. sec. 19 & 20

Over rolling land covered with  
dense chico under brush.

- 3.00 Drain, course N. E.
- 38.00 Drain, course E.
- 40.00 Set a lime stone, 16 x 10 x 5 in  
11 ins. in the ground, for  $\frac{1}{4}$   
sec. cor., marked  $\frac{1}{4}$  on W.  
and 20 on E. faces; dig pits,  
18 x 18 x 12 ins. N. & S. of stone,  
3 ft. dia., and raise mound  
of each, 3  $\frac{1}{2}$  ft base, 1  $\frac{1}{2}$  ft high,  
W. of cor.
- 51.00 Shallow drain, course S. E.
- 70.00 Ridge, bears E. & W.

## Subdivision of T. 29 N. R. 4W.

80.00 Set a lime stone,  $16 \times 12 \times 8$  ins.  
 11 ins. in the ground far cor.  
 of sec. 17, 18, 19 & 20, marked  
 with 3 notches on S. and 5  
 notches on E. edges; dig pits,  
 $18 \times 18 \times 12$  ins. in each sec.,  
 5-6 ft. deep, and raise a  
 mound of earth, 4 ft. base,  
 2 ft. high W. of cor.

Land, rolling.

Soils, gravel and sandy; 3rd rate.  
 No timber. Land covered with  
 dense chie under brush 50 chs.

N. 89° 54' E.

on a random line bet. sec. 17 & 20

40.00 Set turn & sec. cor.

79.96 Intersect N. & S. line 14 lks N. of  
 cor. of sec. 16, 17 20 & 21

## Subdivision of T. 29 N. R. 4 W.

Thence I run

West

on a true line bet. secs 17 &amp; 20

Over rolling land covered with  
dense chics under brush.

16.00 Drain, course S.

30.00 Small drain, course S.W.

39.98 Set a lime stone, 18 X 10 X 6 ins.  
12 ins. in the ground, for  
 $\frac{1}{4}$  sec. cor., marked  $\frac{1}{4}$  on N.  
and 20 on S. faces; dig pits,  
18 X 18 X 12 ins. E & W. of <sup>stone,</sup> cor. 3 ft.  
dist.; and raise a mound  
of earth, 3  $\frac{1}{2}$  ft. base, 1  $\frac{1}{2}$  ft.  
high, N. of cor.

79.96 The cor. 17, 18, 19 &amp; 20.

Land, rolling.

Soil gravelly &amp; sandy; 3rd. rate.

No timber land covered



## Subdivision of T. 29 N. R. 4 W.

c with dense chics under brush 79.65 chs

Oct. 25-1900.

West

on a random line bet secs. 18 & 19.

40.00 Set term,  $\frac{1}{4}$  sec. cor.

79.65 Intersect W. bdy. of Tp. 9 lks. N.  
of cor. of secs. 13, 18, 19 & 20 which  
I established Sept 5, 1900.

Thence I run

N.  $89^{\circ} 5' 6''$  E.

on a true line bet. secs. 18 & 19

Over rolling land covered with  
dense chics under brush

39.65 Set a lime stone, 16 x 6 x 6 ins. 11  
ins. in the ground, for  $\frac{1}{4}$  sec  
cor., marked  $\frac{1}{4}$  on N and 19 on  
S. faces; dig pits, 45 x 15 x 12  
ins. E. & W. of stone, 3 ft. dia.,

88

## Subdivision of T. 29 N. R. 4 W.

and raise a mound of earth,  
 3  $\frac{1}{2}$  ft. base, 1  $\frac{1}{2}$  ft. high  $\frac{1}{4}$  of cor.  
 45.00 Ridge, bears W. & S,

79.65 The cor. of secs. 17, 18, 19 & 20.  
 Land, rolling.

Soils, gravelly and sandy; 3rd. rate.

No timber. Land covered with  
 dense chics under brush 79.65 chs.

---

N 0° 3' W.

bet. secs. 17 & 18

Over rolling land covered with  
 dense chics under brush.

37.00 Low ridge, bears E. & W.

40.00 Set a lime stone, 16 x 10 x 6 ins.  
 11 ins in the ground, for  
 $\frac{1}{4}$  sec. cor., marked  $\frac{1}{4}$  on  
 W. and 17 on E. faces; dig  
 pits, 18 x 18 x 12 ins. N. & S.

Subdivision of T. 29 N. R. 4 W. <sup>89.</sup>

- of stone, 3 ft. dish, and raise  
a mound of earth, 3 ½ ft. base,  
1 ½ ft. high, W. of cor.
- 41.00 Small drain, course N.E.
- 46.00 Ridge, bears N.W. & S.E.  
Edge of wide bottom course S.E.
- 59.00 ~~Drain course N.W. over bottom~~  
~~of drains to~~  
bottom  
Leave ~~drain~~, acc. good. to
- 75.00
- 80.00 Set a lime stone, 14 X 10 X 6 ins.  
11 ins. in the ground, got  
cor. to secs. 7, 8, 17 & 18 marked  
with 4 notches on S. and 5  
notches on E. edges; dig pits,  
18 X 15 X 12 ins. in each sec.,  
5 ½ ft. dish., and raise a  
mound of earth, 4 ft. base,  
2 ft. high, W. of cor.
- Land, rolling.  
Soil, gravelly and sandy; 3rd rate.

98

Subdivision of T. 29 N. R. 4 W.

No timber. Land covered with dense  
chico under brush 8000 chs.

East

on a random line bet secs 8 & 17

40.00 Set tern.  $\frac{1}{4}$  sec. cor

80.58 Intersect N. & S. line 2 lks. S.  
of cor. of secs. 8, 9, 16 & 17.

Thence I run

S. 89° 59' W.

on a true line bet secs. 8 & 17.

Over rolling land covered  
with dense chico under brush.

30.00 Ridge, bears N. & S, dles.

40.04 Set a lime stone, 10x6x6 ins.  
11 ins. in the ground, for  
 $\frac{1}{4}$  sec. cor., marked  $\frac{1}{4}$  on N.  
and 17 on S. faces; dig pits,  
18x18x12 ins. E. & W. of stone,

Subdivision of T 29 N. R 4 W. 71

3 ft. ditch, and raise a mound  
of earth,  $3\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft.  
high, N. of cor.

65.00 Ravine, 40 ft. deep, course S.W. foot  
of 150 ft. des.

69.50 Small dt. course S.E. Thence  
over nearly level land to

80.08 The cor. of secs. 7, 8, 17 & 18  
land, rolling.

Soil, gravelly & sandy; 3rd rate.

No timber, land covered with  
dense chips under brush, 80.08 chs.

Oct. 26: at 9<sup>h</sup> 10<sup>m</sup> a.m. l.m.t.

I set off  $12^{\circ}26'$  S. on decl arc;  
 $35^{\circ}52'30''$  N. on lat arc and  
determine a true meridian  
with the solar. at cor. to sec. 7, 8, 17 & 18

Thence I run

## Subdivision of T 29 N. R 4 W.

S. 89° 56' W.

on a random line bet. secs. 7 &amp; 18

40.00 Set term  $\frac{1}{4}$  sec. cor.

79.55 Intersect W. bdy of Tp. 9 lks.

S. of cor. to secs. 7, 12, 13 &amp; 18.

which I established Sept.

5, 1900.

Thence I run

East

on a true line bet. secs. 7 &amp; 18

Over rolling land covered  
with dense chid under brush.

9.00 Roady bears N. &amp; S.

25.00 Edge of wide drain. course S.E.

89.55 Set a lime stone, 18x12x5 ins  
12 ins. in the ground, for  $\frac{1}{4}$   
sec. cor. marked  $\frac{1}{4}$  on E. and  
17 on S. faces; dig pits, 18x18  
x12 ins. E. & W. of stone,

## Subdivision of T. 29 N. R. 4 W.

3 ft. dist., and raise a mound  
of earth,  $9\frac{1}{2}$  ft. base,  $1\frac{1}{2}$  ft.  
high N. of cor.

65.00 Leave wide drain, acc. grad-  
ually to

79.55 The cor. of secs. 7, 8, 17 & 18  
land, rolling.

Soil, gravelly and sandy; 3rd rate.  
No timber. Land covered with dense  
chico under brush, 79.55 chs.

N. 0'3' W.

bet. secs.

bet. secs 7 & 8

Over rolling land covered with  
dense chico under brush.

4.00 Ridge, bears E. & W.

14.00 Drain, course W.

26.00 Ridge, bears E. & W.

40.00 Set a lime stone, 20x12x4 ins.

## Subdivision of T. 29 N. R. 4 W.

14 ins. in the ground, for  $\frac{1}{4}$  sec. cor., marked  $\frac{1}{4}$  on W. and 8 on E. faces; dig pits, 18 X 18 X 12 ins. N. & S. of stone, 3 ft. dist., and raise a mound of earth, 3  $\frac{1}{2}$  ft. base, 1  $\frac{1}{2}$  ft. high W. of cor.

43.00 Drain, course E.

80.00 Set a lime stone, 16 X 10 X 6 ins 11 ins. in the ground, for cor. of secs. 5, 6, 7 & 8, marked with 5 notches on S. and E. edges; dig pits, 18 X 18 X 12 in each section, 5  $\frac{1}{2}$  ft. dist., and raise a mound of earth, 4 ft. base, 2 ft high, W. of cor.

Land, rolling.

Soils, gravelly and sandy; 3rd rate.

No timber. Land covered with dense chin underbrush 7000 lbs.



Subdivision of T. 29 N. R. 4 W.

No. 1135

N. 89° 59' E.

on a random line bet. secs. 5 & 8

40.00

Set term. & sec. cor.

80.00

Intersect N. & S. line 9 lks. N.  
of cor. of secs. 4, 5, 8 & 9

Thence I run

N. 89° 57' W.

on a true line bet. secs. 5 & 8

Over rolling land covered with  
dense chips under brush.

40.00

Set a lime stone, 20 x 10 x 6 ins  
14 ins. in the ground, for  $\frac{1}{4}$   
sec. cor. marked  $\frac{1}{4}$  on N. and  
5 on S. faces; dig pits, 18 x 18 x 12  
ins. E. & W. of stone, 3 ft. diam.  
and raise a mound of earth,  
3  $\frac{1}{2}$  ft. base 1  $\frac{1}{2}$  ft. high N. of cor.

56.00

Begin des. N. slope.

63.00

to rain, course S.

## Subdivision of T. 29 N. R. 4 W.

80.00

The cor. of secs. 5, 6, 7 &amp; 8.

Land, rolling.

Soil, gravelly and sandy; 3rd rate.

No timber. Land covered with  
dense chid underbrush 80.00 chs.Oct. 26: I set off  $12^{\circ} 29' S.$  on  
decl. arc; and at  $11^h 45^m$  a.m.I was to observe the sun on  
the meridian. The resulting  
latitude is  $85^{\circ} 53' 10'' N.$  which  
is the proper latitude.

West

on a random line bet secs. 6 &amp; 7.

40.00

Set term.  $\frac{1}{4}$  sec. cor.

79.47

Intersect W. bdy of Tp. 11 lks S. of  
cor. of secs. 1, 4, 7 & 12 which I  
established Sept. 5, 1900.

Thence I run

## Subdivision of T. 29 N. R. 4 W.

S. 89°55'E.

on a true line bet. secs. 6 &amp; 7

Over rolling land covered with  
dense chice under brush.

9.00 Ridge, bears N.W. &amp; S.E.

26.20 Road, bears N. &amp; S.

39.47 Set a lime stone, 16 x 14 x 4 ins.  
11 ins. in the ground, for  $\frac{1}{4}$  sec  
cor., marked  $\frac{1}{4}$  on N. and  
7 on S. faces; dig pits, 18 x  
18 x 12 ins. E. & W. of stone,  
3 ft. dist., and raise a  
mound of earth, 3  $\frac{1}{2}$  ft.  
base, 1  $\frac{1}{2}$  ft. high N. of cor.

45.00 Ridge, bears N.W. &amp; S.E.

65.00 Rd. in, course, S.E.

79.47 The cor. of secs. 5, 6, 7 & 8.  
Land, rolling.

Soil, gravel &amp; sand; gravel. rate.

98

Subdivision of T. 29 N. R. 4 W.

No timber, land covered with  
dense chico brush 7947 chs

N. 8'3" W.

on a random line bet. secs. 5 & 6

40.00

Set ten.  $\frac{1}{4}$  sec. cor.

8006

Intersect N. bdy. of TP. at cor.  
cor. of secs. 5, 6, 31 & 32 which  
I established Sept 6, 1900.

Over rolling land covered  
with dense chico underbrush.

10.00

Ridge, bears N.W. & S.E.

40.06

Set a lime stone, 20 x 10 x 4 ins.

14 ins. in the ground, for  $\frac{1}{4}$

sec. cor., marked  $\frac{1}{4}$  on W. 75

on E. face; dig pits, 18 x 18 x 12

ins. N. & S. of stone 3 ft. dist.,

and raise a mound of

earth, 3  $\frac{1}{2}$  ft. base, 1  $\frac{1}{2}$  ft. high,

## Subdivision of T. 29 N. R. 3 W.

W. of cor

80.06 The cor. of secs. 5, 6, 7 & 8  
land rolling.

Soil, gravelly and sandy; 3d. rate.

No timber land covered with  
dense chips under brush 80.06 chs.

I return to the meridian  
established Oct. 18, from Palaris,  
at the S. E. cor. of the T. At 4<sup>h</sup> 30<sup>m</sup>  
p. m. lat. I set off  $12^{\circ} 30' S.$  on the  
decl. arc;  $35^{\circ} 49' N.$  on the Cat. arc,  
and test the adjustments of  
my solar; finding it gives the same  
meridian as before, and adjustments  
correct.

Oct. 26, 1900.

## Subdivision of T. 29 N. R. 7 W.

## General Description.

The land in this township is rolling and hilly. The soil is gravelly, sandy, and stony, and practically worthless. There is a little scattering scrubby cedar timber in the northwestern part of the township.

There is but little grass in the township, owing to the continued lack of rain.

There is a dense growth of chisbrush over the entire township, an amid leafless shrub, two to four feet high, which seriously impeded the progress of chis'ing. A limestone formation underlies the entire township, with

Subdivision of T. 29 N. R. 7 W.

outcropping ledges in a few  
places.

There is no water in the township  
at any season of the year.

Carl R. Gaudle

U. S. Deputy Surveyor.

List of Names.

BOOK 1135 162

A List of the Names of the Individuals  
employed by Carl R. Gaudle  
Deputy Surveyor, to assist in running, meas-  
uring and marking the lines and corners described  
in the foregoing Field Notes of the survey of the  
subdivisions of Tps. 29N.  
S. 1, 2, 3, E. 4 W.

of the Gila and Salt River Base and Meridian, in  
the Territory of Arizona, showing the respective  
capacities in which they acted.

Marvin Gaudle Chainman.

J. M. Meredith Chainman.

Chainman.

Fred A. Byer Chainman.

H. C. Whittington Axeman.

Axeman.

Henry Norman Flagman.





# Final Oath of Assistants.

We hereby certify that we assisted.....

*Carl R. Gaudle*..... U. S. Deputy Surveyor, in  
surveying all those parts or portions of the.....  
*subdivisions of Tps. 29 N. Rs.*  
*12, 3, E of 4 W.*

of the Gila and Salt River Base and Meridian, in  
the Territory of Arizona, as are represented in the  
foregoing field notes as having been surveyed by him  
and under his direction; and that said Survey has  
been in all respects, to the best of our knowledge  
and belief, well and faithfully surveyed, and the  
corner monuments established according to the  
instructions furnished by the United States Surveyor  
General for Arizona.

*Marvin Gaudle*..... Chainman.

*J. M. Meredith*..... Chainman.

..... Chainman.

..... Chainman.

*Frederic A. Byer*..... moundman  
Axeman.

*W. C. Whittington*..... moundman  
Axeman.

*Henry Norman*..... Flagman.

Sworn to and subscribed before me, this *24th*

day of *November*, 189*9*.

*Henry F. Ashworth*

Notary Public.

My Commission expires June 1, 1901.

[SEAL]

Final Oath of U. S. Deputy Surveyor.

BOOK

104  
1135

I, Carl R. Gaudle

U. S. Deputy Surveyor, do solemnly swear that in  
pursuance of a contract received from George  
Christ United States Surveyor-General for Ari-  
zona, bearing date of the thirteenth day of

June 1900  
~~189~~, I have well, faith-

fully, and truly, in my own proper person, and in  
strict conformity with the instructions furnished by  
the United States Surveyor-General for Arizona,  
the Manual of Surveying Instructions, and the  
laws of the United States, surveyed all those parts

or portions of the subdivisions of

Tf., 29 N. Rs 1, 2, 3, Sec. 7 W.

of the Gila and Salt River Base and Meridian, in  
the Territory of Arizona, as are represented in the  
foregoing Field Notes as having been surveyed by  
me and under my direction; and I do further  
solemnly swear that all the corners of said surveys  
have been established and perpetuated in strict  
accordance with the Manual of printed instructions,  
the special instructions of the United States Sur-  
veyor-General for Arizona, and in the specific

manner described in the field notes, and that the foregoing are the true Field Notes of such survey; and should any fraud be detected I will suffer the penalty of perjury, under the provisions of an act of Congress approved August 8, 1846.

*Carl R. Bland*

U. S. Deputy Surveyor.

BOOK 1135

Sworn to and subscribed before me this *with*

day of *November*, 189*0* 1900

*Henry J. Ashmun*  
Notary Public

My Commission expires June 1, 1901.

Subscribed and Sworn  
before me this 7<sup>th</sup> day of *Nov*  
1900 -

*W. L. Rayburn*  
Clerk of the Probate Court