

<2>

BOOK 1140

*Subdivisions*

*- of -*

*T. 30 N. R. 3 W.*

BOOK 1140

*No. 1140*

4-671

FIELD NOTES

GENERAL LAND OFFICE.

1140

*Indexed, Book 1141.*

60 Township 30N R. 3W

6	89	5	65	4	47	3	2	1
88		86		64		46		
7	84	8	62	9	44	10	11	12
84		82		61		43		
18	81	17		16	41	15	14	13
80		18		57				
19	77	20	55	21		22	23	24
75		74		54				
30	12	29	52	28		27	26	25
70		69		50				
31	67	32	49	33		34	35	36

## Subdivision of T 30 N. R. 3 W.

Chains	S. $89^{\circ}56'E$ on a random line bet. Sec's. 9 and 16. over rolling and broken country.
40.00	Set temp. $\frac{1}{4}$ sec. Cor.
79.60	Intersect N. and S. <sup>line</sup> 17 links N. of the cor. of Sec's. 9-10 and 16.
	Thence I run
	N. $89^{\circ}49'W$ on a true line bet. Sec's. 9 and 16.
1.35	descend
33.60	Bottom of rocky hill ascend
39.80	Set sandstone $20 \times 12 \times 4$ ins. 15 ins. in the ground for $\frac{1}{4}$ sec. Cor.
	Marked $\frac{1}{4}$ S. on N. face from which a Cedar 10 ins diam. bears N. $9^{\circ}30'E$ . 58

## Subdivision of T. 20 N. R. 3 W

Chains	links dist. Marked $\frac{1}{4}$ S. 9. B.T. A Cedar 8 ins. diam. b's. S. 26° 30' W. 31 links dist. Marked $\frac{1}{4}$ S. 16 B.T.
40.60	Ridge b's N.E. and S.W.
48.60	Gulch Course N. E.
76.95	Top rocky bank b's N.E. & S.W.
79.60	The Cr. of Secs. 8-9-16 and 7. Land broken and rough. Soil Rocky 3 <sup>rd</sup> rate Timber Scrub Cedar Small Underbrush 79.60 Chs.

---

	N 0° 03' W bet. Secs 8-9
6.00	Wash Course N. E. Ascend
15.00	East slope of Ridge descend
27.00	Ascend
40.00	Set sandstone 20x12x8 ins.

## Subdivision of T. 30 N. R. 3 W.

Chains	8 ins. to bedrock for $\frac{1}{4}$ sec. Cor. Marked $\frac{1}{4}$ S. on W. face and raise a mound of stone 3 ft. base 2 ft. high W. of Cor. Pits impracticable
45.00	Top of ascend
59.20	Supai trail bis. S.E. and N.W.
80.00	Set limestone $20 \times 10 \times 6$ ins 8 ins into bedrock for the cor. of sec's 4-5-8 and 9. Marked with 5 notches on the S. and 4 notches on E. edges. and raise a mound of stone 3 ft. base, 2 ft. high W. of Cor. Pits impracticable Land, broken and rough Soil, rocky 4 <sup>th</sup> rate Timber scattering Thick undergrowth so. rocks

## Subdivision of T. 20. N. R. 3 W

- |        |  |
|--------|--|
| Chains | S. $89^{\circ}49'E$ on a random line<br>bet. sec's 4 and 9.  |
| 40.00  | Set. termp. $\frac{1}{4}$ sec. Cor.  |
| 79.75  | Intersect N. and S. line at<br>Cor. of sec's. 3-4-9 and 10<br>Thence I run, over rough Country<br>N. $89^{\circ}49'W$ . on a true line<br>bet. sec's. 4 and 9.   |
| 13.75  | Gulch Course S.E.  |
| 40.00  | Set sandstone $20 \times 8 \times 6$ ins.<br>10 ins in the ground for $\frac{1}{4}$ sec.<br>Cor.<br>Marked $\frac{1}{4}$ S. on N. face<br>and raise a mound of Stone<br>3 ft. base 2 ft. high N. of Cor.<br>Pits impracticable |
| 49.05  | Gulch course N.E. descend  |
| 54.40  | Road bis. S.E. and N.W.  |
| 62.75  | Gulch course N.E.  |
| 65.35  | Gulch course S.E.  |

## Subdivision of T. 30 N. R. 3 W.

## Chains

79.75 The Co. of sec's. 4-5-8 and 9  
 Land rough and broken  
 Soil rocky 4<sup>th</sup> rate  
 Timber scattering scrub cedar  
 Heavy undergrowth of brush  
 79.75 chs.

(on a random line)  
 N.  $0^{\circ}02'W.$  bet. sec's. 4 and 5  
 Over a rolling country  
 4000 Set  $\frac{1}{4}$  temp  $\frac{1}{4}$  sec. Cor.  
 79.73 Intersect N. body of T. 30 links  
 W. of the Co. of sec's 4-5-32 and 33  
 Thence I run  
 S.  $0^{\circ}9'W.$  on a true line bet.  
 sec's. 4 and 5.

8.73 Ascend

19.73 Ridge bears N.E. and S.W.

29.73 descend

39.73 Set limestone 24x10x6 ins.

## Subdivision of T. 30 N. R. 3 W.

Chains 18 ins in the ground for  $\frac{1}{4}$  sec.  
Cor.

Marked  $\frac{1}{4}$  S. on W. face

dig pits 18x18x12 ins. N. and S.  
of stow 3 ft. dist. and raise  
a mound of earth  $3\frac{1}{2}$  ft.  
base 2 ft. high W. of Cor.

Ascend

59.73 Top of Ascint.

74.73 descend

78.18 Road W.W. and S. E.

79.73 The Cor. of sec's. 4-5-8 and 9

Land rough and broken  
Soil rocky 4<sup>th</sup> rate

Timber scattering cedar.

Undergrowth of sage and chize

79.73 chs.

July 18<sup>th</sup> 1901



## Subdivision of T. 30 N. R. 3 W.

Chains. July 19<sup>th</sup> 1901. at 8 a.m. I set off.  
 35°<sup>34'</sup> — on the lat. arc.  
 20° 56' — on the decl. arc. and  
 determined a true meridian  
 with the solar. at the cor.  
 of sec's. 5-6-31 and 32 on the  
 S. bdy. of the 4<sup>p</sup>. which is a  
 limestone 9x8x7 ins. above  
 the ground properly marked  
 and witnessed

Thence I run

N. 0° 23' W. bet. sec's. 31 and 32  
 over rolling rocky country  
 descend

18.10 Bottom of descent.

40.00 Set sandstone 30x12x6 ins.  
 21 ins. in the ground for 1/4  
 sec. cor.

Marked 1/4 S on W face  
 dlig pits 18x18x12 ins. N. and S.

## Subdivision of T. 30 N. R. 3 W.

- |        |  |
|--------|--|
| Chains | of stone 3 ft. dist. and raise a mound of earth $3\frac{1}{2}$ ft. base 2 ft. high W of Cor.   |
| 51.00  | Enter timber Pis. E and W.<br>Ascend   |
| 59.00  | Ridge bears E. and W.<br>descend   |
| 68.00  | Bottom of ridge, leave timber bears N.E. and S.W.  |
| 80.00  | Set sand stone $30 \times 10 \times 8$ ins. 21 ins. in ground for cor. of sec's. 29-30-31 and 32.<br>Marked with 1 notch on S. and 5 notches on E. edge.<br>Dig pits $18 \times 18 \times 12$ ins. in each sec. $5\frac{1}{2}$ ft. dist. and raise a mound of earth $3\frac{1}{2}$ ft. base 2 ft. high W. of Cor.<br>Land rolling and broken |

## Subdivision of T. 30. N. R. 3 W.

Chains	Soil rocky 3 <sup>rd</sup> rate
10.00	chs. of cedar timber
	Heavy underbrush
	50.00 chs.
N. 89° 58'	East on a random line
	bet. sec's. 29 and 32.
40.00	Set <del>to</del> temp. $\frac{1}{4}$ sec Cor.
80.08	Intersect N. and S. line <sup>16 lks.</sup>
N. of	the cor. of sec's. 28-29-32 and 33
	Thence I run
	N. 89° 55' N. on a true line
	bet. sec's. 29 and 32.
5.08	Enter timber bis N. and S.
27.08	Leave timber bears N and S.
28.08	Ascend
40.04	Set sandstone 24 x 12 x 6 ins
	18 ins. in the ground for $\frac{1}{4}$
	Sec. Cor.
	Marked $\frac{1}{4}$ S. on N. face

## Subdivision of T. 30 N. R. 3 W.

Chains. Dig pits 18x18x12 ins. E and W.  
of stone 3 ft. dist. and run  
a mound of earth  $3\frac{1}{2}$  ft.  
base 2 ft. high N. of Cor.  
Ascend

58.08 Top of Ascend  
descent

80.08 The Cor. of secs. 29-30-31  
and 32.

Land level and broken  
Soil rocky 3<sup>rd</sup> rate  
Timber scattering cedar  
Heavy undergrowth of  
sage and Chigs. 80.08 chs.

589<sup>0</sup>58<sup>1</sup> West on a random line bet.  
the secs. 30 and 31.

over broken rolling land

40.00  
.79.58

Set temp  $\frac{1}{4}$  sec. Cor

Intersect W. bdy. of the tp.

## Subdivision of T. 30 N. R. 3 W.

Chains	18 links S. of the cor. of sec's 29-30-31 and 32. Thence I run descend, S. $89^{\circ}32'2''$ on a true line bet <sup>Sec. 30-31</sup>
13.90	Wash course N.E. Ascend
39.58	Set sandstone 25 X 15 X 6 ins. 21 ins. in the ground for $\frac{1}{4}$ sec. Cor. Marked $\frac{1}{4}$ S. on N. face. Pits impracticable A Cedar 6 ins. diam. bears S. $17^{\circ}30' E$ . 100 links dist. Marked $\frac{1}{4}$ S. 31 B.T. from which A Cedar 10 ins. diam. bears N. $3^{\circ}30' W$ . 106 links, dist. Marked $\frac{1}{4}$ S. 30 B.T.
47.90	descend - Gulch course S. Ascend
56.90	Top of S. slope of ridge
67.40	descend
77.25 79.58	Road bears N.E. and S.W. The Cor. of sec's 29-30-31 and 32.

## Subdivision of T. 30 N. R. 3 W.

Chains	Land rolling and broken Soil rocky, 3 <sup>rd</sup> rate Timber Cedar Heavy undergrowth of Sage and Chigo	Chs. 19.58
--------	---	---------------

---

N. 0°03' W. bet. Secs. 29 and 30  
Over rolling rocky broken land.

3.05	Road bis. N.E. and S.W.
12.20	Leave wash ascend
19.00	Top of ascent.
40.00	Set sandstone 24x12x5 ins. 18 ins in the ground for $\frac{1}{2}$ sec. cor. marked $\frac{1}{4}$ on N. face dig pits 18x18x12 ins. N and S. of stone 3 ft. dist. and raise a mound of earth $3\frac{1}{2}$ ft. base 2 ft. high W. of Cor
46.00	Descend

## Subdivisions of T. 30 N. R. 3 W.

Chains

56.65

Road and Wash course N.E.

Ascend

Ridge

46.00

descend

20.00

Set sandstone 18x10x8 ins.

12 ins in the ground for the

Cor. of sec's. 19-20-29 and 30

Marked with 2 notches on S,

and 5 notches on E. <sup>edges</sup> From which

A Cedar 12 ins. diam. bears

N. 59° 15' E. 187 links dist. Marked

T. 30 N. R. 3 W., S. 20 B.T.

A Cedar 10 ins. diam. bears

S. 39° 15' E. 225 links dist.

Marked T. 30 N. R. 3 W., S. 29 B.T.

A Cedar 10 ins. diam. bears

S. 28° 30' W. 119 links dist.

Marked T. 30 N. R. 3 W., S. 30 B.T.,

## Subdivision of T. 30 N. R. 3 W.

Chains A Cedar 12 ins diam. bears  
 N.  $4^{\circ}30'W$ . 81 links dist.  
 Marked T. 30 N. R. 3 W. S 19 B. T.  
 Land rolling and broken  
 Soil rocky 3<sup>rd</sup> rate  
 Timber scrub Cedar.  
 Heavy undergrowth of  
 Sage and Chigo. S. rochs.  
 July 19<sup>th</sup> 1901

N.  $89^{\circ}55'E$ . on a random line  
 bet. secs. 20 and 29.

Over broken country

40.00

Set. temp  $\frac{1}{4}$  sec. cor.

80.12

Intersect N. and S. line 16  
 links S. of the cor. of secs.  
 20-21-28 and 29.

Thence I run,

S.  $89^{\circ}48'W$ . on true line bet.

3.00

secs. 20 and 29  
 Road N. E. and S. W.

40.06

Set. sandstone 24 x 12 x 8 ins



## Subdivision T. 30. N. R. 3 W.

Chains 10 ins in the ground for  $\frac{1}{4}$  sec.

Cor. Cts. imperfect

Marked  $\frac{1}{4}$  S. on N. face.

Flour white.

A Cedar 10 ins. diam, bis.

S.  $80^{\circ}30'$  E, 200 links dist.

Marked  $\frac{1}{4}$  S. 29 B.T.

A Cedar 16 ins. diam bears

N.  $39^{\circ}30'$  E, 82 links dist.

Marked  $\frac{1}{4}$  S. 20 B.T.

62.12

descend.

80.12

Road bet N.E. and S.W.  
The cor. of secs. 19, 20-29 and 30.  
Land broken and rough.

Soil rocky @  $\frac{2}{4}$  rate

Timber scrub Cedar.

Heavy underbrush of sage  
and Chigo. 80.12 chs.

N.  $89^{\circ}52'$  W, on a random  
line bet. secs. 19 and 30.

## Subdivision of T. 30 N. R. 3 W.

Chains Over rolling land through heavy growth of cholla chigs and sage bush.

40.00 Set temp  $\frac{1}{4}$  sec. Cor.

79.24 Intersect W. bdy of Tp. 20 links S of the cor of sec's. 19-24-25 and 30.

Thence run

S.  $89^{\circ}43'E$ . on a true line bet. sec's. 19 and 30.

13.82 Ridge Bros. S.E. and N.W. descend

39.24 Set sandstone  $18 \times 12 \times 10$  ins. 12 ins. in the ground for  $\frac{1}{4}$  sec. Cor.

Marked  $\frac{1}{4}$  S. on N. fence dig pits  $18 \times 18 \times 12$  ins. E and W. of stone 3 ft. dist. and raise a mound of earth  $3\frac{1}{2}$  ft. base 2 ft high N of Cor

## Subdivision of T. 30 N. R. 3 W.

Chains	Ravine Course S.E.
79.24	The cor. of secs. 19-20-29 and 30 Land broken and rough Soil rocky 3 <sup>rd</sup> rate Timber scattered cedar Heavy underbrush
	chs 79.24

20.00	N. 0° 03' W. bet. secs. 19 and 20 Over rolling broken land through heavy undergrowth
29.00	Ascending
40.00	Top of ascent.
	Set sandstone 20 x 14 x 12 ins 15 ins. in the ground for 1/4 sec. Cor. Marked 1/4 S. on W. face. Relig pits 18 x 18 x 12 ins. N and S. of stone 3 ft. dia. and raise a mound of earth

## Subdivision of T. 30 N. R. 3 W.

Chairs	3 1/2 ft. base 2 ft. high W of Cor.
48.00	descend gully
80.00	Set limestone 20 x 15 x 6 in.
	15 ins. in the ground for
	Cor. of sec's. 17-18-19 and 20.
	Marked with 3 notches
	on S. and 5 notches on E.
	edges.
	slig pits 18 x 18 x 12 ins. in
	each sec. 5 1/2 ft. dist. and
	raise a mound of earth
	3 1/2 ft. base 2 ft. high W of Cor.
	Land rolling and broken
	Soil rocky 3 <sup>rd</sup> rate
	No. timber
	Heavy undergrowth 80,000 lbs

N. 89° 48' E. on random line  
bet. sec. 17 and 20.

40.00

Set temp. 1/4 sec. Cor.

## Subdivision of T. 20 N. R. 3 W.

Chains

79.70

Intersects N and S line 4 links  
links N of the cor. of sec's 16-  
17-20 and 21.

Thence I run.

S.  $89^{\circ}50'$  W. on a true line bet  
sec's. 17 and 20.

16.70

Ascend

39.85

Set sandstone  $24 \times 12 \times 6$  ins  
for  $\frac{1}{4}$  sec. Cor. 18 ins. in the ground  
Marked  $\frac{1}{4}$  S on N. face  
dug pits  $18 \times 18 \times 12$  ins. E. and W.  
of stone 3 ft. dist. and raise  
a mound of earth  $3\frac{1}{2}$  ft. base  
2 ft. high N. of Cor.

45.70

Ridge bears N.E. and S.W.

56.00

Wash Course N.E.

75.00

ascend

79.70

The Cor. of sec's. 17-18-19 and 20.  
Land rolling

## Subdivision of T. 30 N. R. 3 W.

Chains Soil rocky 3<sup>rd</sup> rate  
 No timber  
 Heavy underbrush 79.70 chs

---

N. 89° <sup>43'</sup> W. on a random  
 line bet sec's. 18 and 19

40.00 Set temp.  $\frac{1}{4}$  sec. Cor.

79.08 Intersect W. bdy. of Tp. 9 links  
 n. of the cor. of sec's. 13-18  
 19 and 24.

Thence Run

S. 89° 45' E. on a true line  
 bet. sec's. 18 and 19.

39.08 Set sandstone 20 X 10 X 4 ins  
 for  $\frac{1}{4}$  sec. cor. 15 ins in ground  
 Marked  $\frac{1}{4}$  S. on N. face.

Big pits 18 X 18 X 12 ins, E. and  
 W. of stone 3 ft. dist. and  
 raise a mound of earth  
 3½ ft. base 2 ft. high N. of Cor.

## Subdivision of T. 20 N. R. 3 W.

Chains

44.00 Top of Ascent.  
 72.75 descend  
 79.08 The Co. of secs. 17-18-19 and 20  
 Land rolling  
 Soil sandy & rocky 2<sup>nd</sup> rate  
 No timber  
 Underbush 79.08

July 20<sup>th</sup> 1901N.  $0^{\circ}03'W$ . bet. secs. 17 and 18.

Over rolling land

40.00

Set sandstone  $20 \times 6 \times 6$  ins.  
 15 ins. in the ground for  
 $\frac{1}{4}$  sec. Co.

Marked  $\frac{1}{4}$  S. on W. face

larg pits  $18 \times 18 \times 12$  ins. N. and S,  
 of stone 3 ft. dist. and

raise a mound of earth  
 $3\frac{1}{2}$  ft. base 2 ft. high W of Co.

## Subdivision of T. 30 N. R. 9 W

## Chains

80.00

Set sandstone 18x12x6 ins  
12 ins in the ground for  
Cor. of secs. 7-8-17 and 18.  
Marked with 4 notches  
on S. and 5 notches on E.  
edges.

4 lig pits 18x18x12 ins. in  
each sec. 5 1/2 ft. dist. and  
raise a mound of earth  
3 1/2 ft. base 2 ft. high N. of Cor.

Land rolling

Soil sandy and rocky <sup>3<sup>rd</sup> 1/2</sup>

No timber

Heavy underground 80.00 chs

N. 89°50'E. on a random  
line bet. secs. 8 and 17

40.00

Set temp. 1/4 sec. Cor.

80.40

Intersect N. end. S. line 16



## Subdivision of T. 30 N. R. 3 W.

Chains	links S. of Cor. of sec's. 8-9 16 and 17. Thence I run S. 89° 43' W. on a true line bet. sec's. 8 and 17. Over rocky broken land Rocky draw course N. and S. ascending
20.00	Top of ridge N.E. and S.W.
21.00	Set a limestone 18 x 6 x 6 ins. 12 ins. in the ground for 1/4 sec. Cor. Marked 1/4 S. on N. face and raise a mound of stones 3 ft. base 2 ft high N. of Cor. A cedar 8" dia. tree N. 76° E. 74' high marked 1/4 S. & RT.
40.20	Pits impracticable
80.40	The Cor. of sec's. 8-7-17 and 18 Land broken and rolling. Soil rocky 3 <sup>rd</sup> rate

## Subdivision of T. 30 N. R. 3 W.

Chains No Timber.

Heavy brush so. 40 chs.

---

 N.  $89^{\circ}45'W$ . on a random  
line bet. sec. 7 and 18.

Over rolling land

40.00

Set temp  $\frac{1}{4}$  sec. Cor.

78.94

Intersect N. bdy of T. 7  
links N. of the Cor. of secs.  
7-12-13 and 18.

Thence I run.

S.  $89^{\circ}48'E$ . on a true line  
bet. sec. 7 and 18.

38.94

Set sandstone  $18 \times 16 \times 4$  ins.  
12 ins in the ground for  
 $\frac{1}{4}$  sec. Cor.Marked  $\frac{1}{4}$  S. on N. face  
dig pits  $18 \times 18 \times 12$  ins E. and W.  
of stone 3 ft. dist. and raise  
a mound of earth  $3\frac{1}{2}$  ft

## Subdivision of T. 30 N. R. 3 W.

Chains base 2 ft high, N. of Cor.  
 The Cor. of secs. 7-8-17 and 18  
 78.94 Land rolling  
 Soil sandy and rocky 3<sup>rd</sup> rate  
 No Timber.  
 Heavy Underbrush <sup>78.94</sup> chs.  
 July 22<sup>nd</sup> 1901

N. 0° 03' W. bet. secs. 7 and 8.

Over rolling land

40.00 Set sandstone 20 x 16 x 8 ins.  
 15 ins. in the ground for  
 1/4 sec. Cor.

Marked 1/4 S. . . . . on  
 W. face.

4 lig pits 18 x 18 x 12 ins, N.  
 and S. of stone 3 ft. dist.  
 and raise a mound of  
 earth 3 1/2 ft. base 2 ft.  
 high N. of Cor.

50.00 Set sandstone 20 x 16 x 8 ins.

## Subdivisions of T. 20. N. R. 3 W.

Chains 15 ins. in ground for cor.  
of secs. 5-6-7 and 8.

Marked 5 notches on S. and  
E. edges.

4 lig pits 18 X 18 X 12 ins. in  
each sec. 5 1/2 ft. dist. and  
raise a mound of earth  
3 1/2 ft. base 2 ft. high N. of cor.

Land rolling

Soil rocky and sandy & red

No Timber

Thick Underbrush 8000 Chs.

---

N.  $89^{\circ}43'E$ . on a random line  
bet. secs. 5 and 8.

40.00 Set temp. 1/4 sec. Cor.

80.30 Intersect N. and S. line at  
the cor. of secs. 4-5-8 and 9  
Thence I run.

S.  $89^{\circ}43'W$ . on a true line

## Subdivision T. 30 N. R. 3 W.

- Chains bet. sec's, 5 and 8.
- 14.30 Ridge bears N. and S.
- 26.00 descend Road SW. and N. E.
- 40.15 Set limestone  $18 \times 12 \times 5$  ins.  
12 ins. in the ground for  
 $\frac{1}{4}$  sec. Cor.  
Marked  $\frac{1}{4}$  S. on N. face  
big pits  $18 \times 18 \times 12$  ins. E. and W.  
of stone 3 ft dist. and raise  
a mound of stone  $3\frac{1}{2}$  ft. base  
2 ft. high N. of Cor.
- 61.00 Road bears S. E. and N. W.  
Top of ridge bears N. and S.
- 69.30 Wash course W  
ascend
- 80.30 The Cor. of sec's, 5-6-7 and 8.  
Land rolling  
Soil sandy and rocky <sup>3rd rate</sup>  
Timber scrub Cedar  
Heavy brush 80 30 chs.

## Subdivision of T. 30 N R. 3 W.

Chairs

N.  $89^{\circ}48'W$ , on a random  
line bet. secs. 6 and 7.

40.00 Set temp.  $\frac{1}{4}$  sec. Cor.

79.00 Intersect N. bdy. of Twp. <sup>13</sup>#  
links S. of Cor. of secs. 1-6  
-7 and 12

Thence I run

S  $89^{\circ}43'E$ , on a true line  
bet. secs. 6 and 7.

39.00 Set limestone  $20 \times 10 \times 6$  ins.  
15 ins. in the ground for  $\frac{1}{4}$   
sec. Cor.

Marked  $\frac{1}{4}$  S. on N. face  
big pits  $18 \times 18 \times 12$  ins. E. and W.  
of stone 3 ft. dist. and  
raise a mound of earth  
 $3\frac{1}{2}$  ft. base 2 ft. high N. of Cor.  
Top of Ascent.

6350

No. 1140

BOOK 1140

89

Subdivision of T. 20 N. R. 3 W.

Chains.

descend gently

The Cor. of sec's 5-6-7 and 8.

Land rolling

Soil rocky and sandy 3 rats

No timber

Heavy undergrowth

79.00<sup>cho.</sup>N. 0° 03' W. on a random line  
bet. sec's 5 and 6.

40.00

Set temp.  $\frac{1}{4}$  sec. Cor.

79.90

Intersect N. bdy. of 7p. at  
the Cor. of sec's 5-6-31 and 32

Thence I run

S. 0° 03' E. on a true line

bet. sec's 5 and 6.

Road N. W. and S. E.

12.00

39.90

Set limestone 18x10x6 ins.

12 ins. in the ground for

 $\frac{1}{4}$  sec. Cor.Marked  $\frac{1}{4}$  S. on W. face

## Subdivision of T. 31 N. R. 3 W.

Chains 4 lig pits 18x18x12 ins. N. and S.  
of stone 3 ft. dist. and  
raise a mound of earth  
3 1/2 ft. base 2 ft. high W of Cor.

79.90

The Cor. ACS. 5, 6, 7 &amp; 8

Land rolling

Soil sand and rocky &amp; rat.

Timber scrub Cedar

Heavy underbrush

79.90 Chs.

July 23<sup>d</sup> 1901



## Subdivision of T. 30 N. R. 3 W.

Chains

General Description

This Township contains mostly mountainous land.

There is some scattering cedar in the center and northern portion.

The Township has no water and no settlers.

## A P, P R O V A L

OFFICE OF THE U.S. SURVEYOR GENERAL.

Phoenix, Arizona.

August 2-1902.

The foregoing field notes of the survey of Subdivisions of  
Tr. 30 N. R. 3 W.  
 executed by F. D. Jacobs, Comptroller  
 under ~~his~~ Contract No. 71 dated June  
13" , 1900. having been critic-  
 ally examined, and the necessary correct-  
 ions and explanations made, the said  
 field notes, and the surveys they des-  
 cribe, are hereby approved.

Hugh H. Price  
 U.S. Sur. Gen. for Ariz.,