

<1>

BOOK 1141

Subdivisions
- of -
T30N. R.3 W.

1141

No. 1141

BOOK 1141

4-671

FIELD NOTES
GENERAL LAND OFFICE.

No. 1141

BOOK 1141

Subdivision of T. 30 N. R. 3 W.

Field Notes
of the survey of the

Subdivision
of

Township No. 30 North, Range 3 West.

of the

Gila and Salt River basins and Mts.

in the

Territory of Arizona
as surveyed by.

Francis B. Jacobs Compassman
for James C. Hobbins

U. S. Deputy Surveyor
Under his contract No. 71

Dated June 13, 1900

Survey commenced July 7, 1901

Survey completed July 23, 1901

BOOK 1141

Subdivision of T. 30 N. R. 3 W

Names and duties of assistants

- W. H. Lockridge Chairman
- Fred. Ferguson Chairman
- Jay Libsch Moundsman
- Henry Spann Oxman
- Henry Sellers Oxman
- Jay Jacobs Flagman

Index for } BOOK 1140
 } BOOK 1141

Index T. 30 N. R. 3 W.

6	89	5	65	4	47	3	30	2	16	1
88	86		64		46		29			15
7	84	8	62	9	44	10	27	11	14	12
88		82		61		43		26		13
18	81	17	58	16	41	15	25	14	12	13
80		78		57		39		24		11
19	77	20	55	21	38	22	22	23	9	24
75		74		54		37		21		8
30	72	19	52	28	35	27	20	26	6	25
70		69		50		34		19		5
31	67	32	49	33	33	34	17	35	4	36

Subdivision of T. 36 N. R. 3 W.

Survey commenced July 7th, 1901
and was executed with a Seelye
light Mountain transit with
a Burt Solar attachment.

In order to try the ad-
justment of my transit, I
test it on the true Mer.
established July 1st, 1901
at my camp, record of
which is in the book
containing the notes of
the North and West boundary
lines of this Township.

I find the adjustment
practically correct.

Subdivision of T. 30 N. R. 3 W.

Chains From the corner of secs 1-2
35 and 36, on the S. Bdy. of
the Tp. which is a lime
stone 12 x 12 x 8 ins. above
ground, firmly set, and
properly marked and
witnessed

Thence I run

N. 0° 01' W. bet secs. 35 and 36
over rolling land

40.00

Set lime stone 24 x 12 x 8 ins
18 ins. in ground for $\frac{1}{4}$ sec. Cor.
Marked $\frac{1}{4}$ S. on W. face
lights 18 x 18 x 12 ins. N. and S.
of stone 3 ft. dist. and raise
a mound of earth $3\frac{1}{2}$ ft. base
2 ft. high W. of Cor.

80.00

Set lime stone 24 x 12 x 10 ins.
18 ins. in ground for the
Cor. of secs. 25-26-35 and 36.

Subdivision of T. 30 N. R. 3 W.

Chains Marked with 1 notch on S. and 1 notch on E. edges.
 Dig pits 18X18X12 ins. in each sec. $5\frac{1}{2}$ ft. dist. and raise a mound of earth $3\frac{1}{2}$ ft base 2 ft. high, W of Cor.
 Land rolling.
 Soil sandy 2nd rate.
 No Timber, dense brush
 80.00 Chs.

N. $89^{\circ}58'E$ East on a random line bet. sec's. 25 and 36.
 over rolling land through dense brush.

40.00 Set temp. $\frac{1}{4}$ sec. Cor.

79.94 Intersect E. bdy. of Tp. 7 links S. of Cor. of sec's, 25-30-31 and 36.
 Thence I run

S. $89^{\circ}55'W$. on a true line bet.

Subdivision of T. 30 N. R. 3 W.

- Chains Secs. 25 and 36
- 39.97 Set limestone 20x12x5 ins. 15 ins. in ground for $\frac{1}{4}$ sec. Cor. lig pits 18x18x12 ins. E. and W. 3 ft. dist. and raise a mound of earth $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high. N of Cor. stone marked $\frac{1}{4}$ S. on N. face.
- 79.94 The Cor. of secs, 25-26-35 and 36
Land rolling
Soil sandy 3rd rate
No timber
Thick underbrush - 79.94 chs

-
- 40.00 N. O. 01' W. bet. secs. 25 and 26.
over rocky broken land
Set limestone 20x12x5 ins.
15 ins in ground, for $\frac{1}{4}$ sec. Cor.
marked $\frac{1}{4}$ S on W. face
lig pits 18x18x12 ins N. and S.

Subdivision of T. 30 N. R. 3 W.

Chains of stone 3 ft. dist, and raise a mound of earth $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft. high W. of Cor.

A. Cedar 12 ins. diam. bears

S. 47° E. 130 links dist. Marked $\frac{1}{4}$ S²⁵ B.T.

A. Cedar 10 ins. diam bears N 26° W.

239 links dist. Marked $\frac{1}{4}$ S²⁶ B.T.

74.00

Super Trail bears S. E. and N. W.

80.00

Set limestone $30 \times 12 \times 10$ ins.

15 ins. in ground for the cor.

of secs. 23-24-25 and 26.

Marked with 2 notches on S.

and 1 notch on E. edges, and

raise a mound of stones $3\frac{1}{2}$ ft.

base and 3 ft high W. of Cor.

Pitt impracticable

A Cedar 10 ins. diam. bears

N $13^{\circ} 30'$ E. 243 links dist. Marked

T 30 N. R. 3 W., S. 24 B.T.

Subdivision of T. 30 N. R. 3 W.

Chains: A Cedar 8 ins diam. Bears S. 12° E.
 122 links dist. Marked T. 30 N.
 R. 3 W. S. 25. T. B.
 No other in limits
 Land broken and rocky
 Soil rocky 4th rate
 Timber scattered scrub Cedar.
 Thick underbrush
 80.00 chs.

N. $89^{\circ}55'$ E. on random line bet.
 Secs. 24 and 25

46.20 Set temp. 1/4 sec. Cor.
 79.80 Int. E. bdy. line of Tp. 47 links
 N. of cor. of secs. 19-24-25 and
 30.

Thence I run

N. $89^{\circ}45'$ W. on a true line bet.
 Secs. 24 and 25;

14.00 step bank 20ft high

39.90 Set. lime stone 24x12x6 ins

Subdivision of T. 30 N. R. 3 W.

Chains 18 ins. in ground for $\frac{1}{4}$ sec. Cor.
 Marked $\frac{1}{4}$ S. on N. face.
 Dig pits 18x18x12 ins. E and W.
 of stone 3 ft. dist. and raise
 a mound of earth $3\frac{1}{2}$ ft. base
 2 ft. high N. of Cor.

59.00 Top of ridge N. and S.

79.80 The Cor. of sec's. 23-24-25 and 26
 Land rolling and level
 Soil sandy and rocky 3rd rate
 Timber scattered cedar
 Thick under brush

79.80 chs,

N. $0^{\circ}01'$ W. bet. sec's 23 and 24
 over broken ground and brush
 40.00 Set line stone 24x75x6 ins
 18 ins. in ground for $\frac{1}{4}$ sec. Cor.
 Marked $\frac{1}{4}$ S on W face and raise
 a mound of stone $3\frac{1}{2}$ ft. base

Subdivision of T. 30 N. R. 3 W.

Chains 2 ft. high W. of Cor.
 Pits impracticable

65.00 Rocky point drains W.

80.00 Set limestone 24x10x10 ins
 18 ins in ground for the
 cor. of sec's 13-14-23 and 24
 Marked 3 notches on S. and
 1 notch on E. edges
 4 lig pits 18x18x12 ins. in each
 sec. 5 1/2 ft. dist. and raise
 a mound of earth 3 1/2 ft base
 2 ft high W. of cor.
 Land rolling and level
 Soil sandy and rocky 4th rds
 Timber scattered Cedar
 Thick chigo and sage brush
 80.00 chs.

July 7th 1901

Subdivision of T. 30 N. R. 3 W.

- Chains. S. $89^{\circ}45'E$ on random line bet.
secs. 13 and 24
- 40.00 Set temp $\frac{1}{4}$ sec. Cor.
- 80.17 Intersect E. bdy. of $\frac{1}{4}$ p. 17 links
S. of the cor of secs 13-18-19 and 24.
Thence I run
N. $89^{\circ}53'W$. on a true line bet.
secs. 13 and 24
- 40.08 $\frac{1}{2}$ Set limestone $20 \times 12 \times 5$ ins. 15 ins
in ground for $\frac{1}{4}$ sec. cor.
Marked $\frac{1}{4}S$ on N. face
Dig pits $18 \times 18 \times 12$ ins E and
W. of stone 3 ft. dist. and
raise a mound of earth
 $3\frac{1}{2}$ ft. base, 2 ft. high, N. of cor.
- 80.17 The Cor. of secs. 13-14-23 and 24.
Land level and rolling
Soil rocky and sandy 3^{rd} $\frac{1}{2}$ sec
timber sage and Chier
brush 80.17 chs.

Subdivision of T. 20 N. R. 3 W.

Chains:

- N. $0^{\circ} 01' W$. bet. secs 13 and 14
 rolling country with
 thick sage and chigo brush.
- 40.00 Set. a lime stone $20 \times 12 \times 6$ ins.
 15 ins in ground for $\frac{1}{4}$ sec. cor
 Marked $\frac{1}{4}$ S. on W. face and
 raise a mound of stones
 $3\frac{1}{2}$ ft. base 2 ft. high W. of Cor.
 Pits impracticable
- 20.00 Set limestone $24 \times 10 \times 6$ ins
 18 ins in ground for cor of
 secs. 11-12-13 and 14.
 Marked with 4 notches on S.
 and 1 notch on E. edges
 dig pits $18 \times 15 \times 12$ ins in each
 sec. $3\frac{1}{2}$ ft. dist. and raise a
 mound of earth $3\frac{1}{2}$ ft. base
 2 ft. high W. of Cor.
 Land rolling and rough.

Subdivision of T. 36 N. R. 3 W.

Chains Soil rocky and sandy 3rd rate
 Timber scattered scrub cedar,
 Thick underbrush of sage
 and chigo 80.00 chs.

S. 89° 53' E. on a random line
 bet. sec's. 12 and 13,

40.00 Set temp. 1/4 sec. Cor.

80.20 Intersect E. bdy. of 7p. at the
 Cor. of sec's. 7-12-13 and 18.
 Thence I run,

N 89° 53' W. on a true line
 bet. sec's 12 and 13,

40.10 Set lime stone 16 X 10 X 5 ins
 12 ins in ground for 1/4 sec. Cor.
 Marked 1/4 S, on N. face,
 Dig pits 18 X 18 X 12 ins. E and W.
 of stone 3 ft. dist. and
 raise a mound of earth
 3 1/2 ft base 2 ft. high N. of Cor.

Subdivision of T. 30 N. R. 3 W.

Chains

80.20

The Cor. of sec's. 11-12-13 and
14.

Land rolling and broken,
Soil sandy and rocky 3rd rate
Timber scattered Cedar
Sage and Chiao brush
80.20 chs.

40.00

N. $0^{\circ}01'$ W. bet. sec's 11 and 12,
Ascending over rolling land
Set limestone $30 \times 12 \times 8$ ins.
2 1/4 ins. in ground for 1/4 sec. Cor.
Marked 1/4 S, on W. face.
dig pits $18 \times 18 \times 12$ ins., N. and S.
of stone 3 ft. dist. and raise
a mound of earth, $3\frac{1}{2}$ ft. base,
2 ft. high, W. of Cor.
Set limestone $24 \times 12 \times 4$ ins.
12 ins in ground for cor. 1/4

80.00

Subdivision of T. 30 N. R. 9 W.

Chains Secs 1-2-11 and 12, 27
 Marked with 5 notches on S,
 and 1 notch on E. edges, and
 raise a mound of stone
 3 ft base 1 1/2 ft high, W of cor.
 Pits impracticable
 Land rolling and level
 soil rocky 4th rate
 No timber
 Sage and chigo bush
 8000 chs.
 July 8th 1901

S. $89^{\circ}53'E$ on a random line
 bet. secs. 1-12.

40.00 Set temp. 1/4 sec. cor.

80.16 Intersect E. bdy. of Twp. 16 lines
 S. of the Cor. of secs, 1-6-7 and 12,
 7 hence I run

N. $89^{\circ}46'W$, on a true line bet.
 secs. 1 and 12.

Subdivision of T. 30 N. R. 3 W.

Chains

40.08

Set limestone 24x8x5 ins.
18 ins. in ground for $\frac{1}{4}$ sec.
Cor. Marked $\frac{1}{4}$ S. on N. face.
dlig pits 18x18x12 ins., E. and W.
of stone 3 ft. dist. and
raise a mound of earth
 $3\frac{1}{2}$ ft. base 2 ft high N. of Cor.

80.16

The Cor. of secs 1-2-11 and 12.
Land rough and broken,
Soil rocky sandy 4th rate
No Timber

Thick undergrowth of sage
and Chigo 80.16 Chs.

N. 0° 01' W. on a random line
bet. secs 1 and 2.

40.00

Set temp. $\frac{1}{4}$ sec. Cor.

80.17

Intersect N. body of Twp. 47
links W. of Cor. Secs, 1-2-35 and 36.

Subdivision of T. 30 N. 3 W.

Chains Thence I run
 S. $0^{\circ}19'$ W. on a true line bet.
 Secs. 1 and 2.

40.17. Set limestone $24 \times 8 \times 6$ ins. 18 ins.
 in ground for $\frac{1}{4}$ sec. Cor.
 Marked $\frac{1}{4}$ S. on W. face
 2 lig pits $18 \times 18 \times 12$ ins. N. and S.
 of stone 3 ft. dist. and
 raise a mound of earth
 $3\frac{1}{2}$ ft. base 2 ft high W. of Cor.

80.17 The Cor. of sec's. 1-2-11 and 12
 Land level and rolling
 Soil rocky and sandy 3rd rate
 No timber.

Thick underbrush Chugotage

80.17 Chs.
 July 9th 1901

From the cor. of sec's. 2-3-34
 and 35 on S. bely. of the 7p.
 which is a limestone $10 \times 8 \times 10$ ins.

Subdivision of T. 30 N. R. 3 W.

Chains above ground properly marked and witnessed.

Thence I run

N. 0° 01' W. bet. secs, 34 and 35

40.00 Set limestone $20 \times 12 \times 8$ ins
15 ins. in ground for $\frac{1}{4}$ sec. cor.

Marked $\frac{1}{4}$ S. on W. face
pits $18 \times 18 \times 12$ ins. N. and S.
of stone 3 ft. dist. and raise
a mound of earth $3\frac{1}{2}$ ft. base
2 ft. high W. of Cor.

80.00 Set a limestone $20 \times 10 \times 6$ ins
15 ins. in ground for cor. of
secs, 26-27-34 and 35.

Marked 1 notch on S. and 2
notches on E. edges.

slig pits $18 \times 18 \times 12$ ins. in each
sec. $5\frac{1}{2}$ ft. dist. and raise
a mound of earth $3\frac{1}{2}$ ft. base
2 ft. high W. of Cor.

Subdivision of T. 30 N. R. 3 W.

Chains Land rolling
 Soil rocky and sandy 3rd rate
 No. Timber
 Dense undergrowth of sage
 and Chigo. 80.00 chs.

N. 89° 58' East on random line bet.
 secs. 26 and 35.

40.00 Set temp. $\frac{1}{4}$ sec. Cor.

79.62 Intersect N. and S. line 25 links
 S. of Cor. of secs. 25-26-35 and 36.
 Thence Run

S. 89° 47' W. on a true line
 bet secs. 26 and 35.

39.81 Set limestone 20 x 10 x 6 ins.
 22 ins. in ground of $\frac{1}{4}$ sec. Cor.
 Marked $\frac{1}{4}$ S. on N. face.

Big pits 18 x 18 x 12 ins. E. and W.
 of stone 3 ft. dist. and raise
 a mound of earth $3\frac{1}{2}$ ft. base

Subdivision T. 30 N. R. 3 W.

Chains 2 ft. high N. of Cor.
 79.62 The Cor. of Secs. 26-27-34 and 35
 Land rolling
 Soil rocky and sandy 3rd 2nd rate.
 No Timber.
 Thick brush sage and Chigo
 79.62 chs.

N. 0° 01' W. bet. Secs. 26 and 27
 over rolling land.
 40.00 Set limestone 30 x 12 x 10 ins.
 22 ins. in ground for 1/4 sec.
 Cor.
 Marked 1/4 S. on W. face.
 Dig pits 18 x 18 x 12 ins. N. and S.
 of stone 3 ft. dist. and raise
 a mound of earth 3 1/2 ft base
 2 ft. high N. of Cor.
 80.00 Set limestone 20 x 15 x 5 ins

Subdivision of T. 30 N. R. 3 W.

Chains. 15 ins inground for cor of secs,
22-23-26 and 27.

Marked 2 notches on S, and E, edges
2 lig pits 18x18x12 ins. in
each sec. 5 1/2 ft. dist. and
raise a mound of earth
3 1/2 ft. base 2 ft. high W. of Cor.
Land level and rolling
Soil rocky & ~~red~~ rate
No timber

dense undugrowth of Sarge
and Chigo bush, 80.00 chs

N. 89° 47' E, on random line bet.
sec. 23 and 26.

40.00 Set temp. 1/4 sec. Cor.

80.14 Intersect N. and S. line 36 links
N. of Cor. of secs, 23-24-25 and 26.
Thence Run

N. 89° 58' W. on a true line bet

Subdivision of T. 30 N. R. 3 W.

Chains	secs. 23 and 26
3.00	Wagon road to Canon N. & S.
9.00	Super-Williams ^{Point} bars N.N. and S.E.
40.07	Set limestone 24 x 10 x 8 ins. 10 ins. in ground for $\frac{1}{4}$ sec. Cor. Marked $\frac{1}{4}$ S. on N. face. Pits impracticable, bed rock 10 ins. below surface, and raise a mound of stone 3 ft base 2 ft high N. of Cor.
80.14	The Cor. of secs. 23-22-26 and 27. Land rocky and broken Soil rocky and sandy 3 rd rate Timber scattered scrub Cedar. Thick brush 80.14 chs. July 10 th 1901

N. 0° 01' W. bet. secs 22 and 23.
Over rolling land and thick
brush.

40.00 Set a limestone 24 x 8 x 6 ins.

Sub-division of T. 30 N. R. 3 W.

Chains 18 ins. in ground for $\frac{1}{4}$ sec. Cor.
 Marked $\frac{1}{4}$ S. on W. face
 Dug pits 18 X 18 X 12 ins. N. and S.
 of stone 3 ft. dist. and raise
 a mound of earth $3\frac{1}{2}$ ft base
 2 ft high W. of Cor.

72.40 Williams road to Plat. camp
 bet. N.E. and S.W.

80.00 Set limestone 24 X 12 X 10 ins.
 18 ins. in ground for cor. of
 Sec's, 14-15-22 and 23.

Marked with 3 notches on S.
 and 2 notches on E. edges,
 dug pits 18 X 18 X 12 ins. in each
 sec. $5\frac{1}{2}$ ft. dist. and raise
 a mound of earth $3\frac{1}{2}$ ft base
 2 ft. high W. of Cor.

Land rolling

Soil sandy 2nd rate

Timber scattered cedar.

Subdivision of T. 30 N. R. 3 W.

Chains	Use underbrush, sage and Chigo 80.00 chs.
	S. $89^{\circ}58'E$. on a random line bet. secs. 14 and 23.
40.00	Set temp. $\frac{1}{4}$ sec. Cor.
80.04	Intersect N. and S. line at the Cor. of sec's 13-14-23 and 24. Thence I run.
	N. $89^{\circ}58'W$. on a true line bet. secs. 14 and 23.
40.02	Set. limestone $18 \times 12 \times 6$ ins. 12 ins. in the ground for $\frac{1}{4}$ sec. Cor. Marked $\frac{1}{4}$ S. on N. face Dig pits $18 \times 18 \times 12$ ins. 3 ft. dist. E. and W. of stone., and raise a mound of earth $3\frac{1}{2}$ ft. base 2 ft. high N. of Cor.
72.80	Road to Platinum Camp, Bus N.E. cor. S.W.
73.80	Super Trail bears S.E. and N.W.

Subdivision of T. 30 N. R. 3 W.

Chains

80.04 The Cor. of secs, 14-15-22 and 23,
 Land rolling and level
 Soil rocky and sandy $3\frac{1}{4}$ grate
 Timber scattered cedar,
 dense underbrush sage
 and Chigo. 80.04 Chs.

N. $0^{\circ}01'W$. bet. secs, 14 and 15.
 over rolling country.

7.20 Superi Trail bears S.E. and N.W.

40.00 Set limestone $20 \times 10 \times 6$ ins
 15 ins in ground for $\frac{1}{4}$ sec. Cor.
 Marked $\frac{1}{4}$ S. on W. face.

Big pits $18 \times 18 \times 12$ ins. N. and S.
 of stone 3 ft. dist. and raise
 a mound of earth $3\frac{1}{2}$ ft base
 2 ft. high W. of Cor.

80.00 Set a limestone $24 \times 14 \times 8$ ins.
 18 ins in ground for the cor.

Subdivision of T. 30 N., R. 3 W.

Chains of sec's. 10-11-14 and 15;
 Marked 4 notches on S. and
 2 notches on E. edges.
 Dig pits 18x18x12 ins. in
 each sec. 5½ ft. dist. and
 raise a mound of earth
 3½ ft. base 2 ft. high W. of Cor.
 Land level and rolling.
 Soil rocky and sandy 3rd rate
 Under brush of sage and Chry.
 80.00 Chs.

July 11th 1901

S. 89° 58' E. on random line bet.
 sec's. 11 and 14.

40.00

Set temp. ¼ sec. Cor.

79.58

Intersect N. and S. line 39 links
 N. of the Cor. of sec's. 11-12-13 and 14
 Thence I run,

N. 89° 42' W. on a true line

Subdivision of T. 30 N. R. 3 W

- Chains bet secs. 11 and 14.
 Through heavy brush.
- 39.79' Set limestone 20x12x8 ins. 15-
 ins. in ground for $\frac{1}{4}$ sec. Cor.
 Marked $\frac{1}{4}$ S. on N. face
 Dig pits 18x18x12 ins. E. and W.
 of stone 3 ft. dist. and raise
 a mound of earth $3\frac{1}{2}$ ft. base
 2 ft. high N. of Cor.
48. 60 Platinum Camp wagon road
 bears. N.E. and S.W.
- 79.58 The Cor. of secs. 10-11-14 and 15-
 Land level and rolling
 Soil rocky and sandy $3\frac{3}{4}$ rats
 No Timber
 Heavy underbrush. 79.58 chs

N. 0° 01' W. bet. secs. 10 and 11
 over broken rough land
 through heavy brush

Subdivision T. 30 N. R. 3 W.

- | | |
|--------|--|
| Chains | Ascend |
| 9 | Top of ascent,
descend |
| 40.00 | Set limestone $18 \times 10 \times 6$ ins.
12 ins. in the ground for
$\frac{1}{4}$ sec. Cor.
Marked $\frac{1}{4}$ S. on W. face
Big pits $18 \times 18 \times 12$ ins. N. and S.
of stone 3 ft. dist. and raised
a mound of earth $3\frac{1}{2}$ base
2 ft. high W. of Cor. |
| 74.50 | Road to Platinum Camp Trs. S.E. and
N.W. ascend rocky ridge. |
| 80.00 | Set limestone $20 \times 10 \times 8$ ins
8 ins. to bedrock for the Cor.
of sects 2-3-10 and 11
Marked with 5 notches on
S. and 2 notches on E. edges
and raise a mound of
stone 3 ft. base 2 ft high |

Subdivision T. 38 N. R. 9 W.

Chains	<p>N. of Cor. Pits impracticable Land rolling Soil sandy 2nd rate Timber none Heavy undergrowth sage and chigr. 80.00 chs.</p>
40.00	<p>S. $89^{\circ} 42' E$. on random line bet. secs. 2 and 11</p>
79.78	<p>Set temp. $\frac{1}{4}$ sec. Cor. Intersect N. and S. line 20 links S. of the Cor of secs. 1-2-11 and 12, Thence I run N. $89^{\circ} 51' W$. on a true line bet. secs. 2 and 11, over rocky rolling land and through heavy brush.</p>
16.00	<p>Platinum camp and Williams wagon road bis. N.E. and S.W.</p>

Subdivision of T. 30 N. R. 3 W.

Chains.

21.00

(Platinum Camp and Black Tanks road
N.E. + S.W.

39.89

Set sand stone 18x18x12 ins 12
ins in the ground for $\frac{1}{4}$ sec. cor.
Marked $\frac{1}{4}$ S. on N. faceDig pits 18x18x12 ins. E. and W.
of stone 3 ft. dist. and raise
a mound of earth $3\frac{1}{2}$ ft base
2 ft. high N. of Cor.

79.78

The Cor. of sec. 2-3-10 and 11.

Land broken and level
Soil rocky and sandy 3rd grade
No timberThick underbrush, sage and
Chigo. 79.78 chs.N. 0° 01' W. on random line
bet. secs. 2 and 3.

40.00

Set temp. $\frac{1}{4}$ sec. Cor.

80.22

Intersect N. bdy. of T. 5 links

Sub division of T. 31 N. R. 3 W.

Chains	w. of the cor. of secs. 2-3-34 and 35. Thence I run S. 0° 01' W. on a true line bet. Secs. 2 and 3, Ascend
10.00	Top of bank descend
17.00	Canon 150 ft. deep Course S. 60° W.
25.22	Top of ridge bet. E. and W. descend
35.00	Bottom of Canon Course E. and W.
37.00	Left bank of Canon 100 ft deep. ascend
40.22	Set limestone 24 x 12 x 10 ins. 18 ins. in ground for $\frac{1}{4}$ Sec. Cor. Marked $\frac{1}{4}$ S. on W. face dig pits 18 x 18 x 12 ins N. and S. of stone 3 ft. dist. and raise a mound of earth $3\frac{1}{2}$ ft base 2 ft. high W. of Cor.
56.00	Top of ridge descend

Subdivision of T. 30 N. R. 3 W.

Chains through heavy brush and
over rough broken ground
Sv. 22 The Cor. of secs, 2-3-10 and 11
Land rough and mountainous
Soil rocky 4th rate
Timber scattered Scrub Cedar
heavy brush Cholla and sage

Sv. 22 chs.

July 12th 1901

July 13th 1901 at 8^h 00 a.m. I set
off $35^{\circ}54'$ on the lat. arc
 $21^{\circ}54'$ on the decl. arc; and
determined a true Meridian
with the solar at the cor. of
3-4-33 and 34 which is a
limestone $8 \times 12 \times 8$ ins. above
the ground properly marked
and witnessed

Subdivision of T. 30 N. R. 3 W.

Chains	7 ponce Iron
	N. $0^{\circ}02'$ W. bet. secs 33 and 34
40.00	Set limestone $20 \times 10 \times 5$ ins. 15 ins. in ground for $\frac{1}{4}$ sec. Cor. Marked $\frac{1}{4}$ S on W. face dig pits $18 \times 18 \times 12$ ins. N. and S. of stone 3 ft. dist. and raise a mound of earth $3\frac{1}{2}$ ft. base 2 ft. high W of Cor.
67.25	Boulder road bis. S. E. and N. W.
80.00	Set limestone $24 \times 8 \times 6$ ins. 18 ins. in ground for Cor of sec's. 27-28-33 and 34, Marked with 1 notch on S. and 3 notches on E. edges, dig pits $18 \times 18 \times 12$ ins. in each sec. $5\frac{1}{2}$ ft. dist. and raise a mound of earth $3\frac{1}{2}$ ft. base, 2 ft high W of Cor.

Subdivision of T. 30 N., R. 3 W.

Chains Land rolling and level
 Soil rocky 3rd rate
 No Timber.
 Dense underbrush & rocks.

- N. $89^{\circ}58'$ East on a random line bet.
 Secs. 27 and 34.
- 40.00 Set temp. $\frac{1}{4}$ sec. Cor.
- 80.21 Intersect N. and S. line 16 links
 south of the cor. of secs. 26-27.
 34 and 35.
 Thence Iron
 S. $89^{\circ}51'$ W. on a true line bet.
 Sec. 27 and 34.
 Over rolling land through
 sage and chigo brush,
 ascending
- 6.20 Top of ridge course N. and S.
 descending
- 40.10 $\frac{1}{2}$ Set limestone 24 x 16 x 6 ins.

Subdivision of T. 30 N. R. 3 W.

Chains 18 ins. in the ground for $\frac{1}{4}$ Sec. Cor.
Marked $\frac{1}{4}$ S. on N. face.

dig pits 18x18x12 ins. E. and W.
of stone 3 ft. dist. and raise
a mound of earth $3\frac{1}{2}$ ft. base
2 ft. high N. of Cor.

So. 21 The Cor. of sec's 27-28-33
and 34.

Land level and rolling
Soil rocky and $3\frac{1}{4}$ pct
No timber

Heavy underbrush chgo
and sage So. 21 Chs.

N. $0^{\circ}02'W$. bet. sec's 27 and 28.
through heavy brush.

36.00 Wash course n. w. road
north east and south west
40.00 Set limestone 25x12x8 ins.

18 ins. in the ground for $\frac{1}{4}$
Sec Cor.

Subdivision of T. 30 N. R. 3 W.

Chains Marked $\frac{1}{4}$ S. on W. face.
 Dig pits $18 \times 18 \times 12$ ins N. and S.
 of stone 3 ft. dish and raise
 a mound of earth $3\frac{1}{2}$ ft.
 base 2 ft. high. W. of Cor.
 Ascend

8000 Set limestone $24 \times 12 \times 10$ ins.
 18 ins in the ground for cor.
 of sec's. 21-22-27 and 28.
 Marked with 2 notches on S.
 and 3 notches on E edges.
 and raise a mound of stone
 3 ft. base 2 ft. high. W. of Cor.
 Pits impracticable.

Land rolling and level
 Soil rocky and 3rd rate
 Timber scattered

Heavy bush 80.00 chs.
 July 13th 1901

Subdivision of T. 30 R. 3 W.

Chains	N. $89^{\circ}51'E$. on a random line bet. sec's, 22 and 27
40.00	Set temp. $\frac{1}{4}$ sec. Cor.
80.16	Intersect N. and S. line 6. links S. of ^{the} Cor. of sec's, 22-23-26 and 27. Thence 9 in.
	S. $89^{\circ}48'W$. on a true line bet. sec's, 22 and 27.
40.08	Set limestone $20 \times 8 \times 8$ ins. 15 ins. in the ground $\frac{1}{4}$ sec. Cor. Marked $\frac{1}{4}$ S. on N. face 4 lig pits $18 \times 18 \times 12$ ins. E and W. of stone 3 ft. dist. and raise a mound of earth $3\frac{1}{2}$ ft. base 2 ft. high N. of Cor.
56.10	Road to Platinum Camp N. E. and S. W.
62.00	Top of ascent descend
80.16	The Cor. of sec's, 21-22-27 and 28 Land level and rolling.

Subdivision of T. 30 N. R. 3 W.

Chains Soil rocky 3rd rate
 No Timber
 Heavy underbrush Sage and
 Chigo. 80.16 chs.

- N. 0° 02' W. bet. secs, 21 and 22.
 35.00 Flat wash course N.W.
 40.00 Set a limestone 24 x 8 x 6 ins.
 10 ins in ground for $\frac{1}{4}$ Sec. Cor.
 Marked $\frac{1}{4}$'s. on W. face, and
 raise a mound of stones
 3 ft. base, 2 ft. high on
 W. of Cor. Pits impracticable
 ascend
 56.00 Top of ascent.
 80.00 Set limestone 24 x 10 x 4 ins.
 10 ins. to bedrock, for the Cor.
 of secs. 15-16-21 and 22.
 Marked T. 30 N. on E. and
 R. 3 W. on W., with 3 notches

Subdivision of T. 30 N. 3 W,

Chains on S. and E. edges, and
 raise a mound of stones
 3 ft. base 2 ft. high W. of Cor.
 Pits impracticable
 Land rough and broken
 Soil rocky 3rd rate
 Timber scattering
 Heavy undergrowth
 80.00 chs.

N. $89^{\circ}48'E$, on a random line
 bet. sec's 15 and 22.

40.00 Set temp $\frac{1}{4}$ sec. Cor.

80.38 Intersect N. and S. line
 35 links N. of Cor. of sec's,
 14-15-22 and 23.

Thence I run.

N. $89^{\circ}56'W$, on a true line
 bet. sec's 15 and 22.

40.19 Set sandstone $20 \times 8 \times 4$ ins

Subdivision T. 30 N. R. 3 W.

Chains 15 ins. in ground for $\frac{1}{4}$ sec.
Cor.

Marked $\frac{1}{4}$ S on N. face
dug pits 18 x 18 x 12 ins E and W
of stone 3 ft. dist and
raise a mound of earth
 $3\frac{1}{2}$ ft. ^{base} 2 ft. high N of Cor.

A Cedar 6 ins. in diam. bears
S. $8^{\circ} 45' E$. 61 links dist. Marked
 $\frac{1}{4} S^{\frac{22}{1}} B.T.$

A Cedar 5 ins in diam. bears
N. $65^{\circ} W$. 65 links dist. Marked
 $\frac{1}{4} S^{\frac{15}{1}} B.T.$

80 38

The Cor. of secs. 15-16-21 and 22.
Land level and rolling
Soil rocky 3rd rate
Timber scrub Cedar
Heavy underbrush

80.38 chs.

Subdivision of T. 30 N. R. 3 W.

Chains	N. $0^{\circ}02'W$. bet. lines, 16 and 15
16.00	descend
31.00	Road and Gulch course N. \circ E.
34.00	Ascend
40.00	Ridge slope E. Set sandstone $30 \times 12 \times 6$ ins. 22 ins. in ground for $\frac{1}{4}$ sec. Cor. Marked $\frac{1}{4}$ S. on W. face Dig pits $18 \times 18 \times 12$ ins. N. and S. of stone 3 ft dist. and raise a mound of earth $3\frac{1}{2}$ ft. base 2 ft. high W. of Cor. Descend
47.55	Road-wash-course N. E. Ascend
57.00	Ridge slope W. Descend
63.95	Road-wash course N. E. Ascend
77.00	Top of Ascend E. Slope

Subdivision of T. 30 N. R. 3 W.

Chains

8000

Set limestone $18 \times 18 \times 12$ ins.
10 ins. in ground for the Cor.
of sec's 9-10-15 and 16.

Marked with 4 notches on S.
and 3 notches on E. edges.

and raise a mound of
stone 3 ft. base, 2 ft. high W.
of Cor. Pits impracticable.

* Land level and rolling
Soil rocky 3rd rate

Timber scattered scrub cedar
dense undergrowth of sage
and Chigo 8000 Chs.

* A Cedar 10 ins in diam. bears
N. $3^{\circ}00'E$, 255 links dist. Marked 7.
30 N. 3 W. S. 10 B.T.

A Cedar 8 ins. in diam. bears
S. $46^{\circ}45'W$, 164 links dist. Marked

Subdivision of T. 30 N. R. 3 W.

Chains T. 30 N. R. 3 W., S. 16 B.T.

A Cedar 8 ins. in diam. bears

N. $52^{\circ}30'W$. 175 links dist. Marked

T. 30 N. R. 3 W., S. 9. B.T.

No other trees in limits ² 140'S. $89^{\circ}56'E$. on a random line

bet. sec's 10 and 15.

40.00

Set temp $\frac{1}{4}$ sec. Cor.

80.40

Intersect N. and S. line at
the Cor. of sec's. 10-11-14 and 15
Thence I runN. $89^{\circ}56'W$. on a true line bet.
sec's. 10 and 15.

38.15

Sup on trail bis. S.E. and N.W.

40.20

Set limestone $24 \times 12 \times 8$ ins.
12 ins. in the ground for
 $\frac{1}{4}$ sec. Cor.Marked $\frac{1}{4}$ S. on N. face2 lig pits $18 \times 18 \times 12$ ins. E. and W.
of stone 3 ft dist. and raise

Subdivision of T. 30 N. R. 3 W.

Chains a mound of earth $3\frac{1}{2}$ ft base
 2 ft. high N. of Cor.
 74.00 Road (Camp) S
 80.40 The Co. of sec's 9-10-15 and 16
 Land level and rolling.
 Soil rocky 3rd rate
 No Timber
 Heavy under brush Chigo
 and sage 80.40 Chs.

N. $0^{\circ}02'$ W. bet. sec's 9 and 10
 4 Descend
 1495 Bottom of descent.
 Supai trail Bears, S.E. and N.W.
 1800 Ascent.
 4000 Set limestone $24 \times 10 \times 4$ ins.
 12 ins in ground for $\frac{1}{4}$ sec Cor.
 Marked $\frac{1}{4}$ S. on W. face, from
 From which
 A Cedar, 10 ins in diam, bears
 N. 19° E, 310 links dist. Marked

Subdivision of T. 30 N. R. 3 W.

Chains $\frac{1}{4}$ S. 1° B. T.

A. Cedar 8 ins. diam. bears
S. $3^{\circ} 15' W.$ 112 links dist. Marked
 $\frac{1}{4}$ S. 1° B. T.

74.50 Gulch course E. ascend

76.20 Road bis. E and W.

80.00 Set limestone $24 \times 10 \times 8$ ins.
18 ins. in the ground for cor.
of secs. 3-4-9 and 10

Marked with 3 notches on S
and and 3 notches on E. edges.
dlig pile $18 \times 18 \times 12$ ins. in each
sec. $5\frac{1}{2}$ ft. dist. and raise a
mound of earth 3 ft. base 2 ft.
high W. est of corner.

A Cedar 10 ins. diam. bears
S. $38^{\circ} 15' E.$ 315 links dist. Marked
T. 30 N. R. 3 W. S. 10. B. T.

No others near.
Land rough and rolling
Soil sandy and rocky & $\frac{2}{3}$ water

Subdivision of T. 20 N. R. 3 W.

Chains	Timber scattered scrub Cedar. Heavy brush sage and Chigo 50 chs.
	S. $89^{\circ}56'E$. on a random line bet. secs. 3 and 10.
40.00	Set temp. $\frac{1}{4}$ sec. Cor.
80.46	Intersect N. and S. line 16 links S. of cor. of secs. 2-3-10 and 11 Thence I run.
	S. $89^{\circ}57'W$. on a true line bet. secs. 3 and 10.
10.24	ascend
13.80	Road wash course N. $60^{\circ}W$.
37.60	Cut 10 ft. long 5 ft. deep Descend
40.23	Set sand stone $24 \times 10 \times 6$ ins for $\frac{1}{4}$ sec. Cor. Marked $\frac{1}{4}$ S. on N. face Pitt impracticable and raise a mound of stone

Subdivision of T. 30 N. R. 3 W.

Chains	3 ft. base 2 ft high N. of Cor.
59.24	Gulch course W.
60.24	Gulch course N. Black Tank
67.42	Road Platinum Camp and Hilltop N.E. and S.W.
80.46	The Cor. of secs. 3-4-9 and 10 Land broken and rough Soil rocky 3 rd rate No Timber Underbrush sage and Chigo. 80.46 chs.

N. $0^{\circ}2'W.$ on a random line
bet sec's. 3 and 4,

40.00 Set temp $\frac{1}{4}$ sec. Cor.

80.10 Intersect N. bdy. of Tp.
46' W. of of the cor. of the
secs. 3-4-33 and 34.

Thence I run
S. $0^{\circ}18'W.$ on a true line bet

Subdivision T. 36 N. R. 3 W.

Chains.	Secs. 3 & 4
22.10	Top of ascent descend
29.10	Sulch course S. 60° E.
36.10	Ascend
40.10-	Set sandstone 24x8x6 ins. 10 ins. in the ground for 1/4 sec. Cor. Marked 1/4 S. of W. face and raise a mound of stone 3ft. base 2 ft. high W. of Cor. Pitto impracticable
43.00	Top of bank descend
53.10	Canon Course E, ascend
72.10	Ridge bears E & W. descend
80.10	The Cor. of sec's. 3-4-9 and 10 Land broken and rough Soil rocky 4 th rate No Timber Heavy brush sage

Subdivision of T. 30 N. R. 3 W.

Chains and Chisgo 20.70 chs.
July 15th 1901

From the cor. of secs. 4-5-32
and 33. on the S. bdy. of
the 4th. which is a limestone
9x6x8 ins. above ground
properly marked and
witnessed

N. $0^{\circ} 3' W.$ bet. secs. 32 and 33
over rolling country

40.00

Set sandstone 20x10x8 ins.
15 ins. in the ground for $\frac{1}{4}$ Sec
Cor.

Marked $\frac{1}{4}$ S. on W. face.

dig pits 18x18x12 ins. N and S.
of stone 3 ft. dist. and raise
a mound of earth $3\frac{1}{2}$ ft.
base 2 ft. high W. of Cor.

50.00

Ascend

80.00

Top of East ridge slope,

Subdivision of T. 30 N. R. 3 W.

Chains

50.00

Set sandstone 20x8x6 ins.
10 ins in ground for cor of
sec's. 28-29-32 and 33.

Marked with one notch on
S. and 4 notches on 2 edges
and raise a mound of
stone 3 ft base and 2 ft
high W. of Cor.

Pits impracticable

Land rolling and rocky

Soil sandy and rocky 3rd rate

Timber scattering

Heavy undergrowth of brush

80.00 chs.

N. 89° 58'

East on a random line bet
sec. 28 and 33.

40.00

Set temp. 1/4 sec. cor.

79.89

Intersect N. and S. line

Subdivision of T. 20 N. R. 9 W.

Chains at the cor. of sec. 27-28-33
and 34.

Thence I run,

S. $89^{\circ}58'W$. on a true line bet.
secs. 28 and 33.

10.74 Road bears S.E. and N.W.

13.04 Road bears N.E. and S.W.

Ascend

24.89 Ridge bears N.E. and S.W.

39.94 $\frac{1}{2}$ Set sandstone $18 \times 12 \times 6$ ins.
12 ins. in the ground for $\frac{1}{4}$ Sec.
Cor.

Marked $\frac{1}{4}$ S. on N. face

Big pits $18 \times 18 \times 12$ ins. E. and W.
of stone 3 ft. dist. and raise
a mound of earth $3\frac{1}{2}$ ft. base
2 ft. high N. of Cor.

A. Cedar 16 ins. diam. bears
S. $12^{\circ}E$. 377 links dist. Marked
 $\frac{1}{4}$ S. $\frac{33}{1}$ B.T.

Subdivision of T. 30 N. R. 34 W.

Chains.	descend
54.89	draw Course W. ascend
79.89	The Cor. of sec's. 28-29-32 and 33 Land rolling Soil sandy and rocky 3 rd rate Timber scattering cedar Heavy undergrowth. 79.89 Chs.
✓	N. 0° 03' W. bet. Sec's. 28 and 29 Ascending over rolling country
25.00	Ridge bears N.E. and S.W. descend
39.00	Wash Course N.E.
40.00	Set limestone 24 x 12 x 5 ins 18 ins. in the ground for 1/4 Sec. Cor. Marked 1/4 S. on W. face, big pits 18 x 18 x 12 ins. N and S. of stone 3 ft. dist. and

Subdivision of T. 30 N. R. 3 W.

- Chains raise a mound of earth
3½ ft. base 2 ft. high N. of Cor.
ascending
- 72.00 Ridge N. E. and S. W.
descend
- 80.00 Edge of wash, course N. 60° E.
- 80.00 Set limestone 24 x 12 x 6 ins.
18 ins. in the ground for cor.
of secs. 20-21-28 and 29
Marked with 2 notches on S.
and 4 notches on 2 edges
dug pits 18 x 18 x 12 ins. in
each sec. 5½ ft. dist. and
raise a mound of earth
3 ft. base and 2 ft. high
N. of Cor.
- A Cedar 24 ins. diam. bears
S. 32° 30' E. 257 links dist. Marked
T. 30 N. R. 3 W., S. 28 B. T.
- A Cedar 12 ins. diam. bears

Subdivision T. 30 N. R. 3 W.

Chains S. $0^{\circ}15'W$. 223 links dist
 Marked T. 30 N. R. 3 W. S. 29 B. T.
 Land rolling
 Soil rocky. 3rd rate
 Timber scrub Cedar,
 Heavy undergrowth
 80.00 ch's.

N. $89^{\circ}58'E$. on a random line
 bet. sec's. 21 and 28

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.00 Intersect N. and S. line 14
 links N. of the cor. of sec's.
 21-22-27 and 28

Thence I run,

N. $89^{\circ}56'W$. on a true line
 bet. sec's. 21 and 28.

abandoned

36.00 Wash course N.W.

40.00 Set limestone $18 \times 8 \times 6$ ins

Subdivision of T. 30 N. R. 3 W.

- Chains 12 ins in the ground for $\frac{1}{4}$ sec.
 Cor. Marked $\frac{1}{4}$ S on N. face.
 and raise a mound of stones
 3 ft. base 2 ft. high N. of Cor.
 Pits impracticable
- 43.45 Road bears S.E. and N.W.
 43.00 Ascend
 80.00 The Cor. of sec's. 20-21-28
 and 29.
 Land rolling
 Soil rocky 3rd rate
 No timber
 Heavy undergrowth
 80.00 chs.
 July 16th 1901

N. $0^{\circ}03'$ W. bet. sec's 20 and 21.

Over rolling ground

- 2.30 Road bears N.E. and S.W.
 37.65 Road bears S.E. and N.W.
 40.00 Set limestone 24x10x6 ins

Subdivision of T. 30 N. R. 3 W.

Chains 10 ins in the ground for
 $\frac{1}{4}$ sec. Cor.
 Marked $\frac{1}{4}$ on W. face.
 and raise a mound of
 stones 3 ft. base 2 ft high
 W of Cor.
 Pits impracticable

57.00 Road bet. N.E. and S.W.
 80.00 Set limestone 24x10x5 ins
 8 ins to bed rock for Cor.
 to Secs, 16-17-20 and 21.
 Marked with 3 notches on S.
 and 4 notches on E. edges.
 and raise a mound of
 stone 3 ft. base 2 ft high
 W. of corner.
 Pits impracticable
 Land rolling
 Soil rocky 3rd rate
 No timber.

Subdivision of T. 30 N. R. 3 W.

Chains Heavy undergrowth
50.00 chs.

S. $89^{\circ}56'E$. on a random line
bet. sec's 16 and 21.

40.00 Set temp. $\frac{1}{4}$ sec. Cor.

80.00 Intersect N. and S. line at
the Cor. of sec's. 15-16-21
and 22.

Thence I run.

N. $89^{\circ}56'W$. on a true line
bet. sec's. 16 and 21

35.70 Road bears N.

40.00 Edge of Wash. Course N. $30^{\circ}E$.

40.00 Set limestone $18 \times 12 \times 10$ ins.
12 ins. in the ground for
 $\frac{1}{4}$ sec. Cor.

Marked $\frac{1}{4}$ S. on N. face
dug pits $18 \times 18 \times 12$ ins. E and
W. of stone 3 ft dist, and

Subdivision of T. 30 N. R. 3 W.

Chains	raise a mound of earth 3½ ft. base 2 ft. high N of cor
75.40	Road bears N. and S.
80.00	The Cor. of sec's 16-17-20 and 21.
	Land level and rolling Soil rocky and sand. ^{3 ft. at}
	No timber
	Underbrush 80.00 chs.

	N. 0° 03' W. bet. sec's 16 and 17
10.00	Descend
17.00	Gulch course N.E.
	Ascend
20.05	Road b'rs. S 30° E. N. 30° W
37.00	Ridge bears N.E. and S.W.
40.00	Set sandstone 18x10x6 ins 10 ins. in the ground for. ¼ sec cor.

Subdivision of S. 30 N. R. 3 W.

Chains Marked $\frac{1}{4}$ S. on W. face,
 and raise a mound of
 stones 3 ft. base 2 ft. high
 W. of Cor. pits impracticable
 descend rocky hill
 77.50
 80.00 Set sandstone 24 x 10 x 6 ins.
 8 ins. to bedrock for cor. of
 sec's. 8-9-16 and 17.
 Marked 4 notches on S, and
 4 notches on E edges, and
 surrounded by stone and
 earth - and raise a mound
 of stone 3 ft. base and 2
 ft. high W. of Cor.

A Cedar 8 ins. diam. bears
 N. $40^{\circ}30'E$. 97 links dist.

Marked T. 30 N. R. 3 W. S. 9 B.T.

A Cedar. 12 ins. diam. bis.
 S $43^{\circ}30'E$. 167 links dist.

Subdivision T. 30 N. R. 3 W.

Chains Marked T. 30 N. R. 3 W. S. 16 B. T.

A Cedar 12 ins. diam. bears
S. $16^{\circ} 30' W.$ 156 links dist.

Marked T. 30 N. R. 3 W. S. 17 B. T.

Land rough and broken

Soil rocky $3\frac{1}{2}$ rods

Timber scrub Cedar.

Heavy growth of sage
and Chigo brush.

50.00 Ch's.

July 17th 1901

Concluded, Book 1140.