

Book. H.  
SUBDIVISIONS  
T. 1, N., R. 23, W.

BOOK 1146

No. 1146

BOOK 1146

4-671

FIELD NOTES  
GENERAL LAND OFFICE.

1146

PRELIMINARY OATHS OF ASSISTANTS. (1)

BOOK 1146

We, C. Hamilton  
and J. E. Snow

do solemnly swear that we will well and faithfully execute the duties of chainmen; that we will level the chain upon even and uneven ground, and plumb the tally pins, either by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability, and in accordance with instructions given us,

in the survey of the subdivision and  
meander lines of Township No.  
1 North, of Ranges Nos 23<sup>rd</sup> & 24<sup>th</sup>  
West, of the Gila & Salt River Base  
and Meridian of the Territory of Arizona

C. Hamilton ..... Chainman.  
J. E. Snow ..... Chainman.  
..... Chainman.  
..... Chainman.

Subscribed and sworn to before me this 28<sup>th</sup>  
day of April, 1902

John A. Barry  
U. S. Deputy Surveyor

1A

We,

J. D. Downs

and

Miguel Villa

BOOK 1140

BOOK

i

do solemnly swear that we will well and truly perform the

*and flagman*

duties of ~~axman~~ in the establishment of corners and other

duties, according to instructions given us, and to the best of

our skill and ability, in the survey of *the subdivision*

*and meander lines of Township No 1 North, of Range Nos. 23 E 124 West, of the Gila and Salt River Base and Meridian in the Territory of Arizona*

J. D. Downs

*Flagman*  
Axman.

Miguel Villa

Axman.

Subscribed and sworn to before me this

*28th*

day of

*April*

1902

John A. Barry  
U. S. Deputy Surveyor

I, .....

do solemnly swear that I will well and truly perform the duties of flagman according to instructions given me, and to the best of my skill and ability, in the survey of the

.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....

....., Flagman.

.....,

Subscribed and sworn to before me this .....

day of ....., 189.....

.....

Field Notes  
of the survey of the  
Subdivision and Meander  
lines of  
Township No. 1 North,  
Range No. 23 West,  
of the  
Gila and Salt River  
Base and Meridian  
in the  
Territory of Arizona,  
as surveyed by  
John A. Barry,  
U. S. Deputy Surveyor,  
Under his contract, No. 84,  
Dated July 13, 1901

---

Survey commenced April 28, 1902.  
Survey completed May 14, 1902



## Subdivision of T. 1 N., R. 23 W.

Chains.

I begin April 28, 1902,  
on the Gila and Salt River  
Base line, at the standard  
corner of secs. 35 and 36,

Tp. 1. N., R. 23 W., which I  
established March 22, 1902  
latitude  $33^{\circ}22'40''N$ ; longitude  $114^{\circ}35'15''W$   
Thence I run

N.  $0^{\circ}1' W$ , bet. secs. 35 and 36

over gravelly mesa

Descent of 10 ft. from mesa  
to wash valley and timber  
bearing  $S. 65^{\circ} E$ . and  $W$ .;  
at about 10 chs.  $W$ . turns to  
 $N. 55^{\circ} W$ .

27.00 Rise 4 ft. to low mesa, bears  
 $N. W$ . and  $S. E$ .

38.50 Gulch 90 fks. wide, course  
 $S. 80^{\circ} W$ .

40.00 Set a malpais stone,  $18 \times 8 \times 6$

Survey executed with my 4 lens  
Leica. No. 5788 before described  
in book of W. to day T. 1 N. R. 23 W.

## Subdivision of T. 1 N.

chains.

ins., 12 ins. in the ground,  
for  $\frac{1}{4}$  sec. cor., marked  $\frac{1}{4}$  on  
W. face; from which

A palo verde, 10 ins. diam., bears  
S.  $13^{\circ}$  E., 130 lks. dist., marked  
 $\frac{1}{4}$  S. 36 B. T. ✓

A palo verde, 18 ins. diam., bears  
S.  $39^{\circ}$  W., 153 lks. dist. marked  
 $\frac{1}{4}$  S. 35 B. T. ✓

Thence leave timber and low  
mesa, course E. and W., and  
ascend.

43.00

Top of ascent and edge of  
higher mesa, 25 ft. above  
 $\frac{1}{4}$  sec. cor., course E., and  
S.  $60^{\circ}$  W. about 5.00 chs. to high  
bluff, that bears thence  
N.  $65^{\circ}$  W.

58.00

Change from gravelly to sandy



## R. 23 W. - Continued.

chains.

soil; course N. W. and S. E.;  
 enter scattering palo verde  
 timber and galleta grass.

80.00

Set a palo verde post, 3 ft. long,  
 6 ins. sq., with marked stone,  
 24 ins. in the ground, for  
 cor. of secs. 25, 26, 35, and 36;  
 marked

T. 1 N., S. 25, on N. E.,

R. 23 W., S. 36 on S. E.

S. 35 on S. W., and

S. 26 on N. W. faces; with

notch on S. and E. edges;  
 chug pits 18 x 18 x 12 ins., in  
 each sec.  $5\frac{1}{2}$  ft. dist., and  
 raised a mound of earth,  
 4 ft. base, 2 ft. high W. of cor.  
 No bearing trees within limits.  
 Sand, nearly level.

## Subdivision of T. 1 N.

chains

Soil, gravelly and sandy;  
2nd and 1st rate.

Timber, palo verde and palo  
firro.

Heavily timbered land 12.50 chs.

---

East on a random line  
bet. secs. 25 and 36.

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

80.04 Intersect E. bdy. of Tp. 6 lks. S.  
of cor. of secs. 25, 30, 31, and 36.

Thence Run

S.  $89^{\circ} 57' W.$  on a true line  
bet. secs. 25 and 36.

Over gravelly mesa.

6.00 Gulch 30 lks. wide, course  
N.  $60^{\circ} W.$

8.50 Descent of 10 ft. from mesa to

## R. 23 W. - continued.

chains

bottom land and heavy timber  
bears N. W. and S. E.

14.00

Dry creek, 50 lks. wide, course  
N. 35° W.

30.00

Dry creek, 60 lks. wide, course  
N. 50° W.

36.00

Leave heavy, and enter  
scattering timber, bears  
N. W. and S. E.

40.00

Set a malpais stone, 18 x 8 x 5  
ins., 12 ins. in the ground, for  
¼ sec. cor. marked ¼ on

N. face; from which

A pale verde, 10 ins. diam; bears  
S. 39° W., 63 lks. dist; marked  
¼ S. 36 B.T. ✓

A pale verde, 6 ins. diam; bears  
N. 40° W., 208 lks. dist; marked  
¼ S. 25 B.T. ✓

## Subdivision of T. 1 N.

Chains.

41.00

Ascent of 10 ft. to edge of mesa,  
bears N. E. and S. W.

50.00

Gulch near head, 20 ft. wide  
course N.

63.00

Change from gravelly to sandy  
soil; course N. W. and S. E. enter  
undergrowth of grease-wood  
and some galleta grass.

80.04

The cor. of secs.

25, 26, 35, and 36.

Sand, nearly level.

Soil, gravelly and sandy;

2nd and 1st rate.

Timber, palo verde and  
palo fierro.

Heavily timbered land, 27.50 chs.

N. 0° 1' W., bet. secs. 25 and 26

## R. 23 W. - continued.

Chains

Over level land.

12.00

Change from sandy to gravelly land, course N.W. and S.E.

15.00

Station distant E. 300 chs. from the head of a gulch, that runs N.

34.00

Gulch, 50 fms. wide, heads S.E. about 10 chs.; runs N.W.

40.00

Set a malpais stone,  $16 \times 8 \times 6$  ins., 11 ins. in the ground, for  $\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$  on W. face; and raised a mound of stone, 4 ft. base, 2 ft. high, W. of cor.

Pits impracticable -

53.00

Thence on undulating point To edge of mesa, bears N.  $35^\circ$  W. and S.  $25^\circ$  E.; descend abruptly

## Subdivision of T. 1 N.

chains.

30 ft.

54.00

Enter wash valley and heavy timber, bears N. 35° W. and S. 25° E.

78.50

Dry creek, 50 fks. wide, course N. 50° W.

80.00

Set a malpais stone, 20x10x8 ins., 15 ins. in the ground, for cor. of secs. 23, 24, 25, and 26 marked with 2 notches on S. and 1 notch on E. edges; from which

A palo verde, 20 ins. diam., bears N. 77° E., 206 fks. dist., marked T. 1 N., R. 23 W., S. 24 B. T. ✓

A palo fierro, 24 ins. diam., bears S. 61° E., 78 fks. dist., marked T. 1 N., R. 23 W., S. 25 B. T. ✓

A palo fierro, 12 ins. diam., bears

R. 23 W. - continued.

chains.

S.  $66^{\circ}$  W.; 23 lks. dist.; marked

T. 1 N., R. 23 W., S. 26, B. T. ✓

A palo fierro, 12 ins. diam.; bears

N.  $82^{\circ}$  W.; 150 lks. dist.; marked

T. 1 N., R. 23 W., S. 23, B. T. ✓

Sand, level except at

edge of mesa.

Soil, gravelly; 2nd rate.

Timber, palo verde and  
palo fierro.

Heavily timbered land 26.00 chs.

N.  $89^{\circ} 57' E$ , on a random line,  
bet. secs. 24 and 25.

40.00

Set temp  $\frac{1}{4}$  sec. cor.

80.00

Intersect e. bdy. of Tp; 7 lks.

N

~~W~~ of the cor. of secs.

19, 24, 25, and 30.

## Subdivision of T. 1 N.

Chains

Thence I run

West on a true line

bet. sec. 24 and 25

Over mesa.

6.50

Ravine 30 lks. wide, 10 ft. deep,  
course N. W.

25.00

Enter same ravine, now 50 lks.  
wide, comes from N. E. thence  
down same in timber.

26.00

Ravine widens to 100 ch.; observe  
that a gulch 50 lks. wide  
enters from the S. E.

35.00

The ravine turns to N. 55° W.

36.00

Go on to low mesa, 5 ft. high,  
bars N. W. and S. E.

40.00

Set a malpais stone, 20 x 8 x 6  
ins, 15 ins. in the ground,  
for 1/4 sec. cor. marked  
1/4 on N. face, from which



## R. 23 W. - continued.

Chamiso

A palo verde, 10 ins. diam., bears  
N.  $13^{\circ}$  E., 162 lks. dist., marked  
 $\frac{1}{4}$  S. 24 B. T. ✓

A palo verde, 10 ins. diam., bears  
S.  $69^{\circ}$  W., 143 lks. dist., marked  
 $\frac{1}{4}$  S. 25 B. T. ✓

This cor. stands 50 lks. N. of  
foot of mesa 15 ft. high  
Thence along base of the  
higher mesa.

45.00

Saddle on mesa; divide  
bet. watersheds, course N. W.  
and S. E.

50.00

Gulch, 50 lks. wide, course  
N.  $65^{\circ}$  W.

52.00

Ascend.

61.00

Top of hill 40 ft. high.

63.50

Brow, 35 ft. high, bears  
N.  $36^{\circ}$  W., and S.  $36^{\circ}$  E.;

## Subdivision of T. 1 N.

Chains.

- descend steep S. W. face.
- 65.00 Enter wash valley, and  
timber course N. 36° W. and  
S. 36° E.
- 80.00 The cor. of secs. 23, 24, 25, and 26  
Sand, level and rolling.  
Soil gravelly, 2nd rate.  
Timber, palo verde and  
palo fierro in ravines and  
on low grounds.  
Heavily timbered land 26.00 chs.

April 28, 1902.

N. 0° 1' W., bet. secs. 23 and 24.

In wash valley, through  
palo verde and palo fierro  
timber.

15.40

Dry creek 40 fks. wide, course  
N. 20° W.

## R. 23 W. - Continued

Chains.

- 22.00 Leave wash valley and timber course N. 55° W. and S. 40° E. ascend 20 ft. to
- 22.50 Edge of mesa, course N. 55° W., and S. 40° E.; a few trees in places on the mesa.
- 40.00 Set a malpais stone, 20 x 8 x 8 ins., 15 ins. in the ground, for  $\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$  on W. face; from which  
A palo fierro, 20 ins. diam., bears N. 75° E., 126 lks. dist., marked  $\frac{1}{4}$  S. 24 B.T. ✓  
A palo fierro, 10 ins. diam., bears S. 85° W., 108 lks. dist., marked  $\frac{1}{4}$  S. 23 B.T. ✓
- 40.75 Gulch, 10 lks. wide, course N. 60° W.
- 60.50 Edge of mesa 10 ft. high, bears N. 66° W. and S. 40° E.;

## Subdivision of T. 1 N.

chains.

80.00

Enter wash valley and palo fierro and palo verde timber,

Set a malpais stone,  $24 \times 10 \times 6$  ins.; 18 ins. in the ground, for cor. of secs. 13, 14, 23, and 24. marked with 3 notches on S.

and 1 notch on E. edges; from which

A palo fierro, 20 ins. diam.; bears N.  $77^\circ$  E., 150 lks. dist., marked

T. 1 N., R. 23 W., S. 13, B. T. ✓

A palo verde, 12 ins. diam.; bears S.  $87\frac{1}{2}^\circ$  E., 413 lks. dist.; marked

T. 1 N., R. 23 W., S. 24, B. T. ✓

A palo fierro, 12 ins. diam.; bears S.  $11^\circ$  W., 308 lks. dist.; marked

T. 1 N., R. 23 W., S. 23, B. T. ✓

A palo fierro, 24 ins. diam.; bears N.  $10^\circ$  W., 140 lks. dist.; marked

T. 1 N., R. 23 W., S. 14 B. T. ✓

## R. 23 W. - continued

Chains.

Raised a mound of stones,  
4 ft. base, 2 ft. high, W. of cor.  
Sand, level.

Soil, gravelly; 2nd rate.

Timber, palo verde and palo fierro.

Heavily timbered land 41.50 chs.

---

East on a random line

bet. secs. 13 and 24

40.00

Set temp.  $\frac{1}{4}$  sec. cor.

79.90

Intersect E. bdy of Tp. at the  
cor. of secs. 13, 18, 19, and 24.

Thence I run

West on a true line

bet. secs. 13 and 24.

In wash valley through timber.

6.50

Rise 15 ft. to mesa, bears

S.  $67^{\circ}$  W. and N.  $67^{\circ}$  E., thence

## Subdivision of T. 1 N.

chains.

on mesa, 3 to 5 chs. north of  
the valley.

21.00

Gulch 20 fks. wide, course S.  
3.00 chs. to valley.

30.00

Descend 15 ft.; enter same  
wash valley and timber, bears  
N.  $79^{\circ}$  W., and S.  $70^{\circ}$  E.

39.95

Set a malpais stone,  $18 \times 10 \times 6$   
ins., 12 ins. in the ground, for  
 $\frac{1}{4}$  ac. corr. marked  $\frac{1}{4}$  on N. face;  
from which

A palo fierro, 6 ins. diam., bears  
S.  $54^{\circ}$  E., 32 fks. dist., marked  
 $\frac{1}{4}$  S. 24 B.T. ✓

A palo fierro, 10 ins. diam., bears  
N.  $50^{\circ}$  W., 28 fks. dist., marked  
 $\frac{1}{4}$  S., 13 B.T. ✓

79.90

The corr. of aces. 13, 14, 23, and 24  
\* Sand level.

## R. 23 W. - continued.

Chains.

Soil, gravelly; 2nd rate.

Timber, palo verde and  
palo fierro.Heavily timbered land, 56.40 chs.  
28.50  
27.90

N. 0° 1' W, bet. sec. 13 and 14.

In wash valley through  
timber.

16.00

Leave valley and timber;  
ascent 15 ft. to mesa,  
bears N. 76° W, and S. 59° E.

37.00

Leave mesa, bears N. 68° W.,  
and N. 76° E.; descent 15 ft.  
thence in wash valley,  
through timber.

40.00

Set a malpais stone, 18 x 8 x 6  
ins., 12 ins. in the ground  
for ¼ sec. err. marked

## Subdivision of T. 1 N.

chains.

- $\frac{1}{4}$  on W. face; from which  
A palo fierro, 8 ins. diam; bears  
N.  $26^{\circ}$  E., 410 lks. dist. marked  
 $\frac{1}{4}$  S. 13, B.T. ✓
- A palo verde, 10 ins. diam; bears  
S.  $42^{\circ}$  W., 252 lks. dist.; marked  
 $\frac{1}{4}$  S. 14 B.T. ✓
- I raised a mound of stone,  
4 ft. base, 2 ft. high, W. of cor.  
49.00 Ascend, 25 ft. from the valley  
and timber, to mesa, bears  
N.  $74^{\circ}$  W., and S.  $74^{\circ}$  E.
- 65.50 Gulch 90 lks. wide, course W.
- 73.00 Divide, about 40 ft. above valley;  
descend.
- 80.00 Set a malpais stone,  $24 \times 8 \times 8$   
ins., 18 ins. in the ground  
for cor. of secs. 11, 12, 13, and 14.  
marked with 4 notches on S.



## R. 23 W. - Continued.

Chains.

and 1 notch on E. ~~face~~<sup>edges</sup>;  
from which

A pals firro, 14 ins. diam., bears  
N. 11° E., 225 lks. dist., marked  
T. 1 N., R. 23 W., S. 12, B. T. ✓

A pals firro, 10 ins. diam., bears  
N. 31° W., 170 lks. dist., marked  
T. 1 N., R. 23 W., S. 11, B. T. ✓

No other trees within limits;  
I raised a mound of stone  
4 ft. base, 2 ft. high, W. of err.

Rto impracticable.

This err. stands on northerly  
slope.

Sand nearly level.

Soil, gravelly; 2nd rate.

Timber, pals verde, and  
pals firro.

## Subdivision of T. 1 N.

Chains.

East on a random line

bet. sec. 12 and 13.

40.00

Set temp.  $\frac{1}{4}$  sec. corr.

79.88

Intersect E. bdy. of Tp. 10 lks.

S. of cor. of sec. 7, 12, 13, and 18

Thence I run

S.  $89^{\circ} 56'$  W. On a true line.

bet. sec. 12 and 13.

Over mesa

5.00

Point N. 100 ch. from head of a  
gulch 10 lks. wide, thence parallel  
the gulch, 100 N. therefrom

26.58

Gulch 10 lks. wide, near mouth,  
course S. W.

39.94

Set a malpais stone,  $24 \times 8 \times 6$  ins.  
18 ins. in the ground,for  $\frac{1}{4}$  sec. corr. marked $\frac{1}{4}$  on N. face; from which

A pale pivot, 12 ins. diam; bears

## R. 23 W. - continued.

Chains.

S. 66° E., 162 lks. dist., marked  
 1/4 S. 13. B. T.

A palo verde, 14 ins. diam., bears  
 S. 61° W., 208 lks. dist., marked  
 1/4 S. 13 B. T. I raised a mound  
 of stone, 4 ft. base, 2 ft. high  
 N. of cor.

This cor. stands 75 lks. N. of  
 Gulch, 20 lks. wide, course W.

42.60 Cross the gulch 20 lks. wide,  
 course N. W.

46.80 Recross the gulch 20 lks. wide,  
 course S. W.; ascend.

65.00 Divide, 40 ft. above gulch  
 bears, N. 67° E. and S 67° W.;  
 descend N. W. slope of mesa.

79.88 The cor. of secs. 11, 12, 13, and 14.  
 Sand, level and rolling.  
 Soil, gravelly; 2nd rate.

## Subdivision of T. 1 N.

Chains.

Timber scattering, pale verde and  
pale fir, in and near gulches.

April 29, 1902.

---

N.  $0^{\circ} 1' W$ . bet. secs. 11 and 12

Descend.

2.00

Foot of descent, bears N. E.  
and S. W., 20 ft. below sec. cor.;  
enters wash valley and timber;

17.00

Leave the valley and timber  
bears N.  $60^{\circ} E$ . and S.  $60^{\circ} W$ .

Ascend 20 ft to

17.50

Top of ascent and edge of mesa,  
bears N.  $60^{\circ} E$ . and S.  $60^{\circ} W$ .

25.00

Gulch 50 ft. wide, course S.  $30^{\circ} W$ .

40.00

Set a melpais stone,  $18 \times 10 \times 8$   
ins., 12 ins. in the ground,  
for  $\frac{1}{4}$  sec. cor., marked  
 $\frac{1}{4}$  S. on W. face; and raised

## R. 23 W. - continued.

Chains.

a mound of stone, 4 ft. base,  
2 ft. high, W. of cor.

Pits impracticable.

52.00 Ravine 200 chs. wide, 25 ft. deep  
course W.

59.00 To edge of mesa, bears N.  $78^{\circ}$  E. and  
S.  $78^{\circ}$  W., descend.

60.00 Foot of descent, 35 ft. below  
mesa, bears N.  $78^{\circ}$  E. and  
S.  $78^{\circ}$  W.; enter wash, valley,  
and timber.

72.30 Road from Yuma to Ehrenberg  
bears N.  $80^{\circ}$  E. and S.  $80^{\circ}$  W.

73.50 Point in general course of  
the N. edge of the valley, bears  
N.  $80^{\circ}$  E. and S.  $80^{\circ}$  W.; enter  
cave of the valley.

78.00 Gulch 20 lks. wide, at base  
of mesa, course S. W.; ascend

## Sub-division of T. 1 N.

Chains -

80.00

Set a malpais stone,  $24 \times 8 \times 6$  ins., 18 ins. in the ground, for cor. of secs. 1, 2, 11, and 12. marked with 5 notches on S. and 1 notch on E. edges; from which

A palo verde, 8 ins. diam., bears S.  $19^\circ$  W., 200 lks. dist., marked T. 1 N., R. 23 W., S. 11 B. T. ✓

A palo verde, 5 ins. diam., bears N.  $25^\circ$  W., 217 lks. dist., marked T. 1 N., R. 23 W., S. 2, B. T. ✓

No other trees within limits; raised a mound of stone 4 ft. base, 2 ft. high, W. of cor.

Pits impracticable.

Sand, nearly level.

Soil, gravelly; 2nd rate.

Timber, palo verde and palo fierro.

## R. 23 W. - continued.

Chains.

Heavily timbered land 15.00 chs.

---

N.  $89^{\circ} 56' E.$ , on a random line  
bet. secs. 1 and 12.

40.00

Set temp.  $\frac{1}{4}$  sec. corr.

80.12

Intersect E. bdy. of Tp., 3 lks.

S. of the corr. of secs. 1, 6, 7, and 12.

Thence down

S.  $89^{\circ} 55' W.$  on a true line.

bet. secs. 1 and 12.

Over mesa.

13.00

Leave at point of mesa,  
(20 ft. high) at junction of  
washes; bearing along  
edges of mesa N.  $55^{\circ} E.$ , and  
S.  $55^{\circ} E.$ ; thence down wash  
valley, which is about 1000 chs.  
wide, through palo verde

## Sub-division of T. 1 N.

Chains.

- and pale fierro timber.
- 24.00 Dry creek, 50 lks. wide, course S. 50° W.
- 29.00 To the right and north edge of the wash and timber, bear N. 30° E., and S. 30° W., ascend bank.
- 30.00 Top of bank 30 ft. high, and edge of mesa, bears N. 30° E. and S. 30° W.
- 40.06 Set a malpais stone, 24 x 8 x 5" vis, 18 ins. in the ground, for  $\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$  on N. face; and raised a mound of stone, 4 ft. base, 2 ft. high N. of cor. Pits impracticable. This cor. stands on mesa about 500 chs. N. of wash valley.
- 47.00 Reenter same wash, bears



## R. 23 W. - continued.

Chains

N.  $45^{\circ}$  W. and S.  $45^{\circ}$  E.

55.00

Opposite and distant S. E.  
3.00 chs., from mouth of  
ravine 200 chs. wide,  
coming in from N. E.

59.00

Leave the wash or valley,  
bears N.  $55^{\circ}$  E. and S.  $55^{\circ}$  W.  
ascend 40 ft. and then over  
undulating mesa.

62.00

Top of hill.

64.40

Road from Yuma to Chamberg  
bears N.  $30^{\circ}$  E. and S.  $30^{\circ}$  W., in  
gulch 10 lks. wide, course S.  $35^{\circ}$  W.  
About 5.00 chs. to valley.

66.50

Top of hill.

76.25

Gulch, 10 lks. wide, course S.

79.90

Gulch 5 lks. wide, course S.

80.12

The cor. of secs. 1, 2, 11, and 12  
sand level and rolling.

## Subdivision of T. 1 N.

Chains.

Soil, gravelly; 1st and 2nd rate.  
 Timber, palo verde and palo fierro.  
 Heavily timbered land 16.00 chs.

---

West on a true line

bet. secs. 2 and 11.

Over undulating mesa.

12.00 Ravine 200 chs. wide, 20 ft. deep,  
 course S. about 2.00 chs. to a  
 wash valley.

40.00 Set a malpais stone, 24 x 8 x 6  
 ins., 18 ins. in the ground,  
 for  $\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$  on  
 N. face; from which  
 a palo verde 6 ins. diam, bears  
 N. 54° W., 99 lks., dist.; marked  
 $\frac{1}{4}$  S. 2 B.T.; no other tree with-  
 in limits; raised a mound

## R. 23 W. - Continued.

Chains.

of stone, 4 ft. base, 2 ft. high,  
N. of cor. Pits impracticable.

72.50

Enter Colorado River bottom  
bears N. 20° E., and S. 20° W.,  
at mouth of gulch 100 lks.  
wide, coming in from the  
S. E.; thence through dense  
willow and cottonwood  
undergrowth.

78.00

Left bank of Colorado River  
Set a mesquite post, 3 ft. long,  
4 ins. sq., 24 ins. in the ground,  
for meander cor. of fracl.  
secs. 2 and 11, marked

M. C. on W.,

T. 1 S. on E.,

R. 23 W., S. 2, on N., and

S. 11 on S. faces; from which

A cottonwood, 4 ins. diam., bears

## Subdivision of T. 1 N.

Chains.

N.  $60^{\circ}$  E., 28 lks. dist., marked  
T. 1 N., R. 23 W., S. 2, M. C. B. T. ✓

A willow 5 ins. chain, bears  
S.  $69^{\circ}$  E., 18 lks. dist., marked  
T. 1 N., R. 23 W., S. 11, M. C. B. T. ✓

Sand, undulating, and level.  
Soil, of gravelly and loam,  
2nd. and 1st. rate.

Timber, a few palo verde  
on mesa;

Undergrowth, willow and  
cottonwood.

Dense undergrowth 5.38 chs.

---

N.  $0^{\circ} 1' W.$ , on a random line  
bet. secs. 1 and 2.

40.00

Set temp  $\frac{1}{4}$  sec. cor.

80.20

Intersect, N. body. of the Twp.

## R. 23 W. - continued

Chains.

9 lks. E. of the cor. of secs.

1, 2, 35, and 36.

Thence Iron

S.  $0^{\circ} 5' E.$ , on a true line

bet. secs. 1 and 2.

Over rolling ground  
somewhat rugged.

2.00

Head of gulch, 20 lks. wide,  
course S. W.

8.70

Ravine 100 ch. wide, 20 ft. deep,  
course W.

26.00

Ravine 300 chs. wide, 30 ft. deep  
course W.

39.60

Gulch, 20 lks. wide, course W.

40.20

Set a malpais stone,  $20 \times 8 \times 6$   
ins, 15 ins. in the ground,  
for  $\frac{1}{4}$  sec. cor., marked  $\frac{1}{4}$  on W.  
face; and raised a mound  
of stone, 4 ft. base, 2 ft. high,

## Subdivision of T. 1 N.

Chains

W. of cor.

Pits impracticable

\$2.00

On flat; divide bet. water sheds.

55.70

Gulch 30 lks. wide, runs

N. 60° W., about 500 chs, then turns  
to S. W.

65.00

Gulch, 50 lks. wide, course W.

80.20

The cor. of secs. 1, 2, 11, and 12.

Sand, ~~rolling~~ rolling; rugged  
in places.

Soil, of gravelly; 2nd and 3rd rate.

Timber a few pals verde and  
pals fierro trees in the ravines.April 30, 1909.From the standard cor. of  
secs. 34, and 35 in the S. body  
of the Tp.; Drum

N. 0° 1' W. bet. secs. 34 and 35.

## R. 23 W. - Continued.

chains.

Over mesa.

20.50

Gulch, 50 lks. wide, runs W.  
about 5.00 chs. then turns to N. 50° W.

30.00

Ascend.

33.50

Top of hill, 25 ft. high, on mesa,  
thence descending over  
mesa.

40.00

Set a malpais stone, 16 x 8 x 6 ins.  
11 ins. in the ground,  
for  $\frac{1}{4}$  sec. cor. marked  
 $\frac{1}{4}$  on W. face; from which  
A palo fierro, 12 ins. diam., bears  
N. 51° E., 186 lks. dist. marked  
 $\frac{1}{4}$  S. 35 B.T.; no other tree within  
limits; raised a mound  
of stone 4 ft. base, 2 ft. high,  
W. of cor. Pile impracticable.

44.00

To edge of mesa bears N. 38° W.,  
and S. 38° E.; descend abruptly

## Subdivision of T. 1 N.

Chains.

- 25 ft.
- 44.75 Foot of descent, bears N. 38° W. and S. 38° E.
- 45.00 Dry creek, 50 lks. wide, course N. 38° W., thence over wash valley through timber,
- 55.00 Pass 300 chs. W. of W. point of mesa.
- 56.00 Dry creek 30 lks. wide, course W.
- 71.00 To the N. side of the valley, and edge of timber at base of bluff, bears N. 70° W., and S. 70° E.; ascend steep.
- 72.00 Top of ascent and edge of mesa, 30 ft. above valley, bears N. 70° W. and S. 70° E.
- 80.00 Set a malpais stone, 22x10x6 ins, 17 ins. in the ground, for cor. of secs. 26, 27, 34, and 35.



## R. 23 W. - continued.

chains.

marked with 1 notch on S. and  
2 notches on E. edges; from which  
A palo fierro, bins. diam., bears  
N. 39° E., 50 lks. dist., marked  
T. 1 N., R. 23 W., S. 26 B. T. ✓

No other tree within limits.

raised a mound of stone  
5 ft. base, 2 ft. high, W. of cor.  
Land, nearly level.

Soil gravelly; 2nd rate.

Timber palo verde and palo fierro  
Heavily timbered land 26.00 chs.

East on a random line  
bet. secs. 26 and 35.

40.00

Set temp.  $\frac{1}{4}$  sec. cor.

79.80

Intersect N. and S. line, at  
the cor. of secs. 25, 26, 35, and 36

## Subdivision of T. L. N.

Chains.

Thence Iron

West on a true line

bet. sec. 26 and 36

Over sandy musa; a few trees in places.

26.00 Change from sandy to gravelly soil bears N. W. and S. E.

36.00 Depression 1.00 ch. wide, 2 ft. deep  
course N. W.

39.90 Set a malpais stone, 18 x 8 1/2 ins.; 12 ins. in the ground for 1/4 sec. cor. marked 1/4 on N. face; from which a palo fierro, 8 ins. diam., bears N. 27° E., 143 lks. dist., marked 1/4 S. 26 B.T. ✓

✓ A palo fierro, 6 ins. diam., bears N. 1/2° W., 222 lks. dist., marked 1/4 S. 26 B.T. ✓

## R. 23 W. - continued

Chains.

79.80

The cor. of secs. 26, 27, 34, and 35.  
Sand, level.

Soil, sandy and gravelly;  
1st. and 2nd rate.

Timber, a few palo verde and  
palo fierro trees in places.

N. 0° 1' W, bet. secs. 26 and 27.

Over gravelly mesa.

0.50

Gulch 10 lks. wide, course W.

40.00

Set a malpais stone, 20 x 8 x 6  
ins, 13 ins. in the ground,  
for  $\frac{1}{4}$  sec. cor. marked

$\frac{1}{4}$  on W. face, and raised  
a mound of stone, 4 ft. base,  
2 ft high, W. of cor. *etc. impracticable.*

43.00

Gulch, 30 lks wide, course W.

54.35

Hill 20 ft. high.

## Sub-division of T. 1 N.

Chains.

60.00

Change from gravelly to sandy soil; bears E. and W.

80.00

Set a palo verde post, 3 ft. long 4 ins. sq., 24 ins. in the ground, for cor. of secs. 22, 23, 26, and 27, marked

T. 1 N., S. 23 on N. E.

R. 23 W., S. 26 on S. E.

S. 27 on S. W., and

S. 22 on N. W., faces; with

2 notches on S. and E. edges.

From which

A palo verde, 10 ins. diam., bears

N.  $58^{\circ}$  W., 58 lks. dist., marked

T. 1 N., R. 23 W., S. 22 B. T. ✓

no other tree with in limits;

dug pits 18 x 18 x 12 ins. in

each sec.,  $5\frac{1}{2}$  ft. dist., and

raised a mound of earth,

4 ft. base, 2 ft. high, W. of cor.

## R. 23 W. - continued.

Chains.

Land, nearly level.

Soil, gravelly and sandy;  
2nd and 1st rate.Timber, very few - pale verde  
trees in places.East on a random line  
bet. secs. 23 and 26.

40.00

Set temp.  $\frac{1}{4}$  sec. corr.

79.84

Intersect N. and S line, 10 lks.  
S. of the cor. of secs. 23, 24, 25,  
and 26.

Thence I run

S.  $89^{\circ} 56'$  W., on a true line  
bet. secs. 23 and 26.In wash valley, through  
heavy timber,

1.75

Dry creek, 50 lks. wide, course

## Subdivision of T. 1 N.

Chains.

N. 50° W.

20.00

Leave wash valley and heavy timber, bear N. 55° W. and S. 55° E., thence over undulating mesa, some scattering timber.

38.00

Change from gravelly to sandy soil, bears N. W. and S. E.

39.92

Set a malpais stone, 20x8x4 ins, 15 ins. in the ground, for  $\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$  on N. face; from which

A palo verde, 8 ins. diam., bears N. 61° E., 44 lks. dist., marked  $\frac{1}{4}$  S. 23, B.T.

A palo verde, 10 ins. diam., bears S. 62° E., 343 lks. dist., marked  $\frac{1}{4}$  S. 26, B.T.

60.00

Leave undulating, thence level.

## R. 23 W. - Continued.

Chavins.

79.84

The cor. of secs. 22, 23, 26, and 27  
 sand, undulating and level.  
 Soil, gravelly and sandy;  
 2nd and 1st rate.

Timber, palo verde and palo fierro  
 Heavily timbered land 20.00 chs-

May 1, 1902

---

N. 0° 1' W. bet. secs. 22 and 23.

Over sandy mesa;

30.00

Change from gravelly to sandy  
 soil, ~~bears~~ N.W. and S.E.

37.00

Edge of mesa, 15 ft. high. bears  
 N. 72° W., and S. 70° E.,  
 enter wash valley and heavy  
 timber.

40.00

Set a malpais stone, 24 x 4 ins.  
 18 ins. in the ground for  $\frac{1}{4}$  sec.  
 cor. marked  $\frac{1}{4}$  on W. face, from which

## Subdivision of T. 1 N.

Chains:

A palo verde, 10 ins. diam, bears  
N.  $26^{\circ}$  E, 43 lks. dist., marked  
 $\frac{1}{4}$  S. 23, B.T. ✓

A palo verde, 6 ins. diam, bears  
N.  $9^{\circ}$  W, 125 lks. dist., marked  
 $\frac{1}{4}$  S. 22, B.T. ✓

41.50 Dry creek, 60 lks. wide, course  
N.  $65^{\circ}$  W.

65.00 Station W, 400 chs. from W.  
end of mesa.

80.00 " Set a malpais stone,  $18 \times 10 \times 8$   
ins, 12 ins. in the g. round,  
for corr. of secs, 14, 15, 22, and 23,  
marked with, 3 notches on S,  
and 2 notches on E. edges;  
from which

A palo fierro, 20 ins. diam, bears  
N.  $4^{\circ}$  E., 317 lks. dist., marked  
T. 1 N, R. 23 W, S. 14, B.T. ✓



## R. 23 W. - Continued.

Chains.

A palo verde, 14 ins. diam., bears  
N. 15° W., 297 lks. dist., marked  
T. 1 N., R. 23 W., S. 15, B. T. ✓

No other trees within limits,  
raised a mound of stones,  
4 ft. base, 2 ft. high, W. of cor.  
Land, level. *Peto impact.*

Soil, sandy and gravelly;  
1st and 2nd rate.

Timber, palo verde, and palo fierro.  
Heavily timbered land, 43.00 chs.

---

N. 89° 56' E., on a random line.  
bet. sec. 14 and 23

40.00 Set temp. 1/4 sec. cor.

79.84 Intersect N. and S. line, 6 lks.

5 of cor. of secs., 13, 14, ~~23~~, and 24.

Thence I run

## Subdivision of T. 1 N.

chains.

S.  $89^{\circ} 53'$  W, on a true line  
bet. sec. 14 and 23.

In valley, through palo fierro  
and palo verde timber.

39.92

Set a malpais stone, 22 x 8 x 6  
ins., 17 ins. in the ground,  
for  $\frac{1}{4}$  sec. cor. marked

$\frac{1}{4}$  on N. face; from which

A palo fierro, 14 ins. diam; bears  
N.  $8^{\circ}$  E., 19 lks., marked  $\frac{1}{4}$  S. 14, B.T.

A palo fierro, 16 ins. diam; bears  
S.  $20^{\circ}$  E., 71 lks. dist; marked  
 $\frac{1}{4}$  S. 23, B.T. ✓

79.84

The cor of sec. 14, 15, 22, and 23.

Land level wash valley.

Soil, gravelly; 2 nd rate.

Timber, palo verde and palo  
fierro.

Heavily timbered land 79.84 chs.

## R. 23 W. - continued.

chains.

N $0^{\circ}1'W$ , bet. sec. 14 and 15.

Over level land through scattering timber.

22.50

Dry creek 60 lks. wide, course S.  $79^{\circ}W$ .

24.50

Ascend 20 ft. to edge of mesa bears

N.  $66^{\circ}E$ , and S.  $66^{\circ}W$ .

40.00

Set a malpais stone,  $14 \times 12 \times 10$  ins; 10 insin the ground, for  $\frac{1}{4}$  sec. cor. marked $\frac{1}{4}$  on W. face; from which

A palo verde, 12 ins. diam; bears

N.  $28^{\circ}E$ , 75 lks. dist; marked $\frac{1}{4}$  S. 14, B. T. ✓

A palo fierro, 16 ins. diam; bears

S.  $61^{\circ}W$ ; 196 lks. dist; marked $\frac{1}{4}$  S. 15 B. T. ✓

54.40

Gulch 10 lks. wide, runs N. W.

about 200 chs. thence turns to W.

59.00

Gulch 10 lks. wide, course S. W.

64.60

Edge of mesa bears N.  $75^{\circ}W$ . andS.  $81^{\circ}E$ , descend 35 ft. to

## Subdivision of T. 1 N.

Chains

65.50

Enter wash valley, bears  
N. 75° W., and S. 81° E.

66.00

Dry creek, 100 ch. wide, course N. 70° W.

80.00

Set a palo verde post, 3 ft. long, 5 in.  
sq., with marked stones, 24 ins. in the  
ground, for cor. of sec. 11, 10, 14, and 15 ma  
T. 1 N., S. 11, on N. E.

R. 23 W., S. 14, on S. E.,

S. 15 on S. W. and

S. 10 on N. W. faces; with 4 notches  
on S., and 2 notches on E. edges,  
and raised a of stone covered with  
earth, 4 ft. base, 2 ft. high, W. of cor.

No bearing trees available

Sand, level, except at edge of me  
Soil, gravelly; 2nd rate.

Timber, palo verde and palo fierro

Peto in prospect

## R. 23 W. - Continued.

Chains.

N.  $89^{\circ} 53'$  E. on a random line,  
bet. sec. 11 and 14.

40.00

Set temp.  $\frac{1}{4}$  sec. cor.

80.00

Intersect N. and S. line, 14 lks.

N. of cor. of sec. 11, 12, 13, and 14,

Thence down

S.  $89^{\circ} 59'$  W. on a true line

bet. sec. 11, and 14.

Descending.

2.00

Foot of descent 25 ft. below  
sec. cor., at left edge of wash  
and timber, bears N.  $50^{\circ}$  E.

and S.  $55^{\circ}$  W.

15.00

Wing creek, 60 lks. wide, course  
S.  $57^{\circ}$  W.,

26.00

To right or N. edge of the wash  
bears N.  $60^{\circ}$  E., thence along  
down same

30.00

Go on to mesa 20 ft. high,

## Subdivision of T. 1 N.

Chains

- thence parallel 1.00 ch. N.  
of the wash or valley
- 44.00 Set a malpais stone,  $18 \times 8 \times 5$   
ins. 12 ins. in the ground,  
for  $\frac{1}{4}$  sec. cor. marked  
 $\frac{1}{4}$  on N. face, from which  
A pale verde 4 ins. diam, bears  
S.  $23^\circ$  E, 69 lks. dist, marked  
 $\frac{1}{4}$  S. 14, B. T. ✓
- A pale fiver 5 ins. diam, bears  
N.  $13^\circ$  W, 49 lks. dist, marked  
 $\frac{1}{4}$  S. 11, B. T. ✓
- 45.00 The edge of mesa, which is  
S. 1.00 ch. dist, turns to S.  $75^\circ$  W.
- 68.00 To edge of mesa, bears N.  $50^\circ$  W.  
and S.  $50^\circ$  E, begin descent of  
30 ft. to
- 71.00 Reenter wash or valley, bears  
N.  $50^\circ$  W, and S.  $50^\circ$  E,

## R. 23 W. - continued.

chains.

80.00

The cor. of secs. 10, 11, 14, and 15

Sand nearly level.

Soil, gravelly; 2nd rate.

Timber, palo verde, and palo fierro

789°59'

West on a true line

bet. secs. 10 and 15

In wash gravel valley.

11.00

Enter river bottom, bears

N. and S, through dense  
mesquite and arrow-wood.

13.70

Road from Yuma to Ehrenberg  
bears N. 20° E, and S. 20° W.

17.75

To left bank of Colorado River;

A palo verde, 4 ins. diam, for  
meander cor. of fract. secs.

10 and 15 9 mark

M. C. on W.

## Subdivision of T. 1 N.

Chains -

T. 1 N. on E.,

R. 23 W., S. 10 on N., and

S. 15 on S. sides; from which

A palo verde 5 ins. diam; bears

N.  $76^{\circ}$  E., 47 lks. dist; marked

T. 1 N., R. 23 W., S. 10, M. C. B. T.

A palo verde 12 ins. diam; bears

S.  $32^{\circ}$  W., 185 lks. dist; marked

T. 1 N., R. 23 W., S. 15, M. C. B. T.

Land level.

Soil, gravelly and loam;

2nd and 1st rate.

Timber, scattering palo verde;

Undergrowth mesquite, and

arrow-wood.

N.  $0^{\circ}$  1' W., bet. secs. 10 and 11

Over level valley.



## R. 23 W. - Continued

Chains.

- 7.00 Leave valley, course N.  $45^{\circ}$  W. and S.  $60^{\circ}$  E., ascend, 30 ft.
- 9.00 Top at edge of mesa, bears S.  $60^{\circ}$  E., and N.  $45^{\circ}$  W.
- 11.25 Road from Yuma to Ehrenberg bears N. E. and S. W.
- 29.00 Head of gulch, 10 kts. wide, course S. W.
- 38.00 To edge of mesa, bear E. and W. descend abruptly
- 39.50 Foot of descent 30 ft. below mesa, bears E. and W.  
Thence crossing near mouth of wash course W.
- 40.00 Set a malpais stone,  $18 \times 8 \times 6$  ins.; 12 ins. in the ground, for  $\frac{1}{4}$  sec. cor., marked  $\frac{1}{4}$  on W. face; from which a pale verde, 8 ins. diam., bears

## Subdivision of T. 1 N.

Chains.

N.  $83^{\circ}$  E., 202 lks. dist., marked  
 $\frac{1}{4}$  S. 11, B.T. ✓

A palo verde 12 ins. diam.; bears  
 N.  $74^{\circ}$  W., 109 lks. dist., marked  
 $\frac{1}{4}$  S. 10 B.T. This cor. stands  
 about 200 chs. E. of the left bank  
 of the Colorado River

56.00

Dry creek, 200 chs. wide,  
 4 ft. deep, course W. about 200  
 chs. to river. Thence over  
 river bottom land.

62.01

A palo fierro, 14 ins. in diam. on  
 line, I mark with 2 notches  
 on N. and S. sides.

65.30

To left bank of Colorado River  
 Set a mesquite post, 3 ft.  
 long, 4 ins. sq., 24 ins. in  
 the ground, for meander  
 cor. of frac. secs. 10 and 11

R. 23 W. - continued.

Charris.

marked

M. C. on N.

T. 1 N. on S.

R. 23 W., S. 11 on E. and

S. 10 on W. faces; from which

A mesquite, 10 ins. diam., bears

N.  $80^{\circ}$  E., 50 lks. dist., marked

T. 1 N., R. 23 W., S. 11, M. C. B. T. ✓

A cottonwood 5 ins. diam., bears

S.  $25^{\circ}$  W., 40 lks. dist., marked

T. 1 N., R. 23 W., S. 10, M. C. B. T. ✓

Land, nearly level.

Soil, gravelly and loamy;

2nd and 1st rate

Timber, scattering, palo verde  
and palo fierro<sup>o</sup> mesquite -

May 2, 1902.

From the standard corr. of

## Sub-division of T. 1 N.

Chains.

secs. 33 and 34, in the S. bdy.  
of Tp. 9 runN.  $0^{\circ} 2' W$ , bet. secs. 33 and 34.

Over mesa.

23.00

Gulch, 50 lks wide, course N. W.

39.70

Gulch 10 lks wide course W.

40.00

Set a malpais stone,  $2 \times 8 \times 6$   
ins, 15 ins. in the ground,for  $\frac{1}{4}$  sec. cor., marked  $\frac{1}{4}$  on N. face  
from whichA palo verde 8 ins. diam, bears  
S.  $16^{\circ} E$ , 47 lks. dist, marked  
 $\frac{1}{4} S. 34 B.T.$  ✓A palo verde 12 ins. diam, bears  
S.  $36^{\circ} W$ , 151 lks. dist, marked  
 $\frac{1}{4} S. 33 B.T.$  ✓I raised a  
mound of stone 4 ft. base,  
2 ft. high, W. of cor.

64.00

Descend 8 ft. and enter

## R. 23 W. - continued.

chains.

rocky valley, bears N.  $60^{\circ}$  W. and  
S.  $40^{\circ}$  E.

72.00 Dry creek 50 lks. wide, course  
N.  $60^{\circ}$  W.

76.00 Ascent 8 ft., from rocky valley  
to mesa, bears N. W. and S. E.

80.00 Set a malpais stone,  $24 \times 8 \times 6$   
ins., 18 ins. in the ground,  
for corr. of secs. 27, 28, 33, and 34  
marked with 1 notch on S.  
and 3 notches E. edges.

from which

A palo fierro, 18 ins. diam., bears  
N.  $39^{\circ}$  E., 132 lks. dist., marked  
T. 1 N. R. 23 W., S. 27 B. T. ✓

No other tree within limits;  
I raised a mound of stone,  
4 ft. base, 2 ft. high, W. of corr.

Pls impracticable.

## Sub-division of T. 1 N.

Chains.

Sand, level.

Soil, gravelly; Indrateo. <sup>7</sup>Timber, scattering palo verde  
and palo fierro.

East on a random line

bet. secs. 27 and 34.

40.00

Set temp.  $\frac{1}{4}$  sec. corr.

79.78

Intersect N. and S. line, at

the cor. of secs 26, 27, 34 and 35.

Thence I run

West on a true line,

bet. secs. 27 and 34.

Over mesa.

12.80

Gulch, 10 lks. wide course S. W.

22.00

To edge of mesa bears N. 45° W.,  
and S. 60° E.; descend.

23.00

Foot of descent 15 ft. below.

## R. 23 W. - continued.

chains.

mesa; enter wash valley and  
timber, bear N.  $45^{\circ}$  W. and S.  $60^{\circ}$  E.

39.89 Set a malpais stone,  $18 \times 10 \times 8$   
ins, 12 ins. in the ground,  
for  $\frac{1}{4}$  sec. cor. marked

$\frac{1}{4}$  on N. face; from which  
Apalo firro, bins. diam, bears  
S.  $21^{\circ}$  W., 128 lbs. dist., marked  
 $\frac{1}{4}$  S. 34, B.T. ✓

Apalo verde, bins. diam, bears  
N.  $81^{\circ}$  W. 34 lbs. dist., marked  
 $\frac{1}{4}$  S. 27, B.T. ✓

57.00 Leave the valley and timber  
bear N.  $40^{\circ}$  W, and S.  $60^{\circ}$  E, ascend  
20 ft. to

58.00 Top of ascent and edge of  
mesa, bear N.  $40^{\circ}$  W. and  
S.  $60^{\circ}$  E.

79.78 The cor. of secs. 27, 28, 33, and 34

59

BOOK 1146

bl.

## Subdivision of T. 1 N.

Chains.

Land, nearly level.

Soil, gravelly; 2nd rate.

Timber, palo verde and  
palo fierro.

Heavily timbered land 3400 chs.

N. 0° 2' W., bet. secs. 27 and 28  
Over mesa.

34.00

To edge of mesa bears, N. 47° W.  
and S. 20° E. descend

35.00

Foot of descent, 15 ft. below  
mesa; enter wash valley  
and timber, bear N. 47° W.  
and S. 20° E.

40.00

Set a red stone, 20 x 6 x 6 ins.,  
15 ins. in the ground, for  $\frac{1}{4}$   
Sec. cor., marked  $\frac{1}{4}$  on W. face;  
from which



## R. 23 W. - continued.

Chains.

A pale verde 12 ins. diam., bears  
 $S. 17^{\circ} E.$ , 227 lks. dist., marked  
 $\frac{1}{4} S. 27, B. T. \checkmark$

A pale verde 6 ins. diam., bears  
 $N. 69^{\circ} W.$ , 18 lks. dist., marked  
 $\frac{1}{4} S. 28 B. T.$ ; I raised a  
 mound of stone, 4 ft. base,  
 2 ft. high, W. of cor.

67.00 Leave valley and timber,  
 ascend 10 ft. to mesa, bear  
 $N. 70^{\circ} W.$ , and  $S. 38^{\circ} E.$

80.00 Set a malpais stone,  $20 \times 8 \times 6$   
 ins., 15 ins. in the ground,  
 for cor. of sec. 21, 22, 27, and 28.  
 marked with 2 notches on S.  
 and 3 notches on E. edges;  
 and raised a mound of  
 stone, 5 ft. base, 2 ft. high W.  
 of cor. Pile impracticable.

## Subdivision of T. 1 N., R. 23 W.

Sand, level.

Soil, gravelly; 2nd rate.

Timber, palo verde and palo fierro.

Heavily timbered land 32.00 chs.

East on a random line  
bet. secs. 22 and 27.

46.00.

Set temp.  $\frac{1}{4}$  sec. cor.

79.84

Intersect N. and S. line at the  
cor. of secs. 22, 23, 26, and 27.

Then I run  
West on a true line bet. secs. 22 and 27.

Over level sandy mesa.

39.92

Set a malpais stone, 20 x 6 x 6  
ins., 15 ins. in the ground,  
for  $\frac{1}{4}$  sec. cor., marked  $\frac{1}{4}$   
on N. face; from which  
A palo verde, 10 ins diam., bears  
S. 36° W., 90 lks. dist., marked

concluded, Book 1147.

corrections authorized by Dep-  
uty's letter of Feb. 26/03 ~~Feb 29/04~~