

*Indexed*

No. 1151

BOOK 1151

P1

# Field Notes

OF THE SURVEY OF THE

**SUBDIVISION LINES**

BOOK 1151

-OF-

No. 1151

Township 3 S. Range 5 W.

Gila and Salt River Base and Meridian

**ARIZONA.**

By R. C. Powers D. S.

under contract dated Oct 24 1882.

Survey commenced Dec. 28<sup>th</sup> 1882.

Survey completed Dec. 30<sup>th</sup> 1882.

1151

Subdivision Lines  
Sp. 3 S. R. 5 W.

For Preliminary and Final  
plats see Books for Gila & Salt  
River Base line, and Sp. 1 N.  
R. 2 W. respectively.

2

## BOOK 1151

## INDEX DIAGRAM.

Township 35Range 5 W.

							35		36
6	5	4	57	3	40	2	22	1	
—	+	+	+	55	+	39	+	20	—
7	8	9	53	10	37	11	18	12	
—	+	+	+	52	+	35	+	16	—
18	17	16	67	15	34	14	15	13	
—	+	+	+	49	+	32	+	13	—
19	20	21	48	22	30	23	12	24	
—	+	+	+	47	+	29	+	10	—
30	29	28	46	27	27	26	8	25	
—	+	+	+	44	+	25	+	6	—
31	32	33	43	34	24	35	4	36	

Gila and Salt River, Arizona.

ARIZONA.

Subdivision Lines. T. 3 S. R. 5 W.

Gila & Salt River Meridian

Survey commenced December  
28<sup>th</sup> 1882. with  
a Burt's Patent Improved  
Solar Compass, made by  
John Roach of San  
Francisco Cal.

Before proceeding to sub-  
divide this Township I  
made a change of 5 min-  
utes in the latitude  
arc of my Solar Compass  
by subtracting same from the  
reading previously given  
and at noon verified  
and corrected same by  
observation on the sun, while  
I further tested instrument daily while  
subdividing this township.



# Subdivisions T. 3 S.

Lines

From the Corner of Sec.

1. 2. 3 5 & 36. on S. By of N. which was recently established by me, I run North bet. Secs. 35 & 36  
Var.  $130^{\circ} 54' E$ ,

9.96 Dry wash 25 ft. deep. 20 lks wide  
course N.  $81^{\circ} E$ .

14.27 Dry wash 40 ft. deep. 43 lks wide, course  
East

37.48 Dry wash 30 ft. deep. 45 lks wide course  
East.

40.00 Set a Post 3 ft. long, 3 ins. sq.  
with marked stone 12 ins. in  
the ground, for  $\frac{1}{4}$  sec. cor.  
marked  $\frac{1}{4}$  S. on N. face,  
dug pits 18 & 18 ~ 12 ins. W. & S.  
appart  $\frac{5}{8}$  ft. bet. and

## R. 5 W. continued

chains

raised a mound of earth  
 $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base, around  
 post.

41.25 Dry Wash 25 ft. deep. 80 lbs wide  
 course N.  $85^{\circ}$  E.

63.81 Dry wash 30 ft. deep. 60 lbs wide, course  
 N.  $70^{\circ}$  E.

79.00 Dry wash 25 lbs wide, course S.  $82^{\circ}$  E.

80.00 Set a Post 4 ft. long, 4 ins. sq. with  
 marked stone 12 ins. in the ground  
 for cor. to Secs. 25, 26, 35 & 36. marked

S. 35: S. 25 on N. E.

R. 5 W. S. 36 on S. E.

S. 35 on S. W. and

S. 26 on N. W. facing with notch  
 on E & S. edges, dug pits 18 x 18 x 12  
 ins. in each sec.  $5\frac{1}{2}$  ft. dist.  
 and raised a mound of

## Subdivisions S. 3 S.

chain

earth 2 ft. high  $4\frac{1}{2}$  ft. base  
around Post, from which  
a Placerode 8 in. dia. br. N  $71^{\circ}$  W. 108 Chad. 1/4  
marked S. 3 S. R. 5 W. S. 26 B. T.

An Ironwood 5 in. dia. br. N.  $40^{\circ}$  E. 111 Chad. 1/4  
marked S. 3 S. R. 5 W. S. 25. B. T.

Land rolling & rocky, and sloping E.  
Soil 3<sup>d</sup> rate

Timber of Ironwood Mesquite  
Decid. undergrowth.

East on a random line betw  
Stns. 25 & 36.

Var.  $13^{\circ} 54' E$ .

4000 Descend along N side of dry wash  
Set temporary by sec. cor.  
61.00 Dry wash 80 lbs wide course N.  $71^{\circ}$  E.  
20 ft. deep.

## R. S. W. continued

chains

62.00 Enter River Bottom

80.06 Intersect E. Ry of Township.  
 8 lks S. of cor. <sup>recently established by me</sup> Secs. 25, 30, 31 & 36.  
 Hence I run S: 89° 57' W.  
 on a true line bet. Secs. 25 & 36.  
 with same ra.

40.03 Set a Post 3 ft. long, circ. sq.  
 with marked stone pins in  
 the ground, for  $\frac{1}{4}$  sec. cor.  
 marked  $\frac{1}{4}$  S. on N. face,  
 dug pits 18 x 18 pins. Ex W.  
 off post  $3\frac{1}{2}$  ft. dist. and  
 raised a mound of earth  
 $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around  
 post. from which  
 a Paloverde 10 ins. dia. to W. 38 lks  
 dist. marked  $\frac{1}{4}$  S. B. T.

80.06 The Cor. to Secs. 25, 26, 35 & 36.



## Subdivision T. 3 S.

Lains

Land Rolling & sloping E.  
 Soil 1<sup>st</sup> and 4<sup>th</sup> rate  
 Timber of Mesquite & Iron-  
 wood & Palo verde  
 dense undergrowth

---

North bet. Secs. 25 &amp; 26.

Var. B<sup>o</sup> 54' E.

- 17.45 Dry wash 20 ft. deep. 3 chs  
 wide course E.
- 34.60 Dry wash 4 chs with course E.
- 4000 Set a granite stone 16" x 12" x 8  
 in. 11 in. in the ground for  
 1/4 sec. cor. marked 1/4 on  
 N. face, dug pits 18" x 18" x 12  
 in. N. of stone 5/8 ft. dist.  
 and raised a mound up

## R. 5 W. continued

Chains

earth 1 1/2 ft. high 3 1/2 ft. base  
 around post. along side

- 41.68 Dry wash 30 lks wide course E  
 48.40 Dry wash 65 lks wide course S. 71° E.  
 57.68 Dry wash 100 lks wide course S. 62° E.  
 76.00 Dry wash 30 lks wide course N. 34° E.  
 80.00 Set about 4 ft. long 4 in. sq. with  
 marked stone pins in the ground  
 for per. to sec. 23, 24, 25 & 26.  
 marked S. 3 S. S. 24 on N. E  
 R. 5 W. S. 25 on S. E  
 S. 26 on S. W. and  
 S. 23 on N. W. faces, with  
 1 watch on E & 2 watches on S.  
 edges, dug pits 18 x 18 x 12 in.  
 in each sec. 5/2 ft. dist. and  
 raised a mound of earth  
 2 ft. high 4 1/2 ft. base around  
 post.

## Subdivisions T. 3 S.

Lains

Surface broken & rocky  
 Soil 4<sup>th</sup> rate  
 Dense greasewood brush

East on a random line bet.  
 Secs. 24 & 25.

Var.  $13^{\circ}54'E'$

Descend to East

4.30 Dry wash 20 ft. deep thence along  
 same levee wash at 5 chs  
 course N.  $87^{\circ}E'$

30.70 Same Wash 200 lbs wide along wash

49.00 Set temporary 1/4 sec. cor.

44.00 Mouth of Wash enter

River Bottom to N. W. S.  $84^{\circ}$

80.12 Intersect E. Ry of Sp 14 lbs N.  
 of corner to Secs. 19, 24, 25 & 30  
 recently established by me

## R. 5 W. continued

claim

Thence I run N.  $89^{\circ} 54' 77''$   
on a true line bet. Secs.

24 & 25. with camera

40.06 Set a Post 3 ft. long, 2 in. sq.  
with marked stone 12 in. in  
the ground, for  $\frac{1}{4}$  sec. cor.  
marked  $\frac{1}{4}$  S. on N. face, dug  
pits 18 x 18 x 12 in. E. W. of  
post  $5\frac{1}{2}$  ft. dist. and  
raised a mound of earth  
 $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around  
post.

80.12 The corner to Secs. 23, 24, 25 & 26  
Surface broken & rocky  
14 44 chs soil 3<sup>d</sup> rate  
36 chs soil 1<sup>st</sup> rate  
Timber of Mesquite & Palo-  
verde,  
Dense undergrowth



## Subdivision S. 3 S.

chain

North bet. Secs. 23 &amp; 24.

Var.  $13^{\circ} 56' E$ 6.71 Dry wash 30 ft. deep, 4 ch. wide  
course N.  $38^{\circ} E$ 40.00 Set a Malpais rock 18"  $\times$  10"  $\times$  8 ins  
12 ins. in the ground for  $\frac{1}{4}$  sec  
Cor. marked  $\frac{1}{4}$  on W. face  
And raised a <sup>flat</sup> ~~wound~~ <sup>into imprecise able</sup> ~~stone~~  
stone along side, from which  
a Paloverde sign. dis. to N.  $18^{\circ}$  W. 118  
lbs dist. marked  $\frac{1}{4}$  S. B. S.41.00 Dry wash 15 ft. deep, 25 lbs wide  
course N.  $60^{\circ} E$ 78.20 Dry wash 30 ft. deep, 60 lbs wide,  
course S.  $78^{\circ} E$ 80.00 Set a Malpais <sup>stone</sup> 20"  $\times$  14"  $\times$  7 ins.  
15 ins. in the ground for Cor.  
to Sec. 13, 14, 23 & 24. marked

## R. 5 W. continued

chain

with 1 notch on E & 3 notches  
on S. edge, and raised a  
mound of stone along side.  
Pits impracticable

Surface broken ridges, and  
dry washes, sloping E.  
Soil 3<sup>d</sup> rate

Dense undergrowth.  
and cactus of all kinds

East on a random line bet.  
Secs. 13 & 14.

Var.  $13^{\circ} 54' E$

20.00 Enter valley & leave Mesa  
20 ft. high

40.00 Sit temporary  $1/4$  sec. cor.

61.00 Cross Road on N.S.

80.04 Intersect E & By of T. 16

## Subdivisions S. 3 S.

chains recently established by me  
 Ets N. of Cor to Secs. 13, 18, 19 + 24,  
 Thence I run N.  $89^{\circ} 53' W$ .  
 on a true line bet. Secs. 13 + 24  
 with same ca.

40.02 Set a Post 3 ft. long v. iron sq.  
 24 in. in the ground for  $\frac{1}{4}$   
 sec. Cor. marked  $\frac{1}{4}$  S. on N.  
 face, from which  
 a Mesquite 8 in. dia. br  $S. 78^{\circ} W$ . 30 lbs  
 dist. marked  $\frac{1}{4}$  S. B. P.  
 a Mesquite 6 in. dia. br  $N. 18^{\circ} E$  42  
 lbs dist. marked  $\frac{1}{4}$  S. B. P.

80.04 The corner to Secs. 13, 14, 23 + 24  
 Surface 60 chas bottom land  
 Soil 1st & 3rd rate  
 Number of Mesquite  
 & dense undergrowth



## R. 5 W. continued

chains

North bet. Secs. 13 &amp; 14.

Var.  $13^{\circ} 54' E$ 15.40 Dry wash 20 ft. deep. 100 lbs wide  
course N.  $80^{\circ} E$ .33.93 Dry wash 20 ft. deep. 50 lbs wide  
course N.  $75^{\circ} E$ .40.00 Set a granite <sup>stone</sup>  $18 \times 12 \times 8$  ins.  
12 ins. in the ground for  $\frac{1}{4}$  sec.  
Cor. marked  $\frac{1}{4}$  on N. face  
and raised a mound of  
stone alongside, Pts emp-  
racticable.52.10 Dry wash 10 ft. deep. 100 lbs wide  
course East, leave wash &  
enter valley to N. W. & S. E.  $30^{\circ}$ 80.00 Set a Malpais rock  $16 \times 14 \times 8$   
ins. 11 ins. in the ground  
for Cor to Secs. 11, 12, 13 & 14



## Subdivisions J. B. S.

chain

marked with notch on E  
and 4 notches on S. edge,  
and raised a mound of  
stone alongside, Pts imp-  
racticable

Mesa high & rolling  
Soil 3<sup>d</sup> rate

Scuse Greasewood brush  
Bottom land Soil 1<sup>st</sup> rate  
Scattering Mesquite &  
Scuse undergrowth

East on a random line, bet.  
Secs. 12 & 13.

Var.  $13^{\circ} 54' E$

11.54 Road br S. Ex N. W.  $20^{\circ}$

27.40 Road br S Ex N. W.  $30^{\circ}$

## R. 5 W. continued

Chain

- 40.00 Set temporary 1/4 sec. cor.  
 41.20 Enter low Bottom  
 66.25 Right Bank of River to  
 S 20° E. Measure across.  
 70.60 Left Bank of River low Banks  
 & deep water  
 80.00 Ditterset E. By of N. 12 lps  
 regularly established by me  
 N. of cor. to Secs. 7, 12, 13 & 18.  
 Hence I run N. 89° 55' W.  
 on a true line bet. Secs. 12 & 13.  
 with same va.  
 40.00 Set a Post 3 ft. long, circ. sq.  
 with marked stone pins  
 in the ground, for 1/4 sec. cor.  
 marked 1/4 S. on N. face  
 dug pits 18 + 18 + 12 ins.  
 E. N. of post 5 1/2 ft. dist  
 and raised a mound of

## Subdivisions S. 3 S.

chains

earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base  
around post.

8000

The cor. 10 sec. 11, 12, 13 &amp; 14

Surface level

Soil on low Bottom 2<sup>d</sup> rateon high bottom 1<sup>st</sup> rateTimber of Magnolia & small  
bottomwood along River  
dense undergrowth

North bet. Secs. 11 &amp; 12.

Var. 1305-4'E.

22.40 Cross Road corner N. W. &amp; S. E 35°

40.00 Set a post 3 ft. long, 3 ins. sq.  
with marked stake 12 ins.  
in the ground for  $\frac{1}{4}$  sec.Cor. marked  $\frac{1}{4}$  S. on N.  
face, dug pits 18" & 18" x 12"



## R. 5 W. continued

chains

ins. W. S. of post  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around post.

8000

Set a post  $4\frac{1}{2}$  ft. long, 4 ins. sq. with marked stone 12 ins. in the ground, for Cor. 6 Secs.

1. 2. 11 x 12. marked

S. 3 S. S. 1 on N. E.

R. 5 W. S. 12 on S. E.

S. 11 on S. W. and

S. 2 on N. W. faces, with 1 notch on E. 5 notches on S. edges, dug pits  $18 \times 18 \times 12$  ins. in each sec.  $5\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high  $4\frac{1}{2}$  ft. base around post.



## Subdivisions S. 3 S.

chain

Surface level  
 Soil sandy and 1st rate  
 Timber of scattering  
 Mesquite & Hulse  
 Undergrowth.

---

East on a random line bet.  
 Secs. 1 & 12.

Var.  $13^{\circ} 54' E!$

- 8.00 Leave Mesquite land  
 Enter low Bottom
- 40.00 Set temporary 1/4 sec. cor.
- 63.08 Right Bank of Gila River  
 br  $S 20^{\circ} E!$
- 68.91 Left Bank of River deep water  
 and low Banks
- 80.09 Intersect Ely of T. 16 E.

## R. 5 W. continued

chains recently established by me  
North of corner of Secs. 1, 6, 7 & 12,  
Thence I run N.  $89^{\circ} 55' W.$   
on a true line bet. Secs. 1 & 12  
with same ca.

- 4004 Set a post 3 ft. long, circ. of  
with marked stone 12 ins. in  
the ground, for  $\frac{1}{4}$  sec. cor.  
marked  $\frac{1}{4}$  S. on N face, dug  
pits 18 x 18 x 12 ins. E. W. of  
post  $5\frac{1}{2}$  ft. dist. and raised  
a mound of earth  $1\frac{1}{2}$  ft.  
high  $3\frac{1}{2}$  ft. base around  
post. from which  
at Cottonwood 10 ins. dia. brs N.  $40^{\circ}$   
E. 25 lbs dist. marked  $\frac{1}{2}$  S. 13 S.
- 8009 The corner of Secs. 1, 2, 11 & 12  
Surface low River Bottom  
Soil 1<sup>st</sup> and 3<sup>d</sup> sets

Sub division N. 3 S.  
R 5 W

chains

dense undergrowth

North on a true line bet. Secs. 14 & 2.

Var.  $13^{\circ} 54' E$

33.40 Descend into low Bottom 25 ft. enter  
Cottonwood & Willow.

40.00 A Cottonwood 5 in. dia. in place, marked  
 $1/4 S.$  on W. face, for  $1/4$  sec. cor. from which a  
Cottonwood 6 in. dia. brs  $N 40^{\circ} E$  12 lbs dist, marked  $1/4 S. P. T.$

57.80  
65.74  
68.82  
79.98

Old River" Chapel of 3 1/2 to 400 yds & 7 ft. deep. course  $S. 22^{\circ} E$ .  
Right bank of Old River on  $N 45^{\circ} E$ .  
Left bank of Old River on  $N 45^{\circ} W$ .

Intersect N. Ry of Sp 19 lbs East of  $1/4$  sec. cor.

on S. Ry Secs. — 35. just recently established by us  
at Point of intersection I set a Post 4 ft. long, 4 in. sq.  
with marked stone 12 in. in the ground, for closing cor.  
to Sec. 14 & 2. marked C. C. S. 3 S. R 5 W. on S.

Set on E. and S. 2 on W. face, with 1 cutch on E. & 5 Notch  
on W. face, dug pits 18 x 18 x 12 in. S. Et W. of post  $5 1/2$  ft. dist.  
and raised a mound of earth 4 ft. high 4 ft. base  
around post.

Soil sandy 1/2 and 2/3 part  
Cottonwood & Willow on  
low Bottom & dense  
undergrowth.

P. 5 W. continued

Dec. 28<sup>th</sup> 1882

11



Subdivision T. 3 S.

claims

From the Corner to Seco.  
2.3. 34 & 35. on S. By of  
T.P. just recently established  
by me 9 mm North bet  
Secs. 34 & 35.

Var.  $13^{\circ}54' E$

Ascend gradually over washes  
& gullies, & slopes.

23.00 Base of steep Mountain corner  
S. W & N. E. & Ascend

40.00 Set a Granite stone  $16 \times 12 \times 8$   
ins. 11 ins. in the ground, for  
 $\frac{1}{4}$  sec. Cor. marked  $\frac{1}{4}$  on  
W. face, and raised a mound  
of stone alongside Pit imp  
racticable.

43.00 Top of Mountain & descend  
to S. W & N. E.  $61^{\circ}$

No. 1151

## R. 5 W. continued

- Larus  
 58.00 Foot of Mtn & dry wash 100ks  
 wide, course N. 65° E. Ascend  
 71.00 Top of Mtn about 400ft. high  
 cross about 200ks. from E end  
 brs S. W & N. E: 71°. Descend  
 80.00 Set a granite stone 18+16+8  
 ins. 12 ins. in the ground for  
 Cor. to Secs. 26. 27. 34+35. marked  
 with 1 notch on S. and 2 notches  
 on E's edge, and raised a  
 mound of stone along side  
 Pto impracticable  
 Surface unmountainous rocky  
 Soil 4<sup>th</sup> rate  
 Greasewood brush.

---

 East on a random line bet.

## Subdivisions T. 3 S.

chains

Secs. 26 + 35.

Var.  $130^{\circ}54'8''$ 

30.00 Descend along N. Slope of Mtn  
Foot of Mtn these over  
Ridges, & Gullies

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

58.50 Dig wash 20ft. deep. 3 chs wide  
course East.

79.20 Leave Wash course S.  $87^{\circ}8''$

80.04 Intersect N.S. line 16th N.  
of cor. to Secs. 25, 26, 35 + 36.

Thence run N.  $89^{\circ}53'11''$   
on a true line bet. Secs. 26 + 35.  
with same va.

40.02 Set a granite stone  $12 \times 10 \times 8$  in.  
8 in. in the ground for  $\frac{1}{4}$   
sec. cor. marked  $\frac{1}{4}$  on  
N. face, and raised a



## R. 5 W. continued

chains

row of stone alongside  
Pit impracticable from  
which a Paloverde bins. dia.  
No. N. 45° E. 4000 dist. marked  
1/4 S. B. T.

80.04 The corner to Secs. 26. 27.  
34 & 35.

Surface mountainous & rocky  
& broken.

Soil 4<sup>th</sup> rate  
Grass on the Paloverde  
Brush.

North bet. Secs. 26 & 27

Var. 13° 54' E!

Descending.

17.00 Foot of Mtn and ascend



## Subdivisions N 3 S.

chain

another

34.00 Top of Mtn about 450 ft. h. s. N. & N. E.  $47^{\circ}$  descend

4.00 Set a granite stone  $20 \times 14 \times 8$  ins. 15 ins. in the ground for  $\frac{1}{4}$  sec. Cor. marked  $\frac{1}{4}$  on N. face, and raised a mound of stone alongside, Pts unpracticable.

73.00 Foot of Mountain  
Enter low Point hills

80.00 Set a granite stone  $18 \times 10 \times 6$  ins. 15 ins. in the ground, for Cor. to Secs. 22, 23, 26 & 27. marked with 2 notches on E & S edges, and raised a mound of stone alongside, Pts unpracticable.

R. 5 W. continued

chain

Surface Monotonous  
Soil 4<sup>th</sup> rate, good indi-  
cations of Mineral.  
greasewood Paloverde  
Bunch.

East on a random line bet.  
secs. 23 + 26.

Var.  $13^{\circ} 54' E!$

Descend to the East, along  
Base of Mtn.

38.00 East end of high Monot-  
ains.

40.00 Set temporary 1/4 sec. Cor.

79.94 Intersect N.S. line 18<sup>th</sup>  
S. of Cor. to Secs. 23, 24, 25 & 26.  
Hence I run S.  $89^{\circ} 52' W.$

## Subdivision S. 3 S.

chains

on a true line bet. Secs 23 & 26  
Var.  $13^{\circ} 54' E$ .

39.97 Set a granite stone  $12 \times 10 \times 8$   
ins. 8 ins. in the ground, for  
 $\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$  on N.  
face, and raised a mound  
of stone alongside, from  
which a Paloverde 4 ins. dia.  
br.  $S 45^{\circ} E$ . 25 lbs dist. marked  
 $\frac{1}{4}$  S. B. A

79.94 The corner to Secs. 22, 23, 26 & 27  
Surface broken & rocky  
Soil 4<sup>th</sup> rate  
Dense Greasewood

North bet. Secs. 22 & 23.  
Var.  $13^{\circ} 54' E$ .



## R. 5 W. continued

- 14.00 Dry wash 30ft. deep. 12olks wide  
course East.
- 40.00 Set a granite stone 18x12x10 ins.  
12 ins. in the ground for  $\frac{1}{4}$  sec.  
Cor. marked  $\frac{1}{4}$  on W. face,  
and raised a rounded f  
stone alongside, Pts unpr-  
acticable.
- 57.00 Dry wash 60ft. deep. 14olks wide  
course S.  $81^{\circ}$  E. ascend over  
rocky ridge
- 64.00 Top of Ridge about 150ft. high  
to N. Ex S. W.  $40^{\circ}$  and connects  
with Mountain on W. Descend
- 71.00 Foot of ridge
- 74.00 Dry wash 30ft. deep. 8olks wide  
course N.  $35^{\circ}$  E.
- 80.00 Set a Malpais 16x12x8 ins.



## Subdivisions S. 3 S.

chains

12 in. in the ground, for  
 Cor. to Secs. 14, 15, 22 & 23.  
 marked with notches on E  
 3 notches on S. edge, and  
 raised a mound of stone  
 alongside, Pt. impracticable  
 surface broken Foot hills  
 Mountain.

Soil 4<sup>th</sup> rate

Greasewood & cactus to  
 beat everything.

East on a random line, bet.  
 Secs. 14 & 23.

Var. 13° 54' E.

16.00 Ascend over rocky ridge  
 23.00 Top of ridge about 120 ft.

## R. 5 W. continued

chain

high brs S: 40° W.

31.00  $\vec{v}$  out of ridge  $\frac{1}{2}$  <sup>thence</sup> over ridge40.00 Set temporary  $\frac{1}{4}$  sec. cor.

79.98 Intersect No. line 14 lbs S.

of corner to Secs. 13, 14, 23 &amp; 24.

Thence I run S: 89° 54' W.

on a true line bet. Secs. 14 &amp; 23

with same va.

39.99 Set a Post 3 ft. long, 2 ins. sq.

with marked stone 12 ins. in

the ground, for  $\frac{1}{4}$  sec. cor.marked  $\frac{1}{4}$  S. on N. face,

dug pits 18 + 18 + 12 ins. E. W.

of Post 5  $\frac{1}{2}$  ft. dist. and

raised a mound of earth

1  $\frac{1}{2}$  ft. high 3  $\frac{1}{2}$  ft. base around

post. from which

a Paloverde Cir. dia. br. S 45° E: 70

lbs dist. marked  $\frac{1}{4}$  S. O. P.

## Subdivisions T. 3 S.

Claims

79.98

The corner to Secs. 14, 15, 22 & 23.  
 Surface broken foothills  
 & mountain.  
 Soil 4<sup>th</sup> rate  
 Dense Greasewood

---

North bet. Secs. 14 & 15.

Var.  $130^{\circ} 54' E$

27.00 Dug wash 18 ft. deep. 40 lb. in the  
 course  $N 29^{\circ} E$

31.00 Ascend S. slope of N. 1/4

40.00 Set a granite stone  $16 \times 12 \times 8$  ins.  
 11 ins. in the ground, for 1/4  
 sec. cor. marked 1/4 on N.

face and raised a mound  
 of stone alongside. Pl. emp-  
 racticable.



R. 5 W. continued

claim

48.00

Top of Mtn. 180ft. high  
 to N. Ex S. W.  $35^{\circ}$  descend

80.00

Set a granite stone  $18 \times 10 \times 6$  ins.  
 12 ins. in the ground, for cor.  
 to Secs. 10. 11. 14 & 15, marked  
 with 2 notches on Ex 4 notches  
 on S. edge, and raised a mound  
 of stone alongside, Pt imp-  
 racticable

Surface Mountainous

Soil 4<sup>th</sup> rate

Greasewood brush.

East on a random line bet.

Secs. 11 & 14.

Cor.  $13^{\circ} 54' E.$

Ascend



## Subdivisions S. 3 S.

Sains

- 27.00 Top of Mountain about 100 ft. high to N. E. S. W.  $38^{\circ}$   
Descend
- 40.00 Set temporary  $\frac{1}{4}$  sec. cor.
- 67.00 Foot of Mountain
- 71.00 Dry wash 18 ft. deep. 80 lbs with  
course N.  $31^{\circ}$  E.
- 80.14 Intersect N. S. line 14 lbs N.  
of cor. to Secs. 11, 12, 13 & 14.  
Thence I run N.  $89^{\circ} 54' 11''$   
on a true line bet. Secs.  
11 & 14. with same va.
- 40.07 Set a granite stone 20x10x8  
in. 15 in. in the ground,  
for  $\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$  on  
N. face, and raised a mound  
of stone alongside Pts  
impracticable.

## R. 5 W. continued

chains

80.14 The corner to Secs. 10, 11, 14 &amp; 15.

Surface unmountainous

Soil 4<sup>th</sup> rateGreasewood Paloverde  
Bunch.

North bet. Secs. 10 &amp; 11.

Var.  $13^{\circ} 54' E!$ 

Descending.

2.18 Dry wash 25 ft. deep. 80 lbs. with  
course N.  $71^{\circ} E!$ 27.00 Dry wash 16 ft. deep. 70 lbs. with  
course N.  $80^{\circ} E!$ 40.00 Set a granite stone 20 x 12 x 8  
cus. 15 cus. in the ground for  
 $\frac{1}{4}$  sec. bet. marked  $\frac{1}{4}$  on N.  
face and raised a mound

## Subdivisions S. 3 S.

claims

of stone along side Pit in p cast  
cattle.

40.10 Dry wash 25ft deep. 100ft wide, corner E

64.30 Dry wash 3ft deep. 80ft wide with corner <sup>68 E.</sup>

80.00 Set a granite stone 15 x 12 x 8 in.

10 in. in the ground, for cor.

6 Secs. 2, 3, 10 x 11. marked  
with 2 inches on E & 5 notches  
on S. edge, and raised a  
mound of stone along side  
Pit in p cattle.

Surface broken Mountain  
Ridge,

S. or 4th rate

Greasewood Palouse  
Bunch.



## R. 5 W. continued

Chains

East on a random line bet.  
Secs. 2 & 11.

Var.  $13^{\circ} 54' E$

2.50 Enter valley & leave mesa 25 ft.  
deep.

22.45 Cross Road across h. NW SE.  $34^{\circ}$

40.00 Set temporary  $1/4$  sec. cor.

59.75 Another road across h. NW SE  $23^{\circ}$

80.04 Intersect N.W. line 1000 ft. N.  
of cor. to Sec. 1, 2, 11 & 12.

Hence I run N.  $89^{\circ} 56' W$ .  
on a true line bet. Secs.  
2 & 11. with same on.

40.02 Set a Post 2 ft long, 3 in. sq.  
with marked stone 12 in.  
in the ground for  $1/4$  sec.  
cor. marked  $1/4$  S. on N.  
face, dug pits 18 & 18 x 12

## Subdivisions T. 3 S.

chains

ins. E & W. of post 5 1/2 ft. dia.  
and raised a mound of  
earth 1 1/2 ft. high 3 1/2 ft. base  
around post.

80.04 The corner to Secs. 2, 3, 10 & 11

Surface level

Soil 1<sup>st</sup> oak

Timber scattering Magnolia  
& dense undergrowth.

North on a random line  
bet. Secs. 2 & 3.

Cor. 13° 54' 8"

8.00 Leave Mesa 2 ft. deep  
enter valley

25.35 Cross Road to N. Mt. S. E 31°

40.00 Set temporary 1/4 sec. cor.

T 35

R. 5 W. continued

Lains

North on a true line bet. Secs. 2 &amp; 3.

Var.  $13^{\circ} 54' E!$ 

- 8.00 Leave Mesa 20 ft. deep. enter valley
- 25.35 Cross Road bet N. W. & S. E,  $30^{\circ}$
- 40.00 Set a Post 2 ft. long, 3 in. sq. with marked stone 12 in. in the ground for  $\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$  S. on W. face, dug pits 18 x 18 x 12 in. W. of post  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around post.
- 50.10 Intersect N. Ry. of Tp. 21  $1\frac{1}{2}$  E. of  $\frac{1}{4}$  sec. cor. <sup>on S. Ry.</sup> Secs. 2 & 3. just recently established by us, at Point of intersection I set a Post 4 ft. long, 4 in. sq. with marked stone 12 in. in the ground, for closing cor. Secs. 2 & 3. marked C. C. T. 3 S. R. 5 W. on S, S. 2 on E. and S. 3 on W. face, with 2 notches on E & 4 notches on W. face, dug pits 18 x 18 x 12 in. S. E. x W. of post  $5\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high  $4\frac{1}{2}$  ft. base, around post.
- Surface level, Soil on low Bottom 2<sup>d</sup> rate, on high bottom 1<sup>st</sup> rate. Wheat under growth of Arrow & Greewood brush.
- Dec. 29. 1882



## Subdivisions J. B. S.

chain

~~rate on high Bottom  
1st rate~~~~Some undergrowth of  
Agrostis Greasewood  
Bunch.~~

---

## R. 5 W. continued

chains

From the corner to Secs 3, 4  
33 & 34 on S. By of Sp. just  
recently established by me,  
I run North bet. Secs. 33 & 34.  
Var.  $13^{\circ} 54' E$ .

23.00

Base of Mtn and ascend

40.00

Set a granite stone  $16 \times 14 \times 8$  in.  
high on the ground, for  $1/4$  sec.  
Cor. marked  $1/4$  on N. face,  
and raised a row of  
stone alongside, pts impract-  
icable

43.00

Top of Mtn 300 ft. high to  
N. E. & S. W. 60° descend N. W.  
slope

69.00

Foot of Mtn and ascend  
another

80.00

Set a granite stone  $18 \times 12 \times 6$

## Subdivision S. 3 S.

Lains

North bet. Secs. 27 &amp; 28.

Var.  $13^{\circ} 40' E$ 

Ascending.

13.00 Top of Mt. about 300 ft high  
bet N. E. & S. W.  $60^{\circ}$  descend38.00 Foot of Mt. thence over  
broken Mountains40.00 Set a granite stone  $18 \times 10 \times 6$  ins.  
12 ins. in the ground, for  $\frac{1}{4}$  sec  
cor. marked  $\frac{1}{4}$  on W. face,  
and raised a mound of  
stone alongside80.00 Set a granite stone  $16 \times 10 \times 10$   
ins. 12 ins. in the ground, for  
cor. to Secs. 21, 22, 27 & 28.  
marked with 3 notches on  
E & 2 notches on S. edges, and  
raised a mound of stone



## R. 5 W. continued

Lains

alongside Pts impracticable  
Surface Mountains.

Soil 4<sup>th</sup> rate

No timber.

Good indications of Mineral  
Effects need of instrument.

---

East on a random line bet.

Secs. 22 + 27.

Var.  $13^{\circ}54'E!$

over foothills + Mtus

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

80.10 Intersect N. line 20 lbs S.  
of Cor. to Secs. 21, 22, 27 + 28.

Thence I mn S.  $89^{\circ}51'W$ .

on a true line bet. Secs. 22 + 27  
with same va.

## Subdivisions S. 3 S.

chains

- 40.05 Set a granite stone 18 x 10 x 8 ins.  
12 ins. in the ground for  $\frac{1}{4}$  sec.  
Cor. marked  $\frac{1}{4}$  on N. face, and  
raised a mound of stone  
alongside. Pits impracticable
- 80.10 The corner to Secs. 21, 22, 27 & 28.  
Surface low broken mountains  
Soil 4<sup>th</sup> rate  
Scattering Palo verde  
& Greasewood bush.
- 

North bet. Secs. 21 &amp; 22.

Var.  $13^{\circ} 54' E$ 

- 40.00 Set a granite stone 18 x 10 x 6  
ins. 12 ins. in the ground for  
 $\frac{1}{4}$  sec. Cor. marked  $\frac{1}{4}$   
on N. face, and raised

## R. 5 W. continued

Series

a mound of stone along-  
side Pts impracticable.

8000 Set a granite stone  $16 \times 10 \times 8$   
ins. 11 ins. in the ground for  
Cor. of Secs. 15, 16, 21 & 22, marked  
with scratches on E & S. edges,  
and raised a mound of  
stone alongside, Pts imp-  
racticable.

Surface mountainous & rocky  
Soil 4<sup>th</sup> rate

Scattering Palo Verde  
Greasewood Bush.

East on a random line,  
bet. Secs. 15 & 22.

Var.  $13^{\circ} 54' E!$



BOOK 1151

## Subdivisions T. 3 S.

Chains

Over broken foothills &amp; mountains

40.00 Set temporary  $\frac{1}{4}$  sec. cor.64.00 Dry Wash 8 ft. deep. 60 lks wide  
course N.  $31^{\circ}$  E. ascending  
N. W. slope.80.60 Intersect Nat. line 16 lks S.  
of cor. to Secs. 14. 15. 22 & 23.Thence run S.  $89^{\circ} 53'$  W.  
on a true line bet. Secs.  
15 & 22, with same on40.30 Set a granite stone 16 x 10 x 6  
ins. 11 ins. in the ground for  
 $\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$  on  
N. face, and raised a mound  
of stone along edge. Pits impr-  
acticable80.60 The corner to Secs. 14. 15. 22 & 23.  
Surface mountainous & rocky

BOOK 1151

## R. 5 W. continued

chains

Soil 4<sup>th</sup> rate  
 Scattering Paloverde brush.

---

North bet. Secs. 15 &amp; 16.

Var. 130 54 E!

16.00 Buy wash left deep <sup>20 lbs wide</sup> course N. 40° E.

40.00 Set a granite stone 16 × 10 × 9 in.  
 11 ins. in the ground, for 1/4 sec.  
 Cor. marked 1/4 on W. face,  
 and raised a mound of  
 stone alongside, Pt. unsuspectible

80.00 Set a granite stone 14 × 12 × 10  
 ins. 10 ins. in the ground  
 for corner to Secs. 9, 10, 15 & 16.  
 marked with 3 notches on  
 E & 4 notches on S. edges,

BOOK 1151

## Subdivisions N. B. S.

Lains

and raised a mound of  
stone alongside, Pits unpracticable

Surface very broken & rocky  
no regular range of Mts.  
8' or 4<sup>th</sup> rate

No timber.

East on a random line, bet.  
Secs. 10 & 15.

Var.  $13^{\circ} 54' E!$

38.00 Dry Wash 15ft. deep. 110lbs wide,  
course N.  $81^{\circ} E!$

40.00 Dit temporary 1/4 sec. cor.

47.10 Dry wash 10ft. deep. 20lbs wide, course  
N.  $30^{\circ} E!$

78.10 Dry wash 25ft. deep. 100lbs wide, course  
N.  $75^{\circ} E!$



## R. 5 W. continued

chains

79.96 Intersect N+S line 14 lks S. of  
Cor. to Secs. 10, 11, 14 & 15.

Thence 1 mi S:  $89^{\circ}54'W$ .  
on a true line bet. Secs. 10 & 15.  
with same or

39.98 Set a granite stone  $16 \times 10 \times 8$  ins.  
11 ins. in the ground for  $\frac{1}{4}$  sec.

Cor. marked  $\frac{1}{4}$  on N face,  
and raised a surround of  
stone alongside. Pits impracticable

79.96 The Cor. to Secs. 9, 10, 15 & 16.

Surface broken mountain  
Soil 4<sup>th</sup> rat

greasewoods Palovvade  
Brush

---

North bet. Secs. 9 & 10.

## Subdivisions T. 3 S.

Var.  $13^{\circ}54' E!$ 

- 17.00 Base of Mountain & Dry  
wash 18 ft. deep. galena mts, common E.  
Ascend S. end of steep Mountain
- 40.00 Set a granite stone  $18 \times 12 \times 8$  ins.  
12 ins. in the ground for  $\frac{1}{4}$  sec.  
Cor. marked  $\frac{1}{4}$  on W. face,  
and raised a mound of stone  
along side. Pits impracticable
- 43.00 Top of high Peak of Mtn 450 ft.  
high to N. E. S. W.  $42^{\circ}$  Descend
- 7.8.30 foot of Mountain thence  
over ridges.
- 80.00 Set a granite stone  $20 \times 18 \times 12$   
15 ins. in the ground for cor.  
Sticks 3.4.  $9 \times 10$ . marked  
with sutches on E & 5 sutches  
on S. edges, and raised a

R. 5 W. continued

Chains

mound of stone along side,  
 Pits unpracticable.  
 Surface broken & mountainous  
 Soil 4<sup>th</sup> rate  
 Scattering Greasewood  
 Palo Verde Bush.

---

East on a random line bet.  
 Secs. 3 & 10.

Var.  $13^{\circ} 54' E$

Ascend over Mountain ridge

21.00 Top of Mtn about 280ft.  
 high br  $N. 48^{\circ} E$

30.00 Top of Mtn ridge about 250ft  
 high br  $S 35^{\circ} E$  Descend

4.00 Set temporary 1/4 sec. cor.

47.00 Dry wash 3ft. deep. 14olbs with



## Subdivisions T. 3 S.

chains

course N.  $30^{\circ}$  E.

80.12 Intersect N.S. line 30<sup>th</sup> of  
 Prof. Cor. to Secs. 2, 3, 10 & 11.  
 Thence I run N.  $89^{\circ} 47' N.$   
 on a true line bet. Secs.  
 3 & 10. with same ca.

40.06 Set a granite stake  $12 \times 8 \times 6$  in.  
 8 in. in the ground, for  $\frac{1}{4}$   
 sec. cor. marked  $\frac{1}{4}$  on N. face  
 and raised a mound of stone  
 alongside. Pits in place of stake

80.12 The corner to Secs. 3, 4, 9 & 10.  
 Simple Mountain  
 Soil 4<sup>th</sup> rate  
 Yucca wood & Palo Verde  
 brush.

---

T 3 S

R. 5 W. continued

Chain

North on a true line bet. Secs.

3 + 4.

Var.  $13^{\circ} 54' E$ 

Descending off Foot Hills + Mts

15.00 Cañon 80 ft. deep 200 lbs wide course N.  $57^{\circ} E$ 4.000 Set a Granite stone  $16 \times 14 \times 12$  in. 11 in. in the ground for  $1/4$  sec. Cor. marked  $1/4$  on N. face, and raised a mound of stones alongside,  $P$  to impracticable.77.50 Any way 3 ft. deep. 220 lbs wide course N.  $83^{\circ} E$ .

80.15 Intersect N. Ry of Tp. 3 chs  $\times$  19 lbs East of  $1/4$  sec. Cor. <sup>on S. Ry of</sup> Secs. 34 just recently established by me, at Point of Intersection Set a Granite stone  $18 \times 14 \times 10$  in. 12 in. in the ground, for closing Cor. to Secs. 3 + 4. marked C. C. with 3 scratches on E + W. edges, and raised a mound of stone alongside,

Surface rocky and mountainous

Soil 4<sup>th</sup> rate, Greasewood + Ploverdebrush.

Make no further subdivisions in this Tp. the country to the west to mountainous precipitous and worthless.

December 30<sup>th</sup> 1882

BOOK 1151

*Subdivisions S. 3 S.*



## R. 5 W. continued

## General Description

The low Bottom land along the River Bottom is sandy & 2<sup>d</sup> rate and the 2<sup>d</sup> or higher Bottom is a rich sandy loam with scattering Mesquite timber and dense undergrowth,

There is an abundance of Water in the river for Irrigating purposes, The soil will produce most anything if irrigated. There are good indications of Mineral Deposits in the Mountains, and some Gold mines have already

Subdivisions T. 3 S. R. 5 W.  
cont.

been discovered in the  
adjoining Tps.

For final oaths see Book for  
Tp. 1 N. R. 2 W.

## U. S. Surveyor General's Office,

TUCSON, ARIZONA.

February 21 1883.

The foregoing Field Notes of the Survey of the

Subdivision Lines

of

Township 3 South,  
Range 5 West.

Of the Gila and Salt River Base and Meridian, Arizona, executed by

R. L. Purno,

Deputy Surveyor, under his contract of the

24<sup>th</sup>

day of

October

, 1882, having been

critically examined and the necessary corrections and explanations made, the said Field Notes and the surveys they describe are hereby approved.

J. W. Robinson  
Surveyor General.