

Rec'd July 29, 1891. No. 3

Copied. Platted, Compared  
Sent Home: G. L. O. Oct 10/91

Approved June 29 1892

BOOK 1152

No. 1152

~~4-671~~

BOOK 1152

FIELD NOTES

~~GENERAL LAND OFFICE~~

Subdivisions.

Frac. part of T<sub>2</sub>'s 4. & 5. S.

Range 4. West.

Contract No 13.

W. M. Breakenridge.

Dated June 2. 1890.

Survey commenced July 31, 1890

Survey completed July 31, 1890

1-52  
1

BOOK 1152

4-674.

Township 5 S. R. 4 W. S. & S. R. B. & M.

x 6 |

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

No. 1152

BOOK 1152

1/A

Field Notes  
of the survey of the  
Subdivision of the fractional part  
of  
Townships 4 and 5 S. R 4 West  
of the  
Gila and Salt River Base and  
Meridians  
of the  
Territory of Arizona  
as surveyed by  
William M Bearewidge  
U. S. Deputy Surveyor  
Under his Contract  
No 13

Dated June 2<sup>d</sup> 1890

Survey commenced July 31<sup>st</sup> 1890  
Survey completed July 31<sup>st</sup> 1890

Names and Duties of Assistants

John P. M. Phaul	Chairman
Willis D. Henry	Chairman
Robert A. Hiett	Secretary
Robert Douglass	Assn. man
Charles F. Chick	Assn. man

BOOK 1152

4-674.

Township 4 S. R. 4 W., Sec R B & M

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
x 8					
31	7	32	33	34	35
x 6					
					36

Subdivisions T4<sup>Qd</sup> 5 SR 4W

Chains After diligent search and inquiry the nearest corner that I could find to start from was at the corner to sections 7-8-17 and 18 in T5 SR 4W. On the morning of July 31<sup>st</sup> 1890 at 6 o'clock A.M. I set up my instrument at the above described corner which is a post 4 in square firmly set in the ground with mounds and pits in each section with 4 notches on S and 5 notches on E edges

Thence I ran North

Var 13° 6' E

- 38.00 to Left Bank of Kila River  
 57.00 to Right Bank of Kila River  
 80.00 foot of Granite hills but could not find section. Cor to sections 5-6-7 and 8

Subdivisions T4<sup>9</sup> R4W Continued  
 chains I then continued the line North  
 $13^{\circ}6' E$

80.00 to intersect the North line of the  
 Township at the Corner to Sections  
 5-6-31 and 32, but could find  
 no trace of any corner, so I set  
 a post 4 ft long 4 in square  
 with marked stone 17 in in the  
 ground for corner to Sections

5-6-31 and 32 marked

T4 R4W S32 on NE

T5 R4W S5 on SE

S6 on SW

S31 on NE face

with 1 notch on W and 5 notches on  
 E edges and dug pits 18x18x14 in  
 in each sec 5 1/2 ft dia and raised  
 a mound of earth 2 ft high 4 ft  
 ft dia around post

Subdivisions T4<sup>2</sup>15 S 13 4W Continued

Chains	Thence I ran West
	Sa 13° 6' E
29.00	to foot of Mountain
40.00	on east slope of Mountain
	<p>Set a post 4 ft long 4 ins square with marked stone 1 1/2 ins in the ground for 1/4 sec cor marked 1/4 on N face dug pits 18 x 18 x 11 ins on E and W sides 5 1/2 ft dia and raised a mound of earth 1 1/2 ft high 3 1/2 ft base around post</p>
	<p>Land level bottom land to foot of Mountain then precipitous and rough</p>
	Soil rich loam 1 <sup>st</sup> rate
	<p>No timber except some scattering Mesquite trees</p>



## Subdivisions T4 and 15 S R 4 W Continued

Chains I then return to post at cor to secs

5-6-31 and 32

and ran North

on  $13^{\circ}6'E$

through level valley land

40.00

And as I was unable to find  $\frac{1}{4}$  sec cor I reestablish it by setting a post 4 ft long 4 ins square with marked stone 1 1/2 ins in the ground for  $\frac{1}{4}$  sec cor marked  $\frac{1}{4}$  S on W face, dug pits 18 x 18 x 1 1/2 ins on N and S of post 3 1/2 ft dist and raised a mound of earth 1 1/2 ft high 3 1/2 ft dia around post. Chuse

80.00

to intersect the cor to secs 29-30-31 & 32 but could find no trace of any corner so I reestablish it as follows set a post 4 ft long 4 ins square with marked stone 1 1/2 ins in the ground for cor to secs 29-30-31 and 32

## Subdivisions T49N5E R4W Continued

Chains marked 54 S. D 29 on NE  
 R 4W. D 37 on SE  
 D 31 on SW  
 D 20 on NW face with  
 1 notch on S and 5 notches on E edges  
 dug pits 18x18x12 ins in each section  
 5 1/2 ft dist and raised a mound of  
 earth 2 ft high 4 1/2 ft tall around post  
 Land level  
 Soil, rich loam 1<sup>st</sup> rate  
 Timber, heavy Mesquite

## Thence I ran West

by 13° 6' E

17.00 Across valley to foot hills of Mountain  
 48.00 to point on East slope of Mountain  
 and set a granite stone 24x16x10  
 ins in mound of stone for 1/4 Rev cor  
 marked 1/4 on N face and built

Subdivision T4<sup>Q</sup>15-R4W Continued

Chains A monument of Stone 1 1/2 ft high 2 ft base alongside pits impracticable  
Land. level to foot of Mountains  
Soil, rich loam to foot of Mountains  
Timber scattering mesquite

I then went to east side of the river 1 mile east and made diligent search and inquiry for a Sec Co. on the South line of the Township but could find none and was informed that there was none there as high water had destroyed them

I could find no evidence of occupation of the Desert Land filing referred to in my letter of Instructions

General Description

The land in the east  $\frac{1}{4}$  of Sec 31  
in the Township which I was ordered  
to survey as per instructions is  
level on the east half and the  
west half extends up the slope of  
the mountains. The soil is rich  
loam capable of producing  
abundant crops with the aid  
of irrigation. Heavy mesquite  
trees are found in abundance  
in the level valley portion  
of the land

William M. Brewsteridge  
U S Deputy Surveyor

## List of Names

A list of the names of the individuals employed by William M. Beateuridge, U S Deputy Surveyor to assist in running measuring and marking the lines and corners described in the foregoing field notes of the survey of the subdivision of Townships 4 and 5 South Range 4 west of the Gila and Salt River Basal and Meridian in the Territory of Arizona showing the respective capacities in which they acted

John P McPhaul	Chairman
Willis D Henry	Chairman
Robert H Hitt	Playman
Robert Douglass	Armer
Charles F White	Armer

Final Oaths for Surveys.

LIST OF NAMES.

BOOK 1152

A List of the Names of Individuals employed by  
*William M Beateuridge* U. S. Deputy Surveyor to  
assist in running, measuring and marking the lines and  
corners described in the foregoing Field Notes of the survey of  
the *Exterior and Subdivision lines of the*  
*fractional part of Township 4 South Range*  
*6 West also fractional part of Townships*  
*4 and 5 South Range 4 west*

of the principal base and meridian in the Territory of Arizona,  
showing the respective capacities in which they acted.

*John P McPhaul*

*Willis D Newry*

*Robert H Hiatt*

*Robert Douglas*

*Charles F Schick*



Final Oaths of Assistants.

We hereby certify that we assisted W M  
Brakewidge U. S. Deputy Surveyor, in surveying  
Fractional part of Township 4 South  
Range 6 West also lines in Fractional  
Townships 4<sup>th</sup> and 5 South Range  
4 West

BOOK 1152

of the principal base and meridian in the Territory of Arizona,  
as are represented in the foregoing field notes as having been  
surveyed by him and under his direction; and that said Survey  
has been in all respects, to the best of our knowledge and belief,  
well and faithfully surveyed, and the corner monuments es-  
tablished according to the instructions furnished by the U. S.  
Surveyor-General for Arizona.

Willis D. Spring Chairman  
John McPaul Chairman  
Robt W. Hite Delagato  
Robert Douglas Aman  
Charles F. Chick Aman

Subscribed and sworn to before me this 30th

day of July 1890

Frank D. Wilcox  
Notary Public.



Final Oath of U. S. Deputy Surveyor.

BOOK 1152

1 William M Breakewidge

United States Deputy Surveyor, do solemnly swear that in  
pursuance of instructions received from Royal W

Johnson U. S. Surveyor General for Ari-  
zona bearing date of the 17<sup>th</sup> day of July

1890 I have well, faithfully, and truly, in my own proper  
person and in strict conformity, with the instructions furnish-  
ed by the U. S. Surveyor General for Arizona, the surveying  
manual and the laws of the United States surveyed the

Fractional part of Township 45 R  
6 W also Fractional part of Township  
4 and 5 South Range West

of the principal base and meridian in the Territory of Ari-  
zona, as are represented in the foregoing fields notes as having  
been surveyed by me and under my direction; and I do further  
solemnly swear that all the corners of the said survey have been  
established and perpetuated in strict accordance with the survey-  
ing manual, printed instructions, the special written instruc-  
tions of the U. S. Surveyor General for Arizona, and in the




15  
 specific manner described in the field notes, and that the foregoing are the true field notes of such survey, and should any fraud be detected I will suffer the penalty of perjury under the provisions of an Act of Congress approved August 8, 1846.


William M. Brewster  
 U. S. Deputy Surveyor.

Subscribed and sworn to before me, this 25th  
 day of September 1890.

Raymond Johnson  
 Notary Public.  
 U. S. Surveyor General

BOOK 1152





U. S. Surveyor-General's Office,

TUCSON, A. T.

Oct 10<sup>th</sup> 1891.

The foregoing Field Notes of the Surveys of  
 Subdivision Lines of  
 Frac. part of Tps 4 + 5  
 South Range 4 West

Gila and Salt River Meridian

in Arizona Territory executed by  
 William M. Breckinridge

U. S. Deputy Surveyor, under his contract dated  
 June 21, 1890. { No 13. }

having been critically examined, the necessary corrections and explanations made, the said Field Notes and the surveys they describe are hereby approved.

Rayce Johnson

U. S. Surveyor-General  
 for the Territory of Arizona.