

Recd. Jan. 6-1893

Considered
Completed
Platted

Sent to G.L.O. 3-4-93

No. 1155 BOOK 1155

Approved April 27-1893

1155

4-671

BOOK 1155

FIELD NOTES

GENERAL LAND OFFICE.

of the

SUBDIVISIONS

T. 5. S. R. 7. W

by Lewis Wortley

under Contract. No. 22

Dated. May. 20-- 1892

Survey Commenced Nov. 29/92

" Completed Dec 4 92

Indexed, Book 1154

(6)

Township 58 R. 7W

6	5	72	4	3	2	1
		70				
7	8	69	9	10	11	12
		67				
18	17	66	16	15	14	13
		64				
19	20	62	21	22	23	24
		62				
30	29	28	27	26	25	
31	32	33	34	35	36	

Subdivisions, T. 5. D. R. 7. W

Chains ft. dist. and raised a
mound of earth $1\frac{1}{2}$ ft. high
 $3\frac{1}{2}$ ft. base around post

51.05 The cor. to Secs 20, 21, 28 + 29

Land nearly level

Soil 2nd + 3rd rate

$N1^{\circ}6'W$. bet. Secs 20 + 21

$Sa 12^{\circ}9'E$.

cor gravel Ridges

40.00 Set a post 3 ft. long 3 ins

square with marked
stone 12 ins. in the ground

for $1/4$ Sec. cor. marked $1/4$

P. on W. face, deep pits 18×18

$\times 12$ ins. N. & S. of post $5\frac{1}{2}$ ft.

dist. and raised a mound
of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft.

Subdivisions. T. 5. D. R. 7. W

Charis base around first

80.00 Set a first 4 ft. long
4 in. square with
marked stone 12 in.
in the ground for loc
to Secs 16, 17, 20 + 21
marked

T. 5. D. S 16. on N.E.

R. 7. W. S 21. on S.E.

S 20. on S.W. End

S 17. on N.W. faces with
3 notches on S. and 4
notches on E. edges and
raised a mound of
stone $1\frac{1}{2}$ ft. high 2 ft.
base around first
Sand gravel washed
from Painted Rock Range
descending to E.

Subdivisions T. 5. S. R. 7. W

Chains Soil 4th rate

N 89° 8' E on a random
line bet. Secs 16 & 21

Va. 12° 21' E

40.00 Set temporary 1/4 Sec. cor

80.00 Intersect the N. S. line 30 lks
N of cor. to Secs 15, 16, 21 & 22
Thence I run

S 89° 21' W. on a true line
bet. Secs 16 & 21

Va 12° 21' E.

9.33 Wash 25 lks. wide course N.E.

40.00 Set a post 3 ft. long 3 ins.
square with marked
stone 12 ins. in the ground
for 1/4 Sec. cor. marked 1/4
N. on N. face, dug pits 18x18x

Subdivisions T. S. S. R. 7. 20

chains 12 ins. E + W. of post
 5 $\frac{1}{2}$ ft. dist. and raised
 a mound of earth 1 $\frac{1}{2}$
 ft. high 5 $\frac{1}{2}$ ft. base
 around post

80.00 The lot to Secs 16, 17, 20 & 21
 Land nearly level
 Soil 2nd rate

The lines between Secs
 5 & 8 — 8 & 17 — 17 & 20
 are mountainous, and
 not agricultural land
 therefore I do not survey
 them, being impracticable

Subdivisions. T. S. D. R. 7.2V

Chambers $N. 0^{\circ} 56' W.$ bet. Secs 16 & 17

$T. A. 12^{\circ} 21' E.$

40.00 Set a post 3 ft. long 3 ins
square with marked
stone 12 ins. in the ground
for $1/4$ Sec. cor. marked $1/4$
S. on W. face, and raised
a mound of stone $1 1/2$ ft.

80.00 Set a post 4 ft. long 4
ins square with marked
stone 12 ins. in the ground
for cor. to Secs 8, 9, 16 & 17
marked

T. S. D. 9. on N. E.

R. 7. W. S. 16. on N. E.

S. 17. on S. W. end

S. 8. on N. W. faces with 4
notches on S. and E. edges

Subdivisions T. 5 N. R. 7. W

Chamie and raised a mound
 + of stone $1\frac{1}{2}$ ft. high 2 ft.
 base around post
 Land broken Ridge
 from Painted Rock Range
 Soil $1\frac{1}{4}$ rate

$N 89^{\circ} 21' E$. on a random
 line bet. Secs 9 + 16

$V a 12^{\circ} 18' E$

40.00 Set temporary $1/4$ Sec cor

80.00 Intersect the N + S. line
 at 2 E.Ks. S. of the cor. to
 Secs 9, 10 N. 15 + 16

Thence I run

$S 89^{\circ} 20' W$ on a true line
 bet. Secs 9 + 16

$V a 12^{\circ} 18' E$

Subdivisions. T. 5. S. R. 7. 22

Chains

- 13.00 ascend over rolling ground
- 40.00 Set a post 3 ft. long 3 ins square with marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. cor. marked $\frac{1}{4}$ S. on N face, dug pits 18x18x12 ins. E & W. of post $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base around post
- 62.40 Wash 20 cks. wide course N.E.
- 80.00 The cor. to Secs 8, 9, 16 & 17
Land rolling
Coil for
-

Subdivisions T. 5. S. R. 7. W

Chanis $N 0^{\circ} 56' W$. bet. Secs 8 & 9

$S 9 12^{\circ} 18' E$

46.00 Set a post 3 ft. long 3
 ins. square with marked
 stone 12 ins. in the ground
 for $1/4$ Sec. cor. marked
 $1/40$ on W. face, dug pits
 $18 \times 18 \times 12$ ins. N. & S. of
 post $5 \frac{1}{2}$ ft. dist. and
 raised a mound of
 earth $1 \frac{1}{2}$ ft. high $3 \frac{1}{2}$ ft.
 base around post

66.00 Wash 50 lbs. wide course N.E.

80.00 Set a post 4 ft. long
 4 ins. square with
 marked stone 12 ins.
 in the ground for cor
 to Secs 4, 5, 8 & 9.
 marked

Subdivisions T. 5. S. R. 7. W

Chain T. 5. S. S. 4. on N.E.

R. 7. W. S. 9. on S.E.

S. 8. on O.W. End

S. 5. on N.W. faces with 5 notches on S. and 4 notches on E. edges and raised a mound of stone 14 1/2 ft. high 2 ft. base around frost

Land broken + gravel washes from Painted Rock Range descending to East
Soil 4th rate

N 89° 20' E. on a random line bet. Secs 4 + 9

Va. 12° 18' E.

40.00 Set temporary 1/4 Sec. cor

Subdivisions. T. 5. S. R. 7. W

Chanis

80.00

Entered the N + S. line
at 9 lks N. of cor. to
Secs 3, 4 9 & 10

Thence I run

S. $89^{\circ} 24' W$ on a true
line bet. Secs 4 + 9

Pa $12^{\circ} 18' E$.

38.50

Wash 20 lks. wide Course N.E.

40.00

Set a post 3 ft. long
3 ins. square with
square with marked
stone 12 ins. in the ground
for $1/4$ Sec. cor marked
 $1/4$ D. on N. face, deep pits
 $18 \times 18 \times 12$ ins. E + W. of post
 $5 1/2$ ft. dist. and raised
a mound of earth $1 1/2$
ft. high $0 1/2$ ft. base around
post

Subdivisions T. 5. S. R. 7. W

- 55.20 Wash 40 lks. wide course N.E.
 80.00 The cor. to Secs 4, 5, 8 & 9
 Land surface gravel
 Soil 2nd date
 Scattering Palo Verde and
 Mesquite bush
-

N 1° 6' W. on a random line
 bet. Secs 4 & 5

Pa. 12° 18' E.

- 40.00 Set temporary 1/4 Sec. cor.
 73.60 Intersect the N. Bdy of
 the Tp. at 20. lks. E. of the
 cor. to Secs. 4, 5, 32 & 33
 Thence I run
 S. 1° 15' E on a true line
 bet. Secs. 4 & 5.

Subdivisions T. 5. S. R. 7. W

Charris	Va 12° 18'E
25.00	Descending over Malpais old Yuma Road br. E & W
33.60	Set a post 3 ft. long ins. square with marked stone 12 ins. in the ground for "4 Sec. cor. marked "4 S. NW. face, and raised a mound of stone 1 1/2 ft. high 2 ft. base around post
37.50	Leave Malpais
43.35	Yuma Road br. E & W
44.75	Wash 75 lks. wide Course E.
73.60	The lev. to Secs 4. 5. 8 & 9 Land 37.50 chs. Malpais " 34.10 " broken Soil 3 rd rate

General Description

The Painted Rock Range of Mountains breaks up the Western side of this T^h. and there are a few broken sections on the North where the table land breaks down to the river.

The balance of the T^h. is level and excellent for cultivation.

There are some Mesquite trees on the bottom lands and some Palo Verde + mesquite next to the Mountains.

The soil is nearly all 1st rate.

Dec. 4 - 1892

Lewis H. Haggley
U. S. Deputy Surveyor

Mean Declination $12^{\circ}18'$

The stones could not be marked distinctly, on account of their being black Malpais & very hard, and would not show the marks therefore I used frosts in all. *Tps.*

I, Lewis Wolfley, U. S. Deputy Surveyor, do solemnly swear that in pursuance of a contract received from Royal A. Johnson United States Surveyor General for Arizona, bearing the date of the 26th day of May 1892. I have well, faithfully, and truly and in my own proper person, and in strict conform with the instructions furnished by the United States Surveyor General for Arizona, the Manual of Surveying instructions, and the laws of the United States, surveyed all those parts of portions of the 1st Standard Parallel S. + 2nd Guide Meridian West + Extensions + Subdivisions in Tps. 7 S. R. 7. 8 + 9 W. Tps. 6 S. R. 6. 7. 8 + 9. W. Tps. 5. S. R. 7. W. of the Gila and Salt River Base and Meridian, in the Territory of Arizona as are represented in the foregoing field notes, as having been surveyed by me and under my direction; and I further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Manual of printed instructions, the special instructions of the United States Surveyor General for Arizona, and in the specific manner described in the field notes, and that the foregoing are the true field notes of such surveys; and should any fraud be detected I will suffer the penalty of perjury under the provisions of an act of Congress approved Aug. 8. 1846.

Lewis Wolfley
U. S. Deputy Surveyor

Sworn to and subscribed before me this 6th
January 1893

Royal A. Johnson
U. S. Surveyor General

Final Oath of Assistants

We hereby certify that we assisted Lewis Wolfly
 U.S. Deputy Surveyor in surveying all those parts or portions
 of the 1st Standard T^p 6 S R 6 W and T^p 5 S R 7 W
 and exterior

of the Gila and Salt River ~~Basins~~ and Meridian in the Territory
 of Arizona as are represented in the foregoing field notes as having
 been surveyed by him and under his direction; and that said survey
 has been in all respects, to the best of our knowledge and belief,
 well and faithfully surveyed and the same monuments established
 according to the instructions furnished by the United States Surveyor
 General for Arizona

John W. Wilkinson Chairman

Subscribed and sworn to
 before me this 7th day of
 December A.D. 1892

Francis S. Welles
 Notary Public

Final Oath of U.S. Deputy Surveyor
 J. Lewis Wolfley U.S. Deputy Surveyor do
 solemnly swear that in pursuance of a contract
 received from Royal A. Johnson United States Surveyor-
 General for Arizona bearing date of the 26th day of May 1892, I have well
 faithfully and truly in my own proper person, and in strict conformity with the
 instruction furnished by the United States Surveyor General for Arizona, the
 Manual of Surveying instruction, and the laws of the United States Sur-
 veyed all those parts or portions of the 1st Standard Par. South, and 2nd
 Guide Meridian West, and Exterior and Subdivision line in T^{ps} 5 R^s 7
 9. W. T^{ps} 6 S. R^s 6, 7, 8 & 9 W. T^{ps} 5. S. R. 7. W. of the Gila and Salt River Basins ^{and} Meridian,
 in the Territory of Arizona, as are represented in the foregoing field
 notes as having been surveyed by me and under my direction; and I do further
 solemnly swear that all the corners of said surveys have been established and
 perpetuated in strict accordance with the Manual of printed instructions
 the special instructions of the United States Surveyor General for Arizona
 and in the specific manner described in the field notes, and that the
 foregoing are the true field notes of such surveys;
 and should any fraud be detected I will
 suffer the penalty of perjury, under the
 provisions of an act of Congress approved
 August 8th, 1846.

Sworn to and subscribed before me the 6th
 day of January 1893.

J. Lewis Wolfley
 U. S. Deputy Surveyor
 Royal A. Johnson
 U. S. Surveyor General

Final Oath of Assistants

We hereby certify that we assisted Lewis Wolfly
U S Deputy Surveyor all those parts or portions of the
1st Standard N 6 S R 6 57 or any of 5 5 R 7 W and exterior

of the Gila ^{Co} Salt River Base and Meridian in the Territory
of Arizona as are represented in the foregoing field notes
as having been surveyed by him and under his direction
and that said survey has been in all respects to the best
of our knowledge and belief well and faithfully surveyed
and the corner monuments established according to the
instructions furnished by the United Surveyor General for
Arizona

C J Drummond

Chairman
Exeman

Subscribed and sworn to
before me this 7th day of
December AD 1892

Frank D Welton
Notary Public

List of Names.

No. 1155

A List of the Names of the Individuals
employed by Lewis Wolfley

U. S. Deputy Surveyor, to assist in running, meas-
uring and marking the lines and corners described
in the foregoing Field Notes of the survey of the

1st Stand. South + 2nd Guide

Meridian west. and Extensions +

Subdivision Lines in Tps.

7. S. R. 7. 8 + 9. W. T. 6. S. R.

6. 7. 8 + 9. W. T. 5. S. R. 7. W

of the Gila and Salt River Base and Meridian, in
the Territory of Arizona, showing the respective
capacities in which they acted.

E. G. Smith Chainman.

H. H. Wolfley Chainman.

J. N. Witt Chainman.

D. Medigan Chainman.

B. T. Bailey Member.

..... Axeman.

..... Flagman.

Final Oath of Assistants.

We hereby certify that we assisted *Lucas Wolfley* U. S. Deputy Surveyor, in surveying all those parts or portions of the *1st Standard* *and 2^d Guide Meridian West* and *Tps 6 0. R. 5 8 + 9 W. Tps 7 S. Rs. 7-8 + 9 W. including the Extensions* *E. C. Smith* *sworn to above the others to above* *and Tps 6 S. R. 6 5 7 W. Tps 5 S 7 W. & Extensions* of the Gila and Salt River Base and Meridian, in the Territory of Arizona, as are represented in the foregoing field notes as having been surveyed by him and under his direction; and that said Survey has been in all respects, to the best of our knowledge and belief, well and faithfully surveyed, and the corner monuments established according to the instructions furnished by the United States Surveyor General for Arizona.

Sworn to + *E. C. Smith* Chainman.
17th 1892

Sworn
Dec 7 1892

W. H. Wolfley Chainman.

S. N. Witt Chainman.

D. Madigan Chainman.

B. F. Bailey *Marked Ground*

Axeman.

S. N. Witt Flagman.

Sworn to and subscribed before me, this *17th* day of *November*, 1892

Franco Wilcox
Notary Public.

Subscribed and Sworn to
before me this *7th* day
of *December* AD 1892

Franco Wilcox
Notary Public

Final Oath of U. S. Deputy Surveyor.

I, Lewis Wolfley.....

U. S. Deputy Surveyor, do solemnly swear that in pursuance of a contract received from Royal A. Johnson, United States Surveyor-General for Arizona, bearing date of the 26th day of

May 189²....., I have well, faithfully, and truly, in my own proper person, and in strict conformity with the instructions furnished by the United States Surveyor-General for Arizona, the Manual of Surveying Instructions, and the laws of the United States, surveyed all those parts

or portions of the 1st Stand Par. South

+ 2nd Guide Mendean West.

+ Exterior and Subdivisions
in Tp. 7. S. R. 7. 8. 9 W. Tp. 6. S. R.

6. 7. 8. 9. W. Tp. 5. S. R. 7. W.

of the Gila and Salt River Base and Meridian, in the Territory of Arizona, as are represented in the foregoing Field Notes as having been surveyed by me and under my direction; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Manual of printed instructions, the special instructions of the United States Surveyor-General for Arizona, and in the specific

83

manner described in the field notes, and that the foregoing are the true Field Notes of such survey; and should any fraud be detected I will suffer the penalty of perjury, under the provisions of an act of Congress approved August 8, 1846.

Lewis Wolpey
U. S. Deputy Surveyor.

Sworn to and subscribed before me this 6th

day of January, 1893

Ralph Johnson

BOOK 1155