

BOOK 1158

No. 1158

1158

Field Notes

OF THE SURVEY OF THE

BOOK 1158

SUBDIVISION LINES

-OF-

No. 1158

Township *5* South Range *10* West

Gila and Salt River Base and Meridian

ARIZONA.

By *Theodore F. White*, D. S.

under contract dated *Dec. 7*, 1876.

Survey commenced *Jan. 26*, 1877.

Survey completed *Jan. 31*, 1877.

BCOV 1158

Theo. F. White Deputy Surveyor.
5 South **R.** 10 West
Gila and Salt River Meridian.

FIELD NOTES

OF

Subdivision Lines of
Township 5 South Range 10 West
Gila & Salt River Meridian.

BY

Theo. F. White Deputy Surveyor.
Under his Contract of *December 7* 1876.
Survey commenced *January 26* 1877.
Survey completed *January 31* 1877.

typed,
Copied for Washington,
Manuscript sent to Commissioner,

Township 5 South Range 10 West

1A Gila and Salt River Meridian.

BOOK 1158

6	60	5	44	4	33	3	22	2	11	1
59		58		43		32		21		10
7	57	8	42	9	31	10	20	11	9	12
56		55		41		30		19		8
18	54	17	40	16	29	15	18	14	7	13
53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24
50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25
47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36

Township

5 South Range 10 West 13

Gila and Salt River Meridian.

BOOK 1158

No. 1158

The initial point of survey of subdivision lines of this township is the cor. to secs. 35 and 36, on the South boundary, which cor. I find standing as established by myself on January 3, 1874, it being a post with mound of earth and pits, on the first standard parallel South.

Township

5 South

Range

10 West

Gila and Salt River

Meridian.

BOOK 1158

Chains

From the corner to Sections 35, 36, [REDACTED] on the South

boundary I ran

North, between Sections 35 and 36.

Variation

15°

East.

As per East Boundary.

- 40.00 Set a post, marked 4 S. 4 ft long, flattened 3 in. wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pile 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 1/4 sec. cor. No trees near.
- 80.00 Set a post, marked and notched 4 ft long, 3 in. sq. d. 1 ft in the ground and build mound of stones 2 ft high, as per instructions for cor. to secs. 25, 26, 35 and 36. from which
- Apale verde, 5 in. dia. to S. 40° E. 32 lvs. dist.
do. 6 " " " S. 46° W. 305 " "
- No other trees near.

Land level. Soil partly good.
Scattering trees

Township 5 South Range 10 West

Gila and Salt River Meridian.

BOOK 1158

Chains East, on a random line between Sections 25 and 36.

Variation 15° East.

40.00 Set temporary 1/4 sec. cor.
79.41 Intersect E. boundary 36 hrs. N. of
cor. to secs. 25 and 36, from which
cor. I run

N. 89° 45' W.

Outline line between secs. 25 & 36.
var. 15° East.

39.71 Set a post, marked 1/4 S. 4 ft long, flat-
tined 3 in. wide, 1 ft in the ground,
drive charred stake and build
mound of earth 2 ft high, with
pits 1 ft deep, 2 ft long, 1 ft wide,
as per instructions, for 1/4 sec. cor.
No trees near.

79.41 Cor. to secs. 25, 26, 35 & 36.

Land level. Some good soil.
No timber.

January 26, 1877.

Township

5 South

Range

10 West

Gila and Salt River

Meridian.

BOOK 1158

Chains

North, between Sections 25 and 26.

Variation

15°

East.

21.50

Descend.

40.00

Set a post, marked $\frac{1}{4}$ S. 4 ft long, flattened 3 in. wide, 1 ft in the ground, and build mound of stones 2 ft high, as per instructions, for $\frac{1}{4}$ sec. cor. from which.

Apale verde, 6 in. diam. East, 23 lvs. dist

No other trees near.

49.50

Enter bottom.

80.00

Set a post, marked and notched, 4 ft long, 3 in. sq. d. 1 ft in the ground, drive charred stake and build mound of earth 2 ft. high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for cor. to secs. 23, 24, 25 and 26.

No trees near.

Land level. No timber of any consequence.

Township

South

Range

10 West

4

Gila and Salt River

BOOK 1158

Meridian.

Chains

East, on a random line between Sections 24 and 25.

Variation

15°

East.

40.00 Set temporary 1/4 sec. cor.
 79.61 Intersect E. boundary 15 chs. N. of
 cor. to secs. 24 and 25, from
 which cor. drawn

N. 89° 54' W.

On true line between secs. 24 & 25.

var. 15° East

39.80 Set a post, marked 1/4 S. 4 ft. long,
 flattened 3 in. wide, 1 ft in the
 ground, drive drive charred stake
 and build mound of earth 2
 ft high, with pits 1 ft. deep, 2 ft
 long, 1 ft wide, as per instructions
 for 1/4 sec. cor.
 No trees near.

79.61 Cor. to secs. 23, 24, 25 and 26.

Land level. Some good soil.
 No timber.

Township

5 South

Range

10 West

Gila and Salt River

Meridian.

BOOK

1158

Chains

North, between Sections 23 and 24.

Variation

15°

East.

- 29.50 Yuma road cor. S. W.
- 40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft long, flattened 3 in. wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for $\frac{1}{4}$ sec. cor. from which
 Mesquite, 7 in. dia. cor. N. 38 $\frac{1}{2}$ ° W. 93 lbs. dist.
 do. 6 " " " S. 81 $\frac{1}{2}$ ° E. 134 " "
- 50.00 Set a post, marked and notched, 4 ft long, 3 in. sq. d. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for cor. to secs. 13, 14, 23 and 24 from which
 Mesquite, 5 in. dia. cor. S. 50° E. 30 lbs. dist.
 do. 7 " " " S. 70° W. 40 " "
- No other trees near.
 Land level. Some good soil.
 Scattering trees.

Township 5 South Range 10 West 1158
Gila and Salt River BOOK Meridian.

Chains East, on a random line between Sections 13 and 24.
Variation 15° East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
79.59 Intersect E. boundary 21 hrs. N.
of cor. to secs. 13 and 24, from
which cor. I run

N. $89^{\circ} 51' W.$

On true line between secs. 13 & 24
var. 15° East.

39.79 Set a post, marked $\frac{1}{4}$ S. 4 ft. long,
flattened 3 in. wide, 1 ft. in the
ground, drive charred stake and
build mound of earth 2 ft.
high, with pits 1 ft. deep, 2 ft.
long, 1 ft. wide, as per instructions
for $\frac{1}{4}$ sec. cor.
from which
A mesquite, 4 in. dia. hrs. S. $73^{\circ} E.$ 230 hrs. dist.
No other trees near.

79.59 Cor. to secs. 13, 14, 23 and 24.
Land level. Scattering trees.
Some good soil.

Township

5 South

Range

10 West

Gila and Salt River

Meridian.

BOOK

1158

Chains

North, between Sections 13 and 14.

Variation

15°

East.

- 40.00 Set a post, marked 4 ft. long, flattened 3 in. wide, 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions for 14 sec. cor. from which a Cottonwood, 6 in. dia. lvs. N. 48° W. 212 lvs. dist. Do. 5 " " " N. 75 1/2° W. 200 " "
- 74.26 The left bank Gila river, bro. W. Set a post, marked, 4 ft. long, 3 in. sq. 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, taken from 1 pit on line S. for cor. to fractional sec. 13 & 14. - I now set flag on line, on opposite bank of river, and measure off base 100 lvs. W. to point whence flag bro. N. 15° 56' E. making distance across river 3.50 chs.
- 77.76 Right bank of river. Set a post, marked, 4 ft. long, 3 in. sq. 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, with pit on line N. for cor. to fractional sec. 13 & 14.
- 80.00 Set a post, marked and notched, 4 ft. long, 3 in. sq. 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions for cor. to sec. 11, 12, 13 and 14. No trees near. Land rich bottom. Scattering trees.

Township

5 South

Range

10 West

guide 8

Gila and Salt River

BOOK

Meridian.

BOOK 1158

Chains

East, on a random line between Sections 12 and 13

13

13

Variation

15°

East.

40.00 Set temporary 1/4 sec. cor.

79.73 Intersect E. boundary 20 chs. N. of cor. to secs. 12 and 13, from which cor. Draw N. 89° 51' W. on true line between secs. 12 & 13, var. 15° East

39.87 Set a post, marked 1/4 S. 4 ft long, flattened 3 in. wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 1/4 sec. cor. from which
a Cottonwood, 9 in. dia. brs. S. 31° E. 215 lbs. dist.
do. 4 " " S. 15° E. 174 " "

59.30 The left bank Gila river, brs. S. W. Set a post, marked, 4 ft long, 3 in. sq. d. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, taken from 1 pit on line E. for cor. to fractional secs. 12 & 13. - Draw set flag on line on opposite bank of river, and measure off base 100 chs. S. to point where flag brs. N. 85° 38' W., making distance across river 13.10 chs.

72.40 Right bank of river. Set a post, marked, 4 ft long, flattened 3 in. wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, taken from 1 pit on line W. for cor. to fractional secs. 12 and 13.

79.73 Cor. to secs. 11, 12, 13 and 14. Land rich bottom. Scattering trees.

Township

5 South

Range

10 West

Gila and Salt River

Meridian.

BOOK

1158

Chains

North, between Sections 11 and 12.

Variation

15°

East.

46.00 Set a post, marked "48", 4 ft long, flattened 3 in. wide, 1 ft in the ground, drive charred stake and build mound of earth, 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for 1/4 sec. cor.

No trees near.

57.70 Old road bds. S. W.

80.00 Set a post, marked and notched, 4 ft long, 3 in. sqd., 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for cor. to secs. 1, 2, 11 and 12, from which

A Mesquite, 4 in. dia. bds. N. 78° W. 127 lbs. dist.

Do. 4 " " S. 84° W. 114 " "

No other trees near.

Land level. Soil good. Scattering trees.

Township 5 South Range 10 West

Gila and Salt River Meridian.

BOOK 1158

Chains East, on a random line between Sections 1 and 12.
Variation 15° East.

40.00 Set temporary 1/4 sec. cor.
58.85 Road base S. W.
79.58 Intersect E. boundary 12 hrs. N. of cor. to secs. 1 and 12, from which cor. I run

N. 89° 55' W.

On true line between secs. 1 & 12.
var. 15° East

39.79 Set a post, marked 1/4 S. 4 ft long, flattened 3 in. wide 1/2 in the ground, drive charred stake and build mound of earth 1 ft high with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 1/4 sec. cor.

from which
A mesquite, 8 in. dia. bears N. 18° W. 61 hrs. dist
No other trees near.

79.58 Co. to secs. 1, 2, 11 and 12.

Land level. Soil good. Scattering trees.

Township

5 South

Range

10 West

Gila and Salt River

Meridian.

BOOK 1158

Chains

North, on a random line between Sections 1 and 2.

Variation

15°

East.

- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
 80.11 Intersect N. boundary 13 lvs. N.
 of cor. to secs. 1 and 2, from which
 cor. I run

S. 0° 6' N.

On true line between secs. 1 & 2

var. 15° East

- 40.11 Set a post, marked $\frac{1}{4}$ S. 4 ft long,
 flattened 3 in. wide, 1 ft in the
 ground, drive charred stake and
 build mound of earth 2 ft high
 with pits 1 ft deep, 2 ft long, 1 ft wide,
 as per instructions for $\frac{1}{4}$ sec. cor.
 from which
 A mesquite, 3 in. dia. lvs. N. 8° W. 48 lvs. dist.
 No other trees near.
- 80.11 Cor. to secs. 1, 2, 11 and 12.

Land level. Soil good.
 Scattering trees.

Township

5 South

Range

10 West

12

Gila and Salt River

BOOK 1158

Meridian.

Chains

North, between Sections 34 and 35.

Variation

15°

East.

40.00 Set a post, marked "4 S. 4 ft long, flattened 3 in. wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for "4 sec. cor.

No trees near.

80.00 Set a post, marked and notched, 4 ft long, 3 in. sqd. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for cor. to secs. 26. 27. 34 and 35.

from which

Apale oxide, 3 in. dia. hrs. S. 62° E. 237 hrs. dist.

do. 4 " " " N. 5° E. 211 " "

No other trees near.

Land level. A few scattering trees.

Township

5 South

Range

10 West

Gila and Salt River

Meridian.

BOOK 1158

Chains

East, on a random line between Sections 26 and 35.

Variation

15°

East.

20.00 Old road eas. N.W.

40.00 Set temporary 1/4 sec. cor.

79.72 Intersect N. and S. line 18 East
of cor. to secs. 25, 26, 35 and 36
from which cor. I run

N. 89° 52' 71/2"

On true line between secs. 26 & 35.

var. 15° East

39.86 Set a post, marked 1/4 S. 4 ft
long, flattened 3 in. wide, 1 ft in
the ground, drive charred
stake and build mound of
earth 2 ft high, with pits 1 ft
deep, 2 ft long, 1 ft wide, as per
instructions for 1/4 sec. cor.
No trees near.

79.72 Cor. to secs. 26, 27, 34 & 35.

Land level. Some good soil.
No timber.

Township 5 South Range 10 West
Gila & Salt River Meridian. 1158
BOOK 14

Chains North, between Sections 26 and 27.
Variation 15° East.

- 14.00 Dry wash, 30 lbs. wide, runs N.W.
15.70 Road runs N.W.
40.00 Set a post, marked 4 S. 4 ft long,
flattened 3 in. wide, 1 ft in the ground,
drive charred stake and build
mound of earth 2 ft high, with
pits 1 ft deep, 2 ft long, 1 ft wide,
as per instructions, for 14 sec. cor.
from which
Apale verde, 4 in. dia. br. S. 51 1/2° E. 220 lbs. dist.
do. 5 " " " N. 70° E. 282 lbs. dist.
43.00 Enter bottom.
74.70 Yuma road br. N.
80.00 Set a post, marked and notched,
4 ft. long, 3 in. sqd. 1 ft in the ground,
drive charred stake and build
mound of earth 2 ft high, with pits
1 ft deep, 2 ft long, 1 ft wide, as per
instructions, for cor. to secs. 22,
23, 26 and 27. from which
A Mesquite, 5 in. dia. br. N. 48° W. 253 lbs. dist.
No other trees near.
Land level. Soil good. Scattering
trees.

Township

5 South

Range

10 West

Gila and Salt River

Meridian.

BOOK 1158

Chains

East, on a random line between Sections 23 and 26.

Variation

15°

East.

8.60 Yuma road has. S. N.

40.00 Set temporary $\frac{1}{4}$ sec. cor.79.80 Intersect N. and S. line 11 hrs. S.
of cor. 23. 24. 25 and 26. from
which cor. Run

S. 89° 55' N.

On true line between secs. 23 & 26.

var. 15° East

39.90 Set a post, marked $\frac{1}{4}$ S. 4 ft long,
flattened 3 in. wide, 1 ft in the
ground, drive charred stake
and build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft
long, 1 ft wide, as per instruc-
tions, for $\frac{1}{4}$ sec. cor. from which
Amesquite, Gándia, West. 38 hrs. dist.

do. 7" " " S. 50° N. 22 " "

79.80 Cor. to secs. 22. 23. 26 and 27.

Land level. Soil good.
Scattering trees.

Township

5 South

Range

10 West

Gila and Salt River.

BOOK 1153 Meridian.

Chains

North, between Sections 22 and 23.

Variation

15°

East.

6.60 Old river bank.

40.00 Set a post, marked '4 S. 4 ft long flattened 3 in. wide, 1 ft in the ground, drive charred stake & build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 74 sec. cor. from which a mesquite, 7 in. dia. bsa. N. 143 lvs. dist.

71.09 The left bank Gila river, bsa. S. W. Set a post, marked, 4 ft long, 3 in. sq. d. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, taken from pit on line S. for cor. to fractional secs. 22 & 23.

Draw set flag on line on opposite bank of river, and measure off a base 100 lvs. E. to point whence flag bsa. N. 10° 30' N. making distance across river 5.40 chs.

76.49 Right bank of river, on line. Set a post, marked, 4 ft long, 3 in. sq. d. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pit on line N. for cor. to fractional secs. 22 & 23.

80.00 Set a post, marked and notched, 4 ft long, 3 in. sq. d. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for cor. to secs. 14, 15, 22 and 23. No trees near.

Land rich bottom. Scattering trees
January 27. 1877.

Township

5 South

Range

10 West

Gila and Salt River

Meridian.

BOOK 1158

Chains

East, on a random line between Sections 14 and 23.

Variation

15°

East.

40.00 Set temporary 1/4 sec. cor.

79.71 Intersect N. and S. line 17 lbs. N. of cor. to Secs
13, 14, 23 and 24, from which cor. I run
N. 89° 53' W. on true line between secs. 14 & 23.
Cor. 15° East39.86 Set a post, marked 1/4 hpt long, flattened 3 in. wide, 1/2 ft in the
ground, drive charred stake & build mound of earth 2
ft high with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions
for 1/4 sec. cor. from which, A mesquite, G. in. dia. brs. N. 55° E. 146 land dist.72.60 The left bank Gila river brs. S. W. Set a post, marked,
1/2 ft long, 3 in. sqd. 1/2 ft in the ground, drive charred
stake and build mound of earth 2 ft high, taken
from pit on line E. for cor. to frac. secs. 14 & 23.
I now set flag on line on opposite bank of
river, and measure off a base 100 lbs. S. to point
whence flag brs. N. 76° 17' W. making distance across
river 4.10 chs.76.70 Right bank of river, on line. Set a post, marked,
1/2 ft long, 3 in. sqd. 1/2 ft in the ground, drive
charred stake and build mound of earth
2 ft high, taken from pit on line W. for cor.
to fractional secs. 14 and 23.79.71 Cor. to Secs. 14, 15, 22 and 23.
Land rich bottom. Scattering trees.

Township

5 South

Range

10 West

18

Gila and Salt River

BOOK 1158
Meridian.

Chains

North, between Sections 14 and 15.

Variation

15°

East.

40.00 Set a post, marked "4 S. 4 ft long, flattened 3 in. wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for "4 sec. cor. from which
A mesquite, 12 in. dia. base, S. 61° 2' W. 325 lbs. dist.
No other trees near.

80.00 Set a post, marked and notched, 4 ft long, 3 in. sq. d. 1 ft in the ground, drive charred stake and build a mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for cor. to Secs. 10, 11, 14 and 15.

from which
A mesquite, 13 in. dia. base, West, 36 lbs. dist.
No. 14, " " S. 67° 3' W. 50 " "
No other trees near.

Land level. Soil good.
Scattering timber.

Township

5 South

Range

10 West

Gila and Salt River

Meridian.

BOOK 1158

Chains

East, on a random line between Sections 11 and 14.

Variation

15°

East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
 79.65 Intersect N. and S. line 23 links
 after cor. to secs. 11, 12, 13 and 14,
 from which cor. I run

N. 89° 50' W.

On true line between secs. 11 & 14
 var. 15° East

39.83 Set a post, marked $\frac{1}{4}$ S. 4 ft long,
 flattened 3 in. wide, 1 ft in the
 ground, drive charred stake and
 build mound of earth 2 ft
 high, with pits 1 ft deep, 2 ft
 long, 1 ft wide as per instructions
 for $\frac{1}{4}$ sec. cor.
 No trees near.

79.65 Cor. to secs. 10, 11, 14 and 15.

Land level. Soil good.

Scattering trees.

Township

5 South

Range

10 West

20

Gila and Salt River

BOOK 1158

Meridian.

Chains

North, between Sections 10 and 11.

Variation

15°

East.

4.00 Old road base. S. H.

46.00 Set a post, marked 44 S. 4 ft long, flattened 3 in. wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 1/4 sec. cor. from which

Armesquite, 4 in. dia. base N. 66° E. 65 lns. dist.

do. 4 " " S. 23° N. 51 " "

80.00 Set a post, marked and notched, 4 ft long, 3 in. sq. d., 1 ft in the ground drive charred stake and build mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide as per instructions for cor. to secs. 2, 3, 10 and 11.

No trees near.

Land level. Soil good.
Scattering trees.

BOOK 1158
Chains East, on a random line between Sections 2 and 11.
Variation 15° East.

40.00 Set temporary 1/4 sec. cor.
79.70 Intersect N. and S. line 20 lks. N.
of cor. to secs. 1, 2, 10 and 12, from
which cor. drawn

N. 89° 51' W.
Outline line between secs. 2 & 11.
var. 15° East

39.85 Set a post, marked 1/4 S, 4 ft long,
flattened 3 in. wide, 1 ft in the
ground. Drive charred stake
and build mound of earth 2
ft high, with pits 1 ft deep, 2 ft
long, 1 ft wide, as per instructions
for 1/4 sec. cor.
No trees near.

79.70 Cor. to secs. 2, 3, 10 and 11.
Land level. Soil partly good.
No timber.

Township

5 South

Range

10 West

22

Gila and Salt River

Meridian.

BOOK 1158

Chains

North, on a random line between Sections 2 and 3.

Variation

15°

East.

- 18.70 Dry wash, 50 kcs. wide, brs. S. E.
 40.00 Set temporary 1/4 sec. cor.
 79.88 Intersect N. boundary 30 kcs. E. of
 cor. to secs. 2 and 3, from which
 cor. drawn

S. 13° E.

Outline line between secs. 2 & 3.

var. 15° East

- 79.88 Set a post, marked 1/4 S. 4 ft long,
 3 inches flattened, 1 ft in the ground
 drive charred stake and build
 mound of earth 2 ft high,
 with pits 1 ft deep, 2 ft
 long, 1 ft wide, as per instruc-
 tions, for 1/4 sec. cor.

No trees near.

- 79.88 Cor. to secs. 2, 3, 10 and 11.

Land level. Soil partly good.
 No timber.

Chains	North, between Sections 33 and 34.	Variation	15°	East.
--------	------------------------------------	-----------	-----	-------

12.70 Dry wash, 30 lbs. wide, runs N.
 40.00 Set a post, marked 74 S. 4 ft long,
 3 in. wide, flattened, 1 ft. in
 the ground, drive charred stake
 and build mound of earth 2 ft.
 high, with pits 1 ft deep. 2 ft long,
 1 ft wide, as per instructions for
 1/4 sec. cor. No trees near.

68.70 Descend into lower land.
 80.00 Set a post, marked and notched,
 4 ft long, 3 in. sq. 1 ft in the ground,
 drive charred stake and build
 mound of earth 2 ft high, with
 pits 1 ft deep. 2 ft long, 1 ft wide, as per
 instructions, for cor. to secs. 27.
 28. 33 and 34, from which

- A mesquite, 12 in. dia. br. N. 6° E. 41 lbs. diet.
- do. 8 " " " N. 34° W. 37 " "
- do. 4 " " " S. 70° W. 28 " "
- do. 5 " " " S. 5° E. 49 " "

Land descending. Good soil last end.
 Some mesquite timber.

Township

5 South

Range

10 West

24

Gila and Salt River

BOOK 1158

Meridian.

Chains

East, on a random line between Sections 27 and 34.

Variation

15°

East.

- 23.40 Leave lower bottom land.
 39.80 Dry wash, 20 hrs. wide, runs N.
 40.00 Set temporary 1/4 sec. cor.
 79.74 Intersect N. and S. line 13 hrs. N. of
 cor. to secs. 26-27, 34 and 35,
 from which cor. I run

N. 89° 54' W.

On true line between secs. 27 & 34
 var. 15° East

- 39.87 Set a post, marked "4 S. 4 ft long,
 flattened 3 in. wide, 4 ft in the
 ground, drive charred stake
 and build mound of earth
 2 ft high with pits 4 ft deep, 2
 ft long, 4 ft wide, as per instru-
 tions, for 1/4 sec. cor. from which
 a pale oxide, 8 in. dia. var. N. 10° E. 168 hrs. dit
 do. 12 " " S. 30° W. 60 " "
- 79.74 Cor. to secs. 27, 28, 33 and 34.

Land level and ascending.
 Scattering trees.

BOOK 1158

Chains North, between Sections 27 and 28.

Variation 15° East.

- 40.00 Set a post, marked 1/4 S. 4 ft long, flat-topped 3 in. wide, 1 ft in the ground, drive charred stake and build mound of earth 1 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for 1/4 sec. cor. from which
 a Mesquite, 6 in. dia. br. N. 32 1/2° E. 213 lbs. dist.
 do. 6 " " " N. 73 1/2° W. 253 " "
 - 45.00 Barker's Station brs. S. 82 1/4° W. about 30 chs. dist
 - 47.25 Yuma road brs. W.
 - 60.90 Old river bank, brs. S. of W.
 - 80.00 Set a post, marked & notched 4 ft long, 3 in. sq. d. 1 ft in the ground, drive charred stake and build mound of earth 1 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for cor. to secs. 21, 22, 27 and 28. from which
 a Cottonwood, 6 in. dia. br. S. 28 1/2° W. 94 lbs. dist.
 do. 6 " " " S. 51° W. 157 " "
- No other trees near.
 Land level. Soil good. Scattering trees.

Township

5 South

Range

10 West

26

Sida & Salt River

BOOK

Meridian.

1158

Chains

East, on a random line between Sections 22 and 27.

Variation

15°

East.

- 40.00 Set temporary 1/4 sec. cor.
- 62.40 Old river bank Cas. S. N.
- 79.72 Intersect N. and S. line 16 Cas. N. of cor. to Secs. 22, 23, 26 and 27. from which cor. I run

N. 89° 53' W.

On true line between Secs. 22 & 27. var. 15° East.

- 39.86 Set a post, marked 1/4 S. 4 ft long, flattened 3 in. wide, 1 ft in the ground. Drive charred stake and build mound of earth 2 ft high with pit 1 ft deep. 2 ft long 1 ft wide, as per instructions for 1/4 sec. cor. from which

A Cottonwood, 12 in dia. br. S. 28 1/2° W. 103 lns dist.
 do. 6. " " S. 5° W. 111 " "

- 79.72 Cor. to Secs. 21, 22, 27 and 28.

Land level. Soil good.
 Scattering trees.

BOOK 1158

Chains North, between Sections 21 and 22.

Variation 15° East.

- 10.80 The left bank Gila river, bet. N. Marked a Cotton-wood, 13 in. dia., at this point, as per instructions for cor. to fractional secs. 21 & 22. - I now set flag on line, on opposite bank of river, and measure off a base 100 lbs. E. to point, whence flag bet. N. 18° 43' W., making distance across river 3.95 Chs.
- 14.75 Right bank of river, on line. Set a post, marked, 4 ft long, 3 in. sqd. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high taken from 1 pit on line N. for cor. to fractional secs. 21 and 22.
- 40.00 Set a post, marked 4 S. 4 ft long, flattened 3 in. wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 4 sec. cor. from which
 a mesquite, 6 in. dia. bet. S. 57° E. 281 lbs. dist.
 do. 9 " " " N. 9° E. 189 " "
- 80.00 Set a post, marked and notched, 4 ft long, 3 in. sqd. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide for cor. to secs. 15, 16, 21 & 22, from which
 a mesquite, 6 in. dia. bet. S. 85° E. 91 lbs. dist.
 do. 11 " " " N. 1° E. 95 " "
 do. 5 " " " N. 75° W. 75 " "
 do. 5 " " " S. 69° W. 146 " "

Land rich bottom. Some mesquite and Cottonwood timber.

Township

5 South

Range

10 West

28

Gila and Salt River

LOOK

1158

Meridian.

Chains

East, on a random line between Sections 15 and 22.

Variation

15°

East.

40.00 Set temporary 1/4 sec. cor.
 79.63 Intersect N. and S. line 25 lbs. N.
 of cor. to secs. 14, 15, 22 and 23,
 from which cor. I run

N 89° 49' W.

On true line between secs. 15 & 22.
var. 15° East.

39.82 Set a post, marked 1/4 S. 4 ft long,
 flattened 3 in wide, 1 ft in the
 ground, drive charred stake
 and build mound of earth
 2 ft high with pits 1 ft deep,
 2 ft long, 1 ft wide, as per instruc-
 tions, for 1/4 sec. cor.
 from which

Armesquite, 8 in dia. (sec. N. 4 1/2° W. 84 lbs. dist.
 do. 5 " " " N. 70 1/2° W. 90 " "

79.63 Cor. to secs. 15, 16, 21 and 22.

Land level. Soil st. rate.
 Scattering trees.

BOOK 1158

Chains North, between Sections 15 and 16.

Variation 15° East.

33.20 Road cor. S.W.

40.00 Set a post, marked 14 S. 4 ft. long, flat-tined 3 in. wide, 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions for 14 sec. cor. from which

A Mesquite, 10 in. dia. cor. N. 40° E. 31 lns. dist.
do. 6 " " S. 35° E. 26 " "

80.00 Set a post, marked and isolated, 4 ft. long, 3 in. sq. d. 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions, for cor. to secs. 9, 10, 15 and 16. from which

A Mesquite, 5 in. dia. cor. S. 60° W. 34 lns. dist.
do. 4 " " S. 18° E. 134 " "

No other trees near.

Land level. Soil good.
Scattering trees.

Chains East, on a random line between Sections 10 and 15.
 Variation 15° East.

40.00 Set temporary 1/4 sec. cor.
 75.00 Old road base. S. W.
 79.67 Intersect N. and S. line 30 hrs. N. of
 cor. to secs. 10, 11, 14 and 15, from
 which cor. I run

N. 89° 47' W.

Outline line between secs. 10 & 15.
 var. 15° East

39.84 Set a post, marked 1/4 S. 4 ft long,
 flattened 3 in. wide, 1 ft in the
 ground, drive cherted stake
 and build mound of earth 2
 ft high, with pits 1 ft deep, 2 ft long,
 1 ft wide, as per instructions, for
 1/4 sec. cor.

from which
 A Mesquite, 12 in. dia. base N. 37° E. 125 hrs. dist
 do. 10 " " " S. 19° W. 39 " "

79.67 Cor. to secs. 9, 10, 15 and 16.

Land level. Soil good. Scattering
 trees.

31
Township

5 South

Range

10 West

Gila and Salt Rivers

Meridian.

BOOK 1158

Chains

North, between Sections 9 and 10.

Variation

15°

East.

40.00 Set a post, marked 1/4 S. 4 ft. long, flat-tipped 3 in. wide, 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions, for 1/4 sec. cor. from which

A Mesquite, 4 in. dia. to S. 34° E. 144 lbs. dist
Do. 6 " " S. 19° E. 211 " "

80.00 Set a post, marked and notched, 4 ft. long, 3 in. sq. d. 1 ft. in the ground, drive charred stake and build a mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide as per instructions, for cor. to Secs 3, 4, 9 and 10.

No trees near.

Land level. Soil good.

No timber of consequence.

January 29, 1877.

Township

5 South

Range

10 West

32

Gila and Salt River

BOOK 1158

Meridian.

Chains

East, on a random line between Sections 3 and 10.

Variation

15°

East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
 79.78 Intersect N. and S. line 25 Sec. N.
 of cor. to Secs. 2, 3, 10 and 11,
 from which cor. Run

N. 89° 49' W.

On true line between Secs. 3 & 10.

var. 15° East

39.89 Set a post, marked 4 S. 4 ft long,
 flattened 3 in. wide, 1 ft in the
 ground, drive charred stake
 and build mound of earth
 2 ft high, with pits 1 ft deep, 2
 ft long, 1 ft wide, as per in-
 structions, for $\frac{1}{4}$ sec. cor.
 No trees near.

79.78 Cor. to Secs. 3, 4, 9 and 10.

Land level. Soil partly good.

No timber.

Township

5 South

Range

10 West.

BOOK

1158

Meridia

Chains

North, on a random line between Sections 3 and 4.

Variation

15°

East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
 80.34 Intersect N. boundary 12 chs. N. of cor.
 to secs. 3 and 4. from which
 cor. I run

S. 0° 5' N.

Put true line between secs. 3 & 4.

var. 15° East

40.34 Set a post, marked $\frac{1}{4}$ S. 4 ft long,
 flattened 3 in. wide, 1 ft in the
 ground, drive charred stakes
 and build mound a few in.
 ft high, with pits 1 ft deep, 2 ft
 long, 1 ft wide, as per instruc-
 tions, for $\frac{1}{4}$ sec. cor.

No trees near.

80.34 Cor. to secs. 3, 4, 9 and 10.

Land level. Soil good.
 No timber.

Township

5 South

Range

10 West ³⁴

Gila and Salt River Meridian.

BOOK 1158

Chains

North, between Sections 32 and 33.

Variation

15°

East.

40.00

Set a post, marked $\frac{1}{4}$ S. 4 ft long, flattened 3 in. wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for $\frac{1}{4}$ sec. cor. from which

Amesquite, 11 in. dia. br. South, 15 hrs. dist.
do. 5 " " East 23 " "

76.60

Yuma Road bas. S. W.

80.00

Set a post, marked and notched, 4 ft long, 3 in. sq. d. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for cor. to Secs. 28, 29, 32 and 33, from which

Amesquite, 4 in. dia. br. S. 60° W. 25 hrs. dist.
do. 7 " " S. 52° E. 210 " "
do. 8 " " N. 73° E. 225 " "

No other tree near.

Land level. Soil good.

Scattered trees.

BOOK 1158

Chains East, on a random line between Sections 28 and 33.
Variation 15° East.

11.10 Yuma road Cor. S. W.
40.00 Set temporary 1/4 sec. cor.
80.15 Intersect N. and S. line 27 lvs. N.
of cor. to secs. 27, 28, 32 and 34,
from which cor. I run

N. 89° 48' W.

On true line between secs. 28 & 33.
var. 15° East

40.07 Set a post, marked 1/4 S. 4 ft
long, flattened 3 in. wide, 1 ft in
the ground. Drive charred stake
and build mound of earth 1 ft
high, with pits 1 ft deep, 2 ft long,
1 ft wide, as per instructions for
1/4 sec. cor. from which
A mesquite, 10 in. dia. Cor. S. 71° W. 142 lvs. dist
do. 5 " " N. 26° E. 122 " "

80.15 Cor. to secs. 28, 29, 32 and 33.

Land level. Soil good.
Scattering trees

Chains

North, between Sections 28 and 29.

Variation

15°

East.

- 21.70 The left bank Gila river, cor. S. W. Set a post marked, 4 ft long, 3 in. sqd. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, taken from 1 pit on line S. for cor. to frac. sec. 28 & 29. I now set flag on line on opposite bank of river, and measure off base 200 cor. E. to point where flag cor. N. 12° 45' W. making distance across river 8.84 chs.
- 30.54 Right bank of river, on line. Set a post marked, 4 ft long, 3 in. sqd. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, taken from 1 pit on line N. for cor. to frac. sec. 28 and 29.
- 40.00 Set a post marked 4 S. 4 ft long, flattened 3 in wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 14 sec. cor. from which a Cottonwood, 8 in. dia. cor. N. 24° 12' W. 219 cor. dist
- 55.70 Old river bank cor. S. W.
- 80.00 Set a post, marked & watched, 4 ft long, 3 in. sqd. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, for cor. to sec. 20, 21, 28 & 29, from which a magnolia, 12 in. dia. cor. East 220 cor. dist
do. " " " " N. 11 1/2° E. 418 " "
- Land rich bottom. Scattering trees.

37 Township 5 North Range 10 West
Gila and Salt River Meridia

BOOK 1158

Chains East, on a random line between Sections 21 and 28.

Variation 15° East

- 39.70 Road bet. S. E.
- 40.00 Set temporary 1/4 sec. cor.
- 80.13 Intersect N. and S. line 21 (West. of cor. to sec.
21.22.27 & 28. from which cor. I run
N. 89° 51' W. on true line between sec. 21 & 28.
var. 15° East
- 27.61 The left bank Gila river, bet. S. N. Set a post, marked,
4 ft long, 3 in. sqd. 1 ft in the ground, drive chared
stake and build mound of earth 2 ft high, taken
from 1 pit on line E. for cor. to frac. sec. 21 & 28.
I now set flag on line on opposite bank of river, and
measure off a base 100 bet. S. to point whence flag
bet. N. 84° 04' W. making distance across river 9.62 chs.
- 37.23 Right bank of river, on line. Set a post, marked,
4 ft long, 3 in. sqd. 1 ft in the ground, drive chared
stake and build mound of earth 2 ft high,
taken from 1 pit on line W. for cor. to frac. sec. 21 & 28.
- 40.06 Set a post, marked 1/4 S. 4 ft long, flat-
tined 3 in. wide, 1 ft in the ground, drive
chared stake and build mound of earth
2 ft high, with pits 1 ft deep, 2 ft long, 1 ft
wide, as per instructions, for 1/4 sec. cor.
No trees near.
- 80.13 Cor. to sec. 20, 21, 28 and 29.
Land rich bottom. Scattering trees.

Chains

North, between Sections 20 and 21.

Variation

15°

East.

40.00 Set a post, marked 4 S. 4 ft long, flattened 3 in. wide, 1 ft in the ground, drive charred stake and build a mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for 4 sec. cor.
No trees near.

42.00 Road from Burke's Station to Agua Caliente, Cos. N. N.

88.00 Set a post, marked and notched, 4 ft long, 3 in. sq. d. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide as per instructions, for cor. to Secs. 16, 17, 20 and 21,
from which
Amesquite, 10 in. dia. Cos. S. 70° E. 166 ft. dist.
No other trees near.

Land level. Soil good.
Scattering trees.

Chains

East, on a random line between Sections 16 and 21.

Variation

15°

East.

40.00 Set temporary 1/4 sec. cor.
 80.11 Intersect N. and S. line 21 lcs.
 N. of cor. to secs. 15, 16, 21 and 22
 from which cor. Run

N. 89° 51' W.

On true line between secs. 16 & 21
 var. 15° East

40.05 Set a post, marked 1/4 S. 4 ft long,
 flattened 3 in. wide, 1 ft in the
 ground. Drive charred stake and
 build mound of earth 2 ft high
 with pits 1 ft deep, 2 ft long,
 1 ft wide, as per instructions
 for 1/4 sec. cor. from which
 Arcequite, 11 in. dia. br. S. 10° N. 64 lcs. dist.
 do. 7 " " " S. 78° E. 143 " "

80.11 Cor. to secs. 16, 17, 20 and 21.

Land level. Soil good.
 Scattering trees

Township

5 South

Range

10 West

40

1158

Gila and Salt River

BOOK

Meridian.

Chains

North, between Sections 16 and 17.

Variation

15°

East.

12.33 Road b.s. N.

40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft. long, flattened 3 in wide, 1 ft. in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for $\frac{1}{4}$ sec. cor.

No trees near.

80.00 Set a post, marked and notched, 4 ft long, 3 in. sq. 1 ft. in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for cor. to secs. 8, 9, 16, and 17.

No trees near.

Land level. Soil good.

No timber of any consequence.

Chains East, on a random line between Sections 9 and 16.
Variation 15° East.

9.00 Dry wash, 30 lns. wide, runs S.
40.00 Set temporary 1/4 sec. cor.
79.83 Intersect N. and S. line 13 lns. S.
of cor. to secs. 9, 10, 15 and 16,
from which cor. I run

S. 89° 54' N.

On true line between secs. 9 & 16.
var. 15° East

39.92 Set a post, marked 1/4 S. 4 ft. long
flattened 3 in. wide, 1 ft. in the
ground, drive charred stake
and build mound of earth
2 ft. high, with pits 1 ft. deep, 2 ft.
long, 1 ft. wide, as per instruc-
tions, for 1/4 sec. cor.
from which

A mesquite 8 in. dia. lns. S. 60° N. 133 lns. dist.
No other trees near.

79.83 Cor. to secs. 8, 9, 16 and 17.

Land level. Soil good.
A few trees.

Township

5 South

Range

10 West

42

Gila and Salt River

BOOK 1158

Meridian.

Chains

North, between Sections 8 and 9.

Variation

15°

East.

38.00 Dry wash, 25 hrs. wide, bas. S. E.

40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft. long, flattened 3 in. wide, 1 ft. in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for $\frac{1}{4}$ sec. cor.

from which

A pale verde, 8 in. dia. bas. West, 11 hrs. dist.

do. 8 " " " N. 25° W. 91 " "

80.00 Set a post, marked and notched, 4 ft long, 3 in. sq. d. 1 ft. in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for cor. to secs. 4, 5, 8 and 9. from which

A mesquite, 5 in. dia. bas. S. 37° E. 202 hrs. dist.

No other trees near.

Land level. Soil good. Scattering trees.

Chains	East, on a random line between Sections 4 and 9.	Variation	15°	East
--------	--	-----------	-----	------

40.00 Set temporary 1/4 sec. cor.
 79.90 Intersect N. and S. line 18 hrs. S.
 of cor. to secs. 3, 4, 9 and 10,
 from which cor. I run

S. 89° 52' N.

On true line between secs. 4 & 9,
 var. 15° East

39.95 Set a post, marked 1/4 S. 4 ft long,
 flattened 3 in. wide, 1 ft. in the
 ground, drive charred stake
 and build mound of earth 2
 ft high, with pits 1 ft. deep, 2 ft.
 long, 1 ft. wide, as per instruc-
 tions, for 1/4 sec. cor.
 No trees near.

79.90 Cor. to secs. 4, 5, 8 and 9.

Land level, soil good,
 No timber.



Township

5 South

Range

10 West

44

Gila and Salt River

BOOK

1158

Meridian.

Chains

North, on a random line between Sections 4 and 5.

No. 1158

Variation

15°

East.

40.00 Set temporary 1/4 sec. cor.

80.10 Intersect N. boundary 21 hrs. E.
of cor. to secs. 4 and 5, from
which cor. drawn

S. 0° 9' E.

On true line between secs. 4 & 5.

var. 15° East.

40.10 Set a post, marked 1/4 S. 4 ft long,
flattened 3 in wide, 1 ft in the
ground, drive charred stake
and build mound of earth 2
ft high, with pits 1 ft deep, 2 ft
long, 1 ft wide, as per instructions
for 1/4 sec. cor.

No trees near.

80.10 Cor. to secs. 4, 5, 8 and 9.

Land level. Soil partly good.
No timber.

BOOK 1158

Chains North, between Sections 31 and 32.

Variation 15° East.

- 10.15 Yuma road bas. S. W.
 - 40.00 Set a post, marked 4 ft long, flattened 3 in. wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as for a structure for 1/4 sec. cor. from which a mesquite, 10 in dia. bas. S. 67° E. 122 lbs. dist. do. 9 " " " N. 65° W. 91 " "
 - 60.10 Old bank of river bas. S. W.
 - 68.77 The left bank Gila river, bas. S. of W. Set a post, marked, 4 ft long, 3 in. sq. d. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, taken from 1 pit on line S. for cor. to frac. secs. 31 & 32. I now set flag on line on opposite bank of river, and measure off a base 100 lbs. E. to point where flag bas. N. 10° W. marking distance across river, 5.67 ch.
 - 74.44 Right bank of river, on line. Set a post, marked, 4 ft long, 3 in. sq. d. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high taken from 1 pit on line N. for cor. to frac. secs. 31 & 32.
 - 80.00 Set a post, marked & watched, 4 ft long, 3 in. sq. d. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, for cor. to secs. 29, 30, 31 & 32. from which a Cottonwood, 3 in dia. bas. South, 169 lbs. dist. do. 4 " " " N. 85° W. 147 " "
- Land rich bottom scattering trees.

Chains

East, on a random line between Sections 29 and 32.

Variation

15°

East.

- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
- 56.60 Old river bank bro. S. W.
- 79.80 Intersect N. and S. line 18 lbs. N. of cor. to secs. 28
29, 32 and 33, from which cor. Draw
N. 89° 52' W. on true line between secs. 29 & 32,
var. 15° East.
- 39.90 Set a post, marked $\frac{1}{4}$ S. $\frac{1}{4}$ ft long, flattened 3 in. wide, 1 ft in the
ground, drive charred stake and build mound of earth 2 ft high
with pit 1 ft deep 2 ft long, 1 ft wide for $\frac{1}{4}$ sec. cor. from which
a Cottonwood, 5 in. dia. bro. N. 25° E. 49 lbs. dist.
do. 12 " " " N. 65° W. 81 " "
- 70.65 The left bank Gila river, bro. S. W. Set a post, marked,
 $\frac{1}{4}$ ft long, 3 in. sq. d. 1 ft in the ground, drive charred stake
and build mound of earth 2 ft high, taken from 1 pit on
line E. for cor. to frac. secs. 29 and 32.
Draw set flag on line on opposite bank of river, and
measure off a base 100 lbs. S. to a point where flag
bro. N. 81° 23' W., making distance across 6.60 ch.
- 77.25 Right bank of river, on line. Set a post, marked,
 $\frac{1}{4}$ ft long, 3 in. sq. d. 1 ft in the ground, drive
charred stake and build mound of earth
2 ft high, taken from 1 pit on line W. for cor. to
frac. secs. 29 and 32.
- 79.80 Cor. to secs. 29, 30, 31 and 32.
Land rich bottom scattering trees.
January 30, 1877.

Chains West, on a random line between Sections 30 and 31.
 Variation 15° East.

20.70 Old bank of river bas. S. of W.
 40.00 Set temporary 1/4 sec. cor.
 79.68 Intersect N. boundary 20 hrs. S.
 of cor. to secs. 30 and 31. from
 which cor. I run

S 89° 51' E.

On line between secs. 30 & 31
 var. 15° East.

39.68 Set a post, marked 1/4 S. 4 ft long, flat-
 tened 3 in. wide, 1 ft. in the ground,
 drive charred stake and build a
 mound of earth 2 ft high, with
 pits 1 ft deep, 2 ft long, 1 ft wide, as per
 instructions, for 1/4 sec. cor.
 from which

A mesquite, 6 in. dia. bas. N. 89° W. 113 hrs. dist.
 do. 6 " " " N. 23° W. 128 " "

79.68 Cor. to secs. 29, 30, 31 and 32.

Land level. Soil rich. Scat-
 tering trees.

Chains

North, between Sections 29 and 30.

Variation

15°

East.

- 9.70 Old bank of river, bas. S. of N.
- 40.00 Set a post, marked "4 S. 4 ft long, flattened 3 in. wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for 4 sec. cor. No trees near.
- 80.00 Set a post, marked and notched, 4 ft long, 3 in. sq. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for cor. to secs. 19, 20, 29 and 30, from which
- A Mesquite, 7 in. dia. bas. S. 37° E. 49 lbs. dist
 do. 9 " " " West. 104 " "
 do. 12 " " " N. 23° E. 29 " "
 do. 11 " " " S. 45 1/2° N. 171 " "

Land level. Soil rich. Some mesquite timber.

BOOK
Chains

1158

East, on a random line between Sections 20 and 29.

Variation 15° East

40.00 Set temporary 1/4 sec. cor.
59.00 Slough, 200 lbs. wide bas. S. W.
79.72 Intersect N. and E. line 19 lbs. N.
of cor. to secs. 20, 21, 28 and 29,
from which cor. Drive

N. 89° 52' W.

On true line between secs. 20 & 29.
var. 15° East

39.86 Set a post, marked 1/4 S. 4 ft long, flat-
tined 3 in. wide, 1 ft in the ground,
drive charred stake and build
mound of earth 2 ft high,
with pits 1 ft deep, 2 ft long, 1 ft
wide, as per instructions for
1/4 sec. cor. from which
Ardoesquite, 13 in dia. bas. N. 76° 2' W. 93 lbs. dist
No other trees near.

79.72 Cor. to Secs. 19, 20, 29 and 30.

Land level. Soil good.
Scattering trees.

Township

5 South

Range

10 West

Gila and Salt River ^{BOOK} 1158 Meridian.

Chains

West, on a random line between Sections 19 and 30.

Variation 15°

East.

- 40.00 Set temporary 1/4 sec. cor.
- 50.40 Swampy place 540 lks. wide, bas. S.W.
- 66.50 Old house, 60 lks. N.
- 67.80 Irrigating ditch runs S.W.
- 79.72 Intersect W. boundary 15 lks. S. of cor. to Secs. 19 & 30, from which cor. run

S. 89° 54' E.

On true line between secs. 19 & 30 var. 15° East

- 39.72 Set a post, marked 1/4 S. 4 ft long, flattened 3 in. wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high with pits 1 ft deep, 2 ft long, one ft wide, as per instructions for 1/4 sec cor. from which
 a wasy mile, Co. di. lks. N. 36° W. 122 lks. dist.
 do. 6 " " N. 69 1/2° W. 140 " "

79.72 Cor. to secs. 19. 20. 29 and 30.

Land level and marshy.
Soil rich. Scattering trees.

51 Township 5 South Range 10 West
Sila and Salt River Meridian.

BOOK 1158

Chains North, between Sections 19 and 20.

Variation 15° East.

40.00 Set a post, marked 48. 4 ft long, flat-
tened 3 in. wide, 1 ft in the ground,
drive charred stake and build
mound of earth 2 ft high, with
pits 1 ft deep, 2 ft long, 1 ft wide, as
per instructions for 74 sec. cor.
No trees near.

72.00 Agua Caliente rancho, 9.50 chs. N.

73.00 Opposite large hot spring, 50 lbs. N.

79.65 Road bet. S. W.

80.00 At foot of rocky hill to the N. Set a
post, marked and notched, 4
ft long, 3 in. sq. 1 ft in the ground,
drive charred stake and build
mound of earth 2 ft high, with
pits 1 ft deep, 2 ft long, 1 ft wide
as per instructions for cor. to
secs. 17, 18, 19 and 20.

from which

A mesquite stump, 11 in. dia. S. 11° W. 73 lbs. dist.

do. tree, 14 " " S. 69° E. 429 " "

No other trees near.

Land level. Soil rich. Scattering
trees.

Township

5 South

Range

10 West

52

Gila and Salt River

BOOK 1158

Meridian.

Chains

East, on a random line between Sections 17 and 20.

Variation

15°

East.

40.00 Set temporary 1/4 sec. cor.

42.00 Road to Agua Caliente bas. S. of W.

47.70 Dry wash, 30 hrs. wide, bas. S.

80.10 Intersect N. and S. line 15 hrs. N.
of cor. to secs. 16, 17, 20 and 21,
from which cor. Drive

N. 89° 54' W.

On true line between secs. 17 & 20.

var. 15° East

40.05 Set a post, marked 1/4 S. 4 ft. long,
flattened 3 in. wide, 1 ft. in the
ground. Drive charred stake
and build mounds of earth
2 ft. high with pits 1 ft. deep, 2 ft.
long, 1 ft. wide, as per instruc-
tions for 1/4 sec. cor.
from which

a Mesquite tree, 6 in. dia. bas. West, 10 hrs. dist.

do. 10 " " " N. 50° E. 30 " "

80.10 Cor. to secs. 17, 18, 19 and 20.

Land level. Soil good. Scat-
tering trees.

BOOK 1158

Chains West, on a random line between Sections 18 and 19.

- | | Variation | |
|--|-----------|---|
| 2.50 | 15° | East. |
| Opposite Agua Caliente Springs; first spring 150 lks. S. | | |
| Ascend ridge - | | |
| 8.00 | | Top of ridge and descend. |
| 9.50 | | Agua Caliente Rancho, 8 chs. S. |
| 30.50 | | Enter flat. |
| 34.20 | | Dry wash, 25 lks. wide, bro. S. |
| 40.00 | | Set temporary 1/4 sec. cor. |
| 80.07 | | Intersect W. boundary 16 lks. S. of cor. to sec. 18 & 19. from which cor. drawn S. 89° 53' E. on true line bet sec. 18 & 19. var. 15° East. |
| 40.07 | | Set a post, marked 1/4 S. of & long flat-topped 3 in wide 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 1/4 sec. cor. from which |
| | | Aracquite, 4 in. dia. cor. S. 11° W. 59 lks. dist. |
| | | do. 5 " " " S. 15° E. 60 " " |
| 80.07 | | Cor. to Secs 17, 18, 19 and 20. Sand level then broken. Some rich soil. Scattering trees. |

Chains

North, between Sections 17 and 18.

Variation

15°

East.

Ascend rocky hill.

40.00

Set a volcanic rock, 12 x 9 x 7 inches, $\frac{2}{3}$ in the ground, marked '4, and on N. build mound of stones 2 ft high as per instructions for '4 sec. cor.

No trees near.

80.00

Set a post, marked and notched, 4 ft long, 3 in. sq. d., 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for cor. to secs. 7, 8, 17 and 18.

from which

A pale verde, 6 in. dia. Cas. S. 4 N. 140 lbs. dist.

No other trees near.

Land over rocky hill. Some good soil on last end. A few trees

Chains East, on a random line between Sections 8 and 17.
Variation 15° East

440.00 Set temporary 1/4 sec. cor.
448.00 Dry wash, 20 lbs. wide bas. S.
80.13 Intersect N. and S. line 20 lbs. N.
of cor. to secs. 8, 9, 16 and 17,
from which cor. I run

N. 89° 51' W.

On true line between secs. 8 & 17.
var. 15° East

440.06 Set a post, marked 1/4 S. 4 ft. long,
flattened 3 in. wide, 1 ft. in the ground,
drive charred stake and build
mound of earth 2 ft. high, with
pits 1 ft. deep, 2 ft. long, 1 ft. wide,
as per instructions, for cor. to 1/4 sec.
No trees near.

80.13 Cor. to secs. 7, 8, 17 and 18.

Land level. Some good soil.
No timber.

Township

5 South

Range

10 West

56

Gila and Salt River

BOOK 1158

Meridian.

Chains

West, on a random line between Sections 7 and 18.

Variation

15°

East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

51.00 Ascend side of hill.

79.48 Intersect N. boundary 26 lbs. N. of cor. to secs. 7 and 18. from which cor. I run

N. 89° 49' E.

On true line between secs. 7 & 18.

var. 15° East

39.48 Set a post, marked $\frac{1}{4}$ S. 4 ft. long, flattened 3 in. wide, 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions for $\frac{1}{4}$ sec. cor. from which

A pale fern, 5 in. dia. lvs. N. 62° W. 114 lbs. dist.

No other trees near.

79.48 Cor. to secs. 7, 8, 17 and 18.

Land level, then crossing side of hill. Soil partly good. A few trees.

57 Township 5 South Range 10 West
Tela and Salt River Meridian.

BOOK 1158

Chains North, between Sections 7 and 8.

Variation 15° East

40.00 Set a post, marked "4 S. 4 ft long, flattened 3 in. wide, 1 ft. in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 4 sec. cor.
No trees near.

80.00 Set a post, marked and notched, 4 ft long, 3 in. sq. d. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for cor. to secs. 5, 6, 7 and 8.
from which
Apaloverde, 12 in. dia. br. East, 303 lvs dist.
No other trees near.

Land level. Some good soil.
Scattering trees.

Township

5 South

Range

10 West

58

Gila and Salt River

BOOK

1158

Meridian.

Chains

East, on a random line between Sections 5 and 8.

Variation

15°

East.

3.00 Dry wash, 20 hrs. wide, bas. S.

40.00 Set temporary 1/4 sec. cor.

80.10 Intersect N. and S. line 30 hrs. N. of cor. to secs. 4, 5, 8 and 9. from which cor. run

N. 89° 47' W.

On true line between secs. 5 & 8

var. 15° East

48.05 Set a post, marked 1/4 S. 4 ft long, flattened 3 in. wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 1/4 sec. cor. from which

Apale verde, 6 in. dia. bas. North, 25 hrs. dist. No other trees near.

Land level. A few scattering trees.

Chains West, on a random line between Sections 6 and 7.

Variation 15° East.

40.00 Set temporary 1/4 sec. cor.

79.80 Intersect N. boundary 30 Ws. S. of cor. to secs. 6 and 7, from which cor. I run

S. 89° 47' E.

Outline line between secs. 6 & 7.
var. 15° East

39.80 Set a post, marked 1/4 S. 4 ft long, flattened 3 in. wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for 1/4 sec. cor.
No trees near.

79.80 Cor. to secs. 5, 6, 7 and 8.

Land level. Some good soil
No timber.

Township

5 South

Range

10 West

60

Gila and Salt River

BOOK

1158

Meridian.

Chains

North on a random line between Sec's 5 and 6.

Variation

15°

East.

40.00 Set temporary 1/4 sec cor.

80.19 Intersect N. boundary 16 hrs. N.
of cor. to secs. 5 and 6. from
which cor. I run

S. 0° 7' N.

On true line between secs. 5 & 6.

var. 15° East.

40.19 Set a post, marked 1/4 S. 4 ft
long, flattened 3 in. wide, 1 ft
in the ground, drive charred
stake and build mound of
earth 2 ft high, with pits 1 ft
deep, 2 ft long, 1 ft wide, as per
instructions for 1/4 sec. cor.
No trees near.

80.19 Cor. to secs. 5, 6, 7 and 8.

Land level. Some good soil.

No timber

January 31, 1877.

6/ General Description.

BOOK 1158

This township lies along both sides of the Gila river, and contains a large amount of rich bottom land that can be readily irrigated from the Gila river.

In section 28 is situated Burke's Station, on the Southern Pacific Mail line route; and in sections 19 and 20 are situated some very fine hot springs, at the S. base of a hill. The water of these springs has been found by experience to possess curative properties for some diseases. Scattering timber is found throughout the town-
ship.

Theodore J. White
U. S. Deputy Surveyor.

List of Names.

A List of the Names of Individuals employed
to assist in running, measuring, or marking the
lines and corners described in the foregoing Field
Notes of the survey of *The Subdi-*
vision Lines of Town-
ship 5 S. Range 10 W.
of the Gila and Salt
River Meridian, Arizo-
na,

Showing the respective capacities in which they
acted.

P. V. Caldwell Chainman.

Urban Bessard Chainman,

Fred. C. Jones Axeman.

Allan Bonnard Flagman.



Final Oath of Assistants.

BOOK 1158

We hereby certify that we assisted *Theo. F. White* U. S. Deputy Surveyor in surveying *The Subdivision Lines of Township 5 South Range 10 West of the Gila and Salt River Meridian, Arizona.*

and that said Survey has been in all respects, to the best of our knowledge and belief, well and faithfully executed, and the boundary monuments planted according to the instructions furnished by the Surveyor-General.

P. W. Caldwell Chainman.


William Bernard Chainman,

Fred. A. Jones Axeman.

Allan Bernard Flagman.

Sworn to and subscribed before me, this *28th* day of *April*, 187*7*.

John R. Faull
Notary Public.



Final Oath of Deputy Surveyor.

I, *Theodore F. White*

U. S. Deputy Surveyor, do solemnly swear that
in pursuance of a contract with John Wasson,
United States Surveyor-General for Arizona, bear-
ing date the *7th* day of *December*

187*6*. I have well, faithfully and truly, in my
own proper person, and in strict conformity with
the instructions furnished by the Surveyor-Gener-
al, the Surveying Manual, and the laws of the
United States, surveyed all those portions of

the Subdivision Lines of
Township 5 South, range
10 West, of the Gila and
Salt River Meridian
Arizona,

as are repre-
sented in the foregoing Field Notes as having
been surveyed under my directions; and I do
further solemnly swear that all the corners of
said surveys have been established and perpet-
uated in strict accordance with the Surveying
Manual and printed instructions, and also in ac-
cordance with the additional requirements con-

tained in circular instructions from the U. S. Surveyor-General for Arizona, dated September 1, 1873, regarding the establishment of corner boundaries of public surveys, and that the foregoing are the true and original Field Notes of such surveys.

Theodore J. White
Deputy Surveyor.

Sworn to and subscribed before me, this 28th
day of April, 1877.

John P. Faull
Notary Public.



U. S. Surveyor General's Office,

TUCSON, ARIZONA, August 6, 1877.

*The foregoing Field Notes of the Survey of the**Subdivision Lines of
Township 5 South,
Range 10 West,**Of the Gila and Salt River Base and Meridian, Arizona, execu-
ted by Theodore F. White,**Deputy Surveyor, under his contract of the**day of December, 1877,**having been critically examined and the necessary corrections and explana-
tions made, the said Field Notes and the surveys they describe
are hereby approved.**John Masson,
Surveyor General.*