

No. 1165

BOOK 1165

(p.1)

Field Notes

OF THE SURVEY OF THE

BOOK 1165

SUBDIVISION LINES

-OF- No. 1165

Township *5 S.* Range *4 W.*

Gila and Salt River Base and Meridian

ARIZONA.

By *Solomon W Foreman* D. S.

under contract dated *Feb 13* 1871.

Survey commenced *Mar 13* 1871.

Survey completed *Mar 28* 1871.

9911

subscribers

1165

10

1A

BOOK 1165

4-674.

hip 55.

R. 4 W. G. Z. S. R. B. & M.

that we will
length of all
and ability.

	62	5	44	4	33	3	22	2	11	1
61	60		43		32		21		10	
	58	8	42	9	31	10	20	11	9	12
6		55		41		30		19		8
8	54	17	40	16	29	15	18	14	7	13
2		52		39		28		17		6
9	51	20	38	21	27	22	16	23	5	24
30		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25
47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36

See indexes, 64-65.

day of

or
J. J. J.
dit

Preliminary Oaths of Assistants.

I, _____ do solemnly swear that I will well and truly perform the duties of Compassman, according to instructions given me, and to the best of my skill and ability.

Subscribed and sworn to before me, this _____ day of _____ 18____

U. S. Deputy Surveyor.

We, John B. Leary and John Stampen

do solemnly swear that we will faithfully execute the duties of Chain Carriers; that we will level the chain upon uneven ground, and plumb

the tally pins, whether by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines; that we will assist in measuring, to the best of our skill and ability.

x John B. Cox
John Stumpert

Subscribed and sworn to before me, this first day of
March 1871

~~S. M. Horner~~

~~U. S. Deputy Surveyor.~~

J. C. M^o Caffery
Notary Public

10

BOOK 1165

I, *Armed*, *Fred Groke* & *Joseph Bolton*
do solemnly swear that ~~we~~ will well and truly perform the duties of
Glascow Taxmen
according to instructions given me, and to the best of my skill and
ability.


Fred Groke
Joseph Bolton

Subscribed and sworn to before me, this *12th* day of

March 1871

~~*S. M. [unclear]*~~
U. S. Deputy Surveyor.

J. P. McLaughry
Notary Public



No. 1165

BOOK 1165 1F

Township 5 S. Range 4 West of
Gile & Salt River Meridian.

Chs. Begin on the South Boundary
of the township at the
Corner to sections 35 & 36
and run thence —

North, between sections 35 & 36
Var. $13^{\circ}42'$ East

40.00 Set a $\frac{1}{4}$ sec. corner post in
a mound & pits as per
instructions. No trees near

62.40 Dry Creek 10 lks wide, runs W.

80.00 Set a post in a mound &
pits as per instructions
for the corner to sections
25, 26, 35 & 36.

No trees near

Sand level, soil 2nd rate
No timber —
Good grass land

Township 5 S. Range 4 W.
 Gila & Salt River Municipal

Chs. East, on a Random line bet. Secs. 25 & 36.

Va. $13^{\circ}42'$ East.

40.00 Set a temporary $\frac{1}{4}$ sec. corner post.

80.05 Intersect the East boundary
 line 9 links South from the corner
 to Secs. 25, 36, 30 & 31. from
 which corner I run

S. $89^{\circ}56'$ N. on true line between Secs. 25 & 36

Va. $13^{\circ}42'$ East.

40.02 Set a $\frac{1}{4}$ sec. corner post in
 a mound & pits as per
 instructions. No trees near

80.05 The corner to Secs. 25, 26,
 35 & 36.

Sand loam soil 2nd rate
 no timber —

Township 5 S. Range 4 West
 Gila & Salt River Meridian

Chs. North, between Secs. 25 & 26.
 Va. $15^{\circ}42'$ East.

40.00 set a $\frac{1}{4}$ sec. corner post in
 a mound and pits as
 per instructions.

No trees near

45.50 Dry Creek 10 lks wide, runs N.
 80.00 set a post in a mound &
 pits as per instructions
 for the corner to secs. 23
 24, 25 & 26.

No trees near

Land level, soil 2nd rate.
 Some scattering Palo Verde
 and Mesquite trees —
 Good grass land

4

Township 5 S. Range 4 West.

Gila & Salt River Meridian

Chs. East on a random line between Secs 24 & 25

C.A. 13° 42' East.

40.00 Set a temporary 1/4 sec. corner
post.

80.00 Intersect the East boundary line

at the corner to Secs. 24, 25

19 & 30. from which corner

I run

West, on a true line bet. Secs 24 & 25

C.A. 13° 42' East

40.00 Set a 1/4 section corner post
in a mound as per
instructions.

No trees near

80.00 The corner to Secs 23, 24
25 & 26.Land level, soil 2nd rate
scattered trees and
good grass.

Township 5 S. Range 4 W.

Gila & Salt River Meridian

Ch. North, between Secs. 23 + 24

Var. $15^{\circ}42'$ East.

36.00 Dry Creek 5 lks wide runs West

40.00 Set a $\frac{1}{4}$ sec. Corner post in a mound and pits as per instructions. No trees near

57.30 Dry Creek 10 lks wide runs West

80.00 Set a post in a mound & pits as per instructions for Corner to Sections 13, 14, 23 + 24.

No trees near

Land level,

Soil 2nd rate sandy loam.

Some scattering Palo verde trees & Iron wood.

Township 5 South Range 4 W.

Line of Salt River Meridian

Chs. East, on a Random line bet. Secs 13 & 24.

Wa. $13^{\circ}42'$ East.

40.00 Set a temporary $\frac{1}{4}$ Section

Corner post:

79.84 Intersect the East Boundary

line 18 links North of the

Corner to Sections, 13, 24

18 & 19. from which corner

I run

N. $89^{\circ}52'$ W. on true line bet. Secs. 13 & 24.

Wa. $13^{\circ}42'$ East.

3992 Set a $\frac{1}{4}$ Sec. Corner post in

a mound & pits as per

instructions.

No trees near

79.84 The Corner to Sections

13, 14, 23 & 24.

Sand! Sand Soil 2nd water
scattering trees—

Township 5 S. Range 4 West.

Gila & Salt River Meridian

Chs. North, between Secs. 13 & 14.

Variation $13^{\circ}42'$ East.

27.00 Dry Creek 8 1/2 miles west.

40.00 Set a 1/4 section corner post
in mound and pits as
per instructions

No trees near

80.00 Set a post in a mound
with pits as per instructions
for the corner to sections
11, 12, 13 & 14.

No trees near

Sand level soil 2nd rate

Sandy loam

Some scattering Palo verde,
Iron-wood, & Mesquites.

8 Township 5 S. Range 4 West.
Gila & Salt River Meridian

Chs. East, on a Random line bet secs. 12 & 13

Ca. $13^{\circ}42'$ East

40.00 Set a temporary $\frac{1}{4}$ Sec.

Corner post

80.00 Intersect the East boundary
line 14 links South of
the corner to sections

12, 13, 17 & 18, from which
Corner run

$\beta, 89^{\circ}54'$ N. on true line bet. secs. 12 & 13

Ca. $13^{\circ}42'$ East.

40.00 Set a $\frac{1}{4}$ Section Corner post
in a mound and pits as
per instructions.

No trees near

80.00 The Corner to Secs. 11, 12,
13 and 14.

Sand level. Soil 2nd rate
Some scattering trees -

Township 5 - S. Range 4 West

Line of Salt River Meridian

Chs. North, between Secs. 11 & 12

Var. $13^{\circ} 42'$ East.

14.00 Road to Grana, bro, E. & W.

40.00 Set a $\frac{1}{4}$ sec. Corner post in
a mound & pits as per
instructions.

No trees near.

80.00 Set a post in a mound
and pits as per in-
structions for the
Corner to sections, 1, 2
11 and 12.

No trees near

Sand lined, soil 3rd
rate & sandy

Some Scattered Iron-
wood & Palo verde trees,

Township 5 S. Range 4 W.

View of Salt River Mountain

On East, on Random line bet. sec. 1 & 12,
 Va. $13^{\circ}42'$ East.

40.00 set a temporary $\frac{1}{4}$ sec. cor. post.

79.90 Intersect the East boundary
 11 links North of the
 corner to sec. 1, 12, 6 & 7,
 from which corner

N. $89^{\circ}55'$ W. true line bet. sec. 1 & 12,
 Va. $13^{\circ}42'$ East.

39.95 set a $\frac{1}{4}$ sec. corner post
 in a mound and
 pits as per instructions
 No trees seen.

79.90 The corner to sec. 1, 2
 11 and 12,

Sand Creek, soil 3rd rate
 dry & sandy.
 Gravel, scattered
 Iron wood & Palo verde.

Township 5 S, Range 4 W,
 T14N & S14N R14W Meridian

Chs, North, on Random line lot sec. 1 & 2,
 Va. $13^{\circ}42'$ East,

11.50 Dry Creek 5 lks. wide runs W.

40.00 Set a temporary $\frac{1}{4}$ sec. post,

79.85 Intersect the North
 boundary 12 lks East
 from the corner to sec.

1, 2, 35 & 36, from
 which corner I run

$S. 00^{\circ}05'E$, on true line lot sec. 1 & 2
 Va. $13^{\circ}42'$ East

39.85 Set a $\frac{1}{4}$ sec. corner post
 on a mound and
 pits as per instructions
 no trees near

79.85 The corner to sections
 1, 2, 12¹¹ & 13¹².

Sand level, Soil 2nd
 rats, Scattering trees
 March 21st 1891

Township. 5 S. Range 4 W.

Gile & Satt River Mendocino

Chs. North, between Secs. 34 & 35,

W. 13° 42' East,

40.00 Set a 1/4 sec. Corn post in
a mound & pits as per
instructions.

No trees near.

80.00 Set a post in mound and
pits as per instructions
for the Corn to Secs.

26, 27, 34 & 35.

No trees near

Sand level, soil 1st
rate sandy loam
No timber
Good grass land -

Township 5 S. Range 4 West,
Gila & Salt River Meridian

Ch. North, between Secs. 26 & 27.
Co. $13^{\circ}42'$ East.

40.00 Set a $\frac{1}{4}$ sec. corner post
in a mound with
pits as per instructions

44.30 By ~~enroll~~ ^{no trees near}
80.00 Set a post in a mound
with pits, as per in-
structions. Cor. 22, 23
26 & 27. No trees near

Sand level, soil 1st rate
Some scattering trees
Paloverde & Ironwood
Good grass land —

Townships 5 S. Range 4 W.
 T14 & 8th River Meridian

Co. East, on a Kaudon line bet. Secs. 23 & 26.
 Va. $13^{\circ}42'$ East,

40.00 set a temporary $\frac{1}{4}$ sec corner
 post —

79.86 intersect the N. & S. line at
 the corner to Secs. 23,

24, 25 & 26. from which
 corner I run

West, on true line bet. west Secs. 23 & 26.
 Va. $13^{\circ}42'$ East,

3993 set a $\frac{1}{4}$ section post in
 a mound with pits as
 per instructions

No trees near

79.86. The corner to sections
 22, 23, 26 & 27

Sand level. Soil 1st
 rate. Some scattering
 timber —

Township 5 S. Range 4 W,
 Giles & Salt Run Meridian

40.00 Set a 1/4 Sec. Corner West in

Co. North, between Secs. 22 & 23,
 Va. $13^{\circ}42'$ East

a monument & pits as
 per instructions

No trees near

80.00 Set a West in a Monument

with pits as per in-
 structions for the
 Corner to Sections 14

15, 22 & 23.

No trees near

Sand level, Soil 1st
 rate, Sandy loam
 Scattering, Mesquite
 Paloverde & Ironwood.

Township 5 S. Range 4 W. of
Gile & Salt River Meridian

Chs. East, on a random line bet secs. 14 & 23.

br. $13^{\circ}42'$ East.

40.00 bet a temporary $\frac{1}{4}$ sec. Cor.
post —

80.00 Interest the N. & S. line 17
links North from the
Corner to secs 13, 14, 23
& 24, from which Corner
I run

N. $89^{\circ}53'$ W. a true line bet secs. 14 & 23.

br. $13^{\circ}42'$ East.

40.00 bet a $\frac{1}{4}$ sec. Corner post in
a mound with pits as
per instructions

No trees near

80.00 The corner to secs. 14, 15
22 and 23.

Sand level, soil 1st rate
Some scattering trees
mesquite & Ironwood.

Township 3 S. Range 4 W.

Gila & Salt River Meridian

Ch. North, between Secs. 14 & 15.

Co. 13° 42' East

12.20 Dry Creek 10 lks wide S.W. 1/4

29.60 " " 10 " " " "

40.00 Set a 1/4 sec. corner post in
a mound and pits as
per instructions

5 No trees near

80.00 Set a post in a mound
and pits as per in-
structions per the
corner to sec. lines
10, 11, 14 & 15.

No trees near

Sand level soil 2nd
rate and some
scattering Iron wood,
Palauvda & Mesquite
trees.

Townships 5 S. Range 4 West,

Gila & Salt River Meridian

Chs. East, on Random line bet. Secs. 11 & 14.

Var. $13^{\circ}42'$ East,

40.00 set a temporary $\frac{1}{4}$ Sec. Corner post

80.00 Intersect the N. & S. line at the
Corner to sections 11, 12, 13 & 14

from which Corner Iron

West, on true line between Secs. 11 & 14.

Var. $13^{\circ}42'$ East,

40.00 set a $\frac{1}{4}$ section Corner post
in a mound and pits
as per instructions.

No trees near

80.00 ~~also~~ Corner to sections 10, 11,
14 & 15 —

Sand level, soil 2nd
rate sandy & some gravel
scattering mesquite Palo
verde & Iron wood trees.

Township 5 S. Range 4 West

Gile & Salt River Meridian

Ch. North, between Secs. 10 & 11.

ba. $13^{\circ}42'$ East.

7.75 Road to Lyman, br. west,
40.00 set a $\frac{1}{4}$ sec. corner post in
a mound & pits as per
instructions

a Palo verde 10 in. Br. S. 1° W. 166 lks. dist
No other trees near

45.20 Dry creek 10 lks. wide runs W-

80.00 set a post in a mound
with pits as per instructions
for the corner to sections
2, 3, 10 & 11.

No trees near

Land level, Soil 2 & 3 notes
Scattered timber -
Iron wood, Palo verde
& Mesquite -

Township 5 S. Range 4 W. of
Gila & Salt River Meridian

Chs. East on a Random line, between Sec. 2 & 11
Var. $13^{\circ}42'$ East.

40.00 Set a $\frac{1}{4}$ sec. corner corner post
for temporary corner

80.00 Intersect the N. & S. line 17 links
north from the corner to
secs. 1, 2, 11 & 12 from which
corner I run

$\Delta 89^{\circ}53'$ West on a true line bet. secs. 2 & 11.
Var. $13^{\circ}42'$ East.

40.00 set a $\frac{1}{4}$ sec. corner post
in a mound and pits
as per instructions
No trees near

80.00 The corner to sections
2, 3, 10 & 11.

Same level. Soil 3rd rate
Some scattered trees of
Iron wood & Palo verde.

Township 5 S. Range 4 West
Gile & Salt River Meridian

Chas North, on a Random line bet sec. 2 & 3.

Var. $13^{\circ}42'$ East

40.00 Set a temporary $\frac{1}{4}$ section
corner post.

80.18 Intersect the North boundary
line at the corner to sections
2, 3, 34 & 35, from which
corner I run

South, on true line, between sec 2 & 3

Var. $13^{\circ}42'$ East

40.18 Set a $\frac{1}{4}$ sec. corner post in
a mound & pits as
per instructions

No trees near

80.18 The corner to sections
2, 3, 10 & 11.

Sand level soil 2nd rate
some scattering trees.
March 22nd 1871

Township 5 S. Range 4 West
Gile & Salt River Meridian

Chain North, between sections, 33 & 34.

Var. $13^{\circ}42'$ East.

40.00 Set a $\frac{1}{4}$ section corner post in
a mound & pits as per in-
structions. No trees near.

80.00 Set a post in a mound &
pits as per instructions
for the corner to sections
27, 28, 33 & 34.

No trees near.

Sand level, soil 1st rate
sandy loam.

No trees -

Good grass land

Township 5 S. Range 4 West
Gila & Salt River Meridian

Sec. East, on a random line bet. Secs. 27 & 34.

Var. $13^{\circ}42'$ East.

40.00 Set a temporary $\frac{1}{4}$ sec. corner post.

43.55 Dry Creek 5 cts. wide runs N.W.

61.18 ~~North on 90.00~~ + 8.2 -

80.14 Intersect the N. & S. line $\frac{1}{2}$ mile

south from the corner to Secs.

26, 27, 34 & 35 from which

corner is run

S. $89^{\circ}57'$ N. on a true line between Secs. 27 & 34

Var. $13^{\circ}42'$ East.

40.07 Set a $\frac{1}{4}$ sec. corner post in
a mound and pits as
per instructions. No trees near.

80.14 The corner to sections 27, 28
33 & 34.

Land lease, Soil 1st rate
for grazing land -
Some scattering trees of
Iron wood & Paloverde.

Township 3 S. Range 4 West.

Gila & Salt River Meridian

Ch. North, between secs. 27 & 28

Va. $13^{\circ}42'$ East.

29.00 Dry Creek, 10 lks wide runs N. W

40.00 Set a $\frac{1}{4}$ sec. corner post in
a mound & pits as per
instructions. No trees near

59.80 Road runs N. W. & S. E. —

80.00 Set a post in a mound
with pits as per instructions
for the corner to secs. 21, 22
27 & 28,

No trees near

Land level and soil 1st
rate grazing lands —

Some scattering Iron wood
Palo verde & Mesquite trees.

Township 5 S. Range 4 West
Gila & Salt River Meridian

Chs. East, on a random line, bet. Secs. 22 & 27.
Var. $13^{\circ}42'$ East.

40.00 Set a temporary $\frac{1}{4}$ Sec. Corner
post

49.70 Dry Creek 10 lks. wide runs N. W. S.

79.92 Intersect the N. & S line at
the corner to Secs. 22, 23—

24 & 27 from which corner I run
West, on a true line between Secs. 22 & 27.
Var. $13^{\circ}42'$ East.

39.96 Set a $\frac{1}{4}$ Sec. Corner post in
a meadow & pits as per
instructions. No trees here

79.92 The corner to Secs. 21, 22
27 and 28—

Land level, soil 1st & 2nd
rate, some scattering
trees — & good grass land

Township 5 S. Range 4 West
 Gila & Salt River Meridian

Chs. North between Sections 21 & 22.
 Va. $13^{\circ}42'$ East.

- 27.10 Dry Creek 12 links wide, runs N.W.
 40.00 Set a $\frac{1}{4}$ sec. corner post in a
 mound and pits as per
 instructions No trees near
 80.00 Set a post in a mound & pits
 as per instructions for the
 corner to sections 15, 16,
 21 and 22.
 No trees near

Level level, soil 1st rate
 grazing land —
 a few scattering trees

Township 5 S. Range 4 West
Gila & Salt River Meridian

Chs. East, on a random line bet secs.
15 & 22

0a. 13°42' East.

40.00 Set a temporary $\frac{1}{4}$ sec. Cor. post.

80.10 In transit the N. & S. lines 17
links North from the Corner
to sections 14, 15, 22 & 28
from which Corner I run

N. 89°5 $\frac{3}{4}$ ' W. on true line bet. secs. 15 & 22

0a. 13°42' East.

40.05 Set a $\frac{1}{4}$ sec. Corner post in
a mound and pits as
per instructions.

No trees near

80.10 The Corner to secs. 15, 16,
21 & 22.

Sand level, Soil 1st rate
grazing lands.
Stems scattering Iron-wood
& Palo verde

Township 3 S. Range 4 West.

Line of Salt River Meridian

Chs. North, between Sections 15 & 16.

Or. $13^{\circ}42'$ East.

35.70 Dry Creek 20 links wide runs W.

40.00 at a $\frac{1}{4}$ sec. corner post in a mound & pits as per instructions. No trees near

80.00 at a post in a mound and pits as per instructions for the corner to Secs. 9, 10, 15 & 16.

A Suroorro 10 in diam Brs. N. 30° E. 24 links distant. No trees near

Sand level. Soil 2nd rate sandy

Gravel scattering Mesquite
Iron wood & Palo verde

Township 5 S, Range 4 W.

Line of Satt River Meridian

Chs. East, on a random line bet. Secs. 10 & 15
 Va. $13^{\circ}42'$ East.

40.00 Set a $\frac{1}{4}$ sec. Corner post
 for temporary corner

80.00 Intersect the N. & S. line
 at the corner to sections
 10, 11, 14 & 15, from which
 corner I run

West, on a true line bet. Secs. 10 & 15
 Va. $13^{\circ}42'$ East.

40.00 Set a $\frac{1}{4}$ sec. Corner post in
 a mound and pits as
 per instructions.

A Palo verde 8 in diam. bro. East, 370 links
 distant No other trees near.

80.00 The corner to sections
 9, 10, 15 & 16.

Land level. Soil 2nd rate
 and some gravel
 scattering trees —

Township 5 S. Range 4 West
Gila & Salt River Meridian

Chs. North, between Secs. 9 & 10.

Loc. 13° 42' East.

10.50 Road to Lyman runs E. & W.

40.00 Set a post in a mound &
pits for $\frac{1}{4}$ sec. corner as
per instructions.

Iron-wood 8 in diam. Brs. N. 30° W. 29 links distant

No other trees near

66.30 Dry Creek 10 links wide runs N.

80.00 Set a post in a mound &
pits as per instructions
for the corner to sections 3,
4, 9 & 10.

Iron wood 8 in diam, brs. N. 20° W. 90 links
distant, No other trees near.

Sand level. Soil 3rd rate
Dry & sandy
Scattered timber —

Township 5 S, Range 4 West
Gila & Salt River Meridian

Chs. East, on a Random line bet. Secs. 3 & 10.

Wa. $13^{\circ}42'$ East.

40.00 Set a true prorary $\frac{1}{4}$ Sec.
corner post —

79.92 Intersect the N. & S. line

23 links South from

the corner to Secs. 2, 3,

10 & 11, from which corner
I run

S. $89^{\circ}50'$ N. on true line, bet. Secs. 3 & 10.

Wa. $13^{\circ}42'$ East.

39.96 Set a $\frac{1}{4}$ section corner post
in a mound & pits
as per instructions.

No trees near.

79.92 The corner to Secs. 3, 4
9 & 10.

Sand level, soil 2^{d} & 3^{rd} mate
Scattering timber —

Township 5 S. Range 4 West
Gila & Salt River "Meridian"

Chs. North, on random line, bet Secs. 3 & 4.

va. $13^{\circ}42'$ East,

40.00 set a temporary $\frac{1}{4}$ sec.

Corner post

79.87 Intersect the North boundary

17 links East from the Corner
to sections 3, 4, 33 & 34, from

which Corner I run

S. -7° E. on true line bet. Secs. 3 & 4.

va. $13^{\circ}42'$ East

39.87. Set a $\frac{1}{4}$ sec. Corner post

in a mound and pits

as per instructions

No trees near.

79.87 The Corner to Secs. 3, 4.

9 & 10.

Sand level. Soil 2 & 3rd rate
Dry & sandy, some
scattering iron wood &
palo verde

Township 5 S. Range 4 West of
Giles & Salt River Meridian

Chs. East, on random line bet. Secs. 28 & 33
Va. $13^{\circ}42'$ East.

32.00 Bay Creek 3 cuts made on N.W.

40.00 Set a temporary $\frac{1}{4}$ Sec. Corner
post no

80.00 Return at the N. & S. line at
the corner to sections 27
28, 33 & 34. from which
Corner I run

West, on true line bet. Secs. 28 & 33
Va. $13^{\circ}42'$ East.

40.00 Set a $\frac{1}{4}$ section Corner post
in a mound with pits
as per instructions

No trees near

80.00 The Corner to sections 28
29, 32 & 33.

Land Cont. Sec's 1st rate
no trees

Township 5 S. Range 4 W
Gila & Salt River Meridian

Chs. North, between sections 28 & 29

on $13^{\circ}42'$ East

17.90 Dry Creek 10 links wide runs N.W.

40.00 Set a $\frac{1}{4}$ ac. corner post in
a mound & pits as per
instructions, No trees near.

80.00 Set a post in a mound
with pits as per instructions
for the corner to sections
20, 21, 28 & 29.

No trees near

Sand level, Soil 1st rate
Sandy loam,
No timber

Township 5 S. Range 4 W.

Line of Salt River Meridian

Chs. East, on a random line bet. Secs 21 & 28

ba. $13^{\circ}42'$ East.

9.30 Dry Creek 20 lks. wide runs N.W.

40.00 Set a $\frac{1}{4}$ sec. corner post for
two prongs $\frac{1}{4}$ sec. corner

79.90 Intersect the N. & S. line 15
links South from the corner
to sections 21, 22, 27 & 28,
from which corner I run

S. $89^{\circ}54'$ W. on true line bet. Secs. 21 & 28.

ba. $13^{\circ}42'$ East.

3995 Set a $\frac{1}{4}$ sec. corner post in
a mound with pits as
my instructions —

No trees near

79.90 The corner to Secs. 20, 21
28 & 29.

Sand level soil 2nd
rate No timber

Township 5 S. Range 4 W.

Gila & Salt River Meridian

Chs. North between Secs. 20 & 21.

VA. $13^{\circ}42'$ East

7.00 Dry Creek 20 links wide to N.W.

40.00 Set a $\frac{1}{4}$ sec. corner post
in a mound & pits as per
instructions

A palo verde 20 in diam to North 29 links

1 " " 8 in " Dry Creek 52 "

63.50 Hay Road to N.W. & S.E.

74.70 Dry Creek 15 links wide to N.W.

80.00 Set a post in a mound
with pits as per instruc-
tions for the corner to
Secs. 16, 17, 20 & 21.

No trees here

Sand level, Soil 1st &
2nd rate

Some scattering trees.

Township 5 S. Range. 4 West
Gila & Salt River Meridian

Ch. East, on a random line bet secs. 16 & 21.

Var. $13^{\circ}42'$ East.

40.00 Set a temporary $\frac{1}{4}$ Sec. Cor. post

^{80.08} 78.08 In transit the N. & S. line 11 links

North from the Corner to Secs,
15, 16, 21 & 22 from which I run

N. $89^{\circ}55'$ W. on true line, bet wens Secs. 16 & 21

Var. $13^{\circ}42'$ East.

40.04 Set a $\frac{1}{4}$ Sec. Corner post in a

mound with pits as per
instructions, No trees near

80.08 The Corner to sections 16, 17,

20 & 21.

Sand level. Soil 1st rate

Sandy loam

No timber

Township 5 S. Range 4 West.

Gile & Salt River Meridian

Chs. North, between sections 16 & 17.
 Va. $13^{\circ}42'$ East.

37.80 Jay Creek 15 links wide runs N.

40.00 Set a $\frac{1}{4}$ Sec. corner post in a
 mound with pits as per
 instructions.

An Iron wood 8 in diam. Bns $S. 5^{\circ} N.$ 210 links
 distant. No other trees near

80.00 Set a post in mound with
 pits as per instructions
 for the corner to sections
 8, 9, 16 & 17.

A Palo verde 8 in diam Bns $N. 69^{\circ} W.$ 202
 links distant, no other trees near.

Land level. Soil 1st & 2nd
 rate sandy loam
 a few scattering trees.

Township 5 S. Range 4 W.

Giles & Salt River Meridian

Chs. East on a Random line bet. Secs. 9 & 16.

Va. $13^{\circ}42'$ East.

10.00 Dry Creek, 10 links wide runs West.

40.00 Set a temporary $\frac{1}{4}$ sec. corner post

80.00 Intersert the N. & S. line at the corner to Secs. 9, 10, 15 & 16.

from which corner I run West, on true line bet Secs. 9 and 16.

Va. $13^{\circ}42'$ East.

40.00 Set a $\frac{1}{4}$ sec. corner post in a mound with pits as per instructions.

at Ironwood 8 in Bns. N. 52° E. 25 links dist.

" " 14 " N. 40° W. 25 " "

80.00 The corner to Secs. 8, 9, 16 & 17.

Land level soil 1st rate
Sextonney tralen —

Township 5 S. Range 4 W.
Gila & Salt River Meridian

Chs. North between secs. 8 ^{and} 9.
00.13°42' East,
10.10 Dry Creek 10 lengths wide Chs N. W.
18.150 Road to Yuwa bro E. & W.
40.00 Set a $\frac{1}{4}$ sec. corner post in
a mound & pits as per
instructions

No trees near

80.00 Set a post in a mound
with pits as per instructions
for the corner to Secs 4, 5
& 9.

No trees near

Sand level, Soil 2nd & 1st
rate, some scattered
mesquite timber

Township 5 S. Range 4 West.

Line of Salt River Meridian

Chs. East, on a random line bet Secs. 4th & 9.

Va. $13^{\circ}42'$ East.

40.00 Set a temporary $\frac{1}{4}$ Sec. Corner post

80.00 Intersect the N. & S. line at the

Corner to Secs. 3, 4, 9 & 10.

from which I run

West, on true line between Secs. 4 & 9.

Va. $13^{\circ}42'$ East.

40.00 Set a $\frac{1}{4}$ Sec Corner post in

Mound & pits as per instructions

An Iron wood 6 in. diam, bns, S. 8° W, 45 lvs
distant. One other tree near

80.00 The corner to sections 4,

5, 8 & 9.

Level level, Soil 1st rate
sandy loam
scattered timber —
Mesquite & Iron wood.

Township 5 S. Range 4 West

Gila & Salt River Meridian

Chs. North on a Random line between
Sections 4 and 5 —

ba. $13^{\circ}42'$ East.

40.00 set a temporary $\frac{1}{4}$ sec. corner post.

50.00 Road. Bors. N. E. & S. W.

80.00 Intense at the N. ^{the beginning} ~~S. E. corner~~

at the corner to Secs. 4, 5,

32 & 33 from which corner to run

South on true line bet. Secs. 4 & 5

ba. $13^{\circ}42'$ East. ▶

40.00 set a $\frac{1}{4}$ sec. corner post in
a mound with pits as per
instructions. No trees near

80.00 The corner to sections
4, 5, 8 & 9.

Sand level, soil 1st rate
no timber on line

March 24, 1871

Township 5 S, Range 4 West


Gilew & Salt River Meridian

Ch. North, between Secs. 31 & 32

ca. $13^{\circ}42'$ East,

40.00 Set a $\frac{1}{4}$ sec. corner post
in a mound with pits
as per instructions

No trees near

61.15  Dry Creek 10 links wide near

80.00 Set a post in a mound &
pits as per instructions

for the corner to Secs. 29,

30, 31 & 32, No trees near

Level, Soil 1st rate
Sandy loam,
No timber

Sectionship 5 S. Range 4 N.

Spica & Salt River Meridian

Chs. East, on a Random line bet secs.
29 and 32

ca. $13^{\circ}42'$ East

40.00 Set a $\frac{1}{4}$ sec. corner post
for temporary corner

80.10 Intersect the N. & S. line at
the corner to secs. 28, 29,
32 & 33, from which corner
I run

West, on true line between secs. 29 & 32.

ca. $13^{\circ}42'$ East.

40.05 Set a $\frac{1}{4}$ sec. corner post in
a mound and pits as
per instructions

No trees seen

80.10 The corner to sections 29
30, 31 & 32.

Land level, Soil 1st rate
Sandy loam

No timber —

Township 5 S, Range 4 West
Gila & Salt River Meridian

Chs. West, on Random line bet. secs. 30 & 31.

va. $13^{\circ}42'$ East.

- 19.60 Dry Creek 10 links wide runs N.
40.00 Set a temporary $\frac{1}{4}$ sec. Cor. post.
79.92 Intersect the West boundary
11 links North from the corner
to Secs. 30, 31, 25 & 36 from
which corner I run

N. $89^{\circ}55'$ E. on true line bet. Secs. 30 & 31.

va. $13^{\circ}42'$ East.

- 39.92 Set a $\frac{1}{4}$ sec. Corner post in
a mound & pits as per
instructions, No trees near
79.92 The corner to sections 29
30, 31 & 32,

Sand loam - Soil 1st rate
Sandy loam -
No timber
Good grass land.

48

Township 5 S. Range 4 West
 Line of Salt River Meridian

Chs. North between sections 29 & 30.

00. 13° 42' East

40.00 Set a post in mound and pits
 for 1/4 Sec. Corner as per
 instructions.

No trees near

80.00 Set a post in a mound &
 pits as per instructions
 for the corner to Secs

19, 20, 29 & 30.

Grown wood 10 in diam. Bears West,
 210 links distant, No other
 trees near

Land level, Soil 1st rate
 Sandy loam
 Some scattering trees of
 Grown wood, & Mesquites,

Township 58, Range 4 West

Gila & Salt River Meridian —

Chs. East, on a random line bet. Secs. 20 & 29
 Va. $13^{\circ}42'$ East.

5.05 Dry Creek 30 km wide near N. W.

40.00 Set a temporary $\frac{1}{4}$ sec. Corner
 post.

80.00 Intersect the N. & S. line at
 the corner to Secs. 20, 21, 28 &
 29 from which corner I run
 West, on true line bet. Secs. 20 & 29.

Va. $13^{\circ}42'$ East.

($\frac{1}{4}$ sec. corner)
 40.00 Set a post in a mound
 with pits as per instructions —
 trees, No trees near

80.00 The corner to sections
 19, 20, 29 and 30 —

Sand level, soil 1st rate
 sandy loam
 scattering Mesquite &
 Ironwood timber

Township 3 S, Range 4 W.
Gila & Salt River Meridian

Ch. West, on a random line bet

Sections 19 & 30.

04. 13° 42' East

40.00 Set a temporary 1/4 sec. cor. post.

77.80 Dry Creek 30 links wide runs N.

79.79 Intersect the West boundary
19 links North from the

Corner to Secs. 19, 30, 24 &

25 from which Corner I run

N. 89° 52' E. on true line bet. secs. 19 & 30

04 13° 42' East

39.79 Set a 1/4 sec. corner post

in a mound with pits
as per instructions

No trees near.

79.79 The corner to Secs. 19, 20
29 & 30

Sand level soil 1st rate
scattered trees.

Township 5 S, Range 4 W
 Tila & Salt River Meridian

Chs. North, between Secs. 19 & 20.

or. $13^{\circ}42'$ East.

3.00 Road runs N.E. & S.W.

13.40 Dry Creek 20 link wide Crs. N.W.

15.00 Road N.W.

40.00 Set a post in a mound for
 $\frac{1}{4}$ sec. corner as per instructions
 No trees near

56.00 Dry Creek, 20 link wide runs N.W.

80.00 Set a post in a mound and
 pits, as per instructions
 for the corner to Secs. 17, 18
 19 & 20.

No trees near

Sand level, Soil 1st rate
 Sandy loam
 A few scattering Mesquite
 trees

Township 5 S. Range 4 West.

Gila & Salt River Meridian

Chs. East, on a Random line bet Secs. 17 & 20
 Va. $13^{\circ}42'$ East

40.00 Set a temporary $\frac{1}{4}$ sec. cor. post

45.60 Road bet N. & S. .

73.45 Dry Creek 5 lks. wide runs N. W.

79.96 Intersect the N. & S. line 21 lks

South from the corner to
 Secs. 16, 17, 20 & 21 from which
 corner I run

$89^{\circ}57'$ N. on true line bet Secs. 17 & 20
 Va. $13^{\circ}42'$ East.

69.98 Set a $\frac{1}{4}$ sec. corner post in a
 mound & pits as per instructions
 No trees near

79.96 The corner to Secs. 17, 18,
 19 and 20.

Sand level, Soil 1st rate
 Scattered Mesquite trees
 and some Sage brush

Township 5 S. Range 4 West
 T12N + Satt River Meridian

Chs. West, on random line bet. Secs. 18 & 19.
 U.A., $13^{\circ}42'$ East,

17.90 Dry Creek 15 licks wide runs N. W.

22.50 Road bro. N. + S.

40.00 Set a temporary $\frac{1}{4}$ sec. corner post,

77.35 Dry Creek 30 licks wide runs N.

79.70 Set at the ~~West boundary~~ ^{West boundary} at
 the corner to Secs. 18 & 19.

13 + 24 from which Cor. I run

East on true line between Secs. 18 & 19.

U.A., $13^{\circ}42'$ East,

39.70 Set a $\frac{1}{4}$ sec. corner post in
 a mound & pits as per instructions
 No trees near

79.70 The corner to Secs. 17, 18, 19
 & 20 —

Land level, Soil 1st
 rate, some scattering
 mesquite trees —

Township 5 S, Range 4 West.

Gila & Salt River Meridian

Chs North, between Secs. 17 & 18.

Var. $13^{\circ}42'$ East

21.20 Dry Creek 10 links wide runs N. W.

40.00 Set a $\frac{1}{4}$ sec. corner post in
a mound & pits as per instructions No trees near

80.00 Set a post in a mound with
pits as per instructions
for corner to sections
7, 8, 17 & 18 —

a Mesquite 10 m long S. $52\frac{1}{4}^{\circ}$ W. 26 links dist

" 8 " " N. $21\frac{3}{4}^{\circ}$ W. 38 " "

No other trees near
Gila Bend Station Bears N. 60° E.
about 5 chains distant.

Sand hued soil & rate
some scattering
mesquite timber —

March 25 1891

Township 5 S, Range 4 W,

Line of Satt Run Meridian

Chs. East on a random line lot sections
8 and 17.

On. $13^{\circ}42'$ East.

5.00 Line Station House 50 links N. of line

10.00 Road N. + S —

40.00 Set temporary $\frac{1}{4}$ sec. corner
post

80.00 Intersect the N. + S. line
at the corner to sections
8, 9, 16 + 17, from which I
run

West, on a true line lot sec. 8 + 17.

On. $13^{\circ}42'$ East.

40.00 Set a post in mound and
pits for $\frac{1}{4}$ sec. corner as
per instructions. chs trees.

80.00 At the corner to sec. 7, 8, 17
+ 18

Sand level, soil 1 at rate
No timber on line —

Township 5 S. Range 4 W.

File 7 Salt River Meridian

Chs, West, on Random two lot
Sections 7 & 18,

var. $13^{\circ}42'$ East.

8.40 Road to Yuma Co N. & S.

35.00 ~~Left~~ Bank of Yala River
& set a peak in ~~2~~ corner
as per instructions for

Meander corner. Run down
S.W. Corner run an offset

North, 5. chains across River
Thence

West, cornering, the distance
already run at

40.00 set a ^{reference} witness $\frac{1}{4}$ sec.

corner just on the right

Bank of the River 5 chains
79.00 ^{North of the corner} set the west boundary

Thence back onto

line along the West boundary

South, 5 chains to

Go to the corner to sections
7, 18, 12 & 13. from
which corner I run
East, between sections
7 & 18.

va. $13^{\circ} 42'$ East

39.60 set a witness corner
post ^(see map of 4 sections) 5 chains North
from the 4 section
corner as per instructions
This corner point being in the run
79.60 The corner to Ques. 7, 8
17 & 18.

Sand level soil 1st
rate (no timber)
Willow brush on run.
The Left Bank of the
run is 15 feet high &
The Right bank 5 feet
high

Township. 5 S. Range 4 W

File & Salt River Meander

Chs. North, between Secs. 7 & 8.

var. $13^{\circ}42'$ East

4.20 Road to Grinnar br N.E. & S.W.

40.00 Set a $\frac{1}{4}$ sec. corner post

in mound and pits
as per instructions

@ Cottonwood 10 in. diam. br.

N. 23° E. 30 links dist —

45.60 Left bank of File River

row, S. W. and set a

meander post in mounds

& pits as per instructions.

Then an offset

West, 5 chains cross river

Then —

North corner tree. The

distance already run

70.00 Then down

East, Back onto line

5 chains, then

T. 3 S. R. 4 W.

Silo & Salt Run Roads.

Chs. North along the line bet
sections 7 & 8. Counting
the distance already
run at

80.00 set a post in mound
and pits as per
instructions per
the corner to sections
5, 6, 7 & 8.

No trees run

Land level soil 1st
rate -

Some Cotton wood trees
on the run -

Township 5 S, Range 4 W,

File & Salt River Meander

Ab. East, on Random line between 5 & 8
 va. $13^{\circ}42'$ East.

5.00 Right bank of File River
 & set a peak for meander
 corner as per instructions.

8.20 The Left bank of river
 & set a meander post
 as per instructions.

no trees near

~~40.00~~ set a temporary $\frac{1}{4}$ Sec. corner post

41.20 Old ditch runs south

56.90 Road runs N. & S. —

80.00 Intersect the N. & S. line
 at the corner to Secs.

4, 5, 8 & 9, from which
 corner I run —

West, on true line between 5 & 8
 va. $13^{\circ}42'$ East

40.00 set a $\frac{1}{4}$ Sec. corner post
 in a mound with pits
 March 27th 1871.

T. 5 S. Range 4 West

Gila & Salt River Merid.

cha

as per instructions

No trees near
80.00 @ the corner to Secs. 5, 6,
7 & 8—

Sand level soil 1st rate
A few Cotton wood &
Mesquite trees —

As only a portion of the line
between sections 6 & 7 can
be run, I therefore run
West on a true line bet Secs. 6 & 7.
Bearing, $13^{\circ}42'$ East

23.70 begin to ascend & level bottom
40.00 set a stake 16 x 10 x 8 in
for $\frac{1}{4}$ Sec. Corner as per
instructions —

No trees near
From here the line is
unpracticable, & I could
run no farther.

Township 5 S, Range 4 W
 T15N & 8th Rm Meridian

Obs. North on a Random line bet
 sections 5 & 6.

var. $13^{\circ}42'$ East

40.00 Set a temporary $\frac{1}{4}$ sec
 corner post —

45.60 Square bottom & ascend

79.86 Intersect the North boundary
 line 27 links west
 from the corner to
 sections 5, 6, 31 & 32

from which cor. I run
 $S. 0^{\circ}12' N.$ on true line bet sec. 5 & 6.
 var. $13^{\circ}42'$ East

39.86. Set a $\frac{1}{4}$ sec. corner post
 in a mound with pits
 as per instructions
 no trees near

79.86 From corner to sec. 5, 6, 7 & 8.
 Sand lined soil
 $10. 2^{\circ}$ & 3° east —
 a few trees on the run

General Description.

The lands in this Township are of average superior quality.

The face of the lands is level & smooth, and the slope from the table lands to the river bottom is so gentle that it is impossible to detect where the table lands begin or where the bottom lands quit.

There is an abundance of Mesquite, Iron wood & Palo verde, Ber feet and grass is abundant.

The small grains or cereals will flourish in all parts where the land can be irrigated.

Township. 5 S. R. 4 W.

Sila & Salt Run Meander

Meanders of the Left
Bank of Sila Run.

Begin at the meander
post on the North
boundary of sec. 5 and
on the left bank of the
said Run, going
down stream with
the meanders of the
left bank.

In Section No. 5.

South 49.00 chas

S. 30° W. 26.00 "

S. 72½° W. 27.00 to the meander post
between secs. 5 & 8.

Thence in Sec. 8.

S. 20½° W. 23.50

S. 36½° E. 6.00

S. 25° W. 8.30. To meander corner
post between
secs. 7 & 8. —

Cours. Dist.

Thence in Sec. 7.

S. 25° W. 27.00

S. 43° W. 26.00

S. 73° W 6.00

To meander corner
post between
Secs. 7 & 18.

Thence in Sec. 18.

S. 81 $\frac{3}{4}$ ° W. 45.00 chains to the meanderpost on the west
boundary of section
No. 18, and 73.50 chains
north from the S. W.
Corner to Secs. 18—

The reason for selecting the left bank for meanders is that all the lands of value are on the left bank, which is from 15 to 20 feet high while the right bank is not more than 3 feet and

The narrow bottom runs
on the right bank and
soon pinched out by
the steep rocky mountains
that approach very
near the river on
that side —

S. M. S. review
Sept. Survey
March 28th 1871.