

*Indexed
West*

No. 1166

BOOK 1166

Field Notes

OF THE SURVEY OF THE

SUBDIVISION LINES

No. 1166^{OF} BOOK 1166

Township 1 S. Range 2 W.

Gila and Salt River Base and Meridian

ARIZONA.

By *R. C. Powers* D. S.

under contract dated *Oct 24* 1882.

Survey commenced *Jan. 11th* 1883.

Survey completed *Jan 15th* 1883.

1166

1A

BOOK 1166

INDEX DIAGRAM.

Township 1 S.

Range 2 W.

6	94	5	69	4	50	3	33	2	17	1
92		91		67		49		32		16
7	89	8	65	9	47	10	31	11	15	12
87		86		64		46		29		13
18	84	17	62	16	44	15	28	14	12	13
83		82		61		43		26		11
19	80	20	59	21	41	22	25	23	9	24
79		78		58		40		23		8
30	76	29	56	28	39	27	22	26	6	25
75		74		55		37		21		5
31	72	32	53	33	36	34	19	35	4	36

Gila and Salt River, Arizona.

ARIZONA.

=
BOOK 1166

Subdivision Lines
Sp 1 S. R. 2 W.

For preliminary and final notes
see Books for Gila and Salt River
Base Line, and T₁ N. R 2 W.
respectively

Subdivisions D. 1 S. R. 2 W.

Gila & Salt River Meridian

Survey commenced
January 11th 1883.
with a Burts Patent Imp-
roved Solar Compass.
made by John
Roach of San
Francisco California

Before commencing the
survey of the subdivision
lines, of this Sp. I carefully
examined the adjustments
of my Solar Compass.
particularly the latitude
and leveling apparatus
and found them correct.
I also further examined in-
strument daily, while sub-
dividing the township.

Subdivision T. 1 S.

chain

From the Corner to Secs. 1.2. 35 & 36. on South By of Tp. which was just recently established by me, I run North bet. Secs. 35 & 36.

4000 ^{Var. 13° 54' E}
(as per observation with solar compass)
Set a post 3 ft. long, 3 in. sq. with marked stone 12 in. in the ground, for 1/4 sec. bet. marked 1/4 S. on N. face dug pits 18" x 18" (2 in. W. of post 5/8 ft. dist. and raised a mound of earth 1 1/2 ft. high 3 ft. base around post.

8000 Set a post 4 ft. long, 4 in. sq. with marked stone 12 in. in the ground, for cor. to Secs. 25. 26. 35 & 36. marked T. 1 S. S. 25 on N. E.

R. 2 W. continued

Chair

R. 2 W. S. 36 on S. E.

S. 35 on S. W. and

S. 26 on N. W. face, with
notch on E. S. Edge, dug
pits 18 x 18 x 12 in. in each
sec. 5/8 ft. dist. and raised
a mound of earth eff. high
4/8 ft. base around spot

Surface level

Soil 1st rate

Scattering Paloverde

Vase Greenwood bomb.

Cast on a random line, bet.

Secs. 25 & 36.

Var. 130 54' 21

40.00 Set temperature 1/4 sec. cor.

80.00 Intersect E. By of Sp. at cor. to

Subdivisions N. 1 S.

Lines

secs. 25, 30, 31 & 36. Hence
I run West on a true line bet.

Secs. 25 & 36. with same as.

40.00 Set a Post ept. long, 3 in. sq.
with marked stone 12 in. in
the ground, for 1/4 sec. cor. marked
1/4 S. on N. face, dug pits 18" x 12"
in. E. W. of post of ept. dist.
and raised a mound of earth
1/2 ft. high ept. base around
post.

80.00 The cor. to Secs. 25, 26, 35 & 36.

Surface level

Soil 1st rate

Some Grasswood bough.

North bet. Secs 25 & 26.

Var 130 54' 8"

R. 2 W. continued

chains

4000 Set a Post 8 ft. long, 4 in. sq. with marked stone pins in the ground, for $\frac{1}{4}$ sec. Cor. marked $\frac{1}{4}$ S. on N. face, dug pits 18 1/2 x 12 in. West of post 5 1/2 ft. dist and raised a mound of earth 1 1/2 ft. high 3 ft. base around post.

63.90 Dry ranch 2 ft. deep. 10 ft. wide across West.

8000 Set a Post 4 ft. long 4 in. sq. with marked stone pins in the ground, for Cor. to Sec. 23. 24. 25 & 26. marked

S. 1 S. S. 24 on N. E.

R 2 W. S. 25 on S. E.

S. 26 on S. W. and

S. 28 on N. W. faces with 1 notch on E & 2 notches on S. edge, dug pits 18 1/2 x 12

Subdivisions N. 1 S.

Lines

ins. in each sec. 5/8 ft. dist.
and raised a mound of
earth 2 ft. high 4 1/2 ft. base
around post.

Surface level

Soil 1st rate

use greenwood brush.

East on a random line bet.
Secs. 24 + 25.

Var. 130° 54' E!

40.00 Set temporary 1/4 sec. cor.

80.00 Intersect E. By of P. 10 kts N.
of cor. to Secs. 19, 24, 25 & 30.

Place Iron N. 89° 56' W.
in a true line bet. Secs. 24 + 25.
with same or.

40.00 Set a Post 2 ft. long etc.

R. 2 W. continued

claim

sq. with marked stone 12 ins.
in the ground for $\frac{1}{4}$ sec. Cor.
marked $\frac{1}{4}$ S. on N. face dug
pit 18 x 18 x 12 ins. E. W. of post
 $5\frac{1}{2}$ ft. dist. and raised a mound
of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base
around post.

8000 The cor. to Secs. 23, 24, 25 & 26.
Surface Rolling
Soil 1st rate
dense Greenwood Bush.

North lot. Secs. 23 & 24.

Var. $13^{\circ} 54' E.$

23.10 by wash 4 ft. deep, 10 lbs. weight, course N. 20° W.

31.80 " " 3 " 15 " " " N. 50° W.

40.00 Set about 3 ft. long, 3 ins. sq. with
marked stone 12 ins. in the ground.

Subdivision N. 1 S.

Claims

for 1/4 sec. Cor. marked 1/4 S. on
 N. face dug pits 18x18x12 ins.
 225 ft. of post. 5/8 ft. dist. and
 raised a mound of earth 1 1/2
 ft. high 3/8 ft. base, around post.

66.80 by west 2/3 ft. deep, 90 lbs with, same N. 65° W.

79.20 " " 10 " 56 " " S. 45° W.

80.00 Set a Post 4 ft. long, 4 in. sq. with
 marked stone 12 in. in the ground
 for Cor. to Secs. 13, 14, 23 & 24, marked
 S. 1 S. S. 13 or N. E.

R. 2 N. S. 24 or S. E.

S. 23 on S. W. and

S 14 on N. W. face, with 1
 notch on E & 3 notches on S. edge,
 dug pits 18x18x12 ins. in each
 sec. 5/8 ft. dist. and raised
 a mound of earth 2 ft high
 2/4 ft. base around post.

D. 2 W. continued

chain

Simple rolling
Soil 2d soil
Scattering Peavines & Mesquite
and some Catclaw & Greas-
wood Bush.

Start on a random line bet.

Secs. 13 & 24.

Var. $13^{\circ}54'E$.

4000 Set temporary $\frac{1}{4}$ sec. cor.

8008 Intersect E. By of Tp. 10th N.
of cor. to Secs. 13, 18, 19 & 24.

Thence bearing $N. 89^{\circ}56'W$.

on a true line bet. Secs.

13 & 24. with same va

4004 Set granite stone 164206
in. 11 in. in the ground
for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ sec.

Subdivision S. 1 S.

chains

on N. face, and raised a
 mound of stone alongside
 Pt. impracticable

8000 The cor. to Secs. 13, 14, 23 & 24.

Surface rolling
 Soil 2^d rate

Scattering Paloverde & *Quercus*
 Greeneoak & *Bursera*

North bet. Secs. 13 & 14.

Cor 13° 54' E!

19.34 by each 15ft. deep balks on N. corner S. 40° W.

4000 Set a granite stone 16 x 10 x 8 in.

11 in. in the ground, for 1/4
 sec. cor. marked 1/4 on N.

face, and raised a mound
 of stone alongside Pt. imp-
 racticable from which

R. 2 W. continued

chains

a Ploverde 4 tw. d. v. to East 2 lks dist
marked $1/4$ S.B.P.

54.46 by wash up, deep. 30 lks wide, same West

80.00 Set a granite stone $24 \times 16 \times 5$ in.

18 in. in the ground, for cor. to
Secs. 11, 12, 13 & 14, marked with
1 notch on E & 4 notches on S.
edge, and raised a mound
of stone alongside Pit imp-
racticable

Surface rolling Hills along foot
of High Mtn.

Soil 3^d rat

Scattering Ploverde & Green-
wood Bush. Sene cactus.

Cast on a random line bet. Secs.
12 & 13.

Subdivisions S. 1 S.

Chains

Var. $13^{\circ} 54' 8''$

Ascend steep Mountain

34.00 Top of Mtn about 200 ft. high
to h. W & S. $E. 50^{\circ}$ thence along top.

52.00 Descend to East.

80.18 Intersect E. Ry 8th S. of cor.
to Secs. 7, 12, 13 & 18. Thence I
run S. $89^{\circ} 57'$ W. on a true
line bet. Sec. 12 & 13. with ^{summit}40.09 Set a granite stone 16 x 10 x 6 in.
11 in. in the ground for 1/4
sec. Cor. marked 1/4 on N. face
and raised a mound of stone
along side Pt. impracticable80.18 The cor. to Secs. 11, 12, 13 & 14.
Surface mountainous
Soil of the rateScattering Paloverdes
Cactus Bunch

R. 2 W. continued

chains

North lat. Secs. 11 & 12.

Var. 1305718!

- 2.58 Dry wash 10 ft. deep 25 lbs wide, course West.
- 38.40 " " 6 " " 15 " " " "
- 40.00 Set a Granite stone 15+12+8 in.
10 in. in the ground, for $\frac{1}{4}$ sec.
Cor. marked $\frac{1}{4}$ on N. face, and
raised a mound of stone along-
side Pt. impracticable
Ascend Mtn.
- 46.50 Top of N. W. End of Mtn 150 ft.
High + descend.
- 58.30 Dry wash 20 ft. deep. 80 lbs wide, course N 71° W.
Foot of Mtn enter valley.
- 80.00 Set a Granite stone 15+8+6 in. 10
in. in the ground, for cor. to Sec.
1, 2, 11+12, marked with notch
on E. notch on S. edge, and
raised a mound of stone.

Subdivisions T. 1 S.

chains

alongside, Pts impracticable
 Surface Monotonous & rocky
 Soil 3d rate
 Scattering Paloverde & Green-
 wood Bush.

East on a random line bet.
 Secs. 1 & 12.

Var. $13^{\circ} 54' E$

- 8.00 Very much sp. deep. 25 lbs in the corner S. 30° W.
- 40.00 Set temporary 1/4 sec. cor.
- 80.10 Intersect E. By of Sp. 23 lbs S.
 of cor. to Secs. 1, 6, 7 & 12 Thence
 Run S: $89^{\circ} 50' W$. on a true
 line bet. Secs. 1 & 12. with canon.
- 40.05 Set granite stone 18 x 14 x 8 in.
 12 in. in the ground for 1/4 sec.
 cor. marked 1/4 on N face

D. 2 W. continued

chains

And raised a mound of
stone alongside, Pat imp-
racticable

80. 10 The Cor. to Secs 1, 2, 11 & 12.

Surface rolling

Soil 2d rate

Scattering Paloverde &
some Greenwoodbush.

North on a true line bet. Secs.
1 & 2.

Var. 130 54' E'

21.46 By mach. ft. deep. 20 lbs wide, corner N. W.

27.35 " " 54 " 25 " " West

39.00 " " 8 " 30 " " West

40.00 Set a Granite stone 15 x 12 x 8 ins.
10 ins. in the ground, for 1/4 sec.
Cor. marked 1/4 on N. face

Subdivisions T. 1 S.

Lines

and raised a mound of stone
 alongside from which
 An Ironwood 18 in. dia. br. S 30° W. 50 ft.
 dist. marked 1/4 S. B. T.

80.08 Intersect Gila + Salt River Base
 line 2,40 lbs East of S. and
 and cor. to Sec. 35 + 36. Just
 recently established by me,
 at point of intersection I set
 a Post 4 ft. long, 4 in. sq. with
 marked stone 12 in. in the ground
 for closing cor. to Sec. 32. marked
 C.C. S. 1 S. R. 2 W. on S.

S. 1 on E and

S. 2 on W. face, with 1 notch
 on E 5 notches on W. edge,
 dug pits 18 + 18 + 12 in. S. E + W.
 approx. 5 ft. dist. and
 raised a mound of earth

D 2 W. continued

Chain

2 ft. high $4\frac{1}{2}$ ft. base around
Post.

Surface rolling + rocky

Soil 3^d rateScattering Ironwood + Palo-
verde + some undergrowth
January 11th 1883From the cor. to Secs. 2, 3, 34 + 35 on S. 1/4 of Sp.
first ascendently established by me from

North bet. Secs. 34 + 35.

Var. 130 54' E!

4000 Set a Post 3 ft. long, 3 in. sq. with
marked stone 12 in. in the ground
for 1/4 sec. cor. marked 1/4 S on
W face dug pits 18 + 18 + 12 in.
W. of post 5/8 ft. dist. and
raised a mound of earth
1 1/2 ft. high 3/4 ft. base around
post.

8000 Set a Post 4 ft. long, 4 in. sq. with

Subdivisions N. 1 S.

Chain

marked stone rim in the
ground, for cor. to Secs. 26-27.
34 & 35. marked

N. 1 S. S. 26 on N. E.

R. 2 W. S. 35 on S. E.

S. 34 on S. W. and

S. 27 on N. W. faces, with 2
notches on E & 1 notch on

S. edge, dug pits 18 x 18 x 12
ins. in each sec. 5 ft. dist.
and raised a mound of
earth 2 ft. high 4 ft. base
around post. from which
a Plowred line. dir. to. S 20° E. 225 ft. dist.
marked S. 1 S. R. 2 W. S. 35 B. P.

Simons level

Soil 1st set

Scattering Plowred

Some Greasewood Bush

R 2 W. continued

Lains

Part on a random line bet. Secs.
26 & 35.

Var. $13^{\circ} 54' E$

4000 Set temporary $1/4$ sec. cor.

8008 Intersect the line at cor. to
Secs. 25, 26, 35 & 36. Hence 0 mm
West. on a true line bet.

Secs. 26 & 35, with same cor.

4004 Set a post 3 ft. long rim. sq.

with marked stone 12 in. in
the ground, for $1/4$ sec. cor. marked

$1/4$ s. on the face, dug pits
18 & 18 & 12 in. E & W. of post.

$5/8$ aft. dist. and raised a mound
of earth $1/2$ ft. high $3/2$ ft.
bare around post.

8008 The Cor. to Secs. 26, 27, 34 & 35.

Surface level

Soil 1st rate

Subdivisions T. 1 S.

Class

Some Goosewood branches

North bet. Secs. 26 & 27.

No. 13° 57' E.

40.00 Set a Post 3 ft. long, 2 ins. sq. with marked stone 12 ins. in the ground, for 1/4 sec. cor. marked 1/4 S. on W. face dug pits 18 x 18 x 12 ins. W. S. of post. 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base around post.

54.44 Dug road 4 ft deep. sets with curve N. 50° W.

80.00 Set a Post 4 ft. long 4 ins. sq. with marked stone 12 ins. in the ground, for cor. to Secs. 22, 23, 26 & 27. marked

R. 2 W. continued

Kains

N. 1/2 S. 23 on N. E.

R 2 W. S. 26 on S. E.

S. 27 on S. W. and

S. 22 on N. W. faces, with
scratches on Ex. S. edge, dug
pits 18x18x18 ins. in each sec.5 1/2 ft. dist. and raised a
mound of earth 2 ft high
4 1/2 ft. base around post.

Surface level

S. or L 1st rate

Grove Greenwood land.

East on a random line bet

Stacs. 23 & 26.

Cor. 13° 54' S

4000 Set temporary 1/4 sec. cor.

80.10 Intersect N. S. line 10th

Subdivisions N. 1 S.

Claims

N. of cor. to Secs 23, 24, 25 & 26
 Thence I run N. 89° 54' W.
 on a true line bet. Secs. 23 & 26
 with same va.

40.05 Set a Post 2 ft. long, 2 in. sq.
 with marked stone 12 in. in
 the ground for 1/4 sec. Cor.
 marked 1/4 S. on N face, dug
 post 18 x 18 x 12 in. E & W of
 post 5/8 ft. dia. and raised
 a mound of earth 1/2 ft.
 high 3/4 ft. base around
 post.

80.10 To the cor. to Secs. 22, 23, 26 & 27
 Surface level
 Soil 1st rate
 Scattering Paloverdes
 Some Greasewood & Bunch

R. 2 W. continued

Claims

North bet. Secs. 22 & 23.

Year 1857 'E'

14.76 Dry wash 4 ft. deep. Bolts with corner N.W.

28.00 " " 4 " " 32 " " " West.

40.00 Set a Post 2 ft. long 2 ins. sq. with
marked stone 12 in. in the ground
for 1/4 sec. cor. marked 1/4 S on
W face, dug pit 18 x 18 x 12 in.
N.W. of post 5 1/2 ft. dist. and
raised a mound of earth 1 1/2
ft. high 3 1/2 ft. base around
post

80.00 Set a Post 4 ft. long 4 ins. sq.
with marked stone 12 in.
in the ground for cor. to
Secs. 14, 15, 22 & 23. marked
S. 1 S. S. 14 on N. E.
R 2 W. S. 23 on S. E.
S. 22 on S. W. and

Subdivisions S. 1 S.

chains

S. 15 on N. W. face, on the
2 notches on E + 3 notches
on S. edges, dug pits 18 x 18 x 12
in. in each sec. 5' app. dist.
and raised a mound of
earth app. high 4' app. base
around post.

Scattering Mesquit &
Paloverde trees.

Surface level

Soil 2nd rate.

East on a random line bet.
Secs. 14 + 23.

Var. 130° 54' E.

4000 Sit temporary 1/4 sec. cor.

80.10 Intersect N.S. line 16 lks

N of cor. to Secs. 13, 14, 23 + 24.

R. 2 W. continued

Chains

Thence Iron N. $89^{\circ} 53' W.$
 on a true line bet. Secs. 14 & 23.
 with same wa.

40.05 Set a Post 2 ft. long, 3 ins. sq. with
 marked stone 12 ins. in the
 ground for $\frac{1}{4}$ sec. bar. marked
 $\frac{1}{4}$ S. on N face, dug pit
 $18 \times 18 \times 12$ ins. E. W. of post
 $5 \frac{1}{2}$ ft. dist. and raised a
 mound of earth $1 \frac{1}{2}$ ft. high
 $3 \frac{1}{2}$ ft. base around post.

80.10 The Cor. to Secs. 14, 15, 22 & 23

Surface rolling

Soil 2^d rate

Scattering Mangrove & Palo-
 verde, trees.

Some greenwood bark.

Subdivision P. 15:

Chains

North bet. Secs. 14 & 15.

Var. 13054' 8"

- 40.00 Set a Malpais rock 18" x 14" x 8" in. 12 in. in the ground for 1/4 sec. br. marked 1/4 on W. face and raised a mound of stone along side. Pit imperceptible.
- 43.60 Ascend rocky ridge.
- 46.20 Top of Ridge 80 ft high to E. W.
- 49.80 Foot of Hill & dry wash 8 ft deep 20 ft wide curve N. 20° E.
- 58.42 Dry wash 4 ft deep, 20 ft wide curve N. 15° E.
- 60.60 " " 6 " 15 " " " N. 10° E
- 63.45 " " 4 " 45 " " " N. 15° E
- 80.00 Set a Post 4 ft long 4 ins. sq. with marked stone 12 in. in the ground for cor. to Secs. 10, 11, 14 & 15. marked

R. 2 W. continued

chains

S. 1 S. S. 11 on N. E.

R 2 W. S. 14 on S. E.

S. 15 on S. W. and

S. 10 on N. W. face, with
 2 notches on E. & 4 notches
 on S. edge, dug pits 18" x 18"
 in. in each sec. 5' aft. dist.
 and raised a mound of
 earth aft. high 4' aft. base
 around port.

S. in face rolling.

S. on L 2 a rate

S. on L 2 a rate

East on a random line
 bet. Secs. 11 & 14.

Nov. 13^o 54^o 2!

Over rolling foot hills.

Subdivisions P. 15.

claims

40.00 Set temporary 1/4 sec. cor.

80.06 Intersect N&S line 8 th S.
of cor. to Secs. 11, 12, 13 & 14.

Thence Iron S. 89° 57' W.
on a true line bet. Secs. 11 & 14,
with same on

40.03 Set a post 2 ft long circ. 2 1/2
ins. in the ground for 1/4
sec. cor. marked 1/4 S. on
N. face, dug pits 18 + 18 + 12
ins. E & W. of post 5 1/2 ft. dist.
and raised a mound of
earth 1 1/2 ft. high 3 1/2 ft. base

around post. from which a Mesquite
2 in dia. tree 3-5 ft. tall, 8 ft. th. dist. marked 1/4 S. P.

80.06 N. Cor. to Secs. 10, 11, 14 & 15.

Surface broken

S. as L 3° N abt

Scattering Mesquite trees.

Some Greasewoods & Catalpa brush

R. 2 W. continued

Lains

North bet. Secs. 10 & 11.

Var. $13^{\circ} 54' E$ 34.94 Dry wash up. deep. 2 1/2 lbs wide, course
N. $20^{\circ} W$.40.00 Set a Malpais rock $12 \times 12 \times 8$ in.
8 in. in the ground, for 1/4 sec.
Cov. marked 1/4 on N face,
and raised a ~~round of~~
stone along side, Pth
impracticable54.32 Dry wash off. deep. 1 1/2 lbs wide, course
N. $60^{\circ} W$.80.00 Set a Malpais rock $18 \times 12 \times 12$
in. 12 in. in the ground, for cor.
to Secs. 2, 3, 10 & 11. marked
with 2 notches on E & 5 notches
on S. edges, and raised a
round of stone along side
Pth impracticable, from atch

Subdivisions J. S.

Chain

Allover de 10 ins. dia. ln. S 10° W. 10 lbs
 Area marked S. 1 S. R 2 W. S. 10 B. P.
 Surface rolling.
 Soil 3d rat
 Scattering Palo Verde trees.
 Some Greasewood brush.

East on a random line bet.
 Secs. 2 + 11.

Var. 10° 54' E!

39.50 by mesh of depth 60 lbs with corner North
 40.00 Set temporary 1/4 sec. cor.

44.55 by mesh of depth 25 lbs with corner North
 80.04 Intersect N.S. line 18 lbs N of
 cor. to Secs. 1, 2, 11 + 12 Then 2.00
 N. 89° 57' W. on a true line bet.

Secs. 2 + 11. with same va.

40.02 Set a grain to stone 16 + 12 + 8.

R. 2 W. continued

chains

inc. 11 ins. in the ground for
 1/4 sec. Cor. marked 1/4 on
 N face, and raised a mound
 of stone along side, from which
 a Peloverde lim. dia. to S. 45° E. 20 lbs dia.
 marked 1/4 S. B. P.

80.04 The Cor. to Secs. 2, 3, 10 & 11.

Surface broken

Soil rocky & 3^d rat

Scattering Peloverde trees.

Dense Greasewood brush.

North on a true line bet Secs 2 & 3.

Var. B° 54' 8"

28.00 Ascend Butte

30.00 Paps & Descend 40 ft. deep.

34.00 Foot of Butte.

39.00 Cross Road N. 90° E.

40.00 Set a Post 3 ft. long, sim. of

Subdivisions T. 15.

chains

24 ins. in the ground for $\frac{1}{4}$
sec. cor. marked $\frac{1}{4}$ Sec W.
face, from which
a Measmt 18 ins. dia. br. S. 150 W.
& the dist. marked $\frac{1}{4}$ S. B. P.
no other trees within limits to

4.10. Dry wash 3 ft. deep. 1600 yds. or more
S 150 W. Enter Bottomer land

79.96 Intersect Gile & Salt River
Base line 2.38 lbs. E of ^{standard} cor.

to Secs. 34 & 35. just recently
established by me at point
of intersection I set a Post
4 ft. long 4 in. sq. with
marked stone 12 ins. in the
ground for closing cor. to
Secs. 2 & 3. marked

C. C. T. 15. R 2 W. on S.
S. 2 or E. and

Q. 2 W. continued

chains

S¹B on W. face, with 2
notches on E & 4 notches
on W. face, dug pits 18" x 18"
in. S. E. W. of post 5' x 2'
dist. and raised a mound
of earth 2' x high 4' x ft.
base around post.

Surface 41 chs broken 29 chs level
S. E. 1st and 2^d rate

Scattering Purgent trees.
Some Greenwoodborrh.

January 12th 1882

Subdivisions T. 1 S.

claims

From the Cor. to Secs. 3, 4,
33 & 34, on S. By of Tp.
first vicinly established
by me I run North betw
Secs. 33 & 34,

Var. 13054' E!

46.00 Set a Post 2 ft. long 2 in.
sq. with marked stone 12
in. in the ground, for $\frac{1}{4}$
sec. cor. marked $\frac{1}{4}$ S on
W. face, dug pits 18x18x12
in. At S. of post $5\frac{1}{2}$ ft. dist.
and raised a mound
of earth $1\frac{1}{2}$ ft. high 3 ft.
dia. around post.

60.00

Cross Road to N. W. & S. E.

80.00 Set about 4 ft. long 4 in. sq.
with marked stone 12 in.
in the ground, for cor. to
Secs. 27, 28, 33 & 34,

R. 2 W. continued

chain

marked T. 1 S. S. 27 on N. E.

R 2 W. S. 34 on D. E.

S. 33 on S. W. and

S. 28 on N. W. facing with
3 notches on E. 1 notch on S.
edges, dug pits 18x18x12
ins. in each sec. 50 ft. dist.
and raised a mound of
earth 2 ft. high ~~at~~ base
around post.

Surface level

S in E 1st route

Have grass woods

cut clear Brush.

Cart on a random line
bet. Sec. 27 & 34.

Var B 54 E

Subdivision T. 1 S.

Chain

4000 Set temporary $\frac{1}{4}$ sec. cor.80.00 Intersect N&S line & the
S of Cor. to Secs. 26, 27, 34 & 35.
Thence I run S. $89^{\circ}57'W$.
on a true line bet. Secs.
27 & 34 with same va.4000 Set a Post 3 ft. long, 3 in.
sq. with marked star 12
ins. in the ground for $\frac{1}{4}$
sec. cor. marked $\frac{1}{4}$ S on
N face, dug pit to 18 x 18 x 12
ins. E. W. of post $5\frac{1}{2}$ ft
dist and raised a mound
of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft.
base around post.80.00 The Cor. to Secs. 27, 28, 33 & 34.
Surface level
Stave 2^d rate.
Have Greenwood Bush.

R. 2 W. continued

chains

North bet. Secs. 27 & 28.

Twp. 13⁰⁰ & 14⁰⁰ 'E'

- 40.00 Set Post 3 ft long rim. of 24 ins. in the ground for $\frac{1}{4}$ sec. Cor. ^{18 x 18 x 12 in. had of post 5 ft. dist. and buried a worm of earth} marked $\frac{1}{4}$ S. in W. face, from which a Survey 14 ins. dia. br. 242° W. 20 lbs dist. marked $\frac{1}{4}$ B. S. no other tree within limits.
- 57.00 Base of Mtn ridge
- 60.40 Top of Mtn br. Ex W. descend
- 68.00 Foot & ascend another
- 73.00 Top br. N. Ex S. W. 71° descend
- 80.00 Foot of Mtn Set a Goum to stone 18 x 16 x 8 ins. 12 ins. in the ground for Cor. to Secs. 21, 22, 27 & 28, marked with 3 notches on Ex 2 notches on S. edge, and raised a worm of stone along—

Subdivision T. 1 S.

Claims

side, from which
 a Paloverde 8 in. dia. to N 450 W. 150 ft. ^{4.7}
 marked T. 1 S. R. 2 W. S. 21 B. S.
 surface 4 oaks level Soil 1st rate
 4 oaks mountainous S. 3rd rate
 Scattering Paloverde trees
 Greasewood Bush.

East on a random line
 bet Secs. 22 + 27.

Var. 13054' E!

40.00 Set temporary 1/4 sec. cor.
 80.04 Intersect N 1/4 line 6th N.
 of Cor. to Secs. 22, 23, 28 + 27.
 Hence from N. 89° 57' W.
 on a true line bet. Secs.
 22 + 27. with same as.

40.02 Set a Post 3 ft. long Sim.

R. 2 W. continued

chain

sq. with marked stone pins in
the ground, for $1/4$ sec. cor.
marked $1/4$ S. on N face, dug
posts 18 x 18 x 12 ins. E & W. of
post. $5/8$ ft. dist. and raised
a mound of earth $1 1/2$ ft. high
 $3/8$ ft. base around post.

80.04 The Cor. to Secs. 21, 22, 26 & 27.
Surface rolling.
Soil c. 2' or more
dense greasewood bunch.

North bet. Secs. 21 & 22,

7 or. $13^{\circ} 54' E$

- 1.50 Dry wash 8 ft. deep, 25 lbs with some East
11.00 Base of Mtn & ascend
16.50 Top of Mtn ridge, 100 ft. high on E. W.
20.00 Foot of Mtn. Enter valley

Subdivisions S. 1 S.

Chalms

4000 Set a Post 3 ft long, sim. sq. with
marked stone 12 ins. in the
ground, for $\frac{1}{4}$ sec. cor.
marked $\frac{1}{4}$ S. on W. face,
dug pits 18 x 18 x 12 ins. N. & S.
of post $\frac{5}{8}$ ft. dist. and
raised a mound of
earth $\frac{1}{2}$ ft. high $\frac{3}{4}$ ft.
Lace around post from
which an Ironwood 14 ins. dia. br.

N. 410 E. 52 lbs dist. marked $\frac{1}{4}$ S. 13 S.

8000 Set a Post 4 ft. long, 4 in. sq.
with marked stone 24 in.
in the ground, for cor. to
Secs. 15, 16, 21 & 22, marked
S. 1 S. S. 15 on N. E.

R 2 W. S. 22 on S. E.

S. 21 on S. W. and

S. 16 on N. W. face,

R. 2 W. continued

Chains

with sketches on Ex. S. edge,
 dug pits 18" x 18" in each sq. of plot and raised a mound of
 earth 1/4 ft. high 3/4 ft. long and 1/2 ft. wide
 from which.

1 Paloverde 8 in. dia br. N 70° E. 30 lbs dist
 marked T. 1 S. R. 2 W. S. 15 B. T.

2 Paloverde 14 in. dia br. S 48° W. 180 lbs
 dist. marked T. 1 S. R. 2 W. S. 21 B. T.

Surface Rolling & mountains
 Secs 2^d & 3^d rate

Scattering Paloverde & Iron-
 wood trees.

Blue Greasewood Bush.

East on a random line bet.

Secs. 15 & 22.

Var. N 30° 54' E

27.00 Dry wash 2 ft. deep 28 lbs wide, com. N 72° W.

40.00 Set temporary 1/4 sec. cor.

60.00 by Wash 4 ft. deep 30 lbs wide com. S. 57° W.

79.97 Intersect N-S line at corner

Subdivisions T. 1 S.

chains

to Secs. 14, 15, 22 + 23. Thence
 Iron West on a true line bet.
 Secs. 15 & 22, with curve var.

39.98 Set a Post 3 ft. long rim. 2. of
 ans. in the ground for $\frac{1}{4}$ sec.
 Cor. marked $\frac{1}{4}$ S. on N. face
 from which a Peloverde rim.
 dia. ln. S. 150 W. 110 lbs dist. marked

$\frac{1}{4}$ S. B. S. with a tree within limits
 and found a magn. def. stone corner post

79.97 The corner Secs. 15, 16, 21 & 22

Surface level

Soil 1st set

Scattering Peloverde

dense Goussier wood brush.

North bet. Secs. 15 & 16.

Var. 130.54' 8"

1.15 by mark 4 ft. deep 20 lbs. mark

R. 2 W. continued

Lains

course S 41° W.

- 31.00 Base of Mtn & ascended
- 37.66 Top of Mtn 150 ft. high to E. W.
Blossard
- 40.00 Set a granite stone 18 x 12 x 7 in.
12 in. in the ground, for 1/4 sec.
Cov. marked 1/4 on W face,
and raised a rounded
stone alongside it to impracticable
- 43.00 Foot of Mtn enter valley
- 58.00 Dry wash 6 ft. deep, 15 ft. wide, course
N. 50° W.
Near Road
- 80.00 Set a Melpeis rock 14 x 14 x 6 in.
10 in. in the ground for Cov. 6 Sec.
9. 10. 15 & 16. marked with 3 notches
on E & 4 notches on S. edge, and
raised a rounded stone along-
side, from which.

Subdivisions N. 1 S.

chain

At Paloverde Cir. Sta. In. N. 100 E. 41 lbs dist.
marked N. 15. R 2 W. S. 10 B. 1.

Surface rolling & rocky

Soil 3^d rate

Scattering Paloverde trees.

Dense Yucca wood & Catclaw
Bunch.

Start on a random line bet
Secs. 10 & 15,

Var. 13054' 2'

Thence over Rolling Hills.

17.20 Dry wash sp. deep 18 lbs wide course North

30.40 " " 4 " 15 " " " N. 30° E.

39.46 " " 6 " 30 " " " N. 50° E.

40.00 Set temporary 1/4 sec. cor.

49.98 Intersect N.S. line 10 lbs N.
of cor. to Secs 10, 11, 14 & 15.

R. 2 W. continued

chain

Thence from N. $89^{\circ}56'W.$ on
a true line bet. Secs. 10 & 15,
with same va.

39.99 Set a post 3 ft. long, circ. sq. with
marked stone 12 in. in the ground
for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ S. on
N face of dry pit 182/182/12 in.
E. W. of post $\frac{5}{8}$ ft. dist. and
raised a mound of earth $1\frac{1}{2}$ ft.
high $\frac{5}{8}$ ft. base around post.

40.98 The corner to Secs. 9, 10, 15 & 16.
Surface rolling.
Soil rocky & 2^d rate
Scattering Ploverde trees
some greenwood found.

North bet. Secs. 9 & 10

Var. $13^{\circ}54'E.$

Subdivisions. J. 1 S.

chain

4000 Set a post 3 ft. long 3 ins. sq. with marked stone 12 ins. in the ground, for $\frac{1}{4}$ sec. corner marked $\frac{1}{4}$ S. on N face, dug pits 18 x 18 x 12 ins. West of post 5 ft. dist. and raised a mound of earth $\frac{1}{2}$ ft. high $\frac{3}{4}$ ft. base around post.

8000 Set a gran testone 12 x 10 x 8 ins. 8 ins. in the ground for Secs. 3, 4, 9, & 10, marked with 3 scratches on E & 5 scratches on S edge, and raised a mound of stone along side, P to imp. rectifiable
Surface broken
S' on 2nd rate

R. 2 W. continued

chains

thence Catclaw & Ploverch
Bunch.

East on a random line bet.
Secs. 3 & 10.

Var. $N. 54^{\circ} E.$

- 1.00 Dry wash 15 ft. deep 20 lbs wide curve
N. $40^{\circ} E.$
- 16.30 Cross Road to N.S.
- 27.15 Dry wash 1 ft. deep 20 lbs wide curve N. $40^{\circ} E.$
Set temporary $\frac{1}{4}$ sec. cor.
- 49.60 Cross Road to N. E. S. W.
- 65.55 Dry Wash 4 ft. deep 20 lbs wide, curve with
80.00 Intersect N.S. line 14 Cos S. of
Cor. to Secs. 2, 3, 10 & 11. Thence
I run S: $89^{\circ} 54' W.$ on a true
line bet. Secs. 3 & 10. with
same va.
- 40.00 Set a Post 3 ft long, 3 ins sq.

Subdivisions S. 1 S.

claims

with marked stone 12 in. in
the ground for $\frac{1}{4}$ sec. cor.
marked $\frac{1}{4}$ S. on N. face,
dug pits 18 x 18 x 12 in. E. of
post 5 ft. dist. and raised
a mound of earth $7\frac{1}{2}$ ft.
high $3\frac{1}{2}$ ft. base around post.

00.00 The cor. to Secs. 3, 4, 9 & 10.

Surface broken

Soil 2 d. rate

Scattering Palo Verde trees.

Some Greasewood brush.

North on a true E line bet. Secs.
3 & 4.

Var. $13^{\circ} 54' E!$

6.03 Dry mark 3 ft deep 15 lbs weight, course $3.30 E!$

7.15 Descend off mesa 10 ft. Enter

R. 2 W. continued

chains

bottom land

- 37.90 Cross Road across E. W.
 4000 Set a Post 3 ft. long 3 in. sq.
 with marked stone 12 in. in
 the ground for $\frac{1}{4}$ sec. cor.
 marked $\frac{1}{4}$ S. on W. face, dug
 pits 18 x 18 x 12 in. N.W. of post.
 51 ft. dist. and raised a
 mound of earth $1\frac{1}{2}$ ft. high
 $3\frac{1}{2}$ ft. base around post.
- 53.00 Low Bottom
- 61.00 Left Bank of Gila River low Banks
- 65.87 Right " " " " " "
- Enter low Bottom
- 71.10 Ascend off. enter high Bottom
 and Mesquite timber
- 80.14 Intersect Gila + Salt River Base
 line 2.47 chs East of Stand-
 and Cor. to Secs. 33 + 34.

Subdivisions S. 15.

chains

just recently established
by me at point of intersec-
tion East & Post 4 ft. long 4
in. sq. with marked stone
12 in. in the ground for
closing Ar. W. Sec. 3 & 4
marked C. C. S. 15. R 2 N. or S.

S. 3 on E. and
S' 4 on W. face, ^{with 3 notches on E. & W. edges} dug pits
18 x 18 x 12 in. S. E. W. of post
5 1/2 ft. dist. and raised
mound of earth 2 ft. high
4 1/2 ft. base around post.
Surface rolling along
River

S on 1st and 2^d rate
Scattering timber
along River
dense Gorsewood & Arrow bush
January 13. 1883

R. 2 W. continued

Lains

From the Cor. to Secs. 4.5.
32 & 33. on S. By of T₆.
just recently established
by me I run North
bet. Secs. 32 & 33.

Var. $13^{\circ} 54' E$

Ascend

12.00 Top of Ridge to N. W & S. E. 70°

Descend

16.00 Foot of Ridge enter valley

40.00 Set a post 3 ft. long sim. w. with
marked stone 12 ins. in the
ground, for $\frac{1}{4}$ sec. cor. marked
 $\frac{1}{4}$ S. on W. face, dug pits
18 & 18 & 12 ins. Post offset $\frac{5}{8}$
ft. dist. and raised a mound
of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base
around post.

41.05 Dry wash 4 ft. deep. 20 ft. wide, course

Subdivisions T. 1 S.

Chain

N. 50° W.

78.18 by mark 2 ft deep, 10 lbs wide corner S. 31° 29'

80.00 Set a Post. 4 ft. long 4 in. sq. with
marked stone 12 in. in the
ground for cor. to Secs. 28 & 29.
32 & 33. marked

T. 1 S. S. 28 or N. E.

R. 2 W. S. 33 or S. E.

S. 32 on S. W. and

S. 29 on N. W. faces, with
4 notches on E. 1 notch on S.
edges, dug pits 18 x 18 x 12 in.
in each sec. 5 1/2 ft. dist. and
raised a mound of earth 2
ft. high 4 1/2 ft. base around
post. from which

a Paloverde 10 in. dia. br. S. 82° 8' 4 1/2 ft. dist.
marked T. 1 S. R. 2 W. S. 33 B. P.

Surface 16 chs rolling soil l. 3.9 m

R. 2 W. continued

chains

64 chains level Soil 1st rate
 Dense Greenwoods Cuts down
 Birch.

East on a random line bet. Secs.
 28 & 33. Var. $N 3^{\circ} 54' E$.

1.30 by mark 4 ft. deep. 15 lbs inside corner S. $31^{\circ} W$.

40.00 Set temporary $1/4$ sec. cor.

56.00 by a Rock corner N. W. + S. E.

80.08 Intersect W.S. line at corner to Secs.

27, 28, 33, & 34 Thence I run
 West on a true line bet. Secs.
 28 & 33. with same 00 .

40.04 Set a Post 3 ft. long, 3 in. sq. Set in

in the ground, for $1/4$ sec. cor.
 marked $1/4$ S on N face, from
 which a Plover's birch dis. br.

N. $70^{\circ} E$. 140 lbs dist. marked

and raised a corner of stone around post
 $1/4$ S. B. T. another tree within limits

Subdivisions N. 1 S.

claims

80.00 The Cr. to Secs. 28, 29, 32+33.

Surface level

Soil gravel & 2^d rateDense Greasewood Cats claw
Bunch.

North bet. Secs. 28 & 29.

Var. 130° 54' E!

28.00 Base of Water Bridge & around

34.50 Top of ridge to E. W. 50 ft. high
Descent40.00 Set granite stone 20x16x4
ins. 15 ins. in the ground for
1/4 sec. cr. marked 1/4 on
W. face, and raised a mound
of stone along side Pt. imp-
racticable

46.14 Cross Road to N. W. S. E 50°

R. 2 W. continued

claims

Foot of Hill enters valley

8000 Set a Post 4 ft. long, 4 in. sq.
with marked stone 12 in. in
the ground for Cor. to Secs.
20, 21, 28 & 29. marked

S. 1 S. S. 21 on N. E.

R 2 W. S. 28 on S. E.

S. 29 on S. W. and

S. 20 on N. W. face, with
4 notches on E & 2 notches on
S. edges, dug pits 18 x 18 x 12
ins. in each sec. 5/2 ft. dist.
and raised a mound of
earth 2 ft. high 4 1/2 ft. base
around post. from which
an Ironwood 1 in. dia. br. 581° E.
15 lbs dist. marked P. 1 S. R 2 W. S. 21 P. 3, 7.

Surface mountain ridge &
Valley Soil 1st and 3^d

Subdivisions S. 1 S.

chains

rate

Number Scattering Ironwood
& Palo Verde & Louse under-
growth.

East on a random line bet.
Secs. 21 & 28.

Var. $13^{\circ}54'E!$

21.40 Dry wash 4 ft. deep, 20 ft. wide course

40.00 N. $42^{\circ}W$
Set temporary $1/4$ sec. cor.

41.00 Base of Mtn and ascend

53.00 Top of Mtn 120 ft. high bet N. Ex
S. W. 60° descend

74.00 Foot of Mtn

80.04 Intersect W.S. line 6 lbs N. of
cor. to Sec. 21, 22, 27 & 28. Then
run N. $89^{\circ}58'W$ on a true
line bet. Secs. 21 & 28.

No. 1166

R. 2 W. continued

chains

with same va.

40.02 Set a granite stone $18 \times 12 \times 10$
 in. prism. in the ground
 for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$
 on N. face, and raised a
 mound of stone along side
 Pk impracticable

80.04 The Cor. to Secs. 20, 21, 28 & 29.
 Surface Rolling & rocky
 Soil 3^d rate
 Scattering Ironwood & Pal-
 verde, & Dense Greasewood
 Brush.

North bet. Secs. 20 & 21.

Var. 13° 54' 8"

4000 Set a Post 3 ft. long, six sq.
 with marked stone prism. in

Subdivisions S. 1 S. R. 2 W. continued

claim

the ground for $\frac{1}{4}$ sec. cor. marked
 $\frac{1}{4}$ S. on N. face, dug pits 18 x 18 $\frac{1}{2}$
 in. N.E. of post $\frac{1}{2}$ ft. dist. and
 raised a mound of earth $1\frac{1}{2}$
 ft. high $3\frac{1}{2}$ ft. base around post.

57.00 Ascend rocky ridge

57.30 Top of ridge to Ex N. descend

64.00 Foot of ridge & dry wash 3 ft.
 deep 10 ft. wide corner N. 61° W.

Enter valley.

84.00 Set a Post 4 ft. long, 4 in. sq.
 with marked stone pins in
 the ground for cor. to Sec 16.

N. 20 & 21. marked
 S. 15. S. 16 on N. E.

R. 2 W 8. 21 on S. E.

S. 20 on S. W. and

S. 17 on N. W. face, with
 4 notches on Ex 3 notches

Subdivisions. S. 1 S. R. 2 W. continued

Claims

on S. edge, dug pits 18x18x12 ins.
in each sec. 5 1/2 ft. dist. and
raised a mound of earth
4 ft. high 4 1/2 ft. base around
post.

Surface rolling.

Sec 2 @ rate

Since grasswood burn.

East on a random line bet. Secs.
16 & 21.

Var. 13054' E'

- 4000 Set temporary 1/4 ac. Cor.
- 72.21 by mark 4 ft. deep 150 lbs with corner N. 50° W.
- 76.10 " " 4 " " 220 " " " S. 40° W.
- 80.04 Intersect N. & S. line 15 lbs N. of
Cor. to Secs. 15, 16, 21 & 22.
Thence 3 mm N. 89° 53' W.

Subdivisions N. 1 S.

chains

on a true line bet. Secs. 16 & 21.

with same or

40.02 Set a granite stone $18 \times 10 \times 8$ in.
12 in. in the ground, for $\frac{1}{4}$
sec. cor. marked $\frac{1}{4}$ on faces,
and raised a mound of
stone along side, pits un-
satisfactory

80.04 The cor. to Secs. 16, 17, 20 & 21
Surface level
Sec. 2^d rate
Yucca woods & bats claw
brush.

North bet. Secs. 16 & 17.

Var. 130 48' E.

40.00 Set a Post 3 ft. long 2 in. sq.
with marked stone 12 in. in

R. 2 W. continued

Claim

the grounds for $\frac{1}{4}$ sec. Cor.
marked $\frac{1}{4}$ S. on N. face
dug pits $18 \times 18 \times 12$ ins. $\frac{1}{2}$ ft.
apart $\frac{1}{2}$ ft. dist. and raised
a mound of earth $1\frac{1}{2}$ ft.
high $3\frac{1}{2}$ ft. base around post.

40.88 Cross Road to S. W. & N. E. 63°

80.00 Set a Post 4 ft. long 4 in. sq. with
marked stone 12 ins. in the ground
for Cor. to Sec. 8. 9. 16-17. marked
T. 1 S. S. 9 on N. E.

R 2 N. S. 16 on S. E.

S. 17 on S. W. and

S. 8 on N. W. face, with
4 notches on E & S. edges, dug
pits $18 \times 18 \times 12$ ins. in each
sec. $\frac{1}{2}$ ft. dist. and raised a
mound of earth 2 ft. high $4\frac{1}{2}$
ft. base around post.

Subdivision S. 1 S.

chains

Surface well

Soil 2^d rate

Some greasewood brush.

East on a random line bet.
Secs. 9 & 16

Var. $130^{\circ}54' E$ 4000 Set temporary $1/4$ sec. cor.80.16 Intersect N.S. line 14 lbs S.
of Cor. to Secs. 9, 10, 15 & 16.

Thence Iron S. $89^{\circ}54' W$.
on a true line bet. Secs. 9 & 16
with same 00

40.08 Set about 3 ft. long 3 in. sq.
with marked star 12 in in
the ground for $1/4$ sec. cor.
marked $1/4$ S. on N. face dug
pits $18 \times 18 \times 12$ in. Et W.

R. 2 W. continued

desires

of post. $5\frac{1}{2}$ ft. dist and
raised a mound of earth
 $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base around
post.

80.16 The corner to Secs. 8, 9, 16 & 17.

Surface level

Soil 2^d rate

Some greenwood brush.

North bet. Secs. 8 & 9.

Var. $15^{\circ} 54' 2''$

4000 Set a Post 4 ft. long 3 in. sq.
with marked stone 12 in. in
the ground for $\frac{1}{4}$ sec. cor.
marked $\frac{1}{4}$ S. on W. face dug
pit $18 \times 18 \times 12$ in. N. of post
 $5\frac{1}{2}$ ft. dist. and raised a
mound of earth $1\frac{1}{2}$ ft. high

Subdivisions T. 1 S.

chains

3 1/2 ft. base around post

68.14 Left Bank of River to S. W. &
N. E. 34° Measure across

74.68 Right Bank low. Banks.

80.00 Set a Post 4 ft. long, 4 in. sq.
with marked stone 12 in. in
the ground, for cor. to Sec. 4. S.
8 x 9, marked

T. 1 S. S 4 on N. E.

R 2 W. S. 9 on S. E.

S. 8 on S. W. and

S. 5 on N. W. faces, with
4 notches on E & 5 notches
on S. edge, dug pits 18 x 18 in.
in each sec. 5/8 ft. dist.
and raised a mound of
earth 2 ft. high 4 1/2 ft. base
around Post. from which
a Cottonwood bin. dia. to S 43° W. 8 of block

R. 2 W. continued

chain

marked T. 1 S. R. 2 W. S. 8 B. 1.

Surface level

S on C 1st rate

Scattering trees.

Cottonwoods along River,
Dense greasewood brush.

East on a random line bet. Secs.
4 & 9.

Var. 13° 54' E!

- 17.28 Right Bank of Gile River
to S. W. & N. E. 30° low Banks
measure across.
- 22.00 Left Bank of Gile River to S. W. &
N. E. 30° low Banks.
- 40.00 Set temporary 1/4 sec. Cor.
- 57.32 Cross Road to N. & S. W.
- 61.12 Irrigating ditch 300 yds wide

Subdivision N. 1 S.

claims

course S. 10° W. around 12 ft.
cut or high bottom

80.08 Intersect N. S. line 14 lks S.
of Cor. to Secs. 3, 4, 9 & 10. Thence
Down S. 89° 54' W. on a true
line bet. Secs. 4 & 9, with
same os.

40.04 Set a Post 3 ft. long 3 ins. d.
with marked stone 12 ins in
the ground for 1/4 sec. cor.
marked 1/4 S. on N face, dug
pits 18 & 18 & 12 ins. E. W.
of Post. 5/8 ft. dist. and
raised a mound of earth
1 1/2 ft. high 3/8 ft. base around
post.

80.08 The Cor. to Secs. 4, 5, 8 & 9,
Surface level
Soil 1st and 2^d rate.

R. 2 W. continued

Lains

Dune Arrow & Catclaw
Bunch.North on a ~~stone~~ line bet.
Secs. 4 & 5.

Var. 13054' E'

6.10 Dune Arrow & Greasewood
bunch16.85 Leave low bottom & ascend
5 ft. high40.00 Set a Post 3 ft. long, 3 in. dia.
with marked stone 12 in.
in the ground, for 1/4 sec.
Cor. marked 1/4 S. on W. face,
dug pits 18 x 18 x 12 in. W. of
post 5 1/2 ft. dist. and raised
a mound of earth 1 1/2 ft. high
3 ft. base around post.

Subdivisions S. 1 S. R

Acre

46.00 Enter Mesquite timber

80.25 Intersect Gila + Salt River

Base line 238 chs. East of
StandardCor. to Secs. 32 + 33. post
recently established by us

at Point of intersection of

at about 4 ft. by 4 in. sq.
with marked stone 12 in. in

the ground, for closing cor.

to Secs. 4 + 5, marked

S. 1 S. R. 2 W. on S.

S. 4 on East

S. 5 on W. face, with 4
notches on E + 2 notches onW. edge, dug pits 1848 mm
in. S. E. W. of post 5 1/2 ft.dist. and raised a mound
of earth 2 ft high 4 1/2 ft base
around post from above

2 W. continued

Lains

A Magnite lim. d.c. Co. N. 38° W. 47 lbs. dist.
marked P. 1 & R. 2 W. S. 32 B. 1.

Surface level

Soil 1st and 2^d rate

Magnite timber 34 chs
& some grasswood
cuts clear brush

January 14th 1883.

Subdivisions T. 1 S.

Lains

From the Cor. to Secs. 5, 6, 31 &
 on S. By of Tp. just recently
 established by me, 30m
 North bet. Secs. 31 & 32.
 Var. $13^{\circ} 45' E$

34.00 Dry wash 3ft. deep. 212 lbs. with, course
 N. $48^{\circ} W$.

40.00 Set a Post 3ft. long 3ins. sq. with
 marked stone 12ins. in the ground
 for $\frac{1}{4}$ sec. Cor. marked $\frac{1}{4}$ S. on
 W. face, dug pits 18x18x12 below
 3x S. of post 5 1/2 ft. dist. and
 raised a mound of earth 1 1/2
 ft. high 3 1/2 ft. base, around
 post

60.40 Dry wash 3ft. deep. 60 lbs. with
 course N. $80^{\circ} W$.

80.00 Set a Post 4 ft. long, 4 ins. sq.
 with marked stone 12 ins. in

R. 2 W. continued

chains

the ground for Cor. to Secs. 29.
30. 31. + 32. marked

S. 1 S. S. 29 on N. E.

R. 2 W. S. 32 on S. E.

S. 31 on S. W. and

S. 30 on N. W. faces, with
5 notches on E. 1 notch on S.
edges, dug pits 18x18x12 in.
in each sec. 5 1/2 ft. dist.
and raised a mound of
earth 2 ft. high 4 1/2 ft. base
around post. from which
a Magnet 10 in. dia. br. N. 10° E. 15 lbs. dist.
marked S. 1 S. R. 2 W. S. 29 B. T.

Surface level

S. 1 S. 2^d rate

Scattering Paloverde Magnet

Dense Greasewoods Cats-

claw Bush.

Subdivision J. 1 S.

Chain

Post on a random line bet.
Secs. 29 & 32.

Var. $13^{\circ} 54' E$

40.00 Set temporary $1/4$ sec. cor
80.00 Intersect N&S line 4 lbs. N.
of cor. to Secs. 28, 29, 32 & 33.

Place Iron N. $89^{\circ} 58' W$.
on a true line bet. Secs. 29 & 32.
with same co.

40.00 Set a Post 3 ft. long 3 lbs. sq. with
marked stone 12 in. in the
ground for $1/4$ sec. cor. marked
 $1/4$ S. on N. face, dug pits 18 in.
& 12 in. E & W. of post $5 1/2$
ft. dist. and raised a
mound of earth $1 1/2$ ft. high
 $3 1/2$ ft. base around post

80.00 The cor. to Secs. 29, 30, 31 & 32
Surface level

R. 2 W. continued

Lains

Soil 1st rate
 Greasewoods Catclaw
 Bush.

Went on a random line bet.
 Secs. 30 & 31.

Var. N 54° E!

9.38 by mark 2 ft. deep. 20 lbs with corner N 40° W.
 24.90 " " 4 " " 410 " " " N 46° W.
 35.60 " " 2 " " 25 " " " N 40° W.

40.00 Set temporary 1/4 sec. cor.
 39.92 Intersect W. By of N.
 at. cor. to Secs. 25, 30, 31 & 36.

Thence I run East on a true
 line bet. Secs. 30 & 31, with
 same var.

39.92 Set Post 3 ft. long, 3 ins. dia.
 with marked stone 12 ins. in

Subdivisions N. 1 S.

chains

the ground, for $\frac{1}{4}$ sec. cor.
marked $\frac{1}{4}$ S on N face,
dug pits 18 x 18 x 12 in. E
of post 5 ft. dist. and raised
a mound of earth $1\frac{1}{2}$ ft. high
3 ft. base around post.

79.92 The cor. to Secs. 29, 30, 31 & 32

Surface gently rolling
Soil 1st rate

Scattering Paloude x
Some grasswood trees

North bet. Secs. 29 & 30.

Cor. 130 48' 8"

4000 Set a Post 3 ft. long 2 in. sq.
with marked stone 12 in. in
the ground, for $\frac{1}{4}$ sec. cor.
marked $\frac{1}{4}$ S. on N face,

R. 2 W. continued

chains

dug pits 18x18x12 ins. Mid. of
post 5/8 ft. dist. and rained
a mound of earth 1 1/2 ft.

high 3 1/2 ft. base, around post.

8000 Set a Post 4 ft. long, 4 ins. sq.
with marked stone 12 ins. in the
ground, for cor. to Secs.

19, 20, 29, 30. marked

T. 1 S. S. 20 on N. E.

R. 2 W. S. 29 on S. E.

S. 30 on S. 20 and

S. 19 on N. W. faces, with
5 notches on East and 2 notches

on S. edges, dug pits 18x18x12
ins. in each sec. 5/8 ft. dist.

and rained a mound of
earth 2 ft. high 4 1/2 ft. base
around post. from which
a Magnet 8 ins. dia. on N. 25° E. 25th dia.

Subdivisions T. 1 S.

chains

marked T. 1 S. R. 2 W. S. 20 B. 1.

Surface level

8' or 11' of water

Some Greenwood Burn

East on a random line, to
Secs. 20 & 29.

Var. $130^{\circ} 54' E$

- 2.26 Dry wash 2 ft. deep, 10 ft. wide, course N. 70° W.
- 40.00 Set temporary $1/4$ sec. cor.
- 43.20 Cross Road course N. 70° W. S. E. 6'
- 80.04 Intersect Nelson 10 ft. S. of
cor. to Secs. 20, 21, 28 & 29. Thence
run N. $89^{\circ} 56' W$. on a true
line bet. Secs. 20 & 29. with
same va.
- 40.02 Set a Granite stone 12 & 10 & 9 in
diam. in the ground for $1/4$ sec.

R. 2 W. continued

chains

Cor. marked $\frac{1}{4}$ on N face and
 raised a mound of stone
 along side Pt. imp. cubic. h.
 80.04 The Cor. W Secs. 19, 20, 29 & 30.
 Surface level
 Soil 1. str. b
 Some grasswood bunch.

West on a random line bet.
 Secs. 19 & 30.

(Cor $130^{\circ} 54' E$)

4000' Set temporary $\frac{1}{4}$ sec. cor.

79.94 Intersect N. By of Sp. 10th

Top Cor. W Secs. 19, 24, 25 & 30.

Hence I run $189^{\circ} 56' E$

on a true line bet. Secs. 19 & 30.

with some ea.

39.94 Set a Post of long 3 ins. sq.

Subdivisions S. 1 S.

claim

with marked stone 12 in. in
 the ground for 1/4 sec. cor.
 marked 1/4 S. on N. face, dug
 pits 18 1/2 18 1/2 in. E. W. of
 post 5/8 ft. dist. and raised
 a mound of earth 1 1/2 ft. high
 3/8 ft. base around post.

49.94 The Cor. W Secs. 19. 20. 29 & 30.
 Surface level
 Soil 1st rate
 Some greenwood born h.

North bet. Secs. 19 & 20,
 Var. 13° 58' E!

33.68 Cross Road to S. E. N. W. 46°
 4000 Set a Post 3 ft. long, 2 in. sq.
 with marked stone 12 in. in
 the ground for 1/4 sec. cor.

R. 2 W. continued

chairs

marked $1/4$ S on W. face dug
pits $18 \times 18 \times 12$ ins. N. E. of
post $5/8$ ft. dist. and raised
a mound of earth $1/2$ ft. high
 $3/8$ ft. base around post.

79.80 Dug wall esp. deep. 10 lbs wide, corner 9×10 in.

80.00 Set a Post 4 ft. long 4 ins. sq. with
marked stone 12 ins. in the ground
for Cor. to Secs. 17, 18, 19 & 20. marked
N. / S. S. 17 on N. E.

R 2 W. S. 20 on S. E.

S. 19 on S. W. and

S. 18 on N. W. face, with
5 notches on E. 3 notches on
S. edge, dug pits $18 \times 18 \times 12$
ins. in each sec. $5/8$ ft. dist.
and raised a mound of
earth $2/3$ ft. high $4/8$ ft. base
around post.

Subdivision N. 1 S.

Chains

Surface level

Set 1st setSome Greasewoods etc
clear brush.East on a random line to
Sec. 17 & 20.Var. $N^{\circ} 54' E!$

5.15 Set mark 3 ft. deep. 14 lbs with

course N. 48° W.

4.00

Set temp on 1/4 sec. cor.

76.40

By mark 3 ft. deep. 15 lbs with course

N. 35° W.

80.00 Intersect N & S. line 8 lbs S.
of cor. to Secs. 16, 17, 20 & 21.Thence Down S. 89° 54' W.
on a true line bet. Secs 17 & 20
with same va.

40.00 Set a granite stone 152/1008

P. 2 W. continued

chain

in. 1000. to the ground, for
 1/4 sec. cor. marked 1/4 on N.
 face and raised a mound
 of stone along side,

It is impracticable

80.00 The cor. to Secs. 17, 18, 19 & 20.

Surface level

Soil 1st rate

Some Grewia wood brush.

Went on a random line bet.
 Secs. 18 & 19.

Cor. 15° 54' E.

46.00 Set temporary 1/4 sec. cor.

47.00 Cross Road corner N. E. S. W. 40°

79.94 Intersect W. By of P. & B. Co.

S of Cor. to Secs. 13, 18, 19 & 24.

Thence Iron S 89° 58' E.

Subdivisions N. / S.

chains

on a true line bet. Secs. 18
with same or.

39.94 Set a Post c/s long line of
with marked stone pins in
the ground, for 1/2 sec. cor.
marked 1/4 S. on N face, dug
pits 18 x 18 x 12 in. Ea or. of
post 5/8 ft. dist. and
raised a mound of earth
1 1/2 ft. high 3 1/2 ft. diam around
post.

40.94 The Cor. to Secs. 17, 18, 19 & 20.
S' or face level
S' or 1st rate
low
dense ^{low} Greasewood Bush

North bet. Secs. 17 & 18.

Nov. 13 1881

R. 2 W. continued

chains

4.00 Cross Road Co Ex W.

8.80 By mark 2 ft. deep, 10 lbs wide, corner N. 20° W.

28.00 ? ? 44 4 144 4 4 N. 15° W.

40.00 Set a Post 2 ft long 2 in. sq. 24 in.

in the ground for 1/4 sec. cor.
 dug pits 18 x 18 x 12 in. of post 5 ft. dist. and 2 in. dia. corner of each sec. 1/4 sec.
 marked 1/4 S on W face, from
 which a Magnote 10 ins. dia. cor.

N. 10° E. 50 lbs dist. marked 1/4 S. P. T.

no other trees, within limits.

80.00 Set a Post 4 ft. long 4 in. sq. with
 marked stone 12 in. in the ground
 for Cor. to Secs. 7, 8, 17 & 18, marked

N. 1 S. S. 8 on N. E.

R 2 W. S. 17 on S. E.

S. 18 on S. W. and

S. 7 on N. W. faces, with
 5 notches on E & 4 notches on
 S. edges, dug pits 18 x 18 x 12
 ins. in each sec. 5 ft. dist.

Subdivisions N. 1 S.

chain

and raised a mound of earth
2 ft. high, 4 1/2 ft. base around
post

Surface level

Soil 1st rate

Scattering Mesquite timber

Some ~~Grass~~ woodborer

East on a random line bet.
Secs. 8 & 17.

Var. 13° 54' E.

- 1.20 Dry wash 4 ft. deep 110 lbs with corner N. 10° W.
- 20.54 " " 4 " 40 " " " N. 10° W.
- 36.40 " " 54 " 36 " " " N. 20° W.
- 40.00 Set temporary 1/4 sec. cor.
- 80.00 Intersect N.S. line 10 lbs S.
of cor. to Secs. 8, 9, 16 & 17.
Thence Down S. 89° 56' W.

R. 2 W. continued

Chains

on a true line bet. Secs. 8 & 17.
with same ca.

4000 Set a Post 2 ft. long, 3 ins. sq.
with marked stem 12 ins. in
the ground, for $\frac{1}{4}$ sec. cor. marked
 $\frac{1}{4}$ S. on N. face, dug pits 18" x 18"
ins. E. W. of post $5\frac{1}{2}$ ft. dist.
and raised a mound for the
 $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base around
post.

8000 The cor. W Secs. 7, 8, 17 & 18.
Surface level
Soil 1st rate
Sewer No. 9 with a Paloverde
Burrh.

West on a random line bet.
Secs. 7 & 18.

Subdivision N. 1 S.

Claims

- Var 13° 54' E!
- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
- 45.00 Dry mark 5 ft. deep, 25 lbs with corner
N. 42° W.
- 59.93 Cross Road to N.S.
- 78.98 Intersect West by 8 lbs N.
of cor. to Secs. 7, 12, 13 & 18.
Thence I run N 89° 58' E
on a true line bet. Secs.
7 & 18, with same as
- 38.98 Set a Post 3 ft. long 3 in.
sq. with marked stem 12
in. in the ground for $\frac{1}{4}$
sec. cor. marked $\frac{1}{4}$ S. on
N face, dug pits 18 x 18 in
sq. Et W. of post 5 ft. dist.
and raised a mound
of earth $\frac{1}{2}$ ft high $\frac{3}{4}$ ft
base around post.

R. 2 W. continued

chains

78.98 The Cor. to Secs. 7, 8, 17 & 18.

Surface level

Set 1st rate

Scattering Mesquite &

Bluish Greasewood Bush.

North bet. Secs. 7 & 8.

Var, $13^{\circ} 54' E!$ 23.10 Left Bank of Gila River corner
N. $81^{\circ} W$. descend to Water
edge 28 ft.

23.80 Water edge measure across

27.90 Right Bank enter low Bottom

40.00 Set a post 3 ft. long sim. 4.
with marked stem 12 ins in
the ground for $1/4$ sec. cor.
marked $1/4 S$. on W face
dug pits 18 & 18 1/2 ins. deep

Subdivision S. 1 S.

Chain

Set post $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base around Post.

50.00 Ascend 16 ft. high center high Bottom

80.00 Set a Post 4 ft long 4 in. sq. with marked stone 12 in. in the ground, for cuts Sec. 5, 6, 7, 8. marked S. 1 S. S. 5 on N. E.

R 2 W. S. 8 on S. E.

S. 7 on S. W. and

S. 6 on N. W. faces, with 5 notches on Ea S. edges, dug pits $18 \times 18 \times 12$ in. in each sec. $5\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high $4\frac{1}{2}$ ft. base around

R. 2 W. continued

chains

post.

Surface level on high Bottom
and rolling on low Bottom
S's C 1st and 2^d sets
Magnets & cotton wood etc
Some undergrowth.

East on a random line
bet. Secs. 5 & 8.

Var. $B^{\circ} 54' 8''$

40.00 Set temporary 1/4 sec. cor.
80.10 Intersect No. 1 line 23 lbs
S of cor. to Secs. 4, 5, 8 & 9.
Thence I run $S 89^{\circ} 50' W.$
on a true line bet. Secs. 5 & 8.
with same va.

40.05 Set a Post off. long 3 in.
eg. with marked stake

Subdivisions T. 1 S.

chains

12 in. in the ground for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ S. on N. face dug pits 18 x 18 x 12 in. E. W. of post $5\frac{1}{2}$ ft. dia. and raised a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. diam around post.

80.10 The cor. to Secs. 5, 6, 7 & 8

Surface level

Soil sandy & 2^d rate
Some grass & wood brush
Scattering trees.

West on a random line
bet. Secs. 6 & 7.

Var. 13054' E!

40.00 Set temporary $\frac{1}{4}$ sec. cor.

43.14 cross Road corner 10 S.

D. 2 W. continued

Chim

78.92 Intersect W. Ry of T_p. 14
 lks N of cor. W Secs. 1. 6. 7 & 12
 Thence I run N. 89° 54' E.
 on a true line bet. Secs. 6 & 7.
 with same co.

38.92 Set a post 3 ft. long, 2 in. sq.
 with marked stone 12 in. in
 the ground, for 1/4 sec. cor.
 marked 1/4 S. on N face,
 dug pit 18 x 18 x 12 in. E & W.
 of post 5 1/2 ft. dist. and
 raised a mound of
 earth 1 1/2 ft. high 3 1/2 ft.
 base around post.

78.92 The cor. W Secs. 5. 6. 7 & 8.
 Surface level
 Soil 1st rate
 Scattering Mesquite &
 dense greewood brush.

Subdivisions T. 1 S.

chain

North on a true line bet.
Secs. 5 & 6.

Var. $130^{\circ} 54' 2''$

40.00 Set a Post 3 ft. long, 3 in. sq.
Set 4 in. in the ground, for
 $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ S. on
W. face, from which
a Mesquite 8 in. dia. br. $7.20^{\circ} 51' 14.6''$ and raised a mound of stone around post
marked $\frac{1}{4}$ S. B. $\frac{1}{4}$ in. other tree on the

80.06 Intersect Gilat Salt River
Base line 2.46 chs East of
Stand cor. to Secs 31 & 32. just
recently established by us,
At Point of intersection I
set a Post 4 ft. long 4 in. sq.
with marked stone 12 in.
in the ground, for closing
cor. to Secs. 5 & 6. marked
C.C. T. 1 S. R. 2 N. on S.

R. 2 W. continued

Chains

S. 5 on E. end
 S. 6 on W. edge, with 5
 notches on E. & 1 notch on
 W. face, dug pits 18x18 in
 sur. S. E. & W. of post $5\frac{1}{2}$
 ft. dist. and raised a mound
 of earth 2 ft. high $4\frac{1}{2}$ ft.
 base around post.

Surface level

Soil 1st rate

Mesquite timber, &
 some Greenwood land.

January 15, 1883

R. 2 W. continued.

General Description
This township is mostly
good land, except along
the low River Bottom
where it is sandy and
along the Eastern portion
where it ascends towards
the mountain ridge.

There are scattering trees
and small cottonwood
along the River.

The country is all
covered with dense
greasewood brush,
all the wet soil will
produce anything if
irrigated.

There is plenty of Water
in the Gile River for irrigation.
For final notes see Book for T. 1 N. R. 2 W.

U. S. Surveyor General's Office,

TUCSON, ARIZONA, February 21 1883

The foregoing Field Notes of the Survey of the

Subdivision Lines
of
Sp. 1 South R. 2 West.

Of the Gila and Salt River Base and Meridian, Arizona, executed by R. C. Parsons

Deputy Surveyor, under his contract of the 24th day of October, 1882, having been

critically examined and the necessary corrections and explanations made, the said Field Notes and the surveys they describe are hereby approved.

J. W. Robbins
Surveyor General.