

*Surveyed
West*

No. 1167

BOOK 1167

Field Notes

OF THE SURVEY OF THE

SUBDIVISION LINES

No. 1167 - of -

BOOK 1167

Township *1 S.* Range *3 W.*

Gila and Salt River Base and Meridian

ARIZONA.

By *R. C. Pover* D. S.

under contract dated *Oct 24 1882.*

Survey commenced *January 6 1883.*

Survey completed *January 10th 1883.*

1167

BOOK 1167

Subdivision Lines.
Tp. 1 S. R. 3 W.

For Preliminary and final
Oaths see Books for Gila & Salt
River Base line, and Sp. 1 N.
R. 2 W. respectively

BOOK 1167

INDEX DIAGRAM.

Township 1 S

Range 3 W

6	104	5	77	4	58	3	40	2	21	1
-103-		101-		75-		57-		39-		20-
7	99	8	74	9	55	10	37	11	17	12
-97-		96-		72-		53-		36-		16-
18	94	17	70	16	57	15	34	14	14	13
-93-		91-		68-		50-		32-		12-
19	89	20	67	21	48	22	30	23	10	24
-88-		86-		66-		47-		28-		9-
30	85	29	64	28	46	27	26	26	7	25
-83-		82-		62-		44-		24-		5-
31	80	32	61	33	43	34	23	35	4	36

Gila and Salt River, Arizona.

ARIZONA.

No. 1167

Subdivisions S. & S. R. 3 N. T. 6 E.
Salt River Meridian

chain

Survey commenced January
6th 1883 with Burt's
Patent Improved Solar
Compass, made by John
Roach of San Francisco
California,

Before proceeding with the
survey of the Subdivision
lines of this Township. I
examined my instrument
carefully & found it correct
I also further tested inst
and also examined instrument daily while subdividing the township
rument by reversing township
I found the latitude at
the corner to Sec. 1, 2, 3 57.36
on S. By of Township to be
33° 08' North,

Subdivision T. 1 S.

chains

From the corner of Secs.
1.2. 357 36. on S. By of Tp.
which was just recently
established by me, I run
North bet. Secs. 357 36.

Var. $13^{\circ} 54' 8''$

(after observation with Solar compass)

40.00 Set a post 3 ft. long, 2 in. sq. with
marked stone 12 in. in the ground
for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ S. on
W. face, dug pits 18+18+12 in.
W. of post 5 ft. dist. and
raised a mound of earth
 $\frac{1}{2}$ ft. high $\frac{3}{4}$ ft. base around
post.

46.00 Ascend over rocky ridge

49.00 Top of Ridge bet. S. & W. 25 ft.
high connect. ^{with} Mountain & W.

R. 3 W. continued

chain

54.00

Enter valley

80.00

Set a granite stone 15x12x10 in.
 10 in. in the ground, for Cor. to
 Secs. 25, 26, 35 & 36. marked
 with 1 notch on E & S edges, and
 raised a mound of stone along
 side Pit impracticable from which
 a Paloverde 6 in. dia. br. S 45° E. 90 lbs. dist.
 marked S. 1 S. R. 3 W. S. 36. B. 1.
 a Paloverde 8 in. dia. br. N. 40° W. 48 lbs. dist.
 marked S. 1 S. R. 3 W. S. 26 B. 1.

Surface rolling & rocky

Soil 2^d rate

Greasewood & cactus brush

East on a random line
 bet. Secs. 25 & 36.

Subdivisions T. 1 S.

chain

Var. $13^{\circ} 54' 8''$

10.10 Dry wash 3 ft. high 15 lbs wide, course
N. 15° W.

29.16 Dry wash 4 ft. deep 22 lbs wide, course
N. 30° W.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.00 Intersect E. Ry of Tp. 4 lbs N.
of cor. to Secs. 25.30. 31 & 36
Thence I run N. $89^{\circ} 58' 11''$ W.
on a true line bet. Secs.
25 & 36. with same or.

40.00 Set a Post 3 ft. long, 3 ins. sq.
with marked stone 12 ins. in
the ground, for $\frac{1}{4}$ sec. cor.
marked $\frac{1}{4}$ S. on N. face,
dug pits 18 & 18 & 12 ins. E. W.
of post $5\frac{1}{2}$ ft. dist. and
raised a mound of earth

R. 3 W. continued

Claims

1 1/2 ft high 3 1/2 ft. base, rounded
post.

8000 The corner to Secs. 25, 26, 35 & 36.

Surface level

Soil 2^d rate

Dense greasewood brush

High Butte in Sec 36. about
Center of Sec.

North bet. Secs. 25 & 26

Var. 13° 54' E.

4000 Set a Post 3 ft. long, 2 ins. sq.
with marked stone 12 ins.
in the ground, for 1/4 Sec.
cor. marked 1/4 S. on W. face,
dug pits 18 x 18 x 12 ins. W. of
approx 5 1/2 ft. dist. and

Subdivisions S. 18.

chains

raised a mound of earth
 $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base around
 post.

65.10 Cross Road course N. E. & S. W.

69.32 Dry wash 5 ft. deep. 28 lbs
 wide course N. 30° E.

80.00 Set a Post 4 ft. long 4 ins. sq.
 with marked stone 12 ins.

in the ground, for cor. to
 Secs. 25, 24, 25 & 26. marked
 S. 1 S. S. 24 on N. E.

R. & W. S. 25 on S. E.

S. 26 on S. W. and

S. 23 on N. W. faces, with
 1 notch on E. & 2 notches, on
 S. edges, dug pits $18 \times 18 \times 12$
 ins. in each sec. $5\frac{1}{2}$ ft. dist.
 and raised a mound

R. 3 W. continued

chains

of earth 2 ft. high, $4\frac{1}{2}$ ft. base
around post.

Surface level

Soil 2^d rate

Greasewood & Arrowweed.

East bet. Secs. 24 & 25

Var. $13^{\circ} 54' E$

1.10 Dry wash 2 ft. deep. 30 lbs wide
course N. $10^{\circ} E$

12.24 Cross Road course N. E + S. W.

36.34 Dry wash 5 ft. deep. 20 lbs wide, course
N. $10^{\circ} E$

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.00 Intersect S. Ry of Sp. 8 lbs S.
of cor. to Secs. 19, 24, 25 & 30.

Thence 1 mm S. $89^{\circ} 57' W$.

Subdivisions N. 1 S.

chains

on a true line bet. Secs. 24 & 25
with same va

4000 Set a Post 3ft. long, 3ins. sq. with
marked stone 12ins. in the ground
for 1/4 sec. cor. marked 1/4 S on
N. face, dug pits 18x18x12 ins.
E & W. of post 5 1/2 ft. dist. and
raised a mound of earth 1 1/2
ft. high 3 1/2 ft. base around post.

8000 The corner to Secs. 23, 24, 25 & 26

Surface level

Soil 3d rate

Dense Greasewood brush.

North bet. Secs. 23 & 24

Var. 13° 54' E.

12.00 Dry wash 4 ft. deep. 230 ft. wide

R. 3 W. continued

chain

course N. 25° E.

25.48 Dry wash 2 ft. deep. 10 lbs. width, course
N. 50° E.31.88 Dry wash 10 ft. deep. 10 lbs. width, course
N. 50° E.40.00 Set al granite stone 14 x 10 x 10 ins.
10 ins. in the ground, for 1/4 sec.
cor. marked 1/4 on N. face,
and raised a mound of stone
alongside. Pit impracticable80.00 Set a post 4 ft. long, 4 ins. sq. with
marked stone 12 ins. in the
ground, for cor. to Secs. 13. 14.

23 x 24. marked

S. 15. S. 13 on N. E.

R. 3 W. S. 24 on S. E.

S. 23 on S. W. and

S. 14 on N. W. faces, with

BOOK 1167

Subdivisions S. 1 S.

Chairs

1 notch on E. and 3 notches
on S. edges, dug pits 18x18x12
ins. in each sec. 5/8 ft. dist.
and raised a rim of
earth 2 ft. high 4/8 ft. base
around post.

Surface rolling

Soil 3d. rate

Heavy Greasewood & Cato-
claw brush.

East on a random line, bet.
S'ecs. 13 & 24.

Nor. 13054' E.

Over Rolling land

28.50 Dry wash effect deep 14' old
wide, course N. 30° E.

R. 3 W. continued

chains

40.00 Set temporary 1/4 sec. cor.

57.25 Dry wash 8ft. deep. 128 lps with
course N. 15° E.

80.00 Intersect E. By. of Sp. rock N.
of cor. to Secs. 13, 18, 19 & 24.

Thence I run N. 89° 52' W.
on a true line bet. Secs. 13 & 24
with same va.

40.00 Set a post 3ft. long, 3 ins. sq. with
marked stone 12 ins. in the
ground for 1/4 sec. cor. marked
1/4 S. on N. face dug pit 18 1/2 x 12
ins. E & W. of post 3 1/2 ft. dist.
and raised a mound of
earth 1 1/2 ft. high 3 1/2 ft. base
around post.

80.00 In corner to Secs. 13, 14, 23 & 24
Surface rolling

Subdivision S. 1 S.

chain

Small washes,
Soil 3^d rate
Scattering Palo Verde &
Greasewood shrub.

North bet. Secs. 13 & 14.

Cor. $13^{\circ} 51' E.$

4000

Set a Post 3 ft. long, 3 ins.
sq. with marked stake,
12 ins. in the ground, for $\frac{1}{4}$
Sec. Cor. marked $\frac{1}{4}$ S. on
W. face, dug pits 18 x 18 x 12
ins. W. of post, $5\frac{1}{2}$ ft. dist.
and raised a mound
of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft.
base around post.

55.50

Descend off W. side 15 ft.

R. 3 W. continued

chains

enter low Bottom

8000 Set a Post 4ft. long, 4 ins. sq.
with marked star pins in
the ground, for cor. to Secs.
11, 12, 13 & 14. marked

P. 15: S. 12 on N. E.

R 3 W. S. 13 on S. E.

S. 14 on S. W. and

S. 11 on N. W. faces, with
snobch on E & W sides

on S. edges, dug pits 18x18x12
ins. in each sec. 5/8 ft.
dist. and raised a mound
of earth 2ft. high, 4 1/2 ft.
base around Post.

Surface level

Soil 1st & 2^d rate

Scattering Mesquite &

Subdivision T. 1 S:

Chains

House Greasewood Wash.

East on a random line bet.
Secs. 12 & 13.

Var. 13° 54' E.

- 9.10 Dry wash 10 ft. deep 80 lbs with
course N. (Palo Verde Wash)
- 39.23 Irrigating ditch course S. 40° W.
- 40.00 Set temporary 1/4 sec. cor.
- 41.00 House of H. Waterman 60 lbs
N. of line
- 42.00 Correll 80 lbs N. of line
- 43.00 Ascend Mesa soft. thence
over rolling land
- 80.00 Intersect E. By. of P. 20 lbs
N. of cor. to Secs. 7, 12, 13 & 18.
Thence 1 mi N. 89° 51' W.

R. 3 N. continued

claims

on a true line bet. Secs. 12 & 13.
with same ea.

4000 Set a stone 18 x 15 x 11 ins. 12 ins.
in the ground for 1/4 sec. cor.
marked 1/4 on N. face and
raised a mound of stone
alongside, Pts impracticable

8000 The corner to Secs. 11, 12, 13 & 14.
Sinfon 4300s level Soil
1st rate,

Merginite & Catsclaw mud.
3700s rolling Mesa Soil 2d
rate dense grasswood
Bunch.

North bet. Secs. 11 & 12

Var. 130° 51' E.

Subdivisions N S.

chain	
18.00	Left Bank of Gila River to E. W. measure across.
21.60	Right Bank deep water low Banks
40.00	Set a Post 3 ft. long, 2 ins. sq. with marked stone 12 ins. in the ground, for 1/4 pole. Cr. marked 1/4 S. on W. face, dug pits 18 x 18 x 12 ins. N S. op post 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base around post
43.00	Cross Road course E. W. Leave low Bottom ascend 8 ft
50.00	Set a Post 4 ft. long, 4 ins. sq. with marked stone 12 ins.

R. 3 W. continued

dams

in the ground, for Cor. to Secs.

1, 2, 11 & 12. marked

S. 1 S. 1 on N. E.

R 3 W. S. 12 on S. E.

S. 11 on S. W. and

S. 2 on N. W. face, with 1
 notch on E. & 5 notches on S.
 edges, dug pits 18 & 18 & 12 ins.
 in each sec. 5 ft. dist. and
 raised a mound of earth
 4 1/2 ft. high base around
 post

Surface level

Soil 1st and 2^d rateScattering Mesquite trees on
high landSmall cottonwood along River
Heuse greasewoods Arrowweed

BOOK 1167

Subdivisions N. 1 S.

claim

East on a random line bet.
Secs. 1 & 12.

Var. $130^{\circ}34' S!$

4000 Set temporary $1/4$ sec. cor.

8004 Intersect E. By of N. 6 lbs
N. of cor. to Secs. 1 & 12.

Thence I run N. $89^{\circ}58' W.$
on a true line bet. Secs.

1 & 12. with same va

4002 Set a Post 3 ft. long, 3 in. sq.

with marked stone 12 in.
in the ground, for $1/4$ sec. cor.

marked $1/4 S!$ on N. face dug
pits $18 \times 18 \times 12$ in. S & W. of
post 5 ft. dist. and raised
a mound of earth $1 1/2$ ft.
high 3 ft. base around
post.

R. 3 W. continued

chains

80.04 The corner to Secs. 12. 11N/12

Surface level

Stake set out

Scattering Mesquite trees.

Dense Greasewood & Arrow

Bush.

on a true line

North ⁿ bet. Secs. 1 & 2.

40.00

Set a post 4 ft. long, 4 in. sq. with in the ground for 1/4 Sec. 21. ^{Var. 13054}
marked 1/4 Sec. on N. face, from which a Mesquite grew. dist. to
N. 61° 02' 94' base dist. marked 1/4 S. B. T.

80.00 Intersect Gila & Salt River

Base line 2.37 ch East of

Standard ⁿ cor. to Secs. 35 & 36. just

recently established by us,

at point of intersection I set

a post 4 ft. long, 4 in. sq. with

marked stone 12 in. in the

Subdivisions S. 1 S.

chain

ground for Closing Cor. to
Secs. 1 & 2. marked

C.C. S. 1 S. R. 3 W. on S.

S. 1 on E. x

S. 2 on W. faces, with 1
notch on E. x 5 notches on
W. faces, dug pits 18 x 18 x 12
in. S. E. x W. of post, 5 1/2
ft. dist. and raised a
mound of earth 2 ft high
4 1/2 ft. base around post.

Surface level

Soil 1st rate

Magnolia timber

Dense undergrowth

January 6th 1883

R. 3. W. continued

chains

From the Corner to Seco. 23.

34 & 35 on S. By of Sp. just
recently established by me
I run North bet. Secs. 34 & 35.Var. $13^{\circ} 54' E$

40.00 Set a Post 3 ft. long, 3 ins. sq.
with marked stone 12 ins. in
the ground, for $\frac{1}{4}$ sec. cor.
marked $\frac{1}{4}$ S. on W. face, dug
pit $18 \times 18 \times 12$ ins. W. of post
 $5 \frac{1}{2}$ ft. dist. and raised a
mound of earth $1 \frac{1}{2}$ ft. high
 $3 \frac{1}{2}$ ft. base around post.

78.04 Dug wash 4 ft. deep. 20 ft. wide
course East.

80.00 Set a granite stone $16 \times 16 \times 10$
ins. 11 ins. in the ground
for cor. to Secs. 25, 26. 35 & 36.

Subdivisions S. 1 S.

Lines

marked with 2 notches on E.
and 1 notch on S. edge, and
raised a mound of earth
stone along side, Pits trap-
racticable.

Surface Rolling.

Soil 4th rate
Dense Cateclaws & Grease
wood brush.

East on a random line bet.
Secs. 26 & 35.

Var. $13^{\circ} 54' E$

33. 49. Cross Road course N. Et S. W.

34. 46 Dry wash 4 ft. deep, 38 lbs. with
course N. $30^{\circ} E$.

4.00 Set for any 1/4 sec. Cor.

R. 3 W. continued

Survey

- 46.31 Dry wash 5ft. deep. 17lbs wide, course N. 15° W.
- 57.79 Dry wash 5ft. deep. 28lbs wide, course N. 10° W.
- 62.63 Dry wash 5ft. deep. 15lbs wide, course N. 20° W.
- 74.15 Dry wash 5ft. deep. 78lbs wide course N. 35° E.
- 76.60 Dry wash 18ft. deep. 20lbs wide, course N. 45° E.
- 80.00 Intersect No. 1 line 6lbs N. after cor. to Secs. 25, 26, 35 & 36 Thence I run N. 89° 58' W. on a true line bet. Secs. 26 & 35. with same va.
- 4000 Set a Post 2ft. long, 3 in. sq. with marked stone 12 in. in the ground, for 1/4

BOOK 1167

Subdivisions N. 1 S.

chain

sec. cor. marked $1/4$ S. on
 N. face, dug pits 18" x 18" x
 ins. E. N. of post $5/2$ ft.
 dist. and raised a mound
 of earth $1/2$ ft. high $3/4$ ft.
 base around post

80.00 The Cor. W Secs. 26, 27, 34 & 35.

Surface Rolling.

Soil 3^d rate

Dense greasewood brush
 & catsclaw, trunks.

North bet. Secs. 26 & 27
 Var. $13^{\circ} 54' E$.

5.21 Dry wash 4 ft. deep. 15 lbs wide
 course N. 80° E.

7.91 Dry wash 5 ft. deep. 20 lbs wide

R. 3 W. continued

Chains

course N. 70° E.

17.20 Dry wash 3 ft. deep. 20 lbs wide, course
N. 85° E.20.50 Ascend cliff of Rocks 20 ft. high
to Ex W33.90 Dry wash 3 ft. deep. 10 lbs wide
course N. 75° E.40.00 Set a granite stone 20 x 18 x 16
ins. 15 ins. in the ground, for 1/4
sec. cor. marked 1/4 on W. face,
and raised a mound of stone
alongside, Pts impracticable68.00 Dry wash 4 ft. deep. 10 lbs wide, course
N. 80° E.80.00 Set a Post 4 ft. long, 4 ins. sq.
with marked stone 12 ins. in
the ground, for Cor. to Sec.
22. 23. 26 & 27. marked

Subdivisions S. 1 S.

chains

S. 1 S. 1 S. 23 on N. E.
 R. 3 W. S. 26 on S. E.
 S. 27 on S. W. and
 S. 22 on N. W. face, with
 notches in E. S. edges,
 dug pits 18x18x12 in. in
 each sec. 5 1/2 ft. dist. and
 raised a mound of earth
 2 ft high 4 1/2 ft. base, around
 post

Surface rolling

Soil 2^d rate

Scattering Palo Verde trees
 & Greasewood brush.

East on a random line,
 bet. Secs. 23 & 26.

R. 3 W. continued

chain

Var. $13^{\circ} 54' E$

7.34 Dry wash 8 ft. deep. 22 lbs wide
course $S 40^{\circ} E$

29.10 Dry wash 12 ft. deep. 18 lbs wide,
course $N. 45^{\circ} E$

37.35 dry wash 14 ft. deep. 26 lbs wide, course
 $N. 30^{\circ} E$

40.00 Set temporary $1/4$ sec. cor.

61.41 Dry wash ^{18 ft. deep} 22 lbs wide, course $N. 80^{\circ} E$

75.27 Dry wash 2 ft. deep. 68 lbs wide, course
 $N. 10^{\circ} E$

80.08 Intersect N.S. line at corner
of Secs. 23, 24, 25 & 26. Then
run West on a true line
bet. Secs. 23 & 26. with same or

40.04 Set post 2 ft. long, 2 ins. sq.
with marked stone pins in
the ground for $1/4$ sec. cor.

Subdivisions S. 1 S.

Chairs

marked $1/4$ S. on N. face dug
 pits $18 \times 18 \times 12$ ins. E. & W. of
 post 5/8 ft. dist. and raised
 a mound of earth 1/2 ft. high
 3/8 ft. base around post.

80.00 The Cor. to Secs. 22, 23, 26 & 27

Surface Mountain ridges
 Soil 4th rate
 Greasewood Bush.

North bet. Secs. 22 & 23.

Var. $13^{\circ} 51' E$.

3.29 Dry wash 4 ft. deep. 10 lbs wide
 course N. $30^{\circ} E$.

5.10 Dry wash 4 ft. deep. 18 lbs wide
 course S. $80^{\circ} E$.

Ascend South slope of Mtn.

R. 3 W. continued

chains

11.00 Top 125 ft. high to E' W.

18.40 Foot of Mtn.

25.90 Ascend along S. W. slope of Mtn

31.00 Descend N. W. slope of Mtn

39.21 Dry wash 12 ft. deep. 22 lbs wide
course N. 80° W. foot of Mtn40.00 Set a granite stone 18 x 12 x 7
in. 12 in. in the ground for
1/4 sec. bar. marked 1/4 on W.
face, and raised a mound
of stone alongside Pt. unpr-
acticable57.79 Dry wash 12 ft. deep. 45 lbs wide
course N. 45° E!80.00 Set a granite stone 16 x 14 x 8 in.
11 in. in the ground, for cor. to
Secs. 14, 15, 22 + 23. marked
with 2 notches on E' & 3 notches

Subdivisions N. / S.

Chains

on Sedges, and raised a
mound of stone along edge.
Pits unproductive.

Surface unmountainous
Soil 4th rate
No timber.

East on a random line bet.
Secs. 14 & 23.

Cor. 130° 54' E

40.00 Set temporary 1/4 sec. Cor.

46.38 Dry wash 5 ft. deep. 15 lbs wide
course N. 150° E.

55.60 Dry wash 5 ft. deep. 40 lbs wide,
course N. 30° W.

79.92 Intersect N. S. line 18 lbs S.
of Cor. to Secs. 13, 14, 23 & 24.

R. 3 W. continued

chain

Thence I run S: 89° 51' W.
on a true line bet. Secs. 14 & 23.
with same as.

39.96 Set a Post 3 ft. long, 3 in. sq.
with marked stone 12 in. in
the ground for 1/4 sec. Cor.
marked 1/4 S: on N. face dug
pit 18 x 18 x 12 in. E. W. of
post 3 1/2 ft. dist. and raised
a mound of earth 7 1/2 ft.
high 3 1/2 ft. base, around
post.

79.92 The Corner to Secs. 14, 15, 22 & 23.
Slope rolling
Small washes
Soil 3^d rate
Dense Greasewood brush.

Subdivisions I. 1 S.

chains

North bet. Secs. 14 & 15

Var. $13^{\circ} 54' E!$

Descend

20.75 Dry wash left, deep 25 lbs wide
course N. $40^{\circ} E!$ Base of Hill
and ascend

26.43 Top of Hill 100 ft. high to E. W.

34.70 Foot of Rocky Hill

40.00 Set a post 3 ft. long iron, sq.
with marked stone 12 ins. in
the ground, for $\frac{1}{4}$ sec. cor.
marked $\frac{1}{4}$ S on W face, dug
pits 18 x 18 x 12 ins. N. S. of
post $5\frac{1}{2}$ ft. dist. and raised
a mound of earth $1\frac{1}{2}$ ft.
high $3\frac{1}{2}$ ft. base around post.
Enter valley

76.00 Enter low Bottom

R. 3 W. continued

chain

74.10 Cross Road curve N. W. & S. E. 60°

80.00 A Cottonwood tree in place 10
in. dia. standing 20 lbs South
of Jila River. which I mark
S. 1 S. S 11 on N. E.

R 3 W. S. 14 on S. E.

S! 15 on S. W. and

S! 10 on N. W. face, with
2 notches on E & 4 notches on
S side, dug pits 18" 18" 12 in.
in each sec. $5\frac{1}{2}$ ft. dist. and
raised a mound of earth
2 ft. high $4\frac{1}{2}$ ft. base around
tree. for cor. to Sec. 10. 11. 14 & 15.

Surface Mammals

Soil 2^d & 3^d rate

Cottonwood along River

Some greasewood brush

Subdivision S. 15'

Chain

East bet. Secs. 11 & 14.

Var. $13^{\circ} 54' 8''$ 4000 Set temporary $1/4$ sec. Cor.79.94 Intersect N.S. line at cor.
to Secs. 11, 12, 13 & 14.Thence I run N. on a true
line bet. Secs. 11 & 14, with
same var.39.97 Set about 3 ft. long, 3 in. sq.
with marked stone rim in
the ground, for $1/4$ sec. Cor.
marked $1/4$ S. on N. face, dug
pit 18 + 18 + 12 in. E & W. of
Post 5 1/2 ft. dist. and raised
a mound of earth 1 1/2 ft.
high 3 1/2 ft. base around post.79.94 The corner to Secs. 10, 11, 14 & 15.
Surface level & cor

R. 3 W. continued

chains

River Bottom
Soil 2^d rate
dense Arrow Bush
Some small cottonwood.

North bet. Secs. 10 & 11.

Cor. $13^{\circ} 54' E!$

- 0.30 Left Bank of Gila River
to S. $80^{\circ} W.$ low Banks and
deep water measure across.
- 4.68 Right Bank of River low
Banks to S. $W \& N. E! 80^{\circ}$
- 14.00 Leave low Bottom ascend 8 ft.
Enter Mesquite.
- 40.00 Set a Post 3 ft. long rim. sq.
with marked stone 12 rim.
in the ground, for $1/4$ sec.

Subdivisions S. 1 S.

chains

Cor. marked $\frac{1}{4}$ S. on N. face
 dug pit 18" x 18" in. med. of post 5 ft. dist. and raised a mound of earth 2 ft.
 high $\frac{3}{4}$ ft. base around post
 from which a Mesquite

grows. dia. br. S. 48° W. 104 lbs dist.

marked $\frac{1}{4}$ S. B. T.

8000 Set a post 4 ft. long, 4 lbs. sq.
 with marked stone 12 in. in
 the ground, for Cor. to Sec.
 2, S. 10 x 11. marked

S. 1 S. S. 2 on N. E.

R. 3 W. S. 11 on S. E.

S. 10 on S. W. and

S. 3 on N. W. face, with
 2 notches on E. 3 notches

on S. edge, dug pit 18" x 18"
 in. in each sec. 5 ft. dist.

and raised a mound of
 earth 2 ft. high 4 ft. base
 around post.

R. 3 W. continued

chain

- Surface level
- Soil 1st and 2^d rate
- Number of Mesquite
- Dense undergrowth

East on a random line bet.
 Secs. 2 & 11.

Var. $13^{\circ} 54' E!$

40.00 Set temporary 1/4 sec. cor.

48.00 Road to N. W & S. E. 57°

79.96 Intersect N. S. line 16 lbs S!
 of cor. to Secs. 1, 2, 11 & 12.

Thence Run S. $89^{\circ} 53' W.$
 on a true line bet. Secs. 2 & 11.
 with same or

39.98 Set a Post 3 ft. long, 3 in. sq.
 with marked stone pin.

Subdivisions N. 1 S.

chains

in the ground for $\frac{1}{4}$ sec.
 Cor. marked $\frac{1}{4}$ S. on N. face
 dug pits $18 \times 18 \times 12$ in. E. & W.
 of post $5\frac{1}{2}$ ft. dist. and
 raised a mound of earth
 $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base around
 post

79.96 The corner to Secs. 2, 3, 10, 11.

Surface level

Soil 1st rate

Mesquite Timber

Dense undergrowth

North on a true line bet.

Secs. 2 & 3.

Var. $13^{\circ} 54' E$ 17.00 Cross Road to N. W. & S. E. 60°

R. 3 W. continued

chain

40.00

Set a Post 2 ft. long, 3 in. sq. with marked stone pins in the ground, for $\frac{1}{4}$ sec. Cor. marked $\frac{1}{4}$ S on N. face, dug pits 18 x 18 x 12 in. N.W. of post 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base around post.

68.10 Cross Road to E x W.

80.04

Intersect Gila + Salt River Base line 2.43 chs East of Standard Cor. to Secs. 34 x 35. just recently established by me, at point of Intersection I set a Post 4 ft. long, 4 in. square, with marked stone pins in the ground, for

Subdivisions S. 1 S.

Chairs

Plowing Cor. to Secs. 2 & 3.
marked C. C. S. 1 S. R. 3 N. and
S. 2 on E. and
S. 3 on W. faces, with
2 notches on E. & 4 notches
on W. faces, dug pits
18x18x12 in. S. E. W. of
post 5/8 ft. dist. and
raised a mound of
earth 2 ft. high 4/8 ft. base
around Post.

Surface level

Soil 1st rate

Dense undergrowth

January 7th 1883.

R. 3 W. continued

chains

From the corner to Secs.
3.4. 33 + 34. on S. By of
Op. just recently established
by me, I run

North bet. Secs. 33 + 34
Var. $13^{\circ} 54' 8''$

Over Rolling Hills.

40.00 Set a granite stone $16 \times 12 \times 9$
ins. 11 ins. in the ground
for $1/4$ sec. cor. marked
 $1/4$ on W. face and raised
a mound of stone along-
side. Pth impracticable

80.00 Set a granite stone $20 \times 11 \times 8$
ins. 15 ins. in the ground
for cor. to Secs. 27. 28. 33 + 34
marked with 3 notches on E. &
1 notch on S. edge, and raised a

Subdivisions S. 1 S.

Chalco

mound of stone alongside
 Pits impracticable
 Surface broken Hill
 Soil rocky & 3^d rate
 Greasewood & Cactus brush

East bet. Secs. 27 & 34.

Var. $13^{\circ} 54' 8''$

- 2.78 Dry wash 6 ft. deep, 15 lbs wide course
 N. 80° E.
- 9.60 Dry wash 6 ft. deep, 22 lbs wide, course
 N. 60° W.
- 20.06 Dry wash 10 ft. deep, 20 lbs wide, course
 N. 75° W.
- 40.00 Sit. temporary 1/4 sec. cor.
- 42.67 Dry wash 12 ft. deep, 22 lbs wide
 course North

No. 1167

R. 3 W. continued

chain

- 47.08 Key mark 14 ft. deep. 20 lbs wide, corner North.
- 80.12 Intersect N.E. line 11 lbs S. of Cor. to Secs. 26. 27. 33 & 34. Thence run S. $89^{\circ}55'$ W. on a true line bet. Secs. 27 & 34 with same ra.
- 40.06 Set a granite stone 24 x 16 x 10 ins. 18 ins. in the ground, for $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$ on Infacy and raised a mound of stone alongside, Pts unpracticable
- 80.12 In corner to Secs. 27. 28. 33 & 34
 Surface Rolling Hills
 Soil rocky & of the rate
 dense grasswood brush
 & Ploverde.

Subdivision No. 1 S.

Chalus

North bet. Secs. 27 & 28.

Var. $13^{\circ} 54' E$.

- 13.10 Dry wash 4 ft. deep. 25 lbs wide
course N. $100^{\circ} W$.
- 21.40 Dry wash 6 ft. deep. 16 lbs wide, course
N. $45^{\circ} W$.
- 32.10 Dry wash 4 ft. deep. 32 lbs wide
course N. $80^{\circ} W$.
- 40.00 Set alphanite stone $16 \times 14 \times 8$ ins.
11 ins. in the ground, for $1/4$
sec. cor. marked $1/4$ on 99 .
face, and raised a mound
of stone alongside, Pts unpr-
acticable
- 44.00 Dry wash 6 ft. deep. 40 lbs wide,
course N. $45^{\circ} W$.
- 72.92 Dry wash 10 ft. deep. 30 lbs wide
course N. $35^{\circ} W$.

R. 3 W. continued

Lains

8000

Set a Quartz rock $16 \times 10 \times 8$ ins. 11
 ins. in the ground, for Cor. to Secs.
 21, 22, 27 & 28. marked with
 3 notches on E & 2 notches on S.
 edges, and raised a mound
 of stone along side, pits unpracticable

Surface Mtn Ridge.

Soil rocky & 4th rate
 Greasewoods Catalpa
 Birch.

East on a random line bet.
 Secs. 22 & 27.

Var. $13^{\circ} 57' E!$

4000 Set temporary $1/4$ sec. cor.

8008 Intersect N.S. line 18 lbs S.

Subdivisions N. 1 S.

claim

of cor. to Secs. 22, 23, 26 + 27
 Thence 1 mm S. $89^{\circ} 51' N.$
 on a true line bet. Secs. 22 + 27
 with same va.

4004 Set a granite stone $14 \times 12 \times 8$ ins.
 10 ins. in the ground for $1/4$
 sec. cor. marked $1/4$ on the face
 and raised a mound of
 stone alongside, *Pth impedib^{ish}*
 8008 The corner to Secs. 21, 22, 27 + 28.
 Surface broken Hills & dry
 Washes
 Soil 3^d rate
 Scattering Paloverde trees.
 Greasewood & Cactus brush.

North bet. Secs. 21 + 22

R. 3 W. continued

claims

Cor. 13° 57' E!

40.00

Set a granite stone 18x12x7 ins.
 12 ins. in the ground, for 1/4 sec. corner
 marked 1/4 on W. face, and raised
 a mound of stone alongside
 Pts impracticable

80.00

Set a granite stone 18x12x8
 ins. 12 ins. in the ground for
 Cor. to Secs. 15, 16, 21 & 22.
 marked with 3 notches on E
 S. edge, and raised a mound
 of stone alongside, Pts impracticable

Surface uneven & rocky
 Soil 4th rate
 Greasewood & Cactus
 Bush.

Subdivision S. 1 S.

Chain

East on a random line bet.

Secs. 15 & 22.

Cor. $130^{\circ}54' E$.

Over Rolling Hills.

9.00 Base of Eagle Mtn & ascended
W. End17.00 Top of Mtn to S. Ex h. W. 150ft
high

39.00 Foot of Mtn

4.00 Set temporary $1/4$ sec. cor.40.81 Dry wash 5ft. deep. 30lbs wide
course N. $25^{\circ} E$ 66.10 Dry wash 8ft. deep. 20lbs ^{wide, course} North78.25 Dry wash 8ft. deep. 15lbs wide course
N. $31^{\circ} E$ 80.14 Intersect W.S. line 14lbs Prof
Cor. to Secs. 14, 15, 22 & 23Thence I run N. $89^{\circ}54' W$.

R. 3 W. continued

chains

on a true line bet. Secs. 15 & 22.
with same vs.

- 40.07 Set a granite stone 16 x 12 x 8 ins.
11 ins. in the ground for 1/4 sec.
Cor. marked 1/4 on N. side, and
raised a mound of stone
alongside, Pts impracticable
- 80.14 The corner to Secs. 14, 15, 22 & 23.
Simpson mountainous & rocky
Soil 4th rate
No timber.

North bet. Secs. 15 & 16.

Var. B^o 54' 8"

Descend gradually to river

- 40.00 Set a Post 2 ft. long, 2 ins. sq.
with marked stone 12 ins. in

Subdivisions S. 1 S.

chains

the ground, for $\frac{1}{4}$ sec. Cor. marked
 $\frac{1}{4}$ S. on W. face, dug pits 18x18x12
 in. W. S. of spot $5\frac{1}{2}$ ft. dist.
 and raised a mound of
 earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base
 around spot.

42.91 Left Bank of Gile River
 course West. Cor Banks

47.50 Right Bank of River
 course West.

56.00 Leave low Bottom and enter
 high Bottom

80.00 Set a Post 4 ft. long, 4 in. sq.
 with marked stone rim. in
 the ground, for Cor. to Secs.

9. 10. 15 & 16. marked
 S. 1 S. S. 10 on N. E.

R. 9 W. S. 15 on S. E.

OK 1167
MAY 1908

R. 3 W. continued

chains

S. 16 on S. W. and
 S. 9 on N. W. faces, with 3
 notches on E & 4 notches on
 S. edges, dug pits $18 \times 18 \times 12$ ins.
 in each sec. 5/8 ft. dist. and
 raised a mound of earth
 2 ft. high 4/8 ft. base around
 post.

Simpson level

Soil 1st rate

Mesquite trees & Cottonwood
 along River
 dense undergrowth.

on a random line

East, bet. Secs. 10 & 15.

Var. $13^{\circ} 54' E$

3000 Enter low Bottom

Subdivisions S. 1 S.

Claims

- 40.00 Sit temporary $\frac{1}{4}$ sec. cor.
- 47.62 Right Bank of Gila River corner
S. 81° W. thence up the River
- 74.61 Left Bank of River to S. $88^{\circ} 9'$.
- 79.96 Intersect W.S. line 8 lks S.
of cor. to Secs. 10. 11. 14 + 15.
thence I run S. $89^{\circ} 57'$ W.
on a true line bet. Secs. 10 + 15.
with same or.
- 39.98 Sit a post 3 ft. long, circ. eq. 24
ins. in the ground for $\frac{1}{4}$
sec. cor. marked $\frac{1}{4}$ S. on N face,
dug pit 18" or 20" deep. E. W. of post 50 ft. diam. and raised mound of
earth 1 1/2 ft. high 3/4 ft. long around post
from ranch
- At Cottonwood rim. N. 61° W.
160 lks dist. marked $\frac{1}{4}$ S. B. P.
- 79.96 The corner to Secs. 9. 10. 15 + 16
Surface rock high bottom land
Soil 1st rate,

R. 3 W. continued

Claims

50chs low Bottom Sec 2. dense
dense greasewood & Arrow
Bunch.

North bet. Secs. 9 & 10.

Cor. $130^{\circ}54' E.$

40.00 Set a Post 3ft. long, 3ins. sq. with
marked stone 12ins. in the ground
for $\frac{1}{4}$ Sec. cor. marked $\frac{1}{4}$ S. on
W. face, dug pits 18 x 18 x 12ins.
W. of post $5\frac{1}{2}$ ft. dist. and
raised a mound of earth
 $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. box around
post.

80.00 Set a Post 4ft. long, 4ins. sq. with
marked stone 12ins. in the
ground for Cor. to Secs. 3, 4, 9 & 10

Subdivisions S. 1 S.

claim

marked

S. 1 S. S. 3 on N. E.

R. 3 W. S. 10 on S. E.

S. 9 on S. W. and

S. 4 on N. W. face, with 3
notches on E & 5 notches on S.
edges, dug pits 18 x 18 x 12 in.
in each sec. 57 ft. dist. and
raised a mound of earth
2 ft. high 4 1/2 ft. base around
post.

Surface level

Soil 1st rate

Scattering Noognit
beams undergrowth.

East on a random line

R. 3 W. continued

Chains

bet. Secs. 3 & 10.

Var. $130^{\circ} 54' E$.40.00 Set temporary $\frac{1}{4}$ sec. cor.79.98 Intersect N.S. line 24 ch. S.
of cor. to Secs. 2, 3, 10 & 11.Thence I run $S 89^{\circ} 50' W$.
on a true line bet. Secs. 3 & 10.
with same var.34.99 Set a post 2 ft. long, circ. sq.
with marked stone pins in
the ground, for $\frac{1}{4}$ sec. cor.
marked $\frac{1}{4}$ S. in 4 foot dug
pits 18 & 18 circ. E. W. of
post $5\frac{1}{2}$ ft. dist. and raised
a mound of earth $1\frac{1}{2}$ ft.
high $3\frac{1}{2}$ ft. base around
post.

79.98 The corner to Secs. 3, 4, 9 & 10.

Subdivisions N. 1 S.

Chain

Surface level
Soil 1st rate
Scattering Mesquite
Dense undergrowth.

North on a true line bet.
Secs. 3 & 4.

- 4000 Nor. 13° 54' S!
Set a Post. 2 ft. long, 3 ins. sq.
with marked stem 12 ins in
the ground, for 1/4 sec. cor.
marked 1/4 S on N. face
dig into 18" or 20" deep. N. of post 3/4 ft. dist. and raised a mound of earth 1/4 ft. high
from which a Mesquite tree
dia. br. N. 41° W. 132 lbs dist.
marked 1/4 S. B. P.
- 45.86 Road N. Ex S. W.
- 62.70 Dry wash 2 ft. deep. 15 lbs with

R. 3 W. continued

chains

course S. 60° W.

8000 Intersect Gila & Salt River
 Base line 2.46 Chs East of Standard
 Cor. to Secs. 33 & 34. just
 recently established by me,
 at point of intersection I set
 a post 4 ft. long, 4 in. sq. with
 marked stone 12 in. in the
 ground, for closing Cor. to
 Secs. 3 & 4. marked

C. C. S. / S. R. 3 W on S.

S. 3 on East

S. 4 on W. faces, with 3
 notches on Ex W. faces,
 dug pits 18 x 18 x 12 in. S. Ex W.
 of post 3 1/2 ft. dist. and
 raised a mound of earth
 2 ft. high 4 1/2 ft. base around

Subdivisions P. 1 S.

chains

part.

Surface level

Soil 1st rateDense undergrowth of
Greasewoods & Cateclars
Bunch.

 January 8th 1883

R. 3 W. continued

Chain From the corner to Secs.
 4, 5, 32 + 33. on S. By of
 Sp. just recently established
 by me, from North bet.
 Secs. 32 + 33.

Cor. $13^{\circ} 54' E$.

- 16.00 Base of Mtn + ascend
 37.00 Top of Mtn 24 ft. high for
 N. E + S. W. 71°
 40.00 Set a granite stone $18 \times 12 \times 10$ ins.
 12 ins. in the ground, for $1/4$ sec.
 Cor. marked $1/4$ on W. face and
 raised a mound of stone
 along side, Pits imperceptible
 41.00 Descend
 54.00 Foot of Mtn then over hills
 + gullies.
 80.00 Set a granite rock $18 \times 10 \times 8$ ins.

Subdivisions N. 1 S.

chains

12 ins. in the ground, for
 cor. to Secs. 28, 29, 32 + 33.
 marked with 4 notches on E.
 & 1 notch on S. edge, and
 raised a mound of stone
 along side, Pt. impunctate abt.
 Surface Mountainous
 Soil rocky & of the red
 No timber.

East on a random line bet
 Secs. 28 + 33.

Var. $130^{\circ} 54' E$

2.78 Dry wash 1 ft. deep 15 lbs wide
 curve N. $80^{\circ} E$.

19.58 Dry wash 1 ft. deep. 37 lbs wide
 curve N. $100^{\circ} W$.

R 3 W. continued

- 37.66 Dry wash 12ft. deep. 30lks wide, course N. 30° W.
- 40.00 Set temporary 1/4 sec. cor.
- 41.00 Dry wash 8ft. deep. 22 lks wide, course N. 45° W.
- 55.20 Dry wash 15 lks wide, course N. 30° W.
- 63.90 Ascend Mt ridge
- 68.02 Top of Ridge to S. W. N. E. about 50ft. high.
- 76.10 Foot of Ridge
- 80.00 Intersect N. S. line 6 lks N. of cor. to Secs. 27, 28, 33 & 34. Thru a pin N. 89° 58' W. on a true line bet. Secs. 28 & 33. with same or.
- 40.00 Set a granite stone 15 x 10 x 8 ins. 10 ins. in the ground, for 1/4 sec. cor. marked 1/4 on N.

Subdivisions P. 1 S. R. 3 W. C.

Chains

face, and raised a mound
of stone along side, Pts
impracticable

80.00 At corner to Secs. 28, 29, 32 & 33

Surface Mountainous

Soil 4th rate

Paloverdes Greasewood
Brush.

North bet. Secs. 28 & 29,

Cor. $13^{\circ} 54' E$

24.00 By mark 4 ft. deep, 20 lbs wide
course N. 25° W.

40.00 Set a granite stone 14 x 10 x
2 in. 16 in. in the ground, for
1/4 sec. cor. marked 1/4 on
W face and raised a

Subdivisions S. 1 S. R. 3 W. continued

Leins

mound of stone alongside
Pit impracticable.

46.00 Ascend S. side of Butte

57.00 Top of Butte 60 ft. high & descend

73.00 Foot of Butte by mesh 10 lbs
wide course N. 30° W.

80.00 Set a granite stone 14 x 12 x 7 ins.

in the ground for Cor.
to Secs. 20, 21, 28 & 29. marked

with 4 notches on E. and 2
notches on S. edges, and raised

a mound of stone alongside,
Pit impracticable.

Surface mountainous

Soil rocky & 3^d rate

Scattering Palo Verde Bush

Subdivisions P. 1 S.

c chain

Fast on a random line bet.
Secs. 21 & 28.

Var. $13^{\circ} 54' E$

28.00 Dry wash 8 ft. deep. 25 lbs wide
course N. $30^{\circ} W$.

40.00 Set temporary $1/4$ sec. Cor.

57.15 Dry wash 4 ft. deep. 18 lbs wide,
course N. $40^{\circ} W$.

73.14 Dry wash 2 ft. deep. 14 lbs wide
course North.

80.16 Intersect N & S. line 12 lbs
S of Cor. W Secs. 21, 22, 27 & 28.

Thence I run S: $89^{\circ} 55' W$.
in a true line bet. Secs.
21 & 28. with same or

40.08 Set granite stone 16 x 10 x 6
in. diam. in the ground
for $1/4$ sec. cor. marked

R. 3 W. continued

claims

$\frac{1}{4}$ on N. face and raised
a mound of stone alongside
Pit impracticable

80.16 The Corner to Secs. 20, 21, 28 & 29.

Surface mountainous
Soil rocky & 3^d rate
Scattering Paloverde trees &
Greenwood brush.

North bet. Secs. 20 & 21.

Cor. 130 54' 9"

Over rolling Hills

4000 Set a granite stone 16x12x8 ins.
11 ins. in the ground for $\frac{1}{4}$
sec. Cor. marked $\frac{1}{4}$ on N.
face and raised a mound
of stone alongside Pit imp-

Subdivisions P. 18.

Chains

practicable

2000 Set a Granite stone $12 \times 10 \times 8$
 ins. 8 ins. in the ground for
 cor. to secs 16, 17, 20 & 21. marked
 with 4 notches on E & 3 notches
 on S. edges, and raised a
 mound of stone along side.

Part impracticable

Surface broken & rocky
 with ridges.

Soil 3^d rate

Scattering Peloverde

Indications of Minerals.

East on a random line
 bet. Secs. 16 & 21.

Nov. 13^o 54' 81

R. 3 W. continued

chain

- 8.00 Dry wash soft. deep 60lks wide
course North
- 23.00 Dry wash soft. deep. 80lks wide
course North
- 27.00 Dry wash ^{15ft. deep} 60lks wide, course N. 10° W.
- 34.00 Dry wash 15ft. deep. 70lks wide course N. 15° W.
- 40.00 Set temporary 1/4 sec. Cor.
- 41.65 Dry wash 15ft. deep. 80lks wide, course
N 30° W.
- 58.32 Dry wash 12ft. deep. 60lks wide, course
N. 57° W.
- 80.08 Intersect N. S. line 10lks N. of
Cor. to Secs. 15, 16, 21 + 22. Then a
Dmn N. 89° 56' W. on a true
line bet. Secs. 16 + 21. with
same va.
- 40.04 Set a Quartz rock 16 + 12 + 5 thro.
11 in. in the ground for 1/4 sec.

Subdivisions N. 1 S.

chain

Cor. marked $1/4$ on N face
and raised a mound of stone
alongside, from which
a Peloverde div. dia. br. S. 21° E. 24 lbs dia.
marked $1/4$ S. B. P.

8.08 N. corner to Secs. 16, 17, 20 & 21.
Simfa broken ridges, and deep
washes

Soil rocky & 3^d rate
Scattering Peloverde &
greasewood & smol.

North bet. Secs. 16 & 17.

Cor. 13° 54' E!

10.28 Descend off Mesa enter
river Bottom

33.00 Low Bottom

R. 3 W. continued

chain

- 40.00 Set a Post 3 ft. long, 2 in. sq. with marked stone 12 in. in the ground, for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ S. on W. face, ^{dig pits 15+16 & 17 in head of post} and raised a mound of earth 1 $\frac{1}{2}$ ft. high $\frac{3}{4}$ ft. base around post.
- 50.76 Left Bank of Gila River
to S. W.
- 54.84 Right Bank of River to E. W.
Deep water low Banks
Enter same under growth
- 80.00 Set a Post 4 ft. long 4 in. sq. with marked stone 12 in. in the ground, for cor. to Secs. 8, 9, 16 & 17. marked
S. 1 S. S. 9 on N. E.
R 3 W. S. 16 on S. E.
S. 17 on S. W. and
S. 8 on N. W. face,

Subdivisions P. 15.

chain

with 4 notches on E. S. edges,
 dug pits 18 + 18 + 12 in. in each
 sec. 5 ft. dist. and raised
 a mound of earth 2 ft.
 high 4 1/2 ft. base around
 post.

Surface level

Soil top Bottom 2^d rate2^d bottom 1st rate

Small cottonwoods along
 River. & some undergrowth

East on a random line
 bet. Secs. 9 + 16.

Var. N 30 54 E:

4000 Set temporary 1/4 sec. cor.
 8004 Intersect road line at cor.

R B W. continued

chains

to Secs. 9, 10, 15, & 16. These
 form West in a true line bet.
 Secs. 9 & 16. with same va.

4002 Set a post 2 ft. long, 3 in. sq.
 with marked stone 12 in. in
 the ground, for $\frac{1}{4}$ sec. Cor.
 marked $\frac{1}{4}$ S. on N face, dug
 pits 18 x 18 x 12 in. E & W. of
 post $\frac{3}{4}$ ft. dist. and raised
 a mound of earth $\frac{1}{2}$ ft. high
 $\frac{3}{4}$ ft. base around post.

8004 The Cor. to Secs. 8, 9, 16 & 17.

Surface rolling

Sand ridges, Soil 2^d rate

No timber

Dense undergrowth, almost
 impenetrable.

Subdivisions S. 1 S.

Chains

North lot. Secs. 8 & 9.

Var. $130^{\circ}54'E$

4000 Set a Post 3 ft. long, 3 in. sq. with marked stone pin in the ground for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ S. on N. face, dug pit $18 \times 18 \times 12$ in. N. & S. of post $5\frac{1}{2}$ ft. dist. and raised a mound of earth $11\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base around post.

8000 Set a Post 4 ft. long, 4 in. sq. with marked stone pin in the ground, for cor. to Secs. 4, 5, 8 & 9, marked S. 1 S. S. 4 on N. E. R. 3 W. S. 9 on S. E. S. 8 on S. W. and

R. 3 W. continued

chain

S. 5 on N. W. face, with
 4 notches on E. 5 notches on
 S. edge, dug pits $18 \times 18 \times 12$ ins.
 in each sec. 50 ft. dist. and
 raised a mound of earth
 around post, from which
 E Mesquite 12 in. dia. br. S. 25° E. 40 lbs dist
 marked P. 1 S. R. 3 W. S. 9 B. P.

2 Mesquite 10 in. dia. br. N. 31° W. 60 lbs dist
 marked P. 1 S. R. 3 W. S. 5 B. P.

Surface level

Soil 1st rate

Scattering Mesquite + some
 Greasewood shrub.

East on a random line bet.
 Secs. 4 & 9.

Subdivisions N. 1 S.

Chains

- 4000 Set temporary $\frac{1}{4}$ sec. Cor.
- 8000 Intersect N & S. line at corner to Secs. 3, 4, 9 & 10. Thence 2 nm West. on a true line, bet. Secs. 4 & 9. with same va.
- 4000 Set a Post 2 ft. long 3 ins. sq. with marked stone rim. in the ground, for $\frac{1}{4}$ sec. Cor. marked $\frac{1}{4}$ S. on N face, dug pit 18 x 18 x 12 ins. 2 ft N. of post 5 ft. dist. and raised a mound of earth $\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base around post.
- 8000 The Corner to Secs. 4, 5, 8 & 9. Surface level Soil 1st rate
 Dense undergrowth

R. 3 W. continued

chains

North on a true line bet. Secs. 4 & 5.

Var. $13^{\circ}54' E$

1.00 ^{Cross} Road to E W.

23.95 Another Road corner E W.

40.00 Set a Post 3 ft. long, 3 in. sq. diam. in the ground for $\frac{1}{4}$

all cor. marked $\frac{1}{4}$ S. on
 dug pit 10 x 15 ft. deep. 1/2 ft. dist. from corner a corner of
 7 ft. high 3 ft. base around post
 N. face, from which

A Mesquite tree 4 ft. to N. $15^{\circ} W$. both
 dist. marked $\frac{1}{4}$ S. B. P.

no other tree near

80.02 Intersect Gila & Salt River
 Base line 2.46 chs East of Standard
 Cor. to Secs. 32 & 33. just
 recently established by survey
 at Point of intersection I
 set a Post. 4 ft. long, 4 in.

Subdivision T. 1 S

Claims

sq. with marked stone pers.
in the ground, for closing Co.
to Secs. 4 & 5. marked
b. c. T. 1 S. R. 3 W. on S.

S. 4 on E. and

S. 5 on W. face, with 4
notches on E. & 2 notches on
W. face, dug pits 18 x 18 x 12 in.

S. Ex W. of post $5/8$ ft. dist.
and raised a mound of
earth 2 ft. high $4/8$ ft. base
around post.

Surface level

Soil 1st rate

Scattering Mesquite timber

Scuse undergrowth

January 9th 1883.

R. 3 W. continued

Subdivisions N. 1 S.

chains

From the cor. to Secs. 5 & 6.

31 & 32. on S. By of Tp. just
recently established by
me, from north lat. Secs.
4 & 5.

Var. $13^{\circ} 54' E$.

46.00 Set a Post 3 ft. long, 3 in.
square, with marked star
12 in. in the ground, for
 $\frac{1}{4}$ sec. cor. marked $\frac{1}{4} S$.
on N. face, dug pits $18 \times 18 \times 12$
ins. N. of post $5 \frac{1}{2}$ ft. dia.
and raised a mound of
earth $1 \frac{1}{2}$ ft. high $3 \frac{1}{2}$ ft. base
around post.

49.67 Cross dry wash 8 ft. deep. 20 lbs. wide
course N. 60° W.

76.46 Dry wash 8 ft. deep. 10 lbs. wide,

R. 3 W. continued

chains

come N. 65° W.

8000

Set of granite stone 15 x 12 x 12
in. four in the ground for
Cor. to Secs. 29, 30, 31 & 32.

marked with 5 notches on E
1 notch on S. edges, and raised
a mound of stone alongside
from which a plowride, 6 ins. dia.
to S. 80° W. 32 lbs dist. marked
D. 1 S. R. 3 W. S. 31 B. P.

a plowride 4 in. dia. to S. 75° E. 98 lbs dist.
marked D. 1 S. R. 3 W. S. 32 B. P.

Surface rollings rocky

Soil 3^d rate

Scuse Greasewood & Catsclaw
Brush.

Subdivisions N. 1 S.

chain

East on a random line bet.
Secs. 29 + 32.

Var. $130^{\circ}54' E$.

ascend N. W. slope of Mtn

17.90 Top of Mtn 150ft high to N. E. S. W.
& descend

23.00 Foot of Mtn

26.00 Dry wash 4ft. deep. 20lbs wide,
course N. $80^{\circ} E$.

28.00 Dry wash 10ft. deep. 50lbs wide, course
N. $10^{\circ} E$.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.00 Intersect N. S. line 12lbs S.
of cor. to Secs. 28, 29, 32 + 33.
Thence I run S. $89^{\circ}55' W$.

on a true line bet. Secs. 29 + 32.
with same va

40.00 Set a Post 3ft. long, 3 ins. sq.

R. 3 W. continued

chain

with marked stone 12 ins. in
the ground, for $\frac{1}{4}$ sec. cor. marked
 $\frac{1}{4}$ S. on N. face, dug pit 18+18+12
ins. E. & W. of post $5\frac{1}{2}$ ft. dist.
and raised a mound of
earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base
around post.

80.00 The corner to Secs. 29. 30. 31 + 32
Simpson broken + rocky
Soil 3rd rate

Paloverde + Catsclaw Bush.

West on a random line bet.
Secs. 30 + 31.

Var. $13^{\circ} 54' E$

9.76 Dry wash 8 ft. deep. 42 lbs wide
course N. 45° W.

Subdivisions P. 1 S.

chains

- 4.000 Set temporary $\frac{1}{4}$ sec. cor.
- 58.97 Dry wash 4 ft. deep. 42 lbs wide
course N. 10° E.
- 77.75 Dry wash 4 ft. deep. 90 lbs. wide, course
N. 70° W.
- 77.79 Intersect W. By of Np. 10 lbs S.
of cor. to Secs. 25. 30. 31 & 36.
Thence run S. $89^{\circ} 56' E$.
on a true line bet. Secs. 30 & 31.
with same va.
- 37.79 Set a granite stone $16 \times 10 \times 10$
in. in. in the ground for
 $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ in
N. face and raised a mound
of stone along side Pts
impracticable
- 77.79 The Corner to Secs. 29. 30. 31 & 32
Surface rolling

R. 3 W. continued

chains

Soil gravelly + 3.^d rate
 dense greasewood Bush.

North bet. Secs. 29 + 30.

Var. $13^{\circ} 54' E$

- 14.46 Dry wash 15ft. deep. 110lbs wide
 course West
- 21.00 Dry wash 8ft. deep. 20lbs wide, course
 $57^{\circ} 0' W$.
- 4.00 Set a granite stone $15 \times 12 \times 12$ in.
 view in the ground for $1/4$ sec.
 cor. marked $1/4$ on N. face,
 and raised a mound of stone
 alongside Pt. unpracticable
- 41.55 Dry wash 8ft. deep. 15lbs wide
 course N. $60^{\circ} W$.
- 30.00 Set a granite stone $18 \times 12 \times 8$

Subdivisions T. 1 S.

claims

ins. 12 ins. in the ground, for
 Cor. to Sec. 19, 20, 29 & 30. marked
 with swatches on E & 2 inches
 on S. edges, and raised a
 mound of stone alongside
 Pk to impassible cable.

Surface Rolling & rocky
 Soil 3rd rate

Good indications of Minerals
 Paloverdes Greasewood Bush

East on a random line bet
 Secs. 20 & 29.

Var 13° 54' 8"

4000 Set temporary 1/4 sec. Cor.

55 1/4 Dig wash 10ft. deep 50lbs under
 came N. 60° W.

R. 3 W. continued

chain

- 74.40 Dry wash 15 ft. deep. 30 lks wide, course
N. 10° W.
- 80.04 Intersect N.S. line 14 lks N.
of cor. to Secs. 20, 21, 28 & 29.
Thence I run N. 89° 54' W.
on a true line bet. Secs.
20 & 29. with same va.
- 40.02 Set a granite stone 15 x 12 x 8 ins.
10 ins. in the ground, for 1/4
sec. cor. marked 1/4 on N. face,
and raised a mound of stone
alongside, Pt. impracticable
- 80.04 The cor. to Secs. 19, 20, 29 & 30.
Surface rolling & rocky
Soil 4th rate
Paloverde & greasewood
Bunch.

Subdivisions P. 15.

chains

West on a random line
bet. Secs. 19 & 30.

Var. $13^{\circ} 54' E!$

28.40 by wash 4 ft. deep. 10 lks wide
course N. $10^{\circ} E!$

40.00 Set temporary $\frac{1}{4}$ sec. cor.

77.80 Intersect W. By of Sp. 10 lks
N of cor. to Secs. 19, 24, 25 & 30.

Thence I run N $89^{\circ} 56' E!$

on a true line bet. Secs. 19 & 30
with same va.

37.80 Set a Post 3 ft. long 3 in. sq.
with marked stone pins in
the ground, for $\frac{1}{4}$ sec. Cor.
marked $\frac{1}{4}$ S on N face,
dug pits $18 \times 18 \times 12$ ins. E. N.
at post $5\frac{1}{2}$ ft. dist. and
raised a mound of earth

R. 3 W. continued

Chain

1 1/2 ft. high 3/4 ft. base around
post.77.80 The Cor. W Sec. 19. 20. 29 + 30
Surface Rolling.
Soil gravelly + 3^d rate
Shrub Greasewood Bush.

North bet. Secs. 19 + 20.

Var. 13° 54' E.

Over Mountain Ridges and
dry washes.40.00 Set a granite stone 18 + 12 + 8
ins. 92 ins. in the ground,
for 1/4 sec. Cor. marked 1/4
on N. face, and raised a
surround of stone along with
Pits impracticable.

Subdivisions S. 1 S.

chains

53.00 Dry wash 20ft. deep. 26 ft. wide, course N. 40° W.

70.00 Enter Valley

80.00 Set about 4 ft. long, 4 in. sq. with marked stone pins in the ground, for cor. to Sec.

17. 18. 19. 20. marked

S. 1 S. S. 17 on N. E.

R. 3 W. S. 20 on S. E.

S. 19 on S. W. and

S. 18 on N. W. face, with 5 notches on E & 3 notches on S. edge, dug pits $18 \times 18 \times 12$ ins. in each sec. 5 ft. dia. and raised a mound of earth around post, from which a magnetic line, dia. in. $S. 30^{\circ} E. 20$ ft. dia. marked S. 1 S. R. 3 W. S. 20 B. D.

R. 3 W. continued.

Claims

A Magnetite vein $4\frac{1}{2}$ in. $4\frac{1}{2}$ in. $N. 65^{\circ} W.$ Galena diet.
marked P. 15. R. 3 W. S. 18 B. P.

A Magnetite vein $8\frac{1}{2}$ in. $4\frac{1}{2}$ in. $N. 45^{\circ} E.$ galena diet.
marked P. 15. R. 3 W. S. 17 B. P.

Surface broken Mountains
Ridges & deep washes
Soil 3^d rate

Scattering Mesquite trees.
last rocks Soil 1st rate.

East on a random line bet
Secs. 17 & 20

Var. $13^{\circ} 54' E.$

- 10.00 Ascend over rolling Hills
34.40 Dry wash 20 ft. deep. 20 ft. wide
course North
40.00 Set temporary $\frac{1}{4}$ sec. bar.

Subdivisions T. 1 S.

Sains

63.83 Dry wash 1 ft. deep. 75 lbs moly, some North

68.00 Dry wash 1 ft. deep. 60 lbs moly, some North

80.14 Intersect N.S. line 20 lbs Prof
err. to Secs. 16, 17, 20 & 20. HenceI run N. 89° 51' W. on a true
line bet. Secs. 17 & 20. with
sains or.40.07 Set a granite stone 20 x 10 x 8 ins.
15 ins. in the ground for 1/4
sec. cor. marked 1/4 on N. face
and raised a surround of stone
alongside, Pt. inspectible

80.14 The Corner to Secs. 17, 18, 19 & 20

Surface rolling

Soil 3rd rate

Dense greasewood brush.

1st rocks scattering mesquiteSoil 1st rate.

R. 3 W. continued

chain

West on a random line
bet. Secs. 18 & 19.

Var. $13^{\circ}54' E$

4000 Set temporary $\frac{1}{4}$ sec. cor.

77.80 Intersect W. By of Sp. 14 lbs
North of cor. to Secs. 13, 18, 19 & 24.
Thence run N. $89^{\circ}54' E$
on a true line bet. Secs. 18 & 19,
with same var.

37.80 Set a post 3 ft. long circ. sq.
with marked stone 12 ins. in
the ground, for $\frac{1}{4}$ sec. cor.
marked $\frac{1}{4}$ S. on N face, dug
pits $18 \times 18 \times 12$ ins. Ex W of
post $3 \frac{1}{2}$ ft. dist. and
raised a mound of
earth $1 \frac{1}{2}$ ft. high $3 \frac{1}{2}$ ft.
base around post.

Subdivisions S. 15.

chain

77.80

The corner to Secs. 17, 18, 19 & 20
 Surface level
 Soil 1st rate
 Scattering Mesquite trees
 dense undergrowth.

North bet. Secs. 17 & 18

Var. $13^{\circ} 54' E$.

4000 Set a post 3 ft. long diam. sq. with
 marked at one end in the
 ground for $\frac{1}{4}$ sec. Cor. marked
 $\frac{1}{4}$ S. on N face, dug pit 15 x 15 x 2
 ins. W & S. of post $5\frac{1}{2}$ ft. dist.
 and raised a mound of
 earth 1 $\frac{1}{2}$ ft. high 3 ft.
 base around post.

67.00 Enter low Bottom

D. 3 W. continued

chains
8000

Set a Post 4 ft. long, 4 ins. sq.
24 ins. in the ground, for Cor.
to Secs. 7, 8, 17 & 18. marked
S. 15. S. 8 on N. E.

R. 3 W. S. 17 on S. E.

S. 18 on S. W. and

S. 4 on N. W. faces, with

5 notches on E. ^{4 notches}
dig pits 15 x 15 x 12 in. in each sec. 17 & 18. dist. and raised a mound of
earth 1/2 ft. high, 4 ft. base around post
on S. edge, ² from which

a Willow tree, 6 in dia. br. S. 25° W. 198 lbs dist.
marked S. 15. R. 3 W. S. 18 B. 1.

a Willow tree, 4 in dia. br. S 30° E. 206 lbs dist.
marked S. 15. R. 3 W. S. 17 B. 1.

Surface level Soil low Bottom
2^d rate high Bottom 1st rate
Dense under growth,
Scattering Cottonwoods &
Willows.

Subdivisions N. 1 S.

Chain

East on a random line bet.
Secs. 8 & 17.

Var. $13^{\circ}54' E$.

40.00 Set temporary $1/4$ sec. cor.

42.60 Left Bank of Gila River bet N. $87^{\circ} W$.
Cor Bank Measure across

57.61 Right Bank of River course
N. $87^{\circ} W$. deep water high bank

79.98 Intersect N. S. line 10 lbs N.
of cor. to Secs. 8, 9, 16 & 17.

Thence run N. $89^{\circ}56' W$.
on a true line bet. Secs. 8 & 17.
with same va.

39.99 Set a Post 2 ft. long, 3 in. sq.
with marked stone 12 in. in the
ground, for $1/4$ sec. cor. marked
 $1/4$ S. on N. face, dug pits $18 \times 18 \times 1/2$
ins. Ex N. of post $37/8$ ft. dist.

R. 3 W. continued

Chassis

and raised a mound of earth
 $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base around
 post.

79.98 The corner to Secs. 7, 8, 17 & 18.
 Surface level low Bottom
 Soil 2^d rate
 Dense under growth.

West on a random line bet.
 Secs. 7 & 18.

Var. $130^{\circ} 54' E$

9.00 Left Bank of Gila River
 course S. 31° W. low Bank
 measure across

17.30 Right Bank of Gila River
 to S. 31° W. high Bank.

4.00 Set temporary $1/4$ sec. cor.

Subdivision S. 1 S.

chain

77.84 Intersect W. By of Sp.

14 Ch. N. of Cor. to Secs.

7. 12. 13 & 18. Thru Iron

N. $89^{\circ}54'$ E. on a true line

bet. Secs. 7 & 18. with same or.

37.84 Set a Post 3 ft. long, 3 in.

sq. with marked stone 12 in.

in the ground, for $\frac{1}{4}$ sec.cor. marked $\frac{1}{4}$ on N. face,

dug pits 18 x 18 x 12 in. E. W.

of post $5\frac{1}{2}$ ft. dist. and

raised a mound of earth

 $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base

ground post.

77.84 The Cor. to Secs. 7, 8, 17 & 18

Simple level

Soil 1st rate

Scattering Mesquite &

R. 3 W. continued

Aires

Dense undergrowth.
Cottonwoods along River.

North bet. Secs. 7 & 8.

Var. $13^{\circ} 54' 8''$

2.87 Left Bank of River bet. E & W.

Measure across

6.54 Right Bank of Yila River

bet. E & W. Deep water low Banks
on South

10.54 Road bet. N. W & S. E. 57°

Enter Mesquite timber

40.00 Set about 8 ft. long, 3 ins sq.

with marked stone 12 ins in the

grounds for $\frac{1}{4}$ sec. cor. marked

$\frac{1}{4}$ S. on W. face, dug pits

$18 \times 18 \times 12$ ins. W. S. of post

Subdivisions T. 1 S.

chains

5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft. high
5 1/2 ft. base around post.

71.0⁹ cross Road course E. W.

80.00 Set about 4 ft. long 4 in.

square, with marked stone
12 ins. in the ground, for
E. W. Sec. 5, 6, 7 & 8.

marked T. 1 S. S. 5 on N. E.

R. 3 W. S. 8 on S. E.

S. 7 on S. W. and

S. 6 on N. W. faces, with
5 notches on E & S. edges,
dug pits 18 x 18 x 12 ins. in
each sec. 5 1/2 ft. dist. and
raised a mound of earth
1 1/2 ft. high 4 1/2 ft. base around
post.

R. 3 W. continued

Chains

from where a Magnolia vine dis-
 covered. S. 40° W. 153 lbs dist. marked
 D. 15. R. 3 W. S. 7 B. 1.

Simple level

S. or L. 1st rate

Scattering Magnolia
 & some Greasewood brush

Fast on a random line bet.

Secs 5 & 8.

Var. 13° 54' E.

- 16.17 Cross Road corner S. E. & S. W. 40°
 20.57 Dry wash 4 ft. deep. 20 lbs mole
 corner South
 39.00 Dry wash 3 ft. deep. 18 lbs mole
 corner South
 40.00 Set temporary 1/4 sec. Ar.

Subdivisions N S.

Class

80.06 Intersect N.S. line 10 lks S. of Cor. to Secs. 4, 5, 8 & 9.

Thence 2 mi S. 89° 56' W. on a true line bet. Secs. 5 & 8, with same va.

40.03 Set a Post 8 ft. long, 2 in. sq. with marked stone 12 in. in the ground for 1/4 sec. cor. marked 1/4 S. on N face, dug pits 18 x 18 x 12 in. E. W. of post 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base around post.

80.06 The corner to Secs. 5, 6, 7 & 8
Simpson level
Soil 1st rate
Scattering Mesquite

R. 3 W. continued

Chain

Dense Greasewood brush.

(West on a random line bet.
Secs. 6 & 7.

Cor. $13^{\circ} 54' E$

Over level land

40.00 Set temporary $1/4$ sec. cor.

77.64 Intersect W B_{1/2} of Sp. 12

1/2 mi. North of cor. to Secs.

1. 6. 7 & 12. Thence I run

$N 89^{\circ} 55' E$ on a true line
bet. Secs. 6 & 7. with same va.

37.64 Set a post 2 ft. long, 3 in. dia.

with marked stone 12 in.

in the ground, for $1/4$ sec.

cor. marked $1/4$ S. on

to face dug pits $18 \times 18 = 12$ in.

Subdivision P. 15.

Chains

Go W. of post 5 1/2 ft. dist.
and raised a mound of
earth 1 1/2 ft. high 3 1/2 ft.
base around post.

77.64 The Cor. to Secs. 5, 6, 7 & 8.

Survey level

Soil 1st rate

Scattering Magnets &
dense undergrowth

North on a true line bet.
Secs. 5 & 6.

Var. 13° 54' E.

4000 Set a Post 5 ft. long, 3 ins.

sq. in 24 ins. in the ground

for 1/4 sec. cor. marked 1/4
plus to subdivision. Mid. of post 5 1/2 ft. dist. and raised a mound
of earth 1 1/2 ft. high 3 1/2 ft. base around post
3. on N. face, from which

R. 3 W. continued

Chains

a Mesquite 16 in. dia br. N. 10° W. 244 lbs. dia
marked 1/4 S. B. P.

79.60 Intersect Gile & Salt River Base
line 2.40 chs E of Standard
Cor. to Secs. 31 & 32. just
recently established by
me, at point of inter-
section I set a Post
4 ft. long 4 in. sq. with
marked stone 12 in. in the
ground for closing cor.
to Sec. 5 & 6. marked
C. C. P. 15. R 3 W. on S.

S. 5 on E. end

S. 4 on W. faces, with
5 notches on E & 1 notch
on W. faces, dug pits 18 in / 8
& 12 in. S. E & W. of post

Subdivisions N/S.

Chains

5 1/2 ft. dist. and raised
a mound of earth 2 ft.
high 4 1/2 ft. base around
post.

Surface level

Soil 1st rate

Scattering Magnolia

Large Cypresswood &

Arrow Bush.

January 10th 1883

R 3 W. continued

General Description.

The land along the River and north of River is 1st rate, and can be irrigated, from the Gila, River, and then it will produce, most any thing,

There is enough of Timber throughout the township for all necessary purposes, and the entire Tp is covered with mesquite wood
Bunch.

For final facts see Book for
Tp. 1 N. R. 2 W.

U. S. Surveyor General's Office,

TUCSON, ARIZONA,

February 21, 1883,

The foregoing Field Notes of the Survey of the

Subdivision Lines
of
Township 1 South.
Range 3 West.

Of the Gila and Salt River Base and Meridian, Arizona, executed by

R. L. Powers,

Deputy Surveyor, under his contract of the

24th

day of

October

, 1882, having been

critically examined and the necessary corrections and explanations made, the said Field Notes and the surveys they describe are hereby approved.

J. W. Robbins

Surveyor General.