

*Indexed
W.C.A.*

No. 1168

1168

Field Notes

BOOK 1168

OF THE SURVEY OF THE

SUBDIVISION LINES

No. 1168 —OF— BOOK 1168

Township *1 S.* Range *4 W.*

Gila and Salt River Base and Meridian

ARIZONA.

By *R. C. Powers* D. S.

under contract dated *Oct 24 1882.*

Survey commenced *Dec 31. 1882.*

Survey completed *January 5th 1883.*

BOOK 1168

INDEX DIAGRAM.

Township 1^s

Range 4^W

6	93	5	69	4	52	3	35	2	18	1
92	91	68	57	34	17					
7	89	8	66	9	50	10	32	11	15	12
88	87	65	48	31	14					
18	85	17	63	16	47	15	30	14	13	13
84	82	62	45	28	11					
19	80	20	60	21	43	22	27	23	9	24
79	78	59	42	25	8					
30	76	29	58	28	41	27	24	26	7	25
74	73	56	39	22	5					
31	72	32	55	33	38	34	21	35	4	36

Gila and Salt River, Arizona.

ARIZONA.

John
[Signature]

BOOK 1168

Subdivision Lines
Sp. 1 S. R. 4 W.

For Preliminary and final
paths see Books for Gila & Salt
River Base line, and Tps
1 N. R 2 W. respectively

No. 1168

BOOK 1168

Subdivisions T. 1 S. R. 4 W.

Gila & Salt River Meridian
chains

Survey commenced
December 31 1882 with
a Bar to improved
Solar compass, made
by John Pouch of
San Francisco, Cal.
Before commencing the
Survey of the Subdivision
lines of this Township,
I carefully examined the
adjustments of my solar
Compass, and found
them in perfect order,
the instrument was also
carefully ^{checked} on the true
Meridian in Prescott, and was
examined every day while subdividing the Township.
From the Cor. to Secs. 1, 2.
35 & 36. on South Bound
ary of the township.

Subdivisions T. 1 S.

chains

which was just recently established by me, 1 mm North bet. Secs. 35 & 36
 Var. $13^{\circ} 54'$ East

(as per observation with solar compass)
 4000 Set a granite stone $16 \times 12 \times 8$ ins. 11 ins. in the ground, for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on W. face, and raised a mound of stone alongside, Pits impracticable

8000 Set a granite stone $18 \times 15 \times 6$ ins. 15 ins. in the ground, for cor. to Secs. 25 & 26. 35 & 36. marked with 1 notch on S. & E. edges, and raised a mound of stone alongside Pits impracticable.
 Surface rolling hills

R. 4 W. continued

chains

Soil rocky & 3^d rate
Greaswoods & Bacter.East on a random line bet.
Secs. 25 & 36.Var. $13^{\circ} 54' E.$

- 9.20 Dry wash 4 ft. deep. 20 lbs wide
course N. $80^{\circ} W.$
- 14.50 Dry wash 6 ft. deep. 35 lbs wide
course N. $45^{\circ} W.$
- 16.50 Same wash Tank of Water
2 ft. deep. 30 lbs wide, course N. $45^{\circ} W.$
- 39.80 Dry wash 8 ft. deep. 24 lbs wide course
N. $39^{\circ} W.$
- 4000 Set temporary $\frac{1}{4}$ sec. bar.
- 49.00 Dry wash 8 ft. deep. 16 lbs wide, course N. $10^{\circ} W.$
- 52.00 Dry wash 7 ft. deep. 20 lbs wide, course N. $45^{\circ} W.$
- 56.80 Dry wash 4 ft. deep. 14 lbs wide, course N. $30^{\circ} W.$
- 69.60 Ascend cliff of rock 125 ft. high.

Subdivision S. 1 S.

chains

72.00

Foot of cliff & dry wash 15 lks wide
course N.

80.16

Intersect E By of Sp. 14 lks

N. of cor. to Secs. 25, 30, 31 & 36

N. ^{previously established by me}
since I run N. 89° 54' W. on

a true line bet. Secs. 25 & 36.

with same or.

40.08

Set a granite stone 14 x 10 x 8 in.

10 in in the ground for 1/4 sec

cor. marked 1/4 on N. face

and raised a mound of

stone alongside, Pits imp

rectifiable

80.16

The corner to Secs. 25, 26, 35 & 36

Surface mountainous

Soil 3^d rate

Greasewood & Palo Verde

Bunch

R. 4 W. continued

chain

North bet. Secs. 25 & 26

Var. $13^{\circ}54'E$

- 4.00 Set a granite stone $14 \times 12 \times 12$ ins. 10 ins. in the ground, for $\frac{1}{4}$ sec. Cor. marked $\frac{1}{4}$ on N. face, and raised a mound of stone alongside. Pits impracticable.
- 40.90 Dry wash 15 ft. deep, 23 lbs wide, course N. $50^{\circ}W$.
- 41.30 Dry wash 10 ft. deep, 18 lbs wide, course N. $70^{\circ}W$.
- 61.30 Dry wash 4 ft. deep, 22 lbs wide, course N. $45^{\circ}W$.
- 80.00 Set granite stone $14 \times 12 \times 12$ ins. 10 ins. in the ground, for cor. to Secs. 23, 24, 25 & 26. marked with 1 notch on E. and 2 notches on S. edge, and raised a mound of stone alongside, Pits impracticable. Surface Rolling.

Subdivision S. 1 S.

chains

Soil 3^d rateScattering Palo Verde trees.
Dense Greasewood & Palo
verde brush.

 Cast on a random line, bet.
Secs. 24 & 25.
Var. $13^{\circ} 54' E$ 21.72 By wash 3ft. deep. 10lbs wide,
course N. $10^{\circ} W$.40.00 Set temporary $\frac{1}{4}$ sec. cor.80.06 Intersect E. Ry of township.
6lbs S. of cor. to Secs. 19, 2425 & 30. Hence Iron S. 89°
57' W. on a true line, bet.
Secs. 24 & 25. with same on.40.03 Set a post 3ft. long, 2in. dia,
with marked stone 12in.

R. 4 W. continued

chain

in the ground, for $\frac{1}{4}$ sec. cor.
marked $\frac{1}{4}$ S. on N. face, dug
pits 18 x 18 x 12 in. E. W. of post
5 $\frac{1}{2}$ ft. dist. and raised a
mound of earth $1\frac{1}{2}$ ft. high
3 $\frac{1}{2}$ ft. base around post.

80.06 The cor. to Secs. 23, 24, 25 & 26

Surface level

Soil 1st rate

Scattering Mesquite trees,
dense greasewood brush.

North bet. Secs. 23 & 24

Var. $13^{\circ}54'E$

38.50 Enter. Valley

40.00 Set a post 3 ft. long, 3 in. sq. with
marked stone 12 in. in the
ground, for $\frac{1}{4}$ sec. cor.

Subdivisions S. 1 S.

chains

marked $1/4$ S. on W. face dug
pits $18 \times 18 \times 12$ ins. W.S. of Post
 $5 \frac{1}{2}$ ft. dist. and raised a mound
of earth $1 \frac{1}{2}$ ft. high $3 \frac{1}{2}$ ft. base
around post.

62.30 Descend 10 ft. enter low Bottom

78.95 Left Bank of Gila River, bro
E. W. cor. in River at a Post
4 ft. long, 4 ins. sq. with marked
stone pins in the ground for
witness cor. marked

W.C. S. 1 S. S. 13 on N. E.

R 4 W. S. 24 on S. E.

S. 23 on S. W. and

S. 14 on N. W. faces, with 1
notch on E. and 3 notches on
S. edges, dug pits $18 \times 18 \times 12$ ins.
in each sec. $5 \frac{1}{2}$ ft. dist. and
raised a mound of earth

R. 4 W. continued

chains

2 ft. high 4 ft. base around
 post. from which a Cottonwood
 8 in. dia. br. S. 15° W. 7 lbs dist.
 marked, ^{W.C.} T. 15. R. 4 W. S. 23 B. S.
 measure across.

Surface level

Soil 1st & 2^d rate

Scattering Mesquite & Small
 Cottonwood along River
 dense undergrowth

East on a random line, bet.

Secs. 13 & 24

Cor. 13° 54' E.

Cor. in River.

32, 31 Left Bank of Nile River low Banks
 br N. E. & S. W. 10°

4.00 Set temporary 1/4 sec. Cor.

Subdivisions S. 1 S.

chain

- 80.14 Intersect C. Ry of No. 16 lks N.
of Cor. to Secs. 13. 18. 19 + 24.
Thence I run N. $89^{\circ} 53' W.$
on a true line bet. Secs. 13 + 24.
with same va.
- 40.07 Set a Post 3 ft. long, 3 ins. sq.
with marked stone 12 ins. in
the ground, for $\frac{1}{4}$ sec. cor.
marked $\frac{1}{4}$ S. on N. face dug
pits 18 + 18 + 12 ins. Ex N. of
post 5 ft. dist. and raised
a mound of earth $1\frac{1}{2}$ ft.
high $3\frac{1}{2}$ ft. base around post.
3 lks South of River.
- 80.14 The Cor. to Secs. 13. 14. 23 + 24.
Surface level low Bottom
Some small cottonwoods
along River
Deer underground

R. 4 W. continued

Chains

North bet. Secs. 13 + 14.

Var. $13^{\circ} 34' E$ 2.18 Right Bank of Gile River high
Banks to E. W.40.00 Set about 3 ft. long, 3 in. sq. with
marked stone pins in the ground
for 4 sec. Cor. marked $\frac{1}{4}$ S. on
W. face, dug pits 18 + 18 + 12 in.
N.W. of post $5\frac{1}{2}$ ft. dist. and
raised a mound of earth $\frac{1}{2}$
ft. high $3\frac{1}{2}$ ft. base around post80.00 Set about 4 ft. long, 4 in. sq.
with marked stone pins in
the ground for cor. to Secs. 11, 12
13 + 14. marked

S. 15 S. 12 on N. E.

R. 4 W. S. 13 on S. E.

S. 14 on S. W. and

S. 11 on N. W. faces, with 1 watch

Subdivisions T. 1 S.

Dains

on E. & 4 notches on S. edges,
dug pits 18x18x12 ins. in each
sec. 5/2 ft. dist. and raised
a mound of earth 2 ft. high
4/2 ft. base around post.

Surface Rolling

Soil 2^d rate

Scattering large Mesquite
Hence undergrowth.

East on a random line, bet.
Secs. 12 & 13.

Var. 130° 54' E.

17.53 Cross Road corner N. W. & S. E.

40.00 Set temporary 1/4 sec. cor.

80.06 Intersect E. By of Sp. at

Cor. to Secs. 7, 12, 13, & 18.

Hence I run West on a

R. 4 W. continued

Linas

true line bet. Secs. 12 + 13.
with same or.

40.03 Set a granite stone $12 \times 10 \times 8$
in. 8 in. in the ground, for
 $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on N.
face, and raised a mound
of stone along side. Pts imp-
racticable.

80.06 The Cor. 4 Secs. 11, 12, 13 + 14.
Surface level
Soil 2^d rate
Scattering Mesquite
dense Greasewood

North bet. Secs. 11 + 12.

Cor. $13^{\circ} 54' E$

40.00 Set a Post 3 ft. long, 3 in. sq.
with marked stone 12 in. in

Subdivisions S. 1 S.

chain.

the ground, for $\frac{1}{4}$ sec. cor.
marked $\frac{1}{4}$ S. on W. face, dug
pits $18 \times 18 \times 12$ ins. 3rd S. of Post
 $\frac{5}{8}$ ft. dist. and raised a
mound of earth $1\frac{1}{2}$ ft. high $\frac{3}{4}$
ft. base around Post.

20.00 Set a Post 4 ft. long, 4 ins. sq.
with marked Stone 12 ins. in
the ground, for cor. to Sec.

1. 2. 11 + 12. marked

S. 1 S. S. 1 on N. E.

R. 4 W. S. 12 on S. E.

S. 11 on S. W. and

S. 2 on N. W. faces, with 1
notch on E. 5 notches on
S. edges, dug pits $18 \times 18 \times 12$ ins.
in each sec. $\frac{5}{8}$ ft. dist.
and raised a mound of
earth 2 ft. high $4\frac{1}{2}$ ft. base

R. 4 W. continued

Chain

around post.

Surface level

Soil 2^d rateScattering Magnolia
dense undergrowth.

Cast on a random line bet.
Secs. 1 & 12.

Var. $13^{\circ} 54' E$ 40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.94 Intersect E. Ry of Township.

14 lks S. of cor. to Secs. 1, 6, 7 & 12

Hence I run S. $89^{\circ} 54' W$.on a true line bet. Secs 1 & 12
with same va.39.97 Set a Post 2 ft. long, Cin. sq.
with marked stone pins in
the ground for $\frac{1}{4}$ sec. cor.

Subdivision N. 1 S.

chains

marked $\frac{1}{4}$ S. on N. face
 dug pits 18 x 18 x 12 ins. Ex N.
 of post $\frac{1}{2}$ ft. dist. and
 raised a mound of earth
 $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base around
 post

79.94 The Cor. to Secs. 1, 2, 11 & 12.

Surface level

Soil 2^d rate

Live green woods

Estimated border.

North on a true line bet.

Secs. 1 & 2.

Var. $13^{\circ} 54' E!$

40.00 Set a Post 3 ft. long, 3 ins. sq.
 with marked stone pins in the
 ground for $\frac{1}{4}$ sec. Cor. marked

R. & W. continued

chains

$\frac{1}{4}$ S. on W. face, dug pits $18 \times 18 \times 2$ ins. N.S. of post 37 ft. dist. and raised a mound of earth 1 ft. high 3 ft. base around post.

- 80.10 Intersect Gila & Salt River
 Base line 2.30 Chs E. of ^{Standard} Cor.
 to Secs. 35 & 36. which point was just recently established by me, at the point of intersection I set a post 4 ft long 4 ins. sq. with marked stone 12 ins in the ground for closing cor. to Secs. 1 & 2. marked C.C. S. 1 S. R. 4 W. on S. 1 on E. and S. 2 on W. faces with 1 notch on E. 5 notches on W. faces, dug pits $18 \times 18 \times 12$ ins. S. Et W

Subdivisions P. 1 S.

chain

of post 5 1/2 ft. dist. and raised
a mound of earth 2 ft. high
4 1/2 ft. base around post.

Surface level

Soil 2^d rate

Scuse Grease wood bark.

December 31. 1882

R. 4 W. continued

Chain

From the Cor. to Secs 2, 3.
34 & 35. on S. Bay of Tp.
which is a point just recently
established by me, from
North bet. Secs. 34 & 35.

Var. $13^{\circ} 54' E$

40.00 Set a Post 2 ft. long, 2 ins. sq.
with marked stone 12 ins. in
the ground, for $\frac{1}{4}$ sec. cor.
marked $\frac{1}{4}$ S. on W. face, dug
pits 18 & 18 & 12 ins. N. & S. of post
 $\frac{5}{8}$ ft. dist. and raised a mound
of earth $\frac{1}{2}$ ft. high $\frac{3}{8}$ ft. base
around post, from which a
Butte 14 ft. high to E. 35 chs.

80.00 Set a Post 4 ft. long, 4 ins. sq.
with marked stone 12 ins. in
the ground for Cor. to Secs.
26-27. 34 & 35. marked

Subdivisions N. 1 S

chains

N. 1 S. S. 26 on N. E.

R. 4 W. S. 35 on S. E.

S. 34 on S. W. and

S. 27 on N. W. face, with 2
 notches on E. & 1 notch on S.
 edge, dug pits 18+18+12 ins.
 in each sec. 5 ft. dist.
 and raised a mound of earth
 2 ft. high 4 1/2 ft. low, around
 post.

Surface Rolling

Soil 2^d rate

Some Greasewood
 Cactus brush.

East on a random line bet
 Secs. 26+35.

Var. 13° 54' E.

R. 4 W. continued

Chains

- 2.64 by wash ft. deep. 15 lks wide, course N. 15° E.
 13.80 by wash 7 ft. deep. 18 lks wide course N. 30° W.
 32.20 by wash 6 ft. deep. 13 lks wide course N 75° W.
 40.00 Set temporary 1/4 sec. cor.
 80.00 Intersect N.S. line 18 lks S. of
 cor. W Secs. 25, 26, 35 & 36.

Thence 9 mm S. 89° 52' W. on a
 true line bet. Secs. 26 & 35,
 with same or.

- 40.00 Set a granite stone 14+14+10
 ins. Prim. in the ground for 1/4
 sec. cor. marked 1/4 on N flag
 and raised a mound of stone
 along side. Pts impracticable
 80.00 N. cor. W Secs. 26, 27, 34 & 35.
 Surface rolling & rocky
 Soil 3^d rate
 Grass Paloverde & Grease-
 wood shrub.

Subdivisions T. 1 S. :

Leins

North bet. Secs. 26 + 27.

Var. $13^{\circ} 54' E$.

- 40.00 Set a Post 3 ft. long, 3 ins. sq. with marked stone 12 ins. in the ground, for $\frac{1}{4}$ sec. Cor. marked $\frac{1}{4}$ S. on W. face, dug pit $18 \times 18 \times 12$ ins. W. S. of post $5 \frac{1}{2}$ ft. dist. and raised a mound of earth $1 \frac{1}{2}$ ft. high $3 \frac{1}{2}$ ft. base around post.
- 57.00 Descend 16 ft. enter valley & Scattering Magnet
- 80.00 Set a Post 4 ft. long, 4 ins. sq. with marked stone 12 ins. in the ground, for Cor. to Secs. 22, 23, 26, + 27. marked N. 1 S. S. 23 on N. E.
R. 4 W. S. 26 on S. E.
S. 27 on S. W. and

R. 4 W. continued

chains

S. 22 on N. W. face, with 2
notches on E. S. edge, dug
pit 18 + 18 + 12 in. in each
sec. 57 ft. dist. and raised
a mound of earth 2 ft high
4 1/2 ft. base around pit.

1st 57 chs Surface broken

29 chs Surface level

S. 1 1/2 + 3rd rate

Denise undergrowth of
Cactus, Greasewoods
Arrow brush.

East on a random line, bet.
Secs. 23 + 26.

Var. 13° 54' E.

40.00 Set temporary 1/4 sec. cor.

70.30 Dry wash 2 ft. deep. 15 lbs wide, course N. 10° E.

Subdivision S. 1 S.

chain

- 75.90 Dry wash aft. deep. 20 lbs wide, course h. 30° E.
- 79.96 Intersect N.S. line 6 lbs S. of
Cor. to Secs. 23, 24, 25 & 26.
Thence 2 mm S. 89° 58' W. on
a true line bet. Secs. 23 & 26.
with same va.
- 39.98 Set a post aft. long 2 ins. sq. with
marked stone rim. in the ground,
for 1/4 sec. Cor. marked 1/4 S. on
N face, dug pits 18 & 8 x 12 ins.
Ex W. of post 5 1/2 ft. dist. and
raised a mound of earth 1/2
ft. high 3 1/2 ft. base around post.
- 79.96 The Cor. to Secs. 22, 23, 26 & 27.
Surface level
Soil 1st rate
Scattering Mesquite trees.
Dense undergrowth.

R. 4 W. continued

Chains

North bet. Secs. 22 & 23.

Var. $13^{\circ} 54' E$

40.00

Set a Post 4 ft. long, circ. eq.
 24 ins. in the ground for $\frac{1}{4}$
 sec. cor. marked $\frac{1}{4}$ S on W.
^{dug pits 18x18x12 ins. W. of post}
 face, and raised a mound of
 earth around post, from which
 a Peloverde line. dist. to S. $75^{\circ} W$. 80 lbs. dist.
 marked $\frac{1}{4}$ S. B. P.

43.80

Left Bank of Giles River curve West
 measure across.

47.60

Right Bank of River low Banks
 Enter low Bottom

80.00

Set a Post 4 ft. long, 4 ins. eq.
 with marked stone 12 ins. in
 the ground for cor. to Secs.
 14, 15, 22 & 23. marked
 S. 15' S. 14 on N. E.
 R. 24 W. S. 23 on S. E.

Subdivision S. 1 S.

chains

S' 22 on S. W. and
 S. 15 on N. W. face, with 2
 notches on E. 3 notches on
 S. edge, dug pits 18" x 18" x 12 ins.
 in each sec. 57 ft. dist. and
 raised a mound of earth
 2 ft. high 4 ft. base around post.

Surface level

Soil 1st & 2^d rate

Some greasewood brush
 & small bottomwood along River

East on a random line bet.

Secs. 14 & 23.

Var. 13° 54' E.

40.00 Set temporary 1/4 sec. cor.

63.00 Enter Corr Bottom

68.00 Right Bank of Gila River
 br S. 78° W. & N. 86° E.

R. 4 W. continued

chains

- 800.0 Intersect N.S. line a point
in the River, Pluse Iron
W. on a true line bet. Secs.
14 & 23. with same or.
- 4000 Set a post 3 ft. long, 2 ins. sq.
with marked stone 12 ins in
the ground for 1/4 sec. cor.
marked 1/4 S. on N. face, dug
pits 18 x 18 x 12 ins. E & W. of
post 5 1/2 ft. dist. and raised
a mound of earth 1 1/2 ft. high.
3 1/2 ft. bar around post.
- 8000 The corner W Secs. 14, 15, 22 & 23.
Surface level
Soil 1st rate
Scattering Mesquite & small
bottomwood along River
dense undergrowth.

Subdivisions P. 1 S.

chains

North bet. Secs. 14 & 15.

Var. $13^{\circ} 54' E$

4000

Set a Post 2 ft. long, 4 ins. sq. with marked stone 12 ins. in the ground, for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ S. on W. face, dug pits $18 \times 18 \times 12$ ins. W. S. of post $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base around post.

8000

Set a Post 4 ft. long, 4 ins. sq. with marked stone 12 ins. in the ground, for Cor. to Secs.

10, 11, 14 & 15, marked

S. 1 S. S. 11 on N. E.

N. 4 W. S. 14 on S. E.

S. 15 on S. W. and

S. 10 on N. W. faces, with 2 notches on E & 4 notches

R. 4 W. continued

dairies

in S. edge, dug pits $18 \times 18 \times 12$
 ins. in each sec. $5/8$ ft. dist.
 and raised a mound $4/8$ ft. high
 $4/8$ ft. high $4/8$ ft. long around
 pit.

Surface level

Soil 1st rate

Scattering Mesquite trees.

Dense Greasewood bushes.

East on a random line
 bet. Secs. 11 & 14.

Cor. $13^{\circ} 54' 8''$ 4000 Sit temporary $1/4$ sec. Cor.8000 Intersect N.S. line 23 lbs. N.
 of Cor. to Secs 11, 12, 13 & 14.

Then I run N. $89^{\circ} 49' N$.
 on a true line bet. Secs. 11 & 14

Subdivisions T. 1 S.

claims

with same or.

40.04 Set a Post 4 ft. long, 3 in. sq.
 with marked stone 12 in. in
 the ground, for $\frac{1}{4}$ sec. cor.
 marked $\frac{1}{4}$ S. on N. face dug
 pits 18 x 18 x 12 in. Ex W. of
 post $5\frac{1}{2}$ ft. dist. and raised
 a mound of earth $1\frac{1}{2}$ ft.
 high $3\frac{1}{2}$ ft. base around post.

8008 The corner to Secs. 10, 11, 14 & 15.

Surface level

Soil 1st rate

Scattering Mesquite trees.

Some Greenwood brush

& Ecto. Larrs.

North bet. Secs. 10 & 11.

Var. $13^{\circ} 34' E$

R. 4 W. continued

chain

23.78 cross Road to N. Et S. W. 74°

40.00 Set a Post 3 ft. long, 3 ins. sq.
with marked stake 12 ins. in
the ground, for $\frac{1}{4}$ sec. cor.
marked $\frac{1}{4}$ S. on W. face dug
pits $18 \times 18 \times 12$ ins. W. S. of
post $5\frac{1}{2}$ ft. dist. and raised
a mound of earth $\frac{1}{2}$ ft.
high $3\frac{1}{2}$ ft. base around post

80.00 Set a Post 4 ft. long, 4 ins. sq.
with marked stake 12 ins. in
the ground, for cor. to Secs.

2.3. 10 & 11. marked

S. 1 S. S. 2 on N. E.

R. 4 W. S. 11 on S. E.

S. 10 on S. W. and

S. 3 on N. W. face, with
2 notches on E. & 5 notches on
S. edge, dug pits $18 \times 18 \times 12$

Subdivision T. 1 S.

chains

ins. in each sec. $5\frac{1}{2}$ ft. dist.
and raised a mound of earth
2 ft. high $4\frac{1}{2}$ ft. base around
post.

Simpan level

Soil 2d rate

Scattering Mesquite trees.

Wetland Greasewood thicket

Cast on a random line
bet. Secs. 2 & 11.

Var. $13^{\circ} 54' E$

35.78 Dry wash 4 ft. deep. 15 lks wide, course
 $S. 40^{\circ} E$

40.00 Set temporary $\frac{1}{4}$ sec. cor.

75.42 Dry wash 2 ft. deep. 10 lks wide, course
 $S. 35^{\circ} E$

80.08 Intersect W.S. line 16 lks S.

R. 4 W. continued

Claims

of Cor. W Secs. 1, 2, 11 & 12.

Kena Iron S. $89^{\circ} 53' W$. on a
true line, with ^{bet sec 2 & 11} curve on.4004 Set a post 3 ft. long, 2 in. sq. with
marked star 12 in. in the ground
for $\frac{1}{4}$ sec. Cor. marked $\frac{1}{4}$ in
on N. face dug pits 18 x 18 x 12 in.Ex W. of post $5\frac{1}{2}$ ft. dist. and
raised a mound of earth $\frac{1}{2}$
ft. high $3\frac{1}{2}$ ft. base around post.

8008 The Cor. W Secs. 2, 3, 10 & 11.

Surface level

Soil 2^d rateHave Greasewood & Cuts -
clear brush.in a true line
North, bet. Secs. 2 & 3.Cor. $13^{\circ} 54' E$.

Subdivisions T. 1 S.

Chalco

4000

Set a Post 2 ft. long, 3 ins. sq. with
marked stone pins on the ground
for $\frac{1}{4}$ sec. Cor. marked $\frac{1}{4}$ S. on
W. face, dug pits $18 \times 18 \times 12$ ins.
N. S. of post $5\frac{1}{2}$ ft. dist. and
raised a mound of earth $1\frac{1}{2}$
ft. high $3\frac{1}{2}$ ft. base around post.

8004

Intersect Gilat Salt River
Base line 2.48 chs East of
^{Standard}
Cor. to Secs. 34 & 35, which
was just recently established
by me, at point of intersection
Set a Post 4 ft. long 4 ins. sq.
with marked stone pins on
the ground, for closing cor. to
Secs. 2 & 3. marked
C.C. N. 15' R. 4 W. on South
S. 2 on E. and
S. 3 on W. faces, with 2 watches

R. & W. continued.

Chains

on East and 4 notches on
W faces, dug pits 18x18x12
ins. S. E. & W. of post 3/4 ft.
dist. and raised a mound
of earth 2 ft. high 4/4 ft. base
around post.

Surface level

Soil 1st rate

near Greenwoodbush.

January 2^d 1883

Subdivisions S. 1 S.

chains

From the Corner to Secs.
3, 4, 33 & 34 on S. Ry. of Sp
which was just recently
established by me, from
North bet. Secs. 33 & 34.

Var. $13^{\circ} 54' E$

- 40.00 Set a granite stake $18 \times 10 \times 7$
ins. 12 ins. in the ground for
 $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on
W. face, and raised a
mound of stones, along-
side, Pitt impracticable
- 46.00 Ascend over N. E. end of Mtn.
- 53.00 Top of Mtn and descent to
S. $42^{\circ} W$. extend about 30 chs. & 80 ft. ^{high}
- 67.00 Foot of Mtn thence over rolling
hills.
- 80.00 Set a granite stake $17 \times 12 \times 8$ ins.
12 ins. in the ground, for cor.

BOOK 1168
No. 1168

R. & W. continued

Chains

to secs. 27, 28, 33 & 34.
marked with 3 notches on E.
and 1 notch on S. edges, and
raised a mound of stone
alongside. Pits impracticable.
Surface Mountainous &
rocky

Soil 3^d rate

Paloverdes Greasewood
Brush.

Cast on a random line
bet. Secs. 27 & 34.

Var. $13^{\circ} 54' E$

19.60 Dry wash 2 ft. deep, 15 lbs wide,
course N. $15^{\circ} E$

33.87 Dry wash 2 ft. deep, 18 lbs wide, course
N. $30^{\circ} W$

Subdivision N. 1 S.

chains

- 40.00 Set temporary $1/4$ sec. cor.
- 62.50 Dry wash 3 ft. deep. 18 lks wide, course
N. 20° W.
- 80.00 Intersect N.S. line 8 lks N. of
cor. to Secs. 26, 27, 34 & 35.
Thence I run N. $89^{\circ} 54'$ W. on
a true line bet. Secs. 27 & 34
with same va.
- 40.00 Set a post 3 ft. long, 3 ins. sq.
with marked stone 12 ins. in
the ground, for $1/4$ sec. cor.
marked $1/4$ S. on N. face, dug
pit 18 & 18 x 12 ins. E. W. of
post $5\frac{1}{2}$ ft. dist. and raised
a mound of earth $1\frac{1}{2}$ ft.
high $3\frac{1}{2}$ ft. base around post.
- 80.00 The corner to Secs. 27, 28, 33 & 34.
Surface level
Soil 2" fat

R. 4 W. continued

chain

line under north of
Ironwood Reserve & Sec. 27
Greenwood brook.

North bet. Secs. 27 & 28.

Var. $13^{\circ} 54' E$.

Over rolling Hills.

4000 Set a granite stone $18 \times 12 \times 7$
ins. 2 ins. in the ground
for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$
on W. face, and raised a
mound of stone alongside.
Pts impracticable.

8000 Set a granite stone $20 \times 10 \times 10$
ins. 15 ins. in the ground
for cor. to Secs. 21, 22, 27 & 28.
marked with 3 notches on
E & 2 notches on S. edges.

Subdivisions N. 1 S.

Chain

and raised a mound
 a stone along side pits
 impracticable.

Surface rolling.

Soil rocky & 3^d rate
 Greasewood bushes

East on a random line bet.
 Secs. 22 & 27.

Var. $13^{\circ} 54' E$

Along N. side of Mesa
 40.00 Set temporary $1/4$ sec. cor.
 over rolling hills and gullies.

00.12 Intersect N.S. line 8 lks N.
 of cor. & Secs. 22, 23, 26 & 27.

Thence I run N. $89^{\circ} 57' W$.
 on a true line bet. Secs. 22 & 27
 with same or.

R. & W. continued

4006 Set a granite stone 12x10x8
 ins. 8 ins. in the ground for
 1/4 sec. Cor. marked 1/4 S. on
 N. face and raised a mound
 of stone alongside. Pt. sup-
 ractic etc.

8012 The corner to Secs. 21, 22, 27 & 28.
 Surface rolling & rocky
 Soil 3^d rate
 Scattering Palo Verde trees.
 Dense Greasewood brush.

North bet. Secs. 21 & 22.

Var. 13° 54' E.

18.00 Descend off Mesa 7 feet.
 enter valley

4000 Set a Post sft. long, 3 ins. sq.
 with marked stone pin.

Subdivision N. 1 S.

Quins

in the ground for $\frac{1}{4}$ sec. cor.
marked $\frac{1}{4}$ S. on W. face,
dug pits 18+18+12 in. W. of
of post 5 ft. dist. and
raised a mound of earth
 $\frac{1}{4}$ ft. high 3 ft. base around
post.

41.28 Left Bank of Gila River cor Bank
Measure across.

46.25 Right Bank of Gila River cor
N. Ex S. W. 57° shallow water
cor Banks.

54.54 Leave cor Bottom & cottonwood

80.00 Set a Post 4 ft. long 4 ins. dia
24 ins. in the ground for cor.
to Secs. 15-16-21+22. marked
N. 1 S. R. 4 W. S. 15 on N. E.
R. 4 W. S. 22 on S. E.
S. 21 on S. W. and

R. 4 W. continued

chains

S¹ 16 on N. W. face with
 dug pits 18" x 8" x 2" in each acc. 37 ft. dist. and inside diameter of earth sp. 1/2 ft. x 1/4 ft. base
 3 notches on E. S¹ edge, ^{assigned part} from which

A Mesquite bin. dis. br. S. 34° W. 60 lbs dist.
 marked T. 15. R. 4 W. S. 21 B. T.

A Mesquite bin. dis. br. S. 50° E. 74 lbs dist.
 marked T. 15. R. 4 W. S. 22 B. T.

Surface level

Soil 1st & 2^d rate

Scattering Mesquite &
 Small cottonwoods along
 River Bottom

Dense Cato claw & Grease
 wood bushes.

Cast on a random line bet.

Seco. 15 & 22.

Var. 13° 54' E.

1460 Leave scattering Mesquite

Subdivisions S. 1 S.

chains

enter Greasewood

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.14 Intersect N.S. line 10 lks

W of cor. to Secs. 14, 15, 22 & 23.

Thence $\text{S } 89^{\circ} 56' \text{ W.}$

on a true line, bet. Secs. 15 & 22.

with same va.

40.07 Set a Post 3 ft. long, Bin. sp. with marked stone 12 ins. in
the ground, for $\frac{1}{4}$ sec. cor.marked $\frac{1}{4}$ S. on N. face dugpit 18 x 18 x 12 ins. Ex N. of
post 57 ft. dist. and raiseda mound of earth $1\frac{1}{2}$ ft.hgt $3\frac{1}{2}$ ft. base around

post.

80.14 The cor. to Secs. 15, 16, 21 & 22.

Surface level

Soil 1st rate

R. 4 W. continued

deins

House under growth of
Greasewood & Cottonwood
Bunch.

North bet. Secs. 15 & 16.

Cor. $13^{\circ}50' E$

4000 Set a Post 4 ft. long, 3 ins. sq.
with marked stone 12 ins. in
the ground for $\frac{1}{4}$ sec. cor.
marked $\frac{1}{4}$ S. on W. side dug
pits 18 x 18 x 12 ins. 200 ft. apart
 $57\frac{1}{2}$ ft. dist. and raised a
mound of earth $1\frac{1}{2}$ ft.
high $3\frac{1}{2}$ ft. base around post.

61.26 Cross Road corner E & W.

8000 Set a Post 4 ft. long, 4 ins. sq.
with marked stone 12 ins. in
the ground, for cor. to Sec.

Subdivisions S. 1 S.

Chains

9. 10. 15 & 16 marked

S. 1 S. S. 10m N. E.

R. 4 W. S. 15m S. E.

S. 16 on S. W. and

S. 9 on N. W. faces, with
3 watches on E & 4 watches on
S. edges, dug pits 18x18x12
ins. in each sec. 50ft. dist.
and raised a mound of
earth 4ft. high 4ft. base
around post.

Surface level

Soil 1st rate

Scuse Greasewood & Cats-
claw brush.

Post on a random line bet.
Secs. 10 & 15.

R. & W. continued

Chains

Var. $13^{\circ} 50' E!$

- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
- 79.98 Intersect N&S line at corner
to Secs. 10, 11, 14 & 15. Then
I run West on a true line
bet. Secs. 10 & 15. with same ca.
- 39.99 Set a post 3 ft. long in
sq. with marked stone pins
in the ground for $\frac{1}{4}$ sec. cor.
marked $\frac{1}{4}$ S. on N. face, dug
pits $18 \times 18 \times 12$ ins. E & W of
post 5 ft. and raised a
mound of earth $1\frac{1}{2}$ ft. high
& $\frac{1}{2}$ ft. low around post.
- 79.98 He comes to Secs. 9, 10, 15 & 16
Surface level
Soil 1st set
Use Greasewood & Arrow
Bunch

Subdivisions P. 1 S.

chains

North bet. Secs. 9 & 10.

Var. $13^{\circ} 48' E$.14.14 Dry wash 3 ft. deep, 10 ft. wide, course $S. 43^{\circ} E$.

40.00 Set a post 3 ft. long 3 in. sq.
with marked stone 12 in. in the
ground for $\frac{1}{4}$ sec. cor. marked
 $\frac{1}{4}$ S. on W. face, dug pits 18" x 18" x 2
in. 1/2 S. of post 5 1/2 ft. dist.
and raised a mound of
earth 1 1/2 ft. high 3 1/2 ft. base
around post.

80.00 Set a Post 3 ft. long 4 in. sq.
with marked stone 12 in. in
the ground for cor. to Secs.

3, 4, 9 & 10. marked

P. 1 S. S. 3 on S. E.

R. 4 W. S. 10 on S. E.

S. 9 on S. W. and

S. 4 on N. W. faces, with

R. 4 W. continued

chains

3 notches on E. & 5 notches
on S. edges, dig pits 18 & 18 1/2
ins. in each sec. 5/8 ft. dist
and raised a mound of
earth 2 ft. high 4 1/2 ft. base
around post.

Surface level

Soil 2^d rate

Stems Greenwood Cato -
claw & Arrow Bush.

Post on a random line
bet. Secs. 3 & 10.

Var. $13^{\circ} 48' E$

4000 Set temporary 1/4 sec. Cr.

80.04 Intersect N.S. line looks S.
of cor. to Secs. 2, 3, 10 & 11.

Thence I run S. $89^{\circ} 51' W$.

Subdivision N. 1 S:

Series

on a true line, bet. Secs.

3 & 10. with same ra.

40.02 Set a post 3 ft. long, 3 ins. sq.
with marked stone, 12 ins. in
the ground, for $\frac{1}{4}$ sec. cor.
marked $\frac{1}{4}$ S. on N face dug
pit 18 x 18 x 12 ins. Ex W of
post 5 ft. dist. and raised
a mound of earth $1\frac{1}{2}$ ft.
high $3\frac{1}{2}$ ft. base around post.

80.04 The Cor. b Secs. 3, 4, 9 & 10

Surface level

S on L 2^d ratScrub greasewood &
catclaw brush.

on a true line

North bet. Secs. 3 & 4.

Var. $13^{\circ} 54' 8''$

R. 4 W. continued

Chains

4000

Set a post 3 ft. long, 2 in. sq. with marked stone 12 in. in the ground for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ S. on W face dug pits 18 x 8 x 12 in. N. S. of post $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base around post.

80.10

Intersect ^{of} Salt River Base line 2.57 lbs E. of Standard cor. to Secs. 33 & 34. which was just recently established by me, at point of intersection I set a post 4 ft. long, 4 in. sq. with marked stone 12 in. in the ground for closing Cor. to Secs. 32 & 4 marked C.C. T. 1 S. R. 4 W. on S. S. 3 W. on E. and

Subdivisions S. 1 S.

clarus

S. 4 on W. edges, with 3
notches on E & W. edges dug
pits 18 x 18 x 12 ins. S. E. & W. of
post. 5 1/2 ft. dist. and raised
a mound of earth 2 ft high
4 1/2 ft. base around post.

Surface level slopes gently
to South.

Soil 2^d rate
Dense Greasewood & Cato-
claw brush.

January 3^d 1883

R. 4 W. continued

chain

From the corner to Secs. 4, 5, 32 + 33. on S. By of Sp. which was just recently established by my Iron north bet. Secs. 32 + 33.

Var. 130° 54' E!

Descending over Rolling Hills

25:56 Dry wash 4 ft. deep. 23 lbs. weight, course N. 40° W.

4:00 Set a post 3 ft. long, 3 ins. sq. with marked stone 12 ins. in the ground, for 1/4 sec. cor. marked 1/4 S. on W. face, dug pits 18 + 18 + 12 ins. N. & S. of post 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base around Post. from which a Paloverde 8 ins. dia. br. S. 45° W. 100 lbs. dist. marked 1/4 S. B. T.

Subdivisions N. 1 S.

Chinas

8000

Set a granite stone $16 \times 10 \times 8$ ins.
 11 ins. in the ground for cor.
 to Secs. 28, 29, 32 & 33. marked
 with 4 notches on E. & 1 notch
 on S. edge, and raised a
 mound of stone alongside,
 pits impracticable

Surface broken & rocky
 Scattering Palo Verde trees.
 Dense Greenwood brush.

East on a random line bet.
 Secs. 28 & 33,

Var. $13^{\circ} 54' E.$

- 18.30 Dry wash 8 ft. deep, 80 lbs wide course N. $15^{\circ} 0'$.
 32.56 Dry wash 4 ft. deep, 22 lbs wide, course N. $10^{\circ} 0' E.$
 40.00 Set temporary $\frac{1}{4}$ sec. cor.
 45.10 Dry wash 4 ft. deep, 20 lbs wide, course N. $30^{\circ} 0' E.$

R 4 W. continued

chain

- 66.45 Dry wash 4 ft. deep. 15th wide corner N. 40° W.
- 80.08 Intersect N.W.S. line 16 lbs S. of cor. to
Secs. 27, 28, 33, & 34. Hence I
run S. 89° 53' W. on a true line
bet. Secs. 28 & 33. with same on.
- 40.04 Set a Post 3 ft. long 3 ins. sq. with
marked stone 12 ins. in the ground
for 1/4 Sec. cor. marked 1/4 S. on N.
face, dug pits 18 x 18 x 2 ins. E. & W. of
post 5 1/2 ft. dist. and raised a
mound of earth 1 1/2 ft. high 3 1/2 ft.
base around post
- 80.08 The corner to Secs. 28, 29, 32 & 33.
Surface Rolling.
Soil 3^d rate
Veget Paloverde & Greasewood brush

North bet. Secs. 28 & 29.

Subdivisions T. 1 S.

Chains

Var. $13^{\circ} 54' E!$ 31.52 Dry wash 3ft. deep. 22 lbs wide, course $7.80^{\circ} W.$ 40.00 Set a Post 3ft. long, 3 ins. sq. with marked stone 12 ins. in the ground for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ S. on W. face, dug pits $18 \times 18 \times 12$ ins. W.S. off post $3\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base around post.46.56 Dry wash 3ft. deep. 20 lbs wide, course $7.80^{\circ} W.$

80.00 Set a Post 4ft. long, 4 ins. sq. with marked stone 12 ins. in the ground for cor. to Sec. 20. 21. 28 + 29. marked S. 1 S. S. 21 on N. E.

R. 4 W. S. 28 on S. E.

S. 29 on S. W. and

S. 20 on N. W. faces, with 4 notches on E. & 2 notches on S. edges, dug pits $18 \times 18 \times 12$ ins. in each sec.

D 4 W. continued

chains

5 1/2 ft. dist. and raised a mound of earth 2 ft. high 4 1/2 ft. base around post.

Surface rolling

Soil 2^d sub

Dense greasewood brush & Palo Verde.

East on a random line bet. Secs. 21 & 28.

Var. 13° 54' E.

- 12.00 Base of Butte & ascend N. W. slope
- 27.74 Top of N. Side of Butte South 4 chs 200 ft. high. Descend N. E. slope
- 37.40 Foot of Butte enter valley
- 45.00 Set temporary 1/4 sec. cor.
- 80.00 Intersect N. S. line at corner to Sec.

Subdivisions S. / S.

chains

21, 22, 27 & 28. Thence I run
West on a true line bet. Secs.
21 & 28. with same va.

40.00 Set a post 3 ft. long 3 ins sq. with
marked stone rim in the ground
for 1/4 sec. cor. marked 1/4 S. on N. face
dig pits 18 x 18 x 12 ins. E & W. of post
3 1/2 ft. dist. and raised a mound
of earth 1 1/2 ft. high 3 1/2 ft. base
around post.

80.00 The corner to Secs. 20, 21, 28 & 29
Surface 40 chs level Soil 1st coat
40 chs. mountainous Soil 3rd coat
Scum around greasewood
Brush.

North bet. Secs. 20 & 21

Var. 13° 54' E!

R. 4 W. continued

chains

6.46 Outer low Bottom

40.00 Set a post 3 ft. long, 3 in. sq. with
marked stone 12 in. in the ground
for 4 sec. Cor. marked 1, S on N.
face dug pits 18 x 18 x 12 in. nos.
off post 5/8 ft. dist. and raised a
mound of earth 1 1/2 ft. high, 3/4
ft. base around post.

60.96 Left Bank of Gila River low Bottom
to S. W. & N. E. 80° Measure across.

70.00 Right Bank of River high Bank &
deep water

80.00 Set a post 4 ft. long, 4 in. sq. with
marked stone 12 in. in the ground, for
cor. to Secs. 16, 17, 20 & 21, marked
S. 15. S. 16 on N. E.

R. 4 W. S. 21 on S. E.

S. 20 on S. W. and

S. 17 on N. W. faces, with,

Subdivisions S. 1 S.

Chains

4 notches on E. & 3 notches on
S. edge, dug pits 18 + 18 + 12 ins.
in each sec. 5/8 ft. dist. and
raised a mound of earth etc.

high 4/8 ft. bar around posts.

5 m of ea level

Soil 1st & 2^d rate

Scattering Mesquite & Small
Cottonwood along River

Dense Greasewood brush

East on a random line, bet.
Secs. 16 + 21.

Var. 13° 54' 18"

40.00 Set temporary 1/4 sec. bar.

80.04 Intersect N.S. line 6 lks N. of
Cr. to Secs. 15. 16. 21 + 22. Hence
I run N. 89° 58' W. in a true

R. & W. continued

chains

- line bet. Secs. 16 & 21. with same on
- 40.02 Set a Post 3 ft. long, 3 ins. sq. with
marked stone 12 ins. in the ground
for $\frac{1}{4}$ Sec. cor. marked $\frac{1}{4}$ S. in
N. face, dug pits 18 x 18 x 12 in. E. & W.
of Post $3\frac{1}{2}$ ft. dist. and raised
a mound of earth $1\frac{1}{2}$ ft. high
 $3\frac{1}{2}$ ft. base around post.
- 80.04 The Corner W Secs. 16, 17, 20 & 21
Surface level
Soil 1st rate
Scattering Mesquite & some
Greasewood brush.
-

North bet. Secs. 16 & 17.

Cor. $130^{\circ} 54' E!$

- 20.00 Cross Road course N. E. & S. W. 40°
- 27.68 Another Road course N. E. & S. W. 30°

Subdivisions S. 1 S. R 4 W. continued

chains

4000 Set a Post 2 ft. long, 3 ins. sq. with marked stone 12 ins. in the ground for 1/4 sec. Cor. marked 1/4 S. on N. face, dug pits 18x18x12 ins. N.S. of post 5/8 ft. dist. and raised a mound of earth 1/8 ft. high 3/8 ft. base around post.

8000 Set a Post 4 ft. long 4 ins. sq. 24 ins. in the ground for Cor. to Secs. 8, 9, 16x17 marked S. 1 S. S. 9 on N. E.

R. 4 W. S. 16 on S. E.

S. 17 on S. W. and

S. 8 on N. W. faces, with 4 watches on E. & S. edges, from which

a Mesquite tree, 8 ins. dia. to N. 10° W. 20 lks dist. marked P. 1 S. R. 4 W. S. 8 B. T.

a Mesquite tree 5 ins. dia. to N. 57° E. 50 lks dist. marked P. 1 S. R. 4 W. S. 9 B. T.

a Mesquite 4 ins. dia. to S. 42° W. 60 lks dist. marked P. 1 S. R. 4 W. S. 17 B. T.

Subdivisions N. S. R 4 W. continued

chains

Surface level
 Soil 1st rate
 Scattering Mesquite & Dense
 Greasewood brush.

East on a random line bet.
 Secs. 9 & 16.

Var. $13^{\circ}54' E$

- 11.38 Dry wash 4 ft. deep 15 lbs wide, course South
 40.00 Set temporary $\frac{1}{4}$ sec. cor.
 79.98 Intersect N. S. line 18 lbs north
 of cor. to Secs. 9, 10, 15 & 16. Hence
 I run N. $89^{\circ}57' W$. on a true
 line bet. Secs. 9 & 16. with same va
 39.99 Set a Post 3 ft. long, 3 ins. sq. with
 marked stone 12 ins in the ground
 for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4} S$ on N.
 face, dug pits 18 & 18 x 12 ins. E & W.

Subdivisions N. 1 S.

chains

of post 5/2 ft. dist. and raised
a mound of earth 1/2 ft. high
3/4 ft. base around post.

79.98 The corner W Sec. 8, 9, 16 & 17.

Surface level

Soil 1st rate

Scattering Mesquite &

some Goussier wood brush.

North bet. Secs. 8 & 9.

Cor. $13^{\circ}50' E$

4000 Set a Post 3 ft. long, 3 ins. sq. with
marked stone pins in the ground
for 1/4 sec. cor. marked 1/4 S. on N.
face, dug pits 18 & 18 & 12 ins.

W.S. of post 5/2 ft. dist.

and raised a mound of
earth 1/2 ft. high 3/4 ft. base

R. 4 W. continued

Chain

around post, from which
 a line was run to the N. $82^{\circ} E$. 147 lbs. dist.
 marked $1/4$ S. B. T.

a line was run to the S. $79^{\circ} W$. 123 lbs. dist.
 marked $1/4$ S. B. T.

64.20 Dry wash apt. deep, to S. $20^{\circ} E$. 15 lbs wide
 8000 Set a Post 4 ft. long, 4 ins. sq.
 with marked stone 12 ins. in the
 ground for cor. to Secs. 4, 5, 8 & 9.
 marked N. 1 S. S. 4 on N. E.

R. 4 W. S. 9 on S. E.

S. 8 on S. W. and

S. 5 on N. W. corner with 4
 notches on E. 5 notches on S.
 edge, dug pits 18 & 18 1/2 ins.
 in each sec. $5/2$ ft. dist. and
 raised a mound of earth
 2 ft. high $4 1/2$ ft. base around
 post.

Subdivisions N. 1 S.

chain

Surface level
 Soil 1st rate
 Scattering Mesquite &
 Paloverde & dense under-
 growth.

East on a random line bet.
 Secs. 4 & 9.

Var. $130^{\circ}54' E$

40.00 Set temporary $1/4$ sec. cor.

80.04 Intersect W.S. line 10 lks N.
 of cor. to Secs. 3, 4, 9 & 10. Hence
 run N. $89^{\circ}56' W$. on a
 true line bet. Secs. 4 & 9,
 with same var.

40.02 Set a Post 3 ft. long, 3 ins. sq.
 with marked stone 12 ins.
 in the ground, for $1/4$ sec.

R 4 W continued

chains

Cor. marked 1/4 S. on N. face,
dug pits 18x18x12 ins. Ex W. of
post 5/8 ft. dist. and raised
a mound of earth 1 1/2 ft. high
3/8 ft. base around post.

80.04

The corner to Secs. 4, 5, 8 & 9.
Surface level
Soil 1st rate
Scattering Mesquite &
Luna Undergrowth of
Mesquite.

on a true line

North, bet. Secs. 4 & 5,

Var. 13° 54' E.

40.00

Set a Post 3 ft. long, 2 ins. sq.
with marked stone 12 ins. in
the ground, for 1/4 Sec. Cor.
marked 1/4 S. on W. face,

Subdivisions N. 1 S.

data

dug pits $18 \times 18 \times 12$ in. Mod.
 of post $5\frac{1}{2}$ ft. dist. and raised
 a mound of earth $1\frac{1}{2}$ ft. high
 $3\frac{1}{2}$ ft. base around post.

80.02 Intersect Giles & Salt River
 Base line 2.38 ch East of
 Standard Cr. to Sec. 32 & 33.
 which was just recently
 established by me, at Point
 of intersection I set a Post
 4 ft. long 4 in. square with
 marked stone rim in the
 ground, for closing Cr. to Sec.
 4 & 5. marked

b. b. N. 1 S. R 4 W. on S.

S. 4 on E & and

S. 3 on W. face, with 4 notches
 on E. & 2 notches on W. face,
 dug pits $18 \times 18 \times 12$ in. S. E & W.

R 4 W. continued

Claims

of Post 5 1/2 ft. dist. and raised a mound of earth 2 ft high 4 1/2 ft. base around post.

Surface level

Soil 1st rate

No timber

Scuse Greasewood brush.

January 4th 1883

Subdivisions T. 1 S.

chains

From the Corner to Secs. 5, 6.
31 & 32, on S. By of T. P. which
was just recently established
by rule from North bet.
Secs. 31 & 32.

Var. $13^{\circ} 54' \text{ E.}$

15.60 Dug wash 15 ft. deep. 60 lbs wide course $N. 50^{\circ} \text{ E.}$

40.00 Set a post 2 ft. long, 2 in. sq. with
marked stone 12 in. in the ground,
for $\frac{1}{4}$ sec. Cor. marked $\frac{1}{4}$ S. on W.
face, dug pits 18 & 18 & 12 in. W. S.
off post 5 $\frac{1}{2}$ ft. dist. and raised a
mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$
ft. base around post from which
a Plow line bis. dir. to $N. 10^{\circ} \text{ W. } 23$ lbs dist.
marked $\frac{1}{4}$ S. B. T.

80.00 Set a Granite stone 16 & 10 & 8 lbs.
11 in. in the ground, for cor.
to Secs. 29, 30, 31 & 32, marked

R 4 W. continued

chains

with 5 notches on E. & 1 notch on
S. edge and raised a mound
of stone alongside, from which
a Palo Verde 4 in. dia. br. S. 10° E. 65 lbs diet.
marked T. 1 S. R 4 W. S. 32 B. S.

Surface broken Hills

Soil 3^d rate

Palo Verde & Greasewood brush.

East on a random line, bet.
Secs. 29 & 32.

Var. 13° 54' E.

5.25 Dry wash 4 ft. deep. 175 lbs wide, course
N. 40° W.

40.00 Set temporary 1/4 Sec. Cor.

53.05 Dry wash 4 ft. deep. 15 lbs wide, course
North

8012 Intersect nos. line 14 lbs S. of

Subdivisions S. & S.

chains

- cor. to Secs. 28, 29, 32 & 33, Pence
 Run S. $89^{\circ} 54' W.$ on a true line
 bet. Secs. 29 & 32, with same or
- 40.06 Set a granite stone 16 x 12 x 8 ins.
 11 ins. in the ground, for $1/4$ Sec.
 cor. marked $1/4$ on N. face, and
 raised a mound of stone along-
 side, pits impracticable
- 80.12 The corner to Secs. 29, 30, 31 & 32
 Surface rolling & rocky
 Soil 3d. rate
 Greasewood & Palo Verde brush
-
- West on a random line bet.
 Secs. 30 & 31.
 Cor. $13^{\circ} 54' E.$
- 57.43 Dry wash 4 ft deep, 25 lbs width,
 course N. $30^{\circ} E.$

R. & W. continued

- chain
- 28.40 By wash left. deep. 60 lks wide, course
N. 40° W.
- 40.00 Set temporary 1/4 sec. cor.
- 41.00 Ascend over N. side of Butte
- 50.00 Top of ridge high point 8 chs South
of line descend
- 61.20 By wash left. deep. 80 lks wide, course
North.
- 71.15 Intersect W. By of Sp. 14 lks N. of
cor. W Secs. 25, 30, 31 & 36. Name
I run N. 89° 54' E. on a true line
bet. Secs. 30 & 31. with same cor.
- 31.15 Set granite stone 28 x 14 x 8 lvs.
21 ins. in the ground, for 1/4 sec. cor.
marked 1/4 on N face, and raised
a mound of stone along side,
Pto unpracticable
- 71.15 The corner W Secs. 29, 30, 31 & 32.
Surface broken & rocky

Subdivisions S. 15.

status

Soil 3d rate
 Greasewoods Catclaw
 & Paloverde Bush.

North bet. Secs. 29 & 30.

Var. $130^{\circ} 54' E$

7.10 Dry wash 4 ft. deep 180 lbs inside
 course N. $45^{\circ} W$. enter valley

4000 Set a Post 3 ft. long, 3 in. sq, 24
 in. in the ground for $\frac{1}{4}$ sec.
 cor. marked $\frac{1}{4} S$. on W. face,
 from which

A Mesquite 8 in. dia. br. N. $50^{\circ} E$. 92 lbs dist.
 marked $\frac{1}{4} S$. B. P.

A Mesquite 7 in. dia. br. N. $45^{\circ} W$. 102 lbs dist.
 marked $\frac{1}{4} S$. B. P.

8000 Set a Post 4 ft. long, 4 in. sq, with
 marked stone 24 in. in the ground

R. 4 W. continued

chain

for cor. W Secs. 19, 20, 29 + 30, marked
S. / S. S. 20 on N. E.

R. 4 W. S. 29 on S. E.

S. 30 on S. W. and

S. 19 on N. W. faces, with 5 notches
on E. & 2 notches on S. edges, from which
a Cottonwood 6 ins. dia. br. S. 41° E. 12 lks dist.
marked S. / S. R. 4 W. S. 29 B. T.

A Cottonwood 8 ins. dia. br. N. 64° E. 9 lks dist.
marked T. / S. R. 4 W. S. 29 B. T.

a Cottonwood 16 ins. dia. br. N. 43° W. 2 1/4 lks dist.
marked S. / S. R. 4 W. S. 19 B. T. no other tree

^{with limits}
Surface level

Soil pot rate

Scattering Mesquite & Small
Cottonwood last rock since
Greasewood & Arrow Bush.

Subdivisions S. 15.

chain

East on a random line bet.
Secs. 20 + 29.

Var. $130^{\circ} 54' E$

40.00 Set temporary 1/4 sec. cor.

79.93 Intersect N.W. line 18 lks S.
of cor. to Secs. 20, 21, 28 + 29.

Thence S. $89^{\circ} 51' W$.
on a true line bet. Secs. 20 + 29.
with same va.

39.96 Set a post 8 ft. long, circ. sq. with
marked stone 12 in. in the ground
for 1/4 Sec. cor. marked 1/4 S. on
N face, dug pit 18 + 18 + 12 in. $89^{\circ} 51' W$.
approx 57 ft. dist. and raised
a mound of earth 11 ft.

high 5 ft. bare around post.

79.93 The corner to Secs. 19, 20, 29, + 30
Surface level
Soil 1st set

R. 4 W. continued

chains

Scattering Mesquite &
Luce Yuccawoods Arrow
Bunch.

West on a random line, bet.
Secs. 19 & 30.

Var. $13^{\circ} 54' E$

37.12 Left Bank of Gila River to S. W. ⁴⁰⁰⁰
N. $E 1^{\circ} 40'$ low Banks measure down
bet temporary $1/4$ sec. cor.

68.14 Right Bank of River to
Bottom

71.20 Intersect. W. Boundary of
Tp. 8 lks S. of cor. to Secs. 19, 24, 25 & 30
Thence down $S 89^{\circ} 54' E$ on
a true line bet. Secs. 19 & 30.
with same va.

31.20 Cor. in River on left Bank at

34.08 chain set Witness cor.

Subdivisions S. 1 S.

Lains

Set a Post 2 ft. long, 3 ins. sq.
24 ins. in the ground for W.
Cor. for $\frac{1}{4}$ Sec. marked W. C.
 $\frac{1}{4}$ S. on N. face from which
a cottonwood blw. dia. ln. S. 18° W.

48 lks dist. marked $\frac{1}{4}$ S. B. P.
and gained a mound of stone around post
71.20 The corner W Secs. 19, 20, 29 & 30.

Soil 1st & 2^d setSmall cottonwood along
River

blume undergrowth.

North bet. Secs. 19 & 20.

Var. $13^{\circ} 54' E$

28.10 Left Bank of Yella River
to S 60° W. & S. 70° E. measure across.

31.50 Right Bank of River High Banks
and deep water.

R. 4 W. continued

Lains

32.87 cross Road to E + W.
 4.00 Set a post 4ft. long, 2 in. sq.
 with marked stone 12 in. in
 the ground, for $\frac{1}{4}$ sec. Cor. marked
 $\frac{1}{4}$ S. on N. face, dug pit 18 x 18 in.
 ins. W. S. of post $\frac{3}{4}$ ft. dist.
 and raised a mound of earth
 $\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base around
 post.

45.00 Enter large Mesquite timber
 76.00 Leave it.

8.00 Set a Post 4ft. long, 4 in. sq.
 24 in. in the ground, for cor.
 to Secs. 17, 18, 19 + 20 marked
 S. / S. S. 17. on N. E.
 R. 4 W. S. 20 on S. E.
 S. 19 on S. W. and
 S. 18 on N. W. faces, with
 5 notches on E + 3 notches on S.

R. & W. continued

chains

56.35 Cross Road corner N. E. & S. W. 34°
 67.00 Leave Mesquite & enter grease-
 wood brush.

80.04 Intersect N. S. line 8th N. of
 Cor. to Secs. 16, 17, 20 & 21. Thence
 Run N. $89^{\circ}58'W.$ on a true
 line bet. Secs. 17 & 20. with corners.

40.02 Set a Post 2 ft. long, circ. square,
 24 in. in the ground, for $1/4$ sec.

Cor. marked $1/4$ S. on N. line
 dug pits 18" x 18" x 18 in. E. 97' of post 5 ft. dist. and strike the west end of earth
 1 1/2 ft. high 3 1/2 ft. diam. of round post
 from which a Mesquite 18 in.

dia. br. N. $21^{\circ}W.$ 80 lks dist. marked
 $1/4$ S. B. T.

a Mesquite 7 in. dia. br. S. $43^{\circ}W.$ 30 lks
 dist. marked $1/4$ S. B. T.

80.04 The corner to Secs. 17, 18, 19 & 20
 Surface level
 Soil 1st rate
 Timber of Mesquite &

Subdivisions N. 1 S.

chain

Hence Greasewood Creek.

West on a random line
bet. Secs. 18 & 19.Var. $130^{\circ}54' E$ 40.00 Set temporary $\frac{1}{4}$ sec. cor.

54.80 Cross Road corner N. Ex S. N. 84

71.08 Intersect N. 13 $\frac{1}{2}$ 10ths N. of
cor. to Secs. 13, 18, 19 & 24.Hence Iron N. $89^{\circ}56' E$
~~Set over 18 & 19~~
on a true line bet. Secs. 18 & 19.
with same va.31.08 Set a Post 3 ft. long, 4 in. sq.
with marked stone 12 in.
in the ground, for $\frac{1}{4}$ sec. cor.
marked $\frac{1}{4}$ S on N. face, dug
pits 18 & 18 & 12 in. Ex N. of
post 5 ft. dist. and raised

R. 4 W. continued

Chains

a mound of earth $1\frac{1}{2}$ ft. high
 $3\frac{1}{2}$ ft. base around post.

71.08 The Cor. to Secs. 17, 18, 19 + 20.

Surface level

Soil 1st rate

Scattering Mesquite &
 dense undergrowth of
 greasewood catclaw
 brush.

North bet. Secs. 17 + 18.

Var. $13^{\circ} 54' E$

16.42 Cross Road corner N + S.

40.00 Set a Post 4 ft. long 3 in. square
 with marked stone 12 in. in
 the ground for $\frac{1}{4}$ sec. cor. marked
 $\frac{1}{4}$ S. on W face Aug pit. 8 x 18
 + 12 in. N + S. of post $3\frac{1}{2}$ ft. dist.

Subdivisions S. / S.

dairs

and raised a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base around post.

80.00

Set about 4 ft. long, 4 in. sq. with marked stone pins on the ground for cor. to Secs. 7, 8, 17 & 18 marked S. / S. S. 8 on N. E.

N. 4 W. S. ~~8~~ on S. E.

S: 18 on S. W. and

S: 7 in N. W. faces, with 5 notches on E: and 4 notches on S: edgely dug pits 18 x 18 x 2 in. in each sec. $5\frac{1}{2}$ ft. dist and raised a mound of earth $2\frac{1}{2}$ ft. high $4\frac{1}{2}$ ft. base around post.

Surface rolling

Soil 1st rate

Scattering Mesquite & some
Widening growth.

R. & W. continued

chains

East on a random line bet.
Secs. 8 & 17.

Cor. $13^{\circ} 54' E!$

18.56 Dry wash apt. deep. 20 lbs wide, corrd
S. W.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.06 Intersect W.S. line 10 lbs N. of
cor. to Secs. 8, 9, 16 & 17. Hence
I run N. $89^{\circ} 56' W.$ on a true
line bet. Secs. 8 & 17. with camera.

40.03 Set a Post 3 ft. long, 2 in. sq. with
marked stone 12 in. in the ground
for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ S. on
N. face, dug pits 18 & 18 & 12 in.
E & W. of post $5\frac{1}{2}$ ft. dist.
and raised a mound of earth
 $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base around
post.

80.06 The corner to Secs. 7, 8, 17 & 18

Subdivision N. 1 S.

chain

Surface level
 Soil 1st rate
 Scattering Mesquite &
 Some Greasewood brush.

West on a random line bet.
 Secs. 7 & 18.

Var. $13^{\circ} 54' E$.

40.00 Set temporary $1/4$ sec. cor.

68.40 Descend off W. 1/4 sec. enter
 Bottom land

71.20 Intersect W. By of Sp. 12 lks
 N. of cor. to Secs. 7, 12, 13 & 18.

Thence Iron N. $89^{\circ} 55' E$
 on a true line bet. Secs. 7 & 18
 with same var.

31.20 Set a Post 3ft. long 3ins. sq.
 with marked stone 12ins. in

R. 4 W. continued

chains

the ground, for $\frac{1}{4}$ sec. cor. marked
 $\frac{1}{4}$ S. on N. face, dug pits $18 \times 18 \times 12$
 in. E. W. of post $5\frac{1}{2}$ ft. dist.
 and raised a mound of earth
 $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base around
 post.

71.20 The corner to Secs. 7, 8, 17 & 18.

Surface rolling

Soil 2^d rate

Dense greenwood brush.

North bet. Secs. 7 & 8.

Var. $130^{\circ} 44' E.$

4000 Set a Post 3 ft. long, 3 in. sq.
 with marked stone 12 in. in
 the ground, for $\frac{1}{4}$ Sec. Cor.
 marked $\frac{1}{4}$ S. on W. face,
 dug pits $18 \times 18 \times 12$ in. N. & S.

Subdivisions T. 1 S.

chain

of Post $5\frac{1}{2}$ ft. dist. and raised
a mound of earth $1\frac{1}{2}$ ft.
high $3\frac{1}{2}$ ft. base around post.

8.000

Set a Post 4 ft. long, 4 ins. sq. with
marked stone 12 ins. in the ground
for cor. to Secs. 5. 6. 7 + 8. marked

T. 1 S. S. 5 on N. E.

R. 4 W. S. 8 on S. E.

S. 7 on S. W. and

S. 6 on N. W. faces, with 5
notches on E + S. edges, dug
pits $18 \times 18 \times 12$ ins. in each sec.

$5\frac{1}{2}$ ft. dist. and raised a
mound of earth 2 ft. high
 $4\frac{1}{2}$ ft. base around post.

Surface level

Soil 2d rate

Scattering Mesquite &
dense Greasewood brush.

R. 4 W. continued

Chains

East on a random line, bet. Secs. 5 & 8.

Var. $N. 13^{\circ} 54' E.$

30.60 Dry wash 3 ft. deep. 10 lks wide, course South

40.00 Set temporary $\frac{1}{4}$ sec. Cor.

68.10 Dry wash 4 ft. deep. 20 lks wide course $S. 30^{\circ} E.$

80.80 Intersect W. line 8 lks N. of Cor. to Secs. 4, 5, 8 & 9.

Thence run N. $89^{\circ} 57' W.$ on a true line bet. Secs. 5 & 8. with same va.

40.05 Set a Post 3 ft. long, circ. q. with marked stone 12 in. in the ground, for $\frac{1}{4}$ sec. Cor. marked $\frac{1}{4}$ S. on N. face, dug pits 18 x 18 x 12 in. E & W. of post $5\frac{1}{2}$ ft. dist. and

Subdivisions T. 1 S.

claims

raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base, around post.

80.10 The corner to Secs. 5, 6, 7 & 8
 Surface level
 Soil 2^d rate
 Dense Greasewood brush.

West on a random line
 bet. Secs. 6 & 7.

Var. $13^{\circ} 54' E$.

4000 Set temporary $\frac{1}{4}$ sec. cor.

61.14 Lay Wash left. deep. 15 lbs wide
 course S. $15^{\circ} W$.

71.14 Intersect W. By of Sp. 16 lbs
 N. of cor. to Secs. 1, 6, 7 & 12.

Thence I run N. $89^{\circ} 53' E$.
 in a true line, bet. Secs.

R. 4 W. continued

Chain

6 + 7. with same va.

31.14. Set a Granite stone 15 x 10 x 8 ins.
10 ins. in the ground for $\frac{1}{4}$ sec.Cor. marked $\frac{1}{4}$ on N. face, and
raised a mound of stone
alongside Pits impracticable

71.14. N.E. Cor. to Secs. 5, 6, 7 + 8.

Surface level

Soil 2^d rate

Dense Greasewood brush.

2 Cateclaw bushes.

North on a true line bet.

Secs. 5 + 6.

Var. $13^{\circ} 54' E!$ 4000 Set a post 3 ft. long, 3 ins. sq.
with marked stone 12 ins.
in the ground for $\frac{1}{4}$ sec.

Subdivisions T. 1 S.

chains

Cor. marked $1/4$ S. on W face,
dug pits $18 \times 18 \times 12$ ins. $9 \times$ S. of
post $5 \frac{1}{2}$ ft. dist. and raised
a mound of earth $1 \frac{1}{2}$ ft. high
 $3 \frac{1}{2}$ ft. base around post.

80.10

Intersect Gila & Salt River
Base line 2.41 chs E. of
Standard cor. W Secs. 31 & 32,
which was just recently est-
ablished by me, at Point
of Intersection I set a
Post $4 \frac{1}{2}$ ft. long; 4 ins. sq. with
marked stone 12 ins. in the
ground for closing cor. W Secs.

5 & 6. marked

C. C. T. 1 S. R 4 W. on S.

S. 5 on E. and ^{on E face} ~~1~~ ² ³ ⁴ ⁵ ⁶ ⁷ ⁸ ⁹ ¹⁰ ¹¹ ¹² ¹³ ¹⁴ ¹⁵ ¹⁶ ¹⁷ ¹⁸ ¹⁹ ²⁰ ²¹ ²² ²³ ²⁴ ²⁵ ²⁶ ²⁷ ²⁸ ²⁹ ³⁰ ³¹ ³² ³³ ³⁴ ³⁵ ³⁶ ³⁷ ³⁸ ³⁹ ⁴⁰ ⁴¹ ⁴² ⁴³ ⁴⁴ ⁴⁵ ⁴⁶ ⁴⁷ ⁴⁸ ⁴⁹ ⁵⁰ ⁵¹ ⁵² ⁵³ ⁵⁴ ⁵⁵ ⁵⁶ ⁵⁷ ⁵⁸ ⁵⁹ ⁶⁰ ⁶¹ ⁶² ⁶³ ⁶⁴ ⁶⁵ ⁶⁶ ⁶⁷ ⁶⁸ ⁶⁹ ⁷⁰ ⁷¹ ⁷² ⁷³ ⁷⁴ ⁷⁵ ⁷⁶ ⁷⁷ ⁷⁸ ⁷⁹ ⁸⁰ ⁸¹ ⁸² ⁸³ ⁸⁴ ⁸⁵ ⁸⁶ ⁸⁷ ⁸⁸ ⁸⁹ ⁹⁰ ⁹¹ ⁹² ⁹³ ⁹⁴ ⁹⁵ ⁹⁶ ⁹⁷ ⁹⁸ ⁹⁹ ¹⁰⁰ ¹⁰¹ ¹⁰² ¹⁰³ ¹⁰⁴ ¹⁰⁵ ¹⁰⁶ ¹⁰⁷ ¹⁰⁸ ¹⁰⁹ ¹¹⁰ ¹¹¹ ¹¹² ¹¹³ ¹¹⁴ ¹¹⁵ ¹¹⁶ ¹¹⁷ ¹¹⁸ ¹¹⁹ ¹²⁰ ¹²¹ ¹²² ¹²³ ¹²⁴ ¹²⁵ ¹²⁶ ¹²⁷ ¹²⁸ ¹²⁹ ¹³⁰ ¹³¹ ¹³² ¹³³ ¹³⁴ ¹³⁵ ¹³⁶ ¹³⁷ ¹³⁸ ¹³⁹ ¹⁴⁰ ¹⁴¹ ¹⁴² ¹⁴³ ¹⁴⁴ ¹⁴⁵ ¹⁴⁶ ¹⁴⁷ ¹⁴⁸ ¹⁴⁹ ¹⁵⁰ ¹⁵¹ ¹⁵² ¹⁵³ ¹⁵⁴ ¹⁵⁵ ¹⁵⁶ ¹⁵⁷ ¹⁵⁸ ¹⁵⁹ ¹⁶⁰ ¹⁶¹ ¹⁶² ¹⁶³ ¹⁶⁴ ¹⁶⁵ ¹⁶⁶ ¹⁶⁷ ¹⁶⁸ ¹⁶⁹ ¹⁷⁰ ¹⁷¹ ¹⁷² ¹⁷³ ¹⁷⁴ ¹⁷⁵ ¹⁷⁶ ¹⁷⁷ ¹⁷⁸ ¹⁷⁹ ¹⁸⁰ ¹⁸¹ ¹⁸² ¹⁸³ ¹⁸⁴ ¹⁸⁵ ¹⁸⁶ ¹⁸⁷ ¹⁸⁸ ¹⁸⁹ ¹⁹⁰ ¹⁹¹ ¹⁹² ¹⁹³ ¹⁹⁴ ¹⁹⁵ ¹⁹⁶ ¹⁹⁷ ¹⁹⁸ ¹⁹⁹ ²⁰⁰ ²⁰¹ ²⁰² ²⁰³ ²⁰⁴ ²⁰⁵ ²⁰⁶ ²⁰⁷ ²⁰⁸ ²⁰⁹ ²¹⁰ ²¹¹ ²¹² ²¹³ ²¹⁴ ²¹⁵ ²¹⁶ ²¹⁷ ²¹⁸ ²¹⁹ ²²⁰ ²²¹ ²²² ²²³ ²²⁴ ²²⁵ ²²⁶ ²²⁷ ²²⁸ ²²⁹ ²³⁰ ²³¹ ²³² ²³³ ²³⁴ ²³⁵ ²³⁶ ²³⁷ ²³⁸ ²³⁹ ²⁴⁰ ²⁴¹ ²⁴² ²⁴³ ²⁴⁴ ²⁴⁵ ²⁴⁶ ²⁴⁷ ²⁴⁸ ²⁴⁹ ²⁵⁰ ²⁵¹ ²⁵² ²⁵³ ²⁵⁴ ²⁵⁵ ²⁵⁶ ²⁵⁷ ²⁵⁸ ²⁵⁹ ²⁶⁰ ²⁶¹ ²⁶² ²⁶³ ²⁶⁴ ²⁶⁵ ²⁶⁶ ²⁶⁷ ²⁶⁸ ²⁶⁹ ²⁷⁰ ²⁷¹ ²⁷² ²⁷³ ²⁷⁴ ²⁷⁵ ²⁷⁶ ²⁷⁷ ²⁷⁸ ²⁷⁹ ²⁸⁰ ²⁸¹ ²⁸² ²⁸³ ²⁸⁴ ²⁸⁵ ²⁸⁶ ²⁸⁷ ²⁸⁸ ²⁸⁹ ²⁹⁰ ²⁹¹ ²⁹² ²⁹³ ²⁹⁴ ²⁹⁵ ²⁹⁶ ²⁹⁷ ²⁹⁸ ²⁹⁹ ³⁰⁰ ³⁰¹ ³⁰² ³⁰³ ³⁰⁴ ³⁰⁵ ³⁰⁶ ³⁰⁷ ³⁰⁸ ³⁰⁹ ³¹⁰ ³¹¹ ³¹² ³¹³ ³¹⁴ ³¹⁵ ³¹⁶ ³¹⁷ ³¹⁸ ³¹⁹ ³²⁰ ³²¹ ³²² ³²³ ³²⁴ ³²⁵ ³²⁶ ³²⁷ ³²⁸ ³²⁹ ³³⁰ ³³¹ ³³² ³³³ ³³⁴ ³³⁵ ³³⁶ ³³⁷ ³³⁸ ³³⁹ ³⁴⁰ ³⁴¹ ³⁴² ³⁴³ ³⁴⁴ ³⁴⁵ ³⁴⁶ ³⁴⁷ ³⁴⁸ ³⁴⁹ ³⁵⁰ ³⁵¹ ³⁵² ³⁵³ ³⁵⁴ ³⁵⁵ ³⁵⁶ ³⁵⁷ ³⁵⁸ ³⁵⁹ ³⁶⁰ ³⁶¹ ³⁶² ³⁶³ ³⁶⁴ ³⁶⁵ ³⁶⁶ ³⁶⁷ ³⁶⁸ ³⁶⁹ ³⁷⁰ ³⁷¹ ³⁷² ³⁷³ ³⁷⁴ ³⁷⁵ ³⁷⁶ ³⁷⁷ ³⁷⁸ ³⁷⁹ ³⁸⁰ ³⁸¹ ³⁸² ³⁸³ ³⁸⁴ ³⁸⁵ ³⁸⁶ ³⁸⁷ ³⁸⁸ ³⁸⁹ ³⁹⁰ ³⁹¹ ³⁹² ³⁹³ ³⁹⁴ ³⁹⁵ ³⁹⁶ ³⁹⁷ ³⁹⁸ ³⁹⁹ ⁴⁰⁰ ⁴⁰¹ ⁴⁰² ⁴⁰³ ⁴⁰⁴ ⁴⁰⁵ ⁴⁰⁶ ⁴⁰⁷ ⁴⁰⁸ ⁴⁰⁹ ⁴¹⁰ ⁴¹¹ ⁴¹² ⁴¹³ ⁴¹⁴ ⁴¹⁵ ⁴¹⁶ ⁴¹⁷ ⁴¹⁸ ⁴¹⁹ ⁴²⁰ ⁴²¹ ⁴²² ⁴²³ ⁴²⁴ ⁴²⁵ ⁴²⁶ ⁴²⁷ ⁴²⁸ ⁴²⁹ ⁴³⁰ ⁴³¹ ⁴³² ⁴³³ ⁴³⁴ ⁴³⁵ ⁴³⁶ ⁴³⁷ ⁴³⁸ ⁴³⁹ ⁴⁴⁰ ⁴⁴¹ ⁴⁴² ⁴⁴³ ⁴⁴⁴ ⁴⁴⁵ ⁴⁴⁶ ⁴⁴⁷ ⁴⁴⁸ ⁴⁴⁹ ⁴⁵⁰ ⁴⁵¹ ⁴⁵² ⁴⁵³ ⁴⁵⁴ ⁴⁵⁵ ⁴⁵⁶ ⁴⁵⁷ ⁴⁵⁸ ⁴⁵⁹ ⁴⁶⁰ ⁴⁶¹ ⁴⁶² ⁴⁶³ ⁴⁶⁴ ⁴⁶⁵ ⁴⁶⁶ ⁴⁶⁷ ⁴⁶⁸ ⁴⁶⁹ ⁴⁷⁰ ⁴⁷¹ ⁴⁷² ⁴⁷³ ⁴⁷⁴ ⁴⁷⁵ ⁴⁷⁶ ⁴⁷⁷ ⁴⁷⁸ ⁴⁷⁹ ⁴⁸⁰ ⁴⁸¹ ⁴⁸² ⁴⁸³ ⁴⁸⁴ ⁴⁸⁵ ⁴⁸⁶ ⁴⁸⁷ ⁴⁸⁸ ⁴⁸⁹ ⁴⁹⁰ ⁴⁹¹ ⁴⁹² ⁴⁹³ ⁴⁹⁴ ⁴⁹⁵ ⁴⁹⁶ ⁴⁹⁷ ⁴⁹⁸ ⁴⁹⁹ ⁵⁰⁰ ⁵⁰¹ ⁵⁰² ⁵⁰³ ⁵⁰⁴ ⁵⁰⁵ ⁵⁰⁶ ⁵⁰⁷ ⁵⁰⁸ ⁵⁰⁹ ⁵¹⁰ ⁵¹¹ ⁵¹² ⁵¹³ ⁵¹⁴ ⁵¹⁵ ⁵¹⁶ ⁵¹⁷ ⁵¹⁸ ⁵¹⁹ ⁵²⁰ ⁵²¹ ⁵²² ⁵²³ ⁵²⁴ ⁵²⁵ ⁵²⁶ ⁵²⁷ ⁵²⁸ ⁵²⁹ ⁵³⁰ ⁵³¹ ⁵³² ⁵³³ ⁵³⁴ ⁵³⁵ ⁵³⁶ ⁵³⁷ ⁵³⁸ ⁵³⁹ ⁵⁴⁰ ⁵⁴¹ ⁵⁴² ⁵⁴³ ⁵⁴⁴ ⁵⁴⁵ ⁵⁴⁶ ⁵⁴⁷ ⁵⁴⁸ ⁵⁴⁹ ⁵⁵⁰ ⁵⁵¹ ⁵⁵² ⁵⁵³ ⁵⁵⁴ ⁵⁵⁵ ⁵⁵⁶ ⁵⁵⁷ ⁵⁵⁸ ⁵⁵⁹ ⁵⁶⁰ ⁵⁶¹ ⁵⁶² ⁵⁶³ ⁵⁶⁴ ⁵⁶⁵ ⁵⁶⁶ ⁵⁶⁷ ⁵⁶⁸ ⁵⁶⁹ ⁵⁷⁰ ⁵⁷¹ ⁵⁷² ⁵⁷³ ⁵⁷⁴ ⁵⁷⁵ ⁵⁷⁶ ⁵⁷⁷ ⁵⁷⁸ ⁵⁷⁹ ⁵⁸⁰ ⁵⁸¹ ⁵⁸² ⁵⁸³ ⁵⁸⁴ ⁵⁸⁵ ⁵⁸⁶ ⁵⁸⁷ ⁵⁸⁸ ⁵⁸⁹ ⁵⁹⁰ ⁵⁹¹ ⁵⁹² ⁵⁹³ ⁵⁹⁴ ⁵⁹⁵ ⁵⁹⁶ ⁵⁹⁷ ⁵⁹⁸ ⁵⁹⁹ ⁶⁰⁰ ⁶⁰¹ ⁶⁰² ⁶⁰³ ⁶⁰⁴ ⁶⁰⁵ ⁶⁰⁶ ⁶⁰⁷ ⁶⁰⁸ ⁶⁰⁹ ⁶¹⁰ ⁶¹¹ ⁶¹² ⁶¹³ ⁶¹⁴ ⁶¹⁵ ⁶¹⁶ ⁶¹⁷ ⁶¹⁸ ⁶¹⁹ ⁶²⁰ ⁶²¹ ⁶²² ⁶²³ ⁶²⁴ ⁶²⁵ ⁶²⁶ ⁶²⁷ ⁶²⁸ ⁶²⁹ ⁶³⁰ ⁶³¹ ⁶³² ⁶³³ ⁶³⁴ ⁶³⁵ ⁶³⁶ ⁶³⁷ ⁶³⁸ ⁶³⁹ ⁶⁴⁰ ⁶⁴¹ ⁶⁴² ⁶⁴³ ⁶⁴⁴ ⁶⁴⁵ ⁶⁴⁶ ⁶⁴⁷ ⁶⁴⁸ ⁶⁴⁹ ⁶⁵⁰ ⁶⁵¹ ⁶⁵² ⁶⁵³ ⁶⁵⁴ ⁶⁵⁵ ⁶⁵⁶ ⁶⁵⁷ ⁶⁵⁸ ⁶⁵⁹ ⁶⁶⁰ ⁶⁶¹ ⁶⁶² ⁶⁶³ ⁶⁶⁴ ⁶⁶⁵ ⁶⁶⁶ ⁶⁶⁷ ⁶⁶⁸ ⁶⁶⁹ ⁶⁷⁰ ⁶⁷¹ ⁶⁷² ⁶⁷³ ⁶⁷⁴ ⁶⁷⁵ ⁶⁷⁶ ⁶⁷⁷ ⁶⁷⁸ ⁶⁷⁹ ⁶⁸⁰ ⁶⁸¹ ⁶⁸² ⁶⁸³ ⁶⁸⁴ ⁶⁸⁵ ⁶⁸⁶ ⁶⁸⁷ ⁶⁸⁸ ⁶⁸⁹ ⁶⁹⁰ ⁶⁹¹ ⁶⁹² ⁶⁹³ ⁶⁹⁴ ⁶⁹⁵ ⁶⁹⁶ ⁶⁹⁷ ⁶⁹⁸ ⁶⁹⁹ ⁷⁰⁰ ⁷⁰¹ ⁷⁰² ⁷⁰³ ⁷⁰⁴ ⁷⁰⁵ ⁷⁰⁶ ⁷⁰⁷ ⁷⁰⁸ ⁷⁰⁹ ⁷¹⁰ ⁷¹¹ ⁷¹² ⁷¹³ ⁷¹⁴ ⁷¹⁵ ⁷¹⁶ ⁷¹⁷ ⁷¹⁸ ⁷¹⁹ ⁷²⁰ ⁷²¹ ⁷²² ⁷²³ ⁷²⁴ ⁷²⁵ ⁷²⁶ ⁷²⁷ ⁷²⁸ ⁷²⁹ ⁷³⁰ ⁷³¹ ⁷³² ⁷³³ ⁷³⁴ ⁷³⁵ ⁷³⁶ ⁷³⁷ ⁷³⁸ ⁷³⁹ ⁷⁴⁰ ⁷⁴¹ ⁷⁴² ⁷⁴³ ⁷⁴⁴ ⁷⁴⁵ ⁷⁴⁶ ⁷⁴⁷ ⁷⁴⁸ ⁷⁴⁹ ⁷⁵⁰ ⁷⁵¹ ⁷⁵² ⁷⁵³ ⁷⁵⁴ ⁷⁵⁵ ⁷⁵⁶ ⁷⁵⁷ ⁷⁵⁸ ⁷⁵⁹ ⁷⁶⁰ ⁷⁶¹ ⁷⁶² ⁷⁶³ ⁷⁶⁴ ⁷⁶⁵ ⁷⁶⁶ ⁷⁶⁷ ⁷⁶⁸ ⁷⁶⁹ ⁷⁷⁰ ⁷⁷¹ ⁷⁷² ⁷⁷³ ⁷⁷⁴ ⁷⁷⁵ ⁷⁷⁶ ⁷⁷⁷ ⁷⁷⁸ ⁷⁷⁹ ⁷⁸⁰ ⁷⁸¹ ⁷⁸² ⁷⁸³ ⁷⁸⁴ ⁷⁸⁵ ⁷⁸⁶ ⁷⁸⁷ ⁷⁸⁸ ⁷⁸⁹ ⁷⁹⁰ ⁷⁹¹ ⁷⁹² ⁷⁹³ ⁷⁹⁴ ⁷⁹⁵ ⁷⁹⁶ ⁷⁹⁷ ⁷⁹⁸ ⁷⁹⁹ ⁸⁰⁰ ⁸⁰¹ ⁸⁰² ⁸⁰³ ⁸⁰⁴ ⁸⁰⁵ ⁸⁰⁶ ⁸⁰⁷ ⁸⁰⁸ ⁸⁰⁹ ⁸¹⁰ ⁸¹¹ ⁸¹² ⁸¹³ ⁸¹⁴ ⁸¹⁵ ⁸¹⁶ ⁸¹⁷ ⁸¹⁸ ⁸¹⁹ ⁸²⁰ ⁸²¹ ⁸²² ⁸²³ ⁸²⁴ ⁸²⁵ ⁸²⁶ ⁸²⁷ ⁸²⁸ ⁸²⁹ ⁸³⁰ ⁸³¹ ⁸³² ⁸³³ ⁸³⁴ ⁸³⁵ ⁸³⁶ ⁸³⁷ ⁸³⁸ ⁸³⁹ ⁸⁴⁰ ⁸⁴¹ ⁸⁴² ⁸⁴³ ⁸⁴⁴ ⁸⁴⁵ ⁸⁴⁶ ⁸⁴⁷ ⁸⁴⁸ ⁸⁴⁹ ⁸⁵⁰ ⁸⁵¹ ⁸⁵² ⁸⁵³ ⁸⁵⁴ ⁸⁵⁵ ⁸⁵⁶ ⁸⁵⁷ ⁸⁵⁸ ⁸⁵⁹ ⁸⁶⁰ ⁸⁶¹ ⁸⁶² ⁸⁶³ ⁸⁶⁴ ⁸⁶⁵ ⁸⁶⁶ ⁸⁶⁷ ⁸⁶⁸ ⁸⁶⁹ ⁸⁷⁰ ⁸⁷¹ ⁸⁷² ⁸⁷³ ⁸⁷⁴ ⁸⁷⁵ ⁸⁷⁶ ⁸⁷⁷ ⁸⁷⁸ ⁸⁷⁹ ⁸⁸⁰ ⁸⁸¹ ⁸⁸² ⁸⁸³ ⁸⁸⁴ ⁸⁸⁵ ⁸⁸⁶ ⁸⁸⁷ ⁸⁸⁸ ⁸⁸⁹ ⁸⁹⁰ ⁸⁹¹ ⁸⁹² ⁸⁹³ ⁸⁹⁴ ⁸⁹⁵ ⁸⁹⁶ ⁸⁹⁷ ⁸⁹⁸ ⁸⁹⁹ ⁹⁰⁰ ⁹⁰¹ ⁹⁰² ⁹⁰³ ⁹⁰⁴ ⁹⁰⁵ ⁹⁰⁶ ⁹⁰⁷ ⁹⁰⁸ ⁹⁰⁹ ⁹¹⁰ ⁹¹¹ ⁹¹² ⁹¹³ ⁹¹⁴ ⁹¹⁵ ⁹¹⁶ ⁹¹⁷ ⁹¹⁸ ⁹¹⁹ ⁹²⁰ ⁹²¹ ⁹²² ⁹²³ ⁹²⁴ ⁹²⁵ ⁹²⁶ ⁹²⁷ ⁹²⁸ ⁹²⁹ ⁹³⁰ ⁹³¹ ⁹³² ⁹³³ ⁹³⁴ ⁹³⁵ ⁹³⁶ ⁹³⁷ ⁹³⁸ ⁹³⁹ ⁹⁴⁰ ⁹⁴¹ ⁹⁴² ⁹⁴³ ⁹⁴⁴ ⁹⁴⁵ ⁹⁴⁶ ⁹⁴⁷ ⁹⁴⁸ ⁹⁴⁹ ⁹⁵⁰ ⁹⁵¹ ⁹⁵² ⁹⁵³ ⁹⁵⁴ ⁹⁵⁵ ⁹⁵⁶ ⁹⁵⁷ ⁹⁵⁸ ⁹⁵⁹ ⁹⁶⁰ ⁹⁶¹ ⁹⁶² ⁹⁶³ ⁹⁶⁴ ⁹⁶⁵ ⁹⁶⁶ ⁹⁶⁷ ⁹⁶⁸ ⁹⁶⁹ ⁹⁷⁰ ⁹⁷¹ ⁹⁷² ⁹⁷³ ⁹⁷⁴ ⁹⁷⁵ ⁹⁷⁶ ⁹⁷⁷ ⁹⁷⁸ ⁹⁷⁹ ⁹⁸⁰ ⁹⁸¹ ⁹⁸² ⁹⁸³ ⁹⁸⁴ ⁹⁸⁵ ⁹⁸⁶ ⁹⁸⁷ ⁹⁸⁸ ⁹⁸⁹ ⁹⁹⁰ ⁹⁹¹ ⁹⁹² ⁹⁹³ ⁹⁹⁴ ⁹⁹⁵ ⁹⁹⁶ ⁹⁹⁷ ⁹⁹⁸ ⁹⁹⁹ ¹⁰⁰⁰ ¹⁰⁰¹ ¹⁰⁰² ¹⁰⁰³ ¹⁰⁰⁴ ¹⁰⁰⁵ ¹⁰⁰⁶ ¹⁰⁰⁷ ¹⁰⁰⁸ ¹⁰⁰⁹ ¹⁰¹⁰ ¹⁰¹¹ ¹⁰¹² ¹⁰¹³ ¹⁰¹⁴ ¹⁰¹⁵ ¹⁰¹⁶ ¹⁰¹⁷ ¹⁰¹⁸ ¹⁰¹⁹ ¹⁰²⁰ ¹⁰²¹ ¹⁰²² ¹⁰²³ ¹⁰²⁴ ¹⁰²⁵ ¹⁰²⁶ ¹⁰²⁷ ¹⁰²⁸ ¹⁰²⁹ ¹⁰³⁰ ¹⁰³¹ ¹⁰³² ¹⁰³³ ¹⁰³⁴ ¹⁰³⁵ ¹⁰³⁶ ¹⁰³⁷ ¹⁰³⁸ ¹⁰³⁹ ¹⁰⁴⁰ ¹⁰⁴¹ ¹⁰⁴² ¹⁰⁴³ ¹⁰⁴⁴ ¹⁰⁴⁵ ¹⁰⁴⁶ ¹⁰⁴⁷ ¹⁰⁴⁸ ¹⁰⁴⁹ ¹⁰⁵⁰ ¹⁰⁵¹ ¹⁰⁵² ¹⁰⁵³ ¹⁰⁵⁴ ¹⁰⁵⁵ ¹⁰⁵⁶ ¹⁰⁵⁷ ¹⁰⁵⁸ ¹⁰⁵⁹ ¹⁰⁶⁰ ¹⁰⁶¹ ¹⁰⁶² ¹⁰⁶³ ¹⁰⁶⁴ ¹⁰⁶⁵ ¹⁰⁶⁶ ¹⁰⁶⁷ ¹⁰⁶⁸ ¹⁰⁶⁹ ¹⁰⁷⁰ ¹⁰⁷¹ ¹⁰⁷² ¹⁰⁷³ ¹⁰⁷⁴ ¹⁰⁷⁵ ¹⁰⁷⁶ ¹⁰⁷⁷ ¹⁰⁷⁸ ¹⁰⁷⁹ ¹⁰⁸⁰ ¹⁰⁸¹ ¹⁰⁸² ¹⁰⁸³ ¹⁰⁸⁴ ¹⁰⁸⁵ ¹⁰⁸⁶ ¹⁰⁸⁷ ¹⁰⁸⁸ ¹⁰⁸⁹ ¹⁰⁹⁰ ¹⁰⁹¹ ¹⁰⁹² ¹⁰⁹³ ¹⁰⁹⁴ ¹⁰⁹⁵ ¹⁰⁹⁶ ¹⁰⁹⁷ ¹⁰⁹⁸ ¹⁰⁹⁹ ¹¹⁰⁰ ¹¹⁰¹ ¹¹⁰² ¹¹⁰³ ¹¹⁰⁴ ¹¹⁰⁵ ¹¹⁰⁶ ¹¹⁰⁷ ¹¹⁰⁸ ¹¹⁰⁹ ¹¹¹⁰ ¹¹¹¹ ¹¹¹² ¹¹¹³ ¹¹¹⁴ ¹¹¹⁵ ¹¹¹⁶ ¹¹¹⁷ ¹¹¹⁸ ¹¹¹⁹ ¹¹²⁰ ¹¹²¹ ¹¹²² ¹¹²³ ¹¹²⁴ ¹¹²⁵ ¹¹²⁶ ¹¹²⁷ ¹¹²⁸ ¹¹²⁹ ¹¹³⁰ ¹¹³¹ ¹¹³² ¹¹³³ ¹¹³⁴ ¹¹³⁵ ¹¹³⁶ ¹¹³⁷ ¹¹³⁸ ¹¹³⁹ ¹¹⁴⁰ ¹¹⁴¹ ¹¹⁴² ¹¹⁴³ ¹¹⁴⁴ ¹¹⁴⁵ ¹¹⁴⁶ ¹¹⁴⁷ ¹¹⁴⁸ ¹¹⁴⁹ ¹¹⁵⁰ ¹¹⁵¹ ¹¹⁵² ¹¹⁵³ ¹¹⁵⁴ ¹¹⁵⁵ ¹¹⁵⁶ ¹¹⁵⁷ ¹¹⁵⁸ ¹¹⁵⁹ ¹¹⁶⁰ ¹¹⁶¹ ¹¹⁶² ¹¹⁶³ ¹¹⁶⁴ ¹¹⁶⁵ ¹¹⁶⁶ ¹¹⁶⁷ ¹¹⁶⁸ ¹¹⁶⁹ ¹¹⁷⁰ ¹¹⁷¹ ¹¹⁷² ¹¹⁷³ ¹¹⁷⁴ ¹¹⁷⁵ ¹¹⁷⁶ ¹¹⁷⁷ ¹¹⁷⁸ ¹¹⁷⁹ ¹¹⁸⁰ ¹¹⁸¹ ¹¹⁸² ¹¹⁸³ ¹¹⁸⁴ ¹¹⁸⁵ ¹¹⁸⁶ ¹¹⁸⁷ ¹¹⁸⁸ ¹¹⁸⁹ ¹¹⁹⁰ ¹¹⁹¹ ¹¹⁹² ¹¹⁹³ ¹¹⁹⁴ ¹¹⁹⁵ ¹¹⁹⁶ ¹¹⁹⁷ ¹¹⁹⁸ ¹¹⁹⁹ ¹²⁰⁰ ¹²⁰¹ ¹²⁰² ¹²⁰³ ¹²⁰⁴ ¹²⁰⁵ ¹²⁰⁶ ¹²⁰⁷ ¹²⁰⁸ ¹²⁰⁹ ¹²¹⁰ ¹²¹¹ ¹²¹² ¹²¹³ ¹²¹⁴ ¹²¹⁵ ¹²¹⁶ ¹²¹⁷ ¹²¹⁸ ¹²¹⁹ ¹²²⁰ ¹²²¹ ¹²²² ¹²²³ ¹²²⁴ ¹²²⁵ ¹²²⁶ ¹²²⁷ ¹²²⁸ ¹²²⁹ ¹²³⁰ ¹²³¹ ¹²³² ¹²³³ ¹²³⁴ ¹²³⁵ ¹²³⁶ ¹²³⁷ ¹²³⁸ ¹²³⁹ ¹²⁴⁰ ¹²⁴¹ ¹²⁴² ¹²⁴³ ¹²⁴⁴ ¹²⁴⁵ ¹²⁴⁶ ¹²⁴⁷ ¹²⁴⁸ ¹²⁴⁹ ¹²⁵⁰ ¹²⁵¹ ¹²⁵² ¹²⁵³ ¹²⁵⁴ ¹²⁵⁵ ¹²⁵⁶ ¹²⁵⁷ ¹²⁵⁸ ¹²⁵⁹ ¹²⁶⁰ ¹²⁶¹ ¹²⁶² ¹²⁶³ ¹²⁶⁴ ¹²⁶⁵ ¹²⁶⁶ ¹²⁶⁷ ¹²⁶⁸ ¹²⁶⁹ ¹²⁷⁰ ¹²⁷¹ ¹²⁷² ¹²⁷³ ¹²⁷⁴ ¹²⁷⁵ ¹²⁷⁶ ¹²⁷⁷ ¹²⁷⁸ ¹²⁷⁹ ¹²⁸⁰ ¹²⁸¹ ¹²⁸² ¹²⁸³ ¹²⁸⁴ ¹²⁸⁵ ¹²⁸⁶ ¹²⁸⁷ ¹²⁸⁸

R. 4 W. continued

chain

post 5 1/2 ft. dist. and raised
a mound of earth 2 ft. high
4 1/2 ft. base around post.

Surface level

Soil 2^d rate

Scattering Mesquite &
Scum Greasewood brush

January 5, 1883

For final notes see Book
for Sp. 1 N. R. 2 W.

Subdivisions T. 1 S.

General Description.

The Soil of this Township is sandy loam, along River bottoms, and will produce most any thing if irrigated,

There are many dry washes and gulches in the Hills, and Mountains, but none of them extend further than to the River Bottoms,

There is a dense under growth of all kinds of Bunches in the Bottom lands while the Hills produce Greasewood & Catclaw, Arrowweed,

BOOK 1168

R. 4 W. continued

Lains

There is plenty of water
for irrigation in the Gila
River.

U. S. Surveyor General's Office,

TUCSON, ARIZONA, February 21, 1883

The foregoing Field Notes of the Survey of the

Subdivision Lines

Township 1 South
Range 4 West.

Of the Gila and Salt River Base and Meridian, Arizona, executed by R. C. Coward,

Deputy Surveyor, under his contract of the 24th
day of October, 1882, having been

critically examined and the necessary corrections and explanations made, the said Field Notes and the surveys they describe are hereby approved.

J. W. Robbins
Surveyor General.