

No. 1174

BOOK 1174

Field Notes

OF THE SURVEY OF THE

SUBDIVISION LINES

-OF-

BOOK 1174

Township

58

Range

22 N

Gila and Salt River Base and Meridian

ARIZONA.

No. 1174

By

Geo. F. White

D. S.

under contract dated *Aug. 25, 1873.*

Survey commenced

Feb. 26, 1874.

Survey completed

March 4, 1874.

1174

BOOK 1174


PRELIMINARY OATHS OF ASSISTANTS.

WE, J. S. Phillips
 and R. A. Vasquez
 do solemnly swear that we will faithfully execute
 the duties of Chain Carriers; that we will level the
 chain upon uneven ground, and plumb the tally
 pins, whether by sticking or dropping the same;
 that we will report the true distance to all notable
 objects, and the true length of all lines that we as-
 sist in measuring, to the best of our skill and
 ability.

J. S. Phillips
R. A. Vasquez

Sworn to and subscribed before me, this 29
 day of December, 1873

William
Tokam Public.



BOOK 1174

WE, Fred. C. Jones
and J. M. C. Elliott

do solemnly swear that we will well and truly per-
form the duties of Boatman and
flagman respectively
according to instructions given us, and to the best
of our skill and ability.

Fred. C. Jones
J. M. C. Elliott

71

Sworn to and subscribed before me this 29
day of December 1873

J. H. [unclear]
Notary Public.



BOOK 1174

4-674.

Township 8 S R. 22 W. T. 10 N. R. B. 2 W.

6	5	44	4	33	3	22	2	11	1	
			43		32		21		10	
7	8	42	9	31	10	20	11	9	12	
56	55		41		30		19		8	
18	54	17	40	16	29	15	18	14	7	13
53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24
50		49		37		26		15		4
30	44	29	36	28	25	27	14	26	3	25
47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36

7919b5m4-03

Meanders Colorado River, 60-64,
and Gila River

W
and
do :
the
cha
pin
tha
obj
sis
ab

d

Township 8 S. Range 29 W.
 T14a and Salt River Meridian.

To North West corner 35 & 36

var. 13°45' East

As per E. Boundary.

15.00 Leave mesa and descend into bottom.

40.00 Set a post, marked "4. S." 4 ft long, flattened
 3 in. wide, 1 ft in the ground, drive charred
 stakes and build mound of earth 2 ft high,
 with pits 1 ft deep, 2 ft long, 1 ft wide, all as
 per instructions for these cor. No trees near.

62.00 Road has. E. and W.

80.00 Set a post, marked and notched, 4 ft long,
 3 in. sq'd. 1 ft in the ground, drive charred
 stakes and build mound of earth 2 ft high,
 with pits 1 ft deep, 2 ft long, 1 ft wide, all as
 per instructions, for cor. to sec. 25.

26. 35 and 36. from which

Amesquid 40 in. dia. has. N. 10 1/2° W. 118 land dist

do. 7. . . . N. 29° E. 370 . . .

Land mostly lead. Soil good. Seat
 timber trees.

Township 8 S. Range 22 W.
Gila and Salt River Merides

East random line bet. sec. 25 & 30.
var. 13°45' East

1.00 Set temporary post
1.72 Intersect E. boundary 20 lbs. N. of cor.
to sec. 25 and 30, from which cor. Jan
N. 89°51' W.

on true line between sec. 25 & 30.
var. 13°45' East

29.86 Set apart, marked 1/4 S. 4 ft long, flat-
lined 3 in wide, 1 ft in the ground,
drive charred stake and build mound
of earth 2 ft high, with pits 1 ft deep, 2 ft long,
1 ft wide, all as per instructions, for 1/4 sec.
cor. from which

A mesquite 24 in. dia. has S. 36° W. 23 lbs. dist.
do 8 " " N. 47 1/2° E. 26 " "

29.72 The cor. to sec. 25-26-35 & 30.
Sand lead. Soil good.
Some mesquite in patches.

Township 8 S. Range 22 W.
Gila and Salt River Meridian

To North between sec. 25 & 26.

var. $13^{\circ} 45'$ East

11.00 Road var. E. and W.

40.00 Set a post, marked H.S. 4 ft long. flat-
tined 3 in. wide, 1 ft in the ground, drive chanced
stake and build mound of earth 2 ft high,
with pits 1 ft deep, 2 ft long, 1 ft wide,
all as per instructions for 1/4 sec. cor.
A mag. g. 6 in. dia. br. S. $81^{\circ} 11'$. 31 lbs. dist.

80.00 Set a post marked and welded, 4 ft long
3 in. sq. 1 ft in the ground, drive chanced
stake and build mound of earth 2 ft
high with pits 1 ft deep, 2 ft long, 1 ft wide,
all as per instructions for cor. to sec. 6.
23. 24. 25 and 26.

Notices near.

Sand lead. Soil good. No timber.
Some brush.

Township 8 S. Range 22 W.
Gila and Salt River Meridian

No East or random line bet sec. 24 & 25.
cor. 13°45' East

40.00 Set temporary post

79.85 Intersect E. boundary 10 hrs. N. of
cor. to sec. 24 and 25. from which
cor. down

N. 89°56' W.

Continue line between sec. 24 & 25.

cor. 13°45' East

79.93 Set a post, marked 4 ft. 4 in. long, flattened
3 in. wide, 1 ft. in the ground, drive charred
stake and build mound of earth 2 ft. high,
with pit 1 ft. deep, 2 ft. long, 1 ft. wide, all as
per instructions, for 1/4 sec. cor. from which
Amesquide 5 in. dia. N. 83 1/4° W. 90 hrs. dist

do. 8 " " N. 59° W. 84 " "

79.85 Re cor. to sec. 23, 24, 25 and 26.
Land level. Soil good.
Scattering trees. Brush.

Township 8 S. Range 22 W.
Gila and Salt River Meridian

Line North between secs. 23 & 24
and 13 & 14 East

15.00 Road.

40.00 Set a post, marked 1/2 ft. long, flattened 3 in. wide, 1/2 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, all as per instructions for 1/4 sec. cor. No trees near.

113.70 Set a line of 3 poles, Sec. 23. Set a post, properly marked, 1/2 ft. long, 3 in. sq. in the ground, drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, all as per instructions for cor. to fractional Secs. 23 and 24. No trees near.

I then set flag on line on opposite bank of river and measure off a base line C. C. cho. to point from which flag has. N. 9° 24' W. Therefore the distance across the river is 36.24 cho. and adding this to previous distance run, at

79.94 Opposite bank of river. Do not build cor. here, but run 6 lvs. farther and make the section cor. also the meander cor.

80.00 Set a post, marked and notched, 1/2 ft. long, 3 in. sq. in the ground, drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, all as per instructions for cor. to Secs 13, 14, 23 and 24. No trees near. Land level. Soil good. No timber.

Township 8 S. Range 92 N.
Gila and Salt River Meridian

	<p>As East meridian line between sec. 13 & 24 or. 13° 45' East</p> <p>Commence at cor. to sec. 13, 14, 23 & 24, which is on the right bank of river. I came a flag to be set on line E. on left bank of river, and measure off a base line N. 5. Chs. to point from which flag has. S. 81° E. which makes distance across, 31.57 chs. or at</p>
31.57	Left Bank of Gila river. Set temporary post
40.00	Set temporary base cor. post
79.87	Intersect E. boundary plus N. of cor. to sec. 13 & 24. from which cor. I run N. 89° 56' W. on true line bet sec. 13 & 24. or. 13° 45' East
39.94	Set a post marked 1/2 S. 4 ft long, flattened 3 in wide, 1 ft in the ground, 1/2 in charred stave, and build mound of earth 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, all as per instructions for base cor. from which A Cottonwood 5 in dia. base. N. 41 3/4° E. 41 chs. dist do 4 . . . S. 41 3/4° W. 50 . . .
118.30	Left bank of Gila river. Set a post properly marked, 4 ft long, 3 in wide, 1 ft in the ground, 1/2 in charred stave and build mound of earth 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, all as per instructions for cor. to base. sec. 13 & 24. A cottonwood 9 in dia. base. S. 6 3/4° W. 44 chs. dist do 8 . . . N. 57° E. 41 . . .
79.87	Cor. to sec. 13, 14, 23 and 24. In flood, but good. Some cottonwood on E. end.

Township 8 S. Range 22 W.
Gila and Salt River Meridian

No North between sec. 13 and 14.
var. 13°45' East

40.00 Set a post, marked 4 ft. long, flattened 3 in wide, 4 ft into ground, drive
chained stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft
long, 1 ft wide, all as per instructions for these sec. from a high
A cottonwood 12 in dia. N. 25° W. 53 lvs. dist.
do. 8 " " N. 42½° E. 155 " "

76.00 Water ditch, across W. of house 3 chs. E.

76.30 Ascend bank.

76.50 Fence and lease field, bet. E. and W.

80.00 Set a post, marked and notched, 4 ft long, 3 in sq. 1 ft
into ground, drive chained stake and build
mound of earth 2 ft high, with pits 1 ft deep, 2 ft
long, 1 ft wide, all as per instructions, for the cor. to
secs. 11, 12, 13 and 14, from which
A mesquite 10 in dia. N. 61½° W. 212 lvs. dist.
do. 9 " " S. 73° W. 91 " "
do. 7 " " S. 34° W. 256 " "

The first half mile runs along near the river.
Soil 2 and 1 strata. Brush on S. end.
Scattering mesquite.

Township 8 S. Range 27 W.
Gila and Salt River Meridian

1/2 East meander line bet sec. 12 & 13
var. 13°45' East

5.00 Pass over point of hill, var. N. & S.

10.00 Set temporary post

45.00 Road var. S. E.

80.18 Intersect E. boundary 47/8 Sec. N. of cor.
to sec. 12 and 13 from which cor. Run
N. 89°40' W.

or true line between sec. 12 & 13.
var. 13°45' East

110.09 Set a post, marked 14 S. 4 ft long, flattened
3 in wide, 1 ft in the ground, drive chased stakes
and build mound of earth 2 ft high, with pits 1
ft deep, 2 ft long, 1 ft wide, all as per instructions
for 14 sec. cor. from which

to meagule 14 in dia. var. N. 25 1/4° E. 144 lbs. dist
do. 15 . . . N. 31 1/2° W. 83 . . .

80.18 The cor. to Secs. 11, 12, 13 and 14.
Land mostly bad. Soil 1st and 2nd rate
No timber.

Township 8 S. Range 22 W.
Gila and Salt River Meridian

To North between secs. 11 & 12
var. 13° 15' East

- 9.40 Road bet. N.W.
14.00 Summit of hill, bet. E. and W.
35.00 Rise on foot hills
40.00 Set a post, marked (No. 4) 4 ft long, flattened 3 in. wide,
1 ft in the ground, ~~down~~ charred ~~down~~ and built mound
of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide,
all as per instructions, for 1/4 sec. cor. Notices near.
80.00 Set a granite rock 12 x 10 x 9 in., 3 in the
ground, notched S. and E. edges, and
built mound of earth on N. side, 2 ft high
with pits 1 ft deep, 2 ft long, 1 ft wide, all as
per instructions, for cor. to 5 secs. 1, 2, 11 and
17, from which
S Pale Pinea 7 inches, (var. N. 33 1/2° E. 73 l. dist
do. 17 . . . N. 83 1/2° W. 179 . . .
do. 5 . . . N. 74 1/4° W. 191 . . .
Sand hilly, mostly stony. Soil poor.
No timber.

Township 8 S. Range 22 W.
Gila and Salt River Meridian

40 East on random line bet. sec. 1 & 12
ang. $13^{\circ}45'$ East

40.00 Set temporary post.

80.27 Intersect E. boundary 600. N. of cor. to
sec. 1 and 12, from which cor. runs
N. $89^{\circ}34'$ W.

On true line bet. sec. 1 & 12

ang. $13^{\circ}45'$ East.

40.13 Set a granite stone $14 \times 10 \times 9$ in. $\frac{2}{3}$ in the
ground, marked 14, and build mound
of earth 2 ft high, with pit 1 ft deep, 2 ft long,
4 ft wide, all as per instructions, for 14 sec.
cor.

Notes near

80.27 The cor. to sec. 1, 2, 11 and 12.
Land hilly and broken. Soil
poor. No timber.

Township 8 S. Range 22 W.
Gila and Salt River Meridian

- to North main line bet sees. 1 & 2.
var. 13°45' East
- 1.00 Wash 90 lbs. wide runs S.W., dry.
- 32.00 Dry wash 150 lbs. wide, runs S.W.
- 40.00 Set post for temporary $\frac{1}{4}$ sec. cor.
- 50.00 Dry wash 70 lbs. wide runs S.W.
- 72.00 Dry wash 80 " " " S.W.
- 76.00 Dry wash 50 " " " S.W.
- 79.23 Intersect N. boundary 8 lbs. W. of cor. to
sees. 1 and 2, from which cor. I run
S. 8°3' W. on true line bet sees. 1 & 2
var. 13°45' East
- 39.23 Set a granite stone 10 x 8 x 7 in. 73 in the
ground, marked 74, and build mound
of earth 2 ft high, with pile 1 ft deep, 2
ft long, 1 ft wide, all as per instructions for
 $\frac{1}{4}$ sec cor. No trees near.
- 79.23 The cor. to sees. 1, 2, 11 and 12.
Sand hilly and broken. Soil 3^d rate. No timber.
- February 26, 1874

Township 8 S. Range 27 W.
Gila and Salt River Meridian

- Ch. North between sec. 34 & 35,
var. 13° 45' East
- 40.00 Set a post, marked 4 ft. long, flattened 3 in.
wide, 1 ft. from the ground, drive chased stake and
build mound of earth 2 ft. high, with pile 1 ft
deep, 2 ft long, 1 ft wide, all as per instructions for
this sec. cor. No trees near.
- 49.00 Leave mesa and descend into bottom, var. E. 4 W.
- 57.00 Road var. E. and W.
- 78.40 Blough 50 lbs. wide, var. E. and W.
- 80.00 Set a post, marked and scratched, 4 ft long, 3 in. sq. ft. from
the ground, drive chased stake and build mound of earth
2 ft high, with pile 1 ft deep, 2 ft long, 1 ft wide, all as per in-
structions, for cor. to sec. 26, 27, 34 & 35, from which
I measure 10 in. dis. var. S. 31° W. 90 var. dist
do. 11 " " " S. 14 1/2° W. 89 " "
do. 8 " " " S. 17 1/2° E. 103 " "
- Sand lead. Soil partly good.
No timber of any consequence.

Township 8 S. Range 22 W.
Gila and Salt River Meridian

Go East on random line bet sec. 26 & 35
var. 13° 45' East

40.00 Set temporary post.

79.92 Intersect N. and S. line 1/4 C. S. of cor. to sec.
25. 26. 35 & 36 from which cor. Town
S. 89° 53' W.

On true line between sec. 26 and 35:
var. 13° 45' East

39.96 Set a post, marked H. S. 4 ft long, flattened
3 in wide, 1/2 in thick, driven into ground, driven
and build mound of earth 2 ft high, with
pit 1/2 ft deep, 2 ft long, 1/2 in wide, all as per in-
structions, for true cor. from which
A mesquite 10 in dia. S. 48° E. 330 lard dist
do. " " " S. 56 3/4° E. 290 " "

79.92 The cor. to sec. 26. 27. 34 and 35.
Sand lead. Soil good. Mesquite timber
in patches.

Township 8 S. Range 22 W.
Gila and Salt River Meridian

To North between sec. 26 & 27.
var. 13° 45' East

12.00 Road bet. E. and W.

40.00 Set apart, marked 4 S. 4 ft long, flattened
3 in wide, 1 ft in the ground, driven chanced
stake and build mound of earth 2 ft high, with
pits 1 ft deep, 2 ft long, 1 ft wide, all as per instruc-
tion for these cor. No trees near.

80.00 Cor. comes in slough, running E. of S.
Therefore I established witness cor. 30 Sec. W. of
true point Set apart, marked and notched, 4 ft
long, 3 in. sq. ft in the ground, driven chanced
stake and build mound of earth 2 ft. high, with
pits 1 ft deep, 2 ft long, 1 ft wide, all as per instruc-
tion for cor. to Secs. 22, 23, 26 & 27, from which
I measured 15 miles bet. S. 12° E. 224 cor. dist
do. do. do. N. 76½° E. 27 " "
Scottonwood 30 " " " N. 2¼° E. 298 " "
Sand loam. Soil good. But little timber.

Township 8 S. Range 22 N.
Gila and Salt River Meridian

To East on random line bet sec. 23 & 26.

var. $13^{\circ}45'$ East

Commence at witness post 30 lbs. W. of true cor.
in W. bank of slough, and place flag on line on
opposite bank of slough, then measure off a base
S. 100 lbs. to point from which flag bears $N. 70^{\circ}E$.

Therefore the distance across is 2.75 Chs. or from
the true cor. at

2.45 Opposite bank of slough.

79.87 Intersect A. and S. line 8 lbs. N. of cor. to sec.
23, 24, 25 and 26 from which cor. I run
N. $89^{\circ}57'$ W. on true line bet sec. 23 & 26.

var. $13^{\circ}45'$ East

39.94 Set up a stake, marked 4 ft long, flattened 3 in wide,
4 ft in the ground, drive charred stake and build
mound of earth 2 ft high, with pile 1 ft deep, 2 ft long,
1 ft wide, all as per instruction for these cor. Notes near.

79.87 The cor. to sec. 22, 23, 26 and 27.
Sand head. Soil good. Considerable
Magnolia timber.

Township 8 S. Range 22 W.
Gila and Salt River Meridian

Sec. North between sec. 22 & 23.

var. $13^{\circ}15'$ East

40.00 Set a post, marked N. S. 4 ft long, flattened 3 in. wide, 1/2 in. in the ground, driven chapped stake and build mound of earth 2 ft high, with pit 1/2 ft deep, 2 ft long, 1 ft wide, all as per instructions for sec. cor. A cottonwood 24 in. dia. bears N. 34° E. 205 var. dist
do. 17 " " " S. 53° E. 150 " "

57.30 Left bank of Gila river, var. N. W. Set a post, properly marked, 4 ft long, 3 in. sq. d., 1/2 in. in the ground, driven chapped stake and build mound of earth 2 ft high, with pit 1/2 ft deep, 2 ft long, 1 ft wide, all as per instructions for cont. fac. Sec. 22 & 23. A cottonwood 10 in. dia. bears S. $61\frac{1}{2}^{\circ}$ W. 167 var. dist
do. 9 " " " S. 30° E. 98 " "

To get distance across river I set flag on lion on opposite bank, and measure off a base W. 4 chs. to point from which flag bears N. $9^{\circ}35'$ E. which makes distance 23.69 chs. or at

80.99 Right bank of Gila river. The sec. cor. therefore falls in river and cannot be established. Nt

81.00 Set a post, properly marked, 4 ft long, 3 in. sq. d., 1/2 in. in the ground, driven chapped stake and build mound of earth 2 ft high, with pit 1/2 ft deep, 2 ft long, 1 ft wide, all as per instructions for sec. to fractional sec. 14 and 15. No trees near.
Land on river surface. Some cottonwood timber.

Township 8 S Range 22 W.
Gila and Salt River Meridian

- 40 East on random line bet secs. 14 & 23.
var. 13°45' East.
Commencing at cor. to frac. secs. 14 & 15, Town
E. 5 chs. and then as the point of beginning was
1 ch. N. of place for cor. to secs. 14, 15, 22 & 23. Town
S. 1 ch. to line between secs. 14 & 23, and thence E.
and counting 5 chs. - at
- 40.00 Set post for temporary $\frac{1}{4}$ sec. cor.
- 80.12 Intersect N. and S. line 40 chs. N. of cor. to Secs.
13, 14, 23 and 24, from which cor. Town
N. 89°43' W. on true line bet secs. 14 & 23.
var. 13°45' East
- 40.06 Set a post, marked $\frac{1}{4}$ sec. 4 ft long, flattened 3 in. wide,
1 ft in the ground, drive sharp stake and build mound
of earth 3 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide,
all as per instructions, for $\frac{1}{4}$ sec. cor. No trees near.
- 75.12 Right bank of Gila river, ^{var. S.E.} and set a post, 4 ft long, 3 in. sqd,
1 ft in the ground, drive sharp stake and build mound of earth,
3 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, all as per instructions
for cor. to frac. secs. 14 and 23. No trees near.
- 80.12 Point in river for cor. to secs. 14, 15, 22 & 23
Land nearly level. Soil good. No timber.

Township 8 S. Range 22 W.
Gila and Salt River Meridian

Line North between secs. 14 & 15
a. r. 13° 45' East

Beginning at cor. to frac. secs. 14 & 15, which is 1 ch.

N. of cor. to secs. 14, 15, 22 & 23, and counting this 1 ch. at

40.00

Set a post, marked 4 ft. 4 ft. long, flattened 3 in. wide, 1 ft. in the
ground, drive charred stake and build mound of earth 2 ft. high
with pit 1 ft. deep, 2 ft. long, 1 ft. wide, all as per instructions, for 1/4 sec. cor.

A cottonwood 10 in. dia. bears N. 21 1/2° E. 81 paces. dist

do. 20 " " S. 38° W. 200 " "

48.00

Fence bars, E. and W.

55.00

Ditch runs W.

59.00

Road bars, E. and W.

71.00

Road bars, E. and W.

80.00

Set a post, marked and notched, 4 ft. long, 3 in. sq. d.,
1 ft. in the ground, drive charred stake and build mound
of earth 2 ft. high, with pit 1 ft. deep, 2 ft. long, 1 ft. wide,
all as per instructions, for cor. to secs. 10, 11, 14 and

15. No trees near.

Land lead. Soil good. Some cottonwood
towards river.

Township 8 S. Range 27 W.
Gila and Salt River Meridian

- 1/2 Section random line bet. sec. 11 & 14.
 var. 13' 45" East.
- 14.00 Lease bottom and pass over points of hills.
- 40.00 Set post for temporary 1/4 sec. cor.
- 45.00 Ranch houses 6 chs. S., belonging to Redondo.
- 47.00 Lease hills.
- 58.00 Road var. N. E.
- 80.07 Interest N. and S. line 42 chs. N. of cor. to sec.
 11, 12, 13 & 14. from which cor. run
 N. 89° 42' W. course line bet. sec. 11 & 14
 var. 13° 45' East
- 40.03 Set a post, rounded 1/2 S. 4 ft long, flattened 3 in. wide,
 1/2 in. the ground, drive chanced stakes and build mound
 2 ft high with posts 1 ft deep, 2 ft long, 1 ft wide,
 all as per instructions, for 1/4 sec. cor.
 No trees near.
- 80.07 Cor. to sec. 10, 11, 14 and 15.
 Land level then hilly. Soil 1st & 2^d rate
 No timber.

Township 8 S. Range 22 W.
Gila and Salt River Meridian

Lot North between sees. 10 and 11
var. 13°45' East.

19.00 Second hills Cr. S. E. and N. W.

40.00 On mesa, set apart, marked 4 S. 4 ft long, flattened
3 in. wide, 1 ft in the ground, drive charred stake and
build mound of earth 2 ft high, with pits 1 ft deep, 2 ft
long, 1 ft wide, all as per instructions, for 1/4 sec. cor.
No trees near.

42.00 Lease hills, Cr. N. E. and S. W.

80.00 Set apart, marked and watched, 4 ft long, 3 in. eq. dia. 1 ft
in the ground, drive charred stake and build mound of earth
2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, all as
per instructions for cor. to sees 2, 3, 10 & 11, from which
A Pale Fierrea 13 in. dia. Cr. S. 2 1/2° E. 237 lbs. dist

do. 12 " " " N. 13 1/2° E. 137 " "

do. 10 " " " S. 76 1/2° W. 162 " "

do. 8 " " " S. 58 1/4° W. 197 " "

Sand partly dead and partly hilly.
Soil 2nd and 3rd rate. Scattering trees.

Township 8 S. Range 22 W.
Gila and Salt River Meridian

- To East corner line bet sec. 2 & 11
var. $13^{\circ}45'$ East
- 37.00 Ascend hills to nearly N. and S.
- 40.00 Set post for temporary $\frac{1}{4}$ sec. cor.
- 80.13 Intersect N. and S. line $1\frac{1}{2}$ cts. N. of cor. to sec.
1, 2, 11 & 12, from which cor. Run
N. $89^{\circ}53'$ W.
- Continue line between sec. 2 & 11.
var. $13^{\circ}45'$ East
- 40.06 Set a granite rock, $14 \times 10 \times 8$ in the ground,
marked 74, and build mound of earth,
(no stone at hand,) 2 ft high, with pit 1 ft
deep, 2 ft long, 1 ft wide, all as per instruc-
tions for $\frac{1}{4}$ sec. cor.
- No trees near.
- 80.13 The cor. to sec. 2, 3, 10 and 11
Land mostly hilly and barren.
Soil poor. No timber.

Township 8 S. Range 77 W.
Gila and Salt River Meridian

North on random line bet. secs 2 & 3
var. 13° 45' East

- 8.00 Leave valley and ascend hills.
- 40.00 Set post for temporary thecc. cor.
- 41.00 Dry wash 100 lbs. wide, runs S. of W.
- 65.00 Dry wash 50 " " " S. of W.
- 77.00 Dry wash 90 " " " S. of W.
- 79.11 Intersect N. boundary 9 lbs. W. of cor. to
secs. 2 & 3, from which cor. I run
S. 0° 4' W. true line bet. secs. 2 & 3
var. 13° 45' East.

39.11 Set a granite rock, 13 x 8 x 6 in. 2/3 in the
ground, marked 74 and build mound
up north 2 ft high, with pit 1 ft deep, 2 ft long,
1 ft wide, all as per instructions, for thecc. cor.
A Pale Fircea 15 in. dia. bet. S. 44° W. 302 lbs. dist

79.11 cor. to secs. 2, 3, 10 and 11.
Land mostly hilly Soil poor.
November. February 27, 1874

Township 8 S. Range 22 W.
Ida and Salt River Meridian

- No. North between sec. 33 & 34.
var. 13° 45' East.
- 35.00 Limestone and descend into bottom, br. E. & W.
- 40.00 Set apart, marked 14 S. 4 ft long, flattened
3 in. wide, 1 ft in the ground, drive charred stake
and build mound of earth 2 ft high, with pits
1 ft deep, 2 ft long, 1 ft wide, all as per instructions
for 14 sec. cor. No trees near.
- 41.00 Road br. N. of E.
- 80.00 Set apart, marked and notched, 4 ft long, 3 in.
sq. d. 1 ft in the ground, drive charred stake and
build mound of earth 2 ft high, with pits 1 ft
deep, 2 ft long, 1 ft wide, all as per instructions for
cor. to sec. 27, 28, 33 and 34, from which
Amesquite 10 in. dia. br. N. 45° W. 215 lbs dist.
No other trees near.
Sand lead. Soil good in bottom 2nd rate
m mica. Some mesquite in patches.

Township 8 S. Range 22 W.
Gila and Salt River Meridian

On East meridian line between 27 & 34
var. $13^{\circ}45'$ East

40.00 Set post for temporary $\frac{1}{4}$ sec. cor.
29.80 Intersect N. 30. line 18 hrs. S. of cor. to sec.
26.27.34 & 35. from which cor. Run
S. $89^{\circ}57'$ W.

On true line between sec. 27 & 34
var. $13^{\circ}45'$ East

39.90 Set a post, marked $\frac{1}{4}$ S. 4 ft long,
flattened $\frac{3}{4}$ in wide, 1 ft in the
ground, drive charred stake
and build mound of earth 2 ft
high, with pit 1 ft deep, 2 ft long, 1 ft wide,
all as per instructions for $\frac{1}{4}$ sec.
cor.

Notes near.

29.80 The cor. to sec. 27, 28, 33 & 34.
Sand loam. Soil good. Scattering
bunches of mesquite.

Township 8 S. Range 22 W.
Ida and Salt River Meridian

- As North between secs. 27 & 28.
ans. 13°45' East
- 5.00 Main road runs E. and W.
- 23.00 Road runs E. and W.
- 31.00 Slough 140 lbs. wide, runs nearly E. & W.
- 32.40 Opposite bank.
- 40.00 Set a post, marked W. 4 ft long, flattened 3 in. wide, 1 ft in the ground, drive charr'd stake and build mound of earth 2 ft high, with pile 1 ft deep, 2 ft long, 1 ft wide, all as per instructions for these sec. from which I will set 2 in. dia. bar. S. 20 1/4° E. 160 lbs. dist. No other trees near.
- 62.86 Same slough, bar. N. E. Set flag on line on opposite bank and measure off base line E. 1 ch. to point from which flag bar. N. 21 1/2° W. Therefore distance across is 2.54 chs. or ab.
- 65.40 Opposite bank of slough.
- 66.00 Old home 100 lbs. W.
- 80.00 Set a post, marked and painted, 4 ft long, 3 in. sq. 1 ft in the ground, drive charr'd stake and build mound of earth 2 ft high, with pile 1 ft deep, 2 ft long, 1 ft wide, all as per instructions, for sec. 21, 22, 27 & 28. from which I set square 3 in. dia. bar. S. 68° W. 268 lbs. dist.
do. 5 " " " N. 89° W. 256 " "
do. 3 " " " N. 73 1/2° E. 22 " "
No other trees near.
- Land mostly lead. Scattering trees and brush.

Township 8 S. Range 22 W.
Gila and Salt River Meridian

The East meridian line bet sec. 22 & 27.
var. $13^{\circ}45'$ East

7.55 Slough bet. N. & S. Set flag on line on opposite side and measure off base line 2 chs. S. to point from which flag bet. N. $61^{\circ}E$. which makes distance across 3.61 chs. or at

11.46 Opposite bank of slough.

40.00 Set post for temporary 1/4 sec. cor.

58.87 Same slough, bet. N. & S. Set flag on line on opposite bank and measure off base line N. 2 chs. to point from which flag bet. S. $64^{\circ}55'E$. which makes distance across 4.18 chs. or at

63.05 Opposite bank of slough.

80.01 A point 18 chs. S. of witness cor. to sec. 22, 23, 26 and 27, which is 30 chs. N. of true cor.

80.31 Intersect N. and S. line 18 chs. S. of ^{also for} sec 22, 23, 26 and 27 from which true cor. runs

S. 89° 52' Meridian line bet sec. 22 & 27.

var. $13^{\circ}45'$ East

40.15 Set a post, named to 44, large flattened 3 in. wide 1 ft. in the ground, three shaped stone and built around of earth of height, dist. bet. 1 ft. deep of 6 chs. 4 in. wide, also a post, set for 1/4 sec. cor. for on which
A cottonwood 10 in dia. bet. N. $25^{\circ}E$. 134 chs. dist
do. 18. " " N. $86\frac{1}{2}^{\circ}E$. 288 " "

80.31 Cor. to sec. 21, 22, 27 and 28.
Sand mostly lead. Soil good. Scattering trees

Township 8 S. Range 22 W.
Gila and Salt River Meridian

Section North between sec. 21 & 22.

cont. 13° 45' East.

30.75 Bank: cross mud and water 3 chs.

37.40 Left bank of Gila river. Set a post, properly marked, 4 ft long, 3 in. sq. d. in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, all as per instructions, for cor. to fractional sec. 21 & 22. Notice near Iron set flag on line, on opposite bank of river and measure off base line E. 5 chs. to point from which flag is N. 16° 11' W., which makes distance across 17.23 chs. or at -

54.63 Right bank of river. Set a post, properly marked, 4 ft long, 3 in. sq. d. in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, all as per instructions, for cor. to fractional sec. 21 & 22. Notice near.

The 1/4 sec. cor. falls in river and cannot be established.

80.00 Set a post, marked and notched, 4 ft long, 3 in. sq. d. in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, all as per instructions, for cor. to sec. 15, 16, 21 & 22, from which

X A nice quail bin. diameter N. 5 7/8° E. 250 ls. dist. No other trees near. Sand mostly loam. Soil partly good. Some timber on S. bank.

Township 8 S. Range 27 N.
Gila and Salt River Meridian

38.70 East on true line between sec. 15 & 22.
cor. 13° 45' East

The line will strike the river in less than
a mile and therefore I am true line.

38.70 Right Hand of Gila river cor. S.W.
Set apart, properly marked, 4 ft.
long, 3 in. square d. 1 ft in
the ground, drive charred
stake and build mound of
earth 2 ft high, with pit 1 ft deep,
2 ft long, 1 ft wide, all as per in-
structions for cor. to fractional
secs. 15 & 22.

No trees near.

And the rest of the line falls in river.
Sand bed. Soil sandy. No timber.

Township 8 S. Range 22 W.
Gila and Salt River Meridian

- 1/2 North between secs. 15 and 16.
ans. 13° 15' East
- 2.80 Ricord bar. E. and W.
- 5.70 Fence bar. E. & W. and enter barley field of Redondo.
- 35.00 Lease field, bar. N. of E. and S. of W.
- 39.00 Road bar. N. of E.
- 40.00 Set post marked 1/4 E. 2 ft long, flattened 3 in wide, 1 ft in the ground
drill charr'd stake and build mound of earth 2 ft high, with pile 1 ft
dep. 2 ft long, 1 ft wide, all as per instructions for 1/4 sec. cor. from which
Anacquite 6 in dia bar. N. 87 1/2° E. 532 lns. dist. Another tree near
- 40.80 Setch runs W.
- 80.00 Set post, marked and notched, 1 ft long, 3 in. sq'd,
1 ft in the ground, drive charr'd stake and build
mound of earth 2 ft high, with pile 1 ft dep., 2 ft long, 1 ft
wide, all as per instructions for cor. to secs. 9, 10,
15 and 16. from which
Anacquite 8 in dia bar. N. 84° W. 212 lns. dist.
do. 12 " " S. 19 1/2° W. 277 " "
Sand lead. Soil, 1/2 mile, no timbers.

Township 8 S. Range 27 W
Gila and Salt River Meridian

A East on random line bet sec. 10 & 15.
var. 13°45' East

40.00 Set post for temporary base cor.

80.04 Intersect N. and S. line 6 ch. S. of cor. to sec.
10 and 15. from which cor. Run
S 89°05' W.

Put true line between sec. 10 and 15.

var. 13°45' East

40.02 Set a post, marked $\frac{1}{4}$ S. 4 ft long, flattened
3 in wide, 1 ft in the ground, drive chanced
stake and build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft long, 1 ft wide,
all as per instructions, for $\frac{1}{4}$ sec. cor. from which
Amesquite 18 in. dia. br. N. 18 $\frac{3}{4}$ ° W. 98 ch. dist
do. 24 " " N. 37 $\frac{1}{4}$ ° W. 203 " "

80.04 The cor. to sec. 9, 10, 15 and 16.
Land head. Soil 1 $\frac{1}{2}$ and 2 $\frac{1}{2}$ rate.
No timber of consequence.

Township 8 S. Range 22 W.
Gila and Salt River Meridian
Lot North between ^{strip} sec. 9 and 10

var. $13^{\circ}45'$ East

40.00 Set a post, marked 45. 4 ft. long, flattened
3 in. wide, 1 ft. in the ground, drive charred
stake and build mound of earth 2 ft.
high with pit 1 ft. deep, 2 ft. long, 1 ft. wide, all
as per instructions for 4 sec. cor.

Notices near.

80.00 Set a post, marked and scratched, 4 ft. long, 3
in. sq. d. 1 ft. in the ground, drive charred stake
and build mound of earth 2 ft. high with pit
1 ft. deep, 2 ft. long, 1 ft. wide, all as per instruc-
tions for cor. to sec. 3, 4, 9 & 10. from which
Armesquite 8 in. dia. br. N. 73° E. 154 lbs. dist.
do. 5 " " " N. $41\frac{3}{4}^{\circ}$ E. 96 lbs. dist.
do. 10 " " " North 40 " "
do. 8 " " " S. $84\frac{1}{2}^{\circ}$ E. 125 " "

Soil lead. Soil good. Some mesquite
in N. end.

Township 8 S. Range 27 N.
Gila and Salt River Meridian

At East on random line bet sec. 3 & 10
cor. 13°45' East

40.00 Set post for temporary 1/4 sec. cor.

66.00 Pass over point of hill.

79.93 Intersect N. and S. line 10 hrs. S. of cor.
to sec. 2. 3. 10 11. from which cor. down
S. 89°56' W.

On line line between sec. 3 & 10.

cor. 13°45' East

39.97 Set a post, marked 1/4 S. 4 ft. long, flat-
tined 3 in. wide, 1 ft. in the ground, drive
charred stake and build mound of
earth 2 ft. high, with pit 1 ft. deep, 2 ft.
long, 1 ft. wide, all as per instructions, for
1/4 sec. cor. from which

A mesquite 16 in. dia. bet. S. 37° W. 251 hrs. dist
No other trees near.

79.93 The cor. to sec. 3, 4, 9 and 10.

Land uneven surface. Soil good. Con-
siderable mesquite timber.

Township 8 S. Range 22 N.
Gila and Salt River Meridian

As North-south line bet. sec. 3 & 4.
cor. 13°45' East

40.00 Set temporary post.

79.60 Intersect N. boundary 13 lvs. E. of cor.
to sec. 3 & 4. from which cor. Run
S. 0°6' E.

Outline line between sec. 3 and 4.
cor. 13°45' East

39.60 Set a post, marked 48 4/8 ft long, flattened
3 in wide, 1 ft in the ground, drive charred
stake and build mound of earth 2 ft high,
with pit 1 ft deep, 2 ft long, 1 ft wide, all as per in-
structions, for 1/4 sec. cor. from which
run a line 6 in dia. bet. S. 55 1/2° W. 102 lvs. dist
do. 5 " " North 131 " "

79.60 Cor. to sec. 3, 4, 9 and 10.

Land level. Soil good. Very brushy.
Heavy mesquite S. Willow N.

February 28, 1874

Township 8 S. Range 22 W.
Gila and Salt River Meridian

The North between sec. 32 & 33
cor. 13°45' East

40.00 Set a post, marked 1/4 S. 4 ft long, flattened
3 in. wide, 4 ft in the ground, drive charred stake
and build mound of earth 2 ft high, with pits
4 ft deep, 2 ft long, 1 ft wide all as per instructions
for these cor. from which
Anasquito 6 mi. dia. to S. 20° W. 26 hrs. dist.
do. 5 " " S. 47 1/2° E. 34 " "

66.00 Road bet. E. and W.

80.00 Set a post, marked and notched, 4 ft
long, 3 in. sq. 4 ft in the ground, drive
charred stake and build mound of earth
2 ft high, with pits 4 ft deep, 2 ft long, 1 ft
wide, all as per instructions for cor. to secs.
28, 29, 32 and 33.

Notes near.

Sand beach. Soil good. No timber.

Township 8 S. Range 27 W.
Gila and Salt River Meridian

Sec. East on random line bet sec. 28 & 33

var. $13^{\circ}45'$ East

40.00 Set post for temporary 4 sec. cor.

57.00 Main road bet. S. of E. and S. of W.

79.91 Intersect N. and S. line 13 bet. S. of cor. to
secs. 27, 28, 33 and 34, from which cor. Run
 $889^{\circ}54'$ W.

On true line between secs. 28 and 33.

var. $13^{\circ}45'$ East

39.96 Set a post, marked 44 S. 4 ft. long,
flattened 3 in. wide, 4 ft. in the ground
drill chanced stake and built mound
of earth 2 ft. high, with pits 4 ft. deep,
2 ft. long, 4 ft. wide, all as per instructions
for these cor.

No tree near.

79.91 The cor. to secs. 28, 29, 32 and 33.
Land level. Soil good. No timber,
Brush.

Township 8 S. Range 27 N.
Gila and Salt River Meridian

- No North between sec. 28 ³/₄ 29
 cor. 13°45' East
- 1.80 Road cor. E. and W.
- 40.00 Set apart, marked 1/4 S. 4 ft long, flattened 3 in. wide,
 1/2 ft in the ground, drive charred stake and build mound
 of earth 2 ft high, with pits 1 ft deep, 2 ft long, 4 ft wide
 all as per instructions for the cor. Not true near.
- 47.00 Road to Redondo's Ferry cor. N. E. and S. W.
- 73.00 Honey 6 chs. W.
- 80.00 Set apart, marked and notched, 4 ft long, 3 in.
 sq. 1/2 ft in the ground, drive charred stake and
 build mound of earth 2 ft high, with pits 1 ft
 deep, 2 ft long, 4 ft wide, all as per instructions
 for cor. to secs. 20, 21, 28 ³/₄ 29, from which
 1 mesquite 8 in. dia. cor. S. 10° W. 229 located
 do. 9 " " " S. 52° W. 224 " "
 do. 7 " " " N. 74 ¹/₂° W. 292 " "
 Sand lead. Soil good. Scattering
 mesquite trees.

Township 8 S. Range 22 W.

Gila and Salt River Meridian

As East on random line between secs. 21 & 28
 cor. $13^{\circ}45'$ East

16.00 Road to ferry bar. N. E.

40.00 Set post for temporary $\frac{1}{4}$ sec. cor.

79.71 Intersect strand S. line 10 lbs. N. of cor. to
 sec. 21. 22. 27 & 28. from which cor. from
 N. $89^{\circ}05'$ W.

Outline line between secs. 21 and 28.
 cor. $13^{\circ}45'$ East

39.86 Set a post, marked $\frac{1}{4}$ S. $\frac{1}{4}$ ft long flattened $\frac{1}{2}$ in.
 wide, $\frac{1}{2}$ ft in the ground, drive charrs & stakes
 and build mound of earth 2 ft high, with pits
 $\frac{1}{2}$ ft deep, $\frac{1}{2}$ ft long, $\frac{1}{2}$ ft wide, all as per instructions
 for $\frac{1}{4}$ sec. cor from which

A mesquite 14 in. dia. bears S. 27° E. 287 lbs. dist
 No other trees near

79.71 This cor. to secs. 20, 21, 28 and 29.

Land mostly dead. Bad growth. Scattered
 trees. Brush.

Township 8 S. Range 27 W.
Gila and Salt River Meridian

Line North between sec. 20 & 21.

var. 13° 45' East

40.00 On sand flat set a post 1000 ft. S. 4 ft long, flattened 3 in. wide
4 ft in the ground, drive charred stake and build mound of earth 2 ft high,
with pile 4 ft deep, 2 ft long, 4 ft wide, all as per instructions for sec. cor.
No trees near.

69.25 Left bank of Gila river, Cor. S.W. set a post, properly marked, 4 ft long,
3 in. sq. 4 ft in the ground, drive charred stake and build mound of
earth 2 ft high, with pile 4 ft deep, 2 ft long, 4 ft wide, all as per instruction
for cor. to fractional sec. 20 & 21. No trees near.

Set flag on line on opposite bank of river and measure off a base
line E. 5. Chs. to point from which flag bears N. 24° 58' W.

which makes distance across 10.73 Chs. or at

79.98 Opposite bank of river. I do not set any separate cor. here as
the cor. farther down the sec. cor. on the bank of the river.

80.00 Set a post, marked & notched, 4 ft long, 3 in. sq. 4 ft in the ground, drive
charred stake, and build mound of earth 2 ft high with pile 4 ft deep,
2 ft long, 4 ft wide, all as per instructions for cor. to Secs. 16, 17, 20 and 21.
Acacia wood 12 in. dia. bears S. 65 1/2° W. 362 Chs. Dist
to willow 5 N. 57 1/2° E. 276
No other trees near.

Land lead. Soil 1st and 3rd rate. No timber of
any consequence.

Township 8 S Range 22 W.
Gila and Salt River Meridian

To Eastward on line between sec. 16 & 21.
var. $13^{\circ}45'$ East

40.00 Set post for temporary $\frac{1}{4}$ sec. cor.

50.00 Road bet. S. & W.

59.00 Second bank and enter sand flat

79.67 Intersect N. and S. line 12 hrs. N. of cor. to sec.

15, 16, 21 and 22, from which cor. I run
N. $89^{\circ}55'$ W.

O. line between sec. 16 and 21.

var. $13^{\circ}45'$ East

39.84 Set up post, marked $\frac{1}{4}$ sec. 4 ft. long, flattened 3 in. wide,
1 ft. in the ground, drive charred stake and build mound
of earth 2 ft. high, with pile 1 ft. deep, 2 ft. long, 1 ft. wide,
all as per instructions for $\frac{1}{4}$ sec. cor.

No trees near.

79.67 Cor. to secs. 16, 17, 20 and 21.

Good lead. Soil good and 2nd rate.

No timber.

Township 5 S. Range 22 W.
Gila and Salt River Meridian

North between sec. 16 & 17.

cor. 13° 15' East

- 21.00 Three small boxes 7 cks. W.
- 24.00 Second bank to E. and W.
- 34.00 Road to S. of W.
- 40.00 Set a post, marked 4 in. 4 ft long, flattened 3 in. wide, 1 ft in the ground drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, all as per instructions for 1st sec. cor. from which
- 80.00 An acequia 11 in dia. bar. S. 5 1/2° E. 1495 lvs. dist. to other trees near.
- Set a post, marked and notched 4 ft long, 3 in. sqd, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, all as per instructions, for con to sec. 8, 9, 16 & 17, from which
- An acequia 1 in dia. bar. S. 76 1/2° W. 284 lvs. dist. to other trees near.
- Land lead. Soil good. No timber of consequence.

Township 8 S Range 22 W.
Gila and Salt River Meridian

✓ The Oklahoma random line between sec. 9 & 16.
var. $13^{\circ}45'$ East

10.00 Set post for temporary 1/4 sec. cor.

79.98 Intersect N. and S. line 21 hrs. N. of cor. to sec.
9, 10, 15 and 16, from which cor. from
N. $89^{\circ}51'$ W.

On true line between sec. 9 & 16.

var. $13^{\circ}45'$ East

39.99 Set a post, marked 4 S. 4 ft. long, flattened
3 in. wide, 1 ft. in the ground, drove charred
stake and build mound of earth 2 ft. high,
with pits 1 ft. deep, 2 ft. long, 1 ft. wide, all as per
instructions, for 1/4 sec. cor. from which
Amesquite 7 in dia. tree N. 23° W. 288 hrs. dist
to other tree near

79.98 the cor. to sec. 8, 9, 16 and 17.

Land bad. Soil poor. Scattering
mesquite trees.

Township 8 S. Range 27 W.
Gila and Salt River Meridian

to North between sec. 8 & 9.

var. $13^{\circ}45'$ East

40.00 Set up post, marked M.S. $4\frac{1}{2}$ ft long flattened 3 in wide,
1 ft in the ground, drive charred stake and build mound
mound of earth 2 ft high, with pits 1 ft deep, 2 ft long
1 ft wide, all as per instructions for the sec. cor.
Amesquite 9 in dia. db. $S. 9\frac{1}{4}^{\circ} E. 190$ lbs. dia. db.
No other trees near.

80.00 Set up post, marked and notched, $4\frac{1}{2}$ ft long, 3 in. sq. db.
1 ft in the ground, drive charred stake and build mound of
earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide
all as per instructions, for cor. to sec. 4, 5, 8 and
9, from which

Amesquite 5 in dia. db. $S. 71\frac{1}{2}^{\circ} E. 55$ lbs. dia. db.

do. 4 " " " East 42 " "

do. 5 " " " N. $58\frac{1}{2}^{\circ} W. 58$ " "

do. $2\frac{1}{2}$ " " " N. $21^{\circ} W. 12$ " "

Land level. Soil good. Mesquite timber,
1 Bush.

Township 8 S. Range 27 W.
Cala and Salt River Meridian

To East meridian line bet. sec. 4 & 9
ans. $13^{\circ}45'$ East

40.00 Set post for temporary $\frac{1}{4}$ sec. cor.

80.11 Intersect N. and S. line 16 hrs. N. of cor. to sec.
3.4.9 & 10. from which cor. Dime
N. $89^{\circ}53'$ W.

On true line between sec. 4 & 9
ans. $13^{\circ}45'$ East

40.05 Set a post, marked $\frac{1}{4}$ S. 4 ft long, flat-
tined 3 in. wide, 1 ft in the ground, drive
chased stake and build mound of earth
2 ft high, with pits 1 ft deep, 2 ft long, 1 ft
wide, all as per instructions for $\frac{1}{4}$ sec. cor.
from which

A mesquite 4 in. dia. bears N. $10\frac{1}{2}^{\circ}$ E. 40 hrs. dist
do. 8 " " " N. $62\frac{1}{2}^{\circ}$ E. 52 " "

80.11 The cor. to sec. 4, 5, 8 and 9.

Land uneven surface. Mesquite tim-
ber and brush.

Township 8 S. Range 27 W.
Gila and Salt River Meridian

the North on random line between 4 & 5.
arr. $13^{\circ}45'$ East

40.00 Set post for temporary $\frac{1}{4}$ sec. cor.

79.84 Intersect N. boundary 10 lns. W. of cor. to sec.
4 & 5. from which cor. Down
 $S. 0^{\circ}4'$ W.

Between line between sec. 4 & 5.

arr. $13^{\circ}45'$ East

39.84 Set a post, marked $\frac{1}{4}$ S. $\frac{1}{4}$ lb long, flattened
3 in. wide, 1 ft in the ground, drive chased
stake and build mound of earth 2 ft high,
with pit 1 ft deep, 2 ft long, 1 ft wide, all as
per instructions, for $\frac{1}{4}$ sec. cor. from which
Amesquite 4 in. dia. br. S. $6\frac{1}{2}^{\circ}$ E. 26 lns. dist
do. 3. . . N. 62° E. 46. . .

79.84 the cor. to sec. 4, 5, 8 and 9.

Land level. Soil good. Brush.
Mesquite timber.

March 2, 1874

Township 8 S Range 99 W.

Sea and Salt River Meridian

To North between sec. 31 & 32.

cor. 13° 45' East.

40.00 Set a post, marked 44 S. 4 ft long, flattened 3 in. wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide, all as per instructions for these cor. No trees near.

61.00 Road bas. E. and W.

65.00 Road bas. E. and W.

80.00 Set a post, marked and notched, 4 ft long, 3 in. sq. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide, all as per instructions for cor. to secs. 29, 30, 31 and 32.

from which

A magnetic 13 in. dia. bas. N. 33 1/2° E. 636 Grad. lit
No other trees near.

Land level. Soil good. No timber of any consequence.

Township 8 S. Range 22 W.
Gila and Salt River Meridian

- to East on random line bet sec. 29 & 32.
var. 13° 45' East
- 17.50 Road bet. A. & E.
- 40.00 Set temporary post
- 52.00 Road bet. A. & E.
- 79.80 Intersect A. and B. line 27 hrs. N. of cor. to
secs. 28, 29, 32 and 33 from which cor. Run
N. 89° 51' W.
- On true line between sec. 29 & 32
var. 13° 45' East
- 39.90 Set a post, marked the S. of the line, flattened 2 in. wide,
flat in the ground, drove a charred stake and build mound of
earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft broad, all as per
instructions for the sec. cor. from which
A green wood tree 3 in dia bet. N. 17° 2' E. 70 hrs. dist
No other trees near.
- 79.80 Cor. to sec. 29, 30, 31 and 32.
Land level. Soil good sandy loam.
Green wood brush. No timber.

Township 8 - S. Range 22 W.
Gila and Salt River Meander

To West on random line bet sec. 30 & 31.

var. 13° 45' East

40.00 Set temporary post

60.00 Road bet. N. of E.

63.00 House 2 chs. N.

66.00 House 1.50 chs. N.

70.80 Fence bet. N. E. and S. W.

78.00 House 1 ch. S.

79.94 Intersect W. boundary 7 lvs. N. 2 feet to sec.

30 and 31, from which cor. I run

N. 89° 5' E. on true line bet sec. 30 & 31

var. 13° 45' East

39.94 Set post marked W. of fl. long flattened 3 in wide, 1 ft in the ground, piece
charred stick and built around a center of fl. high, with pits 1 ft. deep, 2 ft. long

fl. wide, all as per instructions for 4 sec. cor. from which

line to pole 3 in. dia. bet N. 11° 14' W. 51 lvs. dist

to 4 " " " East 9 " "

79.94 Cor. to secs. 29, 30, 31 and 32.

Land lead for most part. Soil good. Scattered
trees.

Township 8 S Range 27 W.
Gila and Salt River Meridian

Line North between sec. 29 & 30.

var. 13°45' East

15.00 Road base. E and W.

21.20 Left bank of Gila river, base S.W. Set a post, properly marked, 4 ft long, 3 in. sq. ft. from the ground, drive charred stake and build mound of earth 2 ft high, with pile 1 ft deep, 2 ft long, 1 ft wide, all as per instructions for co. to fractional sec. 29 & 30, from which some quite 4 miles. S. 14 1/2° E. 28 lvs. dist
do. " " " S. 67 1/2° W. 39 " "

Set flag on line on opposite bank and measure off a base line E. 3. chs to point where flag base. N. 10°45' W., which makes distance across 15.80 chs. - or at.

37.00 Right bank of Gila river. Set a post, properly marked, 4 ft long 3 in. sq. ft. from the ground, drive charred stake and build mound of earth 2 ft high, with pile 1 ft deep, 2 ft long, 1 ft wide, all as per instructions for co. to fractional sec. 29 and 30. No trees near.

40.00 Set a post, marked 4 ft long, flattened 3 in. wide, from the ground, drive charred stake and build mound of earth 2 ft high, with pile 1 ft deep, 2 ft long, 1 ft wide, all as per instructions, for 1/4 sec. co. No trees near.

80.00 Set a post, marked & notched, 4 ft long, 3 in. sq. ft. from the ground, drive charred stake and build mound of earth 2 ft high, with pile 1 ft deep, 2 ft long, 1 ft wide, all as per instructions, for co. to sec. 19, 20, 29 & 30. No trees near.
Land bad. Soil good. No timber. Brush.

Township 8 S. Range 22 W.
Gila and Salt River Meridian

As East on random line between secs. 20 & 29.

var. 13°45' East

21.76 Right bank of Gila river, bet. S.W. 1/4 temporary point
Set flag on line on opposite bank of river, and measure of base line N.
6. chs. to point whence flag has. S. 80°14' E, which makes distance
across 35.04 chs, or abt

56.80 Opposite and left bank Gila river. Set temporary point

79.93 Distance N. and S. line 11 chs. N. of sec. 20, 21, 28
and 29 from which cor. from

N. 89°55' W. on true line bet. secs. 20 and 29.

var. 13°45' East

23.13 Left bank of Gila river. Set up post, properly marked, 1/2 ft long 3 in
d. 1/2 in the ground, drive charred stake and built mound of earth 2 ft high,

with pile 1/2 ft deep, 2 ft long, 1/2 ft wide, all as per instructions, for cor. to frac-

tional sec. 20 and 29, from which

A willow 9 in. dia. on S. 53° E. 59 chs. dia. 1/2
do. 6 " " " N. 53 1/2° E. 41 "

58.17 Right bank of Gila river. Set up post, properly marked, 1/2 ft long 3 in. dia.
1/2 in. the ground, drive charred stake and built mound of earth 2 ft high,
with pile 1/2 ft deep, 2 ft long, 1/2 ft wide, all as per instructions, for cor. to frac-

tional sec. 20 and 29. No trees near.

The true cor. falls in river and cannot be established.

79.93 Cor. to sec. 19, 20, 29 and 30.

Sand block, Soil 3' rule. Brush.

Township 8 S Range 22 W.
Gila and Salt River Meridian

to West on random line bet sec. 19 & 30
a.s. 13°45' East.

40.00 Set temporary post

79.96 Entered W. boundary 19 lvs. S. of cor. to
secs. 19 and 30, from which cor. from
N. 89°52' E.

Random line between secs. 19 & 30.

a.s. 13°45' East.

39.96 Set apex, marked 4 S. 4 ft long, flattened
3 in. wide, 1 ft in the ground, drove charred
stake and built mound of earth 2 ft high,
with pits 1 ft deep, 7 ft long, 1 ft wide, all
as per instructions for 4 sec. cor. from which
A willow 8 in. dia. bet. S. 52½° W. 162 lvs. dist.
to cottonwood 20 " " N. 1° W. 307 " "

79.96 Cor. to secs. 19, 20, 29 and 30
Land level. Soil good. Some trees.
Brush.

Township 8 S Range 29 W.
Gila and Salt River Meridian

to North between sec. 19 & 20.

var. 13°45' East

40.00 Set a post, marked 48. 4 ft long, flattened 3 in.
wide, 4 in the ground, drive charred stake and
build mound of earth 2 ft high, with pile 1 ft deep,
2 ft long, 1 ft wide, all as per instructions, for
base cor. from which

Soil core 6 in. dia. br. S. 89° W. 262 lbs. dist
1 mesquite 3 " " " N. 5 1/4° W. 208 " "

80.00 Set a post, marked and numbered, 4 ft long, 3 in. sq. d.
4 in the ground, drive charred stake and build mound
of earth 2 ft high, with pile 1 ft deep, 2 ft long, 1 ft wide,
all as per instructions, for cor. to secs. 17, 18, 19
and 20, from which

A mesquite 10 in. dia. br. S. 41° W. 315 lbs. dist
do 20 " " " N. 51 1/2° E. 390 " "

Further trees near.

Land level. Soil 2 and 1 strata.
Scattered mesquite trees.

Township 8 S. Range 22 N.
Gila and Salt River Meridian

Set East on random line bet sec. 17th & 20.
bear. 13°45' East

40.00 Set temporary post.

80.21 Intersect N. and S. line 65 lbs. S. of cor.
to sec. 16, 17, 20 & 21, from which cor. Run
S. 89°32' W.

Continue line between sec. 17 & 20.

bear. 13°45' East

40.10 Set a post, marked 14 S. 4 ft long,
flattened 3 in. wide, 1/2 in. in the ground,
drive charred stake and build mound
of earth 2 ft high, with pile 1 ft deep, 2 ft
long, 1/2 in. wide, all as per instructions
for these cor.

Notes near.

80.21 Cor. to sec. 17, 18, 19 and 20
Land level. Soil good.
Scattering trees.

Township 8 S Range 22 W.
Gda and Salt River Meridian

to West on random line bet sec. 18 & 19
acc. $13^{\circ}45'$ East

40.01 Set post for temporary 1/4 sec. cor.

80.07 Intersect W. boundary 18 Sec. S. of cor. to Sec.
18 and 19, from which cor. Run
 $S. 89^{\circ}52'$ E

On true line between secs. 18 & 19

acc. $13^{\circ}45'$ East

40.07 Set a post, marked 1/4 S. 4 ft long,
flattened 3 in. wide, 1 ft in the ground,
drive charred stake and build mound
of earth 2 ft high, with pits 1 ft deep, 2 ft
long, 1 ft wide, all as per instructions for 1/4
sec. cor. from which

A mesquite 4 in dia. br. $S. 36^{\circ} E. 93$ lbs. dist

No other trees near.

80.07

Capit. secs. 17, 18, 19 and 20
Sand land. Soil good. Scattering mes-
quite trees.

Township 8 S. Range 22 W.
Gila and Salt River Meridian

Line X North, between secs. 17 and 18.

var. 13°45' East

40.00 Set a post, marked 14 S. 4 ft long, flattened
3 in. wide, 1 ft in the ground, drove charred stake
and build mound of earth 2 ft high, with pile
1 ft deep, 2 ft long, 1 ft wide, all as per instruc-
tions for 14 sec. cor. from which
A mesquite 9 in. dia. be. N. 79° W. 263 lbs. dist
No other trees near.

80.00 Set a post, marked and notched, 4 ft long,
3 in. sq. d. 1 ft in the ground, drove charred
stake and build mound of earth 2 ft high,
with pile 1 ft deep, 2 ft long, 1 ft wide, all as per
instructions, for cor. to secs. 7, 8, 17 & 18.
No trees near.

Sand lead. Soil good.

Scattering mesquite trees.

Township 8 S Range 29 W.
Gila and Salt River Meridian

To East or random line between sec. 8 & 17.
var. $13^{\circ}45'$ East

40.00 Set temporary post.

80.07 Intersect N. and S. line 11 lbs. S. of cor.
to sec. 8, 9, 16 and 17 from which cor. from
 $S. 89^{\circ}55'$ W.

On true line between sec. 8 & 17
var. $13^{\circ}45'$ East

40.03 Set a post, marked $\frac{1}{4}$ S. 4 ft long,
flattened 3 in. wide, 1 ft in the ground,
drive charred stake and build mound
apex at 2 ft high, with pits 4 ft deep, 2 ft
long, 1 ft wide, all as per instructions for
1/4 sec. cor.

No trees near.

80.07 Cor to sec. 7, 8, 17 and 18.
Sand lead. Soil good.
Scattering trees.

Township 8 S. Range 27 W.
Gila and Salt River Meridian

The West ~~or main~~ line between secs. 7 & 18.

var. $13^{\circ}45'$ East

40.00 Set temporary post

79.89 Intersect W. boundary 62 lbs. N. of cor. to
secs. 7 and 18, from which cor. Run
N. $89^{\circ}33'$ E.

On true line between secs. 7 & 18.

var. $13^{\circ}45'$ East

39.89 Set a post, marked 14 S. 4 ft long, flattened 3 in.
wide. 1 ft in the ground, base charred stone and
built around of earth 2 ft high, with pits 1
ft deep, 2 ft long, 1 ft wide, all as per instructions for
1/4 sec. cor. from which

Amesquite 14 in. dia. N. 60° E. 29 ft. dist.

do 6 " " " S. $89^{\circ}1/2'$ E. 29 ft. "

79.89 Cor. to secs. 7, 8, 17 and 18.

Land level. Soil good.

Scattering trees.

Township 8 S. Range 27 W.
Gila and Salt River Meridian

No North between sees. 7 & 8.
arr. 13°45' E and S

40.00 Set apart, marked by S. 4 ft long, flattened 3 in.
wide, 4 ft in the ground, drive charred stake
and build mound of earth 2 ft high, with pile 4 ft
deep, 2 ft long, 4 ft wide, all as per instructions for
see con. from which
Scatterwood 5 in. dia. tree N. 72 1/2° E. 92 ft. dist. C
No other trees near.

48.70 Band of Colorado river bar. S. W.
Set apart, properly marked, 4 ft long, 3
in. sq. 4 ft in the ground, drive charred stake
and build mound of earth 2 ft high, with pile
4 ft deep, 2 ft long, 4 ft wide, all as per instructions
for con. to fractional sees. 7 and 8.
No tree near.

Good lead. Soil good.
Very brushy. No timber.

Township 8 S. Range 27 W.
Gila and Salt River Meridian

To West corner line bet. secs. 5 & 8.

on a $13^{\circ}45'$ East.

40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft. long, flattened 3 in.
wide, 1 ft. in the ground, drive charred stake and
build mound a foot $\frac{1}{2}$ ft. high, with pile 1 ft. deep,
 $\frac{1}{2}$ ft. long, 1 ft. wide, all as per instructions for
 $\frac{1}{4}$ sec. cor. from which.

A cottonwood 5 in. dia. bears N. 12° E. 18 lbs. dia.

do. 6 . . . N. 17° W. 22 . . .

41.54 Bank of Colorado river bet. S. W.

Set a post, marked, 4 ft. long, 3 in. sq. d.
1 ft. in the ground, drive charred stake and
build mound a foot $\frac{1}{2}$ ft. high
with pile 1 ft. deep, $\frac{1}{2}$ ft. long, 1 ft. wide,
all as per instructions, for cor. to frac-
tional secs. 5 and 8.

No trees near.

Sand level. Soil good. Cottonwood
and Willow timber. Brush.

Township 8 S. Range 22 W.
Gila and Salt River Meridian

To South between secs. 5 & 6.

var. $13^{\circ}45'$ East.

18.50 Bank of Colorado river bet. S. E.

Set a post, properly marked,
4 ft long, 3 in. square, 1 ft in
the ground, drive charred
stake and build mound of earth
2 ft high with pits 1 ft deep, 2
ft long, 1 ft wide, as per instruc-
tions for concrete fractional
secs. 5 and 6.

No trees near.

On Sand flat. Sand lead.
No timber. Some brush.

March 3. 1874

Township 8 S. Range 27 W.
Gila and Salt River Meander

Meanders of the left bank of the Colorado
River, through the Township.

Begin at the cor. to fractional sec. 6
and 31 on the N. boundary of the township
and on the left bank of the river
and run thence down stream with
the meanders of the river.

In sec. 6.

Courses	Distances	Remarks
S. 26° E.	20.50	To cor. to fractional sec. 5 & 6. On sand flat: no timber. Thence in sec. 5.
S. 52° E.	14.20	Brushy along bank
S. 8½° E.	11.90	
S. 7° E.	14.70	
S. 25¼° W.	9.60	
S. 6° W.	1.50	
S. 3½° W.	6.80	

Township 8 S Range 27 W.
Gila and Salt River Meridian

Course	Distance	Remarks
S. 9 $\frac{1}{2}$ ° W.	10.00	To cor. to fractional sec. 5 $\frac{1}{2}$ 8. Thence in sec. 8.
S. 9 $\frac{1}{2}$ ° W.	15.00	Brush and cottonwood and
S. 12° W.	14.40	willow timber. Bluff bank.
S. 45 $\frac{1}{2}$ ° W.	4.20	To cor. to fractional sec. 7 $\frac{1}{2}$ 8. Thence in sec. 7.
S. 60 $\frac{1}{2}$ ° W.	8.00	
S. 76 $\frac{1}{2}$ ° W.	21.10	Arrowwood brush along bank.
S. 70 $\frac{1}{2}$ ° W.	7.10	
S. 49° W.	10.00	
S. 48° W.	11.50	
S. 47° W.	15.50	
N. 86° W.	14.75	
S. 45 $\frac{1}{2}$ ° W.	5.90	To cor. to fractional sec. 7 $\frac{1}{2}$ 12, on W. boundary of the Township.

Township 8. S. Range 22 W.
Gila and Salt River Meridian

Meanders of the Gila river through the Township.

Begin on the N. and right bank of the river at cor. to fractional sec. 25 and 30, on W. boundary of the town ship, and run thence up stream.

In sec. 30.

S. 51° E.	2.00
S. 58° E.	10.10
S. 24 1/2° E.	15.00
S. 43 1/2° E.	9.70
S. 52° E.	10.70
S. 66° E.	16.90
S. 77° E.	22.90
N. 59 1/2° E.	13.20

Some timber along bank.

To cor. to fractional sec. 29 & 30.

Thence in sec. 29.

N. 39 1/2° E.	14.00
N. 12 3/4° E.	10.60
N. 38 1/4° E.	12.70
N. 11° E.	12.00

Sandy flat. Bushes.

To cor. to fractional sec. 20 & 29.

Thence in sec. 20.

N. 10° E.	14.10
N. 15 1/2° E.	12.00
N. 44° E.	15.10
N. 55° E.	21.60
N. 2 1/4° E.	5.00
N. 17° E.	1.90
N. 25 3/4° E.	2.20
N. 31 1/4° E.	24.10
N. 80 1/2° E.	11.10

Some timber and brush.

To cor. to sec. 16, 17, 20 and 21.

Thence in sec. 21.

S. 89 1/2° E.	19.40
S. 62° E.	12.20

Bluff bank on W. end, then

Township 8 S. Range 22 W.
Eda and Salt River Meanders

S. 72 3/4° E 10.80 low sand flat brush.
S. 67 1/4° E 42.00 To cor. to fractional sec. 21 and 22.

From the cor. to frac. sec. 21 and 22 on the right and N. bank of the river, the remainder of the right bank up, is not well defined, being low, with sloughs meandering from the river and sand flats extending into it. I therefore cross to S. side, which is more defined and bank bluffs and continue the meanders up the left bank. From the cor. to frac. sec. 21 and 22, on the left and S. bank of the river I run

In sec. 27.

N. 68° E. 6.40

N. 76 1/4° E 27.00

N. 45° E 22.10

N. 56° E 27.00

S. 47° E 8.00

S. 34 1/2° E 2.90

S. 55 1/2° E 21.70

S. 68° E 20.80

S. 77 1/2° E 9.70

S. 49 1/2° E 10.00

N. 56 1/2° E 10.50

N. 47° E 26.00

N. 30° E 12.00

Some timber

along bank. Brushy.
To cor. to fractional sec. 22 and 23.
Thence in sec. 23.

Some mesquite

timber along

bank. Brush.

To cor. to frac. sec. 23 and 24

Thence in sec. 24.

N. 35° E 9.50

N. 49° E 7.20

N. 35 1/2° E 4.80

N. 73 1/2° E 4.60

N. 73° E 4.40

N. 64 1/2° E 8.00

N. 51 1/2° E 7.90

N. 35° E 5.00

Some cottonwood

timber along

bank. Brush.

To cor. to fractional sec. 13 & 24.

Thence in sec. 13

Township 8 S. Range 27 W.
Gila and Salt River Meridian

Meanders continued -

N. 20 $\frac{3}{4}$ ° E.	6.80	Some cottonwood
N. 70 $\frac{3}{4}$ ° E.	8.00	
N. 62 $\frac{1}{4}$ ° E.	12.00	timber
S. 62 $\frac{3}{4}$ ° E.	5.60	
S. 85° E.	15.00	
N. 70° E.	8.60	

along base. Branch.

To cor. to fractional sec. 13 and 18, on
the E. boundary of the Township.

March 24. 1874.

General Description

This Township includes bottom land on both sides of the Gila. It covers a large extent of such land that would, if cultivated, produce large crops. Some little ranching is done on the N. side of the river Gila, and the grain planted is growing luxuriantly. The hills in the N.E. cor. of the town contain some placer gold and mining for it has been carried on in them at times.

Thos. F. White
U.S. Dep. Surveyor

LIST OF NAMES.

A List of the Names of Individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing Field Notes of the survey of *The Subdivision lines of township 8 S. range 27 N. Gila and Salt River Meridian*

Showing the respective capacities in which they acted.

- J. S. Phillips* Chainman.
- R. A. Vasquez* Chainman.
- Fred C. Jones* Axeman.
- J. W. C. Elliott* Flagman.

FINAL OATH OF ASSISTANTS.

WE hereby certify that we assisted Theodore
J. White U. S. Deputy Surveyor, in
 surveying Subdivision lines of
Township 8 S. Range 27
W. of the Gila and Salt
River Meridian

and that said Survey has been in all respects, to
 the best of our knowledge and belief, well and
 faithfully executed, and the boundary monu-
 ments planted according to the instructions fur-
 nished by the Surveyor-General.

J. P. Phillips Chainman.

R. A. Vinton Chainman.

And. G. Jones Axeman.

J. M. C. Elliott Flagman.

Sworn to and subscribed before me, this 30
 day of March, 1874

W. H. Murray
 Notary Public.

FINAL OATH OF DEPUTY SURVEYOR.

I, Theodore F. White

U. S. Deputy Surveyor do solemnly swear that,
 in pursuance of a contract with John Wasson,
 United States Surveyor-General for Arizona, bear-
 ing date the 25 day of August
 1873 I have well, faithfully and truly, in my
 own proper person, and in strict conformity with
 the instructions furnished by the Surveyor-Gener-
 al, the Surveying Manual, and the laws of the
 United States, surveyed all those portions of

the subdivision lines of
townships 8 S. range 22
W. of the Gila and Salt
River Meridian

as are repre-
 sented in the foregoing Field Notes as having



68
 been surveyed under my directions; and I do
 farther solemnly swear that all the corners of
 said surveys have been established and perpetuat-
 ed in strict accordance with the Surveying Man-
 ual and printed instructions, and also in accord-
 ance with the additional requirements contained
 in circular instructions from the U. S. Surveyor-
 General for Arizona, dated September 1, 1873, re-
 garding the establishment of corner boundaries of
 public surveys, and that the foregoing are the
 true and original Field Notes of such surveys.

Theodore F. White

Deputy Surveyor.

Sworn to and subscribed before me, this 30
 day of March, 1874

J. H. [Signature]

Tokay Public



BOOK 1174

69

U. S. Surveyor General's Office,
Tucson, Arizona, May 9, 1874

The foregoing Field Notes of the survey of

The Subdivision and Meridian
Line of Township 8 S. Range
22 W.

of the Gila and Salt River Base and Meridian, Arizona,
executed by Theodore F. White,
D. S., under his contract of the 25th day of
August, 1873, having been critically ex-
amined and the necessary corrections and explanations
made, the said Field Notes and the surveys they de-
scribe, are hereby approved.

John Mason

Surveyor General.