

No. 1176

BOOK 1176

# Field Notes

OF THE SURVEY OF THE

*SUBDIVISION LINES*

BOOK 1176

-OF-

No. 1176

Township 6 South Range 10 West,

*Gila and Salt River Base and Meridian*

*ARIZONA.*

By Theodore F. White, D. S.

under contract dated Dec. 7, 1876.

Survey commenced Jan. 13, 1877.

Survey completed Jan. 18, 1877.

1176

*Thos. F. White* Deputy Surveyor.  
*6 South R. 10 West*  
*and Salt River* Meridian.

# FIELD NOTES

OF

*Subdivision* Lines of  
*6 South Range 10 West*  
*and Salt River* Meridian.

BY

*Thos. F. White* Deputy Surveyor.

for his Contract of *Dec. 7* 1876

they commenced *January 13, 1877.*

they completed *January 18, 1877.*

d,  
d for Washington,  
script sent to Commissioner,

## Preliminary Oaths of Assistants.

We, *P. V. Caldwell*  
 and *Urban Bernard*  
 do solemnly swear that we will faithfully execute  
 the duties of Chain Carriers; that we will level the  
 chain upon uneven ground, and plumb the tally  
 pins, whether by sticking or dropping the same;  
 that we will report the true distance to all notable  
 objects, and the true length of all lines that we as-  
 sist in measuring, to the best of our skill and  
 ability.

*P. V. Caldwell*

*Urban Bernard*

Sworn to and subscribed before me, this *9<sup>th</sup>*  
 day of *January*, 18*77*.

*John P. Faull*  
 Notary Public



We *Allan Bernard and  
Fred. C. Jones*

do solemnly swear that we will well and truly per-  
form the duties of *Flagman and*

*Arman, respectively*  
according to instructions given us, and to the best  
of our skill and ability.

*Allan Bernard  
Fred. C. Jones*

Sworn to and subscribed before me this *9<sup>th</sup>*  
day of *January*, 18*77*.

*John R. Faull*

*Notary Public*





Township *6 South* Range *10 West*  
*Gila and Salt River* Meridian.  
 BOOK 1176

6	5	4	3	2	1				
<i>60</i>	<i>44</i>	<i>33</i>	<i>22</i>	<i>11</i>					
<i>59</i>	<i>58</i>	<i>43</i>	<i>32</i>	<i>21</i>	<i>10</i>				
7	8	9	10	11	12				
<i>57</i>	<i>42</i>	<i>31</i>	<i>20</i>	<i>9</i>	<i>8</i>				
<i>56</i>	<i>55</i>	<i>41</i>	<i>30</i>	<i>19</i>	<i>8</i>				
18	17	16	15	14	13				
<i>54</i>	<i>40</i>	<i>29</i>	<i>18</i>	<i>7</i>	<i>13</i>				
<i>53</i>	<i>52</i>	<i>39</i>	<i>28</i>	<i>17</i>	<i>6</i>				
19	20	21	22	23	24				
<i>51</i>	<i>38</i>	<i>27</i>	<i>16</i>	<i>5</i>	<i>24</i>				
<i>50</i>	<i>49</i>	<i>37</i>	<i>26</i>	<i>15</i>	<i>4</i>				
30	29	28	27	26	25				
<i>48</i>	<i>36</i>	<i>25</i>	<i>14</i>	<i>3</i>	<i>25</i>				
<i>47</i>	<i>46</i>	<i>35</i>	<i>24</i>	<i>13</i>	<i>2</i>				
31	32	33	34	35	36				
<i>45</i>	<i>34</i>	<i>23</i>	<i>12</i>	<i>1</i>	<i>36</i>				

Township 6 South Range 10 West 1D  
Gila and Salt River Meridian.

No. 1176 BOOK 1176

The initial point of the survey of the subdivision lines of this township is the corner to secs. 35. 36. 1 and 2, on the south boundary, and which corner was established by myself in these present surveys, it being a post with mound of stones 2 ft. high, and no trees near.

BOOK 1176

Chains From the corner to Sections 35, 36, 1 and 2 on the South

boundary I ran

North, between Sections 35 and 36.

Variation  $12^{\circ}30'$  East.

40.00

As per Burt's improved solar compass  
Set a post, marked 1/4 S. 4 ft. long  
flattened 3 in. wide, 1 ft. in the  
ground, drive charred stake and  
build mound of earth 2 ft. high  
with pits 1 ft. deep, 2 ft. long, 1 ft.  
wide, as per instructions for 1/4  
Sec. cor.

No trees near.

80.00

Set a post, marked and notched  
4 ft. long, 3 in. sq'd. 1 ft. in the  
ground, drive charred stake  
and build mound of earth  
2 ft. high, with pits 1 ft. deep,  
2 ft. long, 1 ft. wide, as per in-  
structions, for cor. to sections  
25, 26, 35 and 36.

No trees near.

Land flat. Some brush and  
grass. No timber.

January 13, 1877



Township 6 South Range 10 West  
Gila and Salt River Meridian. BOOK 1176

Chains East, on a random line between Sections 25 and 36.

Variation  $12^{\circ}30'$  East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.  
80.31 Intersect E. boundary 23 lks.  
S. of cor. to secs. 25 and 36,  
from which cor. I run  
 $S. 89^{\circ}50' W.$

On true line between secs. 25 & 36.  
var.  $12^{\circ}30'$  East

40.15 Set a post, marked  $\frac{1}{4}$  S. 4 ft long,  
flattened 3 in. wide, 1 ft in the  
ground, drive charred stake  
and build mound of earth  
2 ft high, with pits 1 ft deep,  
2 ft long, 1 ft wide, as per in-  
structions, for cor. to  $\frac{1}{4}$  sec.  
No trees near.

80.31 Cor. to secs. 25, 26, 35 and 36.

Land flat  
Some Brush  
and grass  
No timber.

---



Township

6 South

Range

10 West

Gila and Salt River Meridian.

BOOK 1176

Chains

North, between Sections 25 and 26.

Variation  $12^{\circ} 30'$  East.

40.00 Set a post marked  $\frac{1}{4}$  S. 4 ft long, flattened 3 in. wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for  $\frac{1}{4}$  sec. cor.  
No trees near.

80.00 Set a post, marked and notched 4 ft long, 3 in. sq'd. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for cor. to secs. 23, 24, 25 and 26.  
No trees near.

Land level. Some brush and grass. Some good soil  
No timber.

---

Township

6 South

Range

10 West <sup>4</sup>

Gila and Salt River

BOOK 1176  
Meridian.

Chains

East, on a random line between Sections 24 and 25.

Variation  $12^{\circ}30'$  East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.  
 80.35 Intersect E. boundary 40  
 les. S. of cor. to secs. 24 and  
 25, from which cor. run

$S. 89^{\circ}43'N.$

On true line between secs. 24 & 25.  
 var.  $12^{\circ}30'$  East.

40.17 Set a post, marked  $\frac{1}{4}$  S. 4 ft long,  
 flattened 3 in. wide, 1 ft in the  
 ground, drive charred stake  
 and build mound of earth  
 2 ft high, with pits 1 ft deep, 2  
 ft long, 1 ft wide, as per instruc-  
 tions, for  $\frac{1}{4}$  sec. cor.

No trees near.

80.35 Cor. to secs. 23, 24, 25 and 26.

Land level. Some brush  
 and grass.

Some good soil.

No timber.

5 Township 6 South Range 10 West  
Gila and Salt River Meridian.

BOOK 1176

Chains North, between Sections 23 and 24.

Variation  $12^{\circ}30'$  East.

40.00 Set a post, marked "4 S. 4 ft. long, flattened 3 in. wide, 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions, for "4 sec. cor. No trees near.

80.00 Set a post, marked and notched, 4 ft. long, 3 in. sq. d. 1 ft. in the ground, and build mound of stones 2 ft. high, as per instructions for cor. to secs. 13, 14, 23 and 24.  
from which  
a pale verde 6 in. dia. brs. S.  $35^{\circ}$  E. 73 brs. dist.  
No other trees near.

Land level. Some brush and grass. No timber of consequence.

---



Township 6 South Range 10 West 6

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 13 and 24.

BOOK 1176

Variation  $12^{\circ}30'$  East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

80.41 Intersect E. Boundary 39 chs.  
S. of cor. to secs. 13 and 24  
from which cor. I run

S.  $89^{\circ}43' W.$

On true line between secs. 13 & 24.  
var.  $12^{\circ}30'$  East

40.20 Set a post, marked  $\frac{1}{4}$  S. 4 ft.  
long, flattened 3 in. wide, 1 ft.  
in the ground, drive charred  
stake and build mound of  
earth 2 ft high, with pits 1  
ft deep, 2 ft long, 1 ft wide  
as per instructions for  $\frac{1}{4}$  sec.  
cor.

No trees near.

80.41 Cor. to secs. 13, 14, 23 and 24.

Land level. Some Brush  
and grass. Some good soil.  
No timber.

---



Township 6 South Range 10 West  
Gila and Salt River Meridian.

BOOK 1176  
Chains North, between Sections 13 and 14.

Variation 12°30' East.

40.00 Set a post, marked "4 S. 4 ft long,  
flattened 3 in. wide, 1 ft in the  
ground, drive charred stake and  
build mound of earth 2 ft high  
with pits 1 ft deep, 2 ft long, 1 ft wide,  
as per instructions, for "4 sec. cor.  
from which

A mesquite, 7 in. dia. hrs. S. 45° E. 150 lbs. dist.  
No other trees near.

80.00 Set a post, marked and notched,  
4 ft long, 3 in. sq. d., 1 ft in the ground,  
and build mound of stones 2 ft  
high as per instructions for cor to Secs.  
11, 12, 13 and 14.

from which  
A pale verde, 7 in. dia. hrs. S. 12° E. 228 lbs. dist.  
No other trees near.

Land level. A few trees and  
brush. Some good soil.

Township

6 South

Range

10 West

8

BOOK 1176

Meridian.

Chains

East, on a random line between Sections 12 and 13.

Variation  $12^{\circ}30'$  East.40.00 Set temporary  $\frac{1}{4}$  sec. cor.80.49 Intersect E. boundary 33 lns. S.  
of cor. to secs. 12 and 13, from  
which cor. drawn $S. 89^{\circ}46' W.$ On true line between secs. 12 & 13  
var.  $12^{\circ}30'$  East.40.25 Set a post, marked  $\frac{1}{4}$  S. 4 ft long,  
flattened 3 in. wide, 1 ft in the  
ground, drive charred stake and  
build mound of earth 2 ft high  
with pits 1 ft deep, 2 ft long, 1 ft  
wide, as per instructions for  $\frac{1}{4}$   
sec. cor.

No trees near.

80.49 Cor. to secs. 11, 12, 13 and 14.

Land level.

Some good soil.

No timber.

January 13, 1877.

9 Township 6 South Range 10 West  
Gila and Salt River Meridian.  
BOOK 1176

Chains North, between Sections 11 and 12.

Variation 12° 30' East.

40.00 Set a post, marked  $\frac{1}{4}$  S. 4 ft long, flattened 3 in. wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for  $\frac{1}{4}$  sec. cor.

No trees near.

80.00 Set a post, marked and notched 4 ft long, 3 in. sq. d. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for cor. to secs. 1, 2, 11 and 12, from which

A pale verde, 5 in. dia. lvs. N. 43° W. 219 lbs. dist.

No other trees near.

Land level. A few scattering mesquite and pale verde trees and brush. Some good soil.



Township

6 South

Range

10 West

BOOK 1176

Meridian.

Chains

East, on a random line between Sections 1 and 12.

Variation  $12^{\circ}30'$  East.40.00 Set temporary  $\frac{1}{4}$  sec. cor.80.51 Intersect E. Boundary 62 lks. S. of  
cor. to secs. 1 and 12, from which  
cor. I run $S. 89^{\circ}33' W.$ 

On true line between secs. 1 &amp; 12.

var.  $12^{\circ}30'$  East40.25 Set a post, marked  $\frac{1}{4}$  S. 4 ft long,  
flattened 3 in. wide, 1 ft in the  
ground, drive charred stake and  
build mound of earth 2 ft high  
with pits 1 ft deep, 2 ft long, 1 ft wide,  
as per instructions, for  $\frac{1}{4}$  sec. cor.  
No trees near.

80.51 Cor. to secs. 1, 2, 11 and 12.

Land level.

Some good soil.

No timber.



Township 6 South Range 10 West  
Gila and Salt River Meridian

BOOK  
Chains

1176

True

North, on a ~~random~~ line between Sections 1 and 2.

Variation  $12^{\circ}30'$  East.

40.00 Set a post, marked  $\frac{1}{4}$  S. 4 ft long, flattened 3 in. wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for  $\frac{1}{4}$  sec. cor.  
No trees near.

79.82 Intersect the first standard parallel S. 21.95 chs. E. of standard cor. to secs. 35 and 36, of T<sub>p.</sub> 56. 10 N. Set a post marked and notched, 4 ft long, 3 in. sq. d. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep,  $2\frac{1}{2}$  ft long,  $1\frac{1}{2}$  ft wide, for closing cor. to secs. 1 and 2.  
No trees near.

Land level.

Some good soil.  
No timber.

Chains

North, between Sections 34 and 35.

Variation  $12^{\circ}30'$  East.

40.00 Set a post, marked 74 S. 4 ft. long, flattened 3 in. wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 74 sec. cor.

No trees near.

80.00 Set a post, marked and notched 4 ft long, 3 in. sq. d., 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for cor. to Secs. 26, 27, 34 and 35.

No trees near.

Land level. Soil partly good. No timber

Township 6 South Range 10 West

Gila and Salt River Meridian.

BOOK 1176  
Chains

East, on a random line between Sections 26 and 35.

Variation 12°30' East.

40.00 Set temporary 1/4 sec. cor.  
79.80 Intersect N. and S. line 15 lks. S.  
of cor. to Secs. 25, 26, 35 and 36  
from which cor. I run

S. 89°54' N.

On true line between Secs 26 & 35.  
var. 12°30' East

39.95 Set a volcanic rock, 12 x 9  
x 7 inches, 2/3 in the ground,  
marked 1/4, and on N. build  
mound of stones 2 ft high, as  
per instructions, for 1/4 sec. cor.  
No trees near.

79.90 Cor. to Secs. 26, 27, 34 and 35.

Land level.  
Soil 2<sup>nd</sup> rate.  
No timber.



Township 6 South Range 10 West <sup>14</sup>

Gila and Salt River Meridian.

BOOK 1176

Chains

North, between Sections 26 and 27.

Variation  $12^{\circ}30'$  East.

40.00 Set a post, marked  $\frac{1}{4}$  S. 4 ft long, flattened 3 in. wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for  $\frac{1}{4}$  sec. cor.

No trees near

80.00 Set a post, marked and notched, 4 ft long, 3 in. sq. d. 1 ft in the ground, and build mound of stones 2 ft high, as per instructions for cor. to Secs. 22, 23, 26 and 27.

No trees near.

Land level.

Soil 2 rate.

No timber.



Township 6 South Range 10 West  
Gila and Salt River Meridian.  
BOOK 1176

Chains East, on a random line between Sections 23 and 26.

Variation  $12^{\circ}30'$  East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

80.11 Intersect N. and S. line 13 hrs. S.  
of cor. to secs. 23, 24, 25 and 26.  
from which cor. I run

S.  $89^{\circ}54' N.$

On true line between secs. 23 & 26.

var.  $12^{\circ}30'$  East

40.05 Set a post, marked  $\frac{1}{4}$  S. 4 ft long,  
flattened 3 in. wide, 1 ft in the ground,  
and build mound of stones 2 ft  
high, as per instructions for  $\frac{1}{4}$   
sec. cor.

from which

A pale verde, 5 in. dia. br. N.  $10^{\circ} E.$  168 hrs. dist.

do. 5 " " S.  $15^{\circ} N.$  186 " "

80.11 Cor. to secs. 22, 23, 26 and 27.

Land level. Some few trees.  
Some good soil.

---

Gila and Salt River Meridian.

BOOK 1176

Chains

North, between Sections 22 and 23.

Variation  $12^{\circ}30'$  East.

40.00 Set a post, marked "4 S. 4 ft long, flattened 3 in. wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for "4 sec. cor.

No trees near

80.00 Set a post, marked and notched, 4 ft long, 3 in. sq. d. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, for cor. to secs. 14, 15, 22 and 23.

from which

A mesquite, 3 in. diam. S.  $80^{\circ}$  W. 86 lvs. dist.

do. 7 " " " N.  $30^{\circ}$  W. 70 " "

do. 3 " " " S.  $40^{\circ}$  W. 86 " "

do. 8 " " " S.  $52^{\circ}$  E. 165 " "

Land level. Some mesquite timber.  
Some good soil.

7 Township 6 South Range 10 West  
Gila and Salt River Meridian

BOOK 1176

Chains

East, on a random line between Sections 14 and 23.

Variation

$12^{\circ}30'$

East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

79.80 Intersect N. and S. line 13 lns. N.  
of cor. to Secs. 13, 14, 23 and 24.  
from which cor. I run

N.  $89^{\circ}54'N.$

On true line between Secs. 14 & 23.

var.  $12^{\circ}30'$  East.

39.90 Set a post, marked  $\frac{1}{4}$  S. 4 ft long,  
flattened 3 in. wide, 1 ft in the ground,  
drive charred stake and build  
mound of earth 2 ft high, with  
pits 1 ft deep, 2 ft long, 1 ft wide, as  
per instructions, for  $\frac{1}{4}$  sec.  
cor.

No trees near.

79.80 Cor. to Secs. 14, 15, 22 & 23.

Land flat.

Some good soil.

No timber.

---



Chains

North, between Sections 14 and 15.

Variation  $12^{\circ}30'$  East.

40.00 Set a post, marked 14 S. 4 ft. long, flattened 3 in. wide, 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions, for  $\frac{1}{4}$  sec. cor.  
No trees near.

80.00 Set a post, marked and notched, 4 ft. long, 3 in. sqd. 1 ft. in the ground, and build mound of stones 2 ft. high, as per instructions for cor. to Secs. 10, 11, 14 and 15, from which  
A pale verde, 4 in. dia., brs. S.  $25^{\circ}$  E. 236 lbs. dist.  
No other trees near.

Land flat  
Some good soil.  
No timber.



19 Township 6 South Range 10 West  
Gila and Salt River Meridian.

BOOK 1176  
Chains

East, on a random line between Sections 11 and 14.

Variation  $12^{\circ}30'$  East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.  
80.05 Intersect N. and S. line 17 lns. N.  
of cor. to secs. 11, 12, 13 and 14,  
from which cor. I run

N.  $89^{\circ}53' N.$

On true line between secs. 11 & 14.  
var.  $12^{\circ}30'$  East

40.02 Set a post, marked  $\frac{1}{4}$  S. 4 ft long,  
flattened 3 in. wide, 1 ft in the ground,  
and build mound of stones  
2 ft high, as per instructions  
for  $\frac{1}{4}$  sec. cor.

from which  
a pale verde, 4 in. dia. tree, S.  $38^{\circ} N.$ , 229 lns. dist.  
No other trees near

80.05 Cor. to secs. 10, 11, 14 and 15.

Land level.

Some good soil.  
No timber.

Chains

North, between Sections 10 and 11.

Variation

12°30'

East.

40.00

Set a post, marked '4 S, 4 ft long, flattened 3 in. wide, 1 ft in the ground, and build mound of stones 2 ft high as per instructions, for '4 sec. cor.

from which

A pale verde, 3 in. dia. tree, N. 22° W. 148 lbs. dist.

No other trees near.

80.00

Set a post, marked and notched 4 ft long, 3 in. sq. d. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for cor. to secs.

2, 3, 10 and 11.

No trees near.

Land level.

Some good soil.

No timber of consequence.

21 Township 6 South Range 10 West  
Gila and Salt River Meridian.

BOOK 1176

Chains East, on a random line between Sections 2 and 11.

Variation  $12^{\circ}30'$  East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.  
79.85 Intersect N. and S. line 51 lvs.  
N. of cor. to secs. 1, 2, 11 and  
12, from which cor. I run

N.  $89^{\circ}38'$  W.

On true line between secs. 2 & 11

var.  $12^{\circ}30'$  East.

39.93 Set a post, marked  $\frac{1}{4}$  S. 4 ft long,  
flattened 3 in. wide, 1 ft in the ground,  
drive charred stake and build  
mound of earth 2 ft high, with  
pits 1 ft deep, 2 ft long, 1 ft wide, as  
per instructions, for  $\frac{1}{4}$  sec. cor.  
from which

A pale verde, 5 in. dia. lvs. N.  $30^{\circ}$  E. 197 lvs. dist.

do. 3 " " " South 77 " "

79.85 Cr. to secs. 2, 3, 10 and 11.

Land flat and level.

Scattering pale verde.

January 15, 1877.



Township

6 South

Range

10 West <sup>22</sup>

BOOK 1176

Meridian.

Chains

North, on a <sup>Tree</sup> ~~random~~ line between Sections 2 and 3.Variation  $12^{\circ}30'$  East.

40.00

Set a post, marked "4 S. 4 ft long, flattened 3 in. wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for "4 sec. cor. No trees near.

79.67

Intersect first standard parallel S, 22.30 ch. E. of standard cor. to secs. 34 and 35, T. 5 S. range 10 W. Set a post, marked and notched, 4 ft long, 3 in. sq. d. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high with pits 1 ft deep, 2 1/2 ft long, 1 1/2 ft wide, for closing cor. to secs. 2 and 3. No trees near.

Land level. No timber.

Township

6 South

Range

10 West

Gila and Salt River

Meridian.

BOOK

1176

Chains

North, between Sections 33 and 34.

Variation  $12^{\circ}30'$ 

East.

40.00 Set a post, marked 4 S. 4 ft long, flattened 3 in. wide, 1 ft in the ground drive charred stake and build a mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for  $\frac{1}{4}$  sec. cor. No trees near.

80.00 Set a post, marked and notched, 4 ft long, 3 in. sq. d. 1 ft in the ground, and build mound of stones 2 ft high, as per instructions for cor. to Secs. 27. 28. 33 and 34.

from which  
A pale firria, 4 in. dia. (cor. N.  $15^{\circ}$  W.  $364$  lvs. dist.  
No other trees near.

Land level.

Some good soil.

A few scattering trees

Township

6 South

Range

10 West <sup>24</sup>

Gila and Salt River

BOOK

1176

Meridian.

Chains

East, on a random line between Sections 27 and 34.

Variation  $12^{\circ}30'$  East.

40.00 Set temporary 1/4 sec. cor.

79.84 Intersect N. and S. line 12 hrs. S.  
of cor. to secs. 26, 27, 34 and 35,  
from which cor. I run $S. 89^{\circ}55' W.$ 

On true line between secs. 27 &amp; 34.

var.  $12^{\circ}30'$  East39.92 Set a volcanic rock,  $11 \times 9 \times 7$  in.  
 $2/3$  in the ground, marked 1/4,  
and on W. build mound of  
stones 2 ft high, as per instruc-  
tions, for 1/4 sec. cor.

No trees near.

79.84 Cor. to secs. 27, 28, 33 and 34.

Land level.

Partly good soil.

No timber



BOOK 1176

Chains North, between Sections 27 and 28.

Variation 12°30' East.

40.00 Set a post, marked  $\frac{1}{4}$  S. 4 ft long, flattened 3 in. wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for  $\frac{1}{4}$  sec. cor.

No trees near.

80.00 Set a post, marked and notched, 4 ft long, 3 in. sq. d. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for cor. to sec. 21, 22, 27 and 28.

No trees near.

Land level. Soil good.

No timber.

Chains

East, on a random line between Sections 22 and 27.

Variation  $12^{\circ}30'$  East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.  
 80.12 Intersect N. and S. line of Sec. S.  
 of cor. to secs. 22, 23, 26 and  
 27. from which cor. I run  
 $S. 89^{\circ}56' W.$

On true line between secs. 22 & 27.  
 var.  $12^{\circ}30'$  East

40.06 Set a post, marked  $\frac{1}{4}$  S. 4 ft long,  
 flattened 3 in. wide, 1 ft in the  
 ground, drive charred stake  
 and build mound of earth  
 2 ft high, with pits 1 ft deep,  
 2 ft long, 1 ft wide, as per instruc-  
 tions, for  $\frac{1}{4}$  sec. cor.  
 No trees near.

Land level.  
 Soil partly good.  
 No timber.

BOOK 1176  
Chains North, between Sections 21 and 22.

Variation 12° 30' East.

40.00 Set a post, marked '4 S. 4 ft long, flattened 3 in. wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for '4 sec. cor.

from which  
Apalefaina, 4 in. dia. br. N. 4° E. 149 lvs. dist.  
do. 4 " " " S. 70° W. 249 " "

80.00 Set a post, marked and notched, 4 ft long, 3 in. sq. d. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for cor. to secs. 15, 16, 21 and 22.

No trees near.

Land level.

No timber of consequence



Township 6 South Range 10 West <sup>28</sup>

Gila and Salt River BOOK 1176 Meridian.

Chains

East, on a random line between Sections 15 and 22.

Variation  $12^{\circ}30'$  East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

80.11 Intersect N. and S. line 17 lvs. S. of cor. to secs. 14, 15, 22 and 23, from which cor. draw

$S. 89^{\circ}53' W.$

On true line between secs. 15 and 22.

var.  $12^{\circ}30'$  East

40.05 Set a volcanic stone  $13 \times 8 \times 7$  inches,  $\frac{2}{3}$  in the ground, marked "4" and on W. build a mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for  $\frac{1}{4}$  sec. cor.

No trees near.

80.11 Cor. to secs. 15, 16, 21 and 22.

Land level. Soil partly good.  
No timber

29 Township 6 South Range 10 West  
Gila and Salt River Meridian.

BOOK 1176

Chains North, between Sections 15 and 16.

Variation  $12^{\circ}30'$  East.

40.00 Set a post, marked 14 S. 4 ft long, flattened 3 in. wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 14 sec. cor. from which  
A pale ferris, 3 in. dia. lvs. N.  $65^{\circ}$  E. 279 lvs. dist.  
No other trees near.

80.00 Set a post, marked and notched, 4 ft long, 3 in. sq. d. 1 ft in the ground, and build mound of stones 2 ft high as per instructions for cor. to secs. 9, 10, 15 and 16.  
from which  
A pale ferris, 9 in. dia. lvs. N.  $75^{\circ}$  E. 153 lvs. dist.  
do. 3 " " " S.  $45^{\circ}$  W. 129 " "  
No other trees near.

Land level. Some scattering trees.

Gila and Salt River

BOOK

1176

Meridian.

Chains

East, on a random line between Sections 10 and 15.

Variation  $12^{\circ}30'$  East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.  
 79.83 Intersect N. and S. line 16 hrs. S. of  
 cor. to secs. 10, 11, 14 and 15. from  
 which cor. I run

S.  $89^{\circ}53'N$ .

On true line between secs. 10 & 15  
 var.  $12^{\circ}30'$  East

39.92

Set a post, marked  $\frac{1}{4}$  S. 4 ft  
 long, flattened 3 in. wide, 1 ft  
 in the ground, drive charred stake  
 and build mound of earth 2 ft  
 high, with pits 1 ft deep, 2 ft long,  
 1 ft wide, as per instructions  
 for  $\frac{1}{4}$  sec. cor.

No trees near.

79.83

Cor. to secs. 9, 10, 15 and 16.

Land level. Some good soil

No timber



BOOK 1176

Chains North, between Sections 9 and 10.

Variation 12° 30' East.

40.00 Set a post, marked 4 S. 4 ft long, flattened 3 in. wide. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide as per instructions, for 1/4 sec. cor.  
No trees near.

80.00 Set a post, marked and notched 4 ft long, 3 in. sq. d. 1 ft in the ground, and build mound of stones 2 ft high, as per instructions for cor. to Secs. 3, 4, 9 and 10.

from which  
A pale verde, 5 in. dia. tree. East, 80 yds. dist.  
No other trees near.

Land level.  
Some scattering trees.

Township 6 South Range 10 West <sup>32</sup>  
Gila and Salt River Meridian. BOOK 1176

Chains

East, on a random line between Sections 3 and 10.

Variation  $12^{\circ}30'$  East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

79.68 Intersect N. and S. line 41 lns. N.  
of cor. to secs. 2, 3, 10 and 11. from  
which cor. I run

N.  $89^{\circ}42' W.$

On true line between secs. 3 & 10.

var.  $12^{\circ}30'$  East

139.84 Set a post, marked  $\frac{1}{4}$  S. 4 ft long,  
flattened 3 in. wide. 1 ft in the  
ground, drive charred stake  
and build mound of earth 2 ft  
high, with pits 1 ft deep, 2 ft  
long, 1 ft wide, as per instructions  
for  $\frac{1}{4}$  sec. cor.

No trees near.

79.68 Cor. to secs. 3, 4, 9 and 10.

Land level.

Some good soil.

No timber.

BOOK 1176 True  
Chains North, on a ~~random~~ line between Sections 3 and 4.

Variation  $12^{\circ}30'$  East.

- 7.50. Descend rocky ridge, bet. E. and W.  
15.50 Foot of descent  
38.00 Dry bed of stream, 10 hrs. wide, bet. N. W.  
40.00 Set a post, marked "4 S. 4 ft long, flat-  
tened 3 in. wide, 1 ft in the ground,  
drive charred stake and build  
mound of earth 2 ft high with pits  
1 ft deep, 2 ft long, 1 ft wide, as per  
instructions for "4 sec. cor.  
from which  
A mesquite, 4 in. dia. bet. S. 40° E. 124 hrs. dist.  
A pale verde, 13 " " " West, 208 " "  
79.37 Intersect first standard S, 22.10 cho.  
E. of standard cor. to secs. 33  
and 34. Set a post, marked  
and notched, 4 ft long, 3 in. sq. d.  
1 ft in the ground, drive charred  
stake and build mound of earth  
2 ft high, with pits 1 ft deep, 2 1/2  
ft long, 1 1/2 ft wide, as per in-  
structions, for closing cor. to  
secs. 3 and 4. No trees near.

Land descending N. Scattering mesquite  
and pale verde trees. Good soil on N.



Chains

North, between Sections 32 and 33.

Variation 12° 30' East.

40.00 Set a volcanic rock, 16 x 12 x 7 inches,  $\frac{2}{3}$  in the ground, marked  $\frac{1}{4}$ , and on N. build mound of stones 2 ft high, as per instructions, for  $\frac{1}{4}$  sec. cor. No trees near.

80.00 Set a post, marked and notched, 4 ft long, 3 in. sq. d.  $\frac{1}{2}$  in the ground, drive charred stake and build mound of earth, 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for cor. to Secs. 28, 29, 32 and 33. No trees near.

Land level.

Soil poor.

No timber.

January 16, 1877.

---

Chains East, on a random line between Sections 28 and 33.

Variation  $12^{\circ}30'$  East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.  
79.59 Intersect N. and S. line 36 lvs.  
N. of cor. to Secs. 27, 28, 33 and  
34, from which cor. I run

N.  $89^{\circ}45' W.$

On true line between Secs. 28 & 33.

var.  $12^{\circ}30'$  East

39.79 Set a post, marked  $\frac{1}{4}$  S. 4 ft long,  
flattened 3 in. wide, 1 ft in the  
ground, drive charred stake  
and build mound of earth  
2 ft high, with pits 1 ft deep, 2  
ft long, 1 ft wide, as per in-  
structions, for  $\frac{1}{4}$  sec. cor.

No trees near.

79.59 Cor. to Secs. 28, 29, 32 and 33.

Land level.

Soil 2<sup>d</sup> rate.

No timber.

---

Township 6 South Range 10 West <sup>36</sup>  
Gila and Salt River Meridian. BOOK 1176

Chains

North, between Sections 28 and 29.

Variation  $12^{\circ}30'$  East.

40.00 Set a volcanic rock,  $12 \times 8 \times 7$  inches,  $\frac{2}{3}$  in the ground, marked  $\frac{1}{4}$ , and on N. build mound of stones 2 ft high, as per instructions, for  $\frac{1}{4}$  sec. cor.

No trees near.

80.00 Set a post, marked and notched 4 ft long, 3 in. sq. d. 1 ft in the ground drive charred stake and build mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for cor. to secs. 20, 21, 28 and 29.

from which

A Pale. Ferris, 3 in dia. Cor. S.  $15^{\circ}$  E. 71 hrs. dist.

do. 5 " " North, 50 " "

No other trees near.

Land level.

Some scattering trees.

Some good soil.



Township

6 South

Range

10 West

Gila and Salt River

Meridian.

BOOK 1176

Chains

East, on a random line between Sections 21 and 28.

Variation

12° 30'

East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.79.66 Intersect N. and S. line 42 lks. N. of  
cor. to secs. 21, 22, 27 and 28,  
from which cor. I run

N. 89° 42' W.

On true line between secs. 21 &amp; 28

var. 12° 30' East.

39.83 Set a post, marked  $\frac{1}{4}$  S. 4 ft long,  
flattened 3 in. wide, 1 ft in the  
ground, drive charred stake  
and build mound of earth  
2 ft high, with pits 1 ft deep, 2  
ft long, 1 ft wide, as per instruc-  
tions, for  $\frac{1}{4}$  sec. cor.

No trees near.

79.66 Cor. to secs. 20, 21, 28 and 29.

Land level.

No timber.

Some good soil.

Township 6 South Range 10 West <sup>38</sup>

Gila and Salt River BOOK 1176 Meridian.

Chains

North, between Sections 20 and 21.

Variation  $12^{\circ}30'$  East.

- 40.00 Set a post, marked  $\frac{1}{4}$  S. 4 ft long, flattened 3 in. wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for  $\frac{1}{4}$  sec. cor.  
No trees near.
- 50.00 Set a post, marked and notched, 4 ft long, 3 in. sq d. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for cor. to secs. 16, 17, 20 and 21.  
from which  
A pale ficus, 8 in. dia. bears S.  $10^{\circ}$  E. 24 hrs. dist.  
No other trees near.

Land level.

A few scattering trees.

39 Township 6 South Range 10 West  
Gila and Salt River Meridian.

BOOK 1176

Chains East, on a random line between Sections 16 and 21.

Variation  $12^{\circ}30'$  East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.  
79.70 Intersect N. and S. line 45 lks. N.  
of cor. to secs. 15, 16, 21 and 22  
from which cor. I run

N.  $89^{\circ}41'W$ .

On true line between secs. 16 & 21.  
var.  $12^{\circ}30'$  East.

39.85 Set a post, marked  $\frac{1}{4}$  S. 4 ft long,  
flattened 3 in. wide, 1 ft in the  
ground, drive charred stake and  
build mound of earth 2 ft high,  
with pits 1 ft deep, 2 ft long, 1 ft  
wide, as per instructions for  
 $\frac{1}{4}$  sec. cor.

No trees near.

79.70 Cor. to secs. 16, 17, 20 and 21

Land level.

Some good soil.

No timber.



Township

6 South Range 10 West <sup>40</sup>

BOOK 1176

Gila and Salt River Meridian.

Chains

North, between Sections 16 and 17.

Variation 12° 30' East.

40.00

Set a post, marked 44 S. 4 ft long, flattened 3 in. wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 1/4 sec. cor.

No trees near.

80.00

Set a post, marked and notched 4 ft long, 3 in. sqd, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for cor. to sec 8, 9, 16 and 17

from which

Apale verde, 7 in. dia. Cor. S. 80° W. 89 lvs. dist.

do. 5 " " S. 20° W. 243 " "

No other trees near.

Land level. Scattering trees.

Township

6 South

Range

10 West

Gila and Salt River

Meridian.

BOOK 1176

Chains

East, on a random line between Sections 9 and 16.

Variation  $12^{\circ}30'$  East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.  
 79.82 Intersect N. and S. line 31 lks. N.  
 of cor. to secs. 9, 10, 15 and 16. from  
 which cor. I run

N.  $89^{\circ}47'W$ .

On true line between secs. 9 &amp; 16.

var.  $12^{\circ}30'$  East.

39.91 Set a post, marked 74 S. 4 ft  
 long, flattened 3 in. wide, 1 ft in  
 the ground, drive charred stake  
 and build mound of earth  
 2 ft high with pits 1 ft deep, 2 ft  
 long, 1 ft wide, as per instructions  
 for  $\frac{1}{4}$  sec. cor.  
 No trees near.

79.82 Cor. to secs. 8, 9, 16, and 17.

Land level.

Some good soil.

No timber.

Township

6 South

Range

10 West <sup>42</sup>

Gila and Salt River

BOOK 1176

Meridian.

Chains

North, between Sections 8 and 9.

Variation 12° 30' East.

40.00 Set a post, marked 14 S. 4 ft long flattened 3 in wide, 1 ft in the ground, and build mound of stones 2 ft high, as per instructions, for 74 sec. cor. from which

Apale verde, 4 in. dia. brs. East, 62 lbs. dist  
No other trees near

47.20 Dry wash, 10 lbs. wide, brs. N. W.

80.00 Set a post, marked and notched, 4 ft long, 3 in. sqd. 1 ft in the ground, and build mound of stones 2 ft high as per instructions, for cor. to secs. 4, 5, 8 and 9.  
No trees near.

Land level.

Some good soil.  
No timber of consequence.



3  
Township 6 South Range 10 West  
Gila and Salt River Meridian.

BOOK 1176

Chains East, on a random line between Sections 4 and 9.  
Variation  $12^{\circ}30'$  East.

40.00 Set temporary 1/4 sec. cor.  
80.27 Intersect N. and S. line 18 lks. S.  
of cor. to secs. 3, 4, 9 and 10,  
from which cor. Run

$S. 89^{\circ}52' N.$

On true line between secs. 4 & 9.  
var.  $12^{\circ}30'$  East.

40.13 Set a post, marked 1/4 S. 4 ft  
long, flattened 3 in. wide, 1 ft  
in the ground, and build  
mound of stones 2 ft high  
as per instructions for 1/4 sec.  
cor.

No trees near.

80.27 Cor. to secs. 4, 5, 8 and 9.

Land level.  
Some good soil.  
No timber.

---

Township

6 South

Range

10 West

44

Gila and Salt River

BOOK 1176

Meridian.

Chains

North, on a <sup>True</sup>~~random~~ line between Sections 4 and 5.

Variation 12° 30' East.

40.00 Set a post, marked "4 S", 4 ft long, flattened 3 in. wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for 1/4 sec. cor.

No trees near.

79.41 Intersect First Standard S<sub>1</sub>, at 21.60 chs. E. of standard cor. to S<sub>2</sub> sec. 32 and 33. Set a post, marked and notched, 4 ft long, 3 in. sq. d. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 1/2 ft long, 1 1/2 ft wide, as per instructions for closing cor. to sec. 4 and 5.

No trees near.

Land descending N<sub>1</sub>, where is good soil. Some brush. No timber.

Township 6 South Range 10 West

Gila and Salt River

Meridian.

BOOK 1176

Chains North, between Sections 31 and 32.

Variation 12° 30' East.

40.00 Set a post, marked 1/4 S. 4 ft. long, flattened 3 in. wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 1/4 sec. cor.

No trees near.

80.00 Set a post, marked and notched, 4 ft long, 3 in. sq. d. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide as per instructions, for cor. to secs. 29. 30. 31 and 32.

No trees near.

Land level.

Some good soil.  
No timber.



Township 6 South Range 10 West <sup>46</sup>  
Gila and Salt River Meridian. BOOK 1176

Chains

East, on a random line between Sections 29 and 32.

Variation  $12^{\circ}30'$  East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.  
79.83 Intersect N. and S. line 22 Sec.  
N. of cor. to secs. 28, 29, 32 and  
33, from which cor. I run

N.  $89^{\circ}51' N.$

On true line between secs. 29 & 32.

var.  $12^{\circ}30'$  East.

39.92 Set a post, marked  $\frac{1}{4}$  S. 4 ft long,  
flattened 3 in. wide, 1 ft in the  
ground, drive charred stake and  
build mound of earth 2 ft high  
with pits 1 ft deep, 2 ft long, 1 ft  
wide, as per instructions for  
 $\frac{1}{4}$  sec. cor.

No trees near.

79.83 Cor. to secs. 29, 30, 31 and 32.

Land level. No timber.

---

Chains West, on a random line between Sections 30 and 31.  
Variation  $12^{\circ}30'$  East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.  
78.24 Intersect N. boundary 15 lns. S. of  
cor. to secs. 30 and 31, from  
which cor. I run

$S. 89^{\circ}54' E.$

On true line between secs. 30 & 31.  
var.  $12^{\circ}30'$  East.

38.24 Set a post, marked  $\frac{1}{4}$  S. 4 ft. long,  
flattened 3 in. wide, 1 ft in the  
ground, drive charred stake  
and build mound of earth  
2 ft high, with pits 1 ft deep, 2 ft  
long, 1 ft wide, as per instructions  
for  $\frac{1}{4}$  sec. cor.  
No trees near.

78.24 Cor. to secs. 29, 30, 31 and 32.

Land level.

Some good soil.  
No timber.

Township

6 South

Range

10 West <sup>48</sup>

BOOK 1176

Meridian.

Chains

North, between Sections 29 and 30.

Variation  $12^{\circ}30'$  East.

40.00 Set a post, marked  $\frac{1}{4}$  S. 4 ft long, flattened 3 in. wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for  $\frac{1}{4}$  sec. cor.  
No trees near.

80.00 Set a post, marked and notched 4 ft long, 3 in. sq. d. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for cor. to secs. 19, 20, 29 and 30.  
No trees near.

Land level.

No timber.

January 17, 1877.



49 Township 6 South Range 10 West  
Gila and Salt River Meridian.

BOOK 1176

Chains East, on a random line between Sections 20 and 29.

Variation  $12^{\circ}30'$  East.

40.00 Set temporary 1/4 sec. cor.  
79.84 Intersect N. and S. line 20 Sec.  
N. of cor. to Secs. 20. 21. 28 and  
29. from which cor. Run

N.  $89^{\circ}51' N.$

On true line between Secs. 20 & 29.  
var.  $12^{\circ}30'$  East.

39.92 Set a post, marked 1/4 S. 4 ft. long  
flattened 3 in. wide, 1 ft. in the  
ground, drive charred stake  
and build mound of earth 2  
ft. high, with pits 1 ft. deep, 2 ft.  
long, 1 ft. wide, as per instruc-  
tions for 1/4 sec. cor.  
No trees near.

79.84 Cor. to Secs. 19. 20. 29 and 30.

Land level.  
Soil partly good.  
No timber.

---

Township 6 South Range 10 West 50  
Gila and Salt River Meridian.  
BOOK 1176

Chains

West, on a random line between Sections 19 and 30.

Variation  $12^{\circ}30'$  East.

- 40.00 Set temporary  $\frac{1}{4}$  sec. cor.  
78.31 Intersect N. boundary 18 lvs. S.  
after cor. to secs. 19 and 30. from  
which cor. I run

$S. 89^{\circ}52' E.$

On true line between secs. 19 & 30.

var.  $12^{\circ}30'$  East

- 78.31 Set a post, marked  $\frac{1}{4}$  S. 4 ft long,  
flattened 3 in. wide, 1 ft in the  
ground, drive charred stake  
and build mound of earth  
2 ft high with pits 1 ft deep, 2  
ft long, 1 ft wide, as per in-  
structions, for  $\frac{1}{4}$  sec. cor.  
No trees near.

- 78.31 Cor. to secs. 19. 20. 29 and 30.

Land level.

November

51 Township 6 South Range 10 West  
Gila and Salt River Meridian.

BOOK 1176

Chains North, between Sections 19 and 20.

Variation  $12^{\circ}30'$  East.

40.00 Set a post, marked "4 S. 4 ft.  
long, flattened 3 in. wide, 1 ft in  
the ground, drive charred stake  
and build mound of earth  
2 ft high, with pits 1 ft deep,  
2 ft long, 1 ft wide, as per  
instructions, for "4 sec. cor.  
No trees near.

80.00 Set a post, marked and notched  
4 ft long, 3 in. sq. 1 ft in the  
ground, drive charred stake  
and build mound of earth  
2 ft high, with pits 1 ft deep,  
2 ft long, 1 ft wide, as per in-  
structions, for cor. to secs.  
17, 18, 19 and 20.  
No trees near.

Land level.

Some good soil.  
No timber.

---



Township

6 South Range 10 West

52

Gila and Salt River

BOOK 1176

Meridian.

Chains

East, on a random line between Sections 17 and 20.

Variation  $12^{\circ}30'$  East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.  
 79.80 Intersect N. and S. line 27 lks.  
 N. of cor. to secs. 16, 17, 20 and 21,  
 from which cor. I run

N.  $89^{\circ}48' W.$

On true line between secs. 17 & 20.

var.  $12^{\circ}30'$  East

39.90 Set a post, marked  $\frac{1}{4}$  S. 4 ft long,  
 flattened 3 in. wide, 1 ft in the  
 ground, drove charred stake  
 and build mound of earth  
 2 ft high, with pits 1 ft deep,  
 2 ft long, 1 ft wide, as per in-  
 structions, for  $\frac{1}{4}$  sec. cor.

79.80 Cor. to secs. 17, 18, 19 and 20.

Land level.

No timber.

Soil partly good.

4-3 Township 6 South Range 10 West

Gila and Salt River Meridian.

BOOK 1176

Chains

West, on a random line between Sections 18 and 19.

Variation  $12^{\circ}30'$  East.

40.00 Set temporary 1/4 sec. cor.  
78.32 Intersect N. boundary 20 lvs. S.  
of cor. to secs. 18 and 19. from  
which cor. I run

$S. 89^{\circ}51' E.$

On true line between secs. 18 & 19.  
var.  $12^{\circ}30'$  East

38.32 Set a post, marked 1/4 S. 4 ft long,  
flattened 3 in. wide, 1 ft in the  
ground, drive charred stake  
and build mound of earth  
2 ft high, with pits 1 ft deep, 2  
ft long, 1 ft wide, as per in-  
structions for 1/4 sec. cor.

No trees near.

78.32 Con. to secs. 17, 18, 19 and 20.

Land level.

Some good soil  
No timber.

Chains North, between Sections 17 and 18.  
Variation  $12^{\circ}30'$  East.

40.00 Set a post, marked  $\frac{1}{4}$  S. 4 ft. long, flattened 3 in. wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for  $\frac{1}{4}$  sec. cor. from which

Apale verde, 4 in. dia. br. S.  $40^{\circ}$  E. 136 lbs. dist  
do. 5 " " " S.  $12^{\circ}$  E. 244 " "

80.00 Set a post, marked and notched, 4 ft long, 3 in. sq. d. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for cor. to secs. 7, 8, 17 and 18. No trees near.

Land level.  
Some good soil.  
A few trees.

---



5  
Township 6 South Range 10 West  
Gda and Salt River Meridian,

BOOK 1176

Chains East, on a random line between Sections 8 and 17.

Variation  $12^{\circ}30'$  East.

40.00 Set temporary  $1/4$  sec. cor.  
79.86 Intersect N. and S. line 15 lbs. S.  
of cor. to secs. 8, 9, 16 and 17  
from which cor. I run

S.  $89^{\circ}54'N$ .

On true line between secs. 8 & 17.  
var.  $12^{\circ}30'$  East.

39.93 Set a post, marked  $1/4$  S. 4 ft  
long, flattened 3 in. wide, 1 ft in  
the ground, drive charred stake  
and build mound of earth 2  
ft high, with pits 1 ft deep, 2  
ft long, 1 ft wide, as per in-  
structions for  $1/4$  sec. cor.  
from which

A pale verde, 4 in. diam. N.  $40^{\circ}N$ . 71 lbs. dist.  
do. 5 " " N.  $65^{\circ}N$ . 144 " "

79.86 Cor. to secs. 7, 8, 17 and 18.

Land level. A few trees.

Township 6 South Range 10 West  
Gila and Salt River BOOK 1176 Meridian.

Chains West, on a random line between Sections 7 and 18.  
Variation 12°30 East.

40.00 Set temporary 1/4 sec. cor.  
78.28 Intersect N. boundary 19 lds. S. of cor. to secs. 7 and 18, from which cor. I run

S. 89°52' E.

Outline line between secs. 7 & 18  
var. 12°30 East

38.28 Set a post, marked 1/4 S. 4 ft long, flattened 3 in. wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 1/4 sec. cor. No trees near.

78.28 Co. to secs. 7, 8, 17 and 18.

Land level. No timber.  
Some good soil.

Township 6 South Range 10 West  
Gila and Salt River Meridian.

BOOK 1176

Chains North, between Sections 7 and 8.

Variation 12°30' East.

40.00 Set a post, marked 1/4 S. 4 ft long, flattened 3 in. wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 1/4 sec. cor. No trees near.

72.00 Descend.

80.00 Set a post, marked and notched 4 ft long, 3 in. sqd. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for cor. to Secs. 5, 6, 7 and 8. From which a pale verde, 12 in. dia. cor. S. 76° E. 204 lns. dist. No other trees near.

Land level. Some good soil on last end. A few trees.



Township 6 South Range 10 West  
Gila and Salt River BOOK 1176 Meridian.

Chains East, on a random line between Sections 5 and 8.  
Variation  $12^{\circ}30'$  East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.  
79.82 Intersect N. and S. line 33 lns.  
S. of cor. to secs. 4, 5, 8 and 9  
from which cor. drawn.

S.  $89^{\circ}46'W$ .

Ontine line between secs. 5 & 8  
var.  $12^{\circ}30'$  East.

79.91 Set a post, marked  $\frac{1}{4}$  S. 4 ft  
long, flattened 3 in. wide, 1 ft  
in the ground, drive charred  
stake and build mound of  
earth 2 ft high, with pits  
1 ft deep, 2 ft long, 1 ft wide,  
as per instructions for  $\frac{1}{4}$  sec  
cor.

No trees near.

79.82 Cor. to secs. 5, 6, 7 & 8.

Land level. Some good soil.  
A few trees.

59 Township 6 South Range 10 West  
Gila and Salt River Meridian.

BOOK 1176

Chains West, on a random line between Sections 6 and 7.  
Variation  $12^{\circ}30'$  East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.  
78.24 Intersect W. boundary 16 chs.  
S. of cor. to secs. 6 and 7, from  
which cor. I run

S.  $89^{\circ}53'$  E.

On true line between secs. 6 & 7  
var.  $12^{\circ}30'$  East.

38.24 Set a post, marked  $\frac{1}{4}$  S. 4 ft long,  
flattened 3 in. wide, 1 ft in the  
ground, drive charred stake  
and build mound of earth 2  
ft high, with pits 1 ft deep, 2  
ft long, 1 ft wide, as per instruc-  
tions for  $\frac{1}{4}$  sec. cor.  
No trees near.

78.24 Cor. to secs. 5, 6, 7 and 8.

Land level.  
Some good soil.  
No timber.

Township 6 South Range 10 West BOOK 1176  
Gila and Salt River Meridian.

Chains North on a <sup>True</sup> ~~random~~ line between Sec's 5 and 6.  
Variation  $12^{\circ}30'$  East.

- 30.50 Enter lower bottom land.
- 40.00 Along dry wash. - Set a post, marked  $\frac{1}{4}$  S.  $\frac{1}{2}$  ft long, flattened 3 in. wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for  $\frac{1}{4}$  sec. cor. from which  
A pale verde, 4 in dia. brs. N.  $10^{\circ}$  E. 80 brs. dist.  
do. 12 " " " S.  $62^{\circ}$  E. 109 " "
- 79.91 Entered First Standard S<sub>1</sub> at 21.02 chs E. of standard cor. to secs. 31 and 32 T<sub>p.</sub> 5 S. R. 10 W. Set a post, marked and notched,  $\frac{1}{2}$  ft long, 3 in. sq. d. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep,  $2\frac{1}{2}$  ft long,  $1\frac{1}{2}$  ft wide, as per instructions for closing cor. to secs. 5 and 6. from which  
A Mesquite, 12 in. dia. brs. N.  $77^{\circ}$  W. 143 brs. dist.  
do. 8 " " " N.  $43^{\circ}$  E. 100 " "
- No other trees near.  
Land descends N. Scattering mesquite and pale verde trees. Soil good. January 18, 1877.



61  
General Description

BOOK 1176

The surface of this township is mostly a plain. Scattered over it are some pale verde, pale ferris and mesquite trees and brush and goyate grass.

There is considerable good land in it, especially along the N. boundary where it descends into the lower bottom.

The Gila river runs through the township lying N. of this, and the N. W. cor. of this township is but a short distance from the river. There is abundance of water in the river for irrigating purposes.

Theodore J. White  
U. S. Deputy Surveyor

---

# List of Names.

A List of the Names of Individuals employed  
 to assist in running, measuring, or marking the  
 lines and corners described in the foregoing Field  
 Notes of the survey of *The Subdi-*  
*vision Lines of Township*  
*6 South range 10 West,*  
*Gila and Salt River*  
*Meridian, Arizona.*

Showing the respective capacities in which they  
 acted.

- P. V. Caldwell* Chainman.
- Urban Bessard* Chainman,
- Fred. C. Jones* Axeman.
- Allan Bernard* Flagman.



61

63

BOOK 1176

# Final Oath of Assistants.


B

We hereby certify that we assisted Theodore  
F. White U. S. Deputy Surveyor, in  
 surveying The Subdivision  
Lines of Township 6 South  
range 10 West of the  
Gila and Salt River Me-  
ridian, Arizona.

and that said Survey has been in all respects, to  
 the best of our knowledge and belief, well and  
 faithfully executed, and the boundary monuments  
 planted according to the instructions furnished by  
 the Surveyor-General.

P. Woodwell Chainman.  
Urban Bernard Chainman,  
Fred. Jones Axeman.  
Alta Bernard Flagman.

Sworn to and subscribed before me, this 28<sup>th</sup>  
 day of April, 1877



John D. Paull  
 Notary Public.



## Final Oath of Deputy Surveyor.

I, *Theodore F. White,* —

U. S. Deputy Surveyor, do solemnly swear that in pursuance of a contract with John Wasson, United States Surveyor-General for Arizona, bearing date the *7<sup>th</sup>* day of *December* —

*1876.* I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-General, the Surveying Manual, and the laws of the United States, surveyed all those portions of

*The Subdivision Series of Township 6 South, range 10 West, of the Gila and Salt River Meridian, Arizona.* —

— as are represented in the foregoing Field Notes as having been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and also in accordance with the additional requirements con-

tained in circular instructions from the U. S. Surveyor-General for Arizona, dated September 1, 1873, regarding the establishment of corner boundaries of public surveys, and that the foregoing are the true and original Field Notes of such surveys.

*Theodore F. White*  
Deputy Surveyor.

Sworn to and subscribed before me, this *28th*  
day of *April*, 1877.

*John R. Faull*  
Notary Public



No. 1176

U. S. Surveyor General's Office,

TUCSON, ARIZONA,

August 6, 1877.

*The foregoing Field Notes of the Survey of the*

Subdivision Series of  
 Township 6 South  
 Range 10 West,

of the Gila and Salt River Base and Meridian, Arizona, executed by Theodore F. White,

Deputy Surveyor, under his contract of the

day of December, 1876, having been

critically examined and the necessary corrections and explanations made, the said Field Notes and the surveys they describe are hereby approved.

John Masson,  
 Surveyor General.