

BOOK 1177

No. 1177

1177

Field Notes

OF THE SURVEY OF THE

SUBDIVISION LINES

-OF- No. 1177

Township *South* Range *11 West*.

Gila and Salt River Base and Meridian

ARIZONA.

By *Theodore F. White*, D. S.

under contract dated *Dec. 7*, 1876

Survey commenced *Feb. 9*, 1877.

Survey completed *Feb. 13*, 1877

Geo. F. White Deputy Surveyor.
 6 South **R.** 11 West
 La and Salt River Meridian.

FIELD NOTES

OF

Subdivision Lines of
 ship 6 South Range 11 West
 La and Salt River Meridian.

BY

Geo. F. White Deputy Surveyor.

his Contract of *December 7 1876*,
 by commenced *February 9, 1877*.
 by completed *February 13, 1877*.

at,
 for Washington,
 script sent to Commissioner,

Preliminary Oaths of Assistants.

We, P. V. Caldwell
and Urban Bessard

do solemnly swear that we will faithfully execute the duties of Chain Carriers; that we will level the chain upon uneven ground, and plumb the tally pins, whether by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability.

P. V. Caldwell

Urban Bessard

Sworn to and subscribed before me, this 9th
day of January, 1877.

John P. Faull
Notary Public.



We, Allan Bernard
and Fred Jones
do solemnly swear that we will well and truly per-
form the duties of Flagman and
Arman respectively
according to instructions given us, and to the best
of our skill and ability.

Allan Bernard
Fred. Jones

Sworn to and subscribed before me this 9th
day of January, 1877.

John P. Farrell

Notary Public.



Township

6 South

Range

11 West

Gila and Salt River

Meridian.

BOOK 1177

6	60	5	44	4	33	3	22	2	11	1
59		58		43		32		21		10
7	57	8	42	9	31	10	20	11	9	12
56		55		41		30		19		8
18	54	17	40	16	29	15	18	14	7	13
53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24
50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25
47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36

Township 6 South Range 11 West ^{1D}
Gila and Salt River Meridian.

No. 1177

BOOK 1177

The initial point of the survey of the subdivision lines of this township is the cor. to secs 35. 36. 1 and 2, on S. boundary, a corner established by myself in these present surveys, and being a post with mound of earth and pits and no trees near.

1/E Township 6 South Range 11 West
Gila and Salt River Meridian.
BOOK 1177

Chains From the corner to Sections 35, 36, 1 and 2 on the South
boundary, I run
North, between Sections 35 and 36.

Variation $14^{\circ}12'$ East.

As per East Boundary.

40.00 Set a post, marked 14 S. 4 ft long,
flattened 3 in. wide, 1 ft in the
ground, drive charred stake
and build mound of earth 2
ft high, with pits 1 ft deep, 2 ft
long, 1 ft wide, as per instructions
for 14 sec. cor.

No trees near.

80.00 Set a post, marked and notched,
4 ft long, 3 in. sq. d. 1 ft in the
ground, drive charred stake and
build mound of earth 2 ft high
with pits 1 ft deep, 2 ft long, 1 ft
wide, as per instructions for cor.
to secs. 25, 26, 35 and 36.

No trees near.

Land level. Some good soil.
No timber.

Township

6 South

Range

11 West ²

BOOK 1177

Gila and Salt River

Meridian.

Chains

East, on a random line between Sections 25 and 36.

Variation $14^{\circ}12'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.18 Intersect E. boundary 15 lns.
N. of cor. to secs. 25 and 36,
from which cor. I run

$N. 89^{\circ}54' W.$

On true line between secs. 25 & 36.
var. $14^{\circ}12'$ East

40.09 Set a post, marked $\frac{1}{4}$ S. 4 ft.
long, flattened 3 in. wide, 1 ft
in the ground, drive charred
stake and build mound of
earth 2 ft high, with pits 1 ft
deep, 2 ft long, 1 ft wide, as
per instructions for $\frac{1}{4}$ sec.
cor.

No trees near.

80.18 Cor. to secs. 25, 26, 35 & 36.

Land level. Some good soil
No timber.

Township

6 South

Range

11 West

Gila and Salt Rivers

Meridian.

BOOK

1177

Chains

North, between Sections 25 and 26.

Variation

14° 12'

East.

- 40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft. long, flattened 3 in. wide, 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions, for $\frac{1}{4}$ sec. cor. No trees near.
- 80.00 Set a post, marked and notched, 4 ft. long, 3 in. sq. 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions, for cor. to Secs. 23, 24, 25 and 26, from which Apalefina, 6 in. dia. N. 48° E. 252 lvs. dist. No other trees near.

Land level. Some good soil
No timber of consequence.

Township

6 South

Range

11 West

4

Gila and Salt River

BOOK 1177
Meridian.

Chains

East, on a random line between Sections 24 and 25.

Variation

 $14^{\circ}12'$

East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.79.97 Intersect E. boundary 12 lks.
S. of cor. to secs. 24 and 25,
from which cor. DriveS. $89^{\circ}55'N$.

Outline line between secs. 24 & 25.

Var. $14^{\circ}12'$ East.139.99 Set a post, marked $\frac{1}{4}$ S. 4 ft. long,
flattened 3 in. wide, 1 ft. in the
ground, drive charred stake
and build mound of earth 2
ft. high, with pits 1 ft. deep, 2
ft. long, 1 ft. wide, as per instruc-
tions, for $\frac{1}{4}$ sec. cor.

No trees near.

79.97 Cor. to secs. 23, 24, 25 and 26.

Land level. Some good soil.
No timber.

Township

6 South

Range

11 West

Gila and Salt River

Meridian.

BOOK 1177

Chains

North, between Sections 23 and 24.

Variation

14° 12'

East.

40.00 Set a post, marked 44 S. 4 ft. long, flattened 3 in. wide 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions for 44 sec. cor.

No trees near.

80.00 Set a post, marked and notched, 4 ft. long, 3 in. sq. d. 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions for cor. to secs. 13, 14, 23 and 24.

No trees near.

Land level.

Some good soil.
No timber.

Township

South

Range

11 West

Gila and Salt River

BOOK 1177 Meridian.

Chains

East, on a random line between Sections 13 and 24.

Variation $14^{\circ}2'$ East.

- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
 80.16 Intersect E. boundary $\frac{1}{4}$ lks.
 S. of cor. to Secs. 13 and 24.
 from which cor. I run

S. $89^{\circ}54'N$.

Outline line between sec. 13 & 24.
 var. $14^{\circ}2'$ East

- 40.08 Set a post marked $\frac{1}{4}$ S. 4 ft.
 long, flattened 3 in. wide, 1 ft
 in the ground, drive charred
 stake and build mound
 of earth 2 ft high, with pits
 1 ft deep, 2 ft long, 1 ft wide
 as per instructions, for $\frac{1}{4}$
 sec. cor.

No trees near.

- 80.16 Cor. to Secs. 13, 14, 23 & 24.

Land level. Some good soil.
 No timber.

Township

6 South

Range

11 West

Gila and Salt River

Meridian.

BOOK 1177

Chains

North, between Sections 13 and 14.

Variation

14° 12'

East.

40.00 Set a post, marked 14 S. 4 ft long, flattened 3 in. wide, 1 ft in the ground. Drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 14 sec. cor. No trees near.

80.00 Set a post, marked and notched 4 ft long, 3 in. sq. 1 ft in the ground. Drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for cor. to secs. 11, 12, 13 and 14. No trees near.

Land level. Brushy on S. end. Some good soil. No timber.

Township 6 South Range 11 West

Sala and Salt River BOOK 1177 Meridian.

Chains East, on a random line between Sections 12 and 13.
Variation $14^{\circ}12'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
80.17 Intersect E. boundary 12 hrs. S.
of cor. to secs. 12 and 13, from
which cor. I run

$S. 89^{\circ}55' W.$
Out true line between secs. 12 & 13.
var. $14^{\circ}12'$ East.

40.08 Set a post, marked $\frac{1}{4}$ S. 4 ft
long, flattened 3 in. wide, 1 ft
in the ground, drive charred
stave and build mound of
earth 2 ft high, with pits 1 ft
deep, 2 ft long, 1 ft wide, as
per instructions, for $\frac{1}{4}$ sec.
cor.

No trees near.

80.17 Cor. to Secs. 11, 12, 13 and 14.

Land level. Soil partly good.
No timber.

9 Township 6 South Range 11 West
Gila and Salt River Meridian.

BOOK 1177
Chains North, between Sections 11 and 12.

Variation $14^{\circ}12'$ East.

- 40.00 Set a post, marked $\frac{1}{4}$ in. 4 ft. long, flat-topped 3 in. wide 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions for $\frac{1}{4}$ sec. cor. from which
Apale verde, 8 in. dia. bar, S. 30° E. 186 land dist.
Woody trees near.
- 50.00 Old road bar. N. E.
- 77.00 Enter bottom.
- 80.00 Set a post, marked and notched, 4 ft. long, 3 in. sq. d. 1 ft. in the ground, drive charred stake and build a mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions for cor. to Secs. 1, 2, 11 and 12, from which
Armesquite, 6 in. dia. bar, S. 4° N. 44 land dist.
Do. 8 " " West, 19 " "
Woody trees near.
Land level. Soil 1st rate.
Scattering trees

Township

6 South

Range

11 West

Gila and Salt River

BOOK

1177

Meridian.

Chains

East, on a random line between Sections 1 and 12.

Variation

14°12'

East.

3.00 Leave bottom and pass over some points.

12.00 Arroyo, 60 lbs. wide, bas. N.

16.00 Enter flat

40.00 Set temporary 1/4 sec. cor.

79.83 Intersect E. boundary 9 lbs. N. of cor. to Secs. 1 and 12, from which cor. I run

N. 89°56' W.

On true line between sec. 1 & 12.

var. 14°12' East

39.92 Set a post, marked 1/4 S. 4 ft. long, flattened 3 in. wide, 1/2 ft. in the ground, drive charred stake and build mound of earth 1 ft. high, with pits 1/2 ft. deep, 2 ft. long, 1/2 ft. wide, as per instructions for 1/4 sec. cor. from which

Apaleferria, Guindia, bas. S. 10° W. 172 lbs. dist.

Apaleverde, 8 " " West, 221 " "

79.83 Cor. to Secs. 1, 2, 11 and 12.

Land level. Soil good. Scattering trees.

BOOK 1177

Chains North, on a ~~random~~^{true} line between Sections 1 and 2. Variation *14° 12'* East.

9.40 *Yuma road cor. N.*
40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft. long, flattened 3 in. wide, 1 ft. in the ground. Drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, $\frac{1}{2}$ ft wide, as per instructions for $\frac{1}{4}$ sec. cor. from which a mesquite, 6 in. dia. has N. 13° E. 213 lvs. dist. No other trees near.

80.39 Intersect first standard parallel S., 22.77 chs. E. of standard cor. to Secs. 35 and 36. of T^o 5 S. R. 11 W.
Set a post, marked and notched, 4 ft long, 3 in. sq. 1 ft in the ground. Drive charred stake and build a mound of earth 2 ft high, with pits 1 ft deep, $2\frac{1}{2}$ ft long, $1\frac{1}{2}$ ft wide, as per instructions, for closing cor. to Secs. 1 & 2. from which a cottonwood, 18 in. dia. has North, 307 lvs. dist. No other trees near. Rich bottom land. Scattering trees.

Township

6 South

Range

11 West ¹²

Gila and Salt River

BOOK

1171
Meridian.

Chains

North, between Sections 34 and 35.

Variation

14° 12'

East.

40.00 Set a post, marked '4 S. 4 ft. long, flattened 3 in. wide, 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions, for '4 sec. cor.
No trees near.

50.00 Set a post, marked and notched 4 ft. long, 3 in. sq. d., 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions, for cor. to secs. 26, 27, 34 and 35.
No trees near.

Land level. Some good soil.
No timber.

Township 6 South Range 11 West
Gila and Salt River Meridian.

BOOK 1177
Chains East, on a random line between Sections 26 and 35.
Variation 14° 12' East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
79.91 Intersect N. and S. line 13
W. N. of cor. to secs. 25, 26, 30
and 36. from which cor. I
run

N. $89^{\circ} 54' W.$

Outline line between secs 26 & 35.
var. $14^{\circ} 12'$ East.

39.95 Set a post, marked $\frac{1}{4}$ S. 4 ft.
long, flattened 3 in. wide, 1 ft.
in the ground, drive charred
stake and build mound of
earth 2 ft high, with pits 1 ft
deep, 2 ft long, 1 ft wide, as per
instructions, for $\frac{1}{4}$ sec. cor.
No trees near.

79.91 Con. to secs. 26, 27, 34 & 35.

Land level. Some good soil.
No timber.

Township

Smith

Range

11 West

Tels and Salt River

BOOK

1177
Meridian.

Chains

North, between Sections 26 and 27.

Variation

14° 12'

East.

40.00 Set a post, marked 14 S. 4 ft. long, flattened 3 in. wide, 1 ft. in the ground, drive charred stake and build mounds of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions for 1/4 sec. cor.

No trees near.

80.00 Set a post, marked and notched, 4 ft. long, 3 in. sq. d. 1 ft. in the ground, drive charred stake and build mounds of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions for cor. to secs. 22, 23, 26 and 27, from which

Apalefena, 10 in. dia. bar. N. 10° E. 219 lbs. dist.

do. 6 " " S. 80° W. 245 " "

No other trees near.

Land level. Some good soil.
Scattering trees.

February 9, 1877.

BOOK 1177

Chains East, on a random line between Sections 23 and 26.

Variation $14^{\circ}12'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
80.13 Intersect N. and S. line of Sec. S.
of cor. to secs. 23, 24, 25 and 26,
from which cor. Iron

$S. 89^{\circ}56' W.$

On true line between secs. 23 & 26.
var. $14^{\circ}12'$ East.

40.06 Set a post, marked $\frac{1}{4}$ S. 14 ft.
flattened 3 in. wide, 1 ft. in the
ground, and build mound
of stones 2 ft high, as per in-
structions for $\frac{1}{4}$ sec. cor.
No trees near.

80.13 Cor. to secs. 22, 23, 26 and
27.

Land level.

Soil partly good.
No timber.

Township

South Range 11 West ¹⁶

Gila and Salt River Meridian. BOOK 1177

Chains

North, between Sections 22 and 23.

Variation $14^{\circ}12'$ East.

40.00 Remote from stones and timber.
Drive charred stake and build
mound of earth 2 ft high, with
pits 1 ft deep, 2 ft long, 1 ft wide,
as per instructions for $\frac{1}{4}$ sec.
cor.

80.00 Set a post, marked and notched,
4 ft long, 3 in. sq. d., 1 ft in
the ground, drive charred stake
and build mound of earth 2
ft high, with pits 1 ft deep, 2 ft
long, 1 ft wide, as per instructions
for cor. to sec. 14, 15, 22 and
23.

No trees near.

Land level. Soil good.
No timber.

17 Township South Range 11 West
Gila and Salt River Meridian.

BOOK 1177

Chains East, on a random line between Sections 14 and 23.

Variation $14^{\circ} 12'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
79.89 Intersect N. and S. line 11 lks.
N. of cor. to secs. 13, 14, 23 and
24, from which cor. I run

N. $89^{\circ} 55' W.$

On true line between secs. 14 & 23,
var. $14^{\circ} 12'$ East

39.95 Set a post, marked $\frac{1}{4}$ S. 4 ft.
long, flattened 3 in. wide, 1 ft
in the ground, drive charred stake
and build mound of earth 1 ft
high, with pits 1 ft deep, 2 ft
long, 1 ft wide, as per instruc-
tions, for $\frac{1}{4}$ sec. cor.
No trees near

79.89 Cor. to secs. 14, 15, 22 & 23.

Land level. Brushy on E. end.
Soil good. No timber.

Township

South

Range

11 West

Gila and Salt River

BOOK

1177

Meridian.

Chains

North, between Sections 14 and 15.

Variation

14° 12'

East.

- 40.00 Set a post, marked '4 S. 4 ft. long, flattened 3 in. wide, 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions, for '4 sec. cor. No trees near.
- 65.00 Yuma road runs N. W.
- 80.00 Set a post, marked and notched 4 ft. long, 3 in. sq. d. 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions, for cor. to sec. 10, 11, 14 and 15, from which
 A Mesquite, 4 in. dia. br. S. 70° 1/2 E. 138 bradit.
 do. 6 " " " S. 15° 1/2 W. 200 " "
- No other trees near.

Land level. Soil good.
 Scattering trees

Chains East, on a random line between Sections 11 and 14.
Variation $14^{\circ}12'$ East.

8.00 Yuma road cross. S. N.
40.00 Set temporary $\frac{1}{4}$ sec. cor.
80.18 Intersect N. and S. line 20 hrs. N.
of cor. to secs. 11, 12, 13 and 14,
from which cor. I run

N. $89^{\circ}51'N$.

On true line between secs. 11 & 14.
var. $14^{\circ}12'$ East

40.09 Set a post, marked $\frac{1}{4}$ S. 4 ft
long, flattened 3 in. wide, 1 ft in
the ground, drive charred stake
and build mound of earth
2 ft high with pits 1 ft deep, 2
ft long, 1 ft wide, as per in-
structions, for $\frac{1}{4}$ sec. cor.
No trees near.

80.18 Con to secs. 10, 11, 14 and 15.

Land level. Soil good.
No timber of consequence.

Chains

North, between Sections 10 and 11.

Variation $14^{\circ}12'$ East.

- 28.00 Descent into lower land.
- 40.00 Set a post, marked 14 S. 4 ft long, flat-tired 3 in wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for 14 sec. cor. from which a mesquite, 4 in dia. bas. N. 84° E. 64 head dist.
- do. 5 " " S. $27\frac{1}{2}^{\circ}$ E. 123 " "
- 50.00 Arroyo, 40 lbs. wide, bas. N.
- 80.00 Set a post, marked and notched, 4 ft long, 3 in sq. d. 1 ft in the ground, drive charred stake and build a mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for cor. to sec. 2, 3, 10 and 11, from which a mesquite, 7 in dia. bas. S. 79° E. 42 head dist.
- do. 11 " " South, 51 " "
- do. 13 " " West, 33 " "
- No other trees near.
- Some rich bottom land.
- Scattering trees and brush.

21 Township 6 South Range 11 West
Gila and Salt River Meridian.

BOOK 1177

Chains East, on a random line between Sections 2 and 11.

Variation $14^{\circ}12'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
61.00 Yuma road cor. S. W.
80.09 Intersect N. and S. line 13 lvs.
S. of cor. to secs. 1, 2, 10 and 11,
from which cor. I run

$S. 89^{\circ}54' W.$

Outline line between secs. 2 & 11.

var. $14^{\circ}12'$ East.

40.04 Set a post, marked $\frac{1}{4}$ S. 4 ft
long, flattened 3 in. wide, 1 ft
in the ground, drive charred
stake and build mound of
earth 2 ft high, with pits 1 ft
deep, 2 ft long, 1 ft wide, as
per instructions, for $\frac{1}{4}$ sec. cor.
from which

A Mesquite, 10 in. dia. cor. $S. 30^{\circ} E. 168$ lvs. dist.

do. 24 " " West, 100 " "

80.09 Cor. to secs. 2, 3, 10 and 11.
Land level. Soil 1st strata.
Scattering Mesquite timber.

Chains

North, on a ~~random~~ ^{true} line between Sections 2 and 3.Variation $14^{\circ}12'$ East.

- 27.50 Bottom road to Yuma, bas. W.
- 40.00 Set a post, marked $1/4$ S. 4 ft long, flattened 3 in. wide, $1/2$ ft in the ground. Drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, $1/2$ ft wide, as per instructions for $1/4$ sec. cor. from which
- Armesquite, 7 in. dia. bas. S. 26° W. 218 lbs. dist.
do. 5 " " " N. $73^{\circ}1/2$ E. 85 " "
- 180.48 Intersect First Standard Parallel S,
 22.40 chs. E. of Standard cor. to Secs
 34 and 35 , of Tps 5 S. R. 11 W.
Set a post, marked and notched
 4 ft long, 3 in. sq. $1/2$ ft in the
ground. Drive charred stake and
build mound of earth 2 ft
high, with pits 1 ft deep, $2 1/2$ ft
long, $1 1/2$ ft wide, as per in-
structions, for closing cor. to
Secs. 2 and 3. from which
- A Cottonwood, 5 in. dia. bas. S. 65° W. 142 lbs. dist.
do. 5 " " " S. 31° E. 160 " "
- No other trees near.
Land rich bottom. Scattering timber.

Chains North, between Sections 33 and 34.
Variation $14^{\circ}12'$ East.

40.00 Set a post, marked $1/4 S$, 4 ft long, flattened 3 in. wide, 1 ft in the ground, drive charred stake, and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for $1/4$ sec. cor.
No trees near.

80.00 Set a post, marked and notched 4 ft long, 3 in. sq. ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for cor. to secs. 27, 28, 33 and 34.
No trees near.

Land level. Some good soil
No timber.

Township

6 South

Range

11 West ²⁴

Gila and Salt River

BOOK 1177

Meridian

Chains

East, on a random line between Sections 27 and 34.

Variation

14° 12'

East.

40.00 Set temporary 1/4 sec. cor.
 80.15 Intersect N. and S. line 9 lns.
 S. of cor. to secs. 26, 27, 34 and
 35, from which cor. I run

S. 89° 56' W.

On true line between secs. 27 & 34.
 var. 14° 12' East.

*40.07 Set a post, marked 1/4 S. 4 ft long,
 flattened 3 in. wide, 1 ft in the
 ground, drive charred stake and
 build mounds of earth 2 ft
 high, with pits 1 ft deep, 2 ft
 long, 1 ft wide, as per instructions
 for 1/4 sec. cor.
 No trees near.

80.15 Cor. to secs. 27, 28, 33 & 34.

Land level.

Soil good.

No timber.

25 Township 6 South Range 11 West
Gila and Salt River Meridian.

BOOK 1177

Chains

North, between Sections 27 and 28.

Variation $14^{\circ}12'$ East.

40.00 Set a post, marked "4 S. 4 ft. long, flattened 3 in. wide, 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions, for 4 sec. cor.
No trees near.

80.00 Set a post, marked and notched, 3 in. sq'd. 4 ft. long, 1 ft. in the ground, drive charred and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions, for cor. to sec. 21, 22, 27 and 28.
No trees near.

Land level. Soil good.
November.

Township

6 South

Range

11 West ²⁶

Gila and Salt Rivers

BOOK

1177

Meridian.

Chains

East, on a random line between Sections 22 and 27.

Variation $14^{\circ}12'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
 79.84 Intersect N. and S. line 8 lns.
 N. of cor. to Secs. 22, 23, 26
 and 27, from which cor. Run

$N. 89^{\circ}57' W.$

On true line between Secs. 22 & 27
 var. $14^{\circ}12'$ East.

139.92 Set a post, marked $\frac{1}{4}$ S. $\frac{1}{4}$ l. long
 flattened 3 in. wide, 1 ft. in the
 ground, drive charred stake
 and build mound a foot $\frac{1}{2}$
 ft. high, with pits 1 ft. deep, 2
 ft. long, 1 ft. wide, as per in-
 structions for $\frac{1}{4}$ sec. cor.
 No trees near.

79.84 Cor. to Secs. 21, 22, 27 and 28.

Land level.

Soil good.

No timber.

27 Township 6 South Range 11 West
Gila and Salt River Meridian.

BOOK 1177

Chains North, between Sections 21 and 22.

Variation $14^{\circ}12'$ East.

40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft long, flattened 3 in. wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for $\frac{1}{4}$ sec. cor. No trees near.

80.00 Set a post, marked and notched, 4 ft long, 3 in. sq. d. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for cor. to secs. 15, 16, 21 and 22.

from which
Acacia, 4 in dia. b. East, 24 ft high.
No other trees near.

Land level. Soil good. Scat-
tering trees.

Township

6 South

Range

11 West

28

Gila and Salt River

BOOK 1177

Meridian.

Chains

East, on a random line between Sections 15 and 22.

Variation

14° 12'

East.

40.00 Set temporary 1/4 sec. cor.
 80.19 Intersect N. and S. line 10 hrs. S.
 of cor. to secs. 14, 15, 22 and
 23. from which cor. I run

S. 89° 56' W.

On true line between secs. 15 & 22.

var. 14° 12' East.

40.09 Set a post, marked 1/4 S. 4 ft.
 long, flattened 3 in. wide, 1 ft.
 in the ground, drive charred
 stake and build mound of
 earth 2 ft high with pits 1 ft
 deep, 2 ft long, 1 ft wide, as
 per instructions, for 1/4 sec. cor.
 No trees near.

80.19 Cor. to secs. 15, 16, 21 & 22.

Land level.

Soil good.

A few trees.

BOOK 1177

Chains North, between Sections 15 and 16. Variation 14° 12' East.

40.00 Set a post, marked 74 S. 4 ft. long, flattened 3 in. wide, 1 ft. in the ground, drive chassed stake and build mound of earth 2 ft. high, with pile ft. deep, 2 ft. long, ft. wide, as per instructions, for 74 sec. cor. No trees near.

80.00 Set a post, marked and notched, 4 ft. long, 3 in. sq. ft. in the ground, and build mound of stones 2 ft. high, as per instructions, for cor. to secs. 9, 10, 15 and 16, from which
a pale verde, 8 in. dia. bar. N. 83° W. 223
do. 10 " " " N. 33° W. 226 " "
do. 6 " " " S. 86 1/2° E. 200 " "
No other trees near.

Land level.
Soil good.
Scattered trees.

BOOK 1177

Chains East, on a random line between Sections 10 and 15.
Variation $14^{\circ}12'$ East.

7.00 Road bas. N.W. and S.E.
40.00 Set temporary $\frac{1}{4}$ sec. cor.
79.90 Intersect N. and S. line 13 lvs. N. of cor. to secs. 10, 11, 14 and 15, from which cor. I run

N. $89^{\circ}54'9''$.

On true line between secs. 10 & 15.
var. $14^{\circ}12'$ East

39.95 Set a post, marked $\frac{1}{4}$ S. 4 ft. long, flattened 3 in. wide, 1 ft. in the ground, drove charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions, for $\frac{1}{4}$ sec. cor. from which

A pale oak, 7 in. dia bas. N. $77^{\circ}2' E$. 319 lvs. dist
No other trees near.

79.90 Cor. to secs. 9, 10, 15 and 16.

Land level. Soil good. Scattering trees.
February 10, 1877.

31 Township 6 South Range 11 West
Gila and Salt River Meridian.

BOOK 1177
Chains North, between Sections 9 and 10.

Variation $14^{\circ}12'$ East.

12.00 Yuma road base. W.
40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft.
long, flattened 3 in. wide, 1 ft. in
the ground, drive charred
stake and build mound of
each 2 ft. high, with pits 1 ft.
deep, 2 ft. long, 1 ft. wide, as
per instructions for $\frac{1}{4}$ sec. cor.
No trees near.

80.00 Set a post, marked and notched
4 ft. long, 3 in. sqd., 1 ft. in the
ground, and build mound
of stones 2 ft. high, as per in-
structions, for cor. to Secs.
3, 4, 9 and 10.

from which
A pole made, 4 in. dia. N. 57° E. 204 lbs. dist.
do. 5 " " N. 20° E. 187 " "
No other trees near.

Land level. Soil good. Scattering
trees.

Township 6 South Range 11 West
Gila and Salt River BOOK 1171 Meridian.

Chains

East, on a random line between Sections 3 and 10.

Variation $14^{\circ}12'$ East.

- 40.00 Set temporary 1/4 sec. cor.
74.50 Ridge Cas. N.
77.60 Enter lower bottom land.
80.27 Intersect N. and S. line 14 lks.
S. of cor. to secs. 2, 3, 10 and 11.
from which cor. I run

S. $89^{\circ}54'N$.

Outline line between secs. 3 & 10.

var. $14^{\circ}12'$ East

- 40.13 Set a post, marked 1/4 S. 4 ft. long.
flattened 3 in. wide, 1 ft. in the
ground. Drive charred stake
and build around a earthen
2 ft. high, with pits 1 ft. deep, 2
ft. long, 1 ft. wide, as per in-
structions for 1/4 sec. cor.
from which
Apalcoide, 5 India. hrs. N. $40^{\circ}E$. 36 head dist.
No other trees near.

- 80.27 Cor. to secs. 3, 4, 9 and 10.

Land level. Soil rich. Some
timber and brush.

Township 6 South Range 11 West
Gila and Salt River Meridian

BOOK 1177 True
Chains North, on a ~~random~~ line between Sections 3 and 4.

Variation 14° 12' East.

- 9.00 Enter bottom land.
- 14.50 Thru road bet. N.
- 40.00 Set post, marked 4 ft. long, flattened 3 in wide, 3 in the ground, drive chared stake & build mound of earth of height, with pit of depth of 1/2 long, of boards as per instruction for 4 sec. cor. from which at Cottonwood, 10 in. dia. bet. N. 57 1/2° E. 145 lbs. dist. do. 13 " " " N. 33° W. 104 " "
- 73.61 Intersect left bank of Gila river, bet. S.W. Setapat, marked, 4 ft. long, 3 in sq. d. 3 in the ground, drive chared stake and build mound of earth of height, with pit on line S. for cor. to fractional sec. 3 & 4. I now set a flag on line, on opposite bank of river and measure off a base 100 lbs. E, to a point whence flag bet. N. 6° W, measuring distance across stream on line 9.51 Chs.
- 83.12 Right bank of river, on line, and which point is in the interior of sec. 34 of Twp. 5 S. range 11 W. The intersection with the first Standard S. comes in river. From the point 83.12 chs. on right bank, I run N. 22.30 chs., then S. 2.80 chs. to standard cor. to Secs. 33 & 34, of Twp. 5 S. 11 W. The line between sec. 3 & 4, therefore, intersects the Standard line at 80.32 chs., and at a point 22.30 chs. E. of standard cor. to Secs. 33 and 34.
Land rich bottom. Scattering trees

Township

South

Range

11 West

Gila and Salt River

BOOK 1171 Meridian.

Chains

North, between Sections 32 and 33.

Variation

14° 2'

East.

40.00

Set a post, marked 14 S. 4 ft long, flattened 3 in. wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 1/4 sec. cor.

No trees near.

80.00

Set a post, marked and notched, 4 ft long, 3 in. sq. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for cor. to Secs.

28, 29, 32 and 33.

No trees near.

Land level. Soil partly good.

No timber.

35 Township 6 South Range 11 West
Gila and Salt Rivers Meridia

BOOK 1177

Chains East, on a random line between Sections 28 and 33.
Variation $14^{\circ}12'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
79.83 Intersect N. and S. line 11 lks.
S. a few to seas. 27. 28. 33 and
34. from which cor. I run

$S. 89^{\circ}55'N.$

Outline line between secs. 28 & 33
var. $14^{\circ}12'$ East.

39.92 Set a post, marked $\frac{1}{4}$ S. 4 ft. long
flattened 3 in. wide, 1 ft. in the
ground, drive charred stake
and build mound of earth
2 ft. high, with pits 1 ft. deep, 2 ft.
long, 1 ft. wide, as per instruc-
tions, for $\frac{1}{4}$ sec. cor.
Notice near.

79.83 Cor. to seas. 28. 29. 32 and 33.

Land level. Some good soil
No timber.

Township

6 South

Range

11 West

36

Gila and Salt River

BOOK 1177

Meridian.

Chains

North, between Sections 28 and 29.

Variation

14° 12'

East.

40.00 Set a post, marked $\frac{1}{4}$ S,
 4 ft long, flattened 3 in.
 wide, 1 ft in the ground,
 drive charred stake and build
 mound of earth 2 ft high,
 with pits 1 ft deep, 2 ft long,
 1 ft wide, as per instructions
 for $\frac{1}{4}$ sec. cor.

No trees near.

80.00 Set a post, marked & notched
 4 ft long, 3 in. sq. d. 1 ft in
 the ground, drive charred stake
 and build mound of earth 2
 ft high, with pits 1 ft deep, 2
 ft long, 1 ft wide, as per instruc-
 tions, for cor. to secs. 20,
 21, 28 and 29.

No trees near.

Land level. Soil good.
 No timber.

37 Township 6 South Range 11 West
Gila and Salt Rivers Meridian
BOOK 1177

Chains East, on a random line between Sections 21 and 28.
Variation $14^{\circ}12'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
79.90 Intersect N. and S. line 8 lns.
N. of cor. to secs. 21, 22, 27
and 28, from which cor. Run

N. $89^{\circ}57'W$.

On true line between secs. 21 & 28.
var. $14^{\circ}12'$ East.

39.95 Set a post, marked $\frac{1}{4}$ S. 4 ft. long, flattened 3 in. wide, 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions, for $\frac{1}{4}$ sec. cor.

No trees near.

79.90 Cor. to secs. 20, 21, 28 & 29.

Land level. Soil good.
No timber.

Township South Range 11 West ³⁸
Gila and Salt River ¹¹⁷¹ BOOK Meridian.

Chains

North, between Sections 20 and 21.

Variation $14^{\circ} 2'$ East.

40.00 Set a post, marked "4 S. 4 ft.
long, flattened 3 in. wide, 1 ft
in the ground, drive charred
stake and build mound
of earth 2 ft high, with pits
1 ft deep, 2 ft long, 1 ft wide,
as per instructions, for 14 sec.
cor.

No trees near.

80.00 Set a post, marked and
notched, 4 ft long, 3 in sqd,
1 ft in the ground, drive charred
stake and build mound of
earth 2 ft high, with pits 1 ft
deep, 2 ft long, 1 ft wide, as per
instructions, for cor. to Secs.
16, 17, 20 and 21.

No trees near.

Land level. Soil good.
No timber.

39 Township 6 South Range 11 West
Sila and Salt River Meridian
BOOK 1177

Chains East, on a random line between Sections 16 and 21.

Variation $14^{\circ}12'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
80.07 Intersect N. and S. line 15 lcs.
N. of cor. to Secs. 15, 16, 21 and
22, from which cor. Run

$N. 89^{\circ}54' W.$

On true line between sec. 16 & 21.

var. $14^{\circ}12'$ East.

40.03 Set a post, marked $\frac{1}{4}$ S. 4 ft.
long, flattened 3 in. wide, 1 ft.
in the ground, drive charred
stake and build mound of
earth 2 ft high, with pits 1 ft
deep, 2 ft long, 1 ft wide, as per
instructions for $\frac{1}{4}$ sec. cor.
No trees near.

80.07 Cor. to Secs. 16, 17, 20 & 21.

Land level.

Soil good.

No timber.

Township

6 South Range 11 West

40

Gila and Salt River

Meridian.

BOOK 171

Chains

North, between Sections 16 and 17.

Variation

14° 12'

East.

- 40.00 Set a post, marked 74 S. 4 ft long, flattened 3 in. wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 74 sec. cor. No trees near.
- 62.20 Enter bottom.
- 80.00 Set a post, marked and notched, 4 ft long, 3 in. sq. d. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for cor. to secs. 8, 9, 16 and 17, from which
- mesquite, 14 in. dia. br. S. 71° W. 96 least.
 do. 10 " " " N. 73° W. 227 " "
 do. 9 " " " N. 46° E. 318 " "
- No other trees near.
 Land level. Soil good. Some mesquite trees

Township

6 South

Range

11 West

Gila and Salt Rivers

Meridian

BOOK 1177

Chains

East, on a random line between Sections 9 and 16.

Variation

14° 12'

East.

13.50 Rise out of bottom.

40.00 Set temporary 1/4 sec. cor.

80.07 Intersect N. and S. line 12 cor. N.
of cor. to secs. 9, 10, 15 and 16,
from which cor. I run

N. 89° 55' W.

Outline line between secs. 9 & 16.

var. 14° 12' East.

40.03 Set a post marked 1/4 S. 4 ft.
long, flattened 3 in. wide,
1 ft. in the ground, and
build around a post stones
2 ft high, as per instruction
for 1/4 sec. cor.

No trees near.

80.07 Cor. to secs. 8, 9, 16, and 17.

Land level. Soil good.
A few trees.

Chains

North, between Sections 8 and 9.

Variation

14° 2'

East.

- 6.80 Yuma road runs W.
- 31.30 Another road runs S. W.
- 40.00 Set a post marked 14 S. 4 ft long, flattened 3 in. wide
1 ft in the ground, drive charred stake & build mound of
earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, see
instructions, for 14 sec. cor. from which
a mesquite 8 in dia. has N. 54° W. 257 lvs. dist.
do. 4 " " S. 57° E. 172 " "
- 63.13 Entered left bank Gila river, bas. S. W. Set a post, marked
4 ft long, 3 in. sqd. 1 ft in the ground, drive charred stake
and build mound of earth 2 ft high, taken from 1 pit on
line S. for cor. to fractional secs. 8 & 9. - I now set a
flag on line, on opposite bank of river, and measure off
a base 100 lvs. E. to point where flag is N. 4° 22' W.,
making distance across stream, on line, 13.09 chs.
- 76.22 Right bank of river, on line. Set a post, marked, 4 ft long,
3 in sqd. 1 ft in the ground, drive charred stake and
build mound of earth 2 ft high, taken from 1 pit
on line N. for cor. to frac. secs. 8 & 9.
- 80.00 Set a post, marked & notched, 4 ft long, 3 in sqd.
1 ft in the ground, drive charred stake and
build mound of earth 2 ft high, with
pits 1 ft deep, 2 ft long, 1 ft wide, as per in-
structions, for cor. to secs. 4, 5, 8 and 9.
No trees near. Land rich bottom.
Scattering trees.

BOOK 1177

Chains East, on a random line between Sections 4 and 9.
 Variation $14^{\circ}12'$ East.

- 28.50 Cross river, -
 Old bank of river bet. S. W.
- 40.00 Set temporary 1/4 sec. cor.
- 70.50 Up main road bet. S. W.
- 71.80 Swampy place.
- 74.20 Leave bottom and ascend bluff.
- 80.31 Intersect N. & S. line 1960. N. of cor. to secs. 3, 4, 9 and
 10, from which cor. drawn
 N. $89^{\circ}52' W.$ on true line between secs. 4 & 9.
 var. $14^{\circ}12'$ East
- 40.16 Set a post, marked 1/4 S. of 1/4 long, flattened 3 in. wide, 1 ft in the
 ground, drive charred stake & build mound of earth 2 ft high
 with pit 1 ft deep, 2 ft long, 1 ft wide as per instructions for 1/4 sec. cor.
 a cottonwood, 14 in. dia. bet. N. $10^{\circ} E.$ 184 lbs. dist.
 do. 10 " " West, 223 " "
- 63.18 Intersect left bank of Gila river, bet. S. W. Set a post, marked,
 1/4 ft long, 3 in. sqd. 1 ft in the ground, drive charred stake
 and build mound of earth 2 ft high taken from
 1 pit on line E. for cor. to frac. secs. 4 & 9. - I now
 set flag on line, on opposite bank of river, & measure off base
 200 lbs. S. to point where flag bet. N. $82^{\circ}27' W.$, marking
 distance across stream, on line, 15.09 chs.
- 78.27 Right bank of river, on line. Set a post, marked, 1/4 ft long, 3 in.
 sqd. 1 ft in the ground, drive charred stake & build mound of earth
 2 ft high, taken from 1 pit on line W. for cor. to frac. secs. 4 & 9.
- 80.31 Cor. to secs. 4, 5, 8 and 9.
 Land rich bottom. Scattering trees.

Chains

North, on a ^{True} ~~random~~ line between Sections 4 and 5.

Variation

 $14^{\circ}12'$ East.

40.00

Set a post, marked $1/4$ S. 4 ft. long, flattened 3 in. wide, 1 ft. in the ground, drive charred stake and build a mound of earth 2 ft. high, with pits 1 ft. deep, $2\frac{1}{2}$ ft. long, 1 ft. wide, as per instructions for 1/4 sec. cor. No trees near.

61.70

Road base. S. W.

65.00

Old bank of river br. S. W.

80.31

Intersect first Standard S, 22.05 ch. E. of cor. to Secs. 32 and 33 of T. 6 S. range 11 W. - Set a post, marked and notched, 4 ft. long, 3 in. sq. d. 1 ft. in the ground, drive charred stake and build a mound of earth 2 ft. high, with pits 1 ft. deep, $2\frac{1}{2}$ ft. long, $1\frac{1}{2}$ ft. wide, as per instructions for closing cor. to Secs. 4 and 5: from which

Amesquite, 6 in. dia. br. S. $61^{\circ}12'$ E. 66 ch. dist.

do. 7 " " " N. 39° E. 132 " "

No other trees near.

Land level. Soil rich. Some scattering timber.

Township

6 South

Range

11 West

Gila & Salt River

Meridian

BOOK 1177

Chains

North, between Sections 31 and 32.

Variation

14° 3'

East.

40.00 Set a post, marked 14 S. 4 ft long, flattened 3 in. wide, 1 ft in ground, drive charred stake and build mound of earth 2 ft high, with pits 4 ft deep, 2 ft long, 1 ft wide, as per instructions, for 14 sec. cor.

No trees near.

80.00 Set a volcanic rock, 14 x 13 x 8 inches, 2/3 in the ground, notched S. and E., and on N. build mound of stones 2 ft high, as per instructions for cor. to Secs. 29, 30, 31 and 32.

No trees near.

Land level. Soil good.
No timber.

February 12, 1877.

Township

6 South

Range

11 West

46

Gila and Salt River

BOOK

1171

Meridian.

Chains

East, on a random line between Sections 29 and 32.

Variation

14° 12'

East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
 80.14 Intersect N. and S. line 16 hrs.
 S. of cor. to secs. 28, 29, 32
 and 33, from which cor.
 I run

S. 89° 53' N.

On true line between secs. 29 & 32.
 var. 14° 12' East.

40.07 Set a post, marked $\frac{1}{4}$ S. 4 ft. long,
 flattened 3 in. wide, 1 ft. in the
 ground, drive charred stake
 and build mound of earth
 2 ft. high, with pits 1 ft. deep,
 2 ft. long, 1 ft. wide, as per in-
 structions, for $\frac{1}{4}$ sec. cor.
 No trees near.

80.14 Con. to secs. 29, 30, 31 & 32.

Land level. Soil good.
 No timber

47

Township 6 South Range 11 West

Gila & Salt River

Meridia

BOOK 1177

Chains West, on a random line between Sections 30 and 31.

Variation 14° 12' East.

40.00 Set temporary 1/4 sec. cor.
78.20 Intersect N. boundary 12 hrs. S. of cor. to secs. 30 and 31. from which cor. Run

S. 89° 55' E.

On true line between secs. 30 & 31
var. 14° 12' East.

38.20 Set a volcanic rock, 12 x 8 x 7 inches, 2/3 in the ground, marked 1/4, and on E. build mounds of earth 2 ft high with pits 1 ft. deep, 2 ft long, 1 ft wide, as per instructions for 1/4 sec. cor.
No trees near.

78.20 Cor. to secs. 29, 30, 31 & 32.

Land level.

Soil partly good.
No timber.

Township

6 South

Range

11 West

48

Gila & Salt River

BOOK

1171

Meridian.

Chains

North, between Sections 29 and 30.

Variation

14° 12'

East.

40.00 Set a volcanic rock, 11 x 8 x 6 inches, 7/3 in the ground, marked 74, and on N. build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide as per instructions for 74 sec. cor.

No trees near.

80.00 Set a post, marked and notched, 4 ft long, 3 in. sq. 1 ft in the ground, and build mound of stones 2 ft high as per instructions, for cor. to Secs. 19, 20, 29 and 30.

from which

Apalefueria, 4 in dia. br. S. 8° W. 266 lbs dist

No other trees near.

Land level.

Soil good.

A few scattering trees:

49 Township 6 South Range 11 West
Gila & Salt Rivers Meridian.

BOOK 1177

Chains East, on a random line between Sections 20 and 29.

Variation $14^{\circ}12'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
80.09 Intersect N. and S. line 10 chs.
S. of cor. to secs. 20, 21, 28 and
29, from which cor. Run

$S. 89^{\circ}56' W.$

On true line between secs. 20 & 29
var. $14^{\circ}12'$ East.

40.05 Set a post, marked $\frac{1}{4}$ S. 4 ft.
long, flattened 3 in. wide, 1 ft.
in the ground, drive charcoal
stake and build mound of
earth 2 ft. high, with pits 7 ft.
deep, 2 ft. long, 1 ft. wide, as per
instructions for $\frac{1}{4}$ sec. cor.
No trees near.

80.09 Cor. to Secs. 19, 20, 29 and 30.

Land level.

Soil good.
No timber

Township

6 South Range 11 West ⁵⁰

Gila & Salt River

BOOK

1171 Meridian.

Chains

West, on a random line between Sections 19 and 30.

Variation

14° 12'

East.

40.00 Set temporary 1/4 sec. cor.

78.15 Intusect N. boundary 9 lines N. of cor. to secs. 19 and 30 from which cor. I run

N. 89° 56' E.

Between line between secs. 19 & 30.
var. 14° 12' East.

38.15 Set a post, marked 1/4 S. 4 ft. long, flattened 3 in. wide, 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions, for 1/4 sec. cor. No trees near.

78.15 Cor. to Secs. 19, 20, 29 and 30.

Land level. Soil good.
No timber

Gila and Salt River Meridian.

BOOK 1177

Chains North, between Sections 19 and 20.

Variation 14° 12' East.

40.00 Set a post, marked 4 S. 4 ft. long, flattened 3 in. wide, 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide as per instructions, for 14 sec. cor. from which a Mesquite, 13 in. dia. brs. N. 8° E. 127 lvs. dist.
do. 7 " " " N. 80° W. 114 " "

42.00 Arroyo, 35 lvs. wide, brs. N. W.

48.00 Enter lower land.

80.00 Set a post, marked E. marked, 4 ft. long, 3 in. sq. d. 1 ft. in the ground, drive charred stake and build a mound of earth 2 ft. high with pits 1 ft. deep, 2 ft. long, 1 ft. wide as per instructions, for cor. to Sec. 17, 18, 19 and 20, from which a Mesquite, 14 in. dia. brs. S. 57° E. 156 lvs. dist.
do. 8 " " " S. 17° W. 154 " "
do. 10 " " " N. 74° W. 212 " "
do. 8 " " " S. 10° E. 141 " "

Rich bottom land. Mesquite timber and brush.

Township

6 South

Range

11 West ⁵²

Gila and Salt River

BOOK 1171 Meridian.

Chains

East, on a random line between Sections 17 and 20.

Variation

14° 12'

East.

- 24.30 Rise on higher land.
 40.00 Set temporary 1/4 sec. cor.
 79.78 Intersect N. and S. line 9 sec. S. of cor. to Secs. 16, 17, 20 and 21, from which cor. Run

S. 89° 56' W.

On true line between secs. 17 & 20.

var. 14° 12' East.

- 39.89 Set a post, marked 1/4 S. 4 ft long, flattened 3 in. wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 1/4 sec. cor.

No trees near.

- 79.78 Cor. to Secs. 17, 18, 19 and 20

Land level. Soil good. Scattering trees

Township

6 South

Range

11 West

Gila and Salt River

Meridian.

BOOK 1177

Chains

West, on a random line between Sections 18 and 19.

Variation

14° 12'

East.

- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
 76.00 Yuma road runs N.
 78.05 Intersect N. boundary 11 hrs. S.
 of cor. to Secs. 18 and 19, from
 which cor. I run

S. 89° 55' E.

On true line between Secs. 18 & 19.

var. 14° 12' East.

- 38.05 Set a post, marked $\frac{1}{4}$ S. 4 ft long,
 flattened 3 in. wide, 1 ft in the
 ground, drive charred stake
 and build mound of earth 2
 ft high, with pits 1 ft deep, 2 ft
 long, 1 ft wide, as per instructions
 for cor. to $\frac{1}{4}$ sec.
 from which
 Mesquite, 7 in. dia. bas. N. 14° 12' W. 257 hrs. dist.
 No other trees near.
- 78.05 Cor. to Secs. 17, 18, 19 and 20.

Land level. Soil good.
 Scattering trees.

Township

6 South

Range

11 West

54

Gila and Salt River

BOOK

1177

Meridian.

Chairs

North, between Sections 17 and 18.

Variation

14° 12'

East.

- 40.00 Set a post, marked 4 S. 4 ft long, flat-tined 3 in wide, 1 ft in the ground, drive charred stake and build mound of earth 1 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 14 sec. cor. from which
A mesquite, 6 in dia. base N. 81° W. 127 lbs. dist.
do. 7 " " S. 85 1/2° E. 259 " "
 - 42.10 Yuma road base N.
 - 54.60 Old river bank base N.
 - 80.00 Set a post, marked and notched, 4 ft long, 3 in. sq. 1 ft in the ground, drive charred stake and build mound of earth 1 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for cor. to Secs. 7, 8, 17 & 18.
from which
A willow, 10 in. dia. base S. 40° E. 325 lbs. dist.
A cottonwood, 10 " " " S. 59° E. 365 " "
No other trees near.
- Land level. Soil rich
Scattering trees.

Township 6 South Range 11 West

Gila and Salt River Meridian

BOOK 1177

Chains East, on a random line between Sections 8 and 17.

Variation 14° 12' East.

- 9.00 Old river bank bns. S. W.
- 17.00 Yuma road bns. S. W.
- 18.00 Stanwix station 2 chs. N.
- 40.00 Set temporary 1/4 sec. cor.
- 80.31 Intersect N. and S. line 15 chs.
N. of cor. to secs. 8, 9, 16 and 17,
from which cor. I run

N. 89° 54' W.

On true line between sec. 8 & 17.
var. 14° 12' East.

- 40.16 Marked a mesquite tree, standing
in place, 12 in. dia, as per in-
structions for 1/4 sec. cor.

from which
A mesquite, 4 in. dia. bns. S. 80° E. 20 lns. dist.
do. 12 " " " N. 70° W. 46 " "

- 80.31 Cor. to secs. 7, 8, 17 and 18.

Land level.

Soil rich.

Scattering trees.

Chains

West, on a random line between Sections 7 and 18.

Variation $14^{\circ}12'$ East.

- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
- 78.21 Intersect N. boundary 9 lvs. N. of cor. to Secs. 7 and 18. from which cor. I run N. $89^{\circ}56'$ E. onto line between Secs. 7 & 18 var. $14^{\circ}12'$ East
- 38.21 Set a post, marked 4 ft. long, flattened 3 in. wide, 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions for $\frac{1}{4}$ sec. cor. No trees near.
- 78.45 Intersect right bank of Gila river, bet. S. N. Set a post, marked, 4 ft. long, 3 in. sq. d. 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, taken from pit on line N. for cor. to frac. Secs. 7 & 18. I now set flag on line, on opposite bank of river and measure off a base 100 lvs. N. to point where flag bet. S. $85^{\circ}24'$ E., making distance across stream, on line, 12.43 ch.
- 51.88 Left bank of river, on line. Set a post, marked, 4 ft. long, 3 in. sq. d. 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, with 1 pit on line E. for cor. to frac. Secs. 7 & 18.
- 78.21 Cor. to Secs. 7, 8, 17 and 18.

Land rich bottom. Scattering trees

57 Township 6 South Range 11 West
Gila and Salt River Meridian.

BOOK 1177

Chains North, between Sections 7 and 8.

Variation $14^{\circ} 15'$ East.

- 40.00 Set a post, marked 14 S. 4 ft long, flattened 3 in wide, 1 ft in the ground, drive charred stake & build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 4 ft wide, as per instructions, for 14 sec. cor. No trees near.
- 42.15 Intersect left bank Gila river, cor. S.W. Set a post, marked, 4 ft long, 3 in sqd, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, taken from 1 pit on line S. for cor. to frac. secs. 7 & 8. I now set a flag on line, on opposite bank of river and measure off base 100 lbs. E, to point where flag cor. N. $64^{\circ} 2' W$, marking distance across stream, on line, 8.51 chs.
- 50.66 Right bank of river, on line. Set a post, marked, 4 ft long, 3 in sqd, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, taken from 1 pit on line N. for cor. to frac. secs. 7 & 8.
- 80.00 Set a post, marked & notched, 4 ft long, 3 in sqd, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 4 ft wide, as per instructions, for cor. to secs. 5, 6, 7 and 8. No trees near.
- Land rich bottom. Scattering trees.

Township

6 South

Range

11 West

58

Gila and Salt River

BOOK 1177

Meridian.

Chains

East, on a random line between Sections 5 and 8.

Variation $14^{\circ}12'$ East.

19.25 Road bns. S. W.

37.60 Old bank of river bns. S. W.

40.00 Set temporary 1/4 sec. cor.

79.82 Intersect N. and S. line 21 lns. N. of cor. to secs. 4, 5, 8 and 9, from which cor. I run

N. $89^{\circ}51' W.$

On true line between secs. 5 & 8.

var. $14^{\circ}12'$ East.

39.91 Set a post, marked 1/4 S. 4 ft. long, 4 ft. long, flattened 3 in. wide, 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions for 1/4 sec. cor. from which

A Cottonwood 8 in dia. bns. N. $45^{\circ} E.$ 78 lns. dist.

do. 6 " " " N. $21\frac{1}{2}^{\circ} E.$ 129 " "

79.82 Cor. to secs. 5, 6, 7 & 8.

Land level. Soil rich. Scattering trees

59 Township 6 South Range 11 West
Gila and Salt River Meridian.

BOOK 1177

Chains

West, on a random line between Sections 6 and 7.

Variation

$14^{\circ}12'$

East.

- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
46.70 Rise on higher ground.
78.10 Intersect W. boundary 20 lns. Sig
cor. to secs. 6 and 7, from which
cor. I run

$S. 89^{\circ}51' E.$

Outline line between secs. 6 & 7.

var. $14^{\circ}12'$ East.

- 38.10 Set a post, marked $\frac{1}{4}$ S. 4 ft long,
flattened 3 in. wide, 1 ft in the
ground, drive charred stake and
build mound of earth 2 ft high
with pits 1 ft deep, 2 ft long, 1 ft
wide, as per instructions for $\frac{1}{4}$
sec. cor. from which
a willow, 7 in. dia. bas. N. $84^{\circ} W.$ 145 lns. dist.
do. 10 " " " N. $3^{\circ} W.$ 165 " "
- 78.10 Cor. to secs. 5, 6, 7 and 8.

Land level. Soil good.
Scattering trees.

Chains

True
North on a ~~random~~ line between Sec's 5 and 6.Variation $14^{\circ}12'$ East.

40.00

Set a post, marked $\frac{1}{4}$ S. 4 ft long, flattened 3 in. wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for $\frac{1}{4}$ Sec. cor. from which

Armesquite 8 in. dia. br. N. 67° W. 74 br. dist.
do. 3 " " S. 50° W. 40 " "

80.61

Intersect first Standard S, 21.50 chs. E. of standard cor. to Secs. 31 and 32, of T. 5 S. Range 11 W.

Set a post, at point of intersection, marked and notched, 4 ft long, 3 in. sq. d. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 $\frac{1}{2}$ ft long, $\frac{1}{2}$ ft wide, as per instructions, for closing cor. to Secs. 5 & 6. from which

Armesquite 8 in. dia. br. East, 70 br. dist.
do. 4 " " N. 41° E. 79 " "

No other trees near.

Land level. Soil 1st rate. Scattering trees.
February 13, 1877.

General Description

BOOK 1177

This township lies in the Gila valley, the river running through the N. W. portion of it. There is a large amount of rich bottom land in the northern and northwestern portions of the township. Water for irrigating can be obtained from the river in abundance.

There are cottonwood, willow and mesquite trees and brush on the bottom lands, and scattering pale verde and pale ficaria trees and brush on the higher lands, to the south. On the latter land grows geyste grass. In section 8 is situated Stanwix Station, on the Southern Pacific Mail route.

Theodore J. White
U. S. Deputy Surveyor

List of Names.

BOOK 1177

BOOK 1177

A List of the Names of Individuals employed
 to assist in running, measuring, or marking the
 lines and corners described in the foregoing Field
 Notes of the survey of *The Subdi-*
visions Lines of Town -
 ship 6 South, range
 11 West, of the Gila and
 Salt River Meridian,
 Arizona.


Showing the respective capacities in which they
 acted.

P. V. Caldwell Chainman.

Urban Bessard Chainman,

Fred. C. Jones Axeman.

Allan Bernard Flagman.



Final Oath of Assistants.

BOOK 1177

We hereby certify that we assisted Theodore
F. White U. S. Deputy Surveyor in
 surveying the subdivision lines
of Township 6 South,
range 11 West, of the Gila
and Salt River Meridians,
Arizona.

and that said Survey has been in all respects, to
 the best of our knowledge and belief, well and
 faithfully executed, and the boundary monuments
 planted according to the instructions furnished by
 the Surveyor-General.

P. V. Coldwell Chainman.

Walter Bernard Chainman,

Fred. J. J. J. Axeman.

Allan Bernard Flagman.

Sworn to and subscribed before me, this 28th
 day of April, 1877.

John D. Faull

Notary Public.

Final Oath of Deputy Surveyor.

I, Theodore J. White

U. S. Deputy Surveyor, do solemnly swear that in pursuance of a contract with John Wasson, United States Surveyor-General for Arizona, bearing date the 7th day of December

1876 I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-General, the Surveying Manual, and the laws of the United States, surveyed all those portions of

The Subdivision Lines of
Township 6 South, range
11 West, Gila and Salt
River Meridian,

as are represented in the foregoing Field Notes as having been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and also in accordance with the additional requirements con-

65

tained in circular instructions from the U. S. Surveyor-General for Arizona, dated September 1, 1873, regarding the establishment of corner boundaries of public surveys, and that the foregoing are the true and original Field Notes of such surveys.

Theodore S. White
Deputy Surveyor.

Sworn to and subscribed before me, this 28th day of April, 1877.

John R. Duell
Notary Public



No. 1177

U. S. Surveyor General's Office,

TUCSON, ARIZONA, August 6, 1877.

The foregoing Field Notes of the Survey of the

Subdivision Lines of
Township 6 South,
Range 11 West,

Of the Gila and Salt River Base and Meridian, Arizona, execu-
ted by Theodore F. White,

Deputy Surveyor, under his contract of the 27th
day of December, 1876, having been

critically examined and the necessary corrections and explana-
tions made, the said Field Notes and the surveys they describe
are hereby approved.

John Masson
Surveyor General.