

BOOK 1179

No. 1179

1179

# Field Notes

OF THE SURVEY OF THE

BOOK 1179

*SUBDIVISION LINES*

-OF-

No. 1179

Township

6 South

Range

13 West

*Gila and Salt River Base and Meridian*

**ARIZONA.**

By Theodore F. White, D. S.

under contract dated Dec. 7, 1876.

Survey commenced March 12, 1877.

Survey completed March 16, 1877.

*Thos. F. White* Deputy Surveyor.  
*6 South R. 13 West*  
*Pa. & Salt River* Meridian.

# FIELD NOTES

OF

*Subdivision* Lines of  
*6 South* Range *13 West*  
*Pa. and Salt River* Meridian.

BY

*Thos. F. White* Deputy Surveyor.  
under his Contract of *December 7, 1876.*  
Survey commenced *March 12, 1877.*  
Survey completed *March 16, 1877.*

attested,  
Filed for Washington,  
Manuscript sent to Commissioner,

## Preliminary Oaths of Assistants.

We, P. V. Caldwell  
and Urbain Bessard  
do solemnly swear that we will faithfully execute  
the duties of Chain Carriers; that we will level the  
chain upon uneven ground, and plumb the tally  
pins, whether by sticking or dropping the same;  
that we will report the true distance to all notable  
objects, and the true length of all lines that we as-  
sist in measuring, to the best of our skill and  
ability.

P. V. Caldwell

Urbain Bessard

Sworn to and subscribed before me, this 9<sup>th</sup>  
day of January 1877.

John R. Faull,  
Notary Public.



We, *Allan Bernard*  
and *Fred C. Jones*.

do solemnly swear that we will well and truly per-  
form the duties of *Flagman and*

*Aceman, respectively*

according to instructions given us, and to the best  
of our skill and ability.

*Allan Bernard*  
*Fred C. Jones*

Sworn to and subscribed before me this *9<sup>th</sup>*  
day of *January*, 187*7*.

*John P. Faull*

Notary Public.



Township *6 South* Range *13 West*

*C. Gila and Salt River* Meridian.

BOOK 1179

6	<i>60</i>	5	<i>44</i>	4	<i>33</i>	3	<i>22</i>	2	<i>11</i>	1
<i>59</i>		<i>58</i>		<i>43</i>		<i>32</i>		<i>21</i>		<i>10</i>
7	<i>57</i>	8	<i>42</i>	9	<i>31</i>	10	<i>20</i>	11	<i>9</i>	12
<i>56</i>		<i>55</i>		<i>41</i>		<i>30</i>		<i>19</i>		<i>8</i>
18	<i>54</i>	17	<i>40</i>	16	<i>29</i>	15	<i>18</i>	14	<i>7</i>	13
<i>53</i>		<i>52</i>		<i>39</i>		<i>28</i>		<i>17</i>		<i>6</i>
19	<i>51</i>	20	<i>38</i>	21	<i>27</i>	22	<i>16</i>	23	<i>5</i>	24
<i>50</i>		<i>49</i>		<i>37</i>		<i>26</i>		<i>15</i>		<i>4</i>
30	<i>48</i>	29	<i>36</i>	28	<i>25</i>	27	<i>14</i>	26	<i>3</i>	25
<i>47</i>		<i>46</i>		<i>35</i>		<i>24</i>		<i>13</i>		<i>2</i>
31	<i>45</i>	32	<i>34</i>	33	<i>23</i>	34	<i>12</i>	35	<i>1</i>	36

Township 6 South Range 13 West 10  
Gila and Salt River Meridian.

BOOK 1179

No. 1179

The initial cor. of the survey of the subdivision lines of this township is the cor. to secs. 35. 36. 1 and 2, on the south boundary, a corner established by myself in these present surveys, and being a post with mound of earth and pits, from which  
Opale verde, 6 in. dia. lbs. S. 68° W. 169 lbs. dist  
do. 4 " " " N. 84° W. 223 " "

Township

6 South

Range

13 West

Meridian.

BOOK 1179

Chains

From the corner to Sections 35, 36, 1 and 2 on the South boundary I ran

North, between Sections 35 and 36.

Variation  $14^{\circ}54'$  East.

### As per East Boundary

7.00  
7.75  
0.00  
2.80  
0.00

Across 20 lbs. wide, hrs. N. W.

Bluff and descend.

Bottom.

Road hrs. W.

Set a post, marked  $1/4$  S. 4 ft long, flattened 3 in. wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for  $1/4$  sec. cor. from which a mesquite, 4 in. dia. hrs. N.  $14^{\circ}$  E. 212 lbs. dist. No other trees near.

57.40  
70.90

Teamster's Camp station hrs. S.  $57^{\circ}$  E. about 30 chs. dist

Plough hrs. N. W.

Intersect left bank of Gila river hrs. W. Set a post, marked 4 ft long, 3 in. sqd. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, taken from 1 pit on S. for cor. to fractional secs. 35 and 36.

I now set a flag on line on opposite bank of river and measure off a base 200 lbs. W. to a point whence flag on line hrs. N.  $12^{\circ}07'$  E. making distance across stream on line, 9.32 chs.

80.22

Right bank of river, on line. At 80.50 chs, or 50 lbs. N. of true point for cor., I set a post, marked and notched, 4 ft long, 3 in. sqd. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for witness cor. to Secs. 25, 26, 35 and 36. No trees near.

Land rich bottom of the Gila river. Some brush and trees.

East, on a random line between Sections 25 and 36.

Variation  $14^{\circ}54'$  East.

I start from the witness cor. to secs. 25, 26, 35 and 36, and setting back 50 lvs. to line, after crossing river, at

40.00 Set temporary 1/4 sec. cor.

79.88 Intersect E. boundary 14 lvs. S. of cor. to secs. 25 and 36, from which cor. I run  $S. 89^{\circ}54' W.$ , on true line between secs. 25 & 36.

var.  $14^{\circ}54'$  East

39.94 Set a post, marked 4 ft. 4 ft long, flattened 3 in. wide, 1/2 in the ground, drive charred stake & build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide as per instructions for 1/4 sec. cor. from which a Cottonwood, 12 in. dia. hrs.  $S. 13^{\circ} E.$  49 lvs. dist.

do. 8 " "  $N. 40^{\circ} W. 60$  " "

55.45 Intersect left bank of Gila river, near S. W. 1/4 Sec. post, marked, 4 ft long, 3 in. sqd. 1 ft in the ground, drive charred stake & build mound of earth 2 ft high, taken from 1 pit on line E. for cor. to fractional secs. 25 and 36.

The intersection with the N. and S. line is in the river.

Land rich bottom.

Some brush and trees.



3 Township 6 South Range 13 West  
Gila and Salt River Meridian.

BOOK 1179

Chains North, between Sections 25 and 26.

Variation  $14^{\circ}54'$  East.

Running from witness cor. to Secs. 25.  
26. 35 and 36, which is 50 lbs.

40.00 N. of true cor., and counting 50 lbs. - at  
Set a post, marked  $1/4$  S. 4 ft long, flat-  
tened 3 in. wide, 1 ft. in the ground,  
drive charred stake and build a  
mound of earth 2 ft high, with  
pits 1 ft. deep, 2 ft. long, 1 ft. wide, as  
per instructions for  $1/4$  sec. cor.  
No trees near.

59.00 Old bank of river bas. N. H.

80.00 Set a post, marked and notched, 4 ft.  
long, 3 in. sq. d. 1 ft. in the ground,  
drive charred stake and build a  
mound of earth 2 ft high, with pits  
1 ft. deep, 2 ft. long, 1 ft. wide, as per  
instructions, for cor. to Secs. 23.  
24. 25 and 26.

from which

A mesquite, 7 in. dia. bas. N.  $25^{\circ}$  E. 160 lbs. dist  
No other trees near.

Land level. Soil rich. Scattering trees

Township

6 South

Range

13 West

4

Gila and Salt Rivers

BOOK

1179

Meridian.

ns

East, on a random line between Sections 24 and 25.

Variation

14° 54'

East.

40.00 Set temporary 1/4 sec. cor.

80.05 Intersect E. boundary 12 hrs. N. of cor. to secs. 24 and 25, from which cor. Run N. 89° 55' W.

On true line between secs. 24 & 25. var. 14° 54' East.

40.02

Set a post marked 1/4 S. 4 ft. long, flattened 3 in. wide, 1 ft. in the ground drive charred stake and build a mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions for 1/4 sec. cor. from which

A Mesquite, 11 in. dia. tree, N. 6° E. 248 hrs. dist. No other trees near.

80.05 Cor. to secs. 23, 24, 25 and 26.

Land level.

Soil rich.

Scattering trees

5 Township 6 South Range 13 West  
Gila and Salt River Meridian.

BOOK 1179

Chains North, between Sections 23 and 24.

Variation 14° 54' East.

11.00 Old road cross. W.

40.00 Set a post, marked 1/4 S. 4 ft long, flattened 3 in. wide, 1 ft in the ground, drive charred stake and build a mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for 1/4 sec. cor.

No trees near.

80.00 Set a post, marked and notched, 4 ft long, 3 in. sq. d. 1 ft. in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for cor. to Secs. 13, 14, 23 and 24, from which

- A Mesquite, 5 in. dia. base, S. 80° E. 32 lbs. dist
- do. 5 " " " N. 38° E. 30 " "
- do. 4 " " " S. 52° W. 54 " "

No other trees near.

Land level. Soil good.  
Some mesquite timber.

Township

6 South

Range

13 West

6

Gila and Salt River

BOOK 1179

Meridian.

Chains

East, on a random line between Sections 13 and 24.

Variation

14° 54'

East.

40.00 Set temporary 1/4 sec. cor.  
 80.15 Intersect E. boundary 12 lns. S.  
 of cor. to secs. 13 and 24, from  
 which cor. Run  
 S. 89° 55' W.

On true line between secs. 13 & 24.  
 var. 14° 54' East

40.07 Set a post, marked 1/4 S. 4 ft  
 long, flattened 3 in. wide, 1 ft  
 in the ground, drive charred  
 stake and build mound of earth  
 2 ft high, with pits 1 ft. deep, 2 ft  
 long, 1 ft. wide, as per instructions  
 for 1/4 sec. cor.  
 from which  
 a mesquite, 6 in. dia. hrs. West, 87 lns. dist.  
 No other trees near.

80.15 Cor. to secs. 13, 14, 23 and 24.

Land level. Soil good. Some trees.

March 12, 1877.

7 Township 6 South Range 13 West  
Gila and Salt River Meridian.  
BOOK 1179

Chains North, between Sections 13 and 14.

Variation  $14^{\circ}54'$  East.

40.00 Set a post, marked  $\frac{1}{4}$  S. 4 ft long, flattened 3 in. wide, 1 ft. in the ground. Drive charred stake and build mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for  $\frac{1}{4}$  sec. cor.

Notes near.

80.00 Remote from stone and timber. Drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, and in center of pit S. E. of cor. drive a stake, marked and matched, 2 ft long, 2 in. sq'd, 1 ft. in the ground, as per instructions, for cor. to Secs. 11, 12, 13 and 14.

Land level.

Soil good.

No timber.

ains

East, on a random line between Sections 12 and 13.

Variation 14°54' East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.  
80.12 Intersect E. boundary 17<sup>th</sup> Sec. N.  
of cor. to Secs. 12 and 13, from  
which cor. True  
N. 89°53' 7"

Outline line between Secs. 12 & 13.  
var. 14°54' East.

40.06 Drive charred stake and  
build mound of earth 2 ft.  
high, with pits 4 ft. deep, 2 ft.  
long, 1 ft. wide, as per instru-  
ments for  $\frac{1}{4}$  sec. cor.

80.12 Cor. to Secs. 11, 12, 13 and 14.

Land level.  
Soil good.  
Destitute of stone and timber.

9 Township 6 South Range 13 West  
Gila and Salt River Meridian.

BOOK 1179

Chains North, between Sections 11 and 12.

Variation  $14^{\circ}54'$  East.

40.00 Drive charred stake and  
build mound of earth 2  
ft high with pits 1 ft deep, 2  
ft long, 1 ft wide, as per in-  
structions, for  $\frac{1}{4}$  sec. cor.

80.00 Drive charred stake and  
build mound of earth 2 ft high,  
with pits 1 ft deep, 2 ft long, 1 ft  
wide and in center of pit S. E.  
of cor. drive a stake marked  
and notched, 2 ft long, 2 in  
sq. d. 1 ft in the ground, as per  
instructions for cor. to Secs.  
1, 2, 11 and 12.

Land level.

Soil good.

Destitute of stone and  
timber.

Township 6 South Range 13 West <sup>10</sup>  
Gila and Salt Rivers BOOK 1179  
Meridian.

Chains

East, on a random line between Sections 1 and 12.

Variation 14° 54' East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.  
80.18 Intersect E. boundary 21 hrs. S.  
of cor. to Secs. 1 and 12, from  
which cor. run  
S. 89° 51' W.

Put true line between Secs. 1 & 12.

var. 14° 54' East.

40.09 Set a post, marked  $\frac{1}{4}$  S. 4  
ft long, flattened 3 in. wide,  
1 ft. in the ground. Drive charred  
stake and build mound of  
earth 2 ft high, with pits 1 ft  
deep, 2 ft long, 1 ft wide, as per  
instruction for  $\frac{1}{4}$  sec. cor.  
No trees near.

80.18 Cor. to Secs. 1, 2, 11 and 12.

Land level.

Soil mostly good.  
No timber.



11

Township 6 South Range 13 West  
BOOK 1179 Sala and Salt River

Meridian

Chains True North, on a ~~line~~ line between Sections 1 and 2.  
Variation 14° 54' East.

40.00 Set a post, marked  $\frac{1}{4}$  S. 4 ft long, flattened 3 in. wide, 1 ft in the ground. Drive charred stake and build mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 1/4 sec. cor.

No trees near.

80.19 Intersect first Standard parallel S. 17. chs. E. of standard cor. to secs. 35 and 36, of Township 55, range 13 W. - Set a post, marked and notched, 4 ft long, 3 in. squared, 1 ft in the ground. Drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 1/2 ft wide, as per instructions, for closing cor. to Secs. 1 and 2. No trees near.

Land level. Soil poor on last end.  
No timber.

Township

6 South

Range

13 West

12

BOOK 1179

Meridian.

Gila and Salt River

Mains

North, between Sections 34 and 35.

Variation

14° 54'

East.

40.00 Set a post, marked 1/4 S. 4 ft. long, flattened 3 in. wide, 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions for 1/4 sec. cor. from which  
 An mesquite, 10 in. dia. bus. S. 77° E. 42 ft. dist.  
 No other trees near.

80.00 Set a post, marked and notched, 4 ft. long, 3 in. sq. d. 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions for cont. Secs. 26, 27, 34 and 35.  
 from which  
 A willow, 7 in. dia. bus. S. 40° E. 64 bus. dist.  
 A cottonwood, 13 " " " N. 41° W. 130 " "  
 No other trees near.

Land level. Soil rich.  
 Scattering trees.

Township 6 South Range 13 West

Gila and Salt Rivers

Meridian 70

BOOK 1179

Chains

East, on a random line between Sections 26 and 35.

Variation 14° 57' East.

As the cor. to secs. 25, 26, 35 & 36 is in the Gila river, and the witness cor. thereto is 50 lns. N. of true point, I off set 50 lns. N. in running this random line and at 79.91 intersect at a point 28 lns. S. of witness cor. to sec. 25, 26, 35 and 36. from which cor. I run S. 89° 48' W. on offset line between secs. 26 & 35. var. 14° 57' East.

4.00 Intersect right bank of Gila river, <sup>lms. N. of</sup> Do not establish any cor. here as this is on an offset line.

I now set flag on line on opposite bank of river and measure off a base 100 lns. N. to a point whence flag on line lms. S. 85° 46' W., measuring distance across stream on line 13.51 chs.

17.51 To the left bank of river, on line. I set S. 50 lns. to true line between secs. 26 & 35, and at intersection set a post, marked. 4 ft. long, 3 in. sq. 1 ft. in the ground, drive charred stake and build mound of earth 2 ft high, take from pit on line N. for cor. to sec. 26. and 35. - Thence continue S. 89° 48' W.

39.96 Set a post, marked 48.4 ft. long, flattened 3 in wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for true cor. No trees near.

79.91 Co. to secs. 26, 27, 34 and 35. Land rich bottom. Scattering trees.

Chains North, between Sections 26 and 27.

Variation 149° 57' East.

- 40.00 Set a post, marked  $\frac{1}{4}$  S. 4 ft. long, flattened 3 in. wide, 1 ft. in the ground, drive charred stake & build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions for  $\frac{1}{4}$  sec. cor. from which a Cottonwood, 9 in. dia. has S. 82° E. 414 lvs. dist. No other trees near.
- 56.00 Intersect left bank of Gila river on nearly N. Seta post, marked, 4 ft. long, 3 in. sq. d. 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, with pit on line S. for cor. to frac. secs. 26 & 27. Iron set flag on line on opposite bank, and measure off a base 100 lvs. E. to point whence a flag has N. 6° 42' W., marking distance across stream on line S. 51 chs.
- 67.51 Right bank of river on line. Set a post, marked, 4 ft. long, 3 in. sq. d. 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, with pit on line N. for cor. to frac. secs. 26 and 27.
- 70.00 Old road lvs. S. W.
- 80.00 Set a post, marked & notched, 4 ft. long, 3 in. sq. d. 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions for cor. to Secs. 22, 23, 26 & 27, from which a Mesquite, 11 in. dia. has S. 46° E. 49 lvs. dist.  
 do. 15 " " " S. 47° W. 126 " "  
 do. 18 " " " S. 78° W. 149 " "
- Land subject to overflow along river. Soil rich. Scattering timber.

15 Township 6 South Range 13 West

Gila and Salt River Meridian

BOOK 1179

Chains East, on a random line between Sections 23 and 26.

Variation 14° 54' East.

13.00 Old road base S.W.  
40.00 Set temporary 1/4 sec. cor.  
79.73 Intersect N. and S. line 17 hrs. S. of cor. to  
secs. 23, 24, 25 and 26. from which  
cor. from  
S. 89° 53' W.

Outline line between secs. 23 & 26.  
var. 14° 54' East

39.87 Set a post, marked 1/4 b. 4 ft. long,  
flattened 3 in. wide, 1 ft. in the  
ground, drive charred stake and  
build mound of earth 2 ft. high, with  
pile 1 ft. deep, 2 ft. long, 1 ft. wide,  
as per instructions, for 1/4 sec. cor.  
from which

Armesquite, 7 in. dia. base, S. 51° W. 33 hrs. dist.  
do. 6 " " " S. 11° E. 36 " "

79.73 Cor. to secs. 22, 23, 26 and 27.

Land level. Soil rich. Scattered  
ing timber.

Township

6 South

Range

13 West

16

Gila and Salt River

BOOK 1119

Meridian.

Chains

North, between Sections 22 and 23.

Variation

14° 57'

East.

40.00 Set a post, marked 14 S. 4 ft long, flattened 3 in. wide, 1 ft. in the ground, drive charred stake and build a mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 14 sec. cor. from which  
 Armesquite, 5 in. dia. br. N. 71° W. 113 lbs. dist.  
 No other trees near.

180.00 Set a post, marked and notched, 4 ft long, 3 in. sqd. 1 ft. in the ground, drive charred stake and build a mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for cor. to Secs. 14, 15, 22 and 23.  
 from which  
 Armesquite, 4 in. dia. br. S. 26° W. 136 lbs. dist.  
 No other trees near.

Land level.

Soil good.

Scattering trees

17 Township 6 South Range 13 West

Gila and Salt River Meridi

BOOK 1179

Chains East, on a random line between Sections 14 and 23.

Variation  $14^{\circ}54'$  East.

- 40.00 Set temporary  $\frac{1}{4}$  sec. cor.  
79.68 Intersect N. and S. line 17 lvs. S. of cor. to  
secs. 13, 14, 23 and 24, from which  
cor. Drive  
S.  $89^{\circ}53'W$ .  
On true line between secs. 14 & 23,  
var.  $14^{\circ}54'$  East
- 39.84 Set a post, marked  $\frac{1}{4}$  S. 4 ft. long,  
flattened 3 in. wide, 1 ft. in the  
ground, drive charred stakes and  
build mounds of earth 1 ft high,  
with pits 1 ft deep, 2 ft long, 1 ft wide,  
as per instructions for  $\frac{1}{4}$  sec. cor.  
from which  
A mesquite, 5 in. dia. base, N.  $52^{\circ}W$ . 96 lvs. dist.  
No other trees near.
- 79.68 Cor. to secs. 14, 15, 22 and 23.

Land level. Soil good.  
Scattering trees.

Township 6 South Range 13 West <sup>18</sup>  
Gila and Salt River <sup>1179</sup> Meridian.  
BOOK

Chains North, between Sections 14 and 15.  
Variation 14° 54' East.

40.00 Set a post, marked  $\frac{1}{4}$  S. 4 ft. long, flattened 3 in. wide, 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions, for  $\frac{1}{4}$  sec. cor.

No trees near.

80.00 Remote from stone and timber, drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, and in center of pit S. E. of cor. drive a stake marked and notched, 2 ft. long, 2 in. sq. d., 1 ft. in the ground, as per instructions for cor. to Secs. 10, 11, 14 and 15.

Land level.

Soil good.  
No timber.



19 Township 6 South Range 13 West

BOOK 1179 Gila and Salt River Meridian.

Chains East, on a random line between Sections 11 and 14.  
Variation 14°54' East.

40.00 Set temporary 1/4 sec. cor.

79.70 Intersect N. and S. line 13 Sec. S.  
of cor to Secs. 11, 12, 13 and 14,  
from which cor. Run  
S. 89° 54' W.

On true line between Secs. 11 & 14.  
var. 14°54' East

39.85 Set a post, marked 1/4 S. 4 ft. long,  
flattened 3 in. wide, 1 ft. in the  
ground, drive charred stake  
and build mound of earth  
2 ft. high with pits 1 ft. deep, 2 ft.  
long, 1 ft. wide, as per instructions  
for 1/4 sec. cor.

No trees near.

79.70 Cor to Secs. 10, 11, 14 and 15.

Land level.

Soil good.  
No timber.

March 13, 1877.

Township 6 South Range 13 West 20

Gila and Salt River Meridian.

BOOK 1179

Chains North, between Sections 10 and 11. Variation 14° 54' East.

40.00 Drive charred stake and build mounds of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 1/4 sec cor.

80.00 Drive charred stake and build mounds of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, and in center of pit S.E. of cor. drive a stake marked and notched, 2 ft long, 2 in. sq. 1 ft in the ground, as per instructions for cor. to Sec. 2, 3, 10 and 11.

Land level.

Soil mostly good.

Destitute of stone and timber.

BOOK 1179  
Chains East, on a random line between Sections 2 and 11.

Variation 14°54' East.

- 40.00 Set temporary 1/4 sec. cor.
- 79.94 Intersect N. and S. line 12 lns. S. of cor. to secs. 1, 2, 11 and 12, from which cor. Run S. 89°55' W.   
 True line between secs. 2 & 11.   
 var. 14°54' East.
- 39.97 Set a post, marked 1/4 S. 4 ft. long, flattened 3 in. wide, 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions, for 1/4 sec. cor.   
 No trees near.
- 79.94 Conto secs. 2, 3, 10 and 11.

Land level.  
Some good soil.  
No timber

Township

6 South

Range

13 West <sup>22</sup>

Gila &amp; Salt River

BOOK 1179 Meridian.

True

Chains

North, on a ~~random~~ line between Sections 2 and 3.

Variation

14° 34'

East.

40.00 Set a post, marked 4 S. 4 ft. long. flat-tined 3 in. wide, 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions, for 1/4 sec. cor. No trees near.

80.20 Intersect first standard parallel S. 16. 90 chs. E. of standard cor. cor. to Secs. 34 and 35, of Twp. 5 S. range 13 W. Set a post, marked and notched, 4 ft. long, 3 in. sqd., 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 1/2 ft. long, 1 1/2 ft. wide, as per instructions, for closing cor. to Secs. 2 and 3, from which Apaleferra, S. in. dia. br. N. 43° E. 169 lbs. dist. No other trees near.

Land level. Soil 2<sup>nd</sup> rate. No timber of any consequence.

BOOK 1179  
 Chains North, between Sections 33 and 34.

Variation  $14^{\circ}57'$  East.

- 3.00 Slough, 50 lbs. wide, bas. E. and W.
- 36.40 Intersect left bank of Gila river, bas. N. of W. Set a post, marked, 4 ft. long, 3 in. sq. d. 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, taken from 1 pit on line S. for cor. to frac. secs. 33 & 34. I now set flag on line on opposite bank of river and measure off a base 100 lbs. N. to point whence flag bas. N.  $2^{\circ}38'E$ , marking distance across stream on line 21.74 chs.
- 58.14 Right bank of river on line. Set a post, marked, 4 ft. long, 3 in. sq. d. 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, taken from 1 pit on line N. for cor. to frac. secs. 33 and 34. from which a cottonwood, 8 in. dia. bas. S.  $60^{\circ}E$ . 42 lbs. dist. The 74 sec. cor. falls in river and cannot be established.
- 80.00 Set a post, marked & notched, 4 ft. long, 3 in. sq. d. 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions for cor. to secs. 27, 28, 33 and 34. No trees near. Land rich bottom. Some trees & brush.

Township

6 South

Range

13 West

24

Sela and Salt River

BOOK

1179

Meridian.

Chains

East, on a random line between Sections 27 and 34.

Variation  $14^{\circ}54'$  East.

- 61.50 Cross river and at -  
Old bank of river bds. S.W.
- 80.13 Intersect N. and S. line 20 hrs. N. of cor. to Secs.  
26, 27, 34 & 35. from which cor. I run  
 $N. 89^{\circ}51' W.$  on true line between secs. 27 & 34.  
var.  $14^{\circ}54'$  East
- 28.42 Intersect left bank of Sela river, bds. S.W. Set a post,  
marked, 4 ft long, 3 in. sqd. ft. in the ground, drive  
charred stake and build mound of earth  
2 ft high, with 1 pit on line E. for cor. to frac-  
tional secs. 27 & 34. I now set flag on  
line on opposite bank of river and measure  
of base 200 hrs. S. to point where flag is.  
 $N. 82^{\circ}42' W.$ , making distance across stream  
on line 15.62 chs.
- 44.04 Right bank of river, on line. Set a post,  
marked, 4 ft long, 3 in. sqd. ft. in the  
ground, drive charred stake and build  
mound of earth 2 ft high, taken from pit on line  
N. for cor. to frac. secs. 27 and 34.  
The 14 sec. cor. falls in river and cannot  
be established.
- 80.13 Cor. to Secs. 27, 28, 33 & 34.  
Land rich bottom. Scattering trees.

Township 6 South Range 13 West  
Gila and Salt River Meridian.

BOOK 1179  
Chains North, between Sections 27 and 28.

Variation 14° 57' East.

- 35.00 Old bank of river bas. W.
- 40.00 Set a post, marked 74 S. 4 ft. long, flat-topped 3 in. wide, 1 ft. in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide as per instructions for 74 sec. cor. No trees near.
- 48.75 Old road bas. S. W.
- 80.00 Set a post, marked and notched, 4 ft long, 3 in. sq. d. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for cor. to Secs. 21, 22, 27 and 28. from which  
 Amesquite, 3 in. dia. bas. N. 53° W. 73 lbs. dist.  
 do. 4 " " " N. 16° W. 112 " "

No other trees near.  
Land level. Soil rich. Scattering trees.

Township

6 North

Range

13 West

26

Gila and Salt River

BOOK 1179 Meridian.

Chains

East, on a random line between Sections 22 and 27.

Variation  $14^{\circ}54'$  East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.  
 79.94 Intersect N. and S. line 13 lns. S. of  
 cor. to Secs. 22, 23, 26, and 27,  
 from which cor. Run  
 $S. 89^{\circ} 54' W.$

On true line between Secs 22 & 27.  
 var.  $14^{\circ}54'$  East.

39.97 Set a post, marked  $\frac{1}{4}$  S.  $4$  ft. long  
 flattened 3 in. wide,  $\frac{1}{2}$  ft. in the  
 ground, drive charred stake and  
 build mound of earth 2 ft high  
 with pits  $\frac{1}{2}$  ft. deep, 2 ft. long,  $\frac{1}{2}$  ft.  
 wide, as per instructions, for  $\frac{1}{4}$   
 sec. cor. from which  
 Amesquite, 6 in. dia. hrs. N.  $3\frac{1}{2}^{\circ} E.$  29 lns. dist.  
 do. 7 " " S.  $5^{\circ} W.$  163 " "

79.94 Cor. to Secs. 21, 22, 27 and 28.

Land level. Soil mostly rich  
 scattering trees.



27 Township 6 South Range 13 West  
Gila and Salt River Meridian.  
BOOK 1179

Chains North, between Sections 21 and 22.  
Variation 14° 54' East.

40.00 Set a post, marked 14 S. 4 ft long,  
flattened 3 in. wide, 1 ft in the  
ground. Drive charred stake and  
build mound of earth 2 ft high  
with pits 1 ft deep, 2 ft long, 1 ft  
wide, as per instructions for 14  
sec. cor.

from which  
A mesquite, 6 in. diameter, S. 65° W. 38 lvs. dist.  
No other trees near.

80.00 Set a post, marked and notched,  
4 ft long, 3 in. sq. 1 ft in the ground,  
drive charred stake and build a  
mound of earth 2 ft high, with pits  
1 ft deep, 2 ft long, 1 ft wide, as per  
instructions for cor. to Secs. 15,  
16, 21 and 22.

No trees near.

Land level.  
Soil good.  
Scattering trees.

Township

6 South

Range

13 West 28

Gila and Salt River

BOOK 1179

Meridian.

Chains

East, on a random line between Sections 15 and 22.

Variation  $14^{\circ}54'$  East.

- 40.00 Set temporary  $\frac{1}{4}$  sec. cor.
- 80.17 Intersect N. and S. line 21 lns. N. of cor. to secs. 14, 15, 22 and 23, from which cor. run N.  $89^{\circ}57'W$ .
- On true line between secs. 15 & 22.  
var.  $14^{\circ}54'$  East.
- 40.09 Set a post, marked  $\frac{1}{4}$  S. 4 ft. long, flattened 3 in. wide, 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions, for  $\frac{1}{4}$  sec. cor.
- No trees near.
- 80.17 Cor. to secs. 15, 16, 21 & 22.

Land level. Soil good.  
A few trees.

Chains North, between Sections 15 and 16.  
Variation 14° 57' East.

40.00 Set a post, marked 1/4 S. 4 ft long, flattened 3 in wide, 1 ft in the ground. Drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 1/4 sec. cor.  
No trees near.

80.00 Remote from stone & timber. Drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, and in center of pit S. E. a few. Drive a stake, marked and notched, 2 ft long, 2 in sq d, 1 ft in the ground, as per instructions for cor. to Secs. 9, 10, 15 and 16.  
Land level. Soil good.  
No timber.

Township

6 South

Range

13 West

50

Gila and Salt River

Meridian.

BOOK 1179

Chains

East, on a random line between Sections 10 and 15.

Variation

14° 54'

East.

40.00 Set temporary 1/4 sec. cor.

80.10 Intersect N. and E. line 14 lks. N. of cor. to secs. 10, 11, 14 and 15, from which cor. Draw N. 89° 54' W.

On true line between secs. 10 & 15. var. 14° 54' East.

40.05 Drive charred stake and build mound of earth 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for 1/4 sec. cor.

80.10 Cor. to Secs. 9, 10, 15 and 16.

Land level.

Soil good.

Destitute of stones and timber

Township 6 South Range 13 West  
Sila and Salt River Meridian.

BOOK 1179

Chains North, between Sections 9 and 10.  
Variation 14° 54' East.

40.00 Set a post, marked  $\frac{1}{4}$  S. 4 ft long, flattened 3 in. wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep 2 ft long, 1 ft wide, as per instructions for  $\frac{1}{4}$  sec. cor.  
No trees near.

80.00 Remote from stone and timber. Drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, and in center of pit S.E. of cor. drive a stake, marked and notched, 2 ft long, 2 in. sqd. 1 ft in the ground, as per instruction for cor. to Secs. 9 and 10.

Land level.  
Soil good.  
No timber

Township

6 South

Range

13 West 32

Tela and Salt River Meridian.

BOOK 1179

Chains

East, on a random line between Sections 3 and 10.

Variation

14°54'

East.

40.00

Set temporary 1/4 sec. cor.

80.31

Intersect N. and S. line 20 lcs.  
S. of cor. to secs. 2, 3, 10 and 11. from  
which cor. Run  
S. 89°51' W.Put true line between secs. 3 and 10.  
var. 14°54' East.

40.16

Set a post, marked 1/4 S. 4 ft long,  
flattened 3 in. wide, 1 ft in the  
ground, drive charred stake  
and build mound of earth 2  
ft high, with pits 1 ft deep, 2  
ft long, 1 ft wide, as per in-  
structions, for 1/4 sec. cor.  
No trees near.

80.31

Con to Secs. 3, 4, 9 and 10.

Land level.

Soil partly good.  
No timber.

33

Township 6 South Range 13 West  
Gila and Salt River Meridian

BOOK 1179  
Chains

True  
North, on a ~~line~~ line between Sections 3 and 4.

Variation 14° 54' East.

40.00 Set a post, marked 1/4 S. 4 ft. long, flat-  
tened 3 in. wide, 1 ft. in the ground, drive  
charred stake and build mound of  
earth 2 ft high, with pits 1 ft. deep,  
2 ft long, 1/2 ft wide, as per instructions  
for 1/4 sec. cor. from which  
Apale runs, 6 in. dia. br. West, 109 lbs. dist.  
No other trees near.

80.51 Intersect first standard S., 16.50 chs. E.  
of standard cor. to Secs. 33 and  
34, of township 5 S. range 13 W.  
Set a post, marked and notched,  
4 ft long, 3 in. sq. d. 1 ft. in the  
ground, drive charred stake  
and build mound of earth 2  
ft high, with pits 1 ft. deep, 2 1/2 ft  
long, 1/2 ft wide, as per instruc-  
tions, for closing cor. to Secs  
3 and 4. No trees near.

Land level. Soil partly good.  
No timber. March 14. 1877.

Township

6 South

Range

13 West

34

BOOK 1179

Sela and Salt River

Meridian.

Chains

North, between Sections 32 and 33.

Variation  $14^{\circ}54'$  East.

40.00

Set a post, marked 4 S. 4 ft. long, flattened 3 in. wide, 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions for 14 sec. cor. from which

A Cottonwood, 15 in. dia. h. N.  $40^{\circ}W$ . 21 lvs. dist.

do. 11 " " S.  $30^{\circ}W$ . 132 " "

80.00

Set a post, marked and notched, 4 ft. long, 3 in. sq. d. 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions for cor. to Secs. 28, 29, 32 and 33 from which

A Willow, 12 in. dia. h. S.  $15^{\circ}E$ . 282 lvs. dist.

A Cottonwood, 9 " " S.  $5\frac{1}{2}^{\circ}W$ . 265 " "

No other trees near.

Land level: soil rich. Scattering timber.



BOOK 1179  
 Chains East, on a random line between Sections 28 and 33.

Variation  $14^{\circ}54'$  East.

- 40.00 Cross river and at  
 Set temporary  $14$  sec. cor.
- 80.15 Intersect N. and S. line 18 lns. S. of cor. to secs. 27, 28, 33  
 and 34, from which cor. I run  
 $S. 89^{\circ}52' W.$ , but true line bet. secs. 28 & 33.  
 var.  $14^{\circ}54'$  East
- 40.07 Set a post, marked  $454$  ft long, flattened  $3$  in. wide,  $4$  ft  
 in the ground, drive charred stake & build mound of  
 earth  $2$  ft high, with pits  $4$  ft deep,  $3$  ft long,  $4$  ft wide,  
 as per instructions, for  $14$  sec. cor. from which  
 A cottonwood,  $9$  in. dia. br.  $N. 1^{\circ} E.$  104 lns. dist.  
 do. 5 " " "  $S. 41^{\circ} W.$  105 " "
- 71.75 Intersect right bank of Gila river, br.  $N. W.$  Set a  
 post, marked,  $4$  ft long,  $3$  in. sqd.  $4$  ft in the ground,  
 drive charred stake & build mound of earth  $2$  ft high,  
 taken from 1 pit on line E. for cor. to frac. secs. 28 & 33.  
 I now set flag on line on opposite bank of river  
 and measure off a base 100 lns. N. to point where  
 flag on line br.  $S. 80^{\circ}35' W.$  making distance across 6.03 chs.
- 77.78 To left bank of river, on line. Set a post, marked,  
 $4$  ft long,  $3$  in. sqd.  $4$  ft in the ground, drive charred  
 stake and build mound of earth  $2$  ft high, taken  
 from 1 pit on line N. for cor. to frac. secs. 28 & 33.
- 80.15 Cor. to secs. 28, 29, 32 and 33.  
 Land rich bottom. Scattering trees.

Chains

North, between Sections 28 and 29.

Variation  $14^{\circ}54'$  East.

- 6.00 Intersect left bank of Sela river, flows nearly N. Seta post, marked, 4 ft long, 3 in. sqd. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, taken from pit on line S. for cor. to frac. sec. 28 & 29. In row set flag on line on opposite bank of river and measure off base 100 lbs. E. to point where flag on line brs. N.  $6^{\circ}16'W$ , marking distance across 9.11 chs.
- 15.11 Right bank of river, on line. Seta post, marked, 4 ft long, 3 in. sqd. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, taken from pit on line N. for cor. to fractional sec. 28 & 29.
- 30.00 Old road brs. S. W.
- 40.00 Seta post, marked 14 in. 4 ft long, flattened 3 in wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 14 sec cor. from which  
 Amesquite, 9 in dia brs. S.  $32^{\circ}W$ . 112 lbs. dist  
 do. 9 " " N.  $84^{\circ}W$ . 72 " "
- 80.00 Seta post, marked & notched, 4 ft long, 3 in. sqd. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for cor. to secs. 20, 21, 28 & 29. No trees near. Land rich bottom. Scattering trees.

7 Township

6 South

Range

13 West

Gila and Salt River

Meridian.

BOOK 1179

Chains

East, on a random line between Sections 21 and 28.

Variation

14° 54'

East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.  
 80.03 Intersect S. and E. line 13. lns. S. of cor. to  
 secs. 21, 22, 27 and 28. from  
 which cor. Run  
 S. 89° 54' W.

On true line between secs. 21 & 28.

var. 14° 54' East

40.01 Set a post, marked  $\frac{1}{4}$  S. 4 ft long,  
 flattened 3 in. wide, 1 ft in the  
 ground, drive charred stake  
 and build mound of earth  
 2 ft high, with pits 1 ft deep, 2  
 ft long, 1 ft wide, as per instruc-  
 tions for  $\frac{1}{4}$  sec. cor.

No trees near.

80.03 Cor. to Secs. 20, 21, 28 & 29.

Land level.

Soil rich.

A few trees.

Township

6 South Range 13 West.

38

Gila and Salt River

BOOK 1179

Meridian.

Chains

North, between Sections 20 and 21.

Variation

14° 54'

East.

40.00

Set a post, marked 14 S. 4 ft. long, flattened 3 in. wide 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for 14 sec. cor.

from which

Amesquite, 5 in. dia. br. East, 11 lvs. dist.

do. 6 " " " S. 43° E. 27 " "

80.00

Set a post, marked and notched, 4 ft long, 3 in. sq. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for cor. to secs. 16, 17, 20 and 21

No trees near.

Land level.

Soil good.

A few trees.

39

Township 6 South Range 13 West  
 Gila and Salt River Meridian.  
 BOOK 1179

Chains East, on a random line between Sections 16 and 21.  
 Variation  $14^{\circ}54'$  East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.  
 80.07 Intersect N. and S. line 13 lvs. S. of  
 cor. to secs. 15, 16, 21 and 22. from  
 which cor. In run  
 $S. 89^{\circ}54' W.$

On true line between secs. 16 & 21.

var.  $14^{\circ}54'$  East

40.04 Set a post, marked  $\frac{1}{4}$  S. 4 ft long,  
 flattened 3 in. wide upon the  
 ground. drive charred stake and  
 build mound of earth 2 ft high  
 with pits 1 ft deep, 2 ft long, 1 ft  
 wide, as per instructions for  $\frac{1}{4}$   
 sec. cor.

No trees near.

80.07 Cor. to Secs. 16, 17, 20 and 21.

Land level.

Soil good.

A few trees.

Township

6 South

Range

13 West

40

BOOK 1179

Meridian.

Gila and Salt River

Chains

North, between Sections 16 and 17.

Variation

14° 54'

East.

40.00

Set a post, marked "4 S. 4 ft. long, flattened 3 in. wide, 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instruction for 1/4 sec. cor.

No trees near.

80.00

Set a post, marked and scratched, 4 ft. long, 3 in. sq. d. 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions for cor. to secs. 8, 9, 16, and 17.

No trees near.

Land level.

Soil good.

November.

44 Township 6 South Range 13 West  
Gila and Salt River Meridian.

BOOK 1179

Chains East, on a random line between Sections 9 and 16.  
Variation  $14^{\circ}54'$  East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.  
80.20 Intersect N. and E. line 15 chs. S. of  
cor to secs. 9, 10, 15 and 16, from  
which cor. Run  
S.  $89^{\circ}54'$  W.

True line between secs 9 & 16.  
var.  $14^{\circ}54'$  East.

40.10 Set a post, marked  $\frac{1}{4}$  S. 4 ft. long,  
flattened 3 in. wide, 1 ft. in the  
ground, drive charred stake  
and build mound of earth 2  
ft high, with pits 1 ft deep, 2 ft  
long, 1 ft wide, as per instructions  
for  $\frac{1}{4}$  sec. cor.  
No trees near.

80.20 Cor. to secs. 8, 9, 16 and 17.

Land level.

Soil good.  
No timber.

Township

6 South

Range

13 West

42

Gila and Salt Rivers

BOOK

1179

Meridian.

Chains

North, between Sections 8 and 9.

Variation

14° 57'

East.

40.00

Set a post, marked by S. 4 ft long, flattened 3 in. wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for 1/4 sec. cor. from which

Apale verde, 5 in. dia. br. N. 40° E. 272 ls. dist.

No other trees near.

80.00

Set a post, marked and notched, 4 ft long, 3 in. sq. d. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for cor. to Secs. 4, 5, 8 and 9. from which

Apale verde, 4 in. dia. br. S. 16° E. 206 ls. dist.

No trees near.

Land level.

Soil good.

A few trees.



43 Township 6 South Range 13 West  
Gila and Salt River Meridian.

BOOK 1179  
Chains East, on a random line between Sections 4 and 9.  
Variation 14°57' East.

40.00 Set temporary 1/4 sec. cor.  
80.19 Intersect N. and S. line 16 lvs. S.  
of cor. to secs. 3, 4, 9 and 10.  
from which cor. Run  
S. 89°53' W.

Continue line between secs. 4 & 9.  
var. 14°57' East.

40.09 Set a post, marked 1/4 S. 4 ft long,  
flattened 3 in. wide, 1 ft. in the  
ground, drive charred stakes  
and build mounds of earth 2  
ft high, with pits 1 ft deep, 2 ft  
long, 1 ft wide, as per instructions  
for 1/4 sec. cor.  
No trees near.

80.19 Cor. to secs. 4, 5, 8 and 9.

Land level.  
Soil good.  
No timber of any  
consequence.

Township

6 South

Range

13 West

44

Gila and Salt Rivers

BOOK

1179

Meridian.

True

Chains

North, on a ~~line~~ line between Sections 4 and 5.

Variation

14° 54'

East.

40.00 Set a post, marked 14 S. 4 ft long. flat-topped 3 in. wide, 1 ft in the ground, drive charred stake and build mound of earth 1 ft high with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 14 sec. cor. from which a pole wide, 4 in. dia. br. East, 155 lbs. dist. No other trees near.

80.44 Intersect first standard S., 16.42 chs. E. of standard cor. to sec. 32 & 33, of T<sub>p</sub>. 5 S. range 13 W. - Set a post, marked and notched, 4 ft long, 3 in. sq. d. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with 3 pits 1 ft deep, 2 1/2 ft long, 1 1/2 ft wide, as per instructions for closing cor. to Sec. 4 & 5, from which a pole wide, 4 in. dia. br. S. 22° E. 127 lbs. dist. No other trees near.

Land level. Soil partly good. A few trees.

BOOK 1179

Chains North, between Sections 31 and 32.

Variation  $14^{\circ}57'$  East.

- 27.98 Intersect left bank Gila river, b.s. S.W. Set a post, marked, 4 ft long, 3 in. sq. ft. in the ground, drive charred stake and build mound of earth 2 ft high with 1 pit on line S. for cor. to fractional secs. 31 and 32, from which a willow, 4 in. dia. b.s. S.  $70^{\circ}E$ , 31 lbs. dist a Cottonwood, 6 " " " N.  $45^{\circ}E$ , 70 " "
- Run set flag on line, on opposite bank of river and measure off a base 341 lbs. N.  $60\frac{1}{4}^{\circ}E$ , to point whence flag on line b.s. N.  $13^{\circ}51'W$ , making distance across stream on line 13.70 chs.
- 41.68 Right bank of river, on line. Set a post, marked, 4 ft long, 3 in. sq. ft. in the ground, drive charred stake and build mound of earth 2 ft high, with 1 pit on line N. for cor. to frac. secs. 31 & 32. The 1/4 sec. cor. falls in river & cannot be established.
- 68.75 Old bank of river, b.s. S.W.
- 77.75 Old road b.s. S.W.
- 80.00 Set a post, marked & notched, 4 ft long, 3 in. sq. ft. in the ground, drive charred stake & build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, for cor. to secs. 29, 30, 31 & 32, from which a mesquite, 7 in. dia. b.s. South, 40 lbs. dist  
 do. 9 " " " N.  $68^{\circ}E$ , 46 " "  
 do. 6 " " " N.  $11^{\circ}E$ , 41 " "
- Land rich bottom. Some timber, mainly mesquite.

Township

6 South

Range

13 West 46

Gila and Salt River Meridian.

BOOK 1179

Chains

East, on a random line between Sections 29 and 32.

Variation  $14^{\circ}54'$  East.

- 79.82 Cross Gila river and at -  
Intersect N. and S. line 19 hrs. S. of cor. to sec.  
28.29.32 & 33, from which cor. In run  
S.  $89^{\circ}52'N$ , on true line between secs. 29 & 32.  
var.  $14^{\circ}54'$  East
- 20.96 Intersect left bank of Gila river, brs. S.W. Set a post, marked,  
4 ft. long, 3 in. sqd. ft. in the ground, drive cherted  
stone & build mound of earth 2 ft high, taken from pit  
on line E. for cor. to frac. secs. 29 and 32.  
In run set flag on line, on opposite bank  
of river, and measure off a base  
300 hrs. S, to a point where we flag on  
line brs. N.  $83^{\circ}13'N$ , marking the dis-  
tance across stream on line, 25.23 chs.
- 46.19 Right bank of river on line. Set a post,  
marked, 4 ft. long, 3 in. sqd. ft. in the  
ground, drive cherted stone and build  
a mound of earth 2 ft high, taken  
from pit on line N. for cor. to frac-  
tional secs. 29 and 32.  
The 4 sec. cor. falls in river, and cannot be established.
- 75.00 Old road brs. S.W.
- 79.82 Cor. to Secs. 29.30.31 & 32.  
Land level. Soil rich bottom.  
Scattering timber.

47 Township 6 South Range 13 West  
Gila and Salt River Meridian.  
BOOK 1179

Chains West, on a random line between Sections 30 and 31.  
Variation  $14^{\circ}54'$  East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.  
78.50 Intersect N. boundary 18 lns. N. of  
cor. to secs. 30 & 31, from which cor. Inm  
 $N. 89^{\circ}52' E.$   
On true line between secs. 30 & 31,  
var.  $14^{\circ}54'$  East  
38.50 Set a post, marked  $\frac{1}{4}$  S. 4 ft. long,  
flattened 3 in. wide, 1 ft. in the  
ground, drive charred stakes and  
build mound of earth 2 ft high  
with pits 1 ft. deep, 2 ft long, 1 ft  
wide, as per instructions for  $\frac{1}{4}$  sec.  
cor. from which  
A mesquite, 4 in. dia. lns.  $N. 73^{\circ}27' W.$  81 lns. dist.  
do. 8 " " "  $N. 30^{\circ}17' W.$  58 " "

78.50 Cor. to secs. 29, 30, 31 and 32.

Land level.  
Soil rich.  
Scattering timber.

March 15, 1877

Township

6 South Range 13 West 48

Gila and Salt River Meridian.

Chains

North, between Sections 29 and 30.

BOOK 1179

Variation 14°54' East.

40.00 Set a post, marked 1/4 ft. long, flattened 3 in. wide, 1 ft. in the ground, drive charr'd stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions, for 1/4 sec. cor. from which

mesquite, 8 in. dia. brs. N. 39° E. 87 brs. dist.

No other trees near.

80.00 Set a post, marked and notched, 4 ft. long, 3 in. sqd. 1 ft. in the ground, drive charr'd stake and build mound of earth 2 ft. high with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions, for cor. to secs. 19, 20, 29 and 30.

No trees near.

Land level.

Soil good.

Scattering trees.

Chains East, on a random line between Sections 20 and 29.  
Variation 14°54' East.

- 40.00 Set temporary 1/4 sec. cor.
- 79.90 Intersect N. and S. line 15 lns. N. of cor. to Secs. 20, 21, 28 and 29, from which cor. Run N. 89°54' W.  
On true line between Secs. 20 & 29. var. 14°54' East
- 39.95 Set a post, marked 1/4 S. 4 ft long, flattened 3 in. wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for 1/4 sec. cor.  
No trees near.
- 79.90 Cor. to Secs. 19, 20, 29 and 30.

Land level.  
Soil good.  
Scattering trees.

Township 6 South Range 13 West 50  
Gila and Salt River Meridian. BOOK 1179

Chains

West, on a random line between Sections 19 and 30.

Variation  $14^{\circ}54'$  East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

78.46 Intersect N. boundary 15 lns. N. of cor. to Secs. 19 and 30. from which cor. Run  $N. 89^{\circ}54' E.$

On true line between Secs. 19 & 30. var.  $14^{\circ}54'$  East

38.46 Set a post, marked  $\frac{1}{4}$  S.  $4\frac{1}{2}$  ft. long, flattened 3 in. wide, 1 ft. in the ground, drive charred stake & build mound of earth 2 ft. high with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions, for  $\frac{1}{4}$  sec. cor.

No trees near.

78.46 Cor. to Secs. 19. 20. 29 & 30.

Land level.

Soil good.

A few trees.



51 Township 6 South Range 13 West  
Gila and Salt River Meridian.

BOOK 1179  
Chains North, between Sections 19 and 20.

Variation 14° 54' East.

40.00 Set a post, marked N. S. 4 ft. long, flattened 3 in. wide, pt. in the ground, drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions, for 4 sec. cor.

No trees near.

80.00 Remote from stone & timber. Drive charred stake & build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, and in center of pit S. E. of cor. drive a stake marked and notched, 2 ft. long 2 in. sq. d. pt. in the ground, as per instructions, for cor. to Secs. 17, 18, 19 and 20.

Land level.

Soil good.  
No timber.

Township

6 South

Range

13 West 52

Gila and Salt River Meridian.

BOOK 1179

Chains

East, on a random line between Sections 17 and 20.

Variation  $14^{\circ}54'$  East.40.00 Set temporary  $\frac{1}{4}$  sec. cor.80.10 Intersect N. and S. line 20 lns. N. of cor. to secs. 16, 17, 20 and 21 from which cor. Run  $N. 89^{\circ} 51' W.$ 

Continue line between secs. 17 &amp; 20.

var.  $14^{\circ}54'$  East40.05 Set a post, marked  $\frac{1}{4}$  S. 4 ft. long, flattened 3 in. wide, 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions for  $\frac{1}{4}$  sec. cor. No trees near.

80.10 Cont. to secs. 17, 18, 19 and 20.

Land level.

Soil good.

No timber.

53 Township 6 South Range 13 West  
Gila and Salt River Meridian.

BOOK 1179

Chains West, on a random line between Sections 18 and 19.

Variation  $14^{\circ}54'$  East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.  
78.40 Intersect N. boundary 14 chs. N.  
of cor. to secs. 18 and 19, from  
which cor. Run  
 $N. 89^{\circ}54' E.$

True line between secs. 18 & 19.  
var.  $14^{\circ}54'$  East

38.40 Set a post, marked  $\frac{1}{4}$  S. & along  
flattened 3 in wide, 1 ft. in the ground.  
Drive charred stake and build  
mound of earth 2 ft high, with  
pile 1 ft deep, 2 ft long, 1 ft wide,  
as per instructions, for  $\frac{1}{4}$  sec. cor.  
No trees near.

78.40 Cor. to secs. 17, 18, 19 and 20.

Land level.

Soil mostly good.  
No timber.

Township 6 South Range 13 West 574  
Gila and Salt River BOOK 1179  
Meridian.

Chains North, between Sections 17 and 18.

Variation 14° 54' East.

40.00 Set a post, marked  $\frac{1}{4}$  S. 4 ft long, flattened 3 in. wide, 1 ft in the ground, drive charred stake and build mounds of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for  $\frac{1}{4}$  sec. cor. from which  
Apale verde, 10 in. dia. brs. S. 42° W. 193 lns. dist.  
No other trees near.

80.00 Set a post, marked & notched, 4 ft long, 3 in. sq. 1 ft in the ground, drive charred stake and build mounds of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for cor. to Secs. 7, 8, 17 and 18.  
from which  
Apale verde, 5 in. dia. brs. N. 9° E. 73 lns. dist.  
do. 8 " " N. 80° E. 91 " "  
No other trees near.

Land level. Soil good. Scattering trees.

Chains East, on a random line between Sections 8 and 17.  
Variation  $14^{\circ}57'$  East.

- 40.00 Set temporary 1/4 sec. cor.
- 80.22 Intersect N. and S. line 16 lks. N. of cor. to secs. 8, 9, 16 and 17, from which cor. I run N.  $89^{\circ}53' W.$   
Old line between secs. 8 & 17.  
var.  $14^{\circ}54'$  East
- 40.11 Set a post, marked 1/4 S. 4 ft. long, flattened 3 in. wide, 1 ft. in the ground, drove chawed stake and build mound of earth 2 ft. high with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions for 1/4 sec. cor.  
No trees near.
- 80.22 Cor. to secs. 7, 8, 17 & 18.

Land level.  
Soil good.  
A few trees

Township

6 South

Range

13 West

56

BOOK 1179

Gila and Salt River

Meridian.

Chains

West, on a random line between Sections 7 and 18.

Variation

14° 54'

East.

40.00 Set temporary 1/4 sec. cor.

78.38 Intersect N. boundary 12 las. N. of cor to secs. 7 and 18. from which cor. In run N. 89° 55' E.

Outline line between secs. 7 & 18.

var. 14° 54' East.

78.38 Set a post, marked 1/4 S. 4 ft long, flattened 3 in. wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for 1/4 sec. cor. No trees near.

78.38 Cor. to secs. 7, 8, 17 & 18.

Land level.

Soil good.

A few trees.

57 Township 6 South Range 13 West  
Gila & Salt River Meridian.  
BOOK 1179

Chains North, between Sections 7 and 8.

Variation  $14^{\circ} 57'$  East.

40.00 Set a post, marked  $\frac{1}{4}$  S. 4 ft long,  
flattened 3 in. wide, 1 ft in the  
ground. Drive charred stake  
and build mound of earth 2  
ft high, with pits 1 ft deep, 2 ft  
long. 1 ft wide, as per instructions  
for 1/4 sec. cor.

No trees near.

80.00 Set a post, marked  $\frac{3}{4}$  notched,  
4 ft long, 3 in. sq. 1 ft in the  
ground. Drive charred stake  
and build mound of earth 2  
ft high, with pits 1 ft deep, 2 ft  
long, 1 ft wide, as per instruc-  
tions, for cor. to secs. 5, 6, 7,  
and 8, from which

Apale side, 6 in. dia. bar. N.  $12^{\circ}$  E. 18 (1/2) m. dist.  
No other trees near.

Land level.

Soil good.

A few trees

Township

6 South

Range

13 West <sup>50</sup>

BOOK 1179

Meridian.

Gila and Salt River

Obains

East, on a random line between Sections 5 and 8.

Variation

14° 54'

East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.79.95 Intersect N. and S. line 11 hrs. S. of  
cor. to Secs. 4, 5, 8 and 9. from  
which cor. In run  
S. 89° 55' W.

Continue line between Secs. 5 &amp; 8.

var. 14° 54' East.

39.98 Set a post, marked  $\frac{1}{4}$  S. 4 ft long,  
flattened 3 in. wide, 7 ft. in the  
ground, drive charred stake and  
build mound of earth 2 ft  
high with pits 4 ft deep. 2 ft long  
1 ft wide, as per instructions  
for  $\frac{1}{4}$  sec. cor.

No trees near.

79.95 Cor. to Secs. 5, 6, 7 and 8.

Land level.

Soil mostly good.  
No timber.



59 Township 6 South Range 13 West  
Gila and Salt River Meridian.

BOOK 1179

Chains West, on a random line between Sections 6 and 7.

Variation 14° 34' East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.  
78.45 Intersect N. boundary 20 lks. S.  
of cor. to secs. 6 and 7, from  
which cor. I run  
S. 89° 51' E

On true line between secs. 6 & 7.  
var. 14° 54' East.

38.45 Set a post, marked  $\frac{1}{4}$  S. 4 ft.  
long, flattened 3 in. wide, 1 ft. in  
the ground, drive charred  
stake and build mound of  
earth 2 ft. high, with pits 1 ft.  
deep, 2 ft. long, 1 ft. wide, as per  
instructions for  $\frac{1}{4}$  sec. cor.  
Notches near.

78.45 Cor. to secs. 5, 6, 7, and 8.

Land level.

Soil good.

No timber.

Township

6 South

Range

13 West

BOOK

1179

Meridian

Gila and Salt River

True

Chains

North on a ~~1~~ line between Sec's 5 and 6.Variation  $14^{\circ} 54'$  East.

40.00

Set a post marked 4 S. 4 ft long, flattened  
3 in. wide, 1 ft in the ground, drive charred  
stake and build mound of earth 2 ft high,  
with pits 1 ft deep, 2 ft long, 1 ft wide, as per  
instructions for 4 sec. cor. from which  
Apale verde, 6 in. dia. brs. S. 8° E. 49 lbs. dist.  
No other trees near.

80-21

Intersect first standard parallel S,  
16.50 chs. E. of standard cor. to Secs  
31 and 32, of T. P. 5 S. Range 13 W.  
Set a post marked & notched, 4 ft long,  
3 in. sq. d. 1 ft in the ground, drive charred  
stake and build mound of earth  
2 ft high, with 3 pits 1 ft deep, 2 1/2 ft  
long, 1 1/2 ft wide, as per instruc-  
tions for closing cor. to Secs. 5  
and 6, from which  
Apale verde 6 in. dia. brs. S. 40° E. 50 lbs. dist.  
No other trees near.

Land level. Soil poor. Scattering trees

March 16, 1877.

61  
General Description

---

BOOK 1179

This township lies along the Gila valley, the river running through the southern portion of the township. There is considerable rich bottom land in the township which can be irrigated from the river in which there is an abundance of water for such purpose.

Theodore F. White  
U. S. Deputy Surveyor

---

## List of Names.

No. 1179

A List of the Names of Individuals employed  
to assist in running, measuring, or marking the  
lines and corners described in the foregoing Field  
Notes of the survey of

The Subdi-  
vision Lines of Town-  
ship 6 South, Range  
13 West, of the Gila  
and Salt River Me-  
ridian, Arizona

Showing the respective capacities in which they  
acted.

P. V. Coldwell Chainman.

Urbain Bessard Chainman,

Fred. C. Jones Axeman.

Allan Bernard Flagman.



63

# Final Oath of Assistants.

BOOK 1179

We hereby certify that we assisted Theodore  
F. White U. S. Deputy Surveyor, in  
 surveying The Subdivision Lines  
of Township 6 South,  
range 13 West, of the  
Gila and Salt River  
Meridian, Arizona,

and that said Survey has been in all respects, to  
 the best of our knowledge and belief, well and  
 faithfully executed, and the boundary monuments  
 planted according to the instructions furnished by  
 the Surveyor-General.


P. K. Caldwell Chainman.

Urbain Bessard Chainman,

Fred. G. Jones Axeman.

Alta Berman Flagman.

Sworn to and subscribed before me, this 28<sup>th</sup>  
 day of April, 1877



John P. Paull  
 Notary Public.

## Final Oath of Deputy Surveyor.

I, *Theodore F. White*

U. S. Deputy Surveyor, do solemnly swear that  
 in pursuance of a contract with John Wasson,  
 United States Surveyor-General for Arizona, bear-  
 ing date the *7<sup>th</sup>* day of *December*

1876. I have well, faithfully and truly, in my  
 own proper person, and in strict conformity with  
 the instructions furnished by the Surveyor-Gener-  
 al, the Surveying Manual, and the laws of the  
 United States, surveyed all those portions of

*The Subdivision Lines of*  
*Township 6 South, Range*  
*13 West of the Gila and*  
*Salt River Meridian,*  
*Arizona*

as are repre-  
 sented in the foregoing Field Notes as having  
 been surveyed under my directions; and I do  
 further solemnly swear that all the corners of  
 said surveys have been established and perpet-  
 uated in strict accordance with the Surveying  
 Manual and printed instructions, and also in ac-  
 cordance with the additional requirements con-

65  
T  
BOOK 1179

tained in circular instructions from the U. S. Surveyor-General for Arizona, dated September 1, 1873, regarding the establishment of corner boundaries of public surveys, and that the foregoing are the true and original Field Notes of such surveys.

Theodore J. White  
Deputy Surveyor.

Sworn to and subscribed before me, this 28<sup>th</sup>  
day of April, 1877.

John R. Faull  
Notary Public.



U. S. Surveyor General's Office,

TUCSON, ARIZONA, August 6, 1877.

The foregoing Field Notes of the Survey of the

Subdivision Lines of  
Township 6 South,  
Range 13 West,

Of the Gila and Salt River Base and Meridian, Arizona, execu-  
ted by Theodore F. White

Deputy Surveyor, under his contract of the 4<sup>th</sup>  
day of December, 1876, having been

critically examined and the necessary corrections and explana-  
tions made, the said Field Notes and the surveys they describe  
are hereby approved.

John Masson,  
Surveyor General.