

1180

No. 1180

BOOK 1180

Field Notes

OF THE SURVEY OF THE

SUBDIVISION LINES

No. 1180

-OF- BOOK 1180

Township 8 S

Range 24 W

and 2 ps. Grant 10 S range 25 W
Gila and Salt River Base and Meridian

ARIZONA.

By

Theo. F. White

D. S.

under contract dated July 7 1873.

Survey commenced Febry 6 1874.

Survey completed Febry 19 1874.

Index for T.9S., R. 25 W. on Page 21
 Index for T.10S., R. 25 W. on Page 28-A

1A

4-674.

Township *8 S.* R. *24 N. E. & R. B. M.*

BOOK 1180

6	5	4	3	2	1			
7	8	9	10	11	12			
18	17	16	15	14	13			
19	20	21	22	23	24			
30	29	28	14	27	8	26	3	25
31	32	33	11	34	6	35	1	36

Handwritten red annotations:
 A red line runs horizontally across sections 21, 22, 23, and 24.
 A red line runs vertically through sections 21, 28, and 33.
 Red numbers are written in sections 22, 23, 24, 27, 28, 29, 30, 31, 32, 33, 34, and 35.
 Section 22 contains red numbers 17, 16, 15, 10, 9, 5, 4.
 Section 23 contains red numbers 9, 5.
 Section 24 contains red numbers 4.
 Section 27 contains red numbers 8, 26, 3, 25.
 Section 28 contains red numbers 14, 27, 8, 26, 3, 25.
 Section 29 contains red numbers 13, 12, 7, 2.
 Section 30 contains red numbers 14, 27, 8, 26, 3, 25.
 Section 31 contains red numbers 13, 12, 7, 2.
 Section 32 contains red numbers 11, 34, 6, 35, 1, 36.
 Section 33 contains red numbers 11, 34, 6, 35, 1, 36.
 Section 34 contains red numbers 11, 34, 6, 35, 1, 36.
 Section 35 contains red numbers 11, 34, 6, 35, 1, 36.
 Section 36 contains red numbers 11, 34, 6, 35, 1, 36.

7919b5m4-03

Meanders of Colorado River, 18-19.

T. 8 S., R. 24 W., page 1.
 T. 10 S., R. 25 W., page 29.
 T. 9 S., R. 25 W., page 23.

W.

Mendocino

Co. 6

36

ary.

le, 1/2 in

1/2 ft high

at base cor.

low list

" "

d. of fine

of fine st

as in

which

list

"

"

"

Timber



Township 8 S. R. 24 W.

Gda and Salt River Meridian

Beginning on S. boundary at cor. to
Secs. 35 and 36. Iron

North between sec. 35 & 36.

041. 13° 36' East

As per East boundary.

40.00 Set a post, marked 14 S, 4 ft long, flattened 3 in. wide, 1 ft from
the ground, drive chisel steel and build mound of earth 2 ft high
with pits 1 ft deep, 2 ft long, 1 ft wide, all as per instructions for trace cor.
from which

A mesquite 12 in. dia. br. N. 41 3/4° E. 276 lbs. dia.

do. 14 " " N. 20° W. 94 " "

80.00 Set a post, marked and notched, 4 ft long, 3 in. sq. d., 1 ft from
the ground, drive chisel steel and build mound of earth
2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, all as per in-
struction for cor. to sec. 25, 26, 35 & 36. from which

A mesquite 13 in. dia. br. N. 10° W. 143 lbs. dia.

do 8 " " N. 55 1/2° W. 56 " "

do 12 " " S. 34 1/2° W. 58 " "

do 7 " " N. 89° E. 139 " "

Sand lead: Sid & Strite, Mesquite timber
Bunch.

Township 8 S. R. 24 W.

Island Salt River, Mendocino

On East meander line bet sec. 25 & 26
cor. 13° 36' East.

40.00 Set post for temporary 1/4 sec. cor.

79.56 Intersect E. boundary 19 ls. N. of cor.
to sec. 25 & 26, from which cor. In run
N. 89° 52' W.

On true line between sec. 25 & 26.
cor. 13° 36' East.

39.78 Set a post, marked 1/4 S. 4 ft long, flattened &
3 in. wide, upon the ground, drive charred
stake and build mound against it 2 ft high,
with pits 1 ft deep, 2 ft long, 1 ft wide, all in perma-
nents structures for 1/4 sec. cor. from which
Mesquite 10 in. dia. ls. S. 75 1/2° W. 167 ls. dia
do. 6 " " " N. 16° W. 101 " "

79.56 The cor. to sec. 25, 26, 35 & 36.

Land level. Soil good. Some Mes-
quite timber and brush.

Township 8 S. R. 24 N.

Eda and Salt River Headman

Run North between secs. 25th & 26.
var. 13° 36' East

- 40.00 Set a post, marked ^{1/2}S. 4 ft long, flattened 3 in. wide,
1 ft in the ground, drive charred stake and build
mound of earth 2 ft high, with pits 1 ft deep, 2 ft
long, 1 ft wide, all as per instructions for these
cor. from which ^{Amesquite 9 in. dia. br. S. 66 1/2° W. 74 ft long dist}
^{do. 6. " " N. 34° E. 75 "}
- 80.00 Set a post, marked and notched, 4 ft long,
3 in. squared, 1 ft in the ground, drive
charred stake and build mound of
earth 2 ft high, with pits 1 ft deep, 2 feet
long, 1 ft wide, all as per instructions
for cor. to secs. 23, 24, 25 and 26.
No trees near.

Land lead

Soil good

Thick arrow wood brush

No timber.

Township 8 S. R. 211 W.
Gila and Salt River Meridian

1/2 East on random line bet. sec. 24 & 25.
cor. 13° 36' East

40.00 Set post for temporary 1/4 sec. cor.

79.80 Intersect E. boundary 15 hrs. S. of cor. to
sec. 24 & 25 from which cor. Draw
S. 89° 54' W.

Outline line between sec. 24 & 25.
cor. 13° 36' East

39.90 Set a post marked 1/4 S. 4 ft long, flattened
3 in wide, 1/2 in thick, ground, drive chanced
stake and build mound of earth 2 ft high,
with pit 1 ft deep, 2 ft long, 1 ft wide, all as
per instructions for 1/4 sec. cor. from which
I was quite 13 in dia. cor. N. 32 1/2° W. 197 hrs. dist.
No other trees near.

79.80 The cor. to sec. 23, 24, 25 and 26.
Land lead. Soil good.
Brush, scattering trees.

Township 8 S. R. 24 W.
Tila and Salt River Meridian

As North between sec. 23 & 24.

var. $13^{\circ}36'$ East.

40.00 Set a post, marked "S. 4 ft long, 3 ft broad 1 in wide, 1 ft in the ground,
drive chisel stone and build mound of earth 2 ft high, with pits 1 ft
deep, 2 ft long, 1 ft wide, all as per instructions for these co. from which
Azimuth 13 in. dia. bearing $S. 65\frac{1}{2}^{\circ} W. 350$ ls. dist
do. 10 . . . $N. 15^{\circ} E. 196$. . .

43.15 Intersect the old S. boundary of the State of California
and which is the S. boundary of Twp. 16 S, R. 22 E. of the
San Bernardino Meridian, 10.25 Chs. N. of cor. to sec.
31 and 32, of said Township, where I set a post,
properly marked, 4 ft long, 3 in. squared, 1 ft in the ground,
drive chisel stone and build mound of earth 2 ft high,
with pits 1 ft deep, 2 ft long, 1 ft wide, all as per instructions for
co. to fractional sec. 23 & 24. from which
Azimuth 5 in. dia. bearing $N. 13^{\circ} E. 374$ ls. dist
do 10 . . . $S. 20\frac{3}{4}^{\circ} E. 135$. . .
do 5 . . . $N. 68^{\circ} E. 221$. . .
Land Coal. Soil good. Thick brush.

Township 8 S. R. 24 W.
Eda and Salt River Meridian

No North between sec. 34 & 35.
var. 13' 36" East

40.00 Set a post, marked W.S. 4 ft long, flattened 3 in wide,
1 ft in the ground, drive chased stake and build
mound of earth 2 ft high, with pit 1 ft deep, 2 ft
long, 1 ft wide, all as per instructions for these sec. from which
A mesquite 9 in dia. var. N. 88° E. 91 lbs. dist
do 8 " " " N. 57 1/4° W. 127 " "

80.00 Set a post, marked and notched, 4 ft long, 3 in sqd,
1 ft in the ground, drive chased stake and build
mound of earth 2 ft high, with pit 1 ft deep, 2 ft
long, 1 ft wide, all as per instructions for cor. to sec.
26, 27, 34 and 35. from which
A willow 6 in dia. var. S. 44 1/2° W. 41 lbs. dist
A mesquite 11 " " " S. 80 3/4° W. 88 " "
do 5 " " " N. 50 1/2° W. 131 " "
do 4 " " " N. 30 1/2° W. 84 " "

Good land. Soil good. Mesquite, Cal-
barnwood and willow trees. Brush.

Township 8 S. R. 24 N.

Ida and Salt River Meridian

As East on random line bet sec. 26 & 35.
var. $13^{\circ}36'$ East

40.00 Set post for temporary 1/4 sec. cor.

80.21 Intersect N. and S. line 12 lvs. S. of cor. to
sec. 25, 26, 35 & 36, from which cor. runs
S. $89^{\circ}55'$ N.

On true line between sec. 26 & 35.
var. $13^{\circ}36'$ East

40.10 Set a post, marked by S. 4 ft long, flat-
tined 3 in. wide, 1 ft in the ground, drive
chained stake and build mound of earth
2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide,
all as per instructions for 1/4 sec. cor. from which
A mesquite 3 in. dia. var. S. 73° E. 166 lvs. dist
No other trees near.

80.21 The cor. to sec. 26, 27, 34 and 35.
Sand clad. Soil 1st rate. Brnch.
Scattering trees.

Township 8 S. R. 24 W.
Gila and Salt River Meridian

To North between N 4 27
var. 13° 36' East

40.00 Set a post marked with 1/2 lb long, flattened 3 in wide,
1 ft in the ground, drive charred stakes and build
mound of earth 2 ft high, with pits 1 ft deep, 2 ft
long, 1 ft wide, all as per instructions for these cor.
from which

Amesquite 6 in dia. N. 57 1/2° E. 103 lbs dist

do. 8 " " " S. 51° E. 157 " "

80.00 Set a post, marked and notched, 4 lb long, 3 in sq,
1 ft in the ground, drive charred stakes, and build
mound of earth 2 ft high, with pits 1 ft deep, 2 ft long,
1 ft wide, all as per instructions for cor. to sec.

22, 23, 26 and 27. from which

Amesquite 4 in dia. S. 66° W. 57 lbs dist

do. 6 " " " S. 18 3/4° W. 140 " "

do. 4 " " " S. 57 3/4° E. 249 " "

Another tree near. Sand level. Soil good.
Mesquite and some cottonwood & willow.

Township 8 S. R. 24 W.
 Elda and Salt River Meridian

The East meridian line bet. sec. 23¹/₂ 26.
 var. 13° 36' East

40.00 Set post for temporary 1/4 sec. cor.

80.06 Intersect N. 1/2 S. line 43 ch. S. of cor. to sec.
 23, 24, 25 and 26, from which cor. Run
 S 89° 42' W.

Patent line between sec. 23¹/₂ 26.
 var. 13° 36' East

40.03 Set a post, marked 1/4 S. 4 ft long, flattened
 3 in. wide, 1 ft in the ground, drove chased
 stake and build mound of earth 2 ft high,
 with pit 1 ft deep, 2 ft long, 1 ft wide, all as per
 instructions for 1/4 sec. cor. from which
 A measuring 6 in dia. bar. S. 33 1/4° E. 331 hundred ft
 No other trees near.

80.06 The cor. to sec. 22, 23, 26 and 27.
 Sand lead. Soil good. Brush.
 Scattering trees.

Township 8 S. R. 24 N.
Gila and Salt River Meridian

No. North between sec. 22 & 23,
cor. 13° 36' East

37.62 Intersect old boundary line, the S.
boundary of Tps. 16 S. R. 21 E. of the
San Bernardino Meridian, 10.31 chs.
N. of cor. to sec. 31 and 36 and cor. to
Tps. 16 S. Rps 21 and 22 E. of the San
Bernardino Meridian, and set a post
properly marked, 4 ft long, 3 in. squared,
1 ft in the ground, drive charred stake and
build mound a fourth 2 ft high with
sub 1 ft deep, 2 ft long, 1 ft wide, all as
per instructions for cor. to fractional
Secs. 22 and 23, from which
A willow *C. indica* N. 55° E. 136 chs. dist.
do. 5 " " S. 49 1/2° W. 77 " "
Land lead. Soil good.
Very brushy. Scattering trees.
February 18. 1874.

Township 8 S. R. 24 W.

Sida and Salt River Meander

Rs. North between sec. 33rd, 34th
 cor. 13° 36' East

40.00 Set apart, marked 1/4 S. 4 ft long, flattened 3
 in. wide, 1 ft in the ground, drive channel stake
 and build mound across it 2 ft high, with pits 1 ft
 deep, 2 ft long, 1 ft wide, all as per instructions for
 these cor. from which

A willow 8 in. dia. base, S. 63 1/2° E. 127' length

A cottonwood 8 " " N. 44° W. 125 " "

80.00 Set apart, marked and notched, 4 ft long, 3 in.

sq. d. 1 ft in the ground, drive channel stake and
 build mound across it 2 ft high, with pits 1 ft deep,
 2 ft long, 1 ft wide, all as per instructions for cor. to sec.
 27, 28, 33 and 34, from which

A dead mesquite 11 in. dia. base, S. 57° W. 42' length
 No other trees near.

Sand land. Soil good.

Very brushy. Scattering trees.

Township 8 S R. 34 W.

Sida and Salt River Meridian

Sec. East. on random line bet. sec. 27 & 34.
var. 13° 36' East.

40.00 Set post for temporary 1/4 sec. cor.

79.84 Intersect N. and S. line 21 les. S. of cor. to
Sec. 26, 27, 34 and 35, from which cor. run
S. 89° 51' W.

On line line between sec. 27 & 34.
var. 13° 36' East.

39.92 Set a post marked 1/4 S. 4 ft long, flattened
3 in wide, 1/2 in the ground, drive chisel steel
and build mound of earth 2 ft high, with pits
1 ft deep, 2 ft long, 1 ft wide, all as per metric
town for 1/4 sec. cor. from which
A willow 9 in dia. bet. N. 50 3/4 W. 77 les. dist
No other trees near.

79.84 The cor. to sec. 27, 28, 33 and 34.
Sand lead. Soil good.
Some willow trees. Brush.

Township 8 S. R. 21 W.
 Gila and Salt River Meridian
 In West on true line bet. sec. 28 & 33.
 cor. 13° 36' East

40.00 Set a post, marked 1/4 S. 4 ft long, flattened 3 in.
 wide 1 ft in the ground, drive charred stake and
 build mound of earth 2 ft high, with pit 1 ft deep,
 2 ft long, 1 ft wide, all as per instruction for these cor. from which
 A cottonwood 5 in. dia. bet. S. 83° W. 10 ls. dist
 A willow 5 " " " S. 76 1/2° E. 33 " "

48.00 Bank of Colorado river, bet. S. W.
 Set a post, properly marked, 4 ft long, 3 in.
 sq. d. 1 ft in the ground, drive charred stake
 and build mound of earth 2 ft high, with
 pit 1 ft deep, 2 ft long, 1 ft wide, all as per in-
 struction for cor. to fractional sec. 28
 and 33. from which
 A willow 6 in. dia. bet. S. 84° E. 55 ls. dist
 do. 7 " " " S. 34 1/2° E. 45 " "
 The river is here 16.50 chs. wide.
 Thick cottonwood and willow timber.
 Soil good.

Township 8 S. R. 24 W.
Sala and Salt River Meridian

No North between sec. 27¹/₂ 28
and 13° 36' East

140.00 Set a post, marked 1/2 in. 4 ft long, flattened 3 in. wide,
1 ft in the ground, drive charred stakes and build mound of
earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, all as per
instructions for W. sec. cor. from which

A. Mesquite 6 in. dia. base S. 41¹/₂° W. 33 lbs. dist.
do. 4 " " " S. 66¹/₂° W. 19 " "

50.00 Set a post, marked and notched, 4 ft long, 3 in. sqd
1 ft in the ground, drive charred stakes and build mound
of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide,
all as per instructions for cor. to sec. 21, 22, 27
and 28. from which

A. Willow 8 in. dia. base N. 41° E. 113 lbs. dist.
do. 4 " " " N. 35° W. 31 " "
do. 3 " " " S. 80¹/₂° W. 29 " "
do. 5 " " " S. 40¹/₂° E. 51 " "

Land level. Soil good.

Thick willow. Some cottonwood.

Township 8 S. R. 24 W.
Gila and Salt River Meridian

No East. in random line bet sec. 22 & 27
var. 13° 36' East

40.00 Set post for temporary 1/4 sec. cor.

80.13 Intersect N. and S. line 18 hrs. S. of cor. to sec.
22, 23, 26 and 27, from which cor. Run
S. 89° 52' W.

Outline line between sec. 22 & 27
var. 13° 36' East

40.06 Set apart, marked 1/4 S. 1/4 pt. long, flattened 3 in.
wide, 1 ft in the ground, drive charred stake and
build mound approx 2 ft high, with pile 1 ft deep,
2 ft long, 1 ft wide, all per instructions for 1/4
sec. cor. from which

A magnetic 3 mile circle N. 85° E. 22 hrs. dist

do. 3 " " " N. 34 1/2° E. 32 " "

80.13 The cor. to secs. 21, 22, 27 and 28.
Land level. Soil good.

Mesquite, Cottonwood and willow
timber.

Township 8 S. R. 74 W.
 Gda and Salt River Meridian

Ln West. corner line bet. sec. 21 & 28.
 cor. $13^{\circ} 36'$ East

15.00 Bank of Colorado river, runs S. W.
 Set apart, marked, 1 ft. long, 3 in. sq. d.
 1 ft. in the ground, drive charred stake
 and build mound of earth 2 ft. high,
 with pits 1 ft. deep, 2 ft. long, 1 ft. wide, all
 as per instructions for cor. to frac-
 tional sec. 21 and 28.

from which

St. willows 8 in. dia. br. N. 80° E. 40 br. dist
 do. 9 " " " S. 20° W. 39 " "

Bronchy along banks.

Township 8 S. R. 24 N.
Gila and Salt River Meridian

to North between secs. 21 & 22.
var. $13^{\circ}36'$ East.

28.50 Bank of Colorado river, runs S.W.
Set a post, marked, 4 ft. long, 3 in. sq'd,
1 ft. in the ground, drive charred stakes
and build mound of earth 2 ft. high,
with pits 1 ft. deep, 2 ft. long, 1 ft. wide,
all as per instructions for cor. to frac-
tional secs. 21 and 22.
No trees near.

Land level. Soil good. Brush.

Township 8 S. R. 21 W.
Gila and Salt Rivers Meander

Meanders of the left bank of the Gila and Salt Rivers through the township.

Begin in S. boundary of township, at the corner of fractional secs. 33 and 34, on the left and S.E. bank of the river, and run thence upstream with the meanders of the river, as follows:

In sec. 33 I run

Course	Distance	
N. 19° E.	211.40	Willows
N. 11½° E.	15.00	and arrowweed
N. 18° E.	18.70	brush along banks.
N. 23½° E.	19.60	
N. 23° E.	7.10	To corner of frac. secs. 28 & 33. Thence in sec. 28.
N. 20° E.	33.00	
N. 23° E.	14.60	Considerable wood piled up
N. 24½° E.	13.20	at various points along
N. 25° E.	15.80	river.

Township 5 S. R. 21 E.

Gila and Salt Rivers Meridian

Course	Distance	
N. 32° E.	5.00	
N. 33° E.	5.00	To corner of frac. secs. 21 & 28. Thence in sec. 21.
N. 28° E.	31.60	To corner of frac. secs. 21 & 22 Thence in sec. 22
N. 26° E.	4.10	To cor. at intersection of old boundary line and river, set by myself and which cor. is S. 85° 30' W. 8.75 chs. dist. from cor. to secs. 35 and 36, of Twp. 16 S., R. 21 E., of the San Bernardino Meridian. The original cor. at the intersection of old boundary and river is not existing. The river has evidently come into the Canal along here.

February 19, 1874

Township 8 S. R. 24 W.

Ida and Salt River Meridian

No. General Description

This fractional Township has the old boundary between the United States and Mexico for its northern boundary and the Colorado river for its W. boundary.

The soil is good and is covered with thick undergrowth of mesquite, cottonwood and willow.

Thos. F. White

U.S. Dep. Surveyor

LIST OF NAMES.

A List of the Names of Individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing Field Notes of the survey of *the subdivision and meander lines of township 8 S. range 24 W. of the Gta and Salt River Meridian*

Showing the respective capacities in which they acted.

J. D. Phillips Chairman.

R. A. Vasquez Chainman.

Fred. C. Jones Axeman.

J. M. C. Elliott Flagman.

FINAL OATH OF ASSISTANTS.

WE hereby certify that we assisted Theodore
P. White U. S. Deputy Surveyor, in
 surveying the subdivision and me-
under lines of township 8 S.
range 24 W. of the Gila and
Salt River Meridian

and that said Survey has been in all respects, to
 the best of our knowledge and belief, well and
 faithfully executed, and the boundary monu-
 ments planted according to the instructions fur-
 nished by the Surveyor-General.

J. P. Phillips Chainman.
B. A. Vargas Chainman.
Fred C. Jones Axeman.
J. M. C. Cottrell Flagman.

Sworn to and subscribed before me, this 30
 day of March, 1874

J. J. [Signature]
 Notary Public.

FINAL OATH OF DEPUTY SURVEYOR.

I, Theodore F. White

U. S. Deputy Surveyor do solemnly swear that,
 in pursuance of a contract with John Wasson,
 United States Surveyor-General for Arizona, bear-
 ing date the 7 day of July

1873 I have well, faithfully and truly, in my
 own proper person, and in strict conformity with
 the instructions furnished by the Surveyor-Gener-
 al, the Surveying Manual, and the laws of the
 United States, surveyed all those portions of

the subdivision and meander
lines of townships 8 S. range
24 W. of the Gila and Salt
River Meridian

as are repre-
 sented in the foregoing Field Notes as having

been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and also in accordance with the additional requirements contained in circular instructions from the U. S. Surveyor-General for Arizona, dated September 1, 1873, regarding the establishment of corner boundaries of public surveys, and that the foregoing are the true and original Field Notes of such surveys.


Theodore F. White

Deputy Surveyor.

Sworn to and subscribed before me, this 30
day of March, 1874

H. J. ...

Notary Public.



PRELIMINARY OATHS OF ASSISTANTS.

WE, *J. D. Phillips*
 and *R. A. Vasquez*
 do solemnly swear that we will faithfully execute
 the duties of Chain Carriers: that we will level the
 chain upon uneven ground, and plumb the tally
 pins, whether by sticking or dropping the same;
 that we will report the true distance to all notable
 objects, and the true length of all lines that we as-
 sist in measuring, to the best of our skill and
 ability.

J. D. Phillips
R. A. Vasquez

Sworn to and subscribed before me, this *29*
 day of *December*, 1873

H. H. H. H.
Notary Public.

No. 1180

LIST OF NAMES.

A List of the Names of Individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing Field Notes of the survey of *The Subdivision and meander lines of Township 9 S. range 25 W. of the Gila and Salt River Indian*

Showing the respective capacities in which they acted.

J. D. Phillips Chainman.

R. A. Vasquez Chainman.

Fred C. Jones Axeman.

J. M. C. Elliott Flagman.

FINAL OATH OF ASSISTANTS.

WE hereby certify that we assisted Theodore
S. White U. S. Deputy Surveyor, in
 surveying the subdivision and me-
ander lines of township 9 S.
range 25 N. of the Gila and
Salt River Meridian

and that said Survey has been in all respects, to
 the best of our knowledge and belief, well and
 faithfully executed, and the boundary monu-
 ments planted according to the instructions fur-
 nished by the Surveyor-General.

J. P. Phillips Chairman.

R. A. Vogle Chairman.

Chad Stone Axeman.

J. W. Elliot Flagman.

Sworn to and subscribed before me, this 30
 day of March, 1874

W. H. Gray
 Notary Public.

FINAL OATH OF DEPUTY SURVEYOR.

I, Theodore J. White

U. S. Deputy Surveyor do solemnly swear that, in pursuance of a contract with John Wasson, United States Surveyor-General for Arizona, bearing date the 7 day of July 1872 I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-General, the Surveying Manual, and the laws of the United States, surveyed all those portions of

the subdivision and meander lines of township 9 & range 25 W. of the Gila and Salt River Meridian

as are represented in the foregoing Field Notes as having

been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and also in accordance with the additional requirements contained in circular instructions from the U. S. Surveyor-General for Arizona, dated September 1, 1873, regarding the establishment of corner boundaries of public surveys, and that the foregoing are the true and original Field Notes of such surveys.

Theodore F. White
Deputy Surveyor.

Sworn to and subscribed before me, this 30
day of March, 1874

J. H. H. H.
Notary Public


W.E. Fred C. Jones and
J. M. C. Elliott

do solemnly swear that we will well and truly per-
form the duties of seaman and
flagman respectively
according to instructions given us, and to the best
of our skill and ability.

Fred Jones
J. M. C. Elliott

Sworn to and subscribed before me this 29
day of December 1873

W. H. ...
Notary Public.



BOOK 1180

4-674.

Township *9 S.*, R. *25 W.*

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

Handwritten notes in red ink:
- Above cell 25: *26*
- Above cell 36: *x24*
- Between cells 35 and 36: *x*
- Below cell 35: *25*
- Below cell 36: *20*

7919b5m4-03

Meanders, 25-26.

1180

BOOK 1180

PRELIMINARY OATHS OF ASSISTANTS.

WE,

J. S. Phillips

and

R. A. Vasquez

do solemnly swear that we will faithfully execute the duties of Chain Carriers; that we will level the chain upon uneven ground, and plumb the tally pins, whether by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability.

J. S. Phillips
R. A. Vasquez

Sworn to and subscribed before me, this ²⁹
day of December, 1873

H. J. ...
T. K. ...

WE, *Fred. C. Jones*
J. M. C. Elliott

do solemnly swear that we will well and truly per-
form the duties of *Aleman and*
flagman respectively
according to instructions given us, and to the best
of our skill and ability.

Fred. Jones
J. M. C. Elliott

Sworn to and subscribed before me this *29*
day of *December* 187*3*



Hinson
Notary Public

Township 9 S. R. 25 W.
Tula and Salt River Meridian

- See Beginning of S. boundary at cor. to
secs. 35 and 36. 1/2 mile
North between secs. 35 & 36.
cor. 13° 34' East.
As per E. boundary.
- 40.00 Stake past, marked 1/2 in. 4 ft long, flattened 3 in. wide, 1 ft in
the ground, drive charred stake and build mound of earth
2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, all as per
instructions for 1/2 sec. cor. from which
Stakes 3 in. dia. bear N. 16° E. 20 lbs. dist
do 4 " " " N. 35° W. 41 " "
- 62.10 Band of Colorado river, runs S. W.
Stake past, properly marked, 1/2 ft long, 3 in. 1/2 ft in the
ground, drive charred stake and build mound of
earth 2 ft high with pit 1 ft deep, 2 ft long, 1 ft wide,
all as per instructions for 1/2 sec. cor. to secs. 35 & 36, from which
Stakes 2 1/2 in. dia. bear N. 10° W. 35 lbs. dist
do 3 " " " S. 15° E. 28 " "
- Indence growth of young willows. Sand loam.
Soil good.

Township 9 S. R. 25 W.

Gda and Salt River Meridian

No From the cor. to secs. 25, 30, 31 and
36, on E. boundary, Iron
WEST

On true line between secs. 25 & 36.
cor. $13^{\circ}34'$ East

31.10 Bank of Colorado river, runs S.W.
Set a post properly marked, 4 ft. long, 3 in.
sq'd, 1 ft. in the ground, drive chanced stake
and build mound of earth 2 ft. high, with
pit 1 ft. deep, 2 ft. long, 1 ft. wide, all as
per instructions for cor. to fractional
secs. 25 & 36. from which
Acottonwood 4 in. dia. $S. 73^{\circ} \frac{1}{2}' E. 70$ length
do. 6 " " $S. 62^{\circ} \frac{1}{4}' W. 56$ " "
The river is here 16 chrs. wide.

Thick growth of willows and young
cottonwood along bank.

Township 9 S. R. 25 W.
Gila and Salt River Meridian

Meanders of the left bank of
the Colorado river through the township.

Beginning at the intersection of the S. bound-
ary with the river, at the cor. to fraction-
al sec. 2 and 35, I run thence up stream
with the meanders of the river as follows:
In sec. 35.

Course	Distance	
N. 31½° E.	13.80	
N. 49° E.	16.00	
N. 54½° E.	15.50	
N. 46¼° E.	16.50	
N. 54½° E.	30.00	
N. 72½° E.	4.00	To cor. to frac. sec. 35 and 36. Thence in sec. 36.
N. 72½° E.	38.00	Wood yard along bank
N. 64° E.	11.30	
N. 65° E.	3.00	To the cor. to fractional sec. 25 and 36.

Township 9 S. R. 35 W.
Gda and Salt River Meanders

Course	Distance	Meanders continued Thence in sec. 25
N. 55 $\frac{1}{2}$ ° E.	5.00	
N. 60 $\frac{1}{2}$ ° E.	10.00	
N. 70 $\frac{1}{2}$ ° E.	1.80	
N. 79° E.	8.70	
N. 50 $\frac{3}{4}$ ° E.	8.00	To cor. to fractional secs. 25 and 30.

February 10. 1874

Township 9 S. R. 25 W.
Gila and Salt River Meridian

General Description

This fractional Township lies
along the Colorado river.

The soil is good and there is a
thick undergrowth of cotton-
wood and willow.

Thos. J. White
U.S. Dep. Smokey

PRELIMINARY OATHS OF ASSISTANTS.

WE,

J. S. Phillips
and *R. A. Vasquez*

do solemnly swear that we will faithfully execute the duties of Chain Carriers; that we will level the chain upon uneven ground, and plumb the tally pins, whether by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability.

J. S. Phillips
R. A. Vasquez

Sworn to and subscribed before me, this *29*
day of *December*, 1873

W. H. H. H.
Notary Public.

W.E. Fred. C. Jones and
J. M. C. Elliott

do solemnly swear that we will well and truly per-
form the duties of Asst. Surgeon and
Surgeon respectively.
according to instructions given us, and to the best
of our skill and ability.

Fred. C. Jones
J. M. C. Elliott

Sworn to and subscribed before me this 29
day of December 1873

H. H. H. H.
Notary Public.




28-A

BOOK 1180

4-674.

Township *10 S.* R. *25 W., 1st RR B & M.*



7919b5m4-03

Meanders of Colorado River, 48-53



Township 10 S. R. 25 W.
 6th and Salt River Meridian

to Beginning on S. boundary at cor. to sees 35 & 36. Run
 North between sees 35 & 36.
 cor. 13°35' East

As per E. boundary.

40.00 Set a post, marked $\frac{1}{2}$ in. 4 ft long, flattened 3 in. wide, 1 ft
 in the ground, drive chanced stake, and build mound
 of earth 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, all as
 per instructions for these cor. from which

A willow 3 in. dia. br. N. 7° E. 18 cu. dist

do $\frac{1}{2}$ " " S. 10° W. 20 " "

80.00 Set a post, marked and matched $\frac{1}{2}$ in. 4 ft long, 3 in. 2 ft
 1 ft in the ground, drive chanced stake and build mound
 of earth 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft
 wide, all as per instructions for cor. to sees 25 & 26.
 35 & 36. from which

A willow 6 in. dia. br. N. 45° W. 30 cu. dist

do $\frac{1}{2}$ " " S. 5° E. 42 " "

do 3 " " S. 20° E. 65 " "

do 5 " " N. 15° E. 25 " "

Land lead. Soil good. Thick growth of willow.

Township 10 S. R. 25 W.
 Gila and Salt River Meridian

Sec. East. random line bet. secs. 25 & 36.
 az. $13^{\circ}35'$ East

40.00 Set post for temporary $\frac{1}{4}$ sec. cor.
 79.86 Intersect E. boundary 20 cu. S. of cor. to sec.
 25 & 36, from which cor. Run
 $S. 89^{\circ}51' N.$

On true line between secs. 25 & 36.
 az. $13^{\circ}35'$ East

39.93 Set apart, marked $\frac{1}{4}$ S. 4 ft long. flattened $\frac{3}{4}$ inch wide,
 1 ft in the ground, drive charred stake
 and build mound of earth 2 ft high, with
 pits 1 ft deep, 2 ft long, 1 ft wide, all as per
 instructions for $\frac{1}{4}$ sec. cor. In thick brush.
 Notices near.

79.86 The cor. to secs. 25, 26, 35 and 36.
 Land level. Soil good.
 Some mesquite and willow trees.

Township 10 S. R. 25 W.

Gila and Salt River Meridian

No. North between secs. 25⁴ & 26.
 cor. 13°35' East

40.00 Set a post, marked 1/4 S. 4 ft long, flattened
 3 in. wide, 1 ft in the ground, drive chanced
 stake and build mound of earth 2 ft high, with
 pit 1 ft deep, 2 ft long, 1 ft wide, all as per in-
 structions for these sec. from which
 A willow 3 in. dia. bears S. 50° W. 40 lbs. dist

do. 4 " " S. 10° E. 47 " "

80.00 Set a post, marked and notched, 4 ft long, 3 in.
 sq. d. 1 ft in the ground, drive chanced stake and
 build mound of earth 2 ft high, with pit 1 ft deep,
 2 ft long, 1 ft wide, all as per instructions for cor. to
 secs. 23, 24, 25 and 26. In dense ar-
 rowwood brush.

No trees near.

Some willow and some cottonwood on
 point end of line.

Township 10 S. R. 25 W.
 Gila and Salt Pring Medicine

- to East on random line bet. sec. 24 & 25.
 var. $13^{\circ}35'$ East
- 40.00 Set post for temporary $\frac{1}{4}$ sec. cor.
- 80.30 Intersect E. boundary 40 hrs. S. of cor. to
 secs. 24 and 25. from which cor. Run
 S. $89^{\circ}43'$ W.
 true line between secs. 24 & 25.
 var. $13^{\circ}35'$ East
- 40.15 Set a post, marked $\frac{1}{4}$ S. 4 ft long, flattened
 3 in. wide, 1 ft in the ground, drive charred
 stake and build mound of earth 2 ft high,
 with pits 1 ft deep, 2 ft long, 1 ft wide, all as
 per instructions for $\frac{1}{4}$ sec. cor. from which
 A willow 4 in. dia. has. N. 20° W. 18 hrs. bet
 do 3 " " N. 45° E. 24 " "
- 80.30 The cor. to secs. 23, 24, 25 and 26.
 Sand lead. Soil good. Brush.

Township 10 S. R. 25 W.

Ida and Salt River Meridian

Ln. North between secs 23 & 24.

on r. 13° 35' East

40.00 Set a post, marked 1/4 S. 4 ft long, flattened 3 in. wide,
1/2 in the ground, drive charred stake and build
mound of earth 2 ft high with pits 1 ft deep, 2 ft
long, 1 ft wide, all as per instructions for 14 sec.
corn from which

A willow 3 in. dia. br. N. 50° E. 16 br. dia.

do. 3 " " N. 48° W. 33 " "

80.00 Set a post, marked and notched, 4 ft long,
3 in. sq. d. 1/2 in the ground, drive charred
stake and build mound of earth 2 ft high,
with pits 1 ft deep, 2 ft long, 1 ft wide, all as per
instructions for c. to secs. 13, 14, 23 and 24.
In dense arrowweed brush.

No trees near.

Land level. Soil good. Brushy.

Township 10 S. R. 25 W.

Sida and Salt River Meridian

To East on random line bet sec. 13 & 24.
var. $13^{\circ}35'$ East

40.00 Set post for temporary 1/4 sec. cor.

79.87 Direct E. boundary of sec. 13. a sec.
to sec. 13 & 24. from which cor. Run
N. $89^{\circ}56'$ W.

On true line between sec. 13 & 24.
var. $13^{\circ}35'$ East

39.94 Set a post, marked 1/4 S. 4 ft long, flattened
3 in wide, 1 ft in the ground, drive cherted
stake and build mound of earth 2 ft high,
with pits 1 ft deep, 2 ft long, 1 ft wide, all as per
instructions for 1/4 sec. cor.

No trees near.

79.84 The cor. to sec. 13, 14, 23 and 24.
Land level and good.
Sense arrowwood brush.

Township 10 S. R. 25 W.

Gila and Salt River Meridian

As North between sec. 13 $\frac{3}{4}$ 14
cor. 13° 35' East.

40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft long, flattened 3 in wide,
1 ft in the ground, drive charred stake and build
mound of earth 2 ft high with pits 1 ft deep,
2 ft long, 1 ft wide, all as per instructions for $\frac{1}{4}$
sec. cor. from which

Swellers 3 in. dia. bearing N. 50° W. 34 lbs. dist.

do. 4 " " " N. 38° E. 24 " "

75.10 Bank of Colorado river, runs S. W.

Set a post, properly marked, 4 ft long, 3 in. sq.
1 ft in the ground, drive charred stake and build
mound of earth 2 ft high, with pits 1 ft deep,
2 ft long, 1 ft wide, all as per instructions for
cor. to fractional sec. 13 $\frac{3}{4}$ 14. from which

Swellers 4 in. dia. bearing N. 30° E. 22 lbs. dist.

do. 3 " " " S. 24° W. 18 " "

Land level. Soil good. Very brushy

Township 10 S. R. 25 W.
 Gila and Salt River Meridian

- | | |
|-------|---|
| No. | From the cor. to secs. 12 and 13 on the
E. boundary of Dam |
| | West on true line bet secs. 12 & 13.
var. $13^{\circ}35'$ East |
| 40.00 | Set a post, marked $\frac{1}{4}$ S. 4 ft long, flattened
3 in. wide, 1 ft in the ground, drive charred stakes
and build mound of earth 2 ft high, with pits
1 ft deep, 2 ft long, 1 ft wide, all as per instruc-
tions for $\frac{1}{4}$ sec. cor. from which
A willow 6 in. dia. has. N. $88\frac{1}{2}^{\circ}$ W. 119 ls. dist
do. 3 " " " N. 18° W. 98 ls. dist |
| 73.00 | Banks of Colorado river, runs S. W.
Set a post, marked, $\frac{1}{4}$ ft long, 3 in. sqd. 1 ft in the
ground, drive charred stakes and build mound
of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft
wide, all as per instructions for cor. to frac-
tional secs. 12 and 13. from which
A willow 3 in. dia. has. N. 30° W. 18 ls. dist.
do. 3 " " " S. 41° E. 30 " "
Much willow and undergrowth. Soil good. |

Township 10 S. R. 25 W.
Eida and Salt River Meridian

Sec. From the cor. to sec. 1 1/2 on the E. boundary, I run
N 86° 15' W on true line between sec. 1 1/2 & 12.
var. 13° 35' East

- 36.50 Slough 1 ch. wide, runs S.
- 40.00 Set apart, marked 1/2 in. 4 ft. long, flattened 3 in wide,
1 ft in the ground, drive charred stake and build
mound of earth 2 ft high with pits 1 ft deep, 2 ft
long, 1 ft wide, all as per instructions for trees, cor. from which
A willow 3 in. dia. has. S. 52° E. 27 cor. dist.
do. 4 " " " S. 63° W. 27 " "
- 41.90 Corner of Colorado river, runs S. E. Set apart,
properly marked, 4 ft. long, 3 in. sq. d. 1 ft in the ground,
drive charred stake and build mound of earth 2 ft
high with pits 1 ft deep, 2 ft long, 1 ft wide, all as per in-
structions for cor. to sec. 1 1/2. from which
A willow 10 in. dia. has. S. 51° E. 70 cor. dist.
do. 8 " " " S. 41° W. 62 " "
The river is here 12.00 ch. wide.
Cottonwood and willow timber, very brushy
Muddy bottom.

Township 10 S. R. 35 W.
Gila and Salt River Meridian

From cor. to sec. 1st 2, on N. boundary, Town
South between sec. 1st 2.

var. 13° 35' East

40.00 Set a post, marked 44 S. 4 ft long, flattened 3 in.
wide, 1 ft in the ground, drive charred stake and
build mound of earth 2 ft high, with pit 1 ft deep, 2 ft
long, 1 ft wide, all as per instructions for base cor. from which
will run 3 in. dia. line N. 18° W. 32 lns. dist

do. 4 " " " S. 27° E. 30 " "

45.30 Bank of Colorado river, runs S. E. Set a post, prop-
erly marked, 4 ft long, 3 in. dia, 1 ft in the ground,
drive charred stake and build mound of earth 2 ft
high, with pit 1 ft deep, 2 ft long, 1 ft wide, all as per in-
structions for cor. to frac. sec. 1st 2, from which
will run 2 1/2 in. dia. line S. 40° W. 28 lns. dist

do. 3 " " " N. 37° E. 25 " "

Land lead. Soil good.

Willow trees and brush.

February 6, 1874

Township 10 S. R. 25 W.
 Gila and Salt River Meridian

- No. North between secs. 34 & 35.
 cor. $13^{\circ}35'$ East
- 40.00 Set a post, marked $\frac{1}{4}$ S. $\frac{1}{4}$ ft long, flattened 3 in. wide,
 1 ft in the ground, drive charred stake and build
 mound of earth 2 ft high, with pile 1 ft deep, 2 ft
 long, 1 ft wide, all as per instructions for $\frac{1}{4}$
 sec. cor. from which
 A willow $2\frac{1}{2}$ in. dia. bears S. 10° W. 25 lbs. dist.
 do. 3 . . . N. 15° E. 20 . . .
- 54.20 Bank of Colorado river, course S. 21° W.
 Set a post, properly marked, $\frac{1}{4}$ ft long, 3 in. sq. 1 ft in
 the ground, drive charred stake and build mound
 of earth 2 ft high, with pile 1 ft deep, 2 ft long, 1 ft
 wide all as per instructions for cor. to frac-
 tional secs. 34 and 35. In brush.
 No trees near.
 Land level. Soil sandy, wet.

Township 10 S. R. 25 W.
Sida and Salt River Meander

- As from cor. to secs. 25, 26, 35 & 36. From
West on true line bet. secs. 26 & 35.
cor. 13° 35' East
- 30.00 Slough 2 chs. wide, runs S.
- 40.00 Set apart, marked 1/4 S. 4 ft long, flattened 3 in. wide,
1 ft in the ground, drive charred stake and build mound
of earth 2 ft high, with pile 1 ft deep, 2 ft long, 1 ft wide,
all as per instructions for 1/4 sec. cor. from which
Willow 3 in. dia. br. S. 40° E. 16 lbs. dist.
do 4 " " " N. 77° W. 21 " "
- 73.70 Corner of Colorado river, runs S. W. Set apart,
properly marked, 4 ft long, 3 in. sq. 1 ft in the ground,
drive charred stake and build mound of earth 2 ft high,
with pile 1 ft deep, 2 ft long, 1 ft wide, all as per instruc-
tions for cor. to frac. secs. 26 & 35, from which
Willow 9 in. dia. br. S. 5° E. 4 lbs. dist.
do 4 " " " N. 10° E. 24 " "
- Sand lead and low, subject to over-
flow. Willow timber.

Township 10 S. R. 25 W.
Gila and Salt River Meridian

- 40.00 From the center sec. 23, 24, 25 & 26. Iron
N.E. corner line bet. sec. 23 & 26.
cut 13' 35" East
- 40.00 Set apart, marked 44 1/2 ft long, flattened 3 in wide, 1 ft in the
ground, drive charred stake and build mound of earth
2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, all as per in-
structions for these sec. from which
A willow 5 in dia. br. N. 30° W. 31 krs. dist.
do. 3 " " " S. 42° E. 28 " "
- 80.00 Set apart, marked 70 ft long, 3 in sq. d.
1 ft in the ground, drive charred stake and build
mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide,
all as per instructions for sec. to sec. 22, 23, 26 & 27, from which
A willow 5 in dia. br. N. 42° E. 30 krs. dist.
do. 4 " " " N. 38° W. 22 " "
do. 4 " " " S. 46° E. 18 " "
do. 3 " " " N. 31° E. 20 " "
- Land level. Soil good. Brush.
willow timber.

Township 10 S. R. 25 W.

Gila and Salt River Meridian

To South between sec. 26 & 27.
cor. $13^{\circ}35'$ East.

15.00 Band of Colorado river, runs
S.E. Set apart, properly marked,
1/2 ft long, 3 in. sq. in the ground,
drill chased stake and build
mound around 2 ft high, with pits 1/2 ft
deep, 2 ft long, 1/2 ft wide, all as per instruc-
tions for cor. to fractional
secs. 26 and 27.

from which

A willow 3 in. dia. bears $N. 48^{\circ} W. 15$ h. dist.

do 4 " " " $N. 30^{\circ} E. 23$ " "

land level.

Soil good.

Willow timber.

BOOK 1180

Township 10 S. R. 25 W.
 Gila and Salt River. Meridian

In West corner line bet sec. 22 & 24
 and 13 & 15 East.

9.00 Band of the Colorado river,
 runs S. E. Set a post, properly
 marked, 1 ft. long, 3 in. square,
 1 ft. in the ground, drive channel
 stake and build mound
 of earth 2 ft. high, with
 pits 1 ft. deep, 2 ft. long, 1 ft.
 wide, all as per instructions
 for cor. to fractional sec.

22, and 24, from which
 A willow 8 in. dia. b. 75° E. 19 ft. dist
 do. 8 " " - N. 19° E. 60 " "

Found lead.

Soil good.

Willow timber.

Township 10 S. R. 25 W.
 Ida and Salt River Meridian

No. North between sec. 22 & 23
 cor. 13° 35' East

40.00 Set apart, marked 4/8. 4 ft long, flattened 3 in wide,
 1 ft in the ground, drive charred stake and build mound of
 earth 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, all as
 per instructions for these cor. from which
 Willow 2 1/2 in. dia. br. N. 12° E. 18 br. dist
 do. 3 " " " N. 40° W. 21 " "

80.00 Set apart, marked and notched, 4 ft long, 3 in
 sq. d. 1 ft in the ground, drive charred stake and
 build mound of earth 2 ft high, with pit 1 ft
 deep, 2 ft long, 1 ft wide, all as per instructions
 for cor. to sec. 14, 15, 22 and 23. from which
 Willow 3 in. dia. br. S. 78° W. 8 br. dist
 do. 3 1/2 " " " S. 27 1/4° E. 33 " "
 do. 3 " " " N. 35° E. 30 " "

Acottonwood 2 1/2 " " " N. 65° E. 25 " "
 Land lead. Soil good. Willow
 and cottonwood timber.

Township 10 S. R. 25 W.
Gila and Salt River Meridian

As East boundary line bet. sec. 14 & 23.
var. 13° 35' East

26.90 Trench line and gully running N.
40.00 Set post per temporary 1/4 sec. cor.
80.00 Intersect strand S. line at cor. to sec.
13, 14, 23 and 24, from which cor. Run
West

Outline line between sec. 14 & 23.
var. 13° 35' East

40.00 Set a post marked by S. 4 ft long, flattened
3 in. wide, 1 ft in the ground, driven and
stake and build mound as far as 2 ft high,
with pits 1 ft deep, 2 ft long, 1 ft wide, all as
per instructions for 1/4 sec. cor. from which
Scattered rod 5 in. dia. N. 77° E. 40 cordist
A willow 4 " " " S. 43 1/2° W. 49 " "

80.00 The cor. to sec. 14, 15, 22 and 23.
Land level. Soil good, sandy.
willow and cottonwood timber.

Township 10 S. R. 25 W.
Gila and Salt River Meridian

To McMontone line bet sec. 15 & 22,
ans. 13° 35' East

36.27 Bank of Colorado river,
ans. S.W. Set a post, properly
marked, 4 ft long, 3 in. square,
1 ft in the ground, drive chanced
stake and build mound of
earth 2 ft high, with pit 1 ft
deep, 2 ft long, 1 ft wide, all
as per instructions, for cor.
to fractional sec. 15 and
22. from which
will be 3 in. dia. by N. 56° E. 57 lbs. dist.
do. 3 " " " N. 48° E. 53 " "

Land level. Soil good.
Thick young growth of willow.

Township 10 S. R. 25 N.

Gila and Salt River Indian

Sec. North between sec. 14 & 15.

cor. $13^{\circ}35'$ East

110.00 Set a post, marked U.S. 4 ft long, flattened 3 in. wide,
1 ft in the ground, driven chased stake and build mound
of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide,
all as per instructions for 14 sec. cor. from which
A willow 5 in. dia. br. S. 60° E. 14 lvs. dist
do 3 " " " S. 86° W. 23 " "

111.70 Band of Colorado river, corner N.W. Set a
post, properly marked, 4 ft long, 3 in. sq. d. 1 ft in
the ground, driven chased stake and build mound
of earth 2 ft high, with pits 1 ft deep, 2 ft long,
1 ft wide, all as per instructions for cor. to frac-
tional sec. 14 and 15. from which
A cottonwood 10 in. dia. br. S. 84° W. 70 lvs. dist
A willow 9 " " " N. 59° W. 42 " "
The river is here 12 chs. wide.
At this point and for half a mile down the river
is a wood yard. Heavy cottonwood along river.

February 7, 1874.

Township 10 S. R. 25 W.

Gila and Salt River Meridian

Meanders of the left bank of the Colorado river, through the township.

Beginning at the cor. to fractional sec. 3 and 34 on the S. boundary, I run thence upstream with the meanders of the river, as follows.

In sec. 34.

Course	Distance	Remarks.
N. 50° E.	30.00	
N. 51½° E.	12.00	
N. 39° E.	12.00	
N. 26½° E.	8.30	
N. 33° E.	1.00	
N. 26½° E.	10.00	
N. 23° E.	3.00	
N. 21° E.	5.00	To cor. to fractional sec. 34 & 35. Thence in sec. 35
N. 21° E.	14.00	
North	5.10	

BOOK 1180

Township 10 S. R. 25 W.
Gila and Salt River Meridian

Course	Distance	Remarks.
N. 4° E.	3.00	
N. 13° E.	4.50	To cor. to fractional sec. 26 & 35 Thence in sec. 26.
N. 13° E.	3.00	
N. 3° E.	4.30	
North.	11.00	
N. 6½° W.	36.00	
N. 16° W.	11.50	To cor. to fractional sec. 26 & 27. Thence in sec. 27.
N. 16° W.	3.50	
N. 31° W.	5.00	
N. 36° W.	1.80	
N. 35° W.	7.60	To cor. to fractional sec. 22 & 27. Thence in sec. 22.
N. 35° W.	14.00	
N. 30° W.	1.00	
N. 31° W.	14.80	
N. 41° W.	4.20	
N. 15° W.	11.50	

Township 10 S. R. 25 W.
Gila and Salt River Meridian

Course	Distance	Remarks.
N. 18° W.	18.00	
N. 34° W.	4.00	
N. 28½° W.	6.40	
N. 25½° W.	5.10	
North	0.50	
N. 11¼° W.	2.30	
N. 8° E.	2.30	
N. 40° E.	1.70	
N. 58° E.	2.30	To cor. to fractional sec. 15 & 22. Thence in sec. 15.
N. 58° E.	9.00	
N. 28° E.	14.20	
North	8.80	
N. 7° E.	17.10	
N. 30½° W.	5.30	
N. 5° W.	2.40	
N. 19½° E.	1.20	
S. 71° E.	10.80	
S. 77½° E.	10.60	

Township 10 S. R. 25 W.

Gila and Salt River Meridian

Course	Distance	Remarks
S. 82° E.	3.70	To cor. to fractional sec. 14 & 15. Thence in sec. 14.
N. 85½° E.	2.80	
S. 80° E.	10.00	
East	9.00	
N. 78½° E.	6.30	
N. 60° E.	12.00	
N. 70° E.	20.00	
N. 43½° E.	1.00	
N. 52° E.	6.00	
N. 55° E.	10.00	
N. 38½° E.	5.20	
N. 52° E.	7.00	To cor. to fractional sec. 13 & 14. Thence in sec. 13.
N. 52° E.	9.00	To cor. to fractional sec. 12 & 13. Thence in sec. 12.
N. 37° E.	5.50	
N. 37° E.	25.70	
N. 37° E.	1.80	

Township 10 S. R. 35 W.

Sida and Salt River Meridian

Course	Distance	Remarks
N. 61° E.	1.50	
N. 73½° E.	2.60	
N. 73° E.	3.70	
N. 88½° E.	7.70	
N. 49½° E.	11.20	
N. 9½° E.	24.00	
N. 29½° W.	17.10	
N. 35½° W.	1.50	
N. 24½° W.	1.30	To cor. to fractional sec. 1 & 2. Thence in sec. 1
N. 45½° W.	2.00	
N. 37° W.	1.40	
N. 39½° W.	21.00	
N. 53½° W.	6.50	
N. 46½° W.	10.80	
N. 65° W.	11.00	To cor. to fractional sec. 1 & 2. Thence in sec. 2.
N. 80° W.	10.00	
N. 85° W.	30.00	

Township 10 S. R. 25 W.
Gila and Salt River Meridian

Bearing	Distance		
N. 78° W.	15.00		
N. 55° W.	12.00		
N. 40° W.	6.10		
N. 36° W.	8.00		
North	20.00	To cor. to fractional sec. 2935.	

February 9, 1874

General Description

This township lies along the Colorado river. Land good, but low and wet in many places.

There is a heavy growth of willow and cottonwood over much of it, and thick brush everywhere.

Thos. J. White

U.S. Dep. Surveyors

LIST OF NAMES.

A List of the Names of Individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing Field Notes of the survey of the Subdivision and Meander lines of Township 10 S., range 25 W. of the Gila and Salt River Meridian

Showing the respective capacities in which they acted.

<u>J. A. Phillips</u>	Chainman.
<u>R. A. Vasquez</u>	Chainman.
<u>Fred. C. Jones</u>	Axeman.
<u>J. M. O. Elliott</u>	Flagman.

FINAL OATH OF ASSISTANTS.

WE hereby certify that we assisted Theodore
F. White U. S. Deputy Surveyor, in
 surveying the Subdivision and
meander lines of Township 10
S. Range 25 W. of the Gila
and Salt River Meridian

and that said Survey has been in all respects, to
 the best of our knowledge and belief, well and
 faithfully executed, and the boundary monu-
 ments planted according to the instructions fur-
 nished by the Surveyor-General.

J. D. Phillips Chainman.

R. A. Vasquez Chainman.

Fred L. Jones Axeman.

J. Mc L. Elliot Flagman.

Sworn to and subscribed before me, this 30
 day of March, 1874.

W. H. [Signature]
 Notary Public.

FINAL OATH OF DEPUTY SURVEYOR.

I, Theodore P. White

U. S. Deputy Surveyor do solemnly swear that,
in pursuance of a contract with John Wasson,
United States Surveyor-General for Arizona, bear-
ing date the 7 day of July

1873 I have well, faithfully and truly, in my
own proper person, and in strict conformity with
the instructions furnished by the Surveyor-Gener-
al, the Surveying Manual, and the laws of the
United States, surveyed all those portions of

the Subdivision and Meander
lines of township 10 S.,
range 25 W. of the Gila and
Salt River Meridian

as are repre-
sented in the foregoing Field Notes as having

been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and also in accordance with the additional requirements contained in circular instructions from the U. S. Surveyor-General for Arizona, dated September 1, 1873, regarding the establishment of corner boundaries of public surveys, and that the foregoing are the true and original Field Notes of such surveys.

Theodore F. White

Deputy Surveyor.

Sworn to and subscribed before me, this 30 day of March, 1874



J. H. [Signature]

Justice Public.

U. S. Surveyor General's Office,
Tucson, Arizona, April 15, 1874

The foregoing Field Notes of the survey of

The Subdivision Lines of Town

Ship 8 S. range 24 N., 9 S.

range 25 N., and 10 S. range

25 N., (together with meanders therein),

of the Gila and Salt River Base and Meridian, Arizona,

executed by Theodore F. White,

D. S., under his contract of the Seventh day of

July

, 1873, having been critically ex-

amined and the necessary corrections and explanations

made, the said Field Notes and the surveys they de-

scribe, are hereby approved.

John Wasson

Surveyor General.