

No. 1183

BOOK 1183

John L. Harris Deputy Surveyor.
T. *9* South R. *16* West
Pala & Salt River Meridian.

1183

BOOK 1183

FIELD NOTES

OF

The *Subdivision* Lines of
Township *9* South Range *16* West
Pala & Salt River Meridian.

BY *John L. Harris* No. 1183
Deputy Surveyor.

under his Contract of *September 20* 1877

Survey commenced *January 16* 1878

Survey completed *January 19* 1878.

Platted,

Copied for Washington,

Transcript sent to Commissioner,

J. L. Harris

No. 1183

BOOK 1183

John L. Harris Deputy Surveyor.
T. *9 South* **R.** *16 West*
Gila & Salt River Meridian.

FIELD NOTES

OF
The *Subdivision* Lines of
Township *9 South* Range *16 West*
Gila & Salt River Meridian.

BY
John L. Harris Deputy Surveyor.
under his Contract of *September 20. 1877*
Survey commenced *January 16. 1878*
Survey completed *January 19. 1878*

*Platted,
Copied for Washington,
Transcript sent to Commissioner,*


Preliminary Oaths of Assistants.

We, Lyman Warefield
 and Chas B. Warren
 do solemnly swear that we will faithfully execute
 the duties of Chain Carriers; that we will level the
 chain upon uneven ground, and plumb the tally
 pins, whether by sticking or dropping the same;
 that we will report the true distance to all notable
 objects, and the true length of all lines that we as-
 sist in measuring, to the best of our skill and
 ability.

Lyman Warefield
Chas B Warren

Sworn to and subscribed before me, this 29
 day of September, 1877

William J. Ashburn
Notary Public



We, *Fred. C. Jones*
J. P. Chenoweth

do solemnly swear that we will well and truly perform the duties of *Assessor and*
Flagman respectively
 according to instructions given us, and to the best of our skill and ability.

Fred. C. Jones
J. P. Chenoweth

Sworn to and subscribed before me this *29*
 day of *September*, 1877.

William J. Osborn
 Notary Public



Township 9 South Range 16 West

10 Gila & Salt River

Meridian.

BOOK 1183

6	60	5	44	4	33	3	22	2	11	1
59		58		43		32		21		10
7	57	8	42	9	31	10	20	11	9	12
56		55		41		30		19		8
18	54	17	40	16	29	15	18	14	7	13
53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24
50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25
47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36

Township

9 South

Range

16 West

Sila & Salt River

Meridian.

BOOK 1183

1st D. Township 9 South Range 16 West
Gila & Salt River Meridian

BOOK 1183

Chains

From the corner to Sections 35, 36, 1 and 2 on the South
boundary I ran

North, between Sections 35 and 36.

↙ Variation $14^{\circ}43'$ East.

Survey commenced January 16, 1878.

As per East Boundary

40.00 Set a post, marked 14 S. 4 ft long, flattened
3 in wide, 1 ft in the ground. Drive charred
stake and build mound of earth 2 ft high
with pits 1 ft deep, 2 ft long, 1 ft wide, as per
instruction for 14 sec. cor.

Notice near.

80.00 Drive charred stake and build mound
of earth 2 ft high with pits 1 ft deep,
2 ft long, 1 ft wide, and in center
of pit S. E. of cor. Drive a stake
marked and notched 2 ft long,
2 in sq. 1 ft in the ground,
as per instructions for cor. to Sec.
25, 26, 35 and 36.

No stones or trees near.

Land level. Soil good.
No timber. Grass.

Township 9 South Range 16 West ²
Gila and Salt River Meridian.

Chains East, on a random line between Sections 25 and 36. **BOOK 1183**

Variation 14°43' East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.94 Intersect E. boundary 3 lns. N.
of cor to secs. 25 and 36,
from which cor. Draw
N. $89^{\circ}59'$ W.

On true line between secs. 25 & 36.
var. $14^{\circ}43'$ East

39.97 Drive charred stake and build
mound of earth 2 ft high
with pits 1 ft deep, 2 ft long,
1 ft wide, as per instructions
for $\frac{1}{4}$ sec. cor.

No trees or stones near.

79.94 Cor. to secs. 25, 26, 35 & 36.

Land level. Soil good.
No timber. Grass.

3 Township 9 South Range 16 West
Gila & Salt River Meridian.

BOOK 1183

Chains North, between Sections 25 and 26.

Variation 14°43' East.

40.00 Set a post, marked 14 S. 4 ft long
flattened 3 in. wide, 1 ft in the
ground. Drive charred stake
and build mound of earth
2 ft high, with pit 1 ft deep, 2 ft
long, 1 ft wide, as per in-
structions for 14 sec. cor.
No trees near.

80.00 Drive charred stake and build
mound of earth 2 ft high
with pit 1 ft deep, 2 ft long,
1 ft wide, and in center of
pit S. E. of cor. drive a stake
marked and notched, 2 ft
long, 2 in. sq. d. 1 ft in the ground
as per instructions for cor.
to Secs. 23, 24, 25 and 26.
No stones or trees near.

Land level. Soil good.
Grass. No timber.

Township 9 South Range 16 West ⁴

Gila and Salt River Meridian.

BOOK 1183

Chains

East, on a random line between Sections 24 and 25.

Variation $14^{\circ}43'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.98 Intersect E boundary 4 hrs. N.
of cor. to secs. 24 and 25, from
which cor. Run
 $N. 89^{\circ} 58' W.$

On true line between secs. 24 & 25.
var. $14^{\circ}43'$ East.

39.99 Drive charred stake and
build mound of earth 2
ft high, with pits 1 ft deep, 2
ft long, 1 ft wide, as per in-
structions for $\frac{1}{4}$ sec. cor.
No stones or trees near.

79.98 Cor. to secs. 23, 24, 25 & 26.

Land level. Not Good.
Grass. No timber.

5 Township 9 South Range 16 West
Gila and Salt River Meridian.
BOOK 1183

Chains North, between Sections 23 and 24.

Variation 14°43' East.

40.00 Drive charred stake and build mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 14 sec. cor.

No stones or trees near.

80.00 Drive charred stake and build mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide, and in center of pit S. E. of cor. Drive a stake marked and notched, 2 ft long, 2 in. sq. 1 ft in the ground, as per instructions for corners Secs. 13, 14, 23 and 24.

No stones or trees near.

Land level. Soil good.
No timber.

Township

9 South

Range

16 West 6

BOOK 1183

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 13 and 24.

Variation $14^{\circ}43'$ East.40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.97 Intersect E. boundary 10 lvs.

N. of cor. to Secs. 13 and 24,
from which cor. Drive
N. $89^{\circ}56' W.$ Outline line between secs. 13 & 24.
var. $14^{\circ}43'$ East.39.98 Drive charred stake and build
mound of earth 2 ft high,
with pits 1 ft deep, 2 ft long,
4 ft wide, as per instructions
for $\frac{1}{4}$ sec. cor.
No stones or trees near.

79.97 Cor. to Secs. 13, 14, 23 & 24.

Sand level.

Soil good.

No timber.

7 Township 9 South Range 16 West
Gila and Salt River Meridian.

BOOK 1183
Chains North, between Sections 13 and 14.

Variation 14°43' East.

40.00 Set a post, marked by 2 ft long,
flattened 3 in wide, 1 ft in the
ground, drive charred stake
and build mound of earth
2 ft high, with pits 1 ft deep, 2 ft
long, 1 ft wide, as per instructions
for 14 sec. cor.

No trees near.

80.00 Drive charred stake and
build mound of earth 2
ft high, with pits 1 ft deep, 2
ft long, 1 ft wide, and in
center of pit S. E. of cor.
drive a stake, unmarked and
notched, 2 ft long, 2 in high,
1 ft in the ground, as per
instructions for cor to Secs.
11, 12, 13 and 14.

No trees near.

Land level, Soil good.
No timber.

Township 9 South Range 16 West ⁸
Gila and Salt River Meridian. BOOK 1183

Chains East, on a random line between Sections 12 and 13.

Variation 14°43' East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
79.95 Intersect E. boundary 8 lns. N.
of cor. to secs. 12 and 13,
from which cor. Drive
N. $89^{\circ}52'$ W.
On true line between secs. 12 & 13.
var. $14^{\circ}43'$ East.

79.94 Drive charred stake and
build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft
long, 1 ft wide, as per instruc-
tions for $\frac{1}{4}$ sec. cor.
No stones or trees near.

79.95 Cor. to Secs. 11, 12, 13 and 14.

Sand level. Soil good.
No timber.

9 Township 9 South Range 16 West
Gila & Salt River Meridian.

BOOK 1183

Chains North, between Sections 11 and 12.

Variation 14°43' East.

40.00 Set a post, marked "4 S. 4 ft long,
flattened 3 in wide, 1 ft in the
ground. Drive charred stake
and build mound of earth 2
ft high, with pits 1 ft deep, 2
ft long, 1 ft wide, as per in-
structions for 1/4 sec cor.

No trees near.

80.00 Drive charred stake and
build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft
long, 1 ft wide, and in center
of pit S. E. a post. Drive a
stake marked and notched,
2 ft long, 2 in sq dia ft in
the ground, as per instructions
for cor. to Secs. 1, 2, 11, and 12.
No stones or trees near.

Land level. Soil good.
No timber. Grass

Township 9 South Range 16 West¹⁰
Gila and Salt River BOOK 1183
Meridian.

Chains

East, on a random line between Sections 1 and 12.

Variation $14^{\circ}43'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
79.98 Intersect E. boundary 5 lns.
N. of cor. to secs. 1 and 12,
from which cor. Drive
N. $89^{\circ}58'$ W.
On true line between secs. 1 & 12,
var. $14^{\circ}43'$ East.

39.99 Drive charred stake and
build mound of earth 2 ft
high, with pits 1 ft deep,
2 ft long, 1 ft wide, as per
instructions for $\frac{1}{4}$ sec. cor.
No stones or trees near.

79.98 Cor. to secs. 1, 2, 11, and 12.

Land level. Soil good.
Grass. No timber.

" Township 9 South Range 16 West
Gila and Salt River Meridian.

BOOK 1183

Chains North, on a random line between Sections 1 and 2.

Variation $14^{\circ}43'$ East.

40.00 Set temporary 1/4 sec. cor.
79.90 Intersect N. boundary of the
E. of cor. to secs 1 and 2.
from which cor. I run
 $S. 0^{\circ}3' E.$

On true line between secs. 1 & 2,
var. $14^{\circ}43'$ East.

39.90 Drive charred stake and
build mound of earth
2 ft high with pit 1 ft
deep 2 ft long, 1 ft wide,
as per instructions for 1/4
sec. cor.

No stones or trees near.

79.90 Cor. to secs. 1, 2, 11 and 12.

Land level.

Soil good.

No timber

Township 9 South Range 16 West ¹²
Gila and Salt River BOOK 1183 Meridian.

Chains

North, between Sections 34 and 35.

Variation 14° 43' East.

40.00 Drive charred stake and build mound of earth 2 ft high with pit 1 ft deep, 2 ft long, 1 ft wide, as per instruction for 1/4 sec. cor.
No stones or trees near.

80.00 Drive charred stake and build mound of earth 2 ft high with pit 1 ft deep, 2 ft long, 1 ft wide, and in center of pit S. E. of cor. Drive a stake marked and notched 2 ft long, 2 in sq. d. 1 ft in the ground, as per instruction for cor. to Sec. 26, 27, 34 and 35.
No trees near.

Land level.

Grass. Soil good
No timber.

13 Township 9 South Range 16 West
Gila and Salt River Meridian.
BOOK 1183

Chains East, on a random line between Sections 26 and 35.

Variation $14^{\circ}43'$ East.

40.00 Set temporary 1/4 sec. cor.
79.96 Intersect N. and E. line at cor. to
secs. 25-26-35 mid sb.
from which cor. I run
West
Patrol line between sec. 26 & 35.
var. $14^{\circ}43'$ East.

39.98 Drive Charred stake and
build mound a foot or
ft high, with pit 1 ft deep,
2 ft long, 1 ft wide, as per
instructions for 1/4 sec.
cor.

No stones or trees near.

79.96 Cor. to secs. 26, 27, 34 & 35.

Land level. Soil good.
No timber. Grass.

Township

9 South

Range

16 West

14

Gila and Salt River

BOOK 1183

Meridian.

Chains

North, between Sections 26 and 27.

Variation

1443'

East.

40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft long, flattened 3 in wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 74 sec. cor.

No tree near.

80.00 Set a post, marked and notched, 4 ft long, 3 in sq, 1 ft in the ground, drive charred stake and build mound a feet 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide as per instructions for cor to Secs. 22, 23, 26 and 27, from which

A Mesquite, 10 in dia. br S. 62° W. 126 lbs. dia.

A Palo Verde, 8 " " " N. 87° E. 98 " "

No other trees near.

Land level. Soil good.
Scattering trees & Grass.

15 Township 9 South Range 16 West
Gila and Salt River Meridian.

BOOK 1183

Chains East, on a random line between Sections 23 and 26.

Variation 14°43' East.

40.00 Set temporary 1/4 sec. cor.
80.04 Intersect N. and S. line 8 lns. S.
of cor. to secs. 23, 24, 25 and 26.
from which cor. I run
S. 89°57' W.
On true line between sec. 23 & 26,
var. 14°43' East.

40.02 Set a post, marked 1/4 S. 4 ft.
long, flattened 3 in wide, 1/2 ft.
in the ground, drive charred
stave and build mound of
earth 1 ft high with pits 1 ft deep
2 ft long, 1/2 ft wide, as per in-
structions for 1/4 sec. cor.
from which
A Mesquite *Cou. dia. bar.* N. 53 1/2° W. 29 paces
No other trees near.

80.04 Cor to Secs 22, 23, 26 & 27

Land level soil Good
Grass. Scattering trees

Township

9 South

Range

16 West

16

Gila and Salt River

BOOK

1183

Meridian.

Chains

North, between Sections 22 and 23.

Variation

14°43' East.

40.00 Set a post, marked 14 S. 4 ft.
 long, flattened 3 in wide, 1 ft.
 in the ground, drove charred
 stake and build mound
 of earth 1 ft high, with pits
 1 ft deep, 2 ft long, 1 ft wide,
 as per instruction for 14 sec.
 cor. from which
 a Mesquite, 11 in. dia. br., S. 21½° E. 224 lbs. dist.
 Do. 9 " " " S. 10° W. 121 " "

80.00 Set a post, marked and notched, 4 ft.
 long, 3 in. sq. 1 ft. in the ground, drove
 charred stake and build mound of
 earth 1 ft high, with pits 1 ft deep, 1 ft
 long, 1 ft wide, as per instruction for cor.
 to secs. 14, 15, 22, & 23, from which
 a Mesquite, 3 in. dia. br., S. 8° W. 111 lbs. dist.
 Do. 13 " " " S. 75½° E. 62 " "
 Do. 14 " " " N. 48° E. 240 " "
 No other trees near.

Land level Soil good. Grass.
 Mesquite trees.

17 Township 9 South Range 16 West
Gila and Salt River Meridian.
BOOK 1183

Chains East, on a random line between Sections 14 and 23.

Variation $14^{\circ}43'$ East.

40.00 Set temporary 7/4 sec. cor.
80.07 Intersect standard line 12 ch. S.
of cor. to secs. 13, 14, 23 and 24,
from which cor. I run
 $S. 89^{\circ}55' W.$

On true line between secs. 14 & 23,
var. $14^{\circ}43'$ East

40.04 Set a post, marked 7/4 S. 4 ft long,
flattened 3 in wide, 1 ft. in the
ground, drive charred stakes
and build mound of earth 2 ft
high with pits 1 ft deep, 2 ft long,
1 ft wide, as per instructions for
7/4 sec. cor.

No trees near.

80.07 Cor. to secs. 14, 15, 22 & 23.

Sand level. Part Good.
Grass. Some trees W.
January 16, 1898.

Township

9 South

Range

16 West

18

Gila and Salt River

BOOK

1183

Meridian.

Chains

North, between Sections 14 and 15.

Variation $114^{\circ}13'$ East.

40.00 Set a post, marked $\frac{1}{4}$ S. $\frac{1}{4}$ ft long,
flattened 3 in wide, 1 ft in the ground,
drill charred stake and build
mound of earth 2 ft high, with
pits 1 ft deep, 2 ft long, 1 ft wide,
as per instructions for $\frac{1}{4}$ sec. cor.
from which

A Mesquite 7 in dia. br. West 116 lns. dist
No other trees near.

80.00 Set a post, marked and notched,
 $\frac{1}{4}$ ft long, 3 in sq. 1 ft in the ground,
drill charred stake and build mound
of earth 2 ft high, with pits 1 ft
deep, 2 ft long, 1 ft wide, as per
instructions for cor. to sec. 10.

11. 14 and 15 from which

A Mesquite, 15 in dia. br. S. $18\frac{1}{2}^{\circ} 7'$. 136 lns. dist

do 19 " " " N. $33\frac{1}{4}^{\circ} E$. 198 " "

No other tree near.

Land level Soil good. Grass
Mesquite trees.

19 Township 9 South Range 16 West
Gila and Salt River Meridian.

BOOK 1183

Chains East, on a random line between Sections 11 and 14.

Variation $14^{\circ}43'$ East.

- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
80.11 Intersect N. and S. line 11 hrs. S.
after cor to secs. 11, 12, 13 and 14.
from which cor. I run
S. $89^{\circ}55' W.$
On true line between sec. 11 & 14.
var. $14^{\circ}43'$ East.
40.05 Set a post, marked $\frac{1}{4}$ S. $\frac{1}{4}$ ft.
long, flattened 3 in wide, 4 ft.
in the ground. Drive chanced
stake and build mound of
Earth 2 ft high, with pits 4 ft.
deep, 2 ft long, 4 ft wide, as
per instructions for $\frac{1}{4}$ sec. cor.
No trees near.
80.11 Cor to Secs. 10, 11, 14 and 15.

Land level. Soil good.
Mesquite trees, W.

Township

9 South

Range

16 West

20

Gila and Salt River

BOOK

1183

Meridian.

Chains

North, between Sections 10 and 11.

Variation

114° 43'

East.

40.00 Set a post, marked T.S. of E. long, flattened 3 in wide. Then the ground, drive charred stake and build mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 1/4 sec. cor.
No trees near.

80.00 Drive charred stake and build mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide, and in center a pit S. E. of cor. Drive a stake marked and notched, 2 ft long, 2 in sq. Then the ground, as per instructions for cor. to Secs. 2, 3, 10 and 11.

No trees or stones near.

Land level Soil good
No timber.

21 Township 9 South Range 16 West
Gila and Salt River Meridian.

BOOK 1183

Chains East, on a random line between Sections 2 and 11.

Variation $14^{\circ}43'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.09 Intersect N. and S. line 6 lks.
S. of cor. to secs. 1, 2, 11 and 12,
from which cor. I run
S. $89^{\circ}57' W.$

On true line between secs. 2 & 11
var. $14^{\circ}43'$ East

40.04 Drive charred stake and
build mound of earth 2 ft
high with pits 1 ft deep, 2 ft
long, 1 ft wide, as per in-
structions for $\frac{1}{4}$ sec. cor.
No stones or trees near.

80.09 Cor. to secs. 2, 3, 10 and 11.

Land level. Soil good.
No timber. Some grass.

Township

9 South

Range

16 West²²

BOOK

1183

Gila and Salt River

Meridian.

Chains

North, on a random line between Sections 2 and 3.

Variation $14^{\circ}43'$ East.40.00 Set temporary $\frac{1}{4}$ sec. cor.79.96 Intersect N. boundary 4 lks.
E. of cor. to secs. 2 and 3,
from which cor. run
 $S. 0^{\circ}2' E.$

On true line between secs. 2 & 3.

var. $14^{\circ}43'$ East.39.96 Drive charred stake and
build mound of earth
2 ft high with pits 1 ft deep,
2 ft long, 1 ft wide, as per
instructions for $\frac{1}{4}$ sec.
cor.

No stones or trees near.

79.96 Conto secs. 2, 3, 10 and 11.

Sand level. Soil Good.
No Timber.

23 Township 9 South Range 16 West
Gila and Salt River Meridian.

BOOK 1183
Chains North, between Sections 33 and 34.

Variation 114°43' East.

40.00 Drive charred stake and build mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 4 sec. cor.

No stones or trees near.

80.00 Set apart, marked and notched, 4 ft long, 3 in. sq. 1 ft in the ground drive charred stake and build mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide as per instructions for cont. sec. 27, 28, 33 and 34.

from which

A Mesquite, 5 in. dia. base, N. 46 $\frac{3}{4}$ W. 26 7/8 lvs. dist.
No other trees near.

Land level Soil good.
Grass.

Some Mesquite trees N.

Township

9 South

Range

16 West ²⁴

Gila and Salt River

BOOK

1183

Meridian.

Chains

East, on a random line between Sections 27 and 34.

Variation $140^{\circ}43'$ East.

- 40.00 Set temporary 1/4 sec. cor.
- 80.06 Intersect N. and S. line 5 lks.
S. of cor. to secs. 26, 27, 34 and
35, from which cor. run
 $S. 89^{\circ}58' W.$
Old line between sec. 27 & 34
var. $140^{\circ}43'$ East.
- 40.03 Set a post, marked 1/4 S. 4 ft.
long, flattened 3 in. wide, 1 ft.
in the ground, drive charred
stake and build mound of
earth 2 ft high, with pits 1 ft
deep, 2 ft long, 1 ft wide,
as per instructions for 1/4 sec.
cor. No tree near.
- 80.06 Cor. to sec. 27, 28, 33 & 34.

Land level Sal good.
No timber.

25 Township 9 South Range 16 West
Gila and Salt River Meridian.

BOOK 1183

Chains North, between Sections 27 and 28.
Variation 140° 13' East.

40.00 Set a post, marked 4 S. 4 ft long, flat-
tend 3 in wide, 1 ft in the ground.
Drive charred stake and build a
mound of earth 2 ft high with pits
1 ft deep, 2 ft long, 1 ft wide, as per
instructions for 14 sec. cor. from which
A Mesquite, 3 in dia. br., S. 16 1/2° E. 123 lvs. dist.
do. 6 " " " N. 37° W. 191 " "

80.00 Set a post, marked 4 S. 4 ft long, 3
in. sq. d. 1 ft in the ground. Drive charred
stake and build a mound of earth 2 ft
high with pits 1 ft deep, 2 ft long, 1 ft
wide, as per instructions for cor. to Secs.
21, 22, 27 & 28. from which
A Mesquite, 4 in. dia. br., S. 46° W. 60 lvs. dist.
do. 4 " " " N. 3° E. 120 " "
do. 17 " " " N. 82° W. 236 " "
do. 24 " " " S. 47 1/2° W. 18 " "

Land level. Soil good.
Mesquite trees. Grass.

Chains

East, on a random line between Sections 22 and 27.

Variation $14^{\circ}43'$ East.

- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
 80.08 Intersect N. and S. line 3 hrs S.
 of cor. to secs. 22, 23, 26 and
 27, from which cor. run
 $S. 89^{\circ}59' W.$
 On true line between secs. 22 & 27.
 - var. $14^{\circ}43'$ East.
- 40.04 Set a post, marked $\frac{1}{4}$ S. 4 ft long,
 flattened 3 in wide, 1 ft in the
 ground. Drive charred stake and
 build mound of earth 2 ft high,
 with pits 1 ft deep, 2 ft long, 1 ft wide,
 as per instructions for $\frac{1}{4}$ sec. cor.
 from which
 A Mesquite, $Pai-dai$ tree, N. $21^{\circ}14' W.$ 69 lbs. dist
 do. 20" " " South 22" "

80.08 Cor to secs. 21, 22, 27 & 28.

Level soil good.
 Mesquite timber. Grass.

27 Township

9 South

Range

16 West

Gila and Salt River

Meridian.

BOOK 1183

Chains North, between Sections 21 and 22.

Variation $14^{\circ}43'$ East.

40.00 Set a post marked $\frac{1}{4}$ S. of E. long, flat-
 tened 3 in wide, 1 ft in the ground,
 drive charred stake and build mound
 of earth 1 ft high, with pit 1 ft deep, 2
 ft long, 1 ft wide, as per instructions
 for these cor. from which
 Mesquite 6 in dia. br. N. $14^{\circ}43'$ W. 128 lks. dist.
 No other trees near.

80.00 Set a post, marked and notched, of
 E. long, 3 in wide, 1 ft in the ground,
 drive charred stake and build mound
 of earth 1 ft high, with pit 1 ft deep, 2
 ft long, 1 ft wide, as per instructions for
 cor. to secs. 15, 16, 21 and 22, from which
 Mesquite, 9 in dia. br. S $8^{\circ}4'$ W. 100 lks. dist.
 do. 12 " " " N. 88° E. 90 " "
 do. 16 " " " S. 71° E. 230 " "
 No other trees near.

Land level.

Soil good.

Mesquite timber.

Township 9 South Range 16 West 28
Gila and Salt River BOOK 1183 Meridian.

Chains East, on a random line between Sections 15 and 22.
Variation $14^{\circ}43'$ East.

40.00 Set temporary 74 sec. cor.
80.05 Intersect N. and S. line 74 sec.
S. of cor. to Secs. 14, 15, 22 and
23, from which cor. Drive
S. 89° 37' W.
Cut line between sec. 15 & 22,
var. $14^{\circ}43'$ East.
40.02 Set a post, marked 74 S. 4 ft long,
flattened 3 in wide, 1 ft in the
ground, drive charred stake and
build mound of earth 2 ft high,
with pits 1 ft deep, 2 ft long, 1 ft wide,
as per instructions for 74 sec. cor.
From which
Mesquite 17 in dia. br. S. 5° E. 25 lbs dist
do 23 " " " N. 17° W. 35 " "

80.00 Cor. to Secs. 15, 16, 21 and 22.

Land level. Soil good.
Mesquite timber

29
 Township 9 South Range 16 West
 BOOK 183 Gila and Salt River Meridian.

Chains North, between Sections 15 and 16.

Variation 140° 43 East.

40.00 Set a post, marked 1/4 S. 4 ft long, flat-topped 3 in wide, 1 ft in the ground, drive charred stake and build mound of earth 1 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for cor. to 1/4 sec. from which

A Mesquite 4 in dia. br. East. 270° W. dist.

do 4 " " S 39 1/2° W. 290 " "

80.00 Set a post, marked and notched, 4 ft long, 3 in sq. d. 1 ft in the ground, drive charred stake and build mound of earth 1 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for cor. to secs. 9, 10, 15 and 16, from which

A Mesquite 8 in dia. br. N. 10 1/4° E. 152 br. dist.

do. 12 " " " S. 53° W. 15 " "

do. 7 " " " S. 3° E. 320 " "

No other trees near.

Land level.

Soil good.

Mesquite timber.

Township 9 South Range 16 West ³⁰
Gila and Salt River Meridian.
BOOK 1183

Chains East, on a random line between Sections 10 and 15.

Variation 14°43' East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.02 Intersect N. and S. line 15 chs.

S. of cor. to secs. 10, 11, 14 and 15.
from which cor. I run
S. $89^{\circ}54' W.$

On true line between secs. 10 & 15.

var. $14^{\circ}43'$ East

40.01 Set a post, marked $\frac{1}{4}$ S. 4 ft. long,
flattened 3 in. wide, 1 ft. in the
ground, drove 4 in. state and
bulldozed mound of earth 2 ft. high,
with pit. 1 ft. deep, 2 ft. long, 1 ft. wide,
as per instructions for $\frac{1}{4}$ sec. cor.
from which

A Mesquite, 18 in. dia. br. S. $36\frac{1}{2}^{\circ} W.$ 286 in. dia. dit.
No other trees near.

80.02 Cor. to secs. 9, 10, 15 and 16.

Land level. Soil good.
Mesquite trees. Grass.

31 Township 9 South Range 16 West
Gila and Salt River Meridian.

BOOK 1183

Chains North, between Sections 9 and 10.

Variation 14°43' East.

40.00 Set a post, marked 74 S. 4 ft long,
flattened 3 in wide, 1 ft in the
ground. Drive charred stake and
build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft
long, 1 ft wide, as per instructions
for 74 sec. cor.

No trees near.

80.00 Drive charred stake and
build mound of earth 2 ft high,
with pits 1 ft deep, 2 ft long, 1 ft
wide, and in center of pit S. E.
of cor. Drive a stake marked
and notched, 2 ft long, 2 in
sq d. 1 ft in the ground,
as per instructions for cor to
secs. 3, 4, 9 and 10.

No stones or trees near.

Land level. Soil good.
No timber.

Township

9 South

Range

16 West ³²

Gila and Salt River

BOOK

1183

Meridian.

Chains

East, on a random line between Sections 3 and 10.

Variation $14^{\circ}43'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.04 Intersect N. and S. line 8 lks.
S. a/c cor to secs. 2, 3, 10 and
11, from which cor. Run
S. $89^{\circ}54'$ W.

on true line between sec. 3 & 10.
var. $14^{\circ}43'$ East.

40.02 Drive charred stake and
build mound of earth 2 ft.
high with pits 1 ft. deep, 2
ft. long, 1 ft. wide, as per
instructions for $\frac{1}{4}$ sec.
cor.

No stones or trees near
80.04 Cor. to secs. 3, 4, 9 and 10.

Land level Sal good.
No timber. Grass.

33 Township 9 South Range 16 West
Gila and Salt River Meridian.
BOOK 1183

Chains North, on a random line between Sections 3 and 4.
Variation $14^{\circ}43'$ East.

40.00 Set temporary 14 sec. cor
80.10 Intersect N. boundary 5. Sec.
W. of cor. to secs. 3 and 4.
from which cor. Drive
S. $0^{\circ}2'W$.
On true line between secs. 3 & 4.
var. $14^{\circ}43'$ East.

40.10 Drive charred stake and build mound of earth 4 ft high with pits 1 ft deep 2 ft long 1 ft wide, as per instructions for 14 sec. cor.
No stones or trees near.

80.10 Cor to secs. 3, 4, 9 and 10.

Level good. Soil good.
No timber. Grass.

January 17, 1878.

Township

9 South

Range

16 West ³⁴

BOOK 1183

Gila and Salt River

Meridian.

Chains

North, between Sections 32 and 33.

Variation 141°43' East.

40.00 Drive charred stake and build mound of earth 2 ft high with pits 1 ft deep 2 ft long. 1 ft wide, as per instructions for 1/4 sec. cor.

No stones or trees near

80.00 Drive charred stake and build mound of earth 2 ft high with pits 1 ft deep 2 ft long. 1 ft wide, and in center of pit S. E. of cor. drive a stake marked and notched, 2 ft long, 2 in sq. 1 ft in the ground, as per instructions for cor. to Secs. 28, 29, 32 and 33.

No stones or trees near

Sand level. Soil good.
No timber. Grass.

35 Township 9 South Range 16 West
Gila and Salt River Meridian.

BOOK 1183

Chains East, on a random line between Sections 28 and 33.

Variation $14^{\circ}43'$ East.

40.00 Set temporary 4 sec. cor.
79.89 Intersect N. and S. line 16 lns.
Saf cor. to secs. 27, 28, 33 and
34, from which cor. Run
 $S. 89^{\circ}53' W.$
Between line between secs. 28 & 33.

var. $14^{\circ}43'$ East.

39.94 Set a post, marked "4 S. 4 ft.
long, flattened 3 in wide, 1 ft. in
the ground, drive charred
stake and build mound of
earth 2 ft high, with pits 1 ft
deep, 2 ft long, 1 ft wide, as
per instructions for 4 sec.

cor.

No trees near

79.89 Cor. to sec. 28, 29, 32 and 33.

Land level. Soil good.
A few trees E. Grass.

Chains

North, between Sections 28 and 29.

Variation 140°13' East.

40.00

Set a post, marked 14 S. 4 ft long.
flattened 3 in wide, 1 ft in the ground
drive charred stake and build
mound of earth 2 ft high, with pit
1 ft deep, 2 ft long, 1 ft wide, as per in-
structions for 14 sec. cor. from which
a Mesquite, 14 in. dia. br. E. 2 1/2 hrs. dist.
No other tree near.

80.00

Set a post, marked and notched 4
ft long, 3 in. sq. d. 1 ft in the ground,
drive charred stake and build mound
of earth 2 ft high, with pits 1 ft deep,
2 ft long, 1 ft wide, as per instructions
for cor. to secs. 20, 21, 28 and 29,
from which
a Mesquite, 10 in. dia. br. N. 46° W. 11 hrs. dist.
do. 10 " " " S. 2 1/2° E. 249 " "
No other tree near

Land level.
Soil good.
Grass. Mesquite trees.

37 Township 9 South Range 16 West
Gila and Salt River Meridian.

BOOK 1183

Chains East, on a random line between Sections 21 and 28.

Variation 14°43' East.

40.00 Set temporary 1/4 sec. cor.
79.92 Intersect N. and S. line 11 hrs
S. of cor. to secs. 21, 22, 27
and 28, from which cor. I run
S. 89° 55' W.

On true line between secs. 21 & 28.
Var. 14°43' East.

39.96 Set a post, marked 1/4 S. 4 ft long,
flattened 3 in. wide 1 ft in the
ground, drive charred stake
and build mound of earth 2
ft high, with pits 1 ft deep, 2 ft
long, 1 ft wide, as per instruc-
tions, for 1/4 sec cor.
from which

A Mesquite, 6 in dia. N. 61° E. 78 hrs dist.
do. 8 " " S. 88 1/2° W. 22 " "

79.92 Cont. to Secs 20, 21, 28 and 29.

Land level. Soil good.
Mesquite trees

Chains North, between Sections 20 and 21.

Variation 114°13' East.

- 40.00 Set a post, marked "4 S. 4 ft long, flattened 3 in wide, 4 ft in the ground, drive charred stake and build a mound of earth 4 ft high, with pits 4 ft deep, 2 ft long, 1 ft wide, a per structure for 4 sec. cor. from which
 a Mesquite 7 in dia. br. N. 48 1/2° W. 161 lbs. dist.
 do. 15 " " S. 29° E. 248 " "
- 80.00 Set a post, marked and notched, 4 ft long, 3 in wide, 4 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 4 ft deep, 2 ft long, 1 ft wide, a per structure for cor. to Secs. 16, 17, 20, and 21. from which
 a Mesquite, 10 in dia. br. S. 80° W. 126 lbs. dist.
 do. 8 " " S. 6 1/2° E. 233 " "
 do. 24 " " N. 74 1/2° E. 84 " "
 do. 20 " " N. 30° W. 17 " "

Land level. Soil good.
 Mesquite timber.

39 Township 9 South Range 16 West
Gila and Salt River Meridian.
BOOK 1183

Chains East, on a random line between Sections 16 and 21.

Variation $14^{\circ}43'$ East.

40.00 Set temporary 4 sec. cor.
79.96 Intersect N. and S. line 9 hrs. S.
of cor. to secs. 15, 16, 21 and 22,
from which cor. I am
S. $89^{\circ}56'N$.

On true line between secs. 16 & 21.
var. $14^{\circ}43'$ East.

39.98 Set a post, marked 74 S. 4 ft long,
flattened 3 in. wide, 1 ft in the
ground, drove charred stakes and
built mounds of earth 2 ft high
with pits 1 ft deep, 2 ft long, 1 ft
wide, as per instructions for 74
sec. cor. from which

A Mesquite, 16 in. dia. br. S. $44^{\circ}W$. 82 hrs. dist.
do. 12 " " " S. $74^{\circ}E$. 358 " "

79.96 Cor. to secs. 16, 17, 20 and 21.

Land level. Soil good.
Mesquite timber.

Township

9 South

Range

16 East 40

BOOK

1183

Gila and Salt River

Meridian.

Chains

North, between Sections 16 and 17.

Variation

14°43'

East.

40.00

Set apart, marked 14 S. 4 ft long, flat-topped 3 in. wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 4 sec. cor.

No trees near.

80.00

Drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, and in center of pit S. E. a cor. drive a stake marked and notched, 2 ft long, 2 in. sq. d. 1 ft in the ground, as per instructions for cor. to Secs. 8, 9, 16 and 17.

No stones or trees near.

Land level.

Soil good.
Mesquite trees on land.

41 Township 9 South Range 16 West
Gila and Salt River Meridian.

BOOK 1183

Chains East, on a random line between Sections 9 and 16.
Variation $14^{\circ}43'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
79.90 Intersect N. and S. line 10 hrs. S.
of cor. to secs. 9, 10, 15 and 16
from which cor. I run
S. $89^{\circ}56'$ W.

On true line between secs. 9 & 16.
var. $14^{\circ}43'$ East.

39.95 Set a post, marked $\frac{1}{4}$ S. 4 ft.
long, flattened 3 in. wide, 1 ft.
in the ground, drive charred
stake and build mound of
earth 2 ft high, with pits 1 ft.
deep, 2 ft long, 1 ft wide, as
per instructions for $\frac{1}{4}$ sec. cor.
No trees near.

79.90 Cor. to secs. 8, 9, 16, and 17.

Land level.
Soil good. Grass.
Mesquite trees E.

Township 9 South Range 16 West 42
Gila and Salt River BOOK 1183 Meridian.

Chains

North, between Sections 8 and 9.

Variation 14°43 East.

40.00 Set a post, marked 74 S. 4 ft long, flattened 3 in wide, 1 ft in the ground. Drive charred stake and build mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 74 sec. cor.

No trees near.

80.00 Drive charred stake and build mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide, and in center affix S. E. a cor. Drive a stake marked and notched, 2 ft long, 2 in sq. d. 1 ft in the ground, as per instructions for cor. to Secs. 4, 5, 8, and 9.

No stones or trees near.
Land level. Soil good.
Grass. No timber.

43

Township

9 South

Range

16 West

Gila and Salt River

Meridian.

BOOK

1183

Chains

East, on a random line between Sections 4 and 9.

Variation

140°43'

East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.94 Intersect N. and S. line of Secs. 4, 9, 8 and 10, from which cor. I run S. 89°57' W.

Outline line between secs. 4 & 9
var. 140°43' East.39.97 Drive charred stake and build mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for $\frac{1}{4}$ sec. cor.

No stones or trees near.

79.94 Cont. Secs. 4, 5, 8 and 9.

Land level. Soil good

No timber. Grass.

Township 9 South Range 16 West ⁴⁴
Gila and Salt River Meridian. ^{BOOK 1183}

Chains North, on a random line between Sections 4 and 5.

Variation 14°43' East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
80.17 Intersect N. boundary 13 lns. E.
of cor. to Secs. 4 and 5. from
which cor. Run
S. $0^{\circ}6'$ E.

On true line between Secs. 4 & 5.
var. $14^{\circ}43'$ East.

40.17 Drive charred stake and build
mound of earth 2 ft high, with
pits 1 ft deep, 2 ft long, 1 ft
wide, as per instructions
for $\frac{1}{4}$ sec. cor.
No stones or trees near.

80.17 Cor. to Secs. 4, 5, 8 and 9.

Land level soil good
No timber - Grass

45 Township 9 South Range 16 West
Gila and Salt River Meridian.

BOOK 1183

Chains North, between Sections 31 and 32.

Variation $140^{\circ}43'$ East.

40.00 Set a post, marked $\frac{1}{4}$ S. of pt. long,
flattened 3 in wide, 1 ft. in the
ground. Drive charred stake
and build mound of earth
2 ft high, with pits 1 ft deep, 2
ft long, 1 ft wide, as per instruc-
tions, for $\frac{1}{4}$ sec. cor.

No trees near.

80.00 Drive charred stake and build
mound of earth 2 ft high,
with pits 1 ft deep, 2 ft long,
1 ft wide, and in center of
pit S. E. of cor. drive a stake
marked and notched, 2 ft
long, 2 in. sq. 1 ft in the
ground, as per instructions
for cor. to secs. 29. 30. 31
and 32.

No stones or trees near.

Land level. Soil good.

No timber. Grass.

Township 9 South Range 16 West 46
Gila and Salt River BOOK 1183
Meridian.

Chains East, on a random line between Sections 29 and 32.
Variation 14°43' East.

40.00 Set temporary 1/4 sec. cor.
79.87 Intersect N. and S. line 10 hrs
N. of cor. to secs. 28, 29, 32 and
33, from which cor. Run
N. 89° 56' W.

On true line between sec. 29 & 32,
var. 14°43' East

39.93 Drive charred stake and
build mound of earth 2
ft high with pits 1 ft deep,
2 ft long, 1 ft wide, as per in-
structions for 1/4 sec. cor.
No stones or trees near.

79.84 Cor. to Secs. 29, 30, 31 & 32.

Land level Soil Good.
No timber. Grass.

47 Township 9 South Range 16 West
Gila and Salt River Meridian

BOOK 1183

Chains West, on a random line between Sections 30 and 31.

Variation 14°43' East.

40.00 Set temporary 1/4 sec. cor.
79.47 Intersect N. boundary 8 lns.
N. of cor. to secs. 30 and 31.
from which cor. Run
N. 89°57' E.
On true line between secs. 30 & 31.
var. 14°43' East.

39.47 Drive charred stake and build
mound of earth 2 ft high
with pits 1 ft deep 2 ft long,
1 ft wide, as per instructions
for 1/4 sec. cor.
No stones or trees near.

79.47 Cor. to secs. 29, 30, 31 and 32.

Land level. Soil good.
No timber. Grass

Township 9 South Range 16 West 48
Gila and Salt River BOOK 1183
Meridian.

Chains

North, between Sections 29 and 30.

Variation 144°13' East.

40.00 Set a post, marked 74 S. 4 ft long,
flattened 3 in wide, 1 ft in the
ground. Drive charred stake
and build mound of earth 2 ft
high with pits 1 ft deep, 2 ft long,
1 ft wide, as per instructions for
sec. cor. No trees near.

80.00 Set a post, marked and notched,
4 ft long, 3 in sq. d. 1 ft in the ground,
drive charred stake and build
mound of earth 2 ft high,
with pits 1 ft deep, 2 ft long,
1 ft wide, as per instructions
for cor. to secs. 19, 20, 29 and
30. From which
A mesquite, 16 in dia. bet. S. 47° N. 212 has dist.
No other trees near.

Land level. Soil good.
A few trees. Grass.

BOOK 1183

Chains East, on a random line between Sections 20 and 29.
Variation 14°43' East.

40.00 Set temporary 1/4 sec. cor.
79.98 Intersect N. and S. line 4 lvs. N.
of cor. to secs. 20, 21, 28 and 29.
from which cor. I run
N. 89°58' W.
to true line between secs. 20 & 29.
var. 14°43' East.

39.99 Set post, marked 1/4 S. 4 ft long,
flattened 3 in wide, 1 ft in the
ground, drive charred stake
and build mound of earth
1 ft high, with pits 1 ft deep, 2
ft long, 1 ft wide, as per in-
structions for 1/4 sec. cor.
from which
Mesquite, 10 in. dia. brn. N. 26 1/2° E. 123 lbs dist.
do. 12 " " " S. 84° W. 300 " "

79.98 Cor. to secs. 19, 20, 29 and 30.
Land level. Soil good.
Mesquite trees! Grass.

Township 9 South Range 16 West 50
Gila and Salt River BOOK 1183
Meridian.

Chains West, on a random line between Sections 19 and 30.

Variation 14°43' East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.41 Intersect N. boundary 6 lks. S.
of cor. to secs. 19 and 30. from
which cor. Run
S. 89° 57' E.

On true line between secs. 19 & 30.
var. 14° 43' East.

39.41 Set a post, marked $\frac{1}{4}$ S. 4 ft long
flattened 3 in. wide, 1 ft in the
ground. Drive charred stave
and build mound of earth
ft high, with pit ft deep, 2 ft
long, 1 ft wide, as per instruc-
tions for $\frac{1}{4}$ sec. cor.

No trees near.

79.41 Cor. to secs. 19, 20, 29 & 30.

Land level. Soil good.
Scattering trees. Grass.
January 18, 1878.

Township

9 South

Range

16 West

Gila and Salt River

Meridian.

BOOK

1183

Chains

North, between Sections 19 and 20.

Variation

14°43'

East.

40.00 Set apart, marked by S. 4 ft long, flattened 3 in. wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high with pit 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 14 sec. cor. from which a Mesquite 15 in. dia. brs. N. 8° E. 250 hrs. dist. No other trees near.

80.00 Set apart, marked and notched, 4 ft long, 3 in. sq. d. 1 ft in the ground, drive charred stake and build a mound of earth 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, as per instructions for cor. to secs. 17, 18, 19 and 20, from which a Mesquite 20 in. dia. brs. S. 70° N. 181 hrs. dist.
do. 20 " " " N. 10½° E. 135 " "

No other trees near.

Land level. Soil good.
Mesquite trees. Grass.

Township 9 South Range 16 West ⁵²
Gila and Salt River Meridian. BOOK 1183

Chains East, on a random line between Sections 17 and 20.
Variation 14°43' East.

40.00 Set temporary 1/4 sec. cor.
80.03 Intersect N. and S. line 8 lns. S. of
cor. to secs. 16, 17, 20 and 21.
from which cor. I run
S. 89°57' W.
On true line between secs. 17 & 20.
var. 14°43' East.

40.01 Set a post, marked 1/4 S. 4 ft. long,
flattened 3 in wide. 1 ft. in the
ground. Drive charred stake
and build mound of earth
2 ft high with pits 1 ft deep, 2
ft long, 1 ft wide, as per in-
structions for 1/4 sec. cor.
from which
a Mesquite, 6 in. dia. base, S. 45° W. 18 lns. dist.
do 10 " " " North 296 " "

80.03 Cor. to secs. 17, 18, 19 and 20.
Land level. Soil good.
Mesquite trees.

Township 9 South Range 16 West
Gila and Salt River Meridian.

BOOK 1183

Chains

West, on a random line between Sections 18 and 19.

Variation 14°43' East.

- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
 79.31 Intersect W. boundary $\frac{1}{4}$ sec.
 S. of cor. to Secs. 18 and 19
 from which cor. Drive
 S. $89^{\circ}54'$ E.
 Put true line between secs. 18 & 19
 var. $14^{\circ}43'$ East
- 39.31 Set a post, marked $\frac{1}{4}$ S. 4 ft
 long, flattened 3 in wide, ft
 in the ground. Drive charred
 stake and build mound of
 earth 2 ft high, with pits 4 ft
 deep, 2 ft long, 1 ft wide, as
 per instructions for $\frac{1}{4}$ sec.
 cor. No trees near.
- 79.31 Cor. to secs. 17, 18, 19 and 20.

Land level. Soil good.
 A few trees E.

Township 9 South Range 16 West 574
Gila and Salt River BOOK 1183
Meridian.

Chains North, between Sections 17 and 18.

Variation 14° 43' East.

46.00 Set a post marked by S. of E. long,
flattened 3 in wide, 1 ft in the
ground. Drive charred stake
and build mound of earth
2 ft high, with pits 1 ft deep, 2
ft long, 1 ft wide, as per in-
structions for 1/4 sec. cor.

No trees near.

80.00 Drive charred stake and build
mound of earth 2 ft high, with
pits 1 ft deep, 2 ft long, 1 ft wide
and in center of pit S. E. of
cor. Drive a stake marked
and notched, 2 ft long, 2
in. sq. d. 1 ft in the ground,
as per instructions for cor. to
Sec. 7, 8, 17 and 18.

No stone or trees near.

Land level. Soil good
No timber.

55 Township 9 South Range 16 West
Gila and Salt River Meridian.
BOOK 1183

Chains East, on a random line between Sections 8 and 17.
Variation 14°43' East.

40.00 Set temporary 1/4 sec cor.
80.05 Intersect N. and S. line 3 lvs.
N. of cor. to Secs. 8, 9, 16 and
17, from which cor. I run
N. 89°59' W.
On true line between sec. 8 & 17
var. 14°43' East.

40.02 Drive chared stake and
build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft
long, 1 ft wide, as per in-
structions for 1/4 sec. cor.
No stones or trees near.

80.05 Cor. to Secs. 7, 8, 17 and 18.

Land level. Soil good.
No timber.

Township 9 South Range 16 West ⁵⁶
Gila and Salt River Meridian. BOOK 1183

Chains West, on a random line between Sections 7 and 18.

Variation $114^{\circ}43'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.74 Intersect N. boundary 10 lns.
S. of cor. to secs. 7 and 18
from which cor. Run
 $S. 89^{\circ}56' E.$

On true line between sec. 7 & 18.
var. $114^{\circ}43'$ East.

39.74 Drive charred stake and
build mound of earth 2 ft
high with pits 1 ft deep, 2 ft
long, 1 ft wide, as per in-
structions for $\frac{1}{4}$ sec. cor.
No staves or trees near.

79.74 Cor. to sec. 7, 8, 17 & 18.

Sand level Soil good

No timber. Some grass.

57 Township 9 South Range 16 West
Gila and Salt River Meridian.

BOOK
Chains

1183
North, between Sections 7 and 8.

Variation 14°43' East.

40.00 Drive charred stake and
build mound of earth 2 ft.
high with pit 1 ft deep 2 ft
long 1 ft wide, as per in-
structions for 7 & sec. cor.
No stones or trees near.

80.00 Drive charred stake and build
mound of earth 2 ft high,
with pit 1 ft deep 2 ft long,
1 ft wide, and in center of pit
S. E. of cor. Drive a stake
marked and notched,
2 ft long, 2 in sq. 1 ft in the
ground, as per instructions
for cor. to Secs. 5, 6, 7 and
8.

No stones or trees near.
Sand level Soil good.
No timber Grass.

Township

9 South

Range

16 West

58

BOOK 1183

Gila and Salt River

Meridian.

Chains

East, on a random line between Sections 5 and 8.

Variation $14^{\circ}43'$ East.

40.00 Set temporary 74 sec. cor.
80.04 Intersect N. and S. line 8th Sec.
N. of cor. to Secs. 4, 5, 8 and
9, from which cor. Run
N. $89^{\circ}05'$ W.
Outline line between Secs. 5 & 8.
var. $14^{\circ}43'$ East.

40.02 Drive charred stake and
build mound of earth
2 ft high with pits 1 ft deep,
2 ft long, 1 ft wide, as per
instructions for 74 sec. cor.
No stones or trees near.

80.04 Cor. to Secs. 5, 6, 7 & 8.

Level and Set Grad.
No timber.

59 Township 9 South Range 16 West
Book 1183 G. and Salt River Meridian.

Chains West, on a random line between Sections 6 and 7.
Variation $14^{\circ}43'$ East.

40.00 Set temporary 1/4 sec. cor.
79.18 Intersect N. boundary 12
W. S. of cor. to secs. 6 and 7.
from which cor. I run
 $S. 89^{\circ}55' E.$

On true line between secs. 6 & 7.
var. $14^{\circ}43'$ East

39.18 Drive charred stake and
build mound of earth 2
ft high, with pits 1 ft deep,
2 ft long, 1 ft wide, as per
instructions for cor. to 1/4
secs.

No stones or trees near

49.18 Cor. to Secs. 5, 6, 7 and 8.

Land level.

Soil good.
No timber.

Township

9 South

Range

16 West 60

Gila and Salt River

BOOK 1183

Meridian.

Chains

North on a random line between Sec's 5 and 6.

Variation $141^{\circ}43'$ East.

40.00 Set temporary 1/4 sec. cor.
 80.06 Intersect N. boundary 5 Secs.
 E. of cor. to secs. 5 and 6.
 from which cor. Drive
 $S. 0^{\circ}2' E.$
 Out true line between sec. 5 & 6.
 var. $140^{\circ}43' East$

40.06 Drive charred stake and
 build mound of earth
 4 ft high, with pits 1 ft deep
 2 ft long. 1 ft wide as per
 instructions for 1/4 sec. cor.
 No stone or trees near.

80.06 Cor. to sec. 5, 6, 7 and 8.

Sandwich Soil Good
 20 m. l. e.
 January 9, 1878.

General Description.

BOOK 1183

Township 9 S. 16 West, is a flat piece of lowland lying S. of the Gila river.

The soil is first rate and nearly the entire township can be brought under cultivation with irrigation from the Gila river which flows through the township adjoining on the North.

The borders of the township are devoid of trees, but the lower interior contains mesquite and some palo verde trees.

John L. Harris
U.S. Dep. Surveyor

List of Names.

No. 1183

A List of the Names of Individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing Field Notes of the survey of

The Subdivision Lines of Township 9 South Range 16 West of the Gila and Salt River Meridian Arizona

Showing the respective capacities in which they acted.

Lynn Wainfield Chainman.

Chas B Warren Chainman,

Fred C Jones Axeman.

J. P. Chenoweth Flagman.

63
Final Oath of Assistants.

BOOK 1183

We hereby certify that we assisted John L. Harris U. S. Deputy Surveyor, in surveying

The Subdivision Lines of Township 9 South Range 16 West, of the Gila and Salt River Meridian Arizona

and that said Survey has been in all respects, to the best of our knowledge and belief, well and faithfully executed, and the boundary monuments planted according to the instructions furnished by the Surveyor-General.

L. L. Wainwright Chainman.
Chas. B. Warner Chainman,
Fred. Jones Axeman.
J. P. Phenoweth Flagman.

Sworn to and subscribed before me, this 9 day of March, 1878.

William J. Abou
Notary Public

Final Oath of Deputy Surveyor.

I, *John L. Harris*

U. S. Deputy Surveyor, do solemnly swear that
 in pursuance of a contract with John Wasson,
 United States Surveyor-General for Arizona, bear-
 ing date the *20* day of *September*

187*7*. I have well, faithfully and truly, in my
 own proper person, and in strict conformity with
 the instructions furnished by the Surveyor-Gener-
 al, the Surveying Manual, and the laws of the
 United States, surveyed all those portions of

The Subdivision Series
of Township 9 South of
Range 16 West, of the
Gila and Salt River
Meridian, Arizona

as are repre-
 sented in the foregoing Field Notes as having
 been surveyed under my directions; and I do
 further solemnly swear that all the corners of
 said surveys have been established and perpet-
 uated in strict accordance with the Surveying
 Manual and printed instructions, and also in ac-
 cordance with the additional requirements con-

65

tained in circular instructions from the U. S. Surveyor-General for Arizona, dated September 1, 1873, regarding the establishment of corner boundaries of public surveys, and that the foregoing are the true and original Field Notes of such surveys.

John L. Harris
Deputy Surveyor.

BOOK 1183

Sworn to and subscribed before me, this *9th* day of *March*, 1878



William Gibson
Notary Public

U. S. Surveyor General's Office,

TUCSON, ARIZONA, April 1, 1878.

The foregoing Field Notes of the Survey of the

*Subdivision Lines of
Township 9 South,
Range 16 West.*

*Of the Gila and Salt River Base and Meridian, Arizona, execu-
ted by John L. Harris,*

*Deputy Surveyor, under his contract of the 20th
day of September, 1877, having been*

*critically examined and the necessary corrections and explana-
tions made, the said Field Notes and the surveys they describe
are hereby approved.*

*John Masson,
Surveyor General.*