

No. 1184

BOOK 1184

John L. Harris, Deputy Surveyor.
T. *9 South* R. *17 West*
Gila and Salt River Meridian.

1184

BOOK 1184

FIELD NOTES

OF

The *Subdivision* Lines of
Township *9 South* Range *17 West*.
Gila and Salt River Meridian.

BY

John L. Harris, Deputy Surveyor. No. 1184

under his Contract of *September 20* 18*77*.
Survey commenced *February 12*, 18*78*.
Survey completed *February 16*, 18*78*.

Platted,

Copied for Washington,

Transcript sent to Commissioner,

J. R. T., S. A.

John L. Harris Deputy Surveyor.
 T. *9 South* R. *17 West*.
Gila and Salt River Meridian.

FIELD NOTES

OF
 The *Subdivision* Lines of
 Township *9 South* Range *17 West*.
Gila and Salt River Meridian.

John L. Harris Deputy Surveyor.
 under his Contract of *September 20 1877*.
 Survey commenced *February 12 1878*.
 Survey completed *February 16 1878*.

Platted,
Copied for Washington,
Transcript sent to Commissioner,

BOOK 1184
Preliminary Oaths of Assistants.

We, Lyman Wakefield
and Chas B Warren

do solemnly swear that we will faithfully execute the duties of Chain Carriers; that we will level the chain upon uneven ground, and plumb the tally pins, whether by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability.

Lyman Wakefield
Chas B Warren

Sworn to and subscribed before me, this 29
day of September, 1877

William J Osborn
Notary Public




We, *Fred Jones and*
P. Chenoweth
do solemnly swear that we will well and truly per-
form the duties of *Assessor and*
Magistrate respectively
according to instructions given us, and to the best
of our skill and ability.

Fred Jones
P. Chenoweth

Sworn to and subscribed before me this *29*
day of *September*, 18*77*

William J. Osborn
Notary Public



Township 9 South Range 17 West

10 Gila and Salt River Meridian.

BOOK 1184

6	60	5	44	4	33	3	22	2	11	1
59		58		43		32		21		10
7	57	8	42	9	31	10	20	11	9	12
56		55		41		30		19		8
18	54	17	40	16	29	15	18	14	7	13
53		52		39		38		17		6
19	51	20	38	21	27	22	16	23	5	24
50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25
47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36

Township _____ Range _____

BOOK 1184 Meridian.

No. 1184

10 Township 9 South Range 17 West
Gila and Salt River Meridian

BOOK 1184

Chains From the corner to Sections 35, 36, 1 and 2 on the South
boundary I ran February 12, 1878.
North, between Sections 35 and 36.

Variation $14^{\circ}45'$ East.

As Per East Boundary

40.00 Set a post, marked 74 S. 4 ft long,
flattened 3 in. wide, 1 ft in the
ground, drive charred stake and
build mound of earth 2 ft high
with pits 1 ft deep, 2 ft long, 1 ft
wide, as per instructions for 74
sec. cor. from which

A Palo Verde tree, 4 in. diameter, S. 80° E. 29. Cu. dist.

do. 5 " " " S. 41° W. 37 " "

80.00 Set a post, marked and notched,
4 ft long, 3 in. sq. d. 1 ft in the
ground, drive charred stake and
build mound of earth 2 ft high
with pits 1 ft deep, 2 ft long, 1 ft
wide, as per instructions for
cor. to Secs 25, 26, 35 & 36.

No tree near.

Land level. Soil good.
Mesquite & Palo Verde trees.

Township

9 South

Range

17 West ²

Gila and Salt River

Meridian.

BOOK 1184

Chains

East, on a random line between Sections 25 and 36.

Variation $14^{\circ}45'$ East.40.00 Set temporary $\frac{1}{4}$ sec. cor.80.06 Intersect E. boundary 14 lns. N. of
cor. to secs. 25 and 36. from
which cor. I run
N. $89^{\circ}54'$ W.On true line between secs. 25 & 36.
var. $14^{\circ}45'$ East.40.03 Set a post, marked $\frac{1}{4}$ S. 4 ft. long,
flattened 3 in. wide, 1 ft. in the
ground. Drive charred stake
and build mound of earth
2 ft. high, with pile 1 ft. deep, 2 ft.
long, 1 ft. wide, as per measure -
turns for $\frac{1}{4}$ sec. cor.

No trees near.

80.06 Cor. to secs. 25, 26, 35 & 36.

Sand level. Soil good.
Scattered trees.

3 Township 9 South Range 14 West
Gila and Salt River Meridian.

BOOK 1184

Chains North, between Sections 25 and 26.

Variation $14^{\circ}15'$ East.

40.00 Set apart, marked $\frac{1}{4}$ S. 4 ft long
flattened 3 in wide, 1 ft in
the ground. Drive charred stakes
and build mound of earth
1 ft high, with pits 1 ft deep, 2 ft
long, 1 ft wide, as per instruc-
tions for $\frac{1}{4}$ sec. cor.

No trees near.

80.00 Drive charred stakes and build
mound of earth 1 ft high,
with pits 1 ft deep, 2 ft long,
1 ft wide, and in center of pit
S. E. of cor. drive a stake
marked and notched, 2 ft
long, 2 in sq. 1 ft in the
ground, as per instructions
for cor. to secs. 23, 24, 25 & 26.

No trees near.

Land level. Soil good.
No timber.

Township

9 South

Range

17 West

Gila and Salt River

Meridian.

BOOK 1184

Chains

East, on a random line between Sections 24 and 25.

Variation

14° 45'

East.

40.00 Set temporary 1/4 sec. cor.

80.11 Intersect E. boundary of Sec. 24
of cor. to Secs. 24 and 25. from
which cor. true
S. 89° 56' W.

On true line between Sec. 24 & 25.
var. 14° 45' East

40.06 Set a post, marked 1/4 S. 4 ft
long, flattened 3 in wide, 1/2 ft
in the ground. Drive charred
stave and build mound
of earth 2 ft high, with pits
1/2 ft deep, 2 ft long, 1/2 ft wide, as
per instructions for 1/4 sec. cor.
No trees near.

80.11 Cont. to Secs. 23, 24, 25 & 26.

Land level. Soil good.
No timber.

5 Township 9 South Range 17 West
Gila and Salt River Meridian.

BOOK 1184

Chains North, between Sections 23 and 24.

Variation $14^{\circ}45'$ East.

40.00 Drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for $\frac{1}{4}$ sec. cor.
No trees or stones near.

80.00 Set a post, marked and notched, 4 ft long, 3 in sqd, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for cor. to secs. 13, 14, 23 and 24, from which a Palo Verde, 12 in dia. brs. S. $34\frac{1}{2}^{\circ}$ E. 137 lns. dist.
No other trees near.

Land level.

Soil good.

No timber.

February 12, 1878

Township

9 South

Range

17 West

Gila & Salt River

BOOK 1184
Meridian.

Chains

East, on a random line between Sections 13 and 24.

Variation $14^{\circ}45'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.07 Intersect E. boundary 15 lns. S.
of cor. to Secs. 13 and 24. from
which cor. Same
 $S. 89^{\circ}52' W.$

On true line between Secs. 13 & 24.
var. $14^{\circ}45'$ East.

40.04 Set a post, marked $\frac{1}{4}$ S. 4 ft long,
flattened 3 in. wide 1 ft in the
ground, drive charred stake
and build mound of earth 2 ft
high with pits 1 ft deep, 2 ft long,
1 ft wide, as per instructions
for $\frac{1}{4}$ sec. cor.

No trees near.

80.07 Cor. to Secs. 13, 14, 23 and 24.

Land level.

Soil good.

No timber.

7 Township 9 South Range 17 West
Gila and Salt River Meridian.
BOOK 1184

Chains North, between Sections 13 and 14.

Variation $14^{\circ}15'$ East.

40.00 Set a post, marked 4 S. 4 ft. long
flattened 3 in wide, 1 ft. in the
ground. Drive charred stake
and build mound of earth
2 ft high, with pits 1 ft deep,
2 ft long, 1 ft wide, as per in-
structions for 14 sec. cor.

No trees near.

80.00 Drive charred stake and build
mound of earth 2 ft high
with pits 1 ft deep, 2 ft long, 1 ft
wide, and in center of pit
S. E. of cor. Drive a stake,
marked and notched, 2 ft
long, 2 in. sq. d., 1 ft in the
ground, as per instructions
for cor. to secs. 11, 12, 13 and 14.

No stones or trees near.

Land level. Soil good.
No timber.

Township

9 South

Range

17 West

BOOK 1184

Meridian.

Gila & Salt River

Chains

East, on a random line between Sections 12 and 13.

Variation $14^{\circ}45'$ East.40.00 Set temporary $\frac{1}{4}$ sec. cor.80.03 Intersect E. boundary 15 chs. S.
af cor. to secs. 12 and 13, from
which cor. run
 $S. 89^{\circ} 57' W.$ Return line between secs. 12 & 13.
var. $14^{\circ}45'$ East.40.01 Drive charred stake and
build mound of earth 2 ft
high, with pit 1 ft deep, 2 ft
long. of boards, as per instru-
tions, for $\frac{1}{4}$ sec. cor.
No stones or trees near.

80.03 Cor. to secs. 11, 12, 13 and 14.

Sand level. Soil poor on E.
No timber.

9 Township 9 South Range 17 West
Gila and Salt River Meridian.

BOOK 1184

Chains North, between Sections 11 and 12.

Variation 14°45' East.

40.00 Drive charred stake and
build mound of earth 2 ft
high, with pits 4 ft deep, 2 ft long,
4 ft wide, as per instructions
for 14 sec. cor.
No stones or trees near.

80.00 Set a post marked and notched,
4 ft long, 3 in. sq. d. 4 ft in the
ground, drive charred stake
and build mound of earth
4 ft high, with pits 4 ft deep, 2 ft
long, 4 ft wide, as per instructions
for cor. to secs. 1, 2, 11 and 12,
from which
a Palo Verde, 7 in. dia. br. S. 54° W. 172 cord is
No other trees near.

Land level. Soil good.
A few trees N.

Township

9 South Range 17 West 10
Gila and Salt River Meridian. BOOK 1184

Chains

East, on a random line between Sections 1 and 12.

Variation $14^{\circ}45'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.08 Intersect E. boundary of Sec. 1.
of cor. to Secs. 1 and 12. from
which cor. I run
 $N. 89^{\circ}57' W.$

Between line between sec. 1 & 12.
var. $14^{\circ}45'$ East.

40.04 Set a post, marked $\frac{1}{4}$ S. 4
ft long, flattened 3 in wide,
1 ft in the ground, drive chisel
stone and build mound of
earth 2 ft high, with pit 1 ft deep
2 ft long, 1 ft wide, as per in-
structions for $\frac{1}{4}$ sec. cor.

No trees near.

80.08 Cor. to Secs. 1, 2, 11 and 12.

Level.

Soil mostly good.
A few trees.

" Township 9 South Range 17 West
Gila and Salt River Meridian.

BOOK
Chains

1184

North, on a random line between Sections 1 and 2.

Variation 14°45' East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
79.89 Intersect N. boundary 16 lks. E.
of coto secs. 1 and 2, from
which cor. Run
S. 0° 45' E.

On true line between secs. 1 & 2.

var. 14°45' East

39.89 Set a post, marked 94 S. 4 ft.
long, flattened 3 in. wide, 1 ft
in the ground, drive charred
stake and build mound
of earth of the height with pits
1 ft deep, 2 ft long, 1 ft wide
as per instructions for $\frac{1}{4}$ sec.
cor.

No trees near.

79.89 Coto to Secs. 1, 2, 11, and 12.

Land level. Soil good.
No timber.

Township 9 South Range 17 West ¹²
Gila and Salt River BOOK 1184 Meridian.

Chains North, between Sections 34 and 35.
Variation 14°45' East.

40.00 Set a post, marked "4 S. 4 ft long, flattened 3 in wide, 1 ft in the ground. Drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 1/4 sec. cor. from which
Paloverde, Guadalupe, N. 80° E. 733 land dist.
No other trees near.

47.00 Dry wash, 60 lbs. wide, runs N. W.
80.00 Set a granite stone 14 x 12 x 8 inches 2/3 in the ground, notched S. and E., and on the N. build mound of earth 2 ft high, with pits 1 ft deep or 1 ft long, 1 ft wide as per instructions for cor. to Sec. 26-27, 34 and 35. from which
Paloverde, Guadalupe, N. 51° E. 183 land dist.
do 3 " " " N. 23° W. 170 " "
No other trees near.

Land broken. Soil poor.
Scattering mesquite and Palo Verde trees.

¹³ Township 9 South Range 17 West
Gila & Salt River Meridian.

BOOK 1184

Chains

East, on a random line between Sections 26 and 35.

Variation $14^{\circ}45'$ East.

- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
79.94 Intersect N. and S. line 21 rods S.
of cor. to Secs. 25, 26, 35 and 36.
from which cor. I run
 $S. 89^{\circ}51' W.$
on true line between Secs. 26 & 35
var. $14^{\circ}45'$ East.
- 39.97 Set a granite stone $17 \times 10 \times 7$
inches, $\frac{2}{3}$ in the ground,
marked 14, and on the W.
build mound of stones 2 ft
high, as per instructions for
 $\frac{1}{4}$ sec. cor.
No trees near.
- 79.94 Cor. to Secs. 26, 27, 34 and 35.

Land broken. Soil poor.
Scattering trees. Grass

Township

9 South

Range

14 West

147

BOOK 1184

Gila and Salt River Meridian.

Chains

North, between Sections 26 and 27.

Variation

14° 15' East.

40.00 Set a post, marked 4 S. 4 ft. long, flattened 3 in. wide, 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions for 74 sec. cor. from which a Mesquite 8 in. dia. bears N. 80° E. 66 hrs. dist. No other trees near.

80.00 Set a post, marked and notched 4 ft. long, 3 in. sq. dia. 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions for cor. to secs. 22, 23, 26 and 27, from which a Palo Verde, 8 in. dia. bears N. 31° E. 63 hrs. dist. No other trees near.

Land uneven. Some good soil. Mesquite and Palo Verde trees.

¹⁵ Township 9 South Range 17 West
Gila and Salt River Meridian
BOOK 1184

Chains East, on a random line between Sections 23 and 26.
Variation 14°45' East.

- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
- 79.90 Intersect N. and S. line 28 hrs. S. of cor to secs. 23, 24, 25 and 26, from which cor. In line S. $89^{\circ}48' W.$
On true line between secs. 23 & 26, var. $14^{\circ}45'$ East
- 39.95 Set a post, marked $\frac{1}{4}$ S. 4 ft. long, flattened 3 in. wide, 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide as per instructions for $\frac{1}{4}$ sec. cor.
No trees near.
- 79.90 Cor. to secs. 22, 23, 26 & 27.

Land level, Soil good,
Scattered trees.

Township

9 South

Range

17 West

16

Gila Salt River

BOOK 1184

Meridian.

Chains

North, between Sections 22 and 23.

Variation

14° 45' East.

40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft. long, flattened 3 in wide, 4 ft in the ground, drove charred stake and build mound of earth 2 ft high, with pits 4 ft deep, 2 ft long, 1 ft wide, as per instructions for $\frac{1}{4}$ sec. cor.
No trees near.

80.00 Set a post, marked and notched, 4 ft long, 3 in sqd, 4 ft in the ground, drove a charred stake and build a mound of earth 2 ft high, with pits 4 ft deep, 2 ft long, 1 ft wide, as per instructions for cor. to secs. 14, 15, 22 and 23,
No trees near.

Land, over point of mountain on the N. end, with poor soil. Level S, with good soil. Scattering trees.

BOOK 1184
Chains East, on a random line between Sections 14 and 23.
Variation 114°45' East.

40.00 Set temporary 1/4 sec. cor.
49.97 Intersect A. and B. line 25 chs.
S. of cor. to Secs. 13, 14, 22 and
23, from which cor. Issue
S. 89°49' W.

On true line between secs. 14 & 23.
var. 114°45' East.

39.98 Set apart, marked 1/4 S. 4 ft long,
flattened 3 in wide, 1 ft in of
ground, drive charred stake
and build mound of earth
2 ft high, with pits 1 ft deep,
2 ft long, 1 ft wide, as per in-
structions for 1/4 sec. cor.
No trees near.

49.94 Cor. to secs. 14, 15, 22 and 23.

Land level. Soil 2° rate.
A few trees on N. half.

Township

9 South

Range

17 West

18

Gila & Salt River

BOOK

1184

Meridian.

Chains

North, between Sections 14 and 15.

Variation $114^{\circ}15'$ East.

40.00 Set a granite stone $14 \times 10 \times 9$ inches, $\frac{2}{3}$ in the ground, marked $\frac{1}{4}$, and on the N. build mounds of stones 2 ft high, as per instructions for $\frac{1}{4}$ sec.

Cor. from which

A Palo Verde, 4 in. dia. brs. S. 20° W. 160 lks. dist.

do. 3 " " " N. 24° E. 26 " "

52.60 Dry wash, 40 lks. wide, runs N. E.

80.00 Set a post, marked and notched, 4 ft long, 3 in. sq. to 1 ft in the ground, two charred staves and build mound of earth 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, as per instructions for cor. to secs. 10, 11, 14 and 15. from which

A Palo Verde, 4 in. dia. brs. S. 29° E. 65 lks. dist.

do. 10 " " " S. 51° W. 168 " "

No other trees near.

Land over rough and broken ground. Scattering trees.

19 Township 9 South Range 17 West

Gila and Salt River

Meridian

BOOK 1184

Chains East, on a random line between Sections 11 and 14.

Variation 14°45' East.

40.00 Set temporary 1/4 sec. cor.
79.87 In a sec. N. and S. line 13 hrs S.
of cor. to secs. 11, 12, 13 and 14,
from which cor. I run
S. 89° 54' W.
Patue line between sec. 11 & 14.
var. 14°45' East.

39.93 Iron charred stone and
build mound of earth 2
ft high with pit 1 ft deep,
2 ft long, 1 ft wide, as per in-
structions for 1/4 sec. cor.
No stones or trees near.

79.87 Cor to sec. 10, 11, 14 and 15.

Sand level.
Soil good.
No timber.

Township

9 South

Range

17 West 20

BOOK 1184

Meridian.

Gila and Salt River

Chains

North, between Sections 10 and 11.

Variation $140^{\circ}45'$ East.

40.00 Set a post, marked $\frac{1}{4}$ S 4 ft. long, flattened 3 in wide, 1 ft. in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for $\frac{1}{4}$ sec. cor. No trees near.

80.00 Set a post, marked and notched, 4 ft long, 3 in sq. d., 1 ft. in the ground, drive charred stake and build a mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for cor. to secs. 2, 3, 10 and 11, from which
 A Palo Verde, 5 in dia. br. N. 20° E. ²⁸⁰ ~~280~~ ft. dist.
 No other trees near.

Land level. Soil good.
 Scattering trees.

BOOK 1184

Chains East, on a random line between Sections 2 and 11.
Variation 14°45' East.

40.00 Set temporary 1/4 sec. cor.
79.86 Intersect st. and S line 12 lvs.
S. of cor to Secs. 1, 2, 11 and 12,
from which cor. Drive
S. 89°55' W.

On true line between Secs. 2 & 11.
var. 14°45' East.

39.93 Drive charred stake and
build mound of earth 2
ft high, with pits 1 ft deep,
2 ft long, 1 ft wide, as per in-
structions for 1/4 sec. cor.
No stone or trees near.

79.86 Cor to Secs 2, 3, 10 and 11.

Land level:
Soil good.
No timber.

Township

9 South

Range

17 West

22

Gila and Salt River

BOOK

1184

Meridian.

Chains

North, on a random line between Sections 2 and 3.

Variation

14°45'

East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
 80.12 Intersect N. boundary S. 1/4 Sec. E.
 of cor. to Secs. 2 and 3. from
 which cor. I run
 S. 0° 2' E.

Outline line between sec. 2 & 3.
 var. 14°45' East.

40.12 Drive charred stake and
 build mound of earth 2 ft
 high with pits 1 ft deep. 2 ft
 long. 1 ft wide, as per instruc-
 tions for $\frac{1}{4}$ sec. cor.
 No stones or trees near.

80.12 Cor. to Secs. 2, 3, 10 & 11.

Level good.
 Soil good.

No timber.

February 13, 1878.

23 Township 9 South Range 17 West
Gila and Salt River Meridian.

BOOK 1184

Chains North, between Sections 33 and 34.

Variation 14° 45 East.

40.00 Set a granite stone 11 x 9 x 7 inches
2/3 in the ground, marked 74,
and on the N. build mound
of stones 2 ft high, as per
instructions for 74 sec. cor.
No trees near.

80.00 Set an equine rock 15 x 10 x 8
inches 2/3 in the ground,
notched S. and E. and on
the N. build mound of
stones 2 ft high, as per in-
structions for cor. to Secs.
27, 28, 33 and 34.
No trees near.

Sand broken. Soil poor.
No timber.

Chains East, on a random line between Sections 27 and 34.
Variation $14^{\circ}45'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
79.89 Intersect N. and S. line 15
lcs. N. of cor. to Secs. 26, 27,
34 and 35, from which cor. run
N. $89^{\circ}54'$ W.
On true line between Secs. 27 & 34.
Var. $14^{\circ}45'$ East

39.94 Set a post, marked $\frac{1}{4}$ S. 4 ft.
long, flattened 3 in wide,
1 ft. in the ground, drive
chased stake and build
mound of earth 2 ft high,
with pits 1 ft deep, 2 ft
long, 1 ft wide, as per in-
structions for $\frac{1}{4}$ sec. cor.
No trees near.

79.89 Cor. to Secs. 27, 28, 33 & 34.
Sand broken soil poor.
No timber.

BOOK 1184
Chains North, between Sections 27 and 28.
Variation 14° 45' East.

40.00 Set an igneous rock, 12 x 9 x 6 inches, $\frac{2}{3}$ in the ground, marked 44, and on the N. build mound of stones 2 ft high, as per instruction for 4 sec. cor.

No trees near.

65.00 Bed of stream, 125 lbs. wide runs N. N. This stream, (dry here) subsequently contains a large quantity of water in its course through section 21.

80.00 Set a post, marked and notched, 4 ft long, 3 in. sq. 1 ft in the ground, and build mound of stones 2 ft high, as per instructions for cor. to secs. 21, 22, 24 and 28, from which a Palo verde, 6 in. dia. br. S. 87° E. 32' lead. No other trees near.

Land broken then level with good soil. Scattering trees. Grass

Township

9 South

Range

17 West

76

BOOK 1184

Gila and Salt River

Meridian.

Chains

East, on a random line between Sections 22 and 27.

Variation

14°45'

East.

- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
 79.92 Intersect N. and S. line 18 lbs.
 N. of Cor to secs. 22, 23, 26
 and 27, from which cor. Run
 N. $89^{\circ}52' W.$
 true line between secs. 22 & 27
 var. $14^{\circ}45'$ East.
- 39.96 On N. E. slope small hill. Set
 an igneous rock, $15 \times 10 \times 8$
 inches, $\frac{2}{3}$ in the ground,
 marked $\frac{1}{4}$, and on the W.
 build mound of stones 2 ft.
 high, as per instructions for
 $\frac{1}{4}$ sec. cor.
 No trees near.

79.92 Cor to secs. 21, 22, 27 & 28.

Sand broken. Soil poor.
 No timber. Grass.

27 Township 9 South Range 17 West
Gila & Salt River Meridian.

BOOK
Chains

1184

North, between Sections 21 and 22.

Variation $14^{\circ}45'$ East.

40.00 Set a granite stone $12 \times 10 \times 7$ inches, $\frac{2}{3}$ in the ground, marked $\frac{1}{4}$, and on the N. build mound of stones 2 ft high, as per instructions for the sec. cor.
No trees near.

80.00 Set a post, marked and notched, 4 ft long, 3 in. sq. d., 1 ft in the ground, and build mound of stones 2 ft high, as per instructions for cor. to Secs 15, 16, 21 & 22.

from which
a Palo verde, 6 in. dia. to S. 84° E. 32 hrs. dist.
No other trees near.

Land rough and broken.
Soil poor E. and good W. of line.
Scattering trees. Grass.

Township

9 South

Range

1st West ²⁸

BOOK 1184

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 15 and 22.

Variation $14^{\circ}15'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
 79.95 Intersect N. and S. line 27 lns.
 N. of cor. to Secs. 14, 15, 22 and
 23, from which cor. draw
 N. $89^{\circ}48'W$.
 On true line between secs. 15 & 22.
 var. $14^{\circ}45'$ East

39.97 Set a post, marked $\frac{1}{4}$ S. H & E
 long, flattened 3 in wide,
 1 ft in the ground, and
 build mound of stones 2
 ft high, as per instructions
 for $\frac{1}{4}$ sec. cor.
 No trees near.
 79.95 Cor. to Secs. 15, 16, 21 and 22.

Sand broken small mountains
 Soil poor.
 Grass. A few trees.

29 Township 9 South Range 1st West
Gila and Salt River Meridian.

BOOK 1184

Chains North, between Sections 15 and 16.

Variation  East

The line North between sections 15 and 16 cannot be run. It extends over a small cluster of mountains whose sides are very precipitous and perfectly bare.

The ground on either side, including the whole of section 15, and the S.E. 1/2 of sec. 16, is worthless for agriculture and not known to contain mineral.

Township

9 South

Range

17 West.

30

BOOK 1184

Gila and Salt River Meridian.

Chains

~~East, on a random line between Sections 10 and 15.~~

Variation

East.

From the cor. to secs. 10, 11, 14 and 15. Iron

West, on true line between secs. 10 & 15.
var. $14^{\circ}45'$ East.

40.00 Set an igneous rock $19 \times 10 \times 10$ inches, $\frac{3}{4}$ in the ground, marked 74, and on the W. build mound of stone 2 ft. high, as per instructions for 74 sec. Cor. No trees near.

80.00 Set a granite stone $15 \times 12 \times 8$ inches, $\frac{2}{3}$ in the ground, notched S. and E., and on the W. build mound of stones 2 ft. high, as per instructions for cor. to secs. 9, 10, 15 and 16.
No trees near. This cor. stands at the foot of N. base of mountain bearing S.

Land broken, Soil poor.
No timber.

31 Township 9 South Range 17 West
Gila and Salt River Meridian.

BOOK 1184

Chains North, between Sections 9 and 10.

Variation $14^{\circ}45'$ East.

22.20 Dry wash, 30 lvs. wide, brs. N. W.

40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft long, flattened 3 in wide, 1 ft in the ground, drive charred stake and build mound of earth 1 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for $\frac{1}{4}$ sec. cor. from which

A Mesquite, 10 in. dia. brs. N. 80° W. 162 lvs. dist.

A Palo Verde, 5 " " " N. 40° E. 210 " "

80.00 Set a post, marked and notched, 4 ft long, 3 in sq. d. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for Cor. to secs. 3, 4, 9 and 10, from which
A Palo Verde 5 in. dia. brs. S. 81° E. 145 lvs. dist.
No other trees near.

Land level. Soil good.
Mesquite and Palo Verde trees.

Township

9 South Range 17 West 32

Gila and Salt River Meridian. BOOK 1184

Chains

East, on a random line between Sections 3 and 10.

Variation $14^{\circ}45'$ East.

40.00 Set temporary $\frac{1}{4}$ sec cor.
 79.91 Intersect N. and S. line $3\frac{1}{2}$ lks.
 N. of cor to secs. 2, 3, 10 and
 11, from which cor. I run
 $N. 89^{\circ}47' W.$

On true line between secs. 3 & 10.
 var. $14^{\circ}45'$ East.

39.95 Set a post, marked $\frac{1}{4}$ S. 4 ft.
 long, flattened 3 in wide, 1 ft.
 in the ground, drive charred
 stake and build mound of
 earth 2 ft high, with pits 1 ft
 deep, 2 ft long, 1 ft wide, as
 per instructions for $\frac{1}{4}$ sec.
 cor.

No trees near.

79.91 Cor to Secs. 3, 4, 9 and 10.
 Land level. Soil good.
 Scattering trees.

33 Township 9 South Range 107 West
Gila and Salt River Meridian.
BOOK 1184

Chains North, on a random line between Sections 3 and 4.

Variation $14^{\circ}45'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
79.86 Intersect N. boundary 9 lns. E.
of cor. to Secs. 3 and 4. from
which cor. I run
 $S. 0^{\circ}4' E.$

On true line between secs. 3 & 4.
var. $14^{\circ}45'$ East

39.86 Set a post, marked $\frac{1}{4}$ S. 4
ft long, flattened 3 in wide,
1 ft in the ground, drive chanced
stake and build mound of
earth 2 ft high, with pits
1 ft deep, 2 ft long, 1 ft wide,
as per instructions for $\frac{1}{4}$ sec.
cor.

No trees near.

79.86 Cor. to secs. 3, 4, 9 and 10.

Land level. Soil good.
Scattering trees on S.

Township

9 South

Range

17 West ³⁴

BOOK 1184

Gila and Salt River Meridian.

Chains

North, between Sections 32 and 33.

Variation $114^{\circ}45'$ East.

40.00 Set an igneous rock $12 \times 9 \times 6$ inches, $\frac{2}{3}$ in the ground, marked $\frac{1}{4}$, and on the N. build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for $\frac{1}{4}$ sec. cor.

No trees near.

80.00 Drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, and in center of pit S. E. of cor. Drive a stake marked and notched, 2 ft long 2 in sq. d. 1 ft in the ground, as per instructions for cor. to Secs. 28, 29, 32 and 33.

No stones or trees near.

Sand rolling. Soil partly good.
No timber.

Township

9 South

Range

17 West

Gila and Salt River

Meridian.

BOOK
Chains

1184

East, on a random line between Sections 28 and 33.

Variation

114°45'

East.

- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
 80.05 Intersect N. and S. line 14
 hrs. S. of cor. to Secs. 27, 28,
 33 and 34, from which cor.
 Run
 S. 89° 54' W.
 On true line between secs. 28 & 33.
 var. 114°45' East
- 40.02 Set a post, marked $\frac{1}{4}$ S. 4
 ft long, flattened 3 in wide,
 1 ft in the ground. Drive a
 charred stake and build a
 mound of earth 2 ft high,
 with pits 1 ft deep, 2 ft long,
 1 ft wide, as per instructions
 for $\frac{1}{4}$ sec. cor. No tree near
- 80.05 Cor. to Secs. 28, 29, 32 and
 33.
 Land somewhat broken,
 Soil poor. No timber.

Township

9 South

Range

17 West

36

BOOK

1184

Gila and Salt River

Meridian.

Chains

North, between Sections 28 and 29.

Variation $111^{\circ}45'$ East.

40.00 Drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 24 sec. cor.

No stones or trees near.

80.00 Drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, and in center of pit S. E. of cor. drive a stake marked and notched, 2 ft long, 2 in sq d, 1 ft in the ground, as per instructions for cor. to Secs. 20, 21, 28 and 29.

No stones or trees near.

Land slightly rolling then level.
Soil good.

No timber.

37 Township 9 South Range 17 West
Gila and Salt River Meridian.

BOOK 1184

Chains East, on a random line between Sections 21 and 28.

Variation $14^{\circ}45'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
69.50 Bed of stream 100 lvs. wide, runs
N.W., and at about 20⁰⁰ chs distance
contains considerable water.
80.10 Intersect N. and S. line 16 lvs.
S. of cor. to Seas. 21, 22, 27 and
28, from which cor. I run
S. $89^{\circ}53' W.$

Put true line between secs. 21 & 28.
var. $14^{\circ}45'$ East

40.05 Set a post, marked $\frac{1}{4}$ S. $\frac{1}{4}$ E long,
flattened 3 in wide, 1 ft in the ground
dug & charred stake and build
mound of earth 2 ft high with
pits 1 ft deep, 2 ft long, 1 ft wide
as per instructions for $\frac{1}{4}$ sec. cor.
No trees near.

80.10 Cor to Seas 20, 21, 28 and 29,

Sand level. Soil good.
No timber.

Township

9 South

Range

17 West

38

Gila and Salt River

Meridian.

BOOK 1184

Chains

North, between Sections 20 and 21.

Variation 14°45' East.

25.80 Deep dry wash, 5 sh. wide runs N.E.

40.00 Drive charred stake and build mound of earth 2 ft high with pit 1 ft deep 2 ft long, 1 ft wide, as per instructions for the sec. cor.
No stones or trees near.

80.00 Drive charred stake and build mound of earth 2 ft high with pit 1 ft deep 2 ft long, 1 ft wide, and in center of pit S. E. a few. drive a stake, marked and notched, 2 ft long, 2 in sq d, 1 ft in the ground, as per instructions for cor to Secs. 16, 17, 20, and 21.

No stones or trees near.

Sand level soil good.

No timber

39 Township 9 South Range 17 West
Gila and Salt River Meridian.
BOOK 1184

Chains	East, on a random line between Sections 16 and 21. Variation $14^{\circ}45'$ East.
15.50	Stream, 100 lbs. wide, with water, runs N. W. E. since at a short distance.
40.00	Set temporary $\frac{1}{4}$ sec. cor.
50.13	Intersect N. and S. line 37 lbs S. a cor. to Secs. 15, 16, 21 and 22 from which cor. Dunc S. $89^{\circ}46' N.$ Put true line between secs. 16 & 21. var. $14^{\circ}45'$ East.
40.06	Set a granite stone, $14 \times 14 \times 9$ inches, $\frac{2}{3}$ in the ground, marked 44, and on the W.
64.63	Build mound of stones 2 ft. high, as per instructions for $\frac{1}{4}$ sec. cor. No trees near.
80.13	Cor. to secs. 16, 17, 20 and 21.

Land over broken point of
mountain bearing to the N.
Soil poor on line except on
extremity N. No timber.
February 14, 1878

Township

9 South

Range

17 West 40

Gila and Salt River

BOOK

1184

Meridian.

Chains

North, between Sections 16 and 17.

Variation $14^{\circ}45'$ East.

40.00 Set a post, marked 74 S. 4 ft long, flattened 3 in. wide, 4 ft in the ground, drive charred stake and build mound of earth 2 ft high with pits 4 ft deep, 2 ft long, 4 ft wide, as per instructions for 74 sec. cor. No trees near.

80.00 Set a post, marked and notched, 4 ft long, 3 in. sq. 4 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 4 ft deep, 2 ft long, 4 ft wide, as per instructions for cor. to Secs. 8, 9, 16, and 17, from which a Palo Verde, 10 in. dia. brs. N. 50° E. 67' land dist. No. 12 " " " S. 30° N. 195 " "

No other trees near.

Land level. Soil good.
Scattered trees.

41 Township 9 South Range 1st West
Gila and Salt River Meridian.

BOOK 1184

Chains

East, on a random line between Sections 9 and 16.

Variation $14^{\circ}45'$ East.

- 40.00 Set temporary 1/4 sec. cor.
80.17 Intersect N. and S. line 10 hrs. S.
of cor. to Secs. 9, 10, 15 and 16.
from which cor. run
S. $89^{\circ}56'$ W.
true line between Secs. 9 & 16.
var. $14^{\circ}45'$ East.
40.08 Set a post, marked 1/4 S. 1/4.
1/2 ft. long, flattened 3 in wide,
1 ft in the ground, drive charred
stake and build mound
2 ft each 2 ft high, with pits
1 ft deep, 2 ft long, 1 ft wide,
as per instruction for 1/4 sec.
cor. No trees near.
80.17 Cor. to Secs. 8, 9, 16 & 17.

Land level, then over broken
ridge. Soil good and
poor. A few trees.

Township

9 South

Range

17 West 42

Gila and Salt River

BOOK 1184

Meridian.

Chains

North, between Sections 8 and 9.

Variation

14°45' East.

40.00 Drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide as per instructions for 1/4 sec. cor.

No stone or tree near.

80.00 Drive charred stake & build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide and in center of pit S. E. of cor. drive a stake, marked and notched, 2 ft long, 2 in. sq. 1 ft in the ground, as per instructions for cor. to Secs. 4, 5, 8 and 9.

No stones or trees near.

Land level. Soil good.
No timber.

43 Township 9 South Range 17 West
Gila and Salt River Meridian.

BOOK 1184
Chains

East, on a random line between Sections 4 and 9.

Variation $14^{\circ}45'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
79.98 Intersect N. and S. line 6 hrs. N.
of cor. to Secs. 3, 4, 9 and 10
from which cor. Run
N. $89^{\circ}57'$ W.

On true line between Secs. 4 & 9
var. $14^{\circ}45'$ East.

39.99 Iron charred stone and
build mounds of earth
2 ft high, with pits 1 ft deep,
2 ft long, 1 ft wide, as per in-
structions for $\frac{1}{4}$ sec. cor.
No stones or trees near.

79.98 Cor. to Secs. 4, 5, 8 and 9.

Land level. Soil good.
No timber.

Township

9 South

Range

17 West 44

BOOK 1184

Gila and Salt River

Meridian.

Chains

North, on a random line between Sections 4 and 5.

Variation

14245' East.

40.00 Set temporary 1/4 sec. cor.

79.94 Intersect N. boundary 8 sec. E.
of cor. to secs. 4 and 5. from
which cor. Run
S. 0° 3' E.Outline line between secs. 4 & 5.
var. 14° 45' East.39.94 Drive charred stake and
build mound of earth 2 ft.
high, with pits 2 ft. deep, 2 ft.
long, 1 ft. wide, as per custom
town for 1/4 sec. cor.
No stones or trees near.

79.94 Cor. to secs. 4, 5, 8 and 9.

Land level.

Soil good.

No timber.

45 Township 9 South Range 17 West
Gila and Salt River Meridian.

BOOK 1184

Chains

North, between Sections 31 and 32.

Variation 14°45' East.

40.00 Set a post, marked 4 S. 4 ft long,
flattened 3 in wide, 1 ft in
the ground, drive charred
stake and build mound of earth
2 ft high, with pits 1 ft deep, 2
ft long, 1 ft wide, as per instruc-
tions for 1/4 sec. cor.

No trees near.

80.00 Set a post, marked and
notched, 4 ft long, 3 in sq. d.,
1 ft in the ground, drive charred
stake and build mound of
earth 2 ft high, with pits 1 ft
deep, 2 ft long, 1 ft wide, as per
instructions for cor. to sec.
29, 30, 31 and 32.

No trees near.

Land level.

Soil good.
Some mesquite and Palo
verde trees.

Township 9 South Range 17 West 46
Gila and Salt River BOOK 1184 Meridian.

Chains East, on a random line between Sections 29 and 32.
Variation $114^{\circ}45'$ East.

40.00 Set temporary 1/4 sec. cor.
80.06 Intersect N. and S. line 8 lks.
N. of cor. to sec. 28, 29, 32
and 33. from which cor. run
N. $89^{\circ}57'N$.

On true line between sec. 29 & 32
var. $14^{\circ}45'$ East.

40.03 Set a post marked 1/4 S. 4 ft.
long, flattened 3 in. wide, 1 ft.
in the ground, drive charred
stake and build mound of
earth 2 ft. high, with pits 1 ft.
deep, 2 ft. long, 1 ft. wide, as
per instructions for 1/4 sec. cor.
No trees near

80.06 Cor. to sec. 29, 30, 31 and
32.
Land level. Soil good.
Scattering trees.

47 Township 9 South Range 17 West
Gila and Salt River Meridian
BOOK 1184

Chains West, on a random line between Sections 30 and 31.

Variation $14^{\circ}45'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
79.49 Intersect N. boundary 12 chs.
N. of cor. to secs. 30 and 31,
from which cor. I run
N. $89^{\circ}55'$ E.
On true line between secs. 30 & 31.
var. $14^{\circ}45'$ East.

39.49 Set a post marked $\frac{1}{4}$ S. 4 ft.
long, flattened 3 in. wide, 1 ft.
in the ground, drive charred
stake and build mound
of earth 2 ft. high, with pit
1 ft. deep, 1 ft. long, 1 ft. wide,
as per instructions for $\frac{1}{4}$ sec.
cor.
No trees near.

79.49 Cor. to secs. 29, 30, 31 and 32.

Land level. Soil good.
Scattered trees.

Township 9 South Range 17 West 48
Gila and Salt River BOOK 1184 Meridian.

Chains North, between Sections 29 and 30.

Variation 14°45' East.

40.00 Set a post, marked $\frac{1}{4}$ S. of along, flattened 3 in wide, 1 ft in the ground. Drive chaired stake and build mound a feet high with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for $\frac{1}{4}$ sec. cor.
No trees near.

80.00 Drive chaired stake and build mound a feet high with pits 1 ft deep, 2 ft long, 1 ft wide and in center of pit S. E. of cor. drive a stake, marked and notched 2 ft long, 2 in. sq. 1 ft in the ground, as per instruction for Cor. to Secs. 19, 20, 29 and 30.

No stones or trees near.

Level Soil good.
No timber.

49 Township 9 South Range 17 West
Gila and Salt River Meridian,
BOOK 1184

Chains East, on a random line between Sections 20 and 29.

Variation $14^{\circ}45'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
80.10 Intersect N. and S. line 14 lks.
S. of cor. to Secs 20-21-28 and
29, from which cor. Run
S. $89^{\circ}54'N$.

On true line between Secs. 20 & 29.
var. $14^{\circ}45'$ East

40.05 Drove charred stone and
build mound a least 2
ft high, with pits 1 ft deep,
2 ft long, 1 ft wide, as per
instructions for $\frac{1}{4}$ sec. cor.
No stones or trees near.

80.10 Cor. to Secs. 19, 20, 29 & 30.

Level. Soil good.
No timber.

Township

9 South

Range

17 West

50

Gila and Salt River

BOOK

1184

Meridian.

Chains

West, on a random line between Sections 19 and 30.

Variation $14^{\circ}45'$ East.40.00 Set temporary $\frac{1}{4}$ sec. cor.79.42 Intersect N. boundary 9 sec.
S. of cor. to Sec. 19 and 30.
from a high cor. Drive
S. $89^{\circ}56'$ E.On true line between sec. 19 & 30.
Var. $14^{\circ}45'$ East.39.42 Drive charred stake and
build mound a foot high, with pit
1 ft. deep, 2 ft. long, 1 ft. wide, as per instruc-
tions, for $\frac{1}{4}$ sec. cor.
No trees near.

79.42 Cor. to Sec. 19-20-29 & 30.

Sand level. Soil good.
No timber.

51 Township 9 South Range 17 West
Gila and Salt River Meridian.

BOOK 1184

Chains North, between Sections 19 and 20.

Variation $14^{\circ}45'$ East.

40.00 Set a post, marked 4 S. 4 ft long,
flattened 3 in wide, 1 ft in the
ground, drive charred stake
and build mound of earth
2 ft high, with pits 1 ft deep, 2
ft long, 1 ft wide, as per instruc-
tions, for 14 sec. cor.
No tree near.

80.00 Set a post, marked 8 notched,
4 ft long, 3 in sq. 1 ft in the ground,
drive charred stake and build
mound of earth 2 ft high,
with pits 1 ft deep, 2 ft long,
1 ft wide, as per instructions
for cor. to secs 17, 18, 19 and
20, from which

Palo Verde, 8 in dia. br., S. 5° N. 49 lbs. dist.
No other trees near.

Level. Soil good,
Considerable Mesquite and
Palo Verde on last End.

Township

9 South Range 17 West

BOOK 1184

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 17 and 20.

Variation 14°45' East.

40.00 Set temporary 1/4 sec. cor.
 79.93 Intersect N. and S. line 17 lns.
 N. of cor. to secs. 16, 17, 20
 and 21. from which cor. Run
 N. 89° 53' W.
 Put true line between secs. 17 & 20.
 var. 14° 45' East.

39.96 Set a post, marked 1/4 S. 4 ft.
 long, flattened 3 in wide, 1 ft.
 in the ground. Drive a hand
 stake and build around of
 earth 2 ft high with pit 1 ft.
 deep, 2 ft long, 1 ft wide, as
 per instructions for 1/4 sec. cor.
 No trees near.

79.93 Cont to Secs 17, 18, 19 and 20.

Land level Soil good.
 Mesquite and Palo verde
 trees.

53
Township 9 South Range 17 West
Gila and Salt River Meridian.

BOOK 1184

Chains West, on a random line between Sections 18 and 19.

Variation $14^{\circ}45'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
79.38 Intersect N. boundary 10 hrs.
N. of cor. to secs. 18 and 19.
from which cor. Run
 $N. 89^{\circ}56' E.$
On true line between secs. 18 & 19
var. $14^{\circ}45'$ East.

79.38 Set a post, marked $\frac{1}{4}$ S. of C.
long, flattened 3 in wide, 4 ft
in the ground, drive charred
stake and build around of
suet 2 ft high, with pits 4 ft
deep, 2 ft long, 1 ft wide, as
per instructions for $\frac{1}{4}$ sec. cor.
No trees near.

79.38 Cor. to secs. 17, 18, 19 and 20.

Level. Soil good.
Scattered trees.

Township

9 South

Range

17 West

524

BOOK 1184

Gila and Salt River

Meridian.

Chains

North, between Sections 17 and 18.

Variation 14° 15' East.

40.00 Set a post, marked 1/4 S. 4 ft long, flattened 3 in wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 1/4 sec. cor.
No trees near.

80.00 Drive charred stake and build mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide, and in center a pit S. E. of cor. drive a stake marked and notched, 2 ft long, 2 in. sq. ft in the ground, as per instructions for cor. to Secs. 7, 8, 17 and 18.
No stones or trees near.

Land level. Soil good.
No timber.

55 Township 9 South Range 17 West
Gila and Salt River Meridian.
BOOK 1184

Chains East, on a random line between Sections 8 and 17.

Variation $14^{\circ}45'$ East.

40.00 Set temporary 1/4 sec. cor.
79.97 Intersect N. and S. line 22
lvs. N. a few to secs 8, 9, 16
and 17, from which cor.

Run

N. $89^{\circ}51'N$.
on true line between sec. 8 & 17
var. $14^{\circ}45'$ East.

39.98 Set a post marked 1/4 S. 4, long,
flattened 3 in wide, 1 ft in the
ground, drive chanced stake
and build mound of earth
2 ft high, with pits 1 ft deep,
2 ft long, 1 ft wide, as per
instructions for 1/4 sec. cor.
No stakes or trees near.

79.97 Cor. to secs. 7, 8, 17 and 18.

Land level soil good,
No timber of consequence.

Township

9 South

Range

17 West

56

BOOK

1184

Gila and Salt River

Meridian.

Chains

West, on a random line between Sections 7 and 18.

Variation

14°45' East.

40.00 Set temporary 1/4 sec. cor.

79.32 Intersect N. boundary 19 lvs.
N. of cor to secs 7 and 18.
from which cor. Run
N. 89°52' E.On true line between secs. 7 & 18.
var. 14°45' East.39.32 Drive charred stake and
build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft
long, 1 ft wide as per custom
tions for 1/4 sec. cor.
No trees near.

79.32 Cor. to secs. 7, 8, 17 & 18.

Land here to soil good.

No timber.

57 Township 9 South Range 17 West
Gila and Salt River Meridian.

BOOK 1184
Chains North, between Sections 7 and 8.

Variation $14^{\circ}45'$ East.

40.00 Drive charred stake and build mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 4 sec. cor.

No stone or trees near.

80.00 Drive charred stake and build mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide, and in center of pit S. E. of cor. drive a stake marked and notched 2 ft long, 2 in. sq. d. 1 ft in the ground, as per instructions for cor. to sec. 5, 6, 7 and 8.

No stones or trees near.

Land level, soil good.
No timber.

February 15, 1878

Township

9 South

Range

17 West 58

BOOK 1184

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 5 and 8.

Variation $14^{\circ}45'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
 80.09 Intersect N. and S. line
 18 lns. N. of cor. to Secs. 4,
 5, 8 and 9, from which cor.
 I run
 $N. 89^{\circ}57' W.$
 on true line between Secs. 5 & 8.
 var. $14^{\circ}45'$ East.

40.04 Drive charred stake and
 build mound of earth
 4 ft high, with pits 1 ft deep,
 2 ft long, 1 ft wide, as per
 instructions for $\frac{1}{4}$ sec. cor.
 No stones or trees near.

80.09 Cor. to Secs. 5, 6, 7 and 8.

Sand level. Soil good.
 No timber.

59 Township 9 South Range 17 West
Gila and Salt River Meridian.

BOOK 1184

Chains West, on a random line between Sections 6 and 7.

Variation $14^{\circ}45'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
79.19 Intersect N. boundary 16 lks.
N. of cor to Secs 6 and 7
from which cor. I run
 $N. 89^{\circ}53' E.$
On true line between sec. 6 & 7
var. $14^{\circ}45'$ East.

39.19 Drive chared stake and
build mound of earth 4 ft
high, with pits 1 ft deep, 2
ft long, 1 ft wide, as per in-
structions for $\frac{1}{4}$ sec. cor.
No trees near.

79.19 Cont. to sec. 5, 6, 7 and 8.
Land level.
Soil good.
No timber.

Township 9 South Range 17 West 60
Gila and Salt River BOOK 1184
Meridian.

Chains North on a random line between Sec's 5 and 6.
Variation 14° 45' East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
29.90 Intersect N. boundary 12 chs.
E. of cor. to secs. 5 and 6.
from which cor. Run
S. 0° 5' E.
On true line between secs. 5 & 6.
var. 14° 45' East

39.90 Drive charred stake and
build mound of earth 2 ft.
high, with pit 1 ft deep, 2 ft
long, 1 ft wide, as per instruc-
tions for $\frac{1}{4}$ sec. cor.
No trees near.

29.90 Cor. to secs 5, 6, 7 and 8.
Land level. Soil good.
No timber.

February 16, 1878.

General Description

BOOK 1184

With the exception of a clump of small rough mountains in the interior and some broken hills in the southeastern portion, this township contains a fine body of agricultural land, with surface level and easily susceptible of irrigation.

The Gila river flowing through the township adjoining on the N. furnishes sufficient water for irrigation of all agricultural land in this township.

Southwest of the mountains in the interior is a small stream of living water.

The soil of all of two thirds of the township is a rich sandy loam.

There are Mesquite and Cottonwood trees scattered throughout the

No. 1184

BOOK 1184

township. John L. Harris
U.S. Dep. Surveyor.

List of Names BOOK 1184

A List of the Names of Individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing Field Notes of the survey of

The Subdivision Lines
of Township 9 South of
Range 17 West, of the
Gila and Salt River
Meridian, Arizona

Showing the respective capacities in which they acted.

Lyman Washfield Chairman.

Chas B Warren Chairman,

Fred C Jones Axeman.

J. P. C. Hurst etc. Flagman.

Final Oath of Assistants.

BOOK 1184

We hereby certify that we assisted John L. Harris
 U. S. Deputy Surveyor, in
 surveying

The Subdivision Louis
of Township 9 South of
Range 17 West, of the
Gila and Salt River
Meridian Arizona

and that said Survey has been in all respects, to
 the best of our knowledge and belief, well and
 faithfully executed, and the boundary monuments
 planted according to the instructions furnished by
 the Surveyor-General.

Lyman W. Reed Chainman.
Wm. B. Warner Chainman,
Fred. Jones Axeman.
J. P. Chenoweth Flagman.

Sworn to and subscribed before me, this 9
 day of March, 1878

William J. Adams

Final Oath of Deputy Surveyor.

I, John L. Harris
 U. S. Deputy Surveyor, do solemnly swear that
 in pursuance of a contract with John Wasson,
 United States Surveyor-General for Arizona, bear-
 ing date the 20 day of September

1877 I have well, faithfully and truly, in my
 own proper person, and in strict conformity with
 the instructions furnished by the Surveyor-Gener-
 al, the Surveying Manual, and the laws of the
 United States surveyed all those portions of

The Subdivision Lines
of Township 9 South
Range 17 West, of the
Gila and Salt River
Mendocin Arizona

as are repre-
 sented in the foregoing Field Notes as having
 been surveyed under my directions; and I do
 further solemnly swear that all the corners of
 said surveys have been established and perpet-
 uated in strict accordance with the Surveying
 Manual and printed instructions, and also in ac-
 cordance with the additional requirements con-

tained in circular instructions from the U
Surveyor-General for Arizona, dated Septem
1, 1873, regarding the establishment of co
boundaries of public surveys, and that the f
going are the true and original Field Note
such surveys.

John L. Harris

Deputy Survey

Sworn to and subscribed before me, this...
day of *March*, 187*8*

William J. Ober

Notary Public



U. S. Surveyor General's Office,

TUCSON ARIZONA,

April 1. 1878.

The foregoing Field Notes of the Survey of the

Subdivision Lines of
Township 9 South
Range 17 West,

Of the Gila and Salt River Base and Meridian, Arizona, executed by

John L. Harris,

Deputy Surveyor, under his contract of the 20th
day of

September, 1877, having been

critically examined and the necessary corrections and explanations made, the said Field Notes and the surveys they describe

are hereby approved.

John Mason,
Surveyor General.