

No. 1185

BOOK 1185

John L. Harris Deputy Surveyor.
T. *9 South* R. *18 West*
Gila and Salt River Meridian.

1185

FIELD NOTES

OF

The *Subdivision* Lines of
Township *9 South* Range *18 West*
Gila and Salt River Meridian.

BY

John L. Harris No. 1185
Deputy Surveyor.

under his Contract of *September 20* 18*77*.

Survey commenced *February 18, 1878.*

Survey completed *February 21, 1878.*

Platted,

Copied for Washington,

Transcript sent to Commissioner,

J.P.F. b. a.

John L. Harris, Deputy Surveyor.
 T. 9 South R. 18 West
 Gila and Salt River Meridian.

FIELD NOTES

OF
 The *Subdivision* Lines of
 Township *9 South* Range *18 West*
Gila and Salt River Meridian.

BY
 John L. Harris, Deputy Surveyor.
 under his Contract of *September 20 1877*
 Survey commenced *February 18. 1878.*
 Survey completed *February 21. 1878.*

Platted,
 Copied for Washington,
 Transcript sent to Commissioner,


Preliminary Oaths of Assistants.

We, Lyman Mansfield
 and Chas B. Warren
 do solemnly swear that we will faithfully execute
 the duties of Chain Carriers; that we will level the
 chain upon uneven ground, and plumb the tally
 pins, whether by sticking or dropping the same;
 that we will report the true distance to all notable
 objects, and the true length of all lines that we as-
 sist in measuring, to the best of our skill and
 ability.

Lyman Mansfield
Chas B. Warren

Sworn to and subscribed before me, this 29
 day of September, 1877.

William J. Osborn
Notary Public



We *Fred C. Jones and*
J. P. Chenoweth

do solemnly swear that we will well and truly per-
form the duties of *Auman and*
Magman, respectively
according to instructions given us, and to the best
of our skill and ability.

Fred C. Jones
J. P. Chenoweth

Sworn to and subscribed before me this *29*
day of *September*, 187*7*

William J. Osborn
Notary Public



Township *9 South* Range *18 West*

10 *Gila & Salt River* Meridian.

BOOK 1185

6	60	5	44	4	33	3	22	2	11	1
59		58		43		32		21		10
7	54	8	42	9	31	10	20	11	9	12
56		55		41		30		19		8
18	54	17	40	16	29	15	18	14	7	13
53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24
50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25
47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36

Township

Range

BOOK 1185

Meridian.

No. 1185

BOOK 1185

Chains

From the corner to Sections 35, 36, 1 and 2 on the South

boundary I ran

North, between Sections 35 and 36.

Variation $14^{\circ}40'$ East.

As per East Boundary.
Survey Commenced February 18, 1878.

40.00 Set a post, marked 14 S. 4 ft long,
flattened 3 in wide, 1 ft in the
ground. Drive charred stake and
build mound of earth 2 ft high
with pits 1 ft deep, 2 ft long,
1 ft wide, as per instructions
for 14 sec. cor.

No trees near.

80.00 Drive charred stake and build
mound of earth 2 ft high, with
pits 1 ft deep, 2 ft long, 1 ft wide,
and in center of pit S. E. of cor.
drive a stake marked and
notched, 2 ft long, 2 in sq'd,
1 ft in the ground, as per in-
structions for cor. to Secs 25,
26, 35 and 36.

No stones or trees near.
Land level. Soil good.
No timber. Grass.

Township

9 South Range 18 West

BOOK 1185

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 25 and 36.

Variation $14^{\circ}40'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.04 Intersect E. boundary 10 hrs. of
cor. to secs. 25 and 36. from which
cor. run
S. $89^{\circ}56'N$.

On true line between secs. 25 & 36.
var. $14^{\circ}40'$ East

40.02 Drive charred stake and build
mound of earth 2 ft high, with
pits 1 ft deep, 2 ft long, 1 ft wide,
as per instructions for $\frac{1}{4}$ sec.
cor.

No stones or trees near.

80.07 Cor to sec. 25, 26, 35
and 36.

Land level.

Soil good.
Grass. No timber.

Township

9 South

Range

18 West

Gila and Salt River

Meridian.

BOOK 1185

Chains

North, between Sections 25 and 26.

Variation

East.

40.00 Drive charred stake and build mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 1/4 sec. cor.

No trees or stones near.

80.00 Drive charred stake and build mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide, and in center of 1/4 S. E. of cor. drive a stake marked and notched 2 ft long, 2 in. sq. 1 ft. in the ground, as per instructions for cor. to Secs. 23, 24, 25 and 26.

No stones or trees near.

Land level.

Soil good.
Grass. No timber.

Township

9 South

Range

18 West 4

BOOK 1185

Meridian.

Gila and Salt River

Chains

East, on a random line between Sections 24 and 25.

Variation $14^{\circ}40'$ East.40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.09 Intersect E. boundary 12 ch.

S. of cor. to secs. 24 and 25.

from which cor. I run

S. $89^{\circ}55'$ W.

on true line between secs. 24 & 25.

var. $14^{\circ}40'$ East40.04 Set a post, marked $\frac{1}{4}$ S. of $\frac{1}{4}$ long.

flattened 3 in wide, 1 ft in the

ground, drive charred stake

and build mound of earth

2 ft high, with pits 1 ft deep

2 ft long, 1 ft wide, as per in-

structions for $\frac{1}{4}$ sec. cor.

No trees near.

80.09 Cor. to secs 23, 24, 25 & 26.

Land level. Soil Good

No timber. Grass

Chains North, between Sections 23 and 24.

Variation 14°40 East.

40.00 Set a post, marked 4 S. 4 ft long, flattened 3 in. wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 1/4 sec. cor.

No trees near.

80.00 Drive charred stake and build mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide, and in center of pit S. E. of cor. drive a stake marked and notched 2 ft long, 2 in. sqd. 1 ft in the ground, as per instructions for cor. to Secs. 13, 14, 23 and 24.

No stones or trees near.

Land level.

Soil good.

Grass No timber.

Township

9 South

Range

18 West

6

BOOK 1185

Gila and Salt River

Meridian.

Chains

East, on a random line between Sections 13 and 24.

Variation $14^{\circ}40'$ East.

- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
- 80.06 Intersect E. boundary 8 lvs. S.
after. to secs. 13 and 24. from
which cor. run
S. $89^{\circ}57'N$.
On true line between secs. 13 & 24
var. $14^{\circ}40'$ East
- 40.03 Set a post, marked $\frac{1}{4}$ S. 4 ft long
flattened 3 in wide, 1 ft in
the ground, drive charred stakes
and build mound of earth
2 ft high, with pits 1 ft deep,
2 ft long, 1 ft wide, as per
instructions for $\frac{1}{4}$ sec. cor.
No trees near.
- 80.06 Con. to Secs 13, 14, 23 & 24.

Land level. Soil good.
A few trees E.

Township

9 South

Range

18 West

Gila and Salt River

Meridian.

BOOK 1185

Chains

North, between Sections 13 and 14.

Variation

14°40'

East.

40.00 Drive charred stake and build mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide as per instructions for 14 see cor.

No stones or trees near.

80.00 Drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, and in center of pit S. E. a cor. drive a stake marked and notched, 2 ft long, 2 in. sq. d. 1 ft in the ground, as per instruction for cor. to Secs. 11, 12, 13 and 14.

No stones or trees near.

Land level. Soil good.
No timber.

Township

9 South

Range

18 West

8

Gila and Salt River

BOOK 1185

Meridian.

Chains

East, on a random line between Sections 12 and 13.

Variation $14^{\circ}40'$ East.40.00 Set temporary $\frac{1}{4}$ sec. cor.80.12 Intersect E. boundary 15 chs. N. of cor. to secs. 12 and 13 from which cor. Run $N. 89^{\circ} 34' W.$

On true line between secs. 12 & 13.

var. $14^{\circ}40'$ East.40.06 Set a post, marked $\frac{1}{4}$ S. 4 ft long, flattened 3 in. wide, 1 ft in the ground. Drive charred stake and build mound of earth 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, as per instructions for $\frac{1}{4}$ sec. cor.

No trees near.

80.12 Cor. to secs. 11, 12, 13 and 14.

Land level. Soil good.
No timber.

Township

9 South

Range

18 West

Gila and Salt River

Meridian.

BOOK 1185

Chains

North, between Sections 11 and 12.

Variation

14°40' East.

40.00 Drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 14 sec. cor.
No trees near.

80.00 Drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, and in center of pit S. E. of cor. drive a stake marked and notched, 2 ft long, 2 in sq. d., 1 ft in the ground, as per instruction for cor. to Secs. 1, 2, 11, and 12.
No stones or trees near.

Land level.

Soil good.

No timber.

Township

9 South

Range

18 West ¹⁰

BOOK 1185

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 1 and 12.

Variation

14°40'

East.

40.00 Set temporary 1/4 sec. cor.

80.13 Intersect E. boundary 17 lvs.
N. of cor. to secs. 1 and 12, from
which cor. I run
N. 89°53' W.

On true line between secs. 1 & 12.

var. 14°40' East.

40.06 Drive charred stake and
build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft
long, 1 ft wide, as per in-
structions for 1/4 sec. cor.
No stones or trees near.

80.13 Cor. to secs. 1, 2, 11 & 12.

Sand level. Soil good.
No timber.

Township 9 South Range 18 West
Gila and Salt River Meridian.

BOOK 1185

Chains North, on a random line between Sections 1 and 2.

Variation $14^{\circ}40'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
79.96 Intersect N. boundary 14 chs.
E. of cor to secs. 1 and 2.
from which cor. I run
 $S. 0^{\circ}6' E.$
on true line between secs. 1 & 2.
var. $14^{\circ}40'$ East.

39.96 Set a post, marked $\frac{1}{4}$ S. 4
ft long, flattened 3 in wide,
4 ft in the ground. Drive
charred stake and build
mound of earth 4 ft high,
with pits 4 ft deep, 4 ft long,
4 ft wide, as per instructions
for $\frac{1}{4}$ sec. cor.

No trees near.

79.96 Cor to secs. 1, 2, 11, and 12.

Land level. Soil good.
No timber.

Township

9 South

Range

18 West

12

BOOK 1185

Gila and Salt River Meridian.

Chains

North, between Sections 34 and 35.

Variation

14° 40'

East.

40.00 Set a post, marked 4 S. 4 ft long, flattened 3 in wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 4 sec. cor.

No trees near.

80.00 Drive charred stake and build mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide, and in center of pit S. E. of cor. drive a stake, marked and notched, 2 ft long, 2 in sq. d. 1 ft in the ground, as per instructions for cont. sec. 26-27, 34 and 35.

No stone or trees near.

Level Soil good.
No timber. Grass

13 Township 9 South Range 18 West
Gila and Salt River Meridian.

BOOK 1185

Chains East, on a random line between Sections 26 and 35.

Variation 14°40' East.

40.00 Set temporary 1/4 sec. cor.
79.98 Intersect N. and S. line 12 lvs.
N. of cor. to secs. 25, 26, 35 and
36, from which cor. I run
N. 89°55' W.
On true line between secs. 26 & 35.

var. 14°40' East

39.99 Set a post, marked 1/4 S. 4 ft
long, flattened 3 in. wide, 1 ft
in the ground, drive charred
stake and build mound of
earth 2 ft high, with pits 1 ft
deep, 2 ft long, 1 ft wide, as
per instructions for 1/4 sec.
cor.

No trees near

79.98 Cor. to secs 26-27-34 & 35.

Land level, sort good.
No timber, Grass.

Township

9 South

Range

18 West

14

BOOK

1185

Meridian.

Gila and Salt River

Chains

North, between Sections 26 and 27.

Variation

14° 40' East.

40.00 Drive charred stake and build mound of earth 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 14 sec. cor.
No stones or trees near.

80.00 Drive charred stake and build mound of earth 2 ft high with pit 1 ft deep, 2 ft long, 1 ft wide, and in center of pit S. E. of cor. drive a stake marked and notched 2 ft long, 2 in sq. d. 1 ft in the ground, as per instructions for cor. to secs. 22, 23, 26 and 27.
No stones or trees near.

Land level.

Soil good.

Grass. No timber.

15 Township 9 South Range 18 West
Gila and Salt River Meridian.

BOOK 1185
Chains East, on a random line between Sections 23 and 26.

Variation $14^{\circ}40'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.91 Intersect N. and S. line 14 lns. N.
of cor. to secs. 23, 24, 25 and 26,
from which cor. Run
N. $89^{\circ}54'$ W.

On true line between secs. 23 & 26

var. $14^{\circ}40'$ East.

39.95 Set a post, marked 74 S. 4 ft
long, flattened 3 in wide, 1 ft
in the ground. Drive charred
stake and build mound
of earth 2 ft high, with pits
1 ft deep or 1 ft long, 1 ft wide,
as per instructions for $\frac{1}{4}$ sec.
cor.

No trees near.

79.91 Cor. to secs. 22, 23, 26 and 27.

Land level. Soil good.

No timber.

Township

9 South

Range

18 West

16

BOOK

1185

Meridian.

Gila and Salt River

Chains

North, between Sections 22 and 23.

Variation $14^{\circ}40'$ East.

40.00

Drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 1/4 sec. cor.

No stones or trees near.

80.00

Drive charred stake and build mound of earth 1 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, and in center of pit S. E. a 1/4 sec. drive a stake marked and notched, 2 ft long, 2 in. sq d. 1 ft in the ground, as per instructions for cor. to Secs. 14, 15, 22, and 23.

No stones or trees near.

Land level.

Soil good.

No timber

17 Township 9 South Range 18 West

BOOK 1185 Gila and Salt River Meridian.

Chains East, on a random line between Sections 14 and 23.

Variation $14^{\circ}40'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.93 Intersect N. and S. line 20 lns.
N. of cor to secs. 13, 14, 22 and
24, from which cor. run
N. $89^{\circ}51'W$.

Outline line between secs. 14 & 23.

var. $14^{\circ}40'$ East.

39.96 Set a post marked 44 S. 4 ft
long, flattened 3 in wide, 1 ft
in the ground, drive charred
stake and build mound
of earth 2 ft high, with pits
4 ft deep 2 ft long, 1 ft wide,
as per instructions for $\frac{1}{4}$ sec.
cor.

No trees near.

79.93 Cont to secs 14, 15, 22 & 23.

Land level sort good.
No timber

February 18, 1878.

Township

9 South

Range

18 West

18

Gila and Salt River

BOOK

1185

Meridian.

Chains

North, between Sections 14 and 15.

Variation

127°40'

East.

40.00 Drive charred stake and
 build mound of earth 2 ft
 high, with pits 1 ft deep, 2 ft
 long, 1 ft wide, as per instruc-
 tions for $\frac{1}{4}$ sec. cor.

No stones or trees near.

80.00 Drive charred stake and
 build mound of earth 2
 ft high, with pits 1 ft deep,
 2 ft long, 1 ft wide, and in
 center of pit S. E. a cor.
 Drive a stake marked and
 notched, 2 ft long, 2 in sq d,
 1 ft in the ground, as per in-
 structions for cor. to Secs.
 10, 11, 14 and 15.

No stones or trees near.

Land level. Soil good.
 No timber.

19 Township 9 South Range 18 West
Gila and Salt River Meridian.

BOOK 1185

Chains East, on a random line between Sections 11 and 14.

Variation $14^{\circ}40'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
79.89 Intersect N. and S. line 23 lns.
Make cor. to secs. 11, 12, 13 & 14,
from which cor. I run
 $N. 89^{\circ}50' W.$

On true line between sec. 11 & 14.

Var $14^{\circ}40'$ East

39.94 Set a post, marked $\frac{1}{4}$ S. 4 ft.
long, flattened 3 in wide, 1 ft
in the ground, drive charred
stake and build mound of
earth 1 ft high with pits 1 ft
deep, 2 ft long, 1 ft wide, as
per instructions for $\frac{1}{4}$ sec.
cor.

No trees near.

79.89 Cor. to secs. 10, 11, 14 & 15.

Sand level Soil good.
No timber.

Township

9 South

Range

18 West

20

Gila and Salt River

BOOK

1185

Meridian.

Chains

North, between Sections 10 and 11.

Variation

14°14'

East.

40.00 Drive charred stake and
 build mound of earth 2 ft
 high, with pit 1 ft deep, 2 ft
 long, 1 ft wide, as per instruc-
 tions for 14 sec. cor.

No stones or trees near.

80.00 Drive charred stake and
 build mound of earth 2 ft
 high, with pit 1 ft deep, 2 ft
 long, 1 ft wide, and in
 center of pit S. E. of cor.
 drive a stake, marked and
 notched, 2 ft long, 2 in sq d,
 1 ft in the ground, as per in-
 structions for cor to Secs.
 2, 3, 10 and 11.

No stones or trees near.

Land level, Soil good.
 No timber.

21 Township 9 South Range 18 West
Gila and Salt River Meridian.

BOOK 1185

Chains East, on a random line between Sections 2 and 11.

Variation $14^{\circ}40'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
79.90 Intersect N. and S. line 10 lbs.
N. a few cor. to secs. 1, 2, 11 and 12,
from which cor. I run
N. $89^{\circ}56'$ W.

On true line between secs. 2 & 11.
var. $14^{\circ}40'$ East.

39.95 Set a post, marked $\frac{1}{4}$ S. 4 ft
long, flattened 3 in. wide,
4 ft in the ground, drive
chared stake and build
mound of earth 2 ft high
with pits 4 ft deep, 2 ft long,
4 ft wide, as per instructions
for $\frac{1}{4}$ sec. cor.

79.90 Cor. to secs. 2, 3, 10 and 11.

Land level. Soil good.
No timber.

Township

9 South

Range

18 West 22

BOOK

1185

Meridian.

Gila and Salt River

Chains

North, on a random line between Sections 2 and 3.

Variation $14^{\circ}40'$ East.40.00 Set temporary $\frac{1}{4}$ sec. cor.79.90 Intersect N. boundary 12 lks.
E. of cor to secs. 2 and 3. from
which cor. Run
 $S. 0^{\circ}5' E.$ On true line between secs. 2 & 3.
var. $14^{\circ}40'$ East.39.90 Drive charred stake and
build mound of earth 2 ft.
high, with pits 1 ft. deep 2 ft.
long, 1 ft. wide, as per in-
structions for $\frac{1}{4}$ sec. cor.
No stone or trees near.

79.90 Cor to secs. 2, 3, 10 and 11.

Land level Soil good.
No timber

BOOK 1185
Chains North, between Sections 33 and 34.

Variation 114°40' East.

40.00 Set a post, marked 14 S. 4 ft long, flattened 3 in. wide, 1 ft in the ground. Drive charred stake and build mound of earth 1 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide as per instructions for 14 sec. cor.
No trees near.

80.00 Drive charred stake and build mound of earth 1 ft high with pits 1 ft deep, 2 ft long, 1 ft wide and in center of pit S. E. a corner drive a stake, marked and notched, 2 ft long, 2 in. sq. 1 ft in the ground, as per instructions for cor. to secs. 27, 28, 33 and 34.
No stones or trees near.

Sand level.
Soil good.
Grass. No timber.

Township 9 South Range 18 West ²²⁴
Gila and Salt River Meridian.
BOOK 1185

Chains

East, on a random line between Sections 27 and 34.

Variation $14^{\circ}40'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.93 Intersect N. and S. line 11' East
of cor. to secs. 26, 27, 34 and
35, from which cor. Run
N. $89^{\circ}55'$ W.

But true line between secs. 27 & 34
var. $14^{\circ}40'$ East.

39.96 Drive charred stake and
build mound of earth 2 ft.
high, with pits 1 ft. deep, 2 ft.
long, 1 ft. wide, as per in-
structions for $\frac{1}{4}$ sec. cor.
No stones or trees near.

79.93 Cor. to secs. 27, 28, 33 & 34.

Land level.
Soil good.
Grass. No timber.

25 Township 9 South Range 18 West
Gila and Salt River Meridian.

BOOK 1185
Chains North, between Sections 27 and 28.

Variation $14^{\circ}40'$ East.

40.00 Drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 14 sec. cor.
No stones or trees near.

80.00 Drive charred stake and build mound of earth 2 ft high with pits 1 ft deep, 2 ft long 1 ft wide, and in center of pit S. E. a few. Drive a stake marked and notched, 2 ft long, 2 in. sq. 1 ft in the ground, as per instructions for cor. to secs. 21, 22, 27 and 28.

No stones or trees near.

Level. Soil good.
No timber. Grass

Township

9 South

Range

18 West 26

Gila and Salt River

BOOK 1185

Meridian.

Chains

East, on a random line between Sections 22 and 27.

Variation

141°40'

East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.79.94 Intersect N. and S. line 15 ch. N.
of cor. to secs. 22, 23, 26 and
27, from which cor. Run
N. 89° 54' W.

Return line between secs. 22 & 27.

var. 140°40' East

39.97 Set a post, marked $\frac{1}{4}$ S. 4 ft
long, flattened 3 in wide,
1 ft in the ground, drive
charred stake and build
mound of earth 2 ft high
with pits 1 ft deep, 2 ft long,
1 ft wide, as per instruction
for $\frac{1}{4}$ sec. cor.

No trees near.

99.94 Conto secs. 21, 22, 27 & 28.

Sand level Soil good.
No timber. Grass.

27 Township 9 South Range 18 West
Gila and Salt River Meridian.

BOOK 1185

Chains North, between Sections 21 and 22.

Variation 14°40' East.

40.00 Drive charred stake and
build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft
long, 1 ft wide, as per in-
structions for 1/4 sec. cor.
No stones or trees near

80.00 Drive charred stake and
build mound of earth 2 ft
high, with pits 1 ft deep, 2
ft long, 1 ft wide, and in
center of pit S. E. spear
drive a stake marked and
notched, 2 ft long, 2 in. sqd,
1 ft in the ground, as per
instructions for cor. to Secs.
15, 16, 21 and 22.

No stones or trees near.

Land level. Soil good.
No timber. Grass

Township

9 South

Range

18 West

28

Gila and Salt River

BOOK

1185

Meridian.

Chains

East, on a random line between Sections 15 and 22.

Variation

144°40'

East.

40.00 Set Temporary 1/4 sec cor.

79.95 Intersect N. and S. line 196 ft.

S. of cor. to secs. 14, 15, 22

and 23, from which cor. run

S. 89°53' W.

On true line between secs. 15 & 22.

var. 144°40' East.

39.98

Set a post, marked 1/4 S. 4 ft.

long, flattened 3 in wide, 1

ft. in the ground. Drive

charred stake and build

mound of earth 2 ft high,

with pits 1 ft deep 2 ft long,

1 ft wide, as per instructions

for 1/4 sec. cor.

No trees near.

79.95 Cor. to secs. 15, 16, 21 & 22.

Sand level Soil Good.

No timber.

29 Township 9 South Range 18 West
Gila and Salt River Meridian.

BOOK 1185

Chains North, between Sections 15 and 16.

Variation $14^{\circ}40'$ East.

40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft long,
flattened 3 in wide, 1 ft in the
ground. Drive charred stake
and build mound of earth
2 ft high, with pits 1 ft deep
2 ft long, 1 ft wide, as per in-
structions for 74 sec. cor.
No trees near.

80.00 Drive charred stake and build
mound of earth 2 ft high with
pits 1 ft deep, 2 ft long, 1 ft wide
and in center of pit S. E. of
cor. Drive a stake, marked
and notched, 2 ft long, 2
in. sq. d. 1 ft in the ground,
as per instructions for cor.
to secs. 9, 10, 15 and 16.
No stones or trees near

Land level.

Soil good. No timber.

Township

9 South

Range

18 West

30

BOOK 1185

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 10 and 15.

Variation $14^{\circ}40'$ East.40.00 Set temporary $\frac{1}{4}$ sec. cor.79.92 Intersect N. and S. line 26 hrs.
S. of cor. to secs. 10, 11, 14 and
15, from which cor. run
S. $89^{\circ}49'N$.On true line between secs. 10 & 15.
Var. $14^{\circ}40'$ East.39.96 Set a post, marked $\frac{1}{4}$ S. 4 ft
long, flattened 3 in. wide, 1 ft
in the ground, driven chanced
stake and build mound of
earth 2 ft high, with pits 1 ft
deep, 2 ft long, 1 ft wide, as
per instructions for $\frac{1}{4}$ sec
cor.

Notices near.

79.92 Cor to secs. 9, 10, 15 and 16.

Land level. Soil sandy and
poor. No timber.

31 Township 9 South Range 18 West
Gila and Salt River Meridian.

BOOK 1185

Chains North, between Sections 9 and 10.

Variation 14°40' East.

40.00 Set a post, marked 1/4 S. 4 ft
long, flattened 3 in wide, 1 ft
in the ground, drive charred
stake and build mound of
earth 2 ft high, with pits 1 ft
deep, 2 ft long, 1 ft wide, as
per instruction for 1/4 sec. cor.
No trees near.

80.00 Drive charred stake and
build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft
long, 1 ft wide, and in center
affix S. E. of cor. drive a
stake, marked and notched,
2 ft long, 2 in sq. d. 1 ft in the
ground, as per instructions for
cor. to Secs. 3, 4, 9 and 10.
No stones or trees near.

Land level. Soil good and
2 rate. No timber.

Township

9 South

Range

18 West ³²

Gila and Salt River

BOOK

1185

Meridian.

Chains

East, on a random line between Sections 3 and 10.

Variation $14^{\circ}40'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.96 Intersect N. and S. line 29 lbs.
S. of cor. to secs. 2, 3, 10 and 11,
from which cor. Run
 $S. 89^{\circ}48' W.$

On true line between secs. 3 & 10.
var. $14^{\circ}40'$ East.

39.98 Drive chared stake and
build mound of earth 2 ft
high, with pits 1 ft. deep - 2 ft.
long, 1 ft wide, as per in-
structions for $\frac{1}{4}$ sec. cor.
No trees near.

79.96 Cor. to Secs. 3, 4, 9 and 10.

Land level. Soil poor.
No timber.

63 Township 9 South Range 18 West
Gila and Salt River Meridian.

BOOK 1185

Chains North, on a random line between Sections 3 and 4.

Variation $14^{\circ}40'$ East.

- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
80.10 Intersect N. boundary 15 chs.
E. of cor to sec. 3 and 4,
from which cor. Run
 $S. 0^{\circ} 6' E.$
Outline line between sec. 3 & 4
var. $14^{\circ}40'$ East
- 40.10 Drive charred stake and
build mound of earth 2 ft
high, with pits 1 ft deep,
2 ft long, 1 ft wide, as per
instructions for $\frac{1}{4}$ sec. cor.
No stones or trees near.
- 80.10 Conto sec. 3, 4, 9 and 10.

Land level. Soil good.
No timber.

Chains North, between Sections 32 and 33.
 Variation 14°40' East.

40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft long, flattened 3 in wide, 1 ft in the ground drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide as per instructions for $\frac{1}{4}$ sec. cor.
 No trees near.

80.00 Set a post, marked and notched, 4 ft long, 3 in. sq. 1 ft in the ground drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide as per instructions for cor. to Secs. 28, 29, 32 and 33. from which
 @ Mesquite, 10 in. dia. brs S. 32° E 123 lbs. dist
 do 8 " " " N. 81 1/2° W. 154 " "
 No other trees near.

and mountains.
 Sand broken, Soil good on N., poor on S.
 Scattering trees.
 February 19, 1878

35 Township 9 South Range 18 West
Gila and Salt River Meridian.

BOOK 1185

Chains East, on a random line between Sections 28 and 33.

Variation $14^{\circ}40'$ East.

- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
- 80.04 Intersect N. and S. line 10 lks. N.
of cor. to secs. 27, 28, 33 and
34, from which cor. Drive
N. $89^{\circ}56'N$.
On true line between secs. 28 & 33.
var. $14^{\circ}40'$ East
- 40.02 Set a post, marked $\frac{1}{4}$ S. 4 ft
long, flattened 3 in. wide, 1 ft
in the ground, drive charred
stake and build mound of
earth 1 ft high, with pits 1 ft deep
2 ft long, 1 ft wide, as per in-
structions for $\frac{1}{4}$ sec. cor.
No trees near.
- 80.04 Cor. to Secs. 28, 29, 32 & 33.

Land level. Soil good.
Scattering trees on the W.
Grass.

Township

9 South

Range

18 West

36

Gila and Salt River

BOOK 1185

Meridian.

Chains

North, between Sections 28 and 29.

Variation $14^{\circ}40'$ East.

40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft long, flattened 3 in. wide, 1 ft in the ground. Drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for $\frac{1}{4}$ sec. cor.
No trees near.

80.00 Set a post, marked and notched, 4 ft long, 3 in. sq. d., 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for cor. to Secs. 20, 21, 28 and 29, from which
 Palo Verde, 8 in. dia. br., N. 87° E. 110 lbs. dia.
 A Mesquite, 10 " " " N. 41° W. 158 " "
 do. 12 " " " S. 67° E. 109 " "
 No other trees near.

Land level. Soil good. Grasses. Scattering mesquite and Palo Verde trees.

37 Township 9 South Range 18 West
Gila and Salt River Meridian.

BOOK 1185

Chains

East, on a random line between Sections 21 and 28.

Variation $14^{\circ}40'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.06 Intersect N. and S. line 14 lks.

S. of cor. to Secs. 21, 22, 27
and 28, from which cor. I
run.

S. $89^{\circ}54'W$.

Outline line between Secs. 21 & 28.
var. $14^{\circ}40'$ East.

40.03 Set a post, marked $\frac{1}{4}$ S. 4 ft long,
flattened 3 in wide, 1 ft in the
ground, drive charred stake
and build mound of earth
ft high, with pit 1 ft deep, 2 ft
long, 1 ft wide, as per instru-
ments, for $\frac{1}{4}$ sec. cor.

No trees near.

80.06 Cor. to Secs. 20, 21, 28 & 29.

Land level. Soil good.
A few trees.

Township

9 South

Range

18 West 38

Gila and Salt River

BOOK

1185

Meridian.

Chains

North, between Sections 20 and 21.

Variation $14^{\circ}40'$ East.

40.00 Set a post, marked $\frac{1}{4}$ S. of $\frac{1}{4}$ long, flattened 3 in wide, 1 ft. in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for $\frac{1}{4}$ sec. cor.

No trees near.

80.00 Drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide and in center of pit S. E. of cor. drive a stake, marked and notched, 2 ft long, 2 in. sq. d. 1 ft. in the ground, as per instructions for cor. to secs. 16, 17, 20 and 21.

No stones or trees near.

Land level. Soil good.
No timber.

39 Township 9 South Range 18 West
Gila and Salt River Meridian.

BOOK 1185
Chains

East, on a random line between Sections 16 and 21.

Variation $14^{\circ}40'$ East.

- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
80.10' Intersect N. and S. line 11 ch. N.
of cor. to secs. 15, 16, 21 and
22, from which cor. Drive
N. $89^{\circ}55' W.$
On true line between secs. 16 & 21.
var. $14^{\circ}40'$ East.
- 40.05 Drive charred stake and build
mound of earth 2 ft high,
with pits 1 ft deep, 2 ft long,
1 ft wide, as per instructions
for $\frac{1}{4}$ sec. cor.
No stones or trees near.
- 80.10 Cor. to secs. 16, 17, 20 & 21.

Level Soil good.
No timber.

Township

9 South

Range

18 West

40

Gila and Salt River

BOOK

1185

Meridian.

Chains

North, between Sections 16 and 17.

Variation

14° 40'

East.

40.00

Set a post, marked $\frac{1}{4}$ S. $\frac{1}{4}$ E. long flattened 3 in. wide, 1 ft. in the ground. Drive charred stake and build mound of earth 2 ft. high with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions for $\frac{1}{4}$ sec. cor.

No trees near.

80.00

Drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, and in center a pit S. E. of cor. Drive a stake marked and notched 2 ft. long, 2 in. sq. 1 ft. in the ground, as per instructions for cor. to Secs. 8, 9, 16, and 17.

No stones or trees near.

Land level, Soil good.
No timber.

41 Township 9 South Range 18 West

Gila and Salt River

Meridian.

BOOK 1185

Chains

East, on a random line between Sections 9 and 16.

Variation $14^{\circ}40'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.08 Intersect N. and S. line 13 lns. N. of cor. to Secs. 9, 10, 15 and 16, from which cor. I run $N. 89^{\circ} 54' W.$

On true line between secs. 9 & 16.

var. $14^{\circ}40'$ East.

40.04 Set a post, marked $\frac{1}{4}$ S. 24 ft. long, flattened 3 in wide, 1 ft. in the ground, drive charred, stake and build mound of earth 2 ft high, with pits 1 ft. deep, 2 ft long, 1 ft wide, as per instructions for $\frac{1}{4}$ sec. cor.

No trees near.

80.08 Cor. to Secs. 8, 9, 16 and 17.

Land level. Soil good.
Grass. No timber.

Township

9 South

Range

18 West

42

Gila and Salt River

BOOK 1185

Meridian.

Chains

North, between Sections 8 and 9.

Variation

14° 40'

East.

40.00

Drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for H sec. cor.

No stakes or trees near.

80.00

Drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions and in center of pit S. E. of cor drive a stake marked and notched, 2 ft long, 2 in sq. d. as per instructions for cor trees.

H. 5, 8 and 9.

No stakes or trees near.

Land level, Soil good.
Some brush. Grass.
No timber.

Township 9 South Range 18 West
Gila and Salt River Meridian.

BOOK 1185

Chains East, on a random line between Sections 4 and 9.

Variation 14°40' East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
 80.09 Intersect N. and S. line 16 lns.
 N. of cor to secs. 3, 4, 9 and
 10. from which cor. Run
 N. $89^{\circ}53'W$.
 On true line between secs. 4 & 9.
 Var. $14^{\circ}40'$ East.

40.04 Set a post, marked $\frac{1}{4}$ S. 4 ft.
 long, flattened 3 in wide, 1 ft
 in the ground. Drive charred
 stake and build mound of
 earth 2 ft high, with pits 1 ft
 deep, 2 ft long, 1 ft wide,
 as per instructions for $\frac{1}{4}$ sec.
 cor.
 No trees near.

80.09 Conto secs. 4, 5, 8 and 9.

Land level. Soil mostly poor.
No timber

Township

9 South

Range

18 West ⁴⁴

BOOK 1185

Gila and Salt River Meridian.

Chains

North, on a random line between Sections 4 and 5.

Variation

14°40' East.

40.00 Set temporary 1/4 sec. cor.
 80.03 Intersect N. boundary 6 lks.
 W. of cor. to secs. 4 and 5,
 from which cor. Run
 S. 0°3' W.
 Put true line bet. secs. 4 & 5.
 var. 14°40' East

40.03 Set a post, marked 14 S. 4 ft.
 long, flattened 3 in wide, 1 ft.
 in the ground. Drive charred
 stake and build mound of
 earth 2 ft high, with pits 1 ft
 deep, 2 ft long, 1 ft wide, a
 few inches for 1/4 sec.
 cor.

Notices near

80.03 Cor. to secs. 4, 5, 8 and 9.

Level soil mostly
 poor. a few trees.

Township

9 South

Range

18 West

Gila and Salt River

Meridian

BOOK

1185

Chains

North, between Sections 31 and 32.

Variation

14°40'

East.

40.00

Set a post, marked 1/4 S. 4 ft long, flattened 3 in. wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep 2 ft long, 1 ft wide, as per instructions for 1/4 sec. cor.

No trees near.

80.00

Drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep 2 ft long, 1 ft wide, and in center of pit S.E. of cor. drive a stake marked and notched 2 ft long, 2 in. sq. 1 ft in the ground, as per instructions for cor. to Secs. 29, 30, 31 and 32.

No trees near.

Land level. Soil good.
No timber. Grass.

Township South Range 18 West ⁴⁶
Gila and Salt River Meridian. BOOK 1185

Chains East, on a random line between Sections 29 and 32.
Variation 14°40' East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
79.97 Intersect N. and S. line 13 kts. S.
of cor to Secs. 28, 29, 31 and 32
from which cor. Run
S. 89° 54' W.

On true line between Secs. 29 & 32.
var. 14°40' East.

39.98 Set a post, marked $\frac{1}{4}$ S. 4 ft long
flattened 3 in wide, 1 ft in the
ground. Drive charred stave
and build mound of earth
2 ft high, with pits 1 ft deep,
2 ft long, 1 ft wide, as per in-
structions for $\frac{1}{4}$ sec. cor.

No trees near.

79.97 Cor to Secs. 29, 30, 31 & 32.

Land level. Soil good.
A few trees E.

47 Township 9 South Range 18 West
Gila and Salt River Meridian.

BOOK 1185

Chains West, on a random line between Sections 30 and 31.
Variation 14° 40' East.

40.00 Set temporary 1/4 sec. cor.
79.40 Intersect N. boundary of Sec. 8
S. of cor to Secs. 30 and 31,
from which cor. Run
S. 89° 57' E.
On true line between Secs. 30 & 31.
var. 14° 40' East
39.40 Drive charred stake and
build mound of earth
2 ft high, with pit 1 ft deep,
2 ft long, 1 ft wide, as per
instructions for 1/4 sec. cor.
No stones or trees near.
79.40 Cor to Secs. 29, 30, 31 and
32.

Sand level. Soil good.
No timber. Grass.

Township 9 South Range 18 West ⁴⁸
Gila and Salt River BOOK 1185 Meridian.

Chains North, between Sections 29 and 30.
Variation 14° 40' East.

40.00 Set a post, marked 4 S. 4 ft. long, flattened 3 in. wide, 1 ft. in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 14 sec. cor.
No trees near.

80.00 Drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, and in center affix S. E. of cor. drive a stake, marked and notched, 2 ft long, 2 in. sq. d. 1 ft in the ground, as per instructions for cor. to Secs. 19, 20, 29 and 30.
No stones or trees near.

Land level, Soil Good.
No timber, Grass.

49 Township 9 South Range 18 West
Gila and Salt River Meridian.
BOOK 1185

Chains East, on a random line between Sections 20 and 29.
Variation $14^{\circ}40'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
49.98 Intersect N. and S. line 10 lks.
S. of cor. to Secs. 20, 21, 28 and
29, from which cor. I run
S. $89^{\circ}56'W$.
Btrue line between sec. 20 & 29
var. $14^{\circ}40'$ East.

39.99 Set a post, marked $\frac{1}{4}$ S. of
ft long, flattened 3 in wide,
1 ft in the ground. Drive
Charred stake and build a
mound of earth 2 ft high,
with pits 1 ft deep, 2 ft long,
4 ft wide as per instructions
for $\frac{1}{4}$ sec. cor. from which
- A Mesquite, 4 in dia. S. $67^{\circ}E$, 128 lks. dist.
do. 6 " " " S. $33^{\circ}4'W$, 18 lks. dist.

49.98 Cor. to Secs. 19, 20, 29 & 30.
Land level Soil good.
A few trees on the E.

Township

9 South Range 18 West ⁵⁰
Gila and Salt River Meridian. BOOK 1185

Chains

West, on a random line between Sections 19 and 30.

Variation $14^{\circ}40'$ East.40.00 Set temporary $\frac{1}{4}$ sec. cor.79.38 Intersect N. boundary 5 hrs. N.
of cor. to secs. 19 and 30. from
which cor. run
 $N. 89^{\circ}58' E.$ On true line between secs. 19 & 30.
var. $14^{\circ}40'$ East39.38 Set a post, marked $\frac{1}{4}$ S. 24 ft
long, flattened 3 in. wide,
1 ft. in the ground, drive channel
stake and build mound of
earth 2 ft high, with pits 1 ft
deep, 2 ft long, 1 ft wide, as
per instruction for $\frac{1}{4}$ sec. cor.
No trees near.

79.38 Cor. to Secs. 19, 20, 29 and 30.

Land level. Soil good.
No timber. Grass.
February 20, 1878.

Township

9 South

Range

18 West

Gila and Salt River

Meridian.

BOOK

1185

Chains

North, between Sections 19 and 20.

Variation

14°40'

East.

40.00 Set a post, marked 14 S. 4 ft long, flattened 3 in wide, 1 ft in the ground. Drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 14 sec. cor.

No trees near.

80.00 Drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, and in center of pit S. E. of cor. drive a stake marked and notched, 2 ft long, 2 in sq. d. 1 ft in the ground, as per instructions for cor. to Secs. 17, 18, 19 and 20.

No stones or trees near.

Land level. Soil good.
No timber. Grass.

Township

9 South

Range

18 West

52

Gila and Salt River

BOOK 1185
Meridian.

Chains

East, on a random line between Sections 17 and 20.

Variation $14^{\circ}40'$ East.

40.04 Set temporary $\frac{1}{4}$ sec. cor.
 80.03 Intersect N and S line 4 lns.
 S. of cor to secs. 16, 17, 20 and
 21. from which cor. Run
 $S. 89^{\circ} 58' W.$
 On true line between secs. 17 & 20.
 var. $14^{\circ}40'$ East.

40.01 Set a post, marked $\frac{1}{4}$ S. 4 ft
 long, flattened 3 in wide, 4 ft
 in the ground, drive charred
 stake and build mound of
 earth 2 ft high, with pits 1 ft
 deep, 2 ft long 1 ft wide, as
 per instructions for $\frac{1}{4}$ sec.
 cor.

No trees near.

80.03 Cor to secs. 17, 18, 19 & 20.

Land level. Soil good.
 No timber. Grass.

53
Township 9 South Range 18 West
Gila and Salt River Meridian.
BOOK 1185

Chains West, on a random line between Sections 18 and 19.

Variation 14°40' East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
79.31 Intersect N. boundary 18 Sec. N.
of cor. to Secs. 18 and 19.
from which cor. Drive
N. $89^{\circ}52'$ E.
On true line between Secs. 18 & 19.
var. $14^{\circ}40'$ East

39.31 Drive charred stake and
build mound of earth 2
ft high, with pits 4 ft deep,
2 ft long, 4 ft wide, as per
instructions for $\frac{1}{4}$ sec. cor.
No trees near.

79.31 Cor to Secs. 17, 18, 19 and 20.

Land level.

Soil good.
No timber.

Township

9 South

Range

18 West 524

Gila and Salt River

BOOK 1185

Meridian.

Chains

North, between Sections 17 and 18.

Variation 124°40' East.

40.00 Set a post, marked 44 S. of fl long flattened 3 in wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 74 sec cor.

No trees near.

80.00 Drive charred stake and build mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide, and in center of pit S. E. of cor. drive a stake marked and notched, 2 ft long, 2 in sq. d. 1 ft in the ground, as per instructions for cor. to secs. 7, 8, 17 and 18.

No stones or trees near.

Level Soil good
No timber.

55 Township 9 South Range 18 West
Gila and Salt River Meridian.

BOOK
Chains

1185

East, on a random line between Sections 8 and 17.

Variation $14^{\circ}40'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
80.07 Intersect N. and S. line 14 lbs.
S. of cor. to secs. 8, 9, 16, and
17, from which cor. run
 $S. 89^{\circ}54' W.$

On true line between secs. 8 & 17
var. $14^{\circ}40'$ East.

40.04 Set a post, marked "4 S. 4 ft.
long, flattened 3 in wide, 1 ft.
in the ground. Drive channel
stake and build mound of
earth 4 ft high with pits 1 ft
deep, 2 ft long, 4 ft wide, as
per instructions for $\frac{1}{4}$ sec. cor.
No trees near.

80.07 Cor. to Secs. 7, 8, 17 and 18,

Land level. Soil poor.
A few trees.

Chains West, on a random line between Sections 7 and 18.

Variation 14°40' East.

40.00 Set temporary 1/4 sec. cor.
79.23 Intersect N. boundary 12 ch.
N. of cor. to Secs. 7 and 18.
from which cor. Run
N. 89°55' E.
On true line between sec. 7 & 18.

var. 14°40' East

79.23 Set a post, marked 1/4 S. 4
ft. long, flattened 3 in. wide,
1 ft in the ground. Drive a
chained stake and build a
mound of earth 2 ft high
with pits 1 ft deep, 2 ft long,
1 ft wide, as per instruc-
tion for 1/4 sec. cor.
No trees near.

79.23 Cor. to sec. 7, 8, 17 and 18.

Land level. Soil poor.
A few trees.

57 Township 9 South Range 18 West
Gila and Salt River Meridian.

BOOK 1185

Chains North, between Sections 7 and 8.

Variation 14°40' East.

40.00 Set a post, marked 1/4 S. 4 ft.
long, flattened 3 in wide, 1 ft.
in the ground, drive charred
stake and build mound of
earth 2 ft high, with pits 4 ft
deep, 2 ft long, 1 ft wide, as
per instructions for 1/4 sec. cor.
from which

A Mesquite 18 in. dia. brs. N. 5° E. 93 lbs. dia. dit
No other trees near.

70.00 Sand bank brs. N. W. and S. E.

80.00 Set a post, marked and notched,
4 ft long, 3 in. sq. d. 1 ft. in the
ground, drive charred stake
and build mound of earth
2 ft high, with pits 1 ft deep,
2 ft long, 1 ft wide, as per
instructions for cor. to Secs.
5, 6, 7 and 8.

No trees near.
Sand uneven. Some good
and some poor soil.
Scattering trees.

Township

9 South

Range

18 West 58

BOOK 1185

Meridian.

Gila and Salt River

Chains

East, on a random line between Sections 5 and 8.

Variation $14^{\circ}40'$ East.40.00 Set temporary $\frac{1}{4}$ sec. cor.

42.00 Sand bank bns. S.

50.15 Intersect N. and S. line 6
ln. S. of cor. to Secs. 4, 5, 8
and 9, from which cor. run
S. $89^{\circ}57'W$.

On true line between sec. 5 & 8.

var. $14^{\circ}40'$ East.40.07 Set post, marked $\frac{1}{4}$ S. of long
flattened 3 in. wide, 1 ft in
the ground, drive charred
stake and build mound
of earth 2 ft high, with pits
1 ft deep, 2 ft long, 1 ft wide,
as per instructions for $\frac{1}{4}$ sec.
cor. No trees near.

50.15 Cor. to sec. 5, 6, 7 and 8.

Land uneven. Soil mostly
poor. Scattering trees

59 Township 9 South Range 18 West
Gila and Salt River Meridian.

BOOK
Chains

1185

West, on a random line between Sections 6 and 7.

Variation $14^{\circ}40'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
55.00 Sand bank bet. S.E. and N.W.
79.17 Intersect N. boundary 13
lks. N. of cor. to secs. 6 and 7,
from which cor. I run
N. $89^{\circ}54'$ E.

On true line between secs. 6 & 7
var. $14^{\circ}40'$ East.

39.17 Set a post, marked $\frac{1}{4}$ S.
4 ft. long, flattened 3 in wide,
1 ft. in the ground, drive
charred stake and build
mound of earth 2 ft. high,
with pits 1 ft. deep, 2 ft. long,
1 ft. wide, as per instructions
for $\frac{1}{4}$ sec. cor.
No trees near.

79.17 Cor. to secs. 5, 6, 7 & 8.

Land level then uneven on N.
Soil mostly poor.
Scattering trees.

Township 9 South Range 18 West 60
Gila and Salt River BOOK 1185
Meridian.

Chains North on a random line between Sec's 5 and 6.
Variation 14°40' East.

40.00 Set temporary $\frac{1}{4}$ sec. cor
79.96 Intersect N. boundary 14 lks.
W. of cor. to Secs. 5 and 6. from
which cor. I run
S. $0^{\circ} 6' W.$

On true line between Secs. 5 & 6
var. 14°40' East.

39.96 Set a post, marked $\frac{1}{4}$ S. 4 ft
long, flattened 3 in wide, 1 ft
in the ground, drive charred
stave and build mound of
earth 2 ft high with pits 1 ft deep
2 ft long, 1 ft wide, as per in-
structions for $\frac{1}{4}$ sec. cor.
from which

A Mesquite, 12 in dia. tr. N. $73^{\circ} E.$ 103 lks. dist.
do. 10 " " S. $12^{\circ} W.$ 112 " "

79.96 Cor to Secs. 5, 6, 7 and 8.

Land level Soil good.
Scattering mesquite trees.

February 21, 1878.

61
General Description

BOOK 1185

Township 9 S. Range 18 W. extends to the limit, and exhausts the lowland lying between the Gila and some small mountains on the S. boundary of the township.

With the exception of the broken ground on the S. boundary and some sand in the Northern part, the soil is first rate.

The Gila river, flowing through the township adjoining on the N., furnishes sufficient water for the irrigation of, and it can easily be introduced upon, all the agricultural land of this township.

There is but little timber in the township.

John S. Harris
U.S. Dep. Surveyor.

List of Names.

BOOK 1185

62

*A List of the Names of Individuals employed
to assist in running, measuring, or marking the
lines and corners described in the foregoing Field
Notes of the survey of*

*The Subdivision Tracts of
Township 9 South of
Range 18 West, of the
Gila and Salt River
Meridian, Arizona*

*Showing the respective capacities in which they
acted.*

Lyman Washfield Chairman.
Chas B Warren Chainman,
Fred C Jones Axeman.
J. P. Chenoweth Flagman.

Final Oath of Assistants.

BOOK 1185

We hereby certify that we assisted John L. Harris U. S. Deputy Surveyor, in surveying

The Subdivision Louis of Township 9 South of Range 18 West of the Gila and Salt River Meridian, Arizona

and that said Survey has been in all respects, to the best of our knowledge and belief, well and faithfully executed, and the boundary monuments planted according to the instructions furnished by the Surveyor-General.

Lyman Weaver Chainman.

Wm. B. Mann Chainman.

Fred. Jones Axeman.

J. P. Chenoweth Flagman.

Sworn to and subscribed before me, this 9th day of March, 1878

William J. Brown
Notary Public

Final Oath of Deputy Surveyor.

I, *John Lee Harris*
 U. S. Deputy Surveyor, do solemnly swear that
 in pursuance of a contract with John Wasson,
 United States Surveyor-General for Arizona, bear-
 ing date the *20* day of *September*
 1877. I have well, faithfully and truly, in my
 own proper person, and in strict conformity with
 the instructions furnished by the Surveyor-Gener-
 al, the Surveying Manual, and the laws of the
 United States, surveyed all those portions of
The Subdivision Lines of
Township 9 South Range
18 West, of the Grand
Salt River Meridian
Arizona
 as are repre-
 sented in the foregoing Field Notes as having
 been surveyed under my directions; and I do
 further solemnly swear that all the corners of
 said surveys have been established and perpet-
 uated in strict accordance with the Surveying
 Manual and printed instructions, and also in ac-
 cordance with the additional requirements con-

tained in circular instructions from the U. S. Surveyor-General for Arizona, dated September 1, 1873, regarding the establishment of corner boundaries of public surveys, and that the foregoing are the true and original Field Notes of such surveys.

BOOK 1185

John L. Harris
Deputy Surveyor.

Sworn to and subscribed before me, this *9*
day of *March*, 187*8*

William J. Osborn
Notary Public



BOOK 1185

U. S. Surveyor General's Office,

TUCSON ARIZONA. April 1. 1878.

The foregoing Field Notes of the Survey of the

Subdivision Lines of
Township 9 South
Range 8 West.

Of the Gila and Salt River Base and Meridian, Arizona, execu-
ted by John L. Harris.

Deputy Surveyor, under his contract of the 20th
day of September, 1877, having been

critically examined and the necessary corrections and explana-
tions made, the said Field Notes and the surveys they describe
are hereby approved.

John Mason.
Surveyor General.