

No. 1186

BOOK 1186

Field Notes

OF THE SURVEY OF THE

BOOK 1186

SUBDIVISION LINES

-OF- No. 1186

Township *South* Range *12 West*,

Gila and Salt River Base and Meridian

ARIZONA.

By *Theodore F. White*, D. S.

under contract dated *Dec. 4*, 1876.

Survey commenced *Feb. 16*, 1877.

Survey completed *Feb. 20*, 1877.

1186

Theo. F. White Deputy Surveyor.
 7 South **R.** 12 West.
 1/4 Salt River Meridian.

FIELD NOTES

OF
Subdivision Lines of
 ship 7 South Range 12 West
 1/4 Salt River Meridian.

BY
Theo. F. White Deputy Surveyor,
 for his Contract of *December 7. 1876.*
 they commenced *February 16. 1877.*
 they completed *February 20. 1877.*

ed,
 ed for Washington,
 uscript sent to Commissioner,

Preliminary Oaths of Assistants.

We, P. T. Caldwell
 and Urban Bessard
 do solemnly swear that we will faithfully execute
 the duties of Chain Carriers; that we will level the
 chain upon uneven ground, and plumb the tally
 pins, whether by sticking or dropping the same;
 that we will report the true distance to all notable
 objects, and the true length of all lines that we as-
 sist in measuring, to the best of our skill and
 ability.

P. T. Caldwell

Urban Bessard

Sworn to and subscribed before me, this 9th
 day of January, 1877.



John R. Faull
 Notary Public.

We, Allan Bernard
and Fred. C. Jones

do solemnly swear that we will well and truly per-
form the duties of Flagman and
Armenian respectively
according to instructions given us, and to the best
of our skill and ability.

Allan Bernard
Fred. C. Jones

Sworn to and subscribed before me this 9th
day of January, 1877.

John P. Faull
Notary Public.



Township 7 South Range 12 West

10 Sila and Salt River

Meridian.

BOOK 1186

6	60	5	44	4	33	3	22	2	11	1
59		58		43		32		21		10
7	57	8	42	9	31	10	20	11	9	12
56		55		41		30		19		8
18	54	17	40	16	29	15	18	14	7	13
53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24
50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25
47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36

Township 7 South Range 12 West ^{1D}
Gila and Salt River Meridian.

BOOK 1186

No. 1186

The initial point of the survey of the subdivision lines of this township is the corner to secs. 35 and 36, on the south boundary, said corner having been established by myself in these present surveys, and being a post with mound of earth and pits, and from which
Apaleferra, 6 in. dia. bar. S. 46° W. 249 links dist.
Apale verde, 5 " " " S. 60° E. 130 " "

1/E
Township 7 South Range 12 West
Gila and Salt River Meridian.

BOOK 1186

Chains From the corner to Sections 35, 36, 1 and 2 on the South
boundary 1 ran
North, between Sections 35 and 36.
Variation 15° East.

As per East boundary.

30.00 Ascend ridge, bas. E and W.
40.00 Set a volcanic rock, 11x8x7 inches. $\frac{2}{3}$
in the ground, marked 4, and on
N. build mound of stones 2 ft. high
as per instructions, for $\frac{1}{4}$ sec. cor.
No trees near. — Descend.

80.00 Set a post, marked and notched, 4 ft.
long, 3 in. sq. d. 1 ft. in the ground,
drive charred stake and build a
mound of earth 2 ft. high, with pits 1 ft.
deep, 2 ft. long, 1 ft. wide, as per instructions
for cor. to Secs. 25, 26, 35 & 36, from which
a paleo. 7 in. dia. bas. S. 68° E. 122 hrs. dist
do. 4 " " " S. 78° E. 149 " "
do. 8 " " " S. 70° W. 75 " "

Land broken and hilly. Soil poor.
Scattering trees.

Township

7 South

Range

12 West

Gila and Salt River

BOOK

1186

Meridian

Chains

East, on a random line between Sec's 25 and 36.

Variation

15° East.

- 20.00 Low ridge, bet. N. and S.
- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
- 79.85 Intersect E. boundary 13 lns. S. of
cor. to secs. 25 and 36. from
which cor. Drive
S. 89° 54' W.
- Between line between secs. 25 & 36.
var. 15° East
- 79.93 Set a post, marked $\frac{1}{4}$ S. 4 ft long, flat-
tened 3 in. wide, 1 ft. in the
ground, drive charred stake
and build mounds of earth
2 ft high, with pits 1 ft. deep. 2 ft.
long, 1 ft. wide, as per instructions
for $\frac{1}{4}$ sec. cor. No trees near.
- 79.85 Cor. to secs. 25, 26, 35 and 36.
- Land uneven & ridgy. Soil poor.
A few trees.

3
Township

7 South

Range

12 West

Gila and Salt River

Meridian.

BOOK

1186

Chains

North, between Sections 25 and 26.

Variation

15° East

40.00 Setapost, marked "4 S. 4 ft. long, flattened 3 in wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for 74 sec. cor. from which Apale road, 6 in. dia. has N. 65° W. 205 lbs. dist. No other trees near.

80.00 Setapost, marked and notched, 4 ft long, 3 in. sq. d. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for cor. to secs. 23, 24, 25 and 26. No trees near.

Land level. Soil partly good.
A few trees.

Township 7 South Range 12 West ⁴
Gila and Salt River BOOK 1186
Meridian.

Chains East, on a random line between Sections 24 and 25.
Variation 15° East

40.00 Set temporary $\frac{1}{4}$ sec. cor.
79.70 Intersect E. boundary 18 lbs.
S. of cor. to secs. 24 and 25,
from which cor. Run
S. 89° 52' W.

On true line between secs. 24 & 25.
var. 15° East

39.85 Set a post, marked $\frac{1}{4}$ S. 4 ft. long,
flattened 3 in. wide, 1 ft. in
the ground, drive charred
stake and build mound of
Earth 2 ft. high, with pits
1 ft. deep, 2 ft. long, 1 ft. wide,
as per instructions, for $\frac{1}{4}$ sec.
cor. No trees near.

79.70 Cor. to secs. 23, 24, 25 & 26.
Land level. Soil partly good.
A few trees.

5
Township 7 South Range 12 West
Gila and Salt River Meridian.

BOOK 1186

Chains North, between Sections 23 and 24.

Variation 15° East

40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft long, flattened 3 in. wide, 1 ft in the ground, drive charred stake and build a mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for $\frac{1}{4}$ sec. cor. No trees near.

80.00 Set a post, marked and notched, 4 ft long, 3 in. sqd. 1 ft in the ground, drive charred stake and build mound of earth 1 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for cor. to secs. 13, 14, 23 and 24, from which a mesquite, 5 in. dia. $S. 45^{\circ} E. 158$ li. dist. No other trees near.
Land level. Soil partly good.
A few trees.

Township 7 South Range 12 West
Gila and Salt River BOOK 1186
Meridian

Chains

East, on a random line between Sections 13 and 24.

Variation

15° East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.75 Intersect E. boundary 24th sec. S. of
cor. to sees. 13 & 24, from which
cor. I run
S. 89° 50' W.

On true line between sees. 13 & 24.
var. 15° East.

39.88 Set a post, marked $\frac{1}{4}$ S. of flong,
flattened 3 in. wide, 1 ft. in the
ground, drive charred stake
and build mound of earth
2 ft. high, with pits 1 ft. deep, 2
ft. long, 1 ft. wide, as per in-
structions, for $\frac{1}{4}$ sec. cor.
No trees near.

79.75 Cor. to sees. 13, 14, 23 & 24.
Land level. Soil good.
A few trees.

Township

7 South

Range

12 West

Meridian.

BOOK

1186

Chains

North, between Sections 13 and 14.

Variation

15° East

40.00

Set a post, marked 14 S. 4 ft long, flattened 3 in. wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for 14 sec. cor. No trees near.

80.00

Set a post, marked and notched, 4 ft long, 3 in. sq. d., 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for cor. to secs. 11, 12, 13 and 14. No trees near.

Land level. Soil good.
No timber.

Township

7 South

Range

12 West

Sila and Salt River

BOOK 1186

Meridian

Chains

East, on a random line between Sections 12 and 13.

Variation

15° East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.80.05 Intersect E. boundary 15 lks N.
of cor. to secs. 12 and 13. from
which cor. Run
N. 89° 54' W.

On true line between secs. 12 & 13.

Var. 15° East.

40.03 Set a post, marked $\frac{1}{4}$ S. 4 ft.
long, flattened 3 in. wide, 1 ft.
in the ground, drive charred
stake and build mound of earth
2 ft high, with pit 1 ft deep, 2
ft long, 1 ft wide, as per in-
structions for $\frac{1}{4}$ sec. cor.
No trees near.80.05 Cor. to Secs. 11, 12, 13 & 14.
Land level. Soil good.
No timber.

9
Township 7 South Range 12 West
Gila and Salt River Meridian.

BOOK 1186

Chains North, between Sections 11 and 12.

Variation 15° East

40.00 Set a post, marked '4 S. 4 ft long, flattened 3 in. wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for 74 sec. cor. No trees near.

80.00 Set a post, marked and notched 4 ft long, 3 in. sqd. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for cor. to secs. 1, 2, 11 and 12.

No trees near.

Land level. Soil good.

No timber.

Township 7 South Range 12 West 10
Gila and Salt River BOOK 1186
Meridian

Chains

East, on a random line between Sections 1 and 12.

Variation

15° East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.15 Intersect E. boundary 21 lbs.
N. of cor. to secs. 1 and 12, from
which cor. I run
N. 89° 51' W.

On true line between secs. 1 & 12.

var. 15° East.

40.07 Set a post, marked $\frac{1}{4}$ S. 4 ft.
long, flattened 3 in. wide, 1 ft
in the ground, drive charred
stake and build mound of
earth 2 ft high, with pits 1 ft
deep, 2 ft long, 1 ft wide, as
per instructions, for $\frac{1}{4}$ sec.
cor. No trees near.

80.15 Cor to Secs. 1, 2, 11 and 12.
Land level. Soil good.
No timber.

11
Township

7 South

Range

12 West

Gila and Salt River

Meridian.

BOOK

1186

Chains

North, on a random line between Sections 1 and 2.

Variation

15° East

40.00

Set temporary $\frac{1}{4}$ sec. cor.

79.80

Intersect N. Boundary 18 lvs. N. of
cor. to secs. 1 and 2, from
which cor. Run
S. 0° 8' W.

On true line between secs. 1 & 2.

Var. 15° East

39.80

Set a post, marked $\frac{1}{4}$ S. 4 ft long
flattened 3 in. wide, 1 ft in the
ground, drive charred stake and
build mound of earth 1 ft high,
with pits 1 ft deep, 2 ft long, 1 ft
wide, as per instructions, for
 $\frac{1}{4}$ sec. cor. No trees near.

79.80

Cor. to secs. 1, 2, 11 and 12.

Land level. Soil good.
No timber.

Township

7 South

Range

12 West

12

Gila and Salt Pines

BOOK

1188

Meridian.

Chains

North, between Sections 34 and 35.

Variation

15° East

30.00 Ascend ridge bns. E. and W.

40.00 Set a volcanic rock, 12 x 11 x 8 inches, $\frac{2}{3}$ in the ground, marked $\frac{1}{4}$, and on N. build a mound of stones 2 ft. high, as per instructions, for $\frac{1}{4}$ sec. cor. No trees near.

Descend.

30.00 Set a post, marked and notched, 4 ft. long, 3 in. sq. d. 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions, for cor. to secs.

26, 27, 34 and 35. from which Apaleuria, 5 in. dia. bns. N. 64° E. 329 lbs. dist. No other trees near.

Land broken. Soil poor. Scattering trees.

Township

7 South

Range

12 West

Gila and Salt River

Meridian.

BOOK
Chains

1186

East, on a random line between Sections 26 and 35.

Variation

15° East

40.00 Set temporary $\frac{1}{4}$ sec. cor.80.17 Intersect N. and S. line 9 hrs. S. of
cor. to secs. 25, 26, 35 and 36.
from which cor. Run
S. 89° 56' W.

On true line between secs. 26 & 35.

var. 15° East.

40.08 Set a post, marked $\frac{1}{4}$ S. 4 ft. long, flat-
tined 3 in. wide, 1 ft. in the ground,
drive charred stake and build
mound of earth 2 ft. high, with
pits 1 ft. deep, 2 ft. long, 1 ft. wide,
as per instructions, for $\frac{1}{4}$ sec.
cor. from whichApale perra, 12 in. dia. hrs. N. 70° E. 164 hrs. dist.
No other trees near.

80.17 Cor. to secs. 26, 27, 34 & 35.

Land broken. Soil poor.

A few trees.

Township 7 South Range 12 West ¹⁴ 186
Gila and Salt Rivers Meridian. ^{BOOK}

Chains North, between Sections 26 and 27.

Variation 15° East

40.00 Set a post, marked 4 S. 4 ft. long, flattened
3 in. wide, 1 ft. in the ground, drive charred
stake and build mound of earth 1 ft.
high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide,
as per instructions, for 4 sec. cor. Notes near

80.00 Set a post, marked and notched, 4 ft.
long, 3 in. sq. d. 1 ft. in the ground,
drive charred stake and build
mound of earth 1 ft. high, with
pits 1 ft. deep, 2 ft. long, 1 ft. wide,
as per instructions, for cor. to
secs. 22, 23, 26 & 27, from which
Apale made, 4 in. dia. bar, West, 122 hrs. dist.
do. 5 " " " N. 41° E. 75 " "
do. 5 " " " South, 128 " "
No other trees near.

Land, at base of a hill to the N.
Soil poor. Scattering trees
February 16, 1877.

15
Township 7 South Range 12 West
Pila and Salt River Meridian.

BOOK 1186

Chains East, on a random line between Sections 23 and 26.

Variation 15° East

Descend

4.00 Enter flat.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.82 Intersect N. and S. line 16 lns. S. of
cor. to secs. 23, 24, 25 and 26.

from which cor. run
S. 89° 53' W.

Entire line between secs. 23 & 26.
var. 15° East

39.91 Set a post, marked $\frac{1}{4}$ S. 4 ft long,
flattened 3 in wide, 1 ft in the
ground, drive charred stake and
build mound of earth 2 ft high,
with pits 1 ft deep, 2 ft long, 1 ft
wide, as per instructions, for $\frac{1}{4}$
sec. cor. No trees near.

79.82 Cor. to secs. 22, 23, 26 & 27.
Land uneven. Soil 2^o rate.
No timber of consequence.

Township 7 South Range 12 West ¹⁶
Gila and Salt River BOOK 1186
Meridian

Chains

North, between Sections 22 and 23.

Variation 15° East

- 6.00 Ascend low ridge.
10.00 Top and descend.
19.00 Foot and enter flat
40.00 Set a post, marked 14 S. 4 ft. long, flattened 3
in wide, 1 ft. in the ground, drive charred stake
and build mound of earth 1 ft. high with
pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions
for 14 sec. cor. from which
Apalefuna, 6 in. dia. brs. S. 10° E. 133 lbs. dist.
do. 13 " " S. 68° W. 300 " "
80.00 Set a post, marked and notched, 4 ft. long
 3 in. sqd. ft. in the ground, drive charred
stake and build mound of earth 1 ft. high,
with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as
per instructions, for cor. to Secs. 14, 15, 22
and 23. from which
Apalefuna, 6 in. dia. brs. S. 5° W. 195 lbs. dist.
No other trees near. Land broken.
Soil 2° rate. A few trees.

17
Township 7 South Range 12 West
Gila and Salt River Meridian.

BOOK 1186

Chains East, on a random line between Sections 14 and 23.

Variation 15° East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.16 Intersect N. and S. line 8 hrs. S. of
cor. to secs. 13, 14, 23 and 24.
from which cor. Drive
 $S. 89^{\circ} 57' W.$

Put true line between secs. 14 & 23.

var. 15° East.

40.08 Set a post, marked $\frac{1}{4}$ S. 4 ft. long, flat-
tened 3 in. wide, 1 ft. in the ground,
drive charred stake and build
mound of earth 2 ft. high, with
pits 1 ft. deep, 2 ft. long, 1 ft. wide,
as per instructions for $\frac{1}{4}$ sec. cor.
No trees near.

80.16 Cor. to Secs. 14, 15, 22 & 23.

Land level. Soil partly good.
No timber.

Township 7 South Range 12 West 18
Gila and Salt River Meridian. BOOK 1186

Chains

North, between Sections 14 and 15.

Variation

15° East.

40.00 Set a post, marked 1/4 S. 4 ft. long, flattened 3 in. wide, 1 ft. in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 1/4 sec. cor. No trees near.

80.00 Set a post, marked & notched, 4 ft long, 3 in. sq. d. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for cor. to secs. 10.

11.14 and 15.

No trees near.

Land level. Soil good.
No timber.

19
Township 7 South Range 12 West,
Gila and Salt River Meridian.

BOOK 1186

Chains East, on a random line between Sections 11 and 14

Variation 15° East

40.00 Set temporary $\frac{1}{4}$ sec. cor.
80.20 Intersect N. and S. line 12 hrs. N.
a few to secs. 11, 12, 13 and 14,
from which cor. I run
N. 89° 55' W.

Continue line between secs. 11 & 14.
var. 15° East

40.10 Set a post, marked $\frac{1}{4}$ S. 4 ft. long,
flattened 3 in. wide, 1 ft. in the
ground, drive charred stake and
build mound of earth 1 ft. high,
with pits 1 ft. deep, 2 ft. long, 1 ft.
wide, as per instructions for $\frac{1}{4}$
sec. cor.

No trees near.

80.20 Cor. to secs. 10, 11, 14 and 15.
Land level.

Soil good.
No timber.

Township 7 South Range 12 West ²⁰
Gila and Salt River BOOK 1186
Meridian.

Chains

North, between Sections 10 and 11.

Variation

15° East

40.00 Set a post, marked "4 S. 4 ft long,
flattened 3 in wide, 1 ft in the
ground, drive charred stake
and build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft
long, 1 ft wide, as per instructions
for "4 sec. cor. No trees near.

80.00 Set a post, marked and notched,
4 ft long, 3 in sq d. 1 ft in the
ground, drive charred stake
and build mound of earth
2 ft high, with pits 1 ft deep, 2
ft long, 1 ft wide, as per instruc-
tions, for cor. to secs. 2, 3, 10
and 11.

No trees near.

Land level. Soil good.

No timber.

21
Township 7 South Range 12 West
Gila and Salt River Meridian.

BOOK 1186

Chains East, on a random line between Sections 2 and 11.

Variation 15° East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.17 Intersect N. and S. line 9 lks.

N. a few to Secs. 1, 2, 11 and
12, from which cor. Run
 $N. 89^{\circ} 56' W.$

Outline line between secs. 2 & 11.
var. 15° East.

40.09 Set a post, marked $\frac{1}{4}$ S. 4 ft. long,
flattened 3 in. wide, 1 ft. in the
ground, drive charred stakes
and build mounds of earth
2 ft. high, with pits 1 ft. deep, 2
ft. long, 1 ft. wide, as per in-
structions for $\frac{1}{4}$ sec. cor.

from which

Apalepina, 9 in. dia. $N. 50^{\circ} E. 163$ lks. dist.

No other trees near.

80.17 Cor. to secs. 2, 3, 10 and 11.

Land level. Soil good. No timber

22

Township 7 South Range 12 West
Gila and Salt Rivers BOOK 1186
Meridian.

Chains

North, on a random line between Sections 2 and 3.

Variation

15° East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.86 Intersect N. boundary 19 lbs. N. of
cor. to secs. 2 and 3. from which
cor. drawn
S. 0° 8' W.

Put true line between secs. 2 & 3.
var. 15° East

39.86 Set a post, marked $\frac{1}{4}$ S. 4 ft long
flattened 3 in. wide, 1 ft in the
ground, drive charred stake
and build mound of earth 2
ft high, with pits 1 ft deep, 2 ft
long, 1 ft wide, as per instruc-
tions, for $\frac{1}{4}$ sec. cor.

No trees near.

79.86 Cor. to secs. 2, 3, 10 and 11.
Land level. Soil good.
No timber.

Township

7 South

Range

12 West

Gila and Salt Rivers

Meridian.

BOOK 1186

Chains

North, between Sections 33 and 34.

Variation

15° East

40.00

Set a post, marked 74 S. 4 ft. long, flattened 3 in. wide, 1 ft. in the ground, drive charred stake and build mounds of earth 1 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions, for 74 sec. cor. No trees near.

80.00

Set a post, marked 8 scratched, 4 ft. long, 3 in. sqd., 1 ft. in the ground, drive charred stake and build a mound of earth 1 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions, for cor. to secs. 27, 28, 33 and 34 from which Apale runs, 3 in. dia. line, S. 50° E. 233 lvs. dist
do. 5 . . . S. 12° E. 240 . . .

No other trees near.

Land level, broken hills on E.
Soil 2nd rate. Scattering trees

Township 7 South Range 12 West ²⁴
Gila and Salt River BOOK 1186 Meridian

- Chains East, on a random line between Sections 27 and 34.
Variation 15° East
- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
46.00 Foot of hill and ascend, br. N. 85° .
51.70 Top and descend.
55.00 Bottom and enter flat
80.07 Intersect N. and S. line 15 br. N. of
cor. to secs. 26. 27. 34 and 35.
from which cor. I run
N. $89^{\circ} 54' 11''$
On true line between secs. 27 & 34
var. 15° East.
- 40.03 Set a post, marked $\frac{1}{4}$ S. 4 ft long, flattened
3 in. wide, 1 ft in the ground, drive charred
stake & build mound of earth 2 ft high,
with pit 1 ft deep, 2 ft long, 1 ft wide, as per
instructions, for $\frac{1}{4}$ sec. cor. from which
Apala faira, 7 in. dia. br. N. 40° W. 39 brs. dist.
No other trees near.
- 80.07 Cor. to Secs. 27. 28. 33 & 34.
Land hilly. Soil poor. A few trees

Township

7 South

Range

12 West

Gila and Salt Rivers

Meridian.

BOOK 1186

Chains

North, between Sections 27 and 28.

Variation

15° East

40.00 Set a post, marked 4 S. 4 ft. long, flattened 3 in wide, 1 ft in the ground, drive charred stake and build a mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide as per instructions, for 1/4 sec. cor.

No trees near.

55.00 Ascend rocky hill.

80.00 Set a volcanic rock, 14 x 10 x 7 inches, 2/3 in the ground, notched S. and E., and on N. build a mound of stones 2 ft high, as per instructions, for cor to Secs. 21, 22, 27 and 28.

No trees near.

Land hilly & broken.

Soil poor. A few trees.

Township 7 South Range 12 West
Gila and Salt River BOOK 1186
Meridian.

Chains East, on a random line between Sections 22 and 27.
Variation 15° East

40.00 Set temporary $\frac{1}{4}$ sec. cor.
Pass over rocky hill, and descend
80.31 Intersect N. and E. line 18 chs. N.
of cor. to secs. 22, 23, 26 and
27, from which cor. run
N. $89^{\circ} 52' W.$

On true line between secs. 22 & 27.
var. 15° East

40.16 Set volcanic rock, $12 \times 9 \times 6$ in-
ches. $\frac{2}{3}$ in the ground, mark-
ed $\frac{1}{4}$, and on N. build mound
of stones 2 ft high, as per
instructions, for $\frac{1}{4}$ sec. cor.
No trees near.

80.31 Cor. to secs. 21, 22, 27 & 28.

Land broken & hilly.
Soil poor. No timber.

Township

7 South

Range

12 West

Gila and Salt River

Meridian.

BOOK

1186

Chains

North, between Sections 21 and 22.

Variation 15° East.

40.00 Set a post, marked $14 S. 4 ft.$ long, flattened
 3 in. wide, 1 ft. in the ground, drive charred
 stake & build mound of earth 2 ft. high,
 with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as
 per instructions, for $14 sec. cor.$
 No trees near.

80.00 Set a post, marked and notched 4
 ft. long, 3 in. sq. d., 1 ft. in the ground,
 drive charred stake and build a
 mound of earth 2 ft. high, with
 pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per
 instructions, for $cor. to sec.$
 15, 16, 21 and 22, from which
 Apalefecia, 7 in. dia. bar, S. 30° E. 217 hrs. dist.
 No other trees near.

Land broken, descending from hills
 at first, then level on N. end.
 Soil mostly poor. A few trees.

Township 7 South Range 12 West ²⁸
Gila and Salt River BOOK 1186
 Meridian.

Chains

East, on a random line between Sections 15 and 22.

Variation 15° East

40.00 Set temporary $\frac{1}{4}$ sec. cor.
 79.91 Intersect N. and S. line 11 hrs. N. of cor.
 to secs. 14, 15, 21 & 22, from which cor

Draw

N. $89^{\circ} 55' W.$

On true line between secs. 15 & 22,

Var. 15° East

39.95 Set a post, marked $\frac{1}{4}$ S. 4 ft long,
 flattened 3 in. wide, 1 ft in the
 ground, drive charred stake
 and build mound of earth 2
 ft high, with pits 1 ft deep, 2 ft long,
 1 ft wide, as per instructions for
 $\frac{1}{4}$ sec. cor. from which

Aphelocera, 9 in. dia. hrs. North, 90 hrs. dist.
 No other trees near.

79.91 Cor. to secs. 15, 16, 21 & 22.
 Land level. Soil partly good.
 A few trees.

Township 7 South Range 12 West
Gila and Salt River Meridian.

BOOK 1186

Chains North, between Sections 15 and 16

Variation 15° East

40.00 Set a post, marked 45.4 ft. long, flattened 3 in. wide, 4 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 4 ft. wide, as per instructions for 14 sec. cor. No trees near.

80.00 Set a post, marked and notched, 4 ft. long, 3 in. sq. 4 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 4 ft. wide, as per instructions for cor. to secs. 9, 10, 15 and 16. No trees near.

Land level. Soil good. No timber

February 17, 1877.

Township 7 South Range 12 West 30
Gila and Salt River BOOK 1186
Meridian.

Chains

East, on a random line between Sections 10 and 15.

Variation 15° East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.78 Intersect N. and S. line 15 lead.
of cor. to Secs. 10, 11, 14 and
15, from which cor. Run
 $S. 89^{\circ} 54' W.$

Outline line between Secs. 10 & 15.

var. 15° East.

39.89 Set a post, marked $\frac{1}{4}$ S. $4\frac{1}{2}$ ft. long,
flattened 3 in. wide, $\frac{1}{2}$ ft. in the
ground, drive charred stake and
build mound of earth 2 ft. high
with pits $\frac{1}{2}$ ft. deep, 2 ft. long, $\frac{1}{2}$ ft.
wide, as per instructions, for $\frac{1}{4}$ sec.
cor. No trees near.

79.78 Cor. to Secs. 9, 10, 15 & 16.

Land level. Soil good. No timber.

Township 7 South Range 12 West
Gila and Salt River Meridian.

BOOK 1186

Chains North, between Sections 9 and 10.

Variation 15° East

40.00 Set a post, marked "4 S. 4 ft. long, flattened 3 in. wide, 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions for 1/4 sec. cor. No trees near.

80.00 Set a post, marked and notched, 4 ft. long, 3 in. sq. d. ft. in the ground, drive charred stake and build mound of earth 2 ft. high with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions for cor. to Secs. 3, 4, 9 & 10. No trees near.

Land level. Soil good. No timber.

Township 7 South Range 12 West ³²
Sila & Salt River BOOK ¹¹⁸⁶ Meridian.

Chains

East, on a random line between Sections 3 and 10.

Variation 15° East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.75 Intersect 4. and 5. line 12 lbs.
S. of cor. to secs. 2, 3, 10 and 11,
from which cor. True
 $S. 89^{\circ} 55' N.$

Continue line between secs. 3 & 10.

var. 15° East.

39.88 Set a post, marked $\frac{1}{4}$ S. 4 ft long,
flattened 3 in. wide, 1 ft in the
ground, drive charred stake
and build mound of earth
2 ft high, with pit 1 ft deep,
2 ft long, 1 ft wide, as per in-
structions, for $\frac{1}{4}$ sec. cor.
No trees near.

79.75 Cor. to secs. 3, 4, 9 & 10.

Land level. Soil good. No timber.

Township 7 South Range 12 West
 Gila and Salt River Meridian.

BOOK 1186

Chains North, on a random line between Sections 3 and 4.

Variation 15° East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.84 Intersect N. boundary 20 hrs. E. of cor.
 to sec. 3 and 4. from which
 cor. I run
 $S. 0^{\circ} 9' E.$

On true line between sec. 3 & 4.
 var. 15° East

40.84 Set a post, marked $\frac{1}{4}$ S. 4 ft.
 long, flattened 3 in wide, 1 ft. in
 the ground, drive charred stake &
 build mound of earth 2 ft high
 with pile 1 ft. deep, 2 ft. long, 1 ft. wide,
 as per instructions, for $\frac{1}{4}$ sec. cor.
 No trees near.

80.84 Cor. to Secs. 3, 4. Gaud 10.

Land level. Soil good. No timber.

Township 7 South Range 12 West ³⁴
Sila and Salt Rivers BOOK 1186
Meridian.

Chains North, between Sections 32 and 33.

Variation 15° East

40.00 Set a post, marked 74 S. 4 ft. long,
flattened 3 in. wide, 1 ft. in the
ground, drive charred stake and
build mound of earth 2 ft. high,
with pits 1 ft. deep, 2 ft. long, 1 ft.
wide, as per instructions for 74
sec. cor. No trees near.

80.00 Set a post, marked and notched,
4 ft. long, 3 in. sqd., 1 ft. in the ground,
drive charred stake and build
mound of earth 2 ft. high,
with pits 1 ft. deep, 2 ft. long, 1
ft. wide, as per instructions for
Cor. to Secs. 28, 29, 32 & 33.

from which

Opaleferia, 7 in. diam. S. 62° W. 286 lbs. dist

do. 4 " " " S. 50° W. 270 " "

No other trees near.

Land level. Soil partly good. Scattering
trees.

Township 7 South Range 12 West
Gila & Salt River Meridian.

BOOK 1186

Chains East, on a random line between Sections 28 and 33.

Variation 15° East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.12 Intersect N. and S. line 14 lns. N.
of cor. to Secs. 27, 28, 33 and 34
from which cor. Run
N. $89^{\circ} 54' W$.

On true line between Secs. 28 & 33.
var. 15° East.

40.06 Set a post, marked $\frac{1}{4}$ S. 4 ft long,
flattened 3 in. wide, 1 ft in the ground,
drive charred stake and build
mound of earth 2 ft high, with
pits 1 ft deep, 2 ft long. 1 ft wide,
as per instruction for $\frac{1}{4}$ sec. cor.
from which

Apaleparia, 5 in. dia. br. East, 184 lns. dist.

do. 6 " " N. $10^{\circ} W$. 213 " "

80.12 Cor. to Secs. 28, 29, 32 & 33.

Land level for most part. Soil
partly good. Scattering trees.

Township 7 South Range 12 West
Sila and Salt River BOOK 1186 Meridian.

Chains North, between Sections 28 and 29.

Variation 15° East

40.00 Set a volcanic rock, 12 x 8 x 7 inches, 2 3/4 in the ground, marked 44, and on N. build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 44 sec. cor. No trees near.

75.00 Low stony ridge, bvs. E. and W.

80.00 Set a post, marked and notched, 4 ft long, 3 in. sq. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for cor. to sees. 20, 21, 28 and 29. No trees near.

Land uneven and ridged.
Soil 2nd rate.

A few trees on S. end.

37
Township 7 South Range 12 West
Gila and Salt River Meridian.

BOOK 1186

Chains East, on a random line between Sections 21 and 28.

Variation 15° East.

Ascend rock hill, base E.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.47 Intersect N. and S. line 51 hrs. S.
of cor. to secs. 21, 22, 27 and 28.
from which cor. I run
 $S 89^{\circ} 38' W$.

On true line between secs. 21 & 28.
Var. 15° East

40.23 Set a volcanic rock, $13 \times 9 \times 6$
inches, $\frac{2}{3}$ in the ground, mark-
ed $\frac{1}{4}$, and on W. build mound
of stones 2 ft high, as per in-
structions, for $\frac{1}{4}$ sec cor.
No trees near.

80.47 Cor. to secs. 20, 21, 28 & 29.

Land stony hills. Soil worth-
less. No timber.

Township 7 South Range 12 West ³⁸
Gila and Salt River Meridian. BOOK 1186

Chains North, between Sections 20 and 21.

Variation 15° East

40.00 Drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 4 sec. cor.

80.00 Set a post, marked and notched, 4 ft long, 3 in. sq. in the ground, drive charred stake and build mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for the cor. to secs. 16, 17, 20 and 21.

No trees near.
Land descending to level ground.
Soil good on N.
No timber or stones

39
Township 7 South Range 12 West
Gila and Salt River Meridian.

BOOK 1186

Chains East, on a random line between Sections 16 and 21.

Variation

15° East

40.00 Set temporary 1/4 sec. cor.
79.82 Intersect N. and S. line 20th. S. of
cor. to secs. 15, 16, 20 and 22,
from which cor. I run
S. 89° 51' W.

Outline line between secs. 16 & 21.

var. 15° East

39.91 Set a post, marked 1/4 S. 4 ft long,
flattened 3 in. wide, 1 ft in the
ground, drive charred stake
and build mound of earth
1 ft high with pits 1 ft deep, 2 ft
long, 1 ft wide, as per instruc-
tions, for 1/4 sec. cor.

No trees near.

79.82 Cor. to secs. 16, 17, 20 & 21.

Land level. Soil good.
No timber

Township 7 South Range 12 West ⁴⁰
Sela and Salt River Meridian. ^{BOOK 1186}

Chains North, between Sections 16 and 17.

Variation

15° East.

40.00 Set a post, marked '45. 4 ft. long, flattened 3 in. wide, 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions for '4 sec. cor. No trees near.

80.00 Set a post, marked '8 and notched, 4 ft. long, 3 in. sq. d. 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions, for cor. to Secs. 8, 9, 16, and 17. No trees near.

Land level. Soil good.
No timber.

41
Township 7 South Range 12 West
Sila and Salt River Meridian.

BOOK 1186

Chains East, on a random line between Sections 9 and 16.

Variation 15° East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.89 Intersect N. and S. line 23 lns.
S. of cor. to Secs. 9, 10, 15 and 16,
from which cor. Run
S. 89° 50' W.

On true line between Secs. 9 & 16.

var. 15° East.

39.95 Set a post, marked $\frac{1}{4}$ S. 4 ft. long,
flattened 3 in. wide, 1 ft. in the
ground, drive charred stake
and build mound of earth 2
ft. high, with pit 1 ft. deep, 2
ft. long, 1 ft. wide, as per in-
structions, for $\frac{1}{4}$ sec. cor.

No trees near.

79.89 Cor. to Secs. 8, 9, 16, and 17.

Land level. Soil good.

No timber.

Township

7 South

Range

12 West

Gila and Salt Rivers

BOOK 1186

Meridian.

Chains

North, between Sections 8 and 9.

Variation

15° East

40.00 Drive charred stake and build mound of earth 2 ft high with pit 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for 1/4 sec. cor.

80.00 Set a post, marked and notched, 4 ft long, 3 in. sq'd. in the ground, drive charred stake and build mound of earth 2 ft high with pit 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for cor. to Secs. 4, 5, 8 and 9.
No trees near.

Land level.

Soil good.

No timber

Township

7 South

Range

12 West

Gila and Salt River

Meridian.

BOOK

1186

Chains

East, on a random line between Sections 4 and 9.

Variation

15° East

40.00

Set temporary 1/4 sec. cor.

79.85

Intersect N. and S. line 19 lvs. S. of cor. to Secs. 3, 4, 9 and 10, from which cor. Run S. 89° 52' W.

On true line between Secs. 4 & 9. var. 15° East

39.93

Set a post, marked 1/4 S. 2 ft long flattened 3 in wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for 1/4 sec. cor. No trees near.

79.85

Cor. to Secs. 4, 5, 8 & 9.

Land level. Soil good. No timber.

Township

7 South

Range

17 West ⁴⁴

Gila and Salt River

BOOK 1186
Meridian.

Chains

North, on a random line between Sections 4 and 5.

Variation

15° East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.14 Intersect N. boundary 18 lbs.
E. of cor. to secs. 4 and 5, from
which cor. Run
S. 0° 8' E.

Out true line between secs. 4 & 5.

var. 15° East.

40.14 Set a post, marked $\frac{1}{4}$ S. 4 ft long,
flattened 3 in. wide, 1 ft in the
ground, drive charred stake
and build mounds of earth
2 ft high, with pits 1 ft deep, 2
ft long, 1 ft wide, as per in-
structions, for $\frac{1}{4}$ sec cor.

No tree near.

80.14 Cor to Sec. 4, 5, 8 & 9.
Land level. Soil good.
No timber.

Township 7 South Range 12 West
 Tila and Salt River Meridian.

BOOK 1186

Chains North, between Sections 31 and 32.

Variation 15° East

40.00 Drive charred stake and build mound of earth 2 ft. high with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions for $\frac{1}{4}$ sec. cor.

80.00 Set a post, marked and notched, 4 ft. long, 3 in. sq. d. 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions, for cor. to Secs. 29, 30, 31 and 32.

No trees near.

Land level. Soil partly good. Institute a post on the corner.

February 19, 1877.

Township 7 South Range 12 West ⁴⁶
Gila and Salt River BOOK 1186
Meridian.

Chains

East, on a random line between Sections 29 and 32.

Variation

15° East

40.00 Set temporary ¹⁴ sec. cor.

80.15 Intersect N. and S. line 13 hrs. N.
of cor. to secs. 28, 29, 32 and
33, from which cor. Drive
N. 89° 54' W.

On true line between secs. 29 & 32.
var. 15° East.

40.07 Set a post, marked 4 S. 4 ft long,
flattened 3 in. wide, 1 ft in the
ground, drive charred stake and
build mound of earth 2 ft high,
with pits 1 ft deep, 2 ft long, 1 ft
wide, as per instructions, for ¹⁴
sec. cor. from which
A pale verde, 5 in. dia. brs. N. 22° E. 176 hrs. dist.
do. 9. " " N. 25° W. 229 " "

80.15 Cor. to secs. 29, 30, 31 and 32.
Land level. Some good soil.
Scattering trees

47

Township

7 South

Range

12 West

Gila and Salt River

Meridian.

BOOK

1186

Chains

West, on a random line between Sections 30 and 31.

Variation

15° East.

40.00

Set temporary $\frac{1}{4}$ sec. cor.

78.60

Intersect N. boundary of sec. 30
cor. to secs. 30 and 31. from
which cor. Drive
S. 89.56° E.

True line between secs. 30 & 31.

var. 15° East

38.60

Drive chanced stake and build
mound of earth 2 ft high, with
pits 1 ft deep, 2 ft long, 1 ft wide,
as per instructions, for $\frac{1}{4}$ sec. cor.

78.60

Cor. to secs. 29, 30, 31 & 32.

Land level. Soil good.

Destitute of stone & timber.

Township

7 South

Range

12 West

BOOK

1186

48

Gila and Salt River

Meridian.

Chains

North, between Sections 29 and 30.

Variation

15° East

40.00 Set a post, marked "4 S. 4 ft. long
flattened 3 in. wide, 1 ft. in the
ground drive charred stake
and build mound of earth
2 ft. high, with pits 1 ft. deep, 2 ft.
long, 1 ft. wide, as per instruc-
tions, for 1/4 sec. cor.

No trees near.

80.00 Set a post, marked and notched,
4 ft. long, 3 in. sq. 1 ft. in the ground,
drive charred stake and build
mound of earth 2 ft. high, with
pits 1 ft. deep, 2 ft. long, 1 ft. wide,
as per instructions, for cor. to Secs.
19, 20, 29 and 30.

No trees near.

Land level. Soil good. No timber

Township 7 South Range 12 West
Gila and Salt River Meridian.

BOOK 1186

Chains

East, on a random line between Sections 20 and 29.

Variation 15° East

- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
- 80.12 Intersect N. and S. line 8 lvs. N. of cor. to Secs. 20, 21, 28 and 29, from which cor. I run N. $89^{\circ} 57'$ W.
- True line between Secs. 20 & 29.
 var. 15° East
- 40.06 Set apart marked 4×4 ft. long, flattened 3 in. wide, 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions, for $\frac{1}{4}$ sec. cor.
- No trees near.
- 80.12 Cor. to Secs. 19, 20, 29 and 30.

Land level. Soil poor on E. No timber.

Township 7 South Range 12 West 50
Gila and Salt River BOOK 1186
Meridian.

Chains West, on a random line between Sections 19 and 30.

Variation 15° East

40.00 Set temporary $\frac{1}{4}$ sec. cor.
78.55 Intersect N. boundary 7 Sec. S.
of cor. to Secs. 19 and 30, from which
cor. In run
S. 89° 57' E.

On true line between Secs. 19 & 30.
var. 15° East.

38.55 Set a post, marked $\frac{1}{4}$ S. 4 ft long,
flattened 3 in. wide, 1 ft. in the ground,
drive charred stake and build
mound of earth 2 ft high, with
pits 1 ft. deep, 2 ft. long, 1 ft. wide,
as per instructions, for $\frac{1}{4}$ sec.
cor. No trees near.

78.55 Cor. to Secs. 19, 20, 29 & 30

Land level. Soil good.
No timber.

Township

7 South

Range

12 West

BOOK 1186

Gila and Salt River

Meridian.

Chains

North, between Sections 19 and 20.

Variation

15° East.

- 40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft. long, flattened 3 in. wide, 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions, for $\frac{1}{4}$ sec. cor. No trees near.
- 80.00 Drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide and in center of pit S. E. of cor. drive a stake, marked and notched, 2 ft. long, 2 in. sq. d. 1 ft. in the ground, as per instructions, for cor. to Secs. 17, 18, 19 and 20.
- Land level. Soil good.
No stone or timber.

Township 7 North Range 12 West ⁵²
Gila and Salt River BOOK 1186
Meridian.

Chains East, on a random line between Sections 17 and 20.

Variation 15° East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

61.00 Hay road, bet. N. and S.

80.22 Intersect N. and S. line 16 lks.
N. of cor. to Secs. 16, 17, 20 and
21, from which cor. I run
N. $89^{\circ} 53' 11''$.

On true line between Secs. 17 & 20.
var. 15° East

40.11 Drive charred stake and build
mound of earth 2 ft high, with
pits 1 ft deep, 2 ft long, 1 ft wide,
as per instructions, for $\frac{1}{4}$ sec.
cor.

80.22 Cor. to Secs. 17, 18, 19 and 20.

Land level. Soil good.
No stones or timber.

Township

7 South

Range

12 West

Pila and Salt River

Meridian.

BOOK

1186

Chains

West, on a random line between Sections 18 and 19.

Variation

15° East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.78.51 Intersect N. boundary 9 lns. N.
of cor. to secs. 18 and 19. from
which cor. Draw
N. 89° 56' E.On true line between secs. 18 & 19.
var. 15° East38.51 Set a post, marked $\frac{1}{4}$ S. 4 ft long
flattened 3 in. wide, 1 ft in the
ground, drive charred stakes
and build mounds of earth
2 ft high, with pits 1 ft deep, 2 ft
long, 1 ft wide, as per instruc-
tions, for $\frac{1}{4}$ sec. cor.
No trees near.78.51 Cor. to secs. 17, 18, 19 and 20.
Land level. Soil good.
No timber

Township

7 South

Range

12 West 54

Gila and Salt Rivers

BOOK 1186

Meridian.

Chains

North, between Sections 17 and 18.

Variation

15° East.

- 40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft. long, flattened 3 in. wide, 1 ft. in the ground, drive charred stake and build mound of earth 1 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions, for $\frac{1}{4}$ sec. cor. No trees near.
- 63.00 Old road runs N.
- 80.00 Set a post, marked and notched, 4 ft. long, 3 in. sq. 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions, for cor. to Secs. 7, 8, 17 and 18. No trees near.
- Land level Soil good.
No timber.

55

Township

7 South

Range

12 West

Gila and Salt River

Meridian.

BOOK

1186

Chains

East, on a random line between Sections 8 and 17.

Variation

15° East.

40.00

Set temporary $\frac{1}{4}$ sec. cor.

80.13

Intersect N. and S. line of tract
of cor. to Secs. 8, 9, 16 and 17,
from which cor. Drive
N. $89^{\circ}57'W$.

Outline between secs. 8 & 17.

var. 15° East.

40.06

Set a post, marked $\frac{1}{4}$ S. of $\frac{1}{4}$ long
flattened 3 in. wide, 1 ft. in the
ground, drive charred stake
and build mound of earth
2 ft. high, with pits 1 ft. deep,
2 ft. long, 1 ft. wide, as per in-
structions for $\frac{1}{4}$ sec. cor.

No trees near.

80.13

Cor. to Secs. 7, 8, 17 & 18.
Land level. Soil good.
No timber.

Township 7 South Range 12 West ⁵⁶
Gila and Salt River BOOK 1186
Meridian.

Chains West, on a random line between Sec's 7 and 18.

Variation 15° East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

78.49 Intersect N. boundary 22 chas. S. of cor. to secs. 7 and 18, from which cor. Drive $S. 89^{\circ} 51' E.$

On true line between secs. 7 & 18.
var. 15° East.

38.49 Drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions, for $\frac{1}{4}$ sec. cor.

78.49 Cor. to secs. 7, 8, 17 and 18.

Land level.

Soil good.

No stones or timber.

57

Township

7 North

Range

12 West.

Pala and Salt River

Meridian.

BOOK

1186

Chains

North, between Sections 7 and 8.

Variation

15° East.

- 40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft long, flattened 3 in. wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for $\frac{1}{4}$ sec. cor. No trees near.
- 80.00 Drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions and in center of pit S. E. a few cor. Drive a stake marked and notched, 2 ft long, 2 in. sq d. 1 ft in the ground, for cor. to secs. 5, 6, 7 and 8.

Land level. Soil good. Destitute of stone and timber.

Township 7 South Range 12 West ⁵⁸
Gila and Salt River BOOK 1186
Meridian.

Chains

East, on a random line between Sec's 5 and 8.

Variation

15° East.

40.00 Set temporary $\frac{1}{4}$ Sec. cor.

80.10 Intersect N. and S. line 7 lvs. S. of
cor. to secs. 4, 5, 8 and 9, from
which cor. Run
S. 89° 57' W.

On true line between secs. 5 & 8.

var. 15° East.

40.05 Drive charred stake and
build mound of earth 2 ft
high with pits 1 ft. deep, 2 ft.
long, 1 ft. wide, as per instruc-
tions, for $\frac{1}{4}$ sec. cor.

80.10 Cor. to secs. 5, 6, 7 & 8.

Land level.

Soil good.

Destitute of stone & timber.

59 Township 7 South Range 12 West
Gila and Salt River Meridian.

BOOK 1186

Chains West, on a random line between Sec's 6 and 7.

Variation 15° East

40.00 Set temporary 1/4 sec cor.
78.48 Intersect N. boundary 21 lcs
S. a few. to secs. 6 and 7. from
which cor. In run
189° 51' E.

True line between secs. 6 & 7.
var. 15° East.

38.48 Iron charred stake and build
mound of earth 2 ft. high,
with pits 1 ft. deep, 2 ft. long,
1 ft. wide, as per instructions
for 1/4 sec. cor.

78.48 Cor to secs. 5, 6, 7 and 8.

Sand level.
Soil good.
Destitute of stone
and timber.

Township 7 South Range 12 West ⁶⁰
Gila and Salt River BOOK 1186
Meridian.

Chains North, on a random line between Sec's 5 and 6.

Variation

15° East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

76.50 Enter lower land.

80.19 Intersect N. boundary 23 hrs. E.
of cor. to Secs. 5 and 6. from
which cor. Run
S. 0° 10' E.

On true line between Secs. 5 & 6.
var. 15° East.

48.19 Set a post, marked $\frac{1}{4}$ S. $\frac{1}{4}$ ft. long,
flattened $\frac{3}{4}$ in. wide, 1 ft. in the
ground, drive charred stake
and build mound of earth 1 ft.
high with pits 1 ft. deep. 2 ft. long,
1 ft. wide, as per instructions, for
 $\frac{1}{4}$ sec. cor. No trees near.

80.19 Cor. to Secs. 5, 6, 7 and 8.
Land level. Soil good.

November.

February 20, 1877.

General Description

This township lies along the Gila valley. The river runs through the southern part of the township which adjoins this one on the north.

The township contains good land along the northern border, and some good land throughout. There is an abundance of water in the Gila river, not yet utilized for irrigation. There is very little timber in this township, - some scattering pale verde and pale fern trees. Goyote grass is found over the surface. Surface level and flat, descending a little north.

Theodore J. White

U. S. Deputy Surveyor

List of Names.

No. 1186

Ch:

A List of the Names of Individuals employed
 to assist in running, measuring, or marking the
 lines and corners described in the foregoing Field
 Notes of the survey of The Subdivision
Lines of Township 7 S.
Range 12 West, of the
Gila and Salt River
Meridian, Arizona -

Showing the respective capacities in which they
 acted.

- P. V. Caldwell Chainman.
- Urban Bessard Chainman,
- Fred. C. Jones Axeman.
- Allan Bernard Flagman.



6
63

Final Oath of Assistants.

BOOK 1186

We hereby certify that we assisted Theodore
F. White U. S. Deputy Surveyor, in
surveying The Subdivision
Lines of Township 7 South
range 12 West, of the
Gila and Salt River Me-
ridian, Arizona,

and that said Survey has been in all respects, to
the best of our knowledge and belief, well and
faithfully executed, and the boundary monuments
planted according to the instructions furnished by
the Surveyor-General.

R. W. Caldwell Chairman.

Urban Beard Chainman,

Fred Leffler Axeman.

Allan Bernard Flagman.

Sworn to and subscribed before me, this 28th
day of April 1877.

John R. Farrell,
Notary Public.

Final Oath of Deputy Surveyor.

I, Theodore F. White

U. S. Deputy Surveyor, do solemnly swear that in pursuance of a contract with John Wasson, United States Surveyor-General for Arizona, bearing date the 7th day of December

1876. I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-General, the Surveying Manual, and the laws of the United States, surveyed all those portions of

The Subdivision Lines of
Township 7 South, range
12 N. of the Gila and
Galt River Meridian
Arizona,

as are represented in the foregoing Field Notes as having been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and also in accordance with the additional requirements con-


tained in circular instructions from the U.
 Surveyor-General for Arizona, dated Septemb.
 1, 1873, regarding the establishment of corner
 boundaries of public surveys, and that the fore
 going are the true and original Field Notes of
 such surveys.

BOOK 1186

Theodore F. White
 Deputy Surveyor.

Sworn to and subscribed before me, this 28th
 day of April, 1877.

John R. Faull
 Notary Public.



Preliminary Oaths of Assistants.

We, *P. V. Caldwell*
and *Urban Pessard*

do solemnly swear that we will faithfully execute the duties of Chain Carriers; that we will level the chain upon uneven ground, and plumb the tally pins, whether by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability.

P. V. Caldwell
Urban Pessard

Sworn to and subscribed before me, this *9th*
day of *January*, 1877.



John P. Faull
Notary Public

We, Allan Bernard ^{and}
Fred C. Jones

do solemnly swear that we will well and truly per-
 form the duties of Flagman and
Arman respectively
 according to instructions given us, and to the best
 of our skill and ability.

Allan Bernard
Fred C. Jones

Sworn to and subscribed before me this 9th
 day of January, 1877.

John P. Faull

Notary Public



BOOK 1186

U. S. Surveyor General's Office,

TUCSON, ARIZONA,

August 6 1877.

The foregoing Field Notes of the Survey of the

Subdivision Lines of
 Township 4 South,
 Range 12 West,

Of the Gila and Salt River Base and Meridian, Arizona, execu-

ted by Theodore R. White,

Deputy Surveyor, under his contract of the 4th

day of December, 1876, having been

critically examined and the necessary corrections and explana-

tions made, the said Field Notes and the surveys they describe

are hereby approved.

John Masson.
 Surveyor General.