

No. 1187

BOOK 1187

Field Notes

OF THE SURVEY OF THE **BOOK 1187**

SUBDIVISION LINES

-OF- No. 1187

Township *South* Range *13 West*,
Gila and Salt River Base and Meridian

ARIZONA.

By *Theodore F. White* D. S.

under contract dated *Dec. 7, 1876*.

Survey commenced *March 6, 1877*.

Survey completed *March 10, 1877*.

1187

Theo. F. White Deputy Surveyor.
T. 7 South R. 13 West
Gila and Salt River Meridian.

FIELD NOTES

OF

Subdivision Lines of
Township *T. 7 South* Range *R. 13 West*
Gila and Salt River Meridian.

BY

Theo. F. White Deputy Surveyor.
Under his Contract of *December 7* 1876.
Survey commenced *March 6* 1877.
Completed *March 10* 1877.

d,
l for Washington,
cript sent to Commissioner,

A Township 7 South Range 13 West
Gila and Salt River Meridian.

BOOK 1187

6	60	5	44	4	33	3	22	2	11	1
59		58		43		52		21		10
7	57	8	42	9	31	10	20	11	9	12
56		55		41		30		19		8
18	54	17	40	16	29	15	18	14	7	13
53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24
50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25
47		46		35		34		13		2
31	45	32	34	33	23	34	12	35	1	36

Preliminary Oaths of Assistants.

We, P. V. Caldwell
 and Urban Bessard
 do solemnly swear that we will faithfully execute
 the duties of Chain Carriers; that we will level the
 chain upon uneven ground, and plumb the tally
 pins, whether by sticking or dropping the same;
 that we will report the true distance to all notable
 objects, and the true length of all lines that we as-
 sist in measuring, to the best of our skill and
 ability.

P. V. Caldwell

Urban Bessard

Sworn to and subscribed before me, this 9th
 day of January, 1877.



John R. Faull,
 Notary Public

We, *Allan Bernard*
Fred. C. Jones
do solemnly swear that we will well and truly per-
form the duties of *Magistrate*
and Assessor, respectively,
according to instructions given us, and to the best
of our skill and ability.

Allan Bernard
Fred. C. Jones

Sworn to and subscribed before me this *9th*
day of *January*, 1877.

John P. Faull
Notary Public.



Township 7 South Range 13 West 1D
Gila and Salt River Meridian.

BOOK 1187

No. 1187.

The initial point of the survey of the subdivision lines of this township is the cor. to secs. 35. 36. 1 and 2, on the South boundary. said cor. having been established by myself in these present surveys, and is a post in mound of earth, with pits, and no trees near.

BOOK 1187

Chains From the corner to Sections 35, 36, 1 and 2 on the South

boundary I ran

North, between Sections 35 and 36.

Variation $14^{\circ}39'$ East.

As per East boundary.

40.00 Remove from stone and timber
Drive charred stake and build
mound of earth 2 ft. high with
pits 1 ft. deep, 2 ft long, 1 ft wide, as per in-
structions, for 1/4 sec. cor.

80.00 Drive charred stake and build
mound of earth 2 ft high with
pits 1 ft. deep, 2 ft long, 1 ft wide,
and in center of pit S. E. cor.
drive a stake marked and notch-
ed, 2 ft long, 2 in. sq. d. 1 ft in the
ground, as per instructions, for
cor to secs. 25, 26, 35 and
36.

Land level. Soil partly good.
Destitute of stone and timber

Chains East, on a random line between Sections 25 and 36.
Variation $14^{\circ}39'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
80.18 Intersect E. boundary 11 lks.
N. of cor. to secs. 25 and
36. from which cor. Drive

$N. 89^{\circ}55' W.$
On true line between secs. 25 & 36.
var. $14^{\circ}39'$ East

40.09 Drive charred stake and build
mound of earth 2 ft high, with
pits 1 ft deep, 2 ft long, 1 ft
wide, as per instructions,
for $\frac{1}{4}$ sec. cor.

80.18 Cor. to secs. 25. 26. 35 & 36.

Land level. Some good soil.
Destitute of stone and timber

Township 7 South Range 13 West

Gila and Salt Rivers Meridian.

BOOK 1187

Chains North, between Sections 25 and 26.

Variation 14° 39' East.

40.00 Drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for $\frac{1}{4}$ sec. cor.

80.00 Drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, and in center of pit S. E. of cor. drive a stake unnailed and notched, 2 ft long, 2 in. sq. d. 1 ft in the ground, as per instructions for cor. to Secs. 23, 24, 25 and 26.

Land level.

Soil partly good.

Abstitute of stone and timber.

Township

7 South

Range

13 West

Gila and Salt River

BOOK 1187

Meridian

Chains

East, on a random line between Sections 24 and 25.

Variation $14^{\circ}39'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.11 Intersect E. boundary 10 hrs. S. of cor. to secs. 24 and 25, from which cor. I run

$S. 89^{\circ}56' W.$

On true line between secs. 24 & 25
var. $14^{\circ}39'$ East

40.05 Set a post, marked 44 S. of pt. long, flattened 3 in. wide, 1 ft. in the ground. Drive chains stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions, for $\frac{1}{4}$ sec. cor.

No trees near.

80.11 Cor. to secs. 23, 24, 25 and 26.

Land level.

Soil partly good.
No timber.

Township

7 South

Range

13 West

Gila and Salt River

Meridian.

BOOK

1187

Chains

North, between Sections 23 and 24.

Variation

14° 39' East.

40.00 Drive charred stake and build mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 1/4 sec. cor.

80.00 Drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, and in center of pit S. E. of corner drive a stake marked and notched, 2 ft long, 2 in. sq'd. 1 ft in the ground, as per instructions, for cor. to Secs. 13, 14, 23 and 24.

Land level.

Soil good.

Destitute of stone and timber.

Chains

East, on a random line between Sections 13 and 24.

Variation 14°39' East.

40.00 Set temporary 1/4 sec. cor.
80.09 Intersect E. boundary 13 sec.
S. of cor. to secs. 13 and
24, from which cor. Draw

S. 89°54' W.

On true line between sec. 13 & 24.
var. 14°39' East.

40.04 Set a post, marked 1/4 S. 4 ft.
long, flattened 3 in. wide,
1 ft. in the ground, drive
charred stake and build
mound of earth 2 ft high
with pits 1 ft. deep, 2 ft long,
1 ft. wide, as per instru-
tions, for 1/4 sec. cor.

No trees near.

80.09 Cor. to secs. 13, 14, 23 & 24.

Land level. Soil partly good.
No timber.

March 6, 1877.

Township

7 South

Range

13 West

Gila and Salt River

Meridian.

BOOK

1187

Chains

North, between Sections 13 and 14.

Variation

14°39'

East.

46.00

Drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for 14 sec. cor.

80.00

Drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, and in center of pit S. E. of cor. drive a stake, marked and notched, 2 ft long, 2 in. sq. d. 1 ft in the ground, as per instructions for cor. to secs. 11, 12, 13 and 14.

Land level.

Soil good.

Destitute of stone & timber.

Chains

East, on a random line between Sections 12 and 13.

Variation $14^{\circ}39'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
80.05 Intersect E. boundary 11 lcs.
N. of cor. to secs. 12 and
13, from which cor. I run

$N. 89^{\circ}55' W.$

On true line between secs. 12 & 13.
var. $14^{\circ}39'$ East.

40.02 Set a post, marked $\frac{1}{4}$ S. 4 ft
long, flattened 3 in. wide, 1 ft
in the ground, drive charred
stake and build mound
of earth 2 ft high, with pits
1 ft deep, 2 ft long, 1 ft wide,
as per instructions, for $\frac{1}{4}$
sec. cor.

No trees near.

80.05 Cor. to secs. 11, 12, 13 and 14.

Land level. Soil good.
No timber.

Township

7 South

Range

13 West

Gila and Salt River

Meridian.

BOOK

1187

Chains

North, between Sections 11 and 12.

Variation

14° 39'

East.

40.00

Drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for H sec. cor.

80.00

Set a post, marked and notched, 4 ft long, 3 in. sq. d. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for cor. to Secs. 1, 2, 11 and 12.
No trees near.

Land level.

Soil good.

Testimate of stone and timber

Township 7 South Range 13 West ¹⁰
Gila and Salt River BOOK 1187
Meridian.

Chains

East, on a random line between Sections 1 and 12.

Variation 14°39' East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
79.95 Intersect E. boundary 15 lks.
N. of cor. to secs. 1 and 12,
from which cor. I run

N. 89°54' W.

On true line between secs. 1 & 12.
var. 14°39' East.

39.97 Set a post, marked $\frac{1}{4}$ S. of
ft. long, flattened 3 in. wide,
1 ft. in the ground, drive
charred stake and build a
mound of Earth 2 ft high
with pits 1 ft deep, 2 ft long,
1 ft wide, as per instructions
for $\frac{1}{4}$ sec. cor.

No trees near.

79.95 Cor. to secs. 1, 2, 11 and 12.

Land level.

Soil good.

No timber.

Township

7 South

Range

13 West

Gila and Salt River

Meridian.

BOOK

1187

Chains

North, on a random line between Sections 1 and 2.

Variation

 $14^{\circ}39'$

East.

- 1.50 Road hrs. W.
 3.00 Road hrs. N. E.
 40.00 Set temporary $\frac{1}{4}$ sec. cor.
 79.87 Intersect N. boundary 10 hrs. E.
 spec. to secs. 1 and 2, from
 which cor. I run

S $0^{\circ}4'$ E.

On true line between secs. 1 & 2.

var. $14^{\circ}39'$ East.

- 79.87 Set a post, marked $\frac{1}{4}$ S. & 4 ft. long,
 flattened 3 in. wide, 1 ft. in the
 ground, drive charred stake
 and build mound of earth
 2 ft. high, with pits 1 ft. deep,
 2 ft. long, 1 ft. wide, as per in-
 structions, for $\frac{1}{4}$ sec. cor.
 No trees near.

- 79.87 Cor. to Secs. 1, 2, 11 and 12.

Land level. Soil good.
 No timber.

Chains North, between Sections 34 and 35.

Variation 14°39' East.

40.00 Drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 1/4 sec. cor. No trees near.

80.00 Drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, and in center of pit S. E. of cor. Drive a stake, marked and notched, 2 ft long, 2 in. sq. d. 1 ft in the ground, as per instructions for cor. to Secs. 26, 27, 34 and 35.

Land level.

Soil partly good.

Destitute of stone & timber

Township

7 South

Range

13 West

Gila and Salt Rivers

Meridian.

BOOK

1187

Chains

East, on a random line between Sections 26 and 35.

Variation

14° 39'

East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
 80.15 Intersect N. and S. line 17 ls.
 N. a. f. cor. to secs 25, 26, 35 and
 36, from which cor. run

N. 89° 53' W.

On true line between secs. 26 & 35.

var. 14° 39' East.

40.07 Drive charred stake and build
 mound of earth 2 ft high,
 with pits 1 ft deep, 2 ft long,
 1 ft wide, as per instructions
 for $\frac{1}{4}$ sec. cor.

80.15 Cor. to secs 26, 27, 34 & 35.

Land level.

Soil good.

Destitute of stone and timber.

Township

7 South

Range

13 West

14

Gila and Salt River

BOOK

1187

Meridian.

Chains

North, between Sections 26 and 27.

Variation

14°39'

East.

40.00 Drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 1/4 sec. cor.

80.00 Set a post, marked and notched, 4 ft long, 3 in. sqd, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for cor. to secs. 22, 23, 26 and 27.
No trees near.

Land level.

Soil good.

Destitute of stone and timber

15 Township 7 South Range 13 West
Gila and Salt River Meridian.

BOOK 1187
Chains East, on a random line between Sections 23 and 26.
Variation 14°39' East.

40.00 Set temporary 1/4 sec. cor.
79.90 Intersect N. and S. line 12 lbs.
N. a few to Secs. 23, 24, 25
and 26, from which cor. I
run

N. 89°55' W.
Outline line between Secs. 23 & 26.
var. 14°39' East.

39.95 Set a post, marked 1/4 S. 4 ft.
long, flattened 3 in. wide, 1 ft.
in the ground, drive charred
stake and build mound of
Earth 2 ft high, with pits 1 ft deep,
2 ft long, 1 ft wide, as per in-
structions, for 1/4 sec. cor.
No trees near.

79.90 Cor. to Secs. 22, 23, 26 and 27.

Land level.
Soil good.
No timber

Township

7 South

Range

13 West ¹⁶

BOOK 1187

Meridian.

Gila and Salt River

Chains

North, between Sections 22 and 23.

Variation $14^{\circ}39'$ East.

40.00 Drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions, for $\frac{1}{4}$ sec. cor.

80.00 Set a post, marked and notched 4 ft. long, 3 in. sq. d. 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions for cor. to Secs. 14, 15, 22 and 23.
No trees near.

Land level.

Soil good.

Destitute of stone & timber.

17 Township 7 South Range 13 West
Gela and Salt Rivers Meridian.

BOOK
Chains

1187
East, on a random line between Sections 14 and 23.

Variation $14^{\circ}39'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
79.83 Intersect N. and S. line 9 lks.
S. of cor. to Secs. 13, 14, 23
and 24, from which cor. drawn

$S. 89^{\circ}56' N.$

Outline line between Secs. 14 & 23.
var. $14^{\circ}39'$ East.

39.92 Set a post, marked $\frac{1}{4}$ S. 4 ft long,
flattened 3 in wide, 1 ft in the
ground, drive charred stake
and build mound of earth
2 ft high, with pits 1 ft deep, 2
ft long, 1 ft wide, as per instruc-
tions, for $\frac{1}{4}$ sec. cor.
No trees near.

79.83 Cor. to Secs. 14, 15, 22 and 23.

Land level.

Soil good.
No timber.

Township

7 South

Range

137

BOOK

1187

18

Gila and Salt River

Meridian.

Chains

North, between Sections 14 and 15.

Variation $14^{\circ}39'$ East.

40.00

Drive charred stake and build mound of earth 2 ft high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions for 1/4 sec. cor.

80.00

Drive charred stake and build mound of earth 2 ft high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions, and in center of pit S. E. of cor. drive a stake, marked and notched, 2 ft. long, 2 in. sq'd, 1 ft in the ground, for cor. to secs. 10, 11, 14 and 15.

Land level.

Soil good.

Destitute of stone & timber.

19 Township 7 South Range 13 West
Gila and Salt River Meridian.

BOOK 1187

Chains East, on a random line between Sections 11 and 14.

Variation $14^{\circ}39'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
79.88 Intersect N. and S. line 12 ch. S. of cor.
to secs. 11, 12, 13 and 14, from
which cor. I run

S. $89^{\circ}55'$ W.

On true line between secs. 11 & 14.
var. $14^{\circ}39'$ East

39.94 Set a post, marked $\frac{1}{4}$ S. 4 ft. long,
flattened 3 in. wide, 1 ft. in the
ground, drive charred stake
and build mound of earth
2 ft. high, with pits 1 ft. deep, 2
ft. long, 1 ft. wide, as per in-
structions, for $\frac{1}{4}$ sec. cor.
No trees near.

79.88 Cor. to Secs. 10, 11, 14 and 15.

Land level. Soil good.
No timber.

Township 7 South Range 13 West ²⁰
Gila and Salt River BOOK 1187 Meridian.

Chains

North, between Sections 10 and 11.

Variation 14° 39' East.

40.00 Drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for 1/4 sec. cor.

80.00 Set a post, marked & notched, 4 ft long, 3 in. sq. d. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for cor. to Secs. 2, 3, 10 and 11.
No trees near.

Land level.

Soil good.
Destitute of stone & timber.

March 7, 1877.

21 Township 7 South Range 13 West
Gila and Salt River Meridian.

BOOK 1187

Chains East, on a random line between Sections 2 and 11.

Variation $14^{\circ}39'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
50.00 Road runs S. of W.
80.12 Intersect N. and S. line 11 hrs. N.
of cor. to Secs. 1, 2, 11 and 12,
from which cor. I run
 $N. 89^{\circ}55' W.$

On true line between secs. 2 & 11,
var. $14^{\circ}39'$ East

40.06 Set a post, marked $\frac{1}{4}$ S. 4 ft
long, flattened 3 in. wide, 1 ft.
in the ground, drive charred
stake and build mound of
earth 2 ft high, with pits 1 ft
deep, 2 ft long, 1 ft wide, as
per instructions, for $\frac{1}{4}$ sec.
cor.

No trees near.

80.12 Cor. to Secs. 2, 3, 10 and 11.

Land level. Soil good.
No timber.

Township

7 South

Range

13 West

22

Gila and Salt River

BOOK

1187

Meridian.

Chains

North, on a random line between Sections 2 and 3.

Variation

14°39'

East.

10.00 Road hrs. W.

40.00 Set temporary 1/4 sec. cor.

57.10 Bluff and descend.

58.60 Enter lower land.

78.00 Yuma road.

79.87 Intersect N. boundary 14 Sec. W. of cor.
to sec. 2 & 3. from which cor. Run

S. 0°6' W.

On true line between sec. 2 & 3.

var. 14°39' East

39.87 Set a post, marked 1/4 S. 4 ft long,
flattened 3 in. wide, 1 ft in the ground,
two charred stave & build mound of
earth 1 ft high, with pits 1 ft deep, 2 ft long,
1 ft wide, as per instructions, for 1/4 sec.
cor. from which
Spale wide, 4 in. dia. hrs. S. 56 1/2° E. 184 Sec. dist.
No other trees near.

79.87 Cor. to sec. 2, 3, 10 and 11.

Land level. Soil 1/2 rate on latter end.
A few trees.

23 Township 7 South Range 13 West
Gila and Salt River Meridian.

BOOK 1187

Chains North, between Sections 33 and 34.

Variation 14° 39' East.

40.00 Drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for 4 sec. cor.

80.00 Set a post, marked and notched, 4 ft long, 3 in. sq'd, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for cor. to Secs. 27, 28, 33 and 34.
No trees near.

Land level.

Soil good.

Abundance of stone and timber.

Township

7 South

Range

13 West

24

Gila and Salt River

BOOK

1187

Meridian.

Chains

East, on a random line between Sections 27 and 34.

Variation $14^{\circ}39'$ East.40.00 Set temporary $\frac{1}{4}$ sec. cor.80.16 Intersect N. and S. line of lvs. N.
of cor. to secs. 26, 27, 34 and
35, from which cor. I run $N. 89^{\circ}56' W.$ On true line between secs. 27 & 34
var. $14^{\circ}39'$ East.40.06 Set a post, marked $\frac{1}{4}$ S. 4 ft.
long, flattened 3 in. wide, 1 ft
in the ground, drive charred
stake and build mound of
earth 2 ft high, with pits 1 ft
deep, 2 ft long, 1 ft wide, as per
instructions, for $\frac{1}{4}$ sec. cor.
No trees near.

80.16 Cor. to Secs. 27, 28, 33 & 34.

Land level.

Soil good.

No timber.

25 Township 7 South Range 13 West
Gila and Salt River Meridian.
BOOK 1187

Chains North, between Sections 27 and 28.

Variation $14^{\circ}39'$ East.

40.00 Drive charred stake and build mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for $\frac{1}{4}$ sec cor.

80.00 Set a post, marked and notched, 4 ft long, 3 in. sq. d. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for cor. to Secs. 21, 22, 27 and 28.
No trees near.

Land level.

Soil good.

Destitute of stone & timber.

Chains East, on a random line between Sections 22 and 27.

Variation 14°39' East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
80.11 Intersect N. and S. line, 8 lks.
S. of cor. to secs. 22, 23, 26 and
27, from which cor. I run
S 89°57' N.

• On true line between secs. 22 & 27
var. 14°39' East

40.05 Set a post, marked $\frac{1}{4}$ S. 4 ft
long, flattened 3 in wide, 1 ft
in the ground, drive charred
stake and build mound of
earth 2 ft high with pits 1 ft
deep, 2 ft long, 1 ft wide, as per
instructions, for $\frac{1}{4}$ sec.
cor.

Notices near.

80.11 Cor. to secs. 21, 22, 27 & 28.

Land level.

Soil good.
No timber.

27 Township 7 South Range 13 West
Gila and Salt River Meridian.

BOOK 1187
Chains North, between Sections 21 and 22.

Variation 14° 39' East.

40.00 Set a post, marked 1/4 S. 4 ft long, flattened 3 in. wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for 1/4 sec. cor. No trees near.

80.00 Set a post, marked 3/4 notched, 4 ft long, 3 in. sq. d. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for cor. to Secs. 15, 16, 21 and 22. No trees near.

Land level.

Soil good.
No timber.

Township 7 South Range 13 West 28

Gila and Salt River BOOK 1187 Meridian.

Chains East, on a random line between Sections 15 and 22.
Variation 14°39' East.

40.00 Set temporary 1/4 sec. cor.
80.21 Intersect N. and S. line 10 hrs.
N. of cor. to secs. 14, 15, 22 and
23, from which cor. Draw

N. 89°56' W.

Pat line between sec. 15 & 22.
var. 14°39' East.

40.11 Set a post, marked 1/4 S. 4 ft.
long, flattened 3 in. wide, 1
ft. in the ground, drive chisel
stake and build mound of
earth 2 ft high, with pits 1 ft
deep, 2 ft long, 1 ft. wide, as
per instructions, for 1/4 sec.
cor.

No trees near.

80.21 Cor. to secs. 15, 16, 21 & 22.

Land level.

Soil good.

No timber.

29 Township 7 South Range 13 West
Gila and Salt River Meridian.

BOOK 1187
Chains North, between Sections 15 and 16.

Variation 14° 39' East.

40.00 Drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 14 sec. cor.

80.00 Drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, and in center of pit S. E. of cor. Drive a stake marked and notched, 2 ft long, 2 in. sq. d. 1 ft in the ground, as per instructions for cor. to secs. 9, 10, 15 and 16.

Land level.
Soil good.
Destitute of stone & timber.

Township

7 South

Range

13 West ³⁰

BOOK 1187

Meridian.

Island Salt River

Chains

East, on a random line between Sections 10 and 15.

Variation

14° 39'

East.

- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
 80.11 Intersect N. and S. line 13 lks.
 S. of cor. to secs. 10, 11, 14 and
 15, from which cor. Run

S. 89° 54' W.

On true line between secs. 10 & 15.

var. 14° 39' East

- 40.05 Set a post, marked $\frac{1}{4}$ S. $\frac{1}{4}$ ft long
 flattened 3 in. wide, 1 ft in
 the ground, drive charred
 stake and build mound of
 earth 2 ft high, with pits 1 ft
 deep, 2 ft long, 1 ft wide,
 as per instructions for $\frac{1}{4}$ sec.
 cor.

No trees near.

- 80.11 Conto secs. 9, 10, 15 and 16.

Land level. Soil good.
 No timber.

31 Township 7 South Range 13 West
Gila and Salt River Meridian.

BOOK 1187
Chains North, between Sections 9 and 10.

Variation 14°39' East.

40.00 Set a post, marked 1/4 S. 4 ft long, flattened 3 in. wide, 1 ft. in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft. deep, 2 ft long, 1 ft. wide, as per instructions, for 1/4 sec. cor.
No trees near.

55.00 Road base. S. W.

80.00 Set a post, marked and notched, 4 ft long, 3 in. sq. d. 1 ft. in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft. deep, 3 ft long, 1 ft. wide, as per instructions, for cor. to Sec. 3, 4, 9 and 10.
No trees near.

Land level. Soil good.
No timber.

Township 7 South Range 13 West ³²
Gila and Salt River BOOK 1187 Meridian.

Chains

East, on a random line between Sections 3 and 10.

Variation $14^{\circ}39'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
79.81 Intersect N. and S. line 20 lbs.
N. of cor. to secs. 2, 3, 10 and
11, from which cor. Run

$N. 89^{\circ}51' W.$

Put true line between secs. 3 & 10.

var. $14^{\circ}39'$ East

39.90 Set a post, marked $\frac{1}{4}$ S. 4 ft.
long, flattened 3 in. wide, 1 ft.
in the ground, drive charred
stake and build mound
of earth 2 ft high, with pits
1 ft deep, 2 ft long, 1 ft wide,
as per instructions, for $\frac{1}{4}$ sec.
cor.

No trees near.

79.81 Cor. to secs. 3, 4, 9 and 10.

Land level.

Soil good.
November

Township

7 South

Range

13 West

Gila and Salt River

Meridian

BOOK

1187

Chains

North, on a random line between Sections 3 and 4.

Variation $14^{\circ}39'$ East.

- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
- 42.50 Descend to lower land.
- 52.00 Road runs N.
- 79.83 Intersect N. boundary 14 lcs. N. of cor. to seas. 3 and 4, from which cor. I run

S. $0^{\circ}6'$ W.

Between lines between seas. 3 & 4. var. $14^{\circ}39'$ East.

- 39.83 Set a post, marked $\frac{1}{4}$ S. 4 ft long, flattened 3 in. wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for $\frac{1}{4}$ sec. cor. from which Apale verde, 3 in. dia. br. N. 60° E. 149 head dit. No other trees near.

- 79.83 Cor. to seas. 3, 4, 9 and 10.

Land level. Soil rich. A few trees.

Township

7 South

Range

13 West.

34

Gila and Salt Rivers

BOOK 1187

Meridian.

Chains

North, between Sections 32 and 33.

Variation $14^{\circ}39'$ East.

40.00 Drive charred stake and build mound of earth 2 ft high with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions for 14 sec. cor.

80.00 Set a post, marked & notched, 4 ft. long, 3 in. sq. & 1 ft. in the ground. Drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions, for cor. to secs. 28, 29, 32 and 33.
No trees near.

Land level.

Soil good.

Destitute of stone and timber.

March 8, 1877.

35 Township 7 South Range 13 West

Gila and Salt River Meridian

BOOK 1187

Chains East, on a random line between Sections 28 and 33.

Variation 14° 39' East.

40.00 Set temporary 1/4 sec. cor.
80.19 Intersect N. and S. line 11 lns. S.
of cor. to Secs. 27, 28, 33 and 34.
from which cor. Iron

S. 89° 55' W.

On true line between secs 28 & 33.
var. 14° 39' East

40.09 Set a post, marked 1/4 S. 4 ft.
long, flattened 3 in wide, 1 ft in
the ground, drive charred stake
and build mounds of earth
2 ft high, with pits 1 ft deep,
2 ft long, 1 ft wide, as per in-
structions, for 1/4 sec. cor.
No trees near.

80.19 Cor. to secs. 28, 29, 32 and 33.

Land level.
Soil good.
No timber.

Township 7 South Range 13 West 36
Gila and Salt Rivers Meridian. BOOK 1187

Chains

North, between Sections 28 and 29.

Variation $14^{\circ}39'$ East.

40.00 Drive charred stake and build mound of Earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions for $\frac{1}{4}$ sec. cor.

80.00 Drive charred stake and build mound of Earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, and in center of pit S. E. of cor. drive a stake, marked and notched, 2 ft. long, 2 in. sq. d. 1 ft. in the ground, as per instructions, for cor. to secs. 20, 21, 28 and 29.

Land level. Soil good.

Destitute of stone and timber.

37 Township 7 South Range 13 West
Gila and Salt River Meridian.

BOOK
Chains

1187

East, on a random line between Sections 21 and 28.

Variation $14^{\circ}39'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
80.14 Intersect N. and S. line 13 lns.
S. of cor. to secs. 21, 22, 27 & 28.
from which cor. I run

$S. 89^{\circ}54' W.$

Outline line between secs. 21 & 28.

var. $14^{\circ}39'$ East.

40.07 Set a post, marked $\frac{1}{4}$ S. 4 ft
long, flattened 3 in. wide, 1 ft
in the ground, drive charcoal
stake and build mound of
earth 2 ft high, with pits 1 ft
deep, 2 ft long, 1 ft wide, as
per instructions, for $\frac{1}{4}$ sec.
Cor.

No trees near.

80.14 Cor. to secs. 20, 21, 28 and 29.

Land level.

Soil good.

November.

Township

7 South

Range

13 West

38

Gila and Salt River

BOOK 1187

Meridian.

Chains

North, between Sections 20 and 21.

Variation $14^{\circ}39'$ East.

40.00 Set a post, marked 74 S. 4 ft. long, flattened 3 in. wide, 1 ft. in the ground, drive charred stake and build a mound of earth 2 ft. high with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions for 74 sec. cor.

No trees near.

80.00 Set a post, marked E notched, 4 ft. long, 3 in. sq. d., 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions, for cor. to secs. 16, 17, 20 and 21.

Land level.

Soil good.

No timber

39 Township 7 South Range 13 West
Gila and Salt River Meridian.

BOOK 1187

Chains East, on a random line between Sections 16 and 21.
Variation $14^{\circ}39'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
80.12 Intersect N. and S. line 18 lks.
N. of cor. to secs. 15, 16, 21 and
22, from which cor. drawn

$N. 89^{\circ}52' W.$

On true line between secs. 16 & 21,
var. $14^{\circ}39'$ East

40.06 Drive charred stake and
build mound of earth 2 ft.
high, with pits 1 ft. deep, 2
ft. long, 1 ft. wide, as per in-
struction, for cor. to $\frac{1}{4}$ sec.

80.12 Cor. to secs. 16, 17, 20 & 21.

Land level.
Soil good.

Destitute of stone & timber.

Township

7 South

Range

13 West ⁴⁰

Gila and Salt River

BOOK

1187

Meridian.

Chains

North, between Sections 16 and 17.

Variation

14°39'

East.

40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft long, flattened 3 in. wide, 1 ft. in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft. deep, 2 ft long, 1 ft. wide, as per instructions, for $\frac{1}{4}$ sec. cor.

No trees near.

80.00 Set a post, marked and notched 4 ft long, 3 in. sq. d. 1 ft. in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft. deep, 2 ft long, 1 ft. wide, as per instructions for cor. to Secs. 8, 9, 16 and 17.

from which

apale road, 6 in. dia. has. N. 40° E. 262 ls. dist.

No other trees near.

Land level. Soil good.

No timber of any consequence.

41
Township

7 South

Range

13 West

Sils and Salt River

Meridian.

BOOK

1187

Chains

East, on a random line between Sections 9 and 16.

Variation

$14^{\circ}39'$

East.

9.00 Opuna road bas. S. W.
40.00 Set temporary $\frac{1}{4}$ sec. cor.
79.86 Intersect N. and S. line 10 lns.
N. of cor. to secs. 9, 10, 15 and
16, from which cor. Drive

N. $89^{\circ}56' W.$

Continue line between secs. 9 & 16.

var. $14^{\circ}39'$ East.

39.93 Drive charred stake & build a
mound of earth 2 ft. high
with pits 1 ft. deep, 2 ft. long
1 ft. wide, as per custom
- tons for $\frac{1}{4}$ sec. cor.

79.86 Cor. to secs. 8, 9, 16 and 17.

Land level.

Soil good.

Destitute of stone and timber

Township

7 South

Range

13 West 42

BOOK 1187

Meridian.

Gila and Salt Rivers

Chains

North, between Sections 8 and 9.

Variation

14° 39'

East.

40.00 Set a post, marked 14 S. 4 ft. long flattened 3 in. wide, 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions, for 14 sec. cor.
No trees near.

80.00 Set a post, marked and notched, 4 ft. long, 3 in. sqd. 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions, for cor. to Secs. 4, 5, 8 and 9.
from which
Opale verde, 10 in. dia. br. S. 40° W. 317 lead dit
No other trees near.

Land level. Soil good.
No timber.

Chains East, on a random line between Sections 4 and 9.
 Variation 14°39' East.

18.70 Road bds. S.
 20.50 Dry wash, 20 lks. wide, bds. N.
 40.00 Set temporary 1/4 sec. cor.
 79.98 Intersect. N. and S. line 12 lks.
 S. of cor. to secs. 3, 4, 9 and 10,
 from which cor. I run
 S. 89°55' W.

Between line between sec. 4 & 9
 var. 14°39' East.

39.99 Set a post, marked 1/4 S. 4 ft long,
 flattened 3 in. wide, 1 ft in the
 ground, drive charred stakes
 and build mound of earth
 2 ft high, with pits 1 ft deep,
 2 ft long, 1 ft wide, as per in-
 structions, for 1/4 sec. cor.
 No trees near.

79.98 Cor. to secs. 4, 5, 8 and 9.
 Land level. Soil good.
 No timber.

Township

7 South

Range

13 West

44

BOOK

1187

Gila and Salt River

Meridian.

Chains

North, on a random line between Sections 4 and 5.

Variation

14° 39'

East.

- 7.80 Enter lower land.
- 15.00 Old canal, 100 lns. wide, bas. E.
- 15.70 Yuma road, bas. S. W.
- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
- 73.50 Old bank of river bas. S. W.
- 80.05 Intersect N. boundary of sec. 4 and 5 from which cor. Is run
S. 0° 4' W.
- Put true line between secs. 4 & 5.
var. 14° 39' East.
- 40.05 Set a post, marked $\frac{1}{4}$ S. 4 ft long, flattened 3 in. wide 1 ft in the ground. Drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for $\frac{1}{4}$ sec. cor. from which
A Mesquite, 8 in. dia. bas. N. 75° E. 90 lns. dist.
Do. 11 " " S. 4½° E. 171 " "
- 89.05 Cor. to secs. 4, 5, 8 and 9.
Land level. Soil rich. A few trees.

Township 7 South Range 13 West
Gila and Salt River Meridian.

BOOK 1187

Chains North, between Sections 31 and 32.

Variation 14°39' East.

40.00 Drive charred stake and build mound of earth 2ft high, with pits 1ft deep, 2ft long, 1ft wide, as per instructions for 1/4 sec. cor.

80.00 Drive charred stake and build mound of earth 2ft high, with pits 1ft deep, 2ft long, 1ft wide, and in center of pit S. E. a cor. Drive a stake, marked and notched, 2ft long, 2 in. sq. d. 1ft in the ground, as per instructions for cor. to sec. 29, 30, 31 and 32.

Land level.

Soil good.

Destitute of stone and timber.

Township

7 South

Range

13 West

46

Gila and Salt Cross

BOOK

1187

Meridian.

Chains

East, on a random line between Sections 29 and 32.

Variation $14^{\circ}39'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
 79.88 Intersect N. and S. line 13 lks.
 S. of cor. to Secs. 28, 29, 32 and
 33. from which cor. Run

$S. 89^{\circ}54' W.$

On true line between secs. 29 & 32.
 var. $14^{\circ}39'$ East

39.94 Drive charred stake and build
 mound of earth 2 ft high,
 with pits 1 ft deep, 2 ft long,
 1 ft wide, as per instructions
 for $\frac{1}{4}$ sec. cor.

79.88 Cor. to secs. 29, 30, 31 & 32.

Land level.

Soil good.

Destitute of stone & timber.

47 Township 7 South Range 13 West
Gila and Salt River Meridian.

BOOK 1187

Chains West, on a random line between Sections 30 and 31.

Variation $14^{\circ}39'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
78.48 Intersect N. boundary of Sec. 30
of cor. to secs. 30 and 31. from
which cor. drawn

$S. 89^{\circ}56' E.$

On true line between secs. 30 & 31.
var. $14^{\circ}39'$ East.

38.48 Set a post, marked $\frac{1}{4}$ S. 4 ft.
long, flattened 3 in. wide, 1 ft.
in the ground, drive charred
stake and build mound of
earth 2 ft high, with pits 1
ft. deep, 2 ft. long, 1 ft. wide,
as per instructions, for $\frac{1}{4}$ sec.
cor.

No trees near.

78.48 Cor. to secs. 29, 30, 31 and 32.

Land level.

Soil good.

No timber.

ownship 7 South Range 13 West ⁴⁸
Gila and Salt River Meridian. BOOK 1187

Chains North, between Sections 29 and 30.

Variation $14^{\circ}39'$ East.

40.00 Drive charred stake and build mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 4 sec. cor.

80.00 Drive charred stake and build mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide, and in center of pit S. E. of cor. Drive a stake, marked and notched, 2 ft long, 2 in. sq'd. 1 ft in the ground, as per instructions, for cor. to secs. 19, 20, 29 and 30.

Land level.

Soil good.
Destitute of stone and timber

March 9, 1877.

49
Township 7 South Range 13 West
Gila and Salt River Meridian.
BOOK 1187

Chains East, on a random line between Sections 20 and 29.

Variation $14^{\circ}39'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
80.07 Intersect N. and S. line 11 lns.
N. of cor. to secs. 20, 21, 28
and 29. from which cor.
Is run

N. $89^{\circ}55'$ W.

On true line between secs. 20 & 29.
var. $14^{\circ}39'$ East.

40.03 Set a post, marked $\frac{1}{4}$ S. $\frac{1}{4}$ pt.
long, flattened 3 in. wide,
1 ft. in the ground, drive a
charred stake and build
mounds of earth 2 ft. high,
with pits 1 ft. deep, 2 ft. long,
1 ft. wide, as per instructions
for $\frac{1}{4}$ sec. cor.
No trees near.

80.07 Cor. to secs. 19, 20, 29 & 30.

Land level. Soil good.
No timber.

Township

7 South Range 13 West ⁵⁰

Gila and Salt River Meridian. BOOK 1187

Chains

West, on a random line between Sections 19 and 30.

Variation $14^{\circ}39'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

78.47 Intersect N. boundary 12 lbs.
S. of cor. to secs. 19 and 30. from
which cor. Run

$S. 89^{\circ}55' E.$

On true line between secs. 19 & 30.

var. $14^{\circ}39'$ East.

78.47 Drive charred stake and
build mound of earth 2 ft.
high, with pits 1 ft. deep, 2 ft.
long, 1 ft. wide, as per instruc-
tions for $\frac{1}{4}$ sec. cor.

78.47 Cor. to secs. 19, 20, 29 & 30.

Land level.

Soil good.

Destitute of stone & timber.

57
Township 7 South Range 13 West
Gila and Salt River Meridian.

BOOK 1187
Chains North, between Sections 19 and 20.

Variation 14° 39' East.

40.00 Set a post, marked '14 S. 4 ft long,
flattened 3 in. wide, 1 ft. in
the ground, drive charred stake
and build mound of earth 2
ft high, with pits 1 ft deep,
2 ft long, 1 ft wide, as per in-
structions for '14 sec cor.
No trees near.

80.00 Set a post, marked & notched,
4 ft long, 3 in. sq d. 1 ft. in the
ground, drive charred stake
and build mound of earth
2 ft high, with pits 1 ft deep, 2 ft
long, 1 ft wide, as per instruc-
tions, for the cor. to secs. 17,
18, 19 and 20.
No trees near.

Land level. Soil good.
November.

Township

7 South

Range

13 West 52

BOOK 1187

Gila and Salt River

Meridian.

Chains

East, on a random line between Sections 17 and 20.

Variation $14^{\circ}39'$ East.40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.07 Intersect N. and S. line 13 lks.

N. of cor. to Secs. 16, 17, 20 and
21, from which cor. RunN. $89^{\circ}54'$ W.

On true line between Secs. 17 & 20.

var. $14^{\circ}39'$ East.40.03 Set a post, marked $\frac{1}{4}$ S. 4 ft.
long, flattened 3 in. wide, 1
ft. in the ground, drive charred
stake and build around of
earth 2 ft high, with pits 1 ft
deep, 2 ft long, 1 ft wide, as
per instructions for $\frac{1}{4}$ sec.
cor.

No trees near.

80.07 Cor. to Secs. 17, 18, 19 & 20.

Land level. Soil good.
No timber.

Township

7 South

Range

13 West

Gila and Salt River

Meridian.

BOOK 1187

Chains

West, on a random line between Sections 18 and 19.

Variation $14^{\circ}39'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
 78.50 Intersect N. boundary 21 lks.
 S. of cor. to secs. 18 and 19,
 from which cor. run

$S. 89^{\circ}51' E.$

On true line between secs. 18 & 19.
 var. $14^{\circ}39'$ East

38.50 Set a post, marked $\frac{1}{4}$ S. 4 ft. long,
 flattened 3 in. wide,
 1 ft. in the ground, drive
 charred stake and build
 mound of earth 2 ft. high,
 with pits 1 ft. deep, 2 ft. long,
 1 ft. wide, as per instructions
 for $\frac{1}{4}$ sec. cor.
 No trees near.

78.50 Cor. to secs. 17, 18, 19 & 20.

Land level.

Soil good.
 No timber.

Township

7 South

Range

13 West

54

BOOK 1187

Gila and Salt River

Meridian.

Chains

North, between Sections 17 and 18.

Variation $14^{\circ}39'$ East.

40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft long, flattened 3 in. wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for $\frac{1}{4}$ sec. cor. No trees near.

48.00 Road crs. W.

80.00 Set a post, marked and notched, 4 ft long, 3 in. sq. d. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for cor. to secs. 7, 8, 17 and 18. No trees near.

Land level.

Soil good.

No timber.

35 Township 7 South Range 13 West
Gila and Salt River Meridian.

BOOK
Chains

1187

East, on a random line between Sections 8 and 17.

Variation 14°39' East.

- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
66.25 Yuma road bas. S. W.
79.89 Intersect N. and S. line 7 hrs. S.
of cor. to secs. 8, 9, 16 and 17,
from which cor. I run
S. 89° 57' W.
On true line between secs. 8 & 17.
var. 14° 39' East.
- 39.95 Set a post, marked $\frac{1}{4}$ S. 4 ft
long, flattened 3 in. wide, 1 ft
in the ground, drive charred
stake and build mound of
earth 2 ft high, with pits 1 ft
deep, 2 ft long, 1 ft wide, as
per instructions, for $\frac{1}{4}$ sec.
cor. from which
Apalovide, 6 in dia. bar. N. 80° E. 179 hrs dist.
No other trees near.
- 79.89 Cor. to secs. 7, 8, 17 and 18.
Land level. Soil rich
A few trees.

Township 7 South Range 13 West 56
Gila and Salt River Meridian. BOOK 1187

Chains West, on a random line between Sections 7 and 18.

Variation $14^{\circ}39'$ East.

30.00 Dry wash, 20 hrs. wide, bas. N.
40.00 Set temporary $\frac{1}{4}$ sec. cor.
78.31 Intersect N. boundary 7 hrs. S. of
cor. to sees. 7 and 18. from
which cor. I run

$S 89^{\circ}57' E.$

On true line between sec. 7 & 18.
var. $14^{\circ}39'$ East.

78.31 Set a post, marked $\frac{1}{4}$ S. 4 ft long,
flattened 3 in. wide, 1 ft in
the ground, drive charred
stake and build mound
of earth 2 ft high with pits
4 ft deep, 2 ft long, 1 ft wide,
as per instructions for $\frac{1}{4}$
sec. cor. from which
Apak made, 4 in dia. hrs. S. $52^{\circ} E.$ 140 hrs. dist.
No other trees near.

78.31 Cor. to sees. 7, 8, 17 and 18.

Land level. Soil rich. A few trees.

BOOK 1187

Chains North, between Sections 7 and 8.

Variation 14° 39' East.

40.00 Set a post, marked 74 S. 4 ft. long, flattened 3 in. wide, 1 ft. in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions for 74 sec. cor. from which
Apale made, 7 in dia. br. S. 50° E. 25 lbs. dist.
No other trees near.

43.00 Descend.

46.00 Yuma road cor. N.

80.00 Set a post, marked and notched 4 ft. long. 3 in. sq. d. 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions, for cor. to Secs. 5, 6, 7 and 8. from which
Awequite, 18 in dia. br. N. 80° W. 13 lbs. dist.
do. 18 " " " S. 41° W. 175 " "

No other tree near.
Land level. Soil rich. Scattering
Timber.

Township

7 South

Range

13 West ⁵⁸

BOOK 1187

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 5 and 8.

Variation $14^{\circ}39'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
 68.40 Yuma road runs S. W.
 74.50 Ascend.
 79.91 Intersect N. and S. line 11 lvs.
 N. of cor. to secs. 4, 5, 8 and 9,
 from which cor. I run
 N. $89^{\circ}55'$ W.

On true line between secs. 5 & 8.
 var. $14^{\circ}39'$ East.

39.95 Set a post, marked $\frac{1}{4}$ S. 4 ft long,
 flattened $\frac{3}{4}$ in. wide, 1 ft in the
 ground, drive charred stake and
 build mound of earth 2 ft high
 with pits 1 ft deep, 2 ft long, 1 ft
 wide, as per instructions for
 $\frac{1}{4}$ sec. cor. from which
 a mesquite, 7 in. dia. br. N. $63\frac{1}{2}'$ W. 180 lvs. dist.
 do. 8 " " S. $24'$ W. 77 " "

79.91 Cor. to secs. 5, 6, 7 and 8.

Land level. Soil rich. Past-
 turing timber, mostly mesquite.

59 Township 7 South Range 13 West
Gila and Salt River Meridian.

BOOK
Chains

1187
West, on a ~~wood~~ ^{Tree} line between Sections 6 and 7.

Variation $14^{\circ}39'$ East.

(The cor. to secs. 6 and 7, on the W. boundary, comes in the Gila river; so I run a true line W.)

40.00 Set a post, marked $7/4$ S. 4 ft. long, flattened 3 in. wide, 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions, for $7/4$ sec. cor. from which
A mesquite, 9 in. dia. br., S. $36\frac{1}{2}^{\circ}$ W. 59 lbs. dist
do. 12. " " N. 30° W. 190. " "

77.44 Intersect left bank Gila river, br. S. of ft.
Set a post, marked, 4 ft. long, 3 in. sq. d., 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, taken from pit on line E, for cor. to fractional secs. 6 and 7, from which

A Cottonwood, 15 in. dia. br., S. $63\frac{1}{2}^{\circ}$ E. 48 lbs. dist
A mesquite 7 " " S. 32° W. 104. "

Land level, soil, rich bottom.
Scattering timber.

ownship

7 South

Range

13 West

Co

Gila & Salt River

BOOK

1187

Meridian.

marks

North on a random line between Sec's 5 and 6.

Variation $14^{\circ}39'$ East.

- 40.00 Set temporary 1/4 sec. cor.
- 72.70 Old band of river bro. S. W.
- 80.06 Intersect N. boundary 13 hrs. E. refer to secs. 5 and 6. from which cor. I run

S. 6 E.

On true line between secs. 5 & 6.

var. $14^{\circ}39'$ East

- 40.06 Set a post, marked 74 S. 4 ft long, flattened 3 in. wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide as per instructions, for 1/4 sec. cor. from which

Armesquite, 13 in. dia. hrs. N. $82\frac{1}{2}^{\circ}$ E. 93 hrs. dist.

No other trees near.

- 80.06 Cor. to Secs. 5, 6, 7 and 8. Land level. Soil rich bottom. Scattering timber.

March 10. 1877.

General Description

BOOK 1187

This township lies along the valley, the Gila river passing through the northwest corner of it.

There is rich bottom land in the valley and this can be irrigated from the river in which there is an abundance of water.

There is some timber along the river, but little or none in the rest of the township. Goyote grass grows on the tablelands to the south.

Theodore S. White

U. S. Deputy Surveyor


List of Names.

No. 1187

A List of the Names of Individuals employed
 to assist in running, measuring, or marking the
 lines and corners described in the foregoing Field
 Notes of the survey of *The Subdi-*
vision Lines of Township
7 South, range 13
West, of the Gila and
Salt River Meridian
Arizona.

Showing the respective capacities in which they
 acted.

- P. V. Caldwell* Chainman.
- Urban Bessard* Chainman,
- Fred. C. Jones* Axeman.
- Allan Bernard* Flagman.



Final Oath of Assistants.

BOOK 1187

We hereby certify that we assisted Theodore F. White U. S. Deputy Surveyor, in surveying The Subdivision Lines of Township 7 South range 13 West, of the Gila and Salt River Meridian, Arizona

and that said Survey has been in all respects, to the best of our knowledge and belief, well and faithfully executed, and the boundary monuments planted according to the instructions furnished by the Surveyor-General.

P. V. Caldwell Chainman.

William Bernard Chainman.

Frederick G. Jones Axeman.

Altau Bernard Flagman.

Sworn to and subscribed before me, this 28th day of April, 1877.

John D. Farrell Notary Public

Final Oath of Deputy Surveyor.

I, *Theodore F. White*

U. S. Deputy Surveyor, do solemnly swear that in pursuance of a contract with John Wasson, United States Surveyor-General for Arizona, bearing date the *7th* day of *December* 187*6*. I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-General, the Surveying Manual, and the laws of the United States, surveyed all those portions of

The Subdivision Lines of Township 7 South Range 13 West of the Gila and Salt River Meridian, Arizona.

as are represented in the foregoing Field Notes, as having been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and also in accordance with the additional requirements con-

tained in circular instructions from the U. S. Surveyor-General for Arizona, dated September 1, 1873, regarding the establishment of corner boundaries of public surveys, and that the foregoing are the true and original Field Notes of such surveys.

Sudor J. White
Deputy Surveyor.

Sworn to and subscribed before me, this *28th* day of *April*, 1877.

John R. Farrell,
Notary Public.



BOOK 1187

U. S. Surveyor General's Office,

TUCSON, ARIZONA, August 6, 1877.

The foregoing Field Notes of the Survey of the

Subdivision Lines of
 Township 4 South
 Range 13 West,

Of the Gila and Salt River Base and Meridian, Arizona, executed by Theodore F. White,

Deputy Surveyor, under his contract of the

day of December 7th, 1876 having been

critically examined and the necessary corrections and explanations made, the said Field Notes and the surveys they describe are hereby approved.

John Masson,
 Surveyor General.