

BOOK 1188

No. 1188

Field Notes

OF THE SURVEY OF THE

BOOK 1188

SUBDIVISION LINES.

-OF-

No. 1188

Township

9 S.

Range

23 W.

Gila and Salt River Base and Meridian

ARIZONA.

By

Theo. F. White

D. S.

under contract dated

Aug 25

1873.

Survey commenced

March 5

1874.

Survey completed

March 11

1874.

1188

PRELIMINARY OATHS OF ASSISTANTS.

WE, *J. S. Phillips*
 and *R. A. Vasquez*
 do solemnly swear that we will faithfully execute
 the duties of Chain Carriers; that we will level the
 chain upon uneven ground, and plumb the tally
 pins, whether by sticking or dropping the same;
 that we will report the true distance to all notable
 objects, and the true length of all lines that we as-
 sist in measuring, to the best of our skill and
 ability.

J. S. Phillips
R. A. Vasquez

Sworn to and subscribed before me, this *29*
 day of *December*, 187*3*

Henry
 Notary Public.

240 1188 18
BOOK 1188

WE,

Fred C. Jones

J. M. C. Elliott

do solemnly swear that we will well and truly perform the duties of Aceman and
flagman respectively
according to instructions given us, and to the best of our skill and ability.

Fred C. Jones

J. M. C. Elliott

Sworn to and subscribed before me this

29

day of December 1873

Whitney

Notary Public.



grace

10

BOOK 1188

4-674.

Township *9 S.* R. *22 W. Sec 1 R B M*

BOOK 1188

6	<i>60</i>	5	<i>44</i>	4	<i>33</i>	3	<i>22</i>	2	<i>11</i>	1
<i>59</i>		<i>58</i>		<i>43</i>		<i>32</i>		<i>21</i>		<i>10</i>
7	<i>57</i>	8	<i>42</i>	9	<i>31</i>	10	<i>20</i>	11	<i>9</i>	12
<i>56</i>		<i>55</i>		<i>41</i>		<i>30</i>		<i>19</i>		<i>8</i>
18	<i>54</i>	17	<i>40</i>	16	<i>29</i>	15	<i>18</i>	14	<i>7</i>	13
<i>53</i>		<i>52</i>		<i>39</i>		<i>28</i>		<i>17</i>		<i>6</i>
19	<i>51</i>	20	<i>38</i>	21	<i>27</i>	22	<i>16</i>	23	<i>5</i>	24
<i>50</i>		<i>49</i>		<i>37</i>		<i>26</i>		<i>15</i>		<i>4</i>
30	<i>48</i>	29	<i>36</i>	28	<i>25</i>	27	<i>14</i>	26	<i>3</i>	25
<i>47</i>		<i>46</i>		<i>35</i>		<i>24</i>		<i>13</i>		<i>2</i>
31	<i>45</i>	32	<i>34</i>	33	<i>23</i>	34	<i>12</i>	35	<i>1</i>	36

Township 9 S. Range 22 W.
 6th and Salt River Meridian

Remain in the S. boundary at cor. to Secs.
 35 & 36. Drive

North between secs. 35 & 36.
 var. 13°45' East

As per E. boundary

Remote from stone and timber

10.00 Drive charred stake 12 in. down, and
 build mound of earth 2 ft high,
 with pits 1 ft deep, 2 ft long, 1 ft wide,
 all as per instructions, for $\frac{1}{4}$ sec. cor.

5.00 Drive charred stake 12 in. down,
 and build mound of earth 2 ft
 high, with pits 1 ft deep, 2 ft long, 1 ft
 wide, and in center a pit S. E. of cor.

80.00

Drive a stake, marked and notched,
 2 ft long, 2 in. sq. d., 1 ft in the ground,
 all as per instructions, for cor. to Secs.
 25, 26, 35 and 36.

Sand rolling. Soil 2nd rate. Some grass

Township 9 S. Range 22 N.
Gila and Salt River Meridian

Rs. East on random line bet sec. 25 & 36.
cont. 13° 45' East

110.00 Set post for temporary 1/4 sec. cor.
79.87 Intersect E. boundary 31 Cor. S. of cor.
to sec. 25 & 36. from which cor. Run
S. 89° 47' W.

On true line bet sec. 25 & 36.
cont. 13° 45' East

39.94 Drive charred stake 12 in. down
and build mound of earth 2 ft high
with pile 1 ft deep, 2 ft long, 1 ft wide,
all as per instructions, for 1/4 sec. cor.

79.87 Cor to sec. 25, 26, 35 & 36.
Land somewhat rolling.
Some grass.
No timber



Township 9 S Range 22 W.
Gda and Salt River Meridian

Sec. North betweens sec. 25 & 26.

var. 13⁰⁰ 15' East.

40.00 Set apart, marked 4⁰⁰ S. 1 ft long, flattened
3 in wide, 1 ft in the ground, drive
charred stake and build mound
of earth 2 ft high, with pits 1 ft deep,
2 ft long, 1 ft wide, all as per in-
structions for these cor.

Notes near:

80.00 Drive charred stake 12 in down and
build mound a foot 2 ft high, with
pits 1 ft deep, 2 ft long, 1 ft wide, and
in center of pit S. E. of cor. I drive
a stake, marked and notched
2 ft long, 2 in. sq. d. 1 ft in the ground,
all as per instructions, for cor. to
secs. 23, 24, 25 and 26.

Land rolling. Soil sandy 3rd rate.
Some grass. No timber.

Township 9 S. Range 27 N.
Gila and Salt River Meridian

Set East random line bet sec. 24 & 25.
cor. 13°45' East

40.00 Set post for temporary 4 sec. cor.
79.93 Intersect the E. boundary 18 hrs. S. of
cor. to sec. 24 and 25. from which
cor. down
S. 89°52' W.

On true line between sec. 24 & 25.
cor. 13°45' East

39.97 Drive charred stake 12 in. down
and build mound of earth 2 ft. high,
with pits 1 ft. deep, 2 ft. long, 1 ft. wide,
all as per instructions for 4 sec.
cor.

79.93 Cor. to sec. 23, 24, 25 & 26.
Land a little rolling.
Soil sandy. Good grass
November.

Township 9 S Range 22 W.
Gila and Salt River Meridian

As₊ North between secs. 23 & 24
var. 13° 45' East.

40.00 Drove charred stake 12 in. down,
and build mound of earth 2 ft high,
with pits 1 ft deep, 2 ft long, 1 ft wide,
all as per instructions for 1/4 sec.
cor.

80.00 Drove charred stake 12 in. down,
and build mound as per instructions
high, with pits 1 ft deep, 2 ft long,
1 ft wide, and in center of pit S. E.
also. I drove a stake, marked
and notched, 2 ft long, 2 in. sq. b.
1 ft in the ground, all as per in-
structions, for cor. to secs. 13
14, 23 and 24.

Sand a little rolling. Soil sandy.
Excellent grass. No timber.

Township 9 S. Range 22 W.
Gila and Salt River Meridian

No. East meridian line between 13 & 24.
cor. 13° 45' East

110.00 Set post for temporary 1/4 sec. cor.

80.26 Intersect E. boundary 3/4 sec. N. of cor.
to sec. 13 and 24. from which
cor. Run

N. 89° 45' W.

Actual line between sec. 13 & 24.

cor. 13° 45' East

40.13 Drive charred stake 12 in. down and
build mound of earth 2 ft high, with
pits 1 ft deep, 2 ft long, 1 ft wide, all
as per instructions for 1/4 sec. cor.

50.26 Cor. to sec. 13, 14, 23 and 24.

Land somewhat rolling,
Good grass.

Brush. No timber.

Township 9 S. Range 27 W.
Ida and Salt River Meridian

to North between secs. 13 & 14
var. 13⁰45 East

40.00 Drove charred stake 12 in. down and
built mound of earth 2 ft high with
pits 1 ft deep, 2 ft long, 1 ft wide, all
as per instructions, for T. sec. cor.

80.00 Drove charred stake 12 in. down
and built mound of earth 2
ft high, with pits 1 ft deep, 2 ft long,
1 ft wide, and in center of pit S. E. of
cor. I drove a stake, marked and
notched, 2 ft long, 2 in. sq. d., 1 ft in
the ground, all as per instructions
for cor. to secs. 11, 12, 13 and
14.

Land a little rolling.

Some good grass.

Set winter.

Township 9 S. Range 27 W.
 Elda and Salt River Meridian

To East on random line bet sec. 12 & 13

var. $13^{\circ}45'$ East

40.00 Set post for temporary $\frac{1}{4}$ sec. cor.

80.12 Intersect E. boundary 10 hrs. N. of
 cont. to sec. 12 and 13. from which
 cor. drawn

N. $89^{\circ}56'$ W.

On true line between sec. 12 & 13

var. $13^{\circ}45'$ East

40.06 Iron charred stake 12 in. down and
 build mound of earth 2 ft high,
 with pile 1 ft deep, 2 ft long, 1 ft
 wide, all as per instructions for
 $\frac{1}{4}$ sec. cor.

80.12 Cont. to sec. 11, 12, 13 and 14.
 Land mostly flat some grass.
 No timber.

Township 9 S. Range 27 W.
Gila and Salt River Meridian

To North between secs. 11 & 12
Cor. 13 & 15 East

40.00 Drive charred stake 12 in. down
and build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft long,
1 ft wide, all as per instructions
for 4 sec. cor.

80.00 Drive charred stake 12 in. down
and build mound of earth 2 ft high,
with pits 1 ft deep, 2 ft long, 1 ft wide
and in center of pit S. E. of cor.
I drive a stake, marked and
notched, 2 ft long, 2 in. sqd., 1 ft
in the ground, all as per instructions
for cor. to secs. 1, 2, 11 and 12.

Sand flat

Good grass.

No timber.

Township 9 S. Range 22 W.
Gila and Salt River Meridian

To Eastern random line bet. secs. 1 & 12.
acc. 13°45' East

40.00 Set post for temporary 1/4 sec. cor.

80.10 Intersect E. boundary 13 ls. N. of post
to sec. 1 & 12. from which cor. I
run

N. 89°54' W.

Outline line between secs. 1 & 12.
acc. 13°45' East

40.05 Saw & chanced stake 12 in. down
and build mound a fourth 2 ft
high, with pits 1 ft deep, 2 ft long, 1 ft
wide, all as per instructions
for 1/4 sec. cor.

80.10 Cor. to secs. 1, 2, 11 and 12.
Land mostly level. Some
grasses. No timber.

Township 9 S. Range 22 W.
Gila and Salt River Meridian

To North corner of line of sec. 1 & 2
cor. 13° 45' East.

40.00 Set post for temporary 1/4 sec. cor.

80.13 Indirect N. boundary 9/16 E. of cor. to
secs. 1 and 2. from which cor. I
run
S. 0° 4' E.

On true line between secs. 1 & 2
cor. 13° 45' East

40.13 Drive charred stake 12 in down
and build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft long, 1 ft
wide, all as per instructions for
1/4 sec. cor.

80.13 The govt. to secs. 1, 2, 11 and 12.
Land a little rolling.
Considerable grass.
No timber.

March 5, 1874

12
 Township 9. S. Range 22 N.
 Gila and Salt River Meridian

Line North between sec. 34 & 35.
 cor. 13° 45' East.

40.00 Drive charred stake 12 in. down,
 and build mound a foot high
 with pits 1 ft deep, 2 ft long,
 1 ft wide, all as per instructions
 for these cor.

80.00 Drive charred stake 12 in. down,
 and build mound a foot high
 with pits 1 ft deep, 2 ft long, 1 ft
 wide, and in center of pit S. E.
 corner. Drive a stake marked
 and notched, 2 ft long, 2 in. sqd,
 1 ft in the ground, all as per instruc-
 tions for cor. to sec. 26, 27, 34
 and 35.

Sand rolling, Grass.
 No timber.

Township 9 S. Range 22 W.
 Island Salt River Meander

Ex. E. of meander line bet sec. 26 & 35.
 a. a. 13° 45' East.

40.00 Set post for temporary 1/4 sec. cor.

80.17 Intersect Meand. S. line 38 lbs. S. of
 cor. to sec. 25, 26, 35 and 36,
 from which cor. I run
 S. 89° 44' W.

On true line between sec. 26 & 35.

a. a. 13° 45' East

40.08 Drive charred stake 12 in down,
 and build mound a few ft
 ft high, with pit 1 ft deep, 2 ft
 long, 1 ft wide, all as per instanc-
 tions, for 1/4 sec. cor.

80.17 Cor. to sec. 26, 27, 34 and
 35.

Land somewhat rolling.
 Grass. No timber.

Township 9 S. Range 22 W.
 Elk and Salt River Meridian

No. North to sec. 26 & 27.

cor. 13' 45" East

40.00 Drive charred stake 17 in. down,
 and build mound of earth 2 ft
 high, with pits 1 ft deep, 2 ft long,
 1 ft wide, all as per instructions
 for 4 sec. cor.

80.00 Drive charred stake 12 in. down,
 and build mound of earth 2 ft high
 with pits 1 ft deep, 2 ft long, 1 ft wide,
 and in center of pit S. E. corner
 drive a stake, marked and
 notched, 2 ft long, 2 in. sq. d., 1 ft
 in the ground. all as per instructions
 for cor. to sec. 22, 23, 26 and

27

Land selling. Good grass.
 No timber.

Township 9 S. Range 22 W.
Gila and Salt River Meridian

79.94 East corner of line bet sec. 23 & 26.
var. $13^{\circ}45'$ East

40.00 Set post for temporary $\frac{1}{4}$ sec. cor.

79.94 Intersect N. and S. line 12 hrs. S. of cor.
to sec. 23, 24, 25 and 26. from
which cor. Run
S. $89^{\circ}55'$ W.

Continue line between sec. 23 & 26.
var. $13^{\circ}45'$ East

79.94 Drive charred stake 12 in. down
and build mound of earth 2 ft
high, with pits 4 ft deep, 2 ft long, 1
ft wide, all as per instructions for
 $\frac{1}{4}$ sec. cor.

79.94 Cor. to sec. 22, 23, 26 and 27.
Land rolling.
Good grass.
No timber. Some bushes.

Township 9 S. Range 22 W.
Gila and Salt River, Maricopa

Sec. 4 North between sec. 22 & 23.
ac. 13' 45" East

40.00 Drive charred stake 12 in down
and build mound of earth
2 ft high, with pits 1 ft deep, 2
ft long, 1 ft wide, all as per instruc-
tions for 4 sec. cor.

80.00 Drive charred stake 12 in down
and build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft long,
1 ft wide, and in center of pit 5 c.
of cor. I drive a stake, marked
and notched, 2 ft long, 2 in,
sq'd. fl in the ground, all as per
instructions for cor. to sec.
14, 15, 22 and 23.

Land rolling Good grass.
Not timber.

Township 9 S. Range 22 W.
Gila and Salt River Meridian

- to E. Monmouth line between sec. 14 & 23
var. 13°45' East
- 40.00 Set post for temporary 1/4 sec. cor.
- 80.11 Intersect stand S. line 8 Cu. N. of
cor. to Secs. 13, 14, 23 and 24
from which cor. I am
N. 89°05' W.
- Between line between sec. 14 & 23
var. 13°45' East
- 40.05 Drive charred stake 12 in. down
and build mound of earth 2
ft high, with pits 1 ft deep, 2 ft
long, 1 ft wide, all as per instruc-
tions for 1/4 sec. cor.
- 80.11 Cor. to Secs. 14, 15, 22 and
23.
Land a little rolling. Grass
and bushes. No timber.

Township 9 S. Range 22 W.
Gila and Salt River Meriden

His North between sec. 14 & 15.
 140.00 Drive charred stake 12 in. down
 and build mound of earth 2 ft
 high, with pits 1 ft deep, 2 ft long,
 1 ft wide, all as per instructions for
 14 sec. cor.

80.00 Drive charred stake 12 in. down,
 and build mound of earth 2 ft high,
 with pits 1 ft deep, 2 ft long, 1 ft wide,
 and in center of pit S. E. of cor. I drove
 a stake, marked and nailed, 2 ft
 long, 2 in. sq. d. 1 ft in the ground, all
 as per instructions, for cor. to sec.
 10, 11, 14 and 15.

Sand flat surface.
 Considerable grass.
 No timber.

Township 9 S Range 22 W.
Ida and Salt River Meridian

To Eastern random line bet sec. 11 & 14.

var. $13^{\circ}45'$ East

40.00 Set post for temporary $\frac{1}{4}$ sec. cor.

80.13 Intersect N. and S. line 17 lvs. N. of cor.
to sec. 11, 12, 13 & 14. from which
cor. drawn

N. $89^{\circ}53'$ W.

Outline line between sec. 11 & 14

var. $13^{\circ}45'$ East

40.06 Drive charred stake 12 in. down,
and build mound of earth
2 ft high, with pits 4 ft deep, 2 ft
long, 4 ft wide, all as per instruc-
tions for $\frac{1}{4}$ sec. cor.

80.13 Cor. to sec. 10, 11, 14 and 15.

Sand mostly level.

Grass and some bushes.

No timber.

Township 9 S. Range 27 W
Gila and Salt River Meridian

To North between sec. 10 & 11.

arr. $13^{\circ}45'$ East

40.00 Drive charred stake 12 in. down
and build mound as north 2
ft high, with pits 1 ft deep, 2 ft long
1 ft wide, all as per instructions
for 74 sec. cor.

80.00 Drive charred stake 12 in.
down and build mound as north
2 ft high, with pits 1 ft deep, 2 ft
long, 1 ft wide, and in center of
pit S. E. of cor. I drive a stake
marked and notched, 2 ft long,
2 in. sq. d. 1 ft in the ground, all
as per instructions, for cor. to sec.
2, 3, 10 and 11.

Sand slightly rolling. Good grass.
No timber.

Township 9 S. Range 22 W.
 Gila and Salt River Meridian

To East meridian line bet. sec. 7 & 11
 var. $13^{\circ}45'$ East

40.00 Set post for temporary $\frac{1}{4}$ sec. cor.

80.16 Intersect N. and S. line 21 lns. S. of
 cor. to sec. 1, 2, 11 and 12. from
 which cor. down
 S. $89^{\circ}51'$ W.

On true line between sec. 7 & 11.

var. $13^{\circ}45'$ East

40.08 Drive charred stake 12 in. down,
 and build mound of earth
 2 ft high, with pit 1 ft deep, 2 ft long,
 1 ft wide, all as per instructions for
 $\frac{1}{4}$ sec. cor.

80.16 Cor. to sec. 2, 3, 10 & 11.

Land a little rolling.

Grass. No timber.

Township 9 S. Range 22 W.
Gila and Salt River Meridian

To North or random line bet sec. 2 & 3.

ans. $13^{\circ}45'$ East

40.00 Set post for temporary $\frac{1}{4}$ sec. cor.

79.78 Intersect N. boundary 17 lvs. W. of
cor. to sec. 2 and 3, from
which cor. I run
 $S. 0^{\circ}7'$ W.

On true line between sec. 2 & 3.

ans. $13^{\circ}45'$ East

39.78 Drive charred stake 12 in. down
and build mound of earth 2 ft
high, with pile 1 ft deep, 2 ft long,
1 ft wide, all as per instructions
for $\frac{1}{4}$ sec. cor.

79.78 Cor. to sec. 2, 3, 10 and 11.

Land a little rolling.

Some grass. Soil 2nd rate sandy
clay.

March 6, 1874

Township 9 S Range 22 W.
Silo and Salt River Meridian

Line North between sec. 33 & 34.

var. 13° 45' East.

40.00 Drive charred stake 12 in. down,
and build mound of earth 2
ft high, with pit 1 ft deep, 2 ft long,
1 ft wide, all as per instructions
for 1/4 sec. cor.

80.00 Drive charred stake 12 in. down,
and build mound of earth 2
ft high, with pit 1 ft deep, 2 ft long,
1 ft wide, and in center of pit S. E.
of cor. I drive a stake, mirrored
and notched, 2 ft long, 2 in. sq'd.
1 ft in the ground, all as per in-
structions, for cor. to sec. 27, 28,
33 and 34.

Land somewhat rolling. Some
grass and bushes. No timber.

Township 9 S. Range 22 W.
 Gila and Salt River Meridian

- As to East meridian line bet. sec. 27 & 34.
 var. 13' 45" East
- 240.00 Set post for temporary Mexico cor.
 80.30 Intersect N. and S. line 41 lbs. S. of
 cor. to sec. 26. 27. 34 and 35. from
 which cor. down
 S. 89° 43' W.
- On true line between sec. 27 & 34.
 var. 13' 45" East
- 40.15 Drive charred stake 12 in. down,
 and build ground surface 2 ft.
 high, with pits 1 ft. deep, 2 ft. long,
 1 ft. wide, all as per instructions, for
 1/4 sec. cor.
- 80.30 Cor. to sec. 27. 28. 33 & 34.
 Land slightly rolling.
 Considerable grass.
 No timber.

Township 9 S. Range 22 W.
Gila and Salt River Meridian

Line North between secs. 27 & 28.
var. $13^{\circ}45'$ East.

- 40.00 Drive charred stake 12 in. down,
and build mound of earth 2
ft high, with pits 1 ft deep, 2 ft
long, 1 ft wide, all as per instruc-
tions for $\frac{1}{4}$ sec. cor.
- 80.00 Drive charred stake 12 in. down,
and build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft long,
1 ft wide, and in center of pit S. E.
of cor. I drive a stake, marked and
notched, 2 ft long, 2 in. sq. d. 1 ft in
the ground, all as per instructions
for cor. to sec. 21, 22, 27 and
28.
Land somewhat rolling.
Good grass. No timber.

Township 9 S. Range 97 N.
Gila and Salt River Meridian

Run East on random line bet. secs. 22 & 27.
ans. 13° 45' East

40.00 Set post for temporary base. cor.

80.21 Intersect N. & S. line 30 hrs. S. of cor.
to secs. 22, 23, 26 and 27. from
which cor. Run

S. 89° 44' W.

On true line between secs. 22 & 27
ans. 13° 45' East

40.10 Drive charred stake 12 in. down,
and build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft long,
1 ft wide, all as per instructions for
base. cor.

80.21 Cor. to Secs. 21, 22, 27 & 28.
Land a little rolling. Grass.
No timber.

Township 9 S Range 22 W.
 Island Salt River Meridian
 to North between secs. 21 & 22.

var. 13°45' East

40.00 Drive charred stake 12 in. down,
 and build mound of earth 2 ft.
 high, with pits 1 ft. deep, 2 ft. long, 1 ft.
 wide, all as per instructions for 14 sec.
 cor.

80.00 Drive charred stake 12 in. down and
 build mound of earth 2 ft. high, with
 pits 1 ft. deep, 2 ft. long, 1 ft. wide, and
 in center of pit S. E. of cor. Drive
 a stake, marked and notched, 2 ft.
 long, 2 in. sq. d. 1 ft. in the ground, all
 as per instructions, for cor to secs.
 15, 16, 21 and 22.

Land slightly rolling.

Good Grass. Some bushes.

No timber.

Township 9 S. Range 27 W.
Gila and Salt River Meridian

As East on random line bet sec. 15 & 22,
cor. 13° 45' East

14.20 Set post for temporary 1/4 sec. cor.

80.07 Intersect standard line 10 hrs. N.
of cor. to Secs. 14, 15, 22 and 23,
from which cor. down
N. 89° 56' W.

On true line bet sec. 15 & 22,

cor. 13° 45' East

4 40.03 Drive chaired stake 12 in. down and
build mound of earth 2 ft. high,
with pile 1 ft. deep, 2 ft. long, 1 ft. wide,
all as per instructions for 1/4 sec.
cor.

8. 80.07 Cor. to Secs. 15, 16, 21 and 22.
Land somewhat rolling.
Grass. No timber.

Township 9 S. Range 22 W.
Gila and Salt River Meridian

To North between secs. 15 & 16.

ang. $13^{\circ}45'$ East

40.00 Drive charred stake 12 in. down,
and build mound of earth
2 ft high, with pits 1 ft deep, 2 ft
long, 1 ft wide, all as per instructions
for these cor.

80.00 Drive charred stake 12 in. down,
and build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft long,
1 ft wide, and in center of pit
S. E. of cor. Drive a stake, marked
and notched, 2 ft long, 2 in. sq' d.,
1 ft in the ground, all as per in-
structions, for cor. to sec.
9, 10, 15 and 16.

Land a little rolling, Good grass.
No timber. Some bushes.

Township 9 S. Range 27 N.
Cala and Salt River, Meadian

to East monum. line bet sec. 10 & 15.
var. 13°45' East

40.00 Set post for temporary 1/4 sec. cor.

79.88 Intersect N. and S. line 14 lbs. S. of
cor. to Secs. 10, 11, 14, and 15 from
which cor. down

S. 89°54' W.

On true line between sec. 10 & 15.

var. 13°45' East

39.94 Drive charred stake 12 in. down,
and build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft long,
1 ft wide, all as per instructions for
1/4 sec. cor.

8 79.88 Cor. to sec. 9, 10, 15 and 16.
Land somewhat rolling.
Grass. No timber.

Township 9 S. Range 22 W.
Gila and Salt River Meridian

To North betweens sec. 9 & 10.
var. 13' 45" East.

40.00 Drove charred stake 12 in. down,
and build mound of earth 2 ft
high, with pile 1 ft deep, 2 ft long,
1 ft wide, all as per instructions for
14 sec. cor.

80.00 Drove charred stake 12 in. down,
and build mound of earth 2 ft
high, with pile 1 ft deep, 2 ft long,
1 ft wide, and in center of pit S. E.
of cor. I drove a stake, marked
and notched, 2 ft long, 2 in. sq d,
1 ft in the ground, all as per in-
structions, for cor. to secs. 3, 4,
9 and 10.

Sand a little rolling. Considerable
grass. No timber.

Township 9 S. Range 27 W.
Gila and Salt River Meridian

Ch's East on random line bet sec. 3 & 10.
var. 13° 45' East.

40.00 Set post for temporary 1/4 sec. cor.

79.81 Distance N. and S. line 18 lvs.

S. of cor. to sec. 2, 3, 10 & 11, from
which cor. I run

S. 89° 52' W.

Continue line between sec. 3 & 10.

var. 13° 45' East

79.93 Drive chassed stake 12 in. down
and build mound of earth 2
ft high, with pits 4 ft deep, 2 ft
long, 1 ft wide, all as per instruc-
tions for 1/4 sec. cor.

8 79.86 Cor. to sec. 3, 4, 9 and 10.

Land somewhat rolling.
Soil 2 Crate. Some grass.
No timber.

Township 9 S. Range 27 W.
 Ida and Salt River, Mendocino

to Northern random line bet sec. 3 & 4.
 var. 13° 45' East

40.00 Set post for temporary 1/4 sec. cor.

80.05 Intersect N. boundary 12 lns. E. of
 cor. to sec. 3 and 4. from which
 cor. from
 S. 0° 5' E.

Ontone line bet sec. 3 and 4.

var. 13° 45' East

40.05 Drive charred stake 12 in down
 and build mound of earth 2 ft
 high, with pits 1 ft deep, 2 ft long
 for marks, all as per instructions for
 1/4 sec. cor.

80.05 Cor. to Secs. 3, 4, 9 and 10.
 Land slightly rolling. Soil 2^d
 rate. Some grass. No timber.

March 7, 1874

Township 9 S Range 22 N.
Gila and Salt River Meridian

As North between sec. 32 & 33.

cor. 13' 45" East.

40.00 Drive charred stake 12 in. down
and build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft long,
1 ft wide, all as per instructions
for 1/4 sec. cor.

80.00 Drive charred stake 12 in. down,
and build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft long,
1 ft wide, and in center of pit S.E.
of cor. I drive a stake, marked
and notched, 2 ft long, 2 in.
sq. d. 1 ft in the ground, all as
per instructions for cor. to sec.
28, 29, 32 and 33.

Land a little salting, Grass
Bushes. No timber.

Township 9 S. Range 27 N.
Gila and Salt River Meridian.

Ch. E. to random line bet sec 28³33
cor. 13°45' East.

40.00 Set post for temporary 1/4 sec. cor.

79.78 Intersect N. and S. line 34th bet. N. of
cor. to sec. 27, 28, 33 and 34,
from which cor. down
N. 89°45' W.

On true line between sec. 28³33
cor. 13°45' East

39.89 Drive charred stake 12 in. down,
and build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft long,
1 ft wide, all as per instructions
for 1/4 sec. cor.

79.78 Cor. to sec. 28, 29, 32³33.
Land mostly level. Grass.
No timber.

Township 9 S. Range 22 W.
Gila and Salt River Meridian

As North between sec. 28 & 29.
and 13 & 15 East

40.00 Drive charred stake 12 in. down,
and build mound of earth 2 ft.
high, with pits 1 ft. deep, 2 ft. long,
1 ft. wide, all as per instructions
for the sec. cor.

80.00 Drive charred stake 12 in. down,
and build mound of earth 2 ft.
high, with pits 1 ft. deep, 2 ft. long,
1 ft. wide, and in center of pit S. E.
of cor. I drive a stake, marked
and notched, 2 ft. long, 2 in. sq'd,
1 ft. in the ground, all as per instruc-
tion for cor. to sec. 20, 21, 28
and 29.

Sand flat Soil sandy.
Good grass. No timber.

Township 9 S. Range 22 W.
 Gila and Salt River Meridian

No. East on random line bet. sec. 21 & 28.
 cor. 13° 45' East.

40.00 Set post for temporary 1/4 sec. cor.

79.83 Distinct standard line 21/2 sec. N. of
 cor. to secs. 21, 22, 27 and 28,
 from which cor. I run
 N. 89° 51' W.

On true line between secs. 21 & 28.
 cor. 13° 45' East

39.92 Drive charred stake 12 in. down
 and build mound of earth 2
 ft high, with pits 1 ft deep, 2 ft long
 1 ft wide, all as per instructions
 for 1/4 sec. cor.

79.83 Cor. to secs. 20, 21, 28 & 29.
 Land level. Soil sandy.
 Grass. No timber.

Township 9 S. Range 22 W.
Gila and Salt River Meridian.

Ln North between sec. 20 & 21
ans. 13' 45" East

40.00 Drive charred stake 12 in. down,
and build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft
long, 1 ft wide, all as per instruc-
tions for these cor.

80.00 Drive charred stake 12 in. down,
and build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft long,
1 ft wide, and in center of pit
S. E. of cor. I drove a stake,
marked and notched, 2 ft long,
2 in. sq. d. 1 ft in the ground, all
as per instructions for cor. to see
16. of 20 and 21.

Land flat. Good grass.
No timber.

Township 9 S. Range 22 W.
Gila and Salt River Meridian

Co. East on random line bet. secs. 16 & 21.
var. 13' 45" East.

40.00 Set post for temporary 1/4 sec. cor.

80.05 Interest in and to line 8 lvs. S. of
cor. to secs. 15, 16, 21 and 22
from which cor. I run
S. 89° 57' W.

On true line bet. secs. 16 & 21.
var. 13° 45' East.

40.02 Drive charred stake 12 in. down
and build mound of earth 2 ft high,
with pit 1 ft deep, 2 ft long, 1 ft wide,
all as per instructions for 1/4 sec. cor.

80.05 Cor. to secs. 16, 17, 20 and 21.

Land flat surface.

Soil sandy. Some grass and
brushes. No timber.

Township 9 S Range 23 W.
Gila and Salt River Meridian

As North between secs. 16 & 17.
var. 13° 45' East

20.00 Wagon track hrs. N. W.

40.00 Drive charred stake 12 in. down and
build mound of earth 2 ft high with
pits 1 ft deep, 2 ft long, 1 ft wide, all
as per instructions, for 4 sec. cor.

80.00 Drive charred stake 12 in. down,
and build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft long, 1
ft wide, and in center of pit S. E.
of cor. Drive a stake marked and
matched, 2 ft long, 2 in. sq. d. 1 ft
in the ground, all as per instruc-
tions for the cor. to secs. 8, 9, 16
and 17.

Land flat Some grass.
No timber.

Township 9 S. Range 22 W.
Sida and Salt River Meridian

To East on random line between sees. 9 & 16.
az. $13^{\circ}45'$ East

40.00 Set post for temporary $\frac{1}{4}$ sec. cor.

80.11 Intersect N. and S. line 21 lbs. N. of
cor. to sees. 9, 10, 15 and 16.
from which cor. drawn
N. $89^{\circ}51'$ W.

On true line between sees. 9 & 16.
az. $13^{\circ}45'$ East

40.05 Drive charred stake 12 in. down
and build mound of earth
ft high with pits 1 ft deep, 2 ft
long, 4 ft wide, all as per instructions
for $\frac{1}{4}$ sec. cor.

80.11 Go to sees. 8, 9, 16 & 17.
Land level. Grass.
Soil sandy.
No timber.

Township 9 S. Range 27 W.
Gila and Salt River Meridian

Line North between sec. 8 & 9.

Jan. 13th 1845 E. C.

40.00 Drive charred stake 12 in. down
and build mound of earth 2
ft high, with pits 1 ft deep, 2 ft
long, 1 ft wide, all as per instruc-
tions for this cor.

80.00 Drive charred stake 12 in. down,
and build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft long,
1 ft wide, and in center of pit S. E.
of cor. Drive a stake, marked
and notched, 2 ft long, 2 in sq'd,
1 ft in the ground, all as per in-
structions for the cor. to sec. 4, 5.
8 and 9.

Land nearly flat Little grass.
Soil sandy 3rd rate. No timber.

Township 9 S. Range 22 W.
Gila and Salt River Meridians

Go East on random line bet. sec. 4th 9.
var. 13° 45' East.

40.00 Set post for temporary 1/4 sec. cor.

50.31 Intersect N. and S. line 42 ls. S.
of cor. to sec. 3, 4, 9 and 10. from
which cor. Draw
S. 89° 42' W.

On true line between sec. 4th 9.
var. 13° 45' East.

40.15 Drive charred stake 12 in. down
and build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft long,
1 ft wide, all as per instructions
for 1/4 sec. cor.

50.31 Cor. to sec. 4, 5, 8 and 9.

Land flat. Soil sandy.
Little grass. No timber.

Township 9 S. Range 22 W.
Gila and Salt River Meridian

- Chs North on random line bet. secs. 4 & 5.
var. 13° 45' East
- 29.00 Wagon tracks bet. N. W.
- 40.00 Set post for temporary $\frac{1}{4}$ sec. cor.
- 47.00 Descend mesa into bottom Gila
cross, bet. E. and W.
- 80.51 Intersect N. boundary 32 hrs. W.
of cor. to secs. 4 and 5, from
which cor. I run
S. 0° 14' W.
- On true line bet. secs. 4 & 5.
var. 13° 45' East
- 40.51 Drive charred stake 12 in. down and
build mound of earth 2 ft high, with pit 1 ft
deep, 2 ft long, 1 ft wide, all as per instructions
for $\frac{1}{4}$ sec. cor.
- 80.51 Cor. to secs. 4, 5, 8 & 9.
Land mostly flat Soil good in bottom,
No timber.

March 9, 1874

Township 9. S. Range 22 W.
Gila and Salt River Meridian

Sec. North between sec. 31 & 32.

Apr. 13 '45 East

40.00 Drive charred stake 12 in. down,
and build mound of earth 2
ft high, with pit 1 ft deep, 2 ft
long, 1 ft wide, all as per in-
structions for these cor.

80.00 Drive charred stake 12 in. down,
and build mound of earth 2
ft high, with pit 1 ft deep, 2 ft
long, 1 ft wide, and in center of
pit S. E. of cor. I drive a stake,
marked and notched, 2 ft long, 2
in. sq'd. 1 ft in the ground, all as
per instructions for cor. to sec.

29, 30, 31 and 32.

Land mostly flat. Some grass.
No timber.

Township 9 S. Range 22 W.
 Grand Salt River Meander

- As East meander line between 29 & 32
 var. 13°45' East
- 40.00 Set post for temporary 1/4 sec. cor.
 80.22 Intersect N. and S. line 13 ls. S. of
 cor. to secs. 28, 29, 32 and
 33, from which cor. I run
 S. 89°54' W.
- On true line between secs. 29 & 32
 var. 13°45' East
- 40.11 Drive charred stake 12 in. down,
 and build around of earth 2
 ft high, with pits 1 ft deep, 2 ft
 long, 1 ft wide, all as per instructions
 for 1/4 sec. cor.
- 80.22 Cor. to secs. 29, 30, 31 and 32
 Sand flat Soil sandy.
 No timber.

Township 9 S. Range 22 W.
Gela and Salt River Mound.

to W. monument line bet. sec. 30 & 31
cor. 13°45' East.

40.00 Set post for temporary $\frac{1}{4}$ sec. cor.

79.54 Intersect W. boundary 16 lbs. S. of
cor. to sec. 30 & 31, from which
cor. Down

S. 89°53' E.

On true line between sec. 30 & 31
cor. 13°45' East

39.54 Drive charred stake 12 in. down
and build mound of earth 2 ft.
high, with pit 1 ft. deep 2 ft. long,
1 ft. wide, all as per instructions
for $\frac{1}{4}$ sec. cor.

79.54 Cor. to sec. 29, 30, 31 & 32.
Sand flat Grass and bushes.
No timber.

Township 9 S. Range 22 W.
Gila and Salt River Meridians

The North between secs 29 & 30.

and 13°45' East

40.00 Drive charred stake 12 in. down,
and build mounds of earth 2 ft
high, with pits 1 ft deep, 2 ft long,
1 ft wide, all as per instructions
for 1/4 sec. cor.

80.00 Drive charred stake 12 in. down,
and build mounds of earth 2 ft
high, with pits 1 ft deep, 2 ft long,
1 ft wide, and in center of pit S. E.
of cor. Drive a stake marked
and notched 2 ft long, 2 in. sq. d.,
1 ft in the ground, all as per in-
structions for cor. to secs. 19,

20, 29 and 30.

Land flat Soil sandy. Good
grasses. No timber.

Township 9 S. Range 22 W.
Gila and Salt River Meridian

See East on random line bet. sec. 20 & 29
cor. 13°45' East.

40.00 Set post for temporary $\frac{1}{4}$ sec. cor.

80.31 Intersect N. and S. line 15 ls. S. of cor.
to secs. 20, 21, 28 and 29, from
which cor. Drawn
S. 89°54' W.

On true line between sec. 20 & 29
cor. 13°45' East.

40.15 Drive charred stake 12 in. down,
and build mound of earth 2 ft.
high, with pile 1 ft. deep, 2 ft. long, 1 ft.
wide, all as per instructions for $\frac{1}{4}$ sec.
sec. cor.

80.31 Cor. to secs. 19, 20, 29 & 30.
Sand level. Soil sandy.
Some grass. No timber.

Township 9 S. Range 22 W.
Gila and Salt River Meridian

to West on random line bet sec. 19 & 30.
az. $13^{\circ}45'$ East

40.00 Set post for temporary $\frac{1}{4}$ sec. cor.

79.83 Intersect W. boundary 10 hrs. S. of
cor. to sec. 19 & 30. from which
cor. from

S. $89^{\circ}56'$ E.

Return line between sec. 19 & 30.

az. $13^{\circ}45'$ East

39.83 Drive charred stake 12 in. down,
and build mound of earth 2
ft high, with pit 1 ft deep, 2 ft
long, 1 ft wide, all as per instru-
tions for $\frac{1}{4}$ sec. cor.

8 79.83 Cor. to Secs. 19, 20, 29 and
30.

Sand flat Grass.

No timber.

Township 9 S Range 27 W.
Gila and Salt River Meridian

Sec. North to sec. 19 & 20.
cor. 13' 45" East

40.00 Drive charred stake 12 in. down,
and build mound of earth 2 ft.
high, with pit 1 ft deep, 2 ft long,
1 ft wide, all as per instructions
for 14 sec. cor.

80.00 Drive charred stake 12 in. down,
and build mound of earth 2 ft
high, with pit 1 ft deep, 2 ft long,
1 ft wide, and in center of pit S. E.
of cor. I drive a stake, marked
and notched, 2 ft long, 2 in. sq'd.
ft in the ground, all as per instruc-
tions for cor. to secs. 17, 18, 19 and
20.

Land flat Good grass. No
trees. Some bushes.

Township 9 S. Range 27 W.
Gila and Salt River Meridian

to East meridian bet sees. 17 & 20.
arr. 13° 45' East

40.00 Set post for temporary 'the sec. cor.

79.78 Intersect N. and S. line 7 Cas. N. of cor.
to sees. 16, 17, 20 and 21, from
which cor. Run

N. 89° 57' W.

On true line bet sees. 17 & 20.

arr. 13° 45' East

39.89 Drive charred stake 12 in. down
and build mound of earth 2 ft high,
with pits 1 ft deep, 2 ft long, 1 ft wide,
all as per instructions for 1/4 sec.
cor.

7, 79.78 Conto sees. 17, 18, 19 and 20.
Land level. Some grass.
No timber.

Township 9 S. Range 22 W.
Gila and Salt River Maudslayi.

The W. corner line bet. sec. 18 & 19.
var. $13^{\circ}45'$ East

40.00 Set post for temporary $\frac{1}{4}$ sec. cor.
79.91 Intersect W. boundary 3/4 sec. S. of
cor. to secs. 18 and 19. from
which cor. from
 $S. 89^{\circ}59'$ E.

Ontine line between sec. 18 & 19
var. $13^{\circ}45'$ East

39.91 Snow charred stake 12 in. down
and build mound a few feet
high, with pits 1 ft deep, 2 ft
long, 1 ft wide all as per in-
structions, for $\frac{1}{4}$ sec. cor.

79.91 Cor. to sec. 17, 18, 19 & 20.
Sand level. Soil sandy.
Some grass. Bushes.
No timber.

Township 9 S. Range 27 W.
Gila and Salt River Meridian

to North between sec. 17 & 18.

var. $13^{\circ}45'$ East

4. 0.10 Wagon track b. n. N. W.
7. 40.00 Drive charred stake 12 in. down,
and build mound of earth 2 ft
high, with pile 1 ft deep, 2 ft long,
1 ft wide, all as per instructions
for 7th sec. cor.
- 80.00 Drive charred stake 12 in. down,
and build mound of earth 2 ft
high, with pile 1 ft deep, 2 ft long, 1 ft
wide, and in center of pile S. E.
of cor. Drive a stake, marked
and notched, 2 ft long, 2 in. sq. d.,
1 ft in the ground, all as per in-
struction for cor. to sec. 7, 8,
17 and 18.
- Land lead. Set 3rd rate. Brush.
No timber.

Township 9 S. Range 27 W.
Gila and Salt River Meridian

On East on random line bet sees. 8 & 17
var. 13°45' East.

40.00 Set post for temporary 1/4 sec. cor.

79.77 Intersect N. and S. line of line S. of
cor. to sees. 8, 9, 16 and 17, from
which cor. I run
S. 89°56' W.

On true line bet sees. 8 & 17
var. 13°45' East

39.89 Drive charred stake 12 in. down,
and build mound a few ft
high, with pile 1 ft deep, 2 ft
long, 1 ft wide, all as per in-
structions for 1/4 sec. cor.

79.77 Cor. to sees. 7, 8, 17, and 18.
Lead lead. Soil sandy.
No timbers.

March 10, 1874

Township 9 S. Range 22 W.
Gila and Salt River Meridian

40.00 His West on random line bet sec. 7 & 18.
arr. 13°45' East

40.00 Set post for temporary 1/4 sec. cor.

80.21 Intersect W. boundary 8 hrs. S. of cor.
to sec. 7 and 18, from which
cor. Drive
S. 89°05' E.

On true line between sec. 7 & 18.

arr. 13°45' East

40.21 Drive charred stake 12 in. down,
and build mound at each 2 ft
high with pile 1 ft deep, 2 ft long,
1 ft wide, all as per instructions
for 1/4 sec. cor.

80.21 Cor. to sec. 7, 8, 17 and 18.
Sand level. Soil sandy.
No timber.

Township 9 S. Range 22 W.
Cala and Salt River Meridian

- The North between secs. 7 & 8.
cor. $13^{\circ}45'$ East
- 27.00 Wagon track bet. N. W. & S. E.
- 40.00 Drive charred stake 12 in. down,
and build mound of earth 2 ft high,
with pits 1 ft deep, 2 ft long, 1 ft wide,
all as per instructions, for $\frac{1}{4}$ sec.
cor.
- 80.00 Drive charred stake 12 in. down,
and build mound of earth 2
ft high, with pits 1 ft deep, 2 ft long,
1 ft wide, and in center of pit S. E. of
cor. Drive a stake, marked and
notched, 2 ft long, 2 in. sq ed,
1 ft in the ground, all as per in-
structions for cor to secs. 5, 6, 7
and 8.
Land lead. Soil 3rd rate. No
timber.

Township 9 S. Range 22 W.

Gila and Salt River Meridian

Line East on random line bet. sec. 5 & 8.

dir. $13^{\circ}45'$ East

40.00 Set post for temporary $\frac{1}{4}$ sec. cor.

79.79 Intersect N. and S. line 20 hrs. N. of
cor. to Secs. 4, 5, 8, and 9, from
which cor. I run

N. $89^{\circ}51'$ W.

Ontime line between sec. 5 & 8.

dir. $13^{\circ}45'$ East

79.90 Drive charred stake 12 in. down
and build mound of earth 7
ft high, with pit 1 ft deep, 2 ft long,
1 ft wide, all as per instructions
for $\frac{1}{4}$ sec. cor.

79.79 Cor. to Secs. 5, 6, 7 & 8.

Land level. Soil sandy.

No timber.

Township 9 S. Range 22 W.
Gila and Salt River Meridian

See. W. E. on random line bet. sees. 6 & 7.

var. $13^{\circ}45'$ East

40.00 Set post for temporary $\frac{1}{4}$ sec. cor.

80.10 Intersect W. boundary 13 ls. N.
of cor. to sees. 6 and 7. from
which cor. Drawn
N. $89^{\circ}54'$ E.

On true line between sees. 6 & 7

var. $13^{\circ}45'$ East

40.10 Drive charred stake 12 in. down,
and build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft long,
1 ft wide, all as per instructions
for $\frac{1}{4}$ sec. cor.

80.10 Cor. to sees. 5, 6, 7 & 8.

Land level. Soil sandy.
No timber.

60
5
Township 9, S Range 27 W.
Gila and Salt River Meridian

2
1
4
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000

40.00 Set post for temporary base cor.

63.00 Second mesa and enter bottom of Gila river,
bas. E. & W.

66.00 Road bas. E. and W.

80.13 Intersect N. boundary 8 ks. W. of cor.
to secs. 5 and 6 from which cor. from
S. $0^{\circ} 3' W.$

Outline line between secs. 5 & 6.

ans. $13^{\circ} 45' East.$

40.13 Snow charred stake 12 in. down and
build mound of earth 2 ft high, with
pit 1 ft deep, 2 ft long, 1 ft wide, all as per
instructions, for base cor.

80.13 Conto secs. 5, 6, 7 and 8.
Sand mostly lead. Soil good in
bottom. No timber.

March 11, 1874

General Description

The land of this township is adapted to agriculture but grows much good grass, the "Guajote".

The soil is sandy. There is some brush, but no timber of any kind.

The surface is mostly level.

Thos. J. White
U.S. Dep. Surveys

LIST OF NAMES.

A List of the Names of Individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing Field Notes of the survey of the subdivision lines of township 9 S. range 22 W. Gila and Salt River Meridian

Showing the respective capacities in which they acted.

J. D. Phillips Chainman.

R. A. Vasquez Chainman.

Fred C. Jones Axeman.

J. M. C. Elliott Flagman.

FINAL OATH OF ASSISTANTS.

WE hereby certify that we assisted Theo.
F. White U. S. Deputy Surveyor, in
 surveying the subdivision line
of township 9 S. range 22
W. of the Gila and Salt River
Meridian

and that said Survey has been in all respects, to
 the best of our knowledge and belief, well and
 faithfully executed, and the boundary monu-
 ments planted according to the instructions fur-
 nished by the Surveyor-General.

J. P. Phillips Chainman.

C. A. Vargas Chainman.

Fred G. Jones Axeman.

G. W. Elliott Flagman.

Sworn to and subscribed before me, this 30
 day of March, 1874

Quinn

Totary Public.

FINAL OATH OF DEPUTY SURVEYOR.

I, Theodore F. White

U. S. Deputy Surveyor do solemnly swear that, in pursuance of a contract with John Wasson, United States Surveyor-General for Arizona, bearing date the 25 day of August 1873 I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-General, the Surveying Manual, and the laws of the United States, surveyed all those portions of


the subdivision lines of town-
ship 9 S. range 22 W.
of the Gila and Salt River
Mendocino

as are represented in the foregoing Field Notes as having

been surveyed under my directions; and I do farther solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and also in accordance with the additional requirements contained in circular instructions from the U. S. Surveyor-General for Arizona, dated September 1, 1873, regarding the establishment of corner boundaries of public surveys, and that the foregoing are the true and original Field Notes of such surveys.

Theodore F. White
Deputy Surveyor.

Sworn to and subscribed before me, this 30
day of *March*, 1874



H. H. H. H.
Notary Public

BOOK 1188

U. S. Surveyor General's Office,
Tucson, Arizona, May 9, 1874

The foregoing Field Notes of the survey of

The Subdivision lines of
Township 9 S. range
27 W.

of the Gila and Salt River Base and Meridian, Arizona,
executed by Theodore F. White,
D. S., under his contract of the 25 day of
August, 1873, having been critically ex-
amined and the necessary corrections and explanations
made, the said Field Notes and the surveys they de-
scribe, are hereby approved.

John Mason

Surveyor General.