

No. 1189

BOOK 1189

Field Notes

OF THE SURVEY OF THE

BOOK 1189

SUBDIVISION LINES

-OF- No. 1189

Township J S Range 73 N.

Gila and Salt River Base and Meridian

ARIZONA.

By Geo. F. White D. S.

under contract dated Aug. 25 1873.

Survey commenced March 12 1874.

Survey completed March 18 1874.

1189


PRELIMINARY OATHS OF ASSISTANTS.

WE, *J. S. Phillips*
 and *R. A. Vasquez*
 do solemnly swear that we will faithfully execute
 the duties of Chain Carriers; that we will level the
 chain upon uneven ground, and plumb the tally
 pins, whether by sticking or dropping the same;
 that we will report the true distance to all notable
 objects, and the true length of all lines that we as-
 sist in measuring, to the best of our skill and
 ability.

J. S. Phillips
R. A. Vasquez

Sworn to and subscribed before me, this *29*
 day of *December*, 187*3*

Henry
Tokam Public.



WE, Fred. C. Jones and
J. M. C. Elliott

do solemnly swear that we will well and truly per-
form the duties of Aceman and
flagman respectively
according to instructions given us, and to the best
of our skill and ability.

Fred. C. Jones
J. M. C. Elliott

Sworn to and subscribed before me this 29
day of December 1873

W. H. Murray
Notary Public.



10

4-674.

Township *9 S.* R. *23 W. Secs R B & M.*

BOOK 1189

6	<i>60</i>	5	<i>44</i>	4	<i>33</i>	3	<i>22</i>	2	<i>11</i>	1
<i>59</i>		<i>58</i>		<i>43</i>		<i>32</i>		<i>21</i>		<i>10</i>
7	<i>57</i>	8	<i>42</i>	9	<i>31</i>	10	<i>20</i>	11	<i>9</i>	12
<i>56</i>		<i>55</i>		<i>41</i>		<i>30</i>		<i>19</i>		<i>8</i>
18	<i>54</i>	17	<i>40</i>	16	<i>29</i>	15	<i>18</i>	14	<i>7</i>	13
<i>53</i>		<i>52</i>		<i>39</i>		<i>28</i>		<i>17</i>		<i>6</i>
19	<i>51</i>	20	<i>38</i>	21	<i>27</i>	22	<i>16</i>	23	<i>5</i>	24
<i>52</i>		<i>49</i>		<i>37</i>		<i>26</i>		<i>15</i>		<i>4</i>
30	<i>48</i>	29	<i>36</i>	28	<i>25</i>	27	<i>14</i>	26	<i>3</i>	25
<i>47</i>		<i>46</i>		<i>35</i>		<i>24</i>		<i>13</i>		<i>2</i>
31	<i>45</i>	32	<i>34</i>	33	<i>23</i>	34	<i>12</i>	35	<i>1</i>	36

7919b5m4-03

Township 9 S. Range 23 W.
Gila and Salt River Meridian

Beginning on S. boundary at cor. to
secs. 35 and 36. Drive

North between secs. 35 & 36.
cor. $13^{\circ}40'$ East

As per E. boundary.

Remove from stone and cor. lines.

40.00 Drive chanced stake 12 in. down and
build mound of earth 2 ft. high, with
pits 1 ft. deep, 2 ft. long, 1 ft. wide, all as
per instructions for 4 sec. cor.

80.00 Drive chanced stake 12 in. down and build
mound of earth 2 ft. high, with pits 1 ft. deep, 2
ft. long, 1 ft. wide, and in center of pit S. E.
of cor. Drive a stake, marked and
notched, 2 ft. long, 2 in. sq'd. 1 ft. in the
ground, all as per instructions, for cor.
to secs. 25, 26, 35 and 36.

Land level. Soil sandy.

Township 9 S Range 23 W.
Gila and Salt River Meridians

No East

On random line between sec. 25 & 36.
var. 13°40' East

40.00

Set post for temporary 14 sec. cor.

79.89

Intersect E. boundary 14 sec. S. of cor.
to sec. 25 & 36 from which cor. Run
S. 89° 54' W.

On true line between sec. 25 & 36.
var. 13°40' East

39.95

Drove charred stake 17 in. down
and build mound of earth 2 ft high
with pit 1 ft deep, 2 ft long, 1 ft wide, all
as per instructions for 14 sec. cor.

79.89

Cor. to sec. 25, 26, 35 and 36.
Laid marked by lead.

Soil 3rd rate -

Remate from stone and timber.

Township 9 S. Range 23 W.
Gila and Salt River Meridian

to North between sec. 25 & 26.
arr. 13° 40' East

40.00 Drive charred stake 19 in. down and build
mound of earth 2 ft high with pit 1 ft
deep, 2 ft long, 1 ft wide, all as per instruc-
tions for 14 sec. cor.

80.00 Drive charred stake 19 in. down,
and build mound of earth 2 ft high
with pit 1 ft deep, 2 ft long, 1 ft wide,
and in center of pit S. E. of cor.
I drive a stake, marked and
notched, 2 ft long, 2 in. sqd,
1 ft in the ground, all as per in-
structions, for cor. to sec. 23
24, 25 and 26.

Lead. Soil sandy.
Remate from stone and timbers.

Township 9 & Range 23 N.
Gila and Salt River Meridians.

to East

On random line bet secs. 24 & 25
var. $13^{\circ}40'$ East

40.00 Set post for temporary 1/4 sec. cor.
79.90 Intersect E. boundary 11 lbs. S. of cor.
to secs. 24 & 25 from which cor. drawn
S. $89^{\circ}55'$ W.

Outline line between secs. 24 & 25
var. $13^{\circ}40'$ East

39.95 Drive charred stake 12 mi. down
and build mound of earth 2
ft high, with pits 1 ft deep, 2 ft long,
1 ft wide, all as per instructions
for 1/4 sec. cor.

79.90 Cor. to secs. 23, 24, 25 and 26.
Sand level. Soil 3rd rate.
Remove from stone and
timber.

Township 9 S. Range 23 W.
Gila and Salt River Meridian

Sec. North between secs. 23 & 24.
var. 13 & 14 East.

40.00 Drive charred stake 12 in. down
and build mound of earth 2
ft high, with pits 1 ft deep, 2 ft long,
1 ft wide, all as per instructions
for 4 sec. cor.

80.00 Drive charred stake 12 in. down,
and build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft long, 1 ft
wide, and in center of pit S. E. of
cor. I drive a stake, marked and
notched 2 ft long, 2 in. sq. 1 ft in
the ground, all as per instructions
for cor. to secs. 13, 14, 23 and
24.

Sand lead. Some grass. Bushes.
Remote from stone and timber.

Township 9 S. Range 23 W.
Gila and Salt River Meridian
to East

On random line bet. secs. 13 & 24.
avr. 13°40' East

40.00 Set post for temporary $\frac{1}{4}$ sec. cor.

80.04 Intersect E. boundary 10 lbs. S. of cor. to sec.
13 and 24. from which cor. down
S. 89°56' W.

On true line between secs. 13 & 24
avr. 13°40' East

40.02 Sawi charred stake 12 in. down,
and build mound of earth
2 ft high, with pit 1 ft deep, 2
ft long, 1 ft wide, all as per in-
structions for $\frac{1}{4}$ sec. cor.

80.04 Cor. to secs. 13, 14, 23 and 24
Sand mostly lead. Some grass
Remote from stone and timber.

Township 9 S. Range 23 W.
Gila and Salt River Meridian

to North between sec. 13 & 14
as. 13°40' East.

40.00 Drive charred stake 17 in. down and
build mound of earth 2 ft high, with
pit 1 ft deep, 2 ft long, 1 ft wide,
all as per instructions, for $\frac{1}{4}$ sec.
cor.

80.00 Drive charred stake 12 in. down
and build mound of earth 2 ft
high, with pit 1 ft deep, 2 ft long
1 ft wide, and in center of pit
S. E. of cor. I drive a stake,
marked and notched, 2 ft long,
2 in. sq'd, 1 ft in the ground, all
as per instructions, for cor. to Secs
11, 12, 13 and 14.

Sand lead. Some grass.

Renote from stone and timber.

Township 9 S. Range 23 W.
& Gila and Salt River Meridians
to East

An random line between 12 & 13.
var. 13°40' East

4 40.00 Set post for temporary 1/4 sec. cor.
80 79.96 Intersect E. boundary 11 lvs. N. of
cor. to sec. 12 and 13. from
which cor. Run
N. 89°55' W.

Continue line between sec. 12 & 13
var. 13°40' East

4 39.98 Drive charred stake 12 in. down
and build mound of earth 2 ft high
with pits 1 ft deep, 2 ft long, 1 ft wide,
all as per instructions, for 1/4
8 sec. cor.

79.96 Cor. to sec. 11, 12, 13 and 14.
Sand lead. Soil 3° rate.
Remote from stone and timber

Township 9 S Range 23 W
 Tula and Salt River Meridian

North betweens sec. 11 & 12.

cor. 13°40' East

0.00 Drive charred stake 12 in. down
 and build mound of earth 2 ft
 high with pits 1 ft deep, 2 ft long, 1 ft
 wide, all as per instructions for 74
 sec. cor.

0.50 Drive charred stake 12 in. down
 and build mound of earth 2 ft
 high with pits 1 ft deep, 2 ft long,
 1 ft wide, and in center of pit S. E.
 of cor. I drive a stake, marked
 and notched, 2 ft long, 2 in. sq'd,
 1 ft in the ground, all as per in-
 structions for cor. to secs. 1, 2, 11
 and 12.

Land level. Soil sandy, poor.
 Some bushes. Remnant from
 stone and timber.

Township 9 S. Range 23 W.
Gila and Salt River Meridian
T. 8 East

On random line bet. sec. 12 & 12
var. 13°40' East

40.00 Set post for temporary 1/4 sec. cor.
49.85 Intersect E. boundary 12 Sec. S. of
cor. to sec. 12 from which cor. down
S. 89°55' W.

On true line between sec. 12 & 12
var. 13°40' East

39.93 Drive charred stake 12 in. down
and build mound of earth 2
ft high, with pit 1 ft deep, 2 ft long
1 ft wide, all as per instructions
for 1/4 sec. cor.

49.85 Cor. to Sec. 1, 2, 11 and 12.
Sand level. Soil 3' rate,
Some bushes.
Rem rate from stone & timber.

Township 9 S. Range 23 W.
Cila and Salt River Meridian
to North

On random line bet sees. 1 & 2.
var. 13° 40' East

40.00 Set post for temporary 1/4 sec. cor.
80.13 Intersect N. boundary 16 lks. E. of
cor. to sees. 1 & 2. from which cor. run
S. 0° 41' E.

On true line bet sees. 1 & 2.
var. 13° 40' East

40.13 Drove charred stake 12 in. down
and build mound of earth 2 ft
high, with pile 1 ft deep, 2 ft long.
flange, all as per instructions
for 1/4 sec. cor.

80.13 Cor. to sees. 1, 2, 11 and 12
Sand lead. Soil sandy poor.
Remate from stone and timber.

March 12. 1874

BOOK 1189

Township 9 S. Range 23 W.
Gila and Salt River Meridian

Sec. North between sec. 34 & 35.

var. 13° 40' East

40.00 Drive charred stake 12 in. down, and
build mound of earth 2 ft. high, with
pit 1 ft. deep, 2 ft. long, 1 ft. wide, all as
per instructions, for 14 sec. cor.

80.00 Drive charred stake 12 in. down and
build mound of earth 2 ft. high, with
pit 1 ft. deep, 2 ft. long, 1 ft. wide,
and in center of pit S. E. a post.
I drive a stake marked and
notched, 2 ft. long, 2 in. sq. d. 1 ft.
in the ground, all as per in-
structions, for cor. to sec. 3
26, 27, 34 and 35.

Land flat. Soil 2nd rate.

Some grass. Remote from
stone and timber.

BOOK 1189

Township 9 S. Range 23 W.
Gila and Salt River Meridian

East

On random line bet sec. 26 & 35.
var. 13°40' East

40.00 Set post for temporary 1/4 sec. cor.
39.90 Intersect N. and S. line 6. lds. S.
of cor. to secs. 25, 26, 35 and
36. from which cor. run
S. 89°57' W.

On true line between sec. 26 & 35.
var. 13°40' East.

39.95 Drive charred stake 12 in. down
and build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft long,
1 ft wide, all as per instructions
for 1/4 sec. cor.

39.90 Cor to secs. 26, 27, 34 and 35.
Land level. Soil sandy. Some
brush. Remote from stone and
timber.

Township 9 S. Range 23 W.
Gila and Salt River Meridian

Sec. North between sec. 26 & 27.
var. 13°40' East

40.00 Drive charred stake 12 in. down
and build mound of earth
2 ft high, with pits 1 ft deep, 2 ft
long, 1 ft wide, all as per instruc-
tions, for 1/4 sec. cor

80.00 Drive charred stake 12 in. down
and build mound of earth 2 ft high,
with pits 1 ft deep, 2 ft long, 1 ft wide,
and in center of pit S. E. of
cor. I drove a stake, marked
and notched, 2 ft long, 2 in. sq. in
the ground, all as per in-
structions, for cor. to sec. 22,
23, 26 and 27.

Sand flat. Some grass and brush.
Remote from stone & timber.

Township 9 S. Range 23 W.
Gda and Salt River Meridian

As East on random line bet. sec. 23 & 26.
var. $13^{\circ}40'$ East

29.00 Set post for temporary 4 sec. cor.

29.82 Intersect N. and S. line 10 lbs.

space to sec. 23. 24. 25 & 26.

from which cor. down

N. $89^{\circ}56'$ W.

On true line between sec. 23 & 26.

var. $13^{\circ}40'$ East

29.91 Drive chased stake 12 in. down,
and build mound of earth 2 ft
high with pits 4 ft deep. 2 ft long,
4 ft wide, all as per instructions
for 4 sec. cor.

29.82 Cor. to sec. 22, 23, 26 and 27
Lead. Grass.

Remove from stone and timber.

Township 9 S. Range 23 E.
Gila and Salt River Meriden

North between sec. 22 & 23.
var. 13° 40' East

40.00 Drive charred stake 12 in. down
and build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft long,
1 ft wide, all as per instructions
for these cor.

80.00 Drive charred stake 12 in. down
and build mound of earth 2
ft high, with pits 1 ft deep, 2 ft long,
1 ft wide, and in center of pit S. E.
of cor. I drove a stake marked and
notched, 2 ft long, 2 in. sq. d.
1 ft in the ground, all as per in-
structions, for cor. to secs. 14,
15, 22 and 23.

Sand flat Some grass. Brush.
Remote from stone and timber

Township 9 S. Range 23 N.
 Gila and Salt River Meridian
 to East

On random line bet. sec. 14 & 23.

var. 13°40' East.

40.00 Set post for temporary 1/4 sec. cor.

79.80 Intersect N. and S. line of sec. N. of cor.
 to sec. 13, 14, 23 & 24. from which
 cor. I run

N. 89°56' W.

On true line between sec. 14 & 23

var. 13°40' East.

39.90 Drive charred stake 12 in. diam.
 and build mound of earth 2 ft
 high, with pits 1 ft deep, 2 ft long,
 1 ft wide, all as per instructions
 for 1/4 sec. cor.

79.80 Cor. to sec. 14, 15, 22 & 23.

Level. Some grass.

Remote from stone & timber.

Township 9 S. Range 23
 Island Salt River Meridian

to North between sec. 14 & 15.
 and 13 & 14 East

40.00 Drive charred stake 12 in.
 down and build mound of earth
 2 ft high, with pit 1 ft deep, 2 ft long,
 1 ft wide, all as per instructions for
 these cor.

80.00 Drive charred stake 12 in down
 and build mound of earth 2 ft
 high, with pit 1 ft deep, 2 ft long, 1 ft
 wide, and in center of pit S. E. of cor.
 I drive a stake, marked and
 notched, 2 ft long, 2 in. sq. d., 1 ft
 in the ground, all as per instructions
 for cor. to sec. 10, 11, 14 and 15.

A black hill to S. of E. about 20 chs. dist.
 Sand flat. Some little grass.
 Remote from stone & timber.

Township 9 S. Range 23 W.
 Gila and Salt River Meridian
 E. East.

On random line bet. secs. 11⁹/14,
 and 13⁴⁰ East.

25.00 Pass over point of black hill, bearing
 to the S.

40.00 Set post for temporary 1/4 sec. cor.

80.16 Intersect N. 1/2 S. line of cor. to sec.
 11.12, 13 and 14, from which cor. run
 S. 89° 05' W.

On true line between secs. 11⁹/14

and 13⁴⁰ East

40.08 Broke charred stake 12 in down and
 built mound of earth 2 ft high, with
 pits 1 ft deep, 4 ft long, 4 ft wide, all as
 per instructions, for 1/4 sec. cor.

80.16 Cor. to secs. 10, 11, 14 and 15.

Land level. Some grass.

Remote from store and timber.

Township 9 S. Range 23 W.
Gila and Salt River Meridian

To North between sec. 10 & 11.

var. 13° 40' East

40.00 Drive charred stake 12 in. down
and build mound of earth 2 ft. high
with pits 1 ft. deep, 2 ft. long, 1 ft. wide, all
as per instructions for 1/4 sec. cor.

80.00 Drive charred stake 12 in. down,
and build mound of earth 2 ft.
high with pits 1 ft. deep, 2 ft. long, 1 ft.
wide, and in center of pit S. E. of
cor. I drive a stake, marked
and notched, 2 ft. long, 2 in. sq. d.,
1 ft. in the ground, all as per in-
structions for cor. to sec. 2, 3, 10
and 11. Land flat. Some
grass. Remate from
stone and timber.

Township 9 S. Range 23 W.
Gila and Salt River Meridian

East Kinson random line bet sec. 9 & 11.

var. 13° 40' East

40.00 Black hill to the N. 3 chs. to base of it

40.00 Set post for temporary 1/4 sec. cor.

89.11 Interest N. and S. line 7 chs. N. of cor.
to sec. 1, 2, 11, and 12, from which
cor. drawn

N. 89° 57' W.

Between line bet sec. 9 & 11.

var. 13° 40' East

40.05 Drive charred stake 12 in. diam.,
and build mound of earth 2 ft.
high, with pits 1 ft deep, 2 ft long,
1 ft wide, all as per instructions, for
1/4 sec. cor.

80.11 Cor. to sec. 2, 3, 10 and 11.

Level level. Soil sandy, poor.
Remote from stone and timber.

Township 9 S. Range 23 W
Gila and Salt River Meridian

The North-south line bet. sees. 2 & 3
var. $13^{\circ}40'$ East

10.00 Pass over point of black hill, bearing
to the E.

40.00 Set post for temporary Merc. cor.

80.15 Intersect N. boundary 61 hrs. W. of
to see. 2 & 3. from which cor.

Run

S. $0^{\circ}26'$ W.

On true line between sees. 2 & 3

var. $13^{\circ}40'$ East

40.15 Drive chared stake 12 in down and
build mound of earth 2 ft high with
pits 1 ft deep, 2 ft long, 1 ft wide, all
as per instructions, for the see. cor.

80.15 Cor. to sees. 2, 3, 10 and 11.

Land level. Some grass & bushes.

Remote from stone & timber.

March 13, 1874

Township 9 S. Range 23 W.
Gila and Salt River Meridian

Sec. North between sec. 33 & 34
cor. 13⁴⁰ East.

40.00 Drive charred stake 17 in. down,
and build mound of earth 2 ft high,
with pits 1 ft deep, 2 ft long, 1 ft wide,
all as per instructions for these cor.

80.00 Drive charred stake 17 in. down and
build mound of earth 2 ft high,
with pits 1 ft deep, 2 ft long, 1 ft wide,
and in center of pit S. E. corner. I
drive a stake, marked and notched
2 ft long, 2 in. sq. d. 1 ft in the ground,
all as per instructions for cor. to sec.
27, 28, 33 and 34

Land level.

Some grass, and bushes.

Remote from stone and timber.

Township 9 S. Range 23 W.
Gila and Salt River Meridian

As East corner of section 27 & 34
cor. 13° 40' East

40.00 Set post for temporary base cor.

79.83 Intersect standard line of sec. N. of cor.
to sec. 26, 27, 34 and 35, from
which cor. drawn
N. 89° 56' W.

Continue line between sec. 27 & 34
cor. 13° 40' East

39.92 Drive charred stake 12 in. down and
build mound of earth 2 ft high, with
pits 1 ft deep, 2 ft long, 1 ft wide, all
as per instructions, for 1/4 sec.
cor.

79.83 Cor. to sec. 27, 28, 33 and 34.
Sand lead, Grass and bushes.
No timber or stone.

Township 9 S. Range 23 W.
Gila and Salt River Meridian

to North between sec. 27, 28.
var. 13⁰⁰40 East.

40.00 Drive charred stake 12 in. down
and build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft long, 1 ft
wide, all as per instructions, for
the sec. cor.

80.00 Drive charred stake 12 in. down
and build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft long,
1 ft wide, and in center of pit 5.8
ft cor. I drive a stake, marked
and notched, 2 ft long, 2 in. sq'd,
1 ft in the ground, all as per in-
structions, for cor. to sec. 21,
22, 27 and 28.

Land lead. Grass. Bushes.

Remote from stone and timber.

Township 9 S. Range 23 W.
Gila and Salt River Meridian

To East meridian line between 22927
cor. 13' 40" East

40.00 Set post for temporary $\frac{1}{4}$ sec. cor.

80.07 Intersect N. and S. line 13' 40" S. of cor.
to secs. 22, 23, 26 and 27, from
which cor. down

S. 89° 54' W.

On true line between secs. 22927
cor. 13' 40" East

40.03 Drive charred stake 12 in. down,
and build mound of earth 2
ft high, with pits 1 ft deep, 2 ft long,
1 ft wide, all as per instructions for
 $\frac{1}{4}$ sec. cor.

80.07 Cor to secs. 21, 22, 27 and 28.
Sand level. Grass.

Remove from stone and
timber.

Township 9 S. Range 23 W.
 Gila and Salt River Meridian.

In North between sec. 21 & 22.

var. 13°40' East.

40.00 Drive charred stake 12 in. down
 and build mound of earth 2 ft
 high, with pits 1 ft deep, 2 ft long,
 1 ft wide, all as per instructions
 for 14 sec. cor.

80.00 Drive charred stake 12 in. down,
 and build mound of earth 2 ft
 high, with pits 1 ft deep, 2 ft long,
 1 ft wide, and in center of pit S. E.
 of cor. I drive a stake, marked
 and notched, 2 ft long, 2 in. sq'd.
 1 ft in the ground, all as per in-
 struction, for cor. to Secs. 15, 16,
 21 and 22.

Land flat. Some grass and
 bushes. Remote from stone
 and timber.

Township 9 S. Range 73 W.
Gila and Salt River Meridian

Ch. East

On random line bet. sec. 15 & 22,

var. 13°40' East

40.00 Set post for temporary sec. cor.

80.10 Intersect N. and S. line of Sec. N.
of cor. to Secs. 14, 15, 21 and
22, from which cor. Run
N. 89° 57' W.

On true line between sec. 15 & 22

var. 13°40' East

40.05 Drive chanced stake 12 in. down,
and build mound of earth 2
ft. high, with pits 1 ft. deep, 2 ft. long,
1 ft. wide, all as per instructions, for
sec. cor.

80.10 Cor. to Secs. 15, 16, 21 and 22.
Sand hill. Some grass.

Remate from stone and timber.

Township 9 S. Range 23 W.
Gila and Salt River Meridian

Line North between sec. 15 & 16.
var. $13^{\circ}40'$ East

40.00 Drive charred stake 12 in. down,
and build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft long,
1 ft wide, all as per instructions for
U.S. C. C. C.

80.00 Drive charred stake 12 in. down
and build mound of earth 2 ft
high with pits 1 ft deep, 2 ft long, 1 ft
wide, and in center of pit S. E. of
cor. I drive a stake, marked and
notched, 2 ft long, 2 in sq'd, 1 ft
in the ground, all as per instruc-
tions for cor. to secs. 9, 10, 15 and
16.

Land flat. Some grass and
bushes. Remote from stone and
timber.

Township 9 S. Range 23 W
Gila and Salt River Meridian
In East

Wormhole line between 10 & 15.

var. 13'40" East.

40.00 Set post for temporary $\frac{1}{4}$ sec. cor.

79.80 Intersect N. and S. line 8 hrs. N. of cor.
to secs. 10, 11, 14, and 15, from
which cor. I run

N. 89° 57' W.

On true line between secs. 10 & 15.

var. 13'40" East.

39.90 Drive charred stake 12 in. down
and build wormhole search 2 ft
high, with pile 1 ft deep, 2 ft long, 1 ft
wide, all as per instructions for cor.
 $\frac{1}{4}$ sec.

79.80 Cor. to secs. 9, 10, 15 and 16.

Land lead. Soil sandy, poor.
Remote from stone and timber.

Township of S. Range 23 W.
Gila and Salt River Meridian

No. North between sec. 9 & 10
cor. 1340 East.

40.00 Drive charred stake 12 in down
and build mound of earth 2
ft high, with pits 1 ft deep, 2 ft long,
1 ft wide, all as per instructions
for 4 sec. cor.

80.00 Drive charred stake 12 in. down
and build mound of earth 2
ft high, with pits 1 ft deep, 2 ft long,
1 ft wide, and in center of pit S. E. of
cor. I drive a stake, marked
and notched, 2 ft long, 2 in. sq'd,
1 ft in the ground, all as per in-
structions, for cor. to sec. 9.

3, 4, 9 and 10.

Sand level. Soil poor.

No timber or stone.

Township 9 S. Range 23 W.
Gila and Salt River Meridian

To East on random line bet sec. 3 & 10.
var. 13°40' East

40.00 Set post for temporary 1/4 sec. cor.
79.77 Intersect N. and S. line of Sec. 9. N. of
cor. to sec. 2, 3, 10 and 11,
from which cor. down
N. 89°56' W.

On true line between sec. 3 & 10
var. 13°40' East

39.89 Drive charred stake 12 in. down,
and build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft long,
1 ft wide, all as per instructions
for 1/4 sec. cor.

79.77 Cor. to sec. 3, 4, 9 and 10.

Land level. Soil poor.

Remote from stone and timber.

Township 9 S. Range 23 W.
Gila and Salt River Meridian

Run North-south line bet. sec. 3 & 4.
var. 13°40' East.

40.00 Set post for temporary Tucc. cor.
80.10 Interest N. boundary 8 lvs. W.
of cor. to sec. 3 and 4. from
which cor. Run
S. 0°3' W.

Run line between sec. 3 & 4.
var. 13°40' East.

40.10 Drive charred stake 12 in. down
and build mound of earth 2 ft
high, with pile 1 ft deep, 2 ft long, 1 ft
wide, all per instructions for 1/4
sec. cor.

80.10 Cor. to sec. 3, 4, 9 and 10.
Land lead. Soil 3rd rate.
Remate from stone and timber

March 14, 1874

Township 9 S. Range 73 W.
 Gila and Salt River Meridian

hs) North Station sec. 32 & 33
 cor. 13' 40" East

40.00 Drive charred 12 in. down and
 build mound of earth 2 ft high,
 with pits 1 ft deep, 2 ft long, 1 ft wide,
 all as per instructions, for 1/4 sec.
 cor.

80.00 Drive charred stake 12 in. down
 and build mound of earth 2 ft
 high, with pits 1 ft deep, 2 ft long, 1 ft
 wide, and in center of pit S. E. of
 cor. Set a post, marked and notched
 2 ft long, 2 in. sq. d. 1 ft in the ground,
 all as per instructions, for cor. to sec.
 28, 29, 32 and 33

Land mostly level. Some grass.
 No stone or timber.

Township 9 S. Range 23 W.
Gila and Salt River Meridian.

To East on random line bet sec. 28 & 33
var. $13^{\circ}40'$ East

40.00 Set post for temporary $\frac{1}{4}$ sec. cor.

80.07 Intersect N. and S. line 10 ch. S. of
cor. to sec. 27, 28, 33 and 34.

from which cor. Drive

$89^{\circ}56'$ W.

Antennae line bet sec. 28 & 33

var. $13^{\circ}40'$ East

40.03 Drive charred stake 12 in. down
and build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft long, 1 ft
wide, all as per instructions, for $\frac{1}{4}$
sec. cor.

80.17 Cor. to sec. 28, 29, 32 and 33.

Land level. Some grass and
bushes. Remains from stone
and timber.

Township 9 S. Range 23 N.
Gila and Salt River Meridian

Is North between sec. 28 & 29.
var. 13° 40' East

40.00 Drive charred stake 12 in. down
and build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft long,
1 ft wide, all as per instructions for
these cor.

80.00 Drive charred stake 12 in. down
and build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft long,
1 ft wide, and in center of pit S.
E. of cor. I drove a stake, mark
and notched, 2 ft long, 2 in. sq'd. 1 ft
in the ground, all as per instructions
for cor. to sec. 20, 21, 25 and 29.

Sand mostly loess. Soil sandy.
Remote from stone and timber.

Township 9 S Range 23 W.
Gila and Salt River Meridian

To East on random line between sec. 21 & 28.
var. 13°40' East.

40.00 Set post for temporary 74 sec. cor.

79.90 Intersect N. and S. line 14 ls. N. of cor.
to sec. 21, 22, 27 and 28. from which
cor. drawn

N. 89° 54' W.

Entire line between sec. 21 & 28.
var. 13°40' East.

39.95 Drive charred stake 12 in. down
and build mound of earth 2 ft. high,
with pit 4 ft. deep, 2 ft. long, 1 ft. wide,
all as per instructions for 74 sec. cor.

79.90 Cor. to sec. 20, 21, 28 and 29.
Land level. Soil sandy.

Some bushes.

Remote from stone & timber.

Township 9 S. Range 13 W.
Gila and Salt River Meridian

To North between sec. 20 & 21.

cont. 13° 40' East

40.00 Drive charred stake 15 in down
and build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft long,
1 ft wide, all as per instructions for
1/4 sec. cor.

80.00 Set a post, marked and notched
4 ft long, 3 in. sq. d. 1 ft in the
ground, drive charred stake
and build mound of earth
2 ft high, with pits 1 ft deep, 2 ft long,
1 ft wide, all as per instructions
for cor. to sec. 16, 17, 20 and
21. No trees near.

Sand mostly lead. Soil sandy.
No stone and timber near.

Township 9 S. Range 23 W.
Gila and Salt River Meridian

to East

On random line between sec. 16 & 21.
var. 13°40' East

140.00 Set post for temporary $\frac{1}{4}$ sec. cor.
79.86 Distance N. and S. line 10 ls. S. of cor.
to sec. 15, 16, 21 and 22. from
which cor. Damm
S. 89°56' W.

On true line between sec. 16 & 21.
var. 13°40' East

39.93 Drive charred stake 12 in. down and
build mound against 2 ft high, with
pit 4 ft deep, 2 ft long, 1 ft wide, all as
per instructions, for $\frac{1}{4}$ sec. cor.

79.86 Cor. to sec. 16, 17, 20 and 21.
Land level. Soil poor. Bushes
Remote from stone and timber.

Township 9 S. Range 23 W.
Gila and Salt River Meridian

Line North between sec. 16⁹, 17⁹
and 13⁴⁰ East

40.00 Drive charred stake 19 in. down,
and build mound of earth 2 ft high
with pits 1 ft deep, 2 ft long, 1 ft wide,
all as per instructions for these cor.

80.00 Drive charred stake 19 in. down
and build mound of earth 2 ft
high with pits 1 ft deep, 2 ft long
1 ft wide, and in center of pit S. E. of
cor. I drive a stake marked and
notched, 2 ft long, 2 in. sq. d. 1 ft in
the ground, all as per instructions
for cor. to sec. 8, 9, 16 and 17.
Sand lead. Soil sandy, mal
pros.

Remote from stone and timber.

Township 9 S. Range 23 W.
 Gila and Salt River Meridian

See East on random line between sec. 9 & 16.
 cor. 13° 40' East

40.00 Set post for temporary 1/4 sec. cor.

80.10 Intersect N. and S. line 5 hrs. S. of
 cor. to sec. 9, 10, 15 and 16,
 from which cor. run
 S. 89° 58' W.

On true line between sec. 9 & 16.

cor. 13° 40' East

40.05 Drive charred stake 12 in. down,
 and build mound of earth 2 ft
 high, with pile 4 ft deep, 2 ft long
 4 ft wide, all as per instructions
 for 1/4 sec. cor.

80.10 Cor. to sec. 8, 9, 16 and 17.
 Land level. Soil 3^d rate.
 At timber or stone. Some
 ashes.

Township 9 S. Range 23 W.
Gila and Salt River Meridian

As North to acc. sec. 8th 9.
cont. 13th 40' East

40.00 Drive charred stake 12 in. down,
and build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft long, 1 ft
wide, all as per instructions for
4 sec. cor.

80.00 Drive charred stake 12 in. down,
and build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft long,
1 ft wide, and in center of pit S. E.
of cor. Drive a stake, marked
and notched, 2 ft long, 2 in. sq. d.
1 ft in the ground, all as per in-
structions, for cor. to secs. 4, 5,
8 and 9. Land local.
Soil poor. Remote from
stone and timber. Bushes.

Township 9 S. Range 73 W.
Gila and Salt River Meridian

Let East on random line bet. sec. 4 & 9.
a. m. 13° 40' East.

40.00 Let post for temporary 1/4 sec. cor.

80.11 Interest N. and S. line 8 la. N. of
cor. to sec. 3, 4, 9 and 10. from
which cor. I run.

N. 89° 57' W.

Continue line between sec. 4 & 9
a. m. 13° 40' East.

40.05 Drive charred stake 12 in. down,
and build mound 4 ft. high,
with pits 1 ft. deep, 2 ft. long, 1 ft.
wide, all as per instructions for 1/4 sec.
cor.

80.11 Cor. to sec. 11, 5, 8 and 9.

Land level. Soil 3" rate.

Remate from stone and timber.

Township 9 S. Range 23. W.
Gila and Salt River Meridian

To North random line bet sec. 4 & 5.
arr. 13° 40' East

40.00 Set post for temporary 1/4 sec. cor.
80.021 Intersect N. boundary 13 hrs. W.
of cor. to sec. 4, and 5. from
which cor. I run
S. 0° 6' W.

On true line between sec. 4 & 5.
arr. 13° 40' East

40.04 Drive charred stake 12 in. down,
and build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft long,
1 ft wide, all as per instructions
for 1/4 sec. cor.

80.04 Cor. of sec. 4, 5, 8 and 9.
Sand lead. Soil 3rd rate.
Remote from stone & timber.

March 16, 1874

Township 9 S. Range 23 W.

Gila and Salt River Meridian

To North between Sec. 31 & 32
 on r. 13° 10' East.

40.00 Drive charred stake 12 in. down,
 and build mound of earth 2 ft.
 high, with pits 1 ft. deep, 2 ft. long, 1 ft.
 wide, all as per instructions for
 these sec.

80.00 Drive charred stake 12 in. down
 and build mound of earth 2 ft. high
 with pits 1 ft. deep, 2 ft. long, 1 ft. wide,
 and in center of pit S. E. of cor.
 Drive a stake, marked and
 notched, 2 ft. long, 2 in. sq. d. 1 ft. in
 the ground, all as per instructions
 for cor. to Secs. 29, 30, 31 and
 32.

Sand lood. Some grass and
 bushes. Remote from stone
 and timber.

Township 9 S. Range 23 W.
Gila and Salt River Meridian

to East on random line bet. sec. 29 & 32
app. 13° 40' East

40.00 Set post for temporary 1/4 sec. cor.

79.91 Intersect A and B. line 18 hrs. S. of cor.
to sec. 28, 29, 32 and 33, from
which cor. from
S. 89° 52' W.

On true line between sec. 29 & 32

app. 13° 40' East

39.96 Drive charred stake 19 in. down and
build mound a foot or 2 ft high,
with pits 1 ft. deep, 2 ft. long, 1 ft. wide,
all as per instructions for 1/4 sec. cor.

79.91 Cor. to sec. 29, 30, 31 and 32,
Lard lead. Some grass.
No timber.

Township 9 S Range 93 W
Gila and Salt River Meridian

On West boundary line between 30th & 31st
sec. 13th 40' East.

40.00 Set post for temporary $\frac{1}{4}$ sec. cor.

73.00 Leave mesa and descend into flat
turn cor. N. E. and S. W.

80.20 Intersect W. boundary 41st sec. S. of cor.
true 30th & 31st from which cor. Down
S. 89^o 49' E.

On true line between sec. 30th & 31st
sec. 13th 40' East.

40.20 Set & charred stake 19 in downward
build mound of earth 2 ft high with
pile 1 ft deep, 2 ft long, 1 ft wide, all
as per instructions for $\frac{1}{4}$ sec. cor.

80.20 Cont. sec. 29, 30, 31 & 32.
Sand land. Soil poor.
No stone or timber.

Township 9 S. Range 23 W.
Gila and Salt River Meridian

On North side sec. 29 & 30.
at N. 13 1/4° East

35.00 Lava mesa and descend into bottom bar. N. E.

40.00 Stakepost, marked N. 1/2 ft long, flattened 3 in. wide, 1/2 in
the ground, drive charred stake and build mound of earth
2 ft high, with pits 1/2 ft deep, 2 ft long, 1/2 ft wide, all as per
instructions, for 4 sec. cor. from which
A mesquite 5 in. dia. has S. 58° W. 65 lbs. dist.
do. 6 " " " S. 14 3/4° E. 69 " "

50.00 Stakepost, marked and notched, 1/2 ft long, 3 in. sq. ft.
in the ground, drive charred stake and build
mound of earth 2 ft high, with pits 1/2 ft deep, 2 ft
long, 1/2 ft wide, all as per instructions for cor. to sec.
14, 20, 29 and 30. from which

A mesquite 15 in. dia. has S. 42 1/2° W. 156 lbs. dist.
do. 8 " " " S. 37 1/4° E. 224 " "
do. 17 " " " N. 1 1/2° W. 254 " "
do. 7 " " " N. 59° W. 332 " "

Land in bottom. Soil good. Mesquite
timber

Township 9 S. Range 23 W.
Gila and Salt River Meridian

- Sec. E. Ad. on random line bet. sec. 20 & 29.
as. 13° 40' East.
- 40.00 Lot past for temporary use. cor.
- 63.00 E. on bottom and second sand mesa
bet. A. and B.
- 80.10 Intersect A. and B. line 12 lbs. S. of cor.
to sec. 20, 21, 28 & 29, from which cor. drawn
S. 89° 55' W.
- On true line between sec. 20 & 29.
as. 13° 40' East.
- 40.05 Lot a past, marked by S. 4 ft. long flattened
2 in. wide, 1 ft. in the ground, drive charred stake
and build mound of earth 2 ft. high, with pit 1 ft.
deep, 2 ft. long, 1 ft. wide, all as per instructions, for 4
sec. cor. from which
- Arrows point 8 in. dia. bet. S. 53° W. 72' and bet.
do. 8. " " S. 75° W. 128. " "
- 80.10 Cor. to sec. 19, 20, 29 and 30.
Sand bottom & mesa. Soil good & 3' rate.
Magnesian bottom.

Township 9 S. Range 23 W.
Cila and Salt River Meridian

- 40.00 Set post for temporary 1/4 sec. cor.
 80.11 Intersect W. boundary 10 W. S. of cor.
 to sec. 19 30, from which cor. I run
 N. 89° 56' E.
 on true line between sec. 19 30.
 cor. 13° 40' East
- 40.11 Set a post, marked 1/4 S. 4 ft long, flat-
 tened 3 in. wide, 1 ft in the ground, drive
 charred stake and build mound of earth
 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide,
 all as per instructions for 1/4 sec. cor. from which
 Ameguate 5. in dia. br. N. 67° W. 93 bend
 do. 14 " " N. 89° E. 185 " "
- 80.11 Cor. to Secs. 19, 20, 29 and 30.
 Sand lead. Soil good. Mesquite
 timber.

Township 9 S. Range 23 W.
Gila and Salt River Meridian

The North betweenies. 19th 20.

cor. 13th 40' East

40.00 Set a post marked 1/4 in. 4 ft. long, flattened 3 in. wide,
1/2 in. thick in the ground, drive charred stake and build
mound of earth 2 ft. high, with pits 1 ft. deep, 2
ft. long, 1/2 ft. wide, all as per instructions for
1/4 sec. cor. from which

A mesquite 8 in. dia. bears N. 63³/₄° W. 32 bears dist

do. 10 " " " N. 79¹/₄° E. 196 " "

80.00 Set a post marked and notched, 4 ft. long, 3 in.
1/2 in. thick in the ground, drive charred stake and build
mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long,
1/2 ft. wide, all as per instructions, for cor. to Secs.
17, 18, 19 and 20. from which

A mesquite 8 in. dia. bears N. 79° W. 174 bears dist

do. 14 " " " N. 15¹/₄° E. 131 " "

do. 16 " " " N. 12¹/₂° W. 123 " "

do. 5 " " " S. 78° W. 106 " "

Land level. Soil good Mesquite
timber.

Township 9 S. Range 23 W.
Gila and Salt River Meridians.

The East on random line bet. sec. 17 & 20.
 cor. 13° 40' East
 40.00 Set post for temporary 1/4 sec. cor.
 45.00 Leave bottom and ascend sand hills.
 49.90 Intersect N. and S. line 13 hrs. N. of sec. 20.
 16.17.20 & 21. from which cor. Down
 N. 89° 54' W.

On true line between sec. 17 & 20.
 cor. 13° 40' East

39.95 Set post, marked 1/4 S. 4 ft. long, flattened 3 in.
 wide, 1 ft. in the ground, drive charred stakes
 and build mound of earth 2 ft high with pile
 4 ft high, 2 ft long, 2 ft wide, all as per instructions
 for 1/4 sec. cor. from which
 1. Mosquito 24 in. dia. br. S. 48 1/2° W. 229 br. dist.
 do. 8. " " " West 555 " "

79.90 Cor. to sec. 17, 18, 19 and 20.
 Land, first half mile in bottom, Salt River.
 Mosquito timber on W. end.

Township 9 S. Range 23 W.
Gila and Salt River Meridian

As W. corner random line betwe. 18 & 19.
cor. 13° 40' East

40.00 Set post for temporary 1/4 sec. cor.

80.20 Intersect W. boundary 15 ls. N. of cor. to
secs. 18 and 19, from which cor. Run
N. 89° 57' E.

Center line between secs. 18 & 19
cor. 13° 40' East

40.20 Set a post, marked 1/4 S. 4 ft long, flattened 3 in.
wide. 4 ft in the ground, drive charred stake
and build mound of earth 2 ft high, with
pit 1 ft deep, 2 ft long, 1 ft wide, all as per
instructions, for 1/4 sec. cor. from which
A mesquite 10 in. dia. at S. 81 1/2° W. 299 ls. dist
do. 8 " " S. 37° W. 150 " "

80.20 Cor. to secs. 17, 18, 19 and 20.
Sand level. Soil rich, mesquite
timber and brush.

Township 9 S. Range 13W.
Gila and Salt River Meridian

Line North between sec. 17 & 18.
a. a. 13° 40' East.

40.00 Set a post, marked 14 S. 4 ft long, flattened 3 in.
wide, 4 ft in the ground, drove charred stakes
and built mound a ft north 2 ft high, with
pits 1 ft deep, 2 ft long, 1 ft wide, all as per
instructions, for 14 sec. cor. from which
A mesquite 20 in. dia. br. N. 89° W. 236 lbs. dist.
do. 9 " " " N. 74 1/2° E. 150 " "

80.00 Set a post, marked and notched, 4 ft long, 3 in. sq. ft.
from the ground, drove charred stakes and built
mound a ft north 2 ft high, with pits 1 ft deep, 2 ft
long, 1 ft wide, all as per instructions, for cont.
secs. 7, 8, 17 and 18. from which
A mesquite 5 in. dia. br. N. 37 1/4° E. 38 lbs. dist.
do. 4 " " " S. 58 3/4° E. 318 " "
do. 8 " " " N. 52 1/4° W. 178 " "

Sand loess. Soil good. Mesquite
timber and brush.

Township 9 S. Range 23 W.
Gila and Salt River Meridian

- 40.00 Set post for temporary 1/4 sec. cor.
60.00 Leave bottom 2 ascend mesa. to N. 1/4 S.
79.81 Intersect N. and S. line 38 lbs. N. of cor.
to secs. 8, 9, 16 1/4 from which cor. from
N. 89° 11' 4" W.
Continue line between secs. 8, 9, 17.
cor. 13' 40" East
39.91 Set a post, marked 1/4 lb. 1/4 ft. long, flattened
3 in. wide. 1 ft. in the ground, above charred
stake and build mound of earth 2 ft. high with
pile 1 ft. deep, 2 ft. long, 1 ft. wide, all as per instruc-
tions for 1/4 sec. cor. from which
a mesquite 16 in dia. to S. 22° W. 158 lbs. set
No other tree near.
79.81 Cor. to secs. 7, 8, 17 and 18.
Soil good in bottom. Mesquite
tree. March 17, 1874

Township 9 S. Range 23 W.
Gila and Salt River Meridian

- 40.00 Set post for temporary 1/4 sec. cor
 79.90 Intersect W. boundary & line to a corner
 Secs. 7 & 18 from which cor. drawn
 N. 89° 57' E.
 On line in between sec. 7 & 18.
 cor. 13° 40' East.
- 37.90 Set a post marked 44 S. 4 ft long, flattened
 3/4 in wide. 4 ft in the ground, drive charred stake
 and build mound against 2 ft high, with pits
 1 ft deep, 2 ft long, 1 ft wide, all as per instruc-
 tions for 1/4 sec. cor. from which
 Amecquite & in dia. to S. 81° E. 350 lns. dist
 do. 10 " " " N. 14° W. 138 " "
- 79.90 Cor. to secs. 7, 8, 17 and 18.
 Sand lead. Soil good. Mes-
 quite timber.

Township 9 S. Range 23 W.
Gila and Salt River Meridian

the North between sec. 17 & 8;
cor. 13° 40' East

40.00 Set a post, marked 48. 4 ft. long, flattened
3 in. wide, 1 ft. in the ground, drove charred
stake and build mound of earth 2 ft. high, with
pits 1 ft. deep, 2 ft. long, 1 ft. wide, all as per in-
structions for these cor. from which
Ameghile 6 inches has S. 18° E. 29 cor. dist
do. 4 " " " S. 61 3/4° W. 34 " "

80.00 Set a post, marked and nailed, 4 ft.
long, 2 in. sq. d. 1 ft. in the ground, drove
charred stake and build mound of
earth 2 ft. high, with pits 1 ft. deep, 2
ft. long, 1 ft. wide, all as per instructions for cor.
to sec. 5, 6, 7 and 8, from which
Ameghile 14 inches has S. 53° W. 130 cor. dist
do. 8 " " " S. 17° W. 120 " "
do. 12 " " " N. 3 1/2° W. 175 " "
do. 7 " " " S. 75 1/4° W. 127 " "
Small hills. Magnitude miles 3 brush.

Township 9 S. Range 23 W
Gila and Salt River Meridian

On random line between secs. 5 & 8.
bear. 13° 40' East

40.00 Set post for temporary Mecc. cor.
45.00 Leave bottom and ascend mesa, to N. 38
79.82 Intersect N. & S. line 12 hrs. N. of cor. to
secs. 4, 5, 8 & 9. from which cor. down
N. 89° 55' W.

On true line between secs. 5 & 8.
bear. 13° 40' East

39.91 Set a post, marked 48. 4 ft long, flattened
3 in wide, 1 ft in the ground, drove charred
stave and built around of earth 2 ft high
with pits 1 ft deep, 2 ft long, 1 ft wide, all as
per instructions for Mecc. cor. from which
I was guided 20 mi. dir. bear. N. 13° E. 65 hrs. dist.
do. 9 " " " N. 54 1/2° W. 134 " "

79.82 Cor. to secs. 5, 6, 7 and 8.
Sand hillocks, Mesquite timber
and brush.

Township 9 S. Range 23 W.
Gila and Salt River Meridian

His West on random line between 6th & 7th
cor. 13th 40' East.

40.00 Set post for temporary 1/4 sec. cor.

80.31 Intersect W. boundary 13th cor. N. of cor. to
secs. 6 and 7 from which cor. Draw
N. 89° 54' E.

On true line between secs. 6 & 7
cor. 13th 40' East

40.31 Set a post, marked 1/4 S. 1/4 E. long, flattened
3 in wide, 1 ft. in the ground, drive charred
stakes and build mound of earth 2 ft high,
with pile 1 ft. deep, 2 ft long, 1 ft wide, all
as per instructions for 1/4 sec. cor.

Once quite 6 in dia. bearing 75 3/4° W. 163 hauled
do. 10 " " bearing 71 3/4° E. 177 " "

80.31 Cor. to secs. 5, 6, 7 and 8.

Sand level. Soil good. Some mes-
quite trees.

Township 9 S. Range 23 W.
Gila and Salt River Meridian

Sec. North on random line bet. sec. 5 & 6.

as. $13^{\circ}40'$ East

40.00 Set post for temporary $\frac{1}{4}$ sec. cor.

79.61 Intersect N. boundary 40 hrs. E. of cor. to
sec. 5 & 6 from which cor. drawn
 $S. 0^{\circ}17'$ E.

Put true line between sec. 5 & 6.

as. $13^{\circ}40'$ East

39.61 Set a post, marked "H.S.", 4 ft. long, flat-
tened 3 in wide, 1 ft. in the ground, drove
charred stake and build mound of
earth 2 ft high, with pit 1 ft deep,
2 ft long, 1 ft wide, all as per instructions
for $\frac{1}{4}$ sec. cor. from which

A mesquite 5 in. dia. to N. $15\frac{1}{2}^{\circ}$ E. 50 hrs. dist.

do. " " S. $11\frac{1}{2}^{\circ}$ E. 40 " "

79.61 Cor. to sec. 5, 6, 7 and 8.

Land level. Soil good. Scattered
Mesquite trees.

March 18, 1894

General Description

This township lies mostly on the mesa, except the W. side, which is in the Colorado bottom.

On the mesa is some Gujote grass. In the bottom the soil is good.

There is considerable mesquite timber, and mesquite and arrow-wood brush on the bottom.

Thos. F. White
U.S. Dep. Surveys

BOOK 1189

LIST OF NAMES.

A List of the Names of Individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing Field Notes of the survey of the subdivision lines of township 9 S. range 23 W. of the Gila and Salt River Meridian

Showing the respective capacities in which they acted.

J. D. Phillips Chainman.

R. A. Vasquez Chainman.

Fred C. Jones Axeman.

J. M. C. Elliott Flagman.

FINAL OATH OF ASSISTANTS.

WE hereby certify that we assisted Theo.
F. White U. S. Deputy Surveyor, in
 surveying the subdivision lines
of Township 9 S. range 23
W. of the Gila and Salt River
Menden

and that said Survey has been in all respects, to
 the best of our knowledge and belief, well and
 faithfully executed, and the boundary monu-
 ments planted according to the instructions fur-
 nished by the Surveyor-General.

J. P. Phillips Chainman.
R. A. Vasquez Chainman.
Fred. C. Jones Axeman.
J. W. B. Elliot Flagman.

Sworn to and subscribed before me, this 20
 day of March, 1874

W. H. H. H.
 Notary Public.


FINAL OATH OF DEPUTY SURVEYOR.

I, Theodore F. White

U. S. Deputy Surveyor do solemnly swear that, in pursuance of a contract with John Wasson, United States Surveyor-General for Arizona, bearing date the 25 day of August

187³ I have, well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-General, the Surveying Manual, and the laws of the United States, surveyed all those portions of

the subdivision lines of town-
ship 9 S. range 23 W.
of the Gila and Salt River
Meridian

as are represented in the foregoing Field Notes as having

been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and also in accordance with the additional requirements contained in circular instructions from the U. S. Surveyor-General for Arizona, dated September 1, 1873, regarding the establishment of corner boundaries of public surveys, and that the foregoing are the true and original Field Notes of such surveys.

Theodore F. White

Deputy Surveyor.

Sworn to and subscribed before me, this 30
day of March, 1874

John A. [Signature]

Notary Public

BOOK 1189

U. S. Surveyor General's Office,
Tucson, Arizona, May 9., 1874

The foregoing Field Notes of the survey of

The Subdivision lines of Town
Ship T. S. range 23 N.

of the Gila and Salt River Base and Meridian, Arizona,
executed by Theodore F. White,
D. S., under his contract of the 25th day of
August, 1873, having been critically ex-
amined and the necessary corrections and explanations
made, the said Field Notes and the surveys they de-
scribe, are hereby approved.

John Mason

Surveyor General.