

No. 1190

BOOK 1190

Field Notes

1190

OF THE SURVEY OF THE

BOOK 1190

SUBDIVISION LINES

Subs. & Meander

Township *T. S.* Range *21 N.*

Gila and Salt River Base and Meridian

ARIZONA.

No. 1190

By *Geo. F. White* D. S.

under contract dated *July 7* 1873.

Survey commenced *Feb. 11* 1874.

Survey completed *Feb. 17* 1874.

1A

PRELIMINARY OATHS OF ASSISTANTS.

WE, *J. D. Phillips*

and *R. A. Vasquez*

solemnly swear that we will faithfully execute the duties of Chain Carriers; that we will level the chain upon uneven ground, and plumb the tally rods, whether by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability.

J. D. Phillips
R. A. Vasquez

sworn to and subscribed before me, this *29*
day of *December*, 1873

H. Wilson
Tokay, N. H.

W.E. *Fred. C. Jones*

J. M. C. Elliott

do solemnly swear that we will well and truly perform the duties of *Aceman and*
flagman respectively
according to instructions given us, and to the best of our skill and ability.

Fred. C. Jones

J. M. C. Elliott

Sworn to and subscribed before me this

29

day of *December* 1873



H. H. H. H.

Notary Public.

10

4-674.

Township

9^d R. 24th

BOOK 1190

6	60	5	44	4	33	3	22	2	11	1
59	54	45		43		32		21		10
7	57	8	42	9	31	10	20	11	9	12
56		54		41		30		19		8
18	55	17	40	16	29	15	18	14	7	13
		53		39		28		17		6
19	52	20	38	21	27	22	16	23	5	24
51		50		37		26		15		4
30	49	29	36	28	25	27	14	26	3	25
48		47		35		24		13		2
31	46	32	34	33	23	34	12	35	1	36

Meanders 62-63.

Township 9 S Range 24 N
Gila and Salt River Meridian

From the cor. to sec. 35 & 36 on the S.
boundary of the Township. From
North between sec. 35 & 36.
Cor. 13° 38' East.

As per E. boundary.

40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft long, flattened 3 in wide, 1 ft
in the ground, drive charred stake and build mound of earth
3 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, all as per in-
struction for 1/4 sec. cor. From which
S. mesquite 14 in. dia., bearing S. 30° E. 91 lbs. dist.
do. 8 " " " S. 83 1/2° W. 300 "

80.00 Set a post, marked & notched, 4 ft long, 3 in. sq. d., 1 ft
in the ground, drive charred stake and build mound
of earth 3 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, all
per instructions for cor. to sec. 25, 26, 35 & 36, from which
S. mesquite 14 in. dia., bearing S. 14 1/2° W. 174 lbs. dist.
do. 7 " " " S. 28° E. 209 " "

No other trees near.

Land level. Soil sandy. Some mesquite trees.

Township 9 S. Range 24 W.
Gila and Salt River Meridian

Sec East meridian bet sec. 25 & 26.
cor. 13° 38' East

- 40.00 Set post for temporary 1/4 sec. cor.
- 63.00 Road runs N.E. and S.W.
- 80.10 Intersect E. boundary of Sec. S. after to sec. 25 & 26. from a posth. cor. 200 p. S. 89° 54' W.

Between line bet sec. 25 & 26.
cor. 13° 38' East

- 40.05 Set a post, marked 1/4 S. 4 ft long, flattened 3/4 in wide, 1/2 in the ground, drive charred stake and build mound of earth 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, all as per instructions for 1/4 sec cor. from which

A mesquite *binidia*. bearing N. 89° W. 31 cor. dist
do 8 " " N. 29° W. 109 "

- 80.10 The cor. to sec. 25, 26, 35 and 36. Sand local. Soil good. Mesquite timber and brush.

Township 9 S Range 211 W
 Gila and Salt River Meridian

On North between sec. 25 and 26.
 cor. 13° 35' East.

40.00 Set a post, marked 4 S. 4 ft long, flattened 3 in wide,
 1 ft in the ground, drive charred stakes and build
 mound a fourth 2 ft high with pit 1 ft deep, 2 ft long
 1 ft wide, all as per instructions for these cor. from which
 S. 86 1/2° W. 55 lbs. dist.
 do 5 " " S. 22° E. 134 " "

80.00 Set a post, marked and notched, 4 ft long, 3 in. sq ft,
 1 ft in the ground, drive charred stakes and build mound
 of earth 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide,
 all as per instructions for cor. to sec. 23, 24, 25
 and 26, from which
 S. 49° E. 47 lbs. dist.
 do 7 " " S. 53 1/2° W. 100 " "
 do 8 " " S. 37° W. 78 " "
 do 13 " " S. 18° E. 108 " "

Land lead. Soil good. Considerable
 Mesquite timber. Brush.

Township 9 S. Range 24 W.
Gila and Salt River Meridian

Sec East on random line bet. Secs. 24 & 25
var. 13° 38' East

40.00 Set post for temporary 4 sec. cor.
80.35 Interset E. boundary 15 br. S. of cor. to sec.
24 & 25, from which cor. from
S. 89° 52' W.

On true line between secs. 24 and 25.
var. 13° 38' East

40.17 Stake marked 4 S. 4 ft long, flattened 3 in.
wide, 4 ft in the ground, driven chanced stake
and built mound of earth 2 ft high, with pile
4 ft deep, 2 ft long, 4 ft wide, all as per instructions
for these cor., from which
S. 44° W. 184
do 13 " " " N. 81° E. 222 . .

80.35 The cor. to Secs. 23, 24, 25 and 26.
Land level. Soil sandy.
Considerable mesquite timber.
Brush.

Township 9 S. Range 24 W.

Gila and Salt River Meridian

the North to success. 23 & 24.

var. 13' 38' East

40.00 Set a post, marked 4 by 4 ft long, flattened 3 in wide
1 ft in the ground, drive charred stake and build
mound of earth 2 ft high, with pits 1 ft deep, 2 ft
long, 1 ft wide, all as per instructions for these cor.
from which

Some guide 12 in. dia. bar. N. 79 $\frac{1}{2}$ ° E. 267 lbs. dist

do 12 " " " S. 7° W. 79 " "

80.00 Set a post, marked and notched, 4 ft long, 3 in 2 ft
1 ft in the ground, drive charred stake and build mound
of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide,
all as per instructions for cor. to sec. 13, 14, 23 and 24
from which

Some guide 6 in. dia. bar. S. 50 $\frac{1}{4}$ ° W. 144 lbs. dist

do 8 " " " N. 61° W. 254 " "

No other trees near.

Sand lead. Soil good. Mesquite
timber.

Township 9 S. Range 24 W.
Gila and Salt River Meridian

- | | |
|-------|--|
| 39.00 | Set East corner line bet. sec. 13 ⁴ & 14
var. 13'38" East |
| 39.00 | Dry wash runs S.W. |
| 40.00 | Set post for temporary 1/4 sec. cor. |
| 79.93 | Intersect E. boundary 10 hrs. S. of cor.
to sec. 13 and 24, from which cor. runs
S. 89°56' W. entire line bet. sec. 13 ⁴ & 14
var. 13'38" East |
| 39.97 | Set a post, marked 1/4 S. 4 ft long, flattened
3 in. wide, 1 ft in the ground, drive chanced
stake and build mound of earth 2 ft high, with
pit 1 ft deep, 2 ft long, 1 ft wide, all as per instruc-
tions, for 1/4 sec. cor. from which
A. mag. 8 in. dia. br., S. 79° E. 92 hrs. dist
do 10 " " " S. 51 1/2° W. 52 " " |
| 79.93 | The cor. to sec. 13, 14, 23 and 24.
Good local soil good. Ranch.
Considerable magnitude timber. |

Township 9 S. Range 24 W.

Gila and Salt River Meridian

To North between sec. 13 & 14.

var. 13° 35' East.

40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft. long, flattened
 3 in. wide, 1 ft. in the ground, nails charred
 stove and built mound of earth 2 ft. high
 with pit 1 ft. deep, 2 ft. long, 1 ft. wide, all as per
 instructions for sec. co. from which
 S. once point 7 in. dia. br. N. 69½° W. 174 lbs. dist.

do 5 " " S. 19° E. 196 " "

80.00 Set a post, on marked and notched, 4 ft. long, 3 in.
 sq'd. 1 ft. in the ground, nails charred stove,
 and built mound of earth 2 ft. high, with pit 1 ft.
 deep, 2 ft. long, 1 ft. wide, all as per instructions for
 co. to sec. 11, 12, 13 & 14, from which
 S. once point 10 in. dia. br. S. 22° W. 229 lbs. dist.

do 8 " " N. 21½° E. 118 " "

do 7 " " N. 11¼° E. 203 " "

North tree near.

Land lead. Soil good. Mesquite timber.
 Brush.

Township 9 S. Range 24 W.
 G. Gila and Salt River Meridian.

	Sec. East on main line bet. sec. 12 & 13. var. 13° 38' East
11.00	Dry wash 50 ls. wide, runs S.E.
40.00	Set post for temporary 1/4 sec. cor.
79.87	Intersect E. boundary 48 ls. S. of cor. to Sec. 12 & 13. from which cor. down S. 89° 39' W. on main line bet. sec. 12 & 13 var. 13° 38' East
39.91	Set apart. marked 1/4 S. 1/4 E. long, flattened 3 in wide, 1 ft in the ground, 3 in channel stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, all as per instructions for 1/4 sec. cor. from which A one square 12 in diameter S. 42 1/2° W. 38 ls. dist do 8 " " S. 84 1/2° E. 150 " "
79.82	The cor. to Sec. 11, 12, 13 and 14. Sand lead. Salt g. L. Some mesquite timber.

Township 9 S Range 24 W.
Gila and Salt River Meridian

Co North between sec 11 & 12.

cor. 13° 38' East

40.00 Set a post marked 1/4 S. 4 ft long, flattened 2 in.
wide. 1/2 in the ground, driven charred stake and
bush mound of earth 2 ft high, with pile 1 ft deep,
2 ft long, 1 ft wide, all as per instructions for the sec.
cor. from which

Some 1/4 mile 20 in. dia. bur. S. 5 1/4° E. 104 Cor. dist

do 3 . . . N. 65° W. 139 " "

80.00 Set a post marked and notched 1/2 ft long, 3 in. sq ft.
1/2 in the ground, driven charred stake and bush mound
of earth 2 ft high, with pile 1 ft deep, 2 ft long, 1 ft wide
all as per instructions for the cor. to sec. 1, 2,

11 and 12, from which

Some 1/4 mile 12 in. dia. bur. N. 67 1/2° W. 22 Cor. dist

do 6 . . . S. 24 1/2° W. 18 " "

do 8 . . . N. 57° E. 26 " "

do 9 . . . S. 56 1/2° E. 35 " "

Land level. Soil good. Considerable
Mesquite timber.

Township 9 S. Range 24 W.
 Gila and Salt River Meridian

39.00	East or random line bet. sec. 1 & 12. cor. $13^{\circ}38'$ East
40.00	Road runs N.E.
40.00	Set post for temporary $\frac{1}{4}$ sec. cor.
69.00	Road runs N.E.
80.48	Intersect E. boundary 27 lvs. S. of cor. to sec. 1 & 12, from which cor. Damm $S. 89^{\circ}51'$ N. on true line bet. sec. 1 & 12. cor. $13^{\circ}38'$ East
40.24	Set a post, marked $\frac{1}{4}$ ft. long, flattened 3 in wide, 1 ft in the ground, drive chanced stake and build mound of earth 2 ft high with pile 1 ft deep, 2 ft long, 1 ft wide, all as per instructions for $\frac{1}{4}$ sec. cor. from which A magnite 10 in dia. has $S. 59\frac{1}{2}' W. 93$ lvs. dist do 6 . . . $S. 44^{\circ} E. 64$. . .
80.48	The cor. to sec. 1, 2, 11 and 12. Land lead. Soil red shale. Very Bonshy. Some magnite timber

Township of S. Range 24 N.
Gila and Salt River Meridian

His North ^{meridian line} between sec. 1 & 2.
var. $13^{\circ}38'$ East.

39.00 Wood and runs N. E.

40.00 Set post for temporary 1/4 sec. cor.

80.15 Intersect N. boundary 46 ls. W. of cont.
sec. 1 & 2, from which cor. from

S. $0^{\circ}20'$ N. on true line bet sec. 1 & 2.

var. $13^{\circ}38'$ East

40.15 Set a post, marked 1/4 S. 4 ft long, flattened
3 in wide, 1/2 in the ground, drive charred stake
and build mound of earth 4 ft high, with
pit 1/2 deep, 2 ft long, 1 ft wide, all as per in-
structions for 1/4 sec. cor. from which
Amuegudi 8 in dia. S. 2° E. 24 ls. dist
do 16 " " " S. $68^{\circ}34'$ W. 24. "

80.15 The cor. to sec. 1, 2, 11 and 12.

Land lead. Soil 1st rate.

Mesquite timber and brush.

February 11, 1874

Township 9 S. Range 24 W.
Gila and Salt River Meridian

To North between sec. 34 & 35.
var. 13° 38' East

48.00 Set a post, marked ^{1/2} in. 4 ft long, flattened 3 in. wide, 1 ft in the ground, drive chased stake and build mound of earth 2 ft high, with pile 1 ft deep, 2 ft long, 1 ft wide, all as per instructions for these cor. from which
A mesquite 36 in. dia. br. N. 28° W. 356 br. dist
No other trees near.

80.00 Set a post, marked and notched, 4 ft long, 3 in. sq. 1 ft in the ground, drive chased stake and build mound of earth 2 ft high, with pile 1 ft deep, 2 ft long, 1 ft wide, all as per instructions for cor. to sec. 26, 27, 34 & 35. from which
A mesquite 9 in. dia. br. S. 71 3/4° W. 79 br. dist
do 10 " " " N. 58 1/2° W. 217 " "
do 7 " " " S. 12 1/2° W. 178 " "
do 10 " " " N. 4 1/2° E. 275 " "
Sand somewhat rolling Soil good.
Mesquite timber. Some sand hills along line.

Township 9 S. Range 24 N.
Gila and Salt River Meridian

Set East on random line bet sec. 26 & 35
var. 13° 38' East

40.00 Set post for temporary 1/4 sec. cor.

79.92 Set west N. and S. line bet N. of cor. to sec.
25, 26, 35 & 36, from which cor. Run
N. 89° 57' W. on line bet sec. 26 & 35
var. 13° 38' East

39.96 Set a post, marked 1/4 S. 4 ft long, flattened
3 in. wide, 1 ft in the ground, drive charred
stake and build mound of earth 2 ft high,
with pit 1 ft deep, 2 ft long, 1 ft wide, all as per
instructions for 1/4 sec. cor. from which
A mesquite 7 in dia. base N. 21 1/2° E. 21 len. dist
do. 8 " " " N. 36° W. 94 " "

79.92 The cor. to sec. 26, 27, 34 and 35.
Sand beach. Soil st rate.
Mesquite timber and brush.

Township 9 S Range 24 N.
 Gila and Salt River Meridian.

Line North between sec. 26 & 27
 cor. 13° 38' East

40.00 Set a post, marked $4\frac{1}{2}$ ft. long, flattened
 3 in. wide, 1 ft. in the ground, drive charred
 stake and build mound of earth 2 ft. high
 with pile 1 ft. deep, 2 ft. long, 1 ft. wide, all as
 per instructions for "sec. cor. from which
 Amesquite 15 in. dia. bearing S. 13 1/2° E. 166. dist.
 do 20. . . . N. 67° W. 255. . . . "

80.00 Set a post, marked and notched, 4 ft. long, 3 in. sq.
 1 ft. in the ground, drive charred stake and build
 mound of earth 2 ft. high with pile 1 ft. deep, 2 ft. long, 1 ft.
 wide, all as per instructions for cor. to sec. 22,
 23, 26 and 27, from which
 Amesquite 5 in. dia. bearing N. 58 1/2° E. 82. dist.
 do 7. . . . S. 85 1/4° E. 313. . . . "

No other trees near.
 Good lead. Soil good. Mesquite tim-
 ber and brush.

Township 9 S. Range 24 W.
Gila and Salt River Meridian

to East meridian line bet. sec. 23 and 26.
cor. $13^{\circ}38'$ East.

40.00 Set post for temporary this cor.

79.90 Intersect N. and S. line 12 ls. S. of cor. to sec.
23, 24, 25 & 26. from which cor. from
S. $89^{\circ}55'$ W.

between line between sec. 23 and 26.
cor. $13^{\circ}38'$ East

39.95 Set apart marked 14 S. 4 ft long, flattened 3 in.
wide, 4 ft in the ground, drive channel stake and
build mound beneath 3 ft high, with pits 4 ft deep,
3 ft long, 4 ft wide, all as per instructions for 14
sec. cor. from which

Arrow guide 5 in. dia. N. $51\frac{1}{2}^{\circ}$ W. 98 ls. dist
do 8 " " N. $82\frac{1}{2}^{\circ}$ E. 238 " "

79.90 The cor. to sec. 22, 23, 26 and 27.
Sand lead. Soil good. Considerable
mesquite. Arrowwood brush.

Township 9 S. Range 24 N.
Gda and Salt River Meridian

Co. North between sec. 22 & 23.
cor. 13° 38' East

40.00 Set a post, marked 48, 4 ft long, 3 in. wide,
1 ft in the ground, drive charred stake and build mound
4 feet high with pile 1 ft deep, 2 ft long, 1 ft wide
all as per instructions for 4 sec. cor. from which
A mesquite 10 in. dia. bet. N. 2° W. 291 lbs. dist
do 8 " " " S. 80 1/4° E. 242 " "

80.00 Set a post, marked and notched, 4 ft long, 3 in. sq. ft.,
1 ft in the ground, drive charred stake
and build mound 4 feet high
with pile 1 ft deep, 2 ft long, 1 ft wide, all as per
instructions for cor. to sec. 14, 15, 22
and 23, from which
A mesquite 6 in. dia. bet. S. 52° W. 235 lbs. dist
do 7 " " " N. 43 1/2° W. 26 " "
No other trees near.
Sand beach. Soil 1st rate.
Some mesquite timber.

Township 9 S. Range 24 W.
Cala and Salt River Meridian

the East on random line between sec. 14 & 23.
var. $13^{\circ}38'$ East

29.00 Road bet. S.W. and N.E.

40.00 Set post for temporary 1/4 sec. cor.

70.00 Wash 110 lbs. wide, run S. E.

79.80 Intersect N. and S. line 12 lbs. S. of cor. to sec.
13, 14, 23 and 24, from which cor. Down
S $89^{\circ}55'$ N.

On true line between sec. 14 and 23.
var. $13^{\circ}38'$ East

39.93 Set a post, marked 1/4 S. 4 ft long, flattened 3 in.
wide, 1 ft in the ground, drive charred stake
and build mound 2 ft high, with pit 1 ft deep,
2 ft long, 1 ft wide, all as per instructions for 1/4
sec. cor. from which

Amesquite 4 in. dia. bet. $461^{\circ}E$. 80 lbs. dist
to other trees near.

79.85 The cor. to sec. 14, 15, 22 and 23.
Land mostly level. Soil good.
Some mesquite trees.

Township 9 S. Range 24 W.
Gila and Salt River Meridian

No. North between sec. 14 & 15.
and 13° 38' East

20.00 Road runs S. W.

21.00 Fence br. S. 83° 4' E, and enters field in a little hollow.

27.50 Fence and clear field br. S. E. and S. W.

30.00 Set apart, marked 4 1/2 fl. long, 3 in. wide, 1/2 fl. in the ground, have
shaved stakes and build mound of earth 2 fl. high, with pile of 1/2 fl. of
long, 1/2 fl. wide, all as per instructions for these cor. from which
Amesquite 8 in. dia. br. S. 46° W. 76 lbs. dist
do 5 " " " N. 8° E. 55 " "

50.00 Set apart, marked & notched, 4 fl. long, 3 in. sq. 1/2 fl. in the ground, have
shaved stakes and build mound of earth 2 fl. high, with pile of 1/2 fl. of
long, 1/2 fl. wide, all as per instructions for cor. to sec.
10, 11, 14 and 15. from which
Amesquite 8 in. dia. br. N. 61° W. 147 lbs. dist
do 10 " " " S. 71° E. 82 " "
do 12 " " " S. 43 1/2° E. 142 " "
do 5 " " " N. 44° E. 48 " "

Land lead, soil good. Mesquite timber.

Township 9 S. Range 24 N.
Gila and Salt River Meridian

Sec. 13
East on random line bet. sec. 11 & 14.
var. 13°38' East

- 28.50 Fences of canal bet. N. and S.
33.00 Wide slough, water shallow.
37.00 Fences of canal on opposite side, and low water and second bank bet. N. E. and S. W.

38.00 Home of Baker's ranch 5 Chs. N. of line.

40.00 Sit temporary base cor.

54.00 Road bet. N. E.

57.00 Road bet. N. E.

79.93 Intersect N. and E. line 11 Chs. S. of cor. to sec. 11, 12, 13 and 14, from which cor. I am

S. 89°55' N. on true line bet. sec. 11 & 14.
var. 13°38' East

79.97 Sit post, marked "45", 2 ft long, flattened 3 in. wide, 1/2 in. the ground, driven down 1/2 way and build mound of earth 2 ft high, with pit 1 ft deep 2 ft long, 1 ft wide, 1/2 ft deep, to set on top of base cor. from which I am quite 3 in. dist. bet. N. 72° E. 112 Chs. dist
" 7 " " S. 15° N. 150 "

79.98 The cor. to sec. 10, 11, 14 and 15.

Land mostly lead. Soil good. mesquite timber.

Township 9 S. Range 24 N.
Gila and Salt River Meridiana

- North between sees. 10 & 11,
or. 13° 38' East
- 40.00 *Set apart, marked by S. 4 ft. long, flattened
3 in. wide, 1 ft in the ground, driven chanced stake
and build mound 4 ft north 2 ft high, with pile 1 ft
deep, 2 ft long, 1 ft wide, all as per instruction
for Merc. Co. from which
A willow 8 in dia. has S. 89° E. 29 lbs. dist
Hottonwood 13 " " " S. 34 1/2° E. 39 " "
House on opposite side of Laguna has S. 76° E.
and is about 10 chs. dist*
- 43.00 *Laguna or slough 6 chs. wide, has N. W. and
S. E. shallow water.*
- 50.00 *Set apart, marked and notched, 4 ft long, 3 in. sq. 1 ft in the
ground, driven chanced stake, and build mound 4 ft
high, with pile 1 ft deep, 2 ft long, 1 ft wide, all as per instruc-
tion for con. to sees. 2-3-10 & 11. No trees near.
Land level. Soil good. Some mesquite, cat-
tawood and willow tree, along slough.*

Township 9 S. Range 24 W.
Gila and Salt River Meridian

To East corner line sec. 2 1/4 11
var. 13° 38' East.

40.00 Set temporary 1/4 sec. cor.

118.00 Road runs N. E.

79.88 Dist. bet N. and S. line 8 ls. N. of cor. to sec.
12, 11 and 12 from which cor. Run
N. 89° 57' W.

On true line between sec. 2 1/4 11.

var. 13° 38' East.

39.94 Set a post marked W.S. 1/4 ft. long, flattened
3 in. wide. 1 ft. in the ground, drive a nail 1 1/2 ft. long
and build mound of earth 2 ft. high, with pile of flats
2 ft. long, 1 ft. wide, all as per instructions for 1/4
sec. cor. from which,

Angle of side 13 in. dia. to N. 7 1/2° E. 129 cord dist
do 8 " " " 5.65° E. 103 " "

79.88 The cor. sec. 2, 3, 10 and 11.
Land lead, Soil 1st rate.
Mesquite timber.

Township 9 S. Range 24 N.
Gila and Salt River Meridian

To North or random line between 2^d 3.
or 13'38" East

40.09 Set temporary base cor.

80.11 Intersect N. boundary 13th Sec. 10th of cor. to sec.
2^d 3. from which cor. Down
80° 6' N.

Continue line between sec. 2^d 3.
or 13'38" East

40.11 Set a post, marked 45. 4 ft. long, flattened
3 in wide, 4 ft in the ground, drive charred
stake and build mound of earth 2 ft high,
with pit 4 ft deep, 2 ft long, 1 ft wide, all as per
instructions for base cor. from which
A mesquite 3 in diameter N. 70¹/₂° W. 59¹/₂ Sec. had
No other trees near.

80.11 The cor. to sec. 2, 3, 10 and 11.
Sand loam. Soil good.
Some mesquite timber. 1 Brush.

February 12, 1874

Township 9 S. Range 24 W.
Gila and Salt River Meridian

As North between sec. 33 $\frac{1}{2}$ 34
var. 13'38" East

10.00 Road var. S.W.

30.00 Road var. S.W.

40.00 Set a post, marked 44 S. 4 flong, flattened 3 in wide
upon the ground, drive charred stake and build mound
4 ft high, with pit 1 ft deep, 2 ft long, 1 ft
wide, all as per instructions for 1400.00 from which
Magna 10 in dia. var. N. 68° E. 84 var. dist.

do 12 " " " S. 74 $\frac{1}{2}$ ° W. 86 " "

80.00 Set a post, marked and notched, 4 flong, 3 in wide
upon the ground, drive charred stake and build mound
4 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, all
as per instructions for cor. trees. 27, 28, 33 & 34, fr. which
Magna 9 in dia. var. N. 9 $\frac{1}{2}$ ° E. 15 var. dist.

do 12 " " " N. 67° W. 35 " "

do 13 " " " S. 35 $\frac{1}{4}$ ° E. 47 " "

do 14 " " " N. 15 $\frac{1}{4}$ ° W. 100 " "

Land lead. Soil good. Magna 10 in dia. timber.
Dm h.

Township 9 S Range 24 N.
Gila and Salt River Meridian

This East or random line bet. sec. 27 & 34.
a. or. 13038' East

17.00 Road bet. S. Wind N. E.

10.00 Set temporary these cor.

79.89 Intersect N. & S. line 4 lines S. of cor. to sec.
26, 27, 34 and 35 from which cor. I run
S. 89° 57' N.

Continue line between sec. 27 & 34.
a. or. 13038' East.

39.95 Set a post, marked 1/4 S. 4 ft. long, flattened
3 in wide, 1 ft in the ground, drive chains between
and build mound of earth 2 ft high, with posts
1 ft deep, 2 ft long, 1 ft wide, all as per instructions
for these cor. from which

A meaquide 7 in diameter S. 80° E. 98 lbs. dist.
to 6. " " S. 15° W. 1774 "

79.89 The cor. to sec. 27, 28, 33 and 34.
Sand bed. Soil 1st rate.
Heavy meaquide on W. end.

Township 9 S. Range 24 W.
Sola and Salt River Meridian

Co. North between sec. 27 & 28.
lat. $13^{\circ}38'$ East

32.00 Road bet. S. W. and N. E.

40.00 Set post, marked the S. 4 ft long, flattened in end, 1 ft in the ground, drove
sharred stake, and build mound of earth 2 ft high, with feet of deep.
2 ft long, 1 ft wide, all as per instructions for these cor. from which
some give 7 in. dia. bet. S. $62^{\circ}42'$ W. 42 chs. dist.
do. 7. . . . S. $9^{\circ}11'$ W. 66 " "

59.00 Second band and cross fence bet. E. and W.

64.00 Fence bet. E. and W.

71.00 2 deer huts 2 chs. E. of line.

71.30 Band of high slough bet. N. E. and S. W. Set flag
on line on opposite side, then measure off a base line 7 ch. E.
from which flag bet. N. $6^{\circ}27'$ W., this gives distance across
slough as 8.62 chs, which added to previous dist. gives

79.92 Opposite bank of slough.

80.00 Set post, marked & marked 4 ft long, 3 in. sq. 1 ft in the ground, drove
sharred stake, and build mound of earth 2 ft high, with feet of deep.
2 ft long, 1 ft wide, all as per instructions for cor. E. & sec. 27 & 28, for which
some give 3 in. dia. bet. N. $42^{\circ}10'$ E. 28 chs. dist.
do. 4. . . . N. $51^{\circ}10'$ E. 164 " "

Northwest trees near. Sand lead. Soil & strata.
Heavy mesquite on S. end. Willow along slough.

Township 9 S. Range 24 W.
Gila and Salt River Meridian

On East corner of line bet. secs. 22 & 27.
cor. $13^{\circ}38'$ East

A large slough prevents my running E. from the
cor. I therefore commence at a point 8.70 chs.
S. of cor. to secs. 21, 22, 27 and 28, on S. bank of slough,
and run E. on effect line.

15.00 To a point. Thence I run N. 8.70 chs. to
line between secs. 22 & 27, on S.E. side of slough,
and thence E.

20.00 Road bet. S.W. and N.E.

35.00 Road bet. S.W. and N.E.

40.00 Set temporary true cor.

65.00 Road bet. S.W.

79.60 Intersect N. and S. line 20 chs. N. of cor.

to secs. 22, 23, 26 & 27 from which cor. I run
N. $89^{\circ}51'$ W. on line bet. secs. 22 and 27
cor. $13^{\circ}38'$ East

39.80 Set a post marked "S. 4 ft. long, flattened 3 in. wide, 1/2 in. the ground,
& vice chanced steel, and built around opposite 2 ft high, with post of black
2 ft long, 1/2 in. dia. also per instructions true cor. from which
I measure 2 inches bet. S. $50\frac{1}{2}^{\circ}$ W. 17 chs. dist.

Do 3 " " " S. $34\frac{1}{2}^{\circ}$ E. 103
79.60 Cor. to secs. 21, 22, 27 and 28. Sand trail. Set out
gate. Willow and Mesquite. The slough is only a temporary body of water.

Township 9 S. Range 34 N.
Gila and Salt River Meridian

Line North between sec. 21 & 22.

var. $13^{\circ}38'$ East

1.00 Fence cor. S.W. and N.E.

36.00 Indian hut 5 chs. E. of line.

40.00 Set a post marked $\frac{1}{4}$ S. $\frac{1}{4}$ ft long, flattened 3 in. wide, 1 ft in the ground, drive charred stake and build mound beneath 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, all as per instructions for $\frac{1}{4}$ sec cor. No trees near.

80.00 Set a post, marked and notched, 1 ft long, 3 in. sq ft, 1 ft in the ground, drive charred stake and build mound beneath 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, all as per instructions for the cor. to Secs. 15, 16, 21 and 22, from which

Stations 6 in dirks. S. 43° W. 65 lns. dist.

do 5 " " " N. 57° E. 40 " "

No other trees near.

Land level. Soil 1st rate. Willow and Cottonwood in strips

Township 9 S. Range 24 W.
Eda and Salt River Meridian

- Co. East meridian line between sec. 15 & 22.
cor. 13°35' East
- 10.65 Edge of slough cor. N.W. & S.E. Set flag on
opposite side on line and measure off about
1 ch. S. 30° E. to a point from which flag cor. N. 80° E.
which give dist. of 5.67 ch. or
- 16.32 Opposite side of slough.
- 22.00 Second band cor. N. and S.
- 39.00 Road cor. N.E. and S.W.
- 40.00 Set temporary true sec. cor.
- 80.04 Intersect N. and S. line 8 ch. N. of cor. to sec.
14. 15. 22 and 23. from which cor. I run
N. 89° 57' W. on true line bet. sec. 15 & 22.
cor. 13°38' East
- 40.03 Set a post, marked for S. of slough, 2 1/2 in. wide. 1 ft. from the ground
drain channel, place and build a monument of granite 2 ft high, with hole 1 ft. dia.
2 ft long. 1 ft wide, all as per instructions for true cor. from which
I measure 8 ch. S. cor. N. S. 40 1/2° W. 123 ch. to
no other trees near.
- 80.04 The cor. to sec. 15. 16. 21 and 22.
Land level. Soil good. Willows and cat-
taunood along slough.

Township 9 S Range 24 N.
Sida and Salt River Meridian

Sec. North between sec. 15 & 16.
cor. $13^{\circ}38'$ East

17.00 Slough 50 less wide, base N. W.

40.00 Set apart, marked 48. 4 ft long, flattened 3 in wide
1 ft in the ground, drive chanced stake and build mound beneath
2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, all as per in-
structions for 1/4 sec cor. from which
Amesquite 7 in. dia. base $S. 80^{\circ} \frac{1}{2}^{\circ} E.$ 174 ft. dist.
A willow 5. " " $S. 45^{\circ} W.$ 103 " "

80.00 Set apart, marked and notched 4 ft long, 3 in. sq ft
1 ft in the ground, drive chanced stake and build mound of
mud 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, all as
per instructions for cor. to sec. 9, 10, 15 & 16, from which
Scatterwood 16 in. dia. base $N. 13^{\circ} E.$ 91 less. dist.
do. 12. " " $N. 1^{\circ} E.$ 74 " "
do. 15. " " $S. 35^{\circ} \frac{1}{2} W.$ 55 " "
do. 7. " " $S. 57^{\circ} \frac{1}{2} E.$ 113 " "

Land mostly level. Soil good.

Cottonwood and willow timber.

Township 9 S. Range 24 N.
Gila and Salt River Meridian

Co East on main line bet sec. 10 & 15.
sur. $13^{\circ}38'$ East.

110.00 Set post for temporary $\frac{1}{4}$ sec. cor.

79.86 Intersect N. and S. line of Sec. N. of cor.
to sec. 10, 11, 14 and 15 from which cor. run
N. $89^{\circ}56'$ W.

On true line between sec. 10 & 15.
sur. $13^{\circ}38'$ East

39.93 Set a post, marked $\frac{1}{4}$ S. $\frac{1}{4}$ ft. long, flattened
3 in. wide, $\frac{1}{4}$ ft. in the ground, drive channel
stake and build mound of earth 2 ft. high,
with pits 1 ft. deep, 2 ft. long, 1 ft. wide, all as
per instructions for $\frac{1}{4}$ sec. cor. from which
hardwood 7 in. dia. be. S. 69° W. 56 lbs. dist

do 6 " " " N. 45° W. 31 " "

79.86 The cor. to sec. 9, 10, 15 and 16.

Sand lead. Soil good sandy.

Cottonwood, willow and mesquite
trees.

Township 9 S. Range 24 N.
Ida and Salt River Meridian

Line North between sec. 9 and 10.

var. $13^{\circ}38'$ East

40.00 Set a post, rounded $4 \frac{1}{2}$ ft long, flattened
3 in. wide, 1 ft in the ground, drive a round
stake and build mound a foot $2 \frac{1}{2}$ ft high, with
pits 1 ft deep, 2 ft long, 1 ft wide, all as per instruc-
tions for these cor. from which

Run line 6 in. dia. bar. N. $47 \frac{1}{2}^{\circ}$ E. 69 cor. dist

do 7 " " " S. 68° E. 200 " "

80.00 Set a post, rounded and notched, $4 \frac{1}{2}$ ft long, 3 in.
sq. d. 1 ft in the ground, drive a round stake and
build mound a foot $2 \frac{1}{2}$ ft high, with pits 1 ft
deep, 2 ft long, 1 ft wide, all as per instructions for
cor. to secs. 3, 4, 9 and 10. from which

Run $2 \frac{1}{2}$ in. dia. bar. N. 74° E. 22 cor. dist

do 5 " " " S. 50° W. 128 " "

do 3 " " " N. 56° W. 81 " "

do 3 " " " N. $1 \frac{1}{2}^{\circ}$ E. 55 " "

East half mile very sandy. Very brushy
on S. end.

Township 9 S. Range 24 W.
Gila and Salt River Meridian

On East boundary line bet sec. 3 & 10
cor. $13^{\circ}38'$ East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

46.00 Second bank of old channel.

80.05 Intersect N. and S. line 10 ls. N. of cor. to
secs. 2, 3, 10 and 11, from which cor. Run
N. $89^{\circ}56'$ W. into line bet sec. 3 & 10.
cor. $13^{\circ}38'$ East.

40.02 Set a post, marked $\frac{1}{4}$ S. $4\frac{1}{2}$ ft long, flattened
3 in. wide, 1 ft in the ground, drive channel stakes
and build mound of earth 2 ft high, with pit
1 ft deep, 2 ft long, 1 ft wide, all as per metric
plan for $\frac{1}{4}$ sec. cor. from which
a magnetic 5 in. dia. br. N. 78° W. 31 ls. dist.
do 7 " " S. 14° E. 42 " "

80.05 The cor. to sec. 3, 4, 9 and 10.
Soil good sandy loam
very brushy.

Township 9 S. Range 24 N.
 Colorado Salt River Meridian

To North or random line bet sec. 3 & 4.
 var. $13^{\circ}38'$ East

20.00 Indian hole 5 Chs. W. of line

40.00 Set post for temporary base cor.

44.00 Second bend of old channel.

79.95 Intersect N. boundary 9 Chs. W. of cor. to
 sec. 3 and 4. from which cor. down
 $S. 0^{\circ}4' W.$ on true line bet sec. 3 & 4.

var. $13^{\circ}38'$ East

39.95 Set a post, unmarked 14 S. 4 ft long, flathead 3 in.
 wide, 1 ft in the ground, drive charred steel
 and build mound of earth 1 ft high, with pile 1 ft deep, 2
 ft long, 1 ft wide, all as per instructions for base
 cor. from which

A cottonwood 20 in. dia. bet N. $6^{\circ} W.$ 61 Chs. dist
 A mesquite 3 " " S. $22\frac{1}{2}^{\circ} E.$ 18 " "

79.95 The cor. to sec. 3, 4, 9 and 10.

Land lease. Soil good. Cornish. Mesquite
 timber.

February 13, 1874.

Township 9 S. Range 24 W.
Gila and Salt River Meridian

Line North between secs. 32 & 33
cor. 13°38' East.

40.00 Set a post, marked "40", 4 ft long, flattened 3 in. wide,
1 ft in the ground, drive charred stake and build mound of
earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, all as per
instructions for the sec. cor., from which
A willow 8 in. dia. bas. N. 36 3/4° W. 228 lbs. dist
to other tree near.

54.60 Slough, 1.60 ch. wide, runs E. & W. channel across.

56.20 Opposite bank of slough.

80.00 Set a post, marked and notched, 4 ft long, 3 in. sq. 1 ft in
the ground, drive charred stake and build mound of earth
2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide all as per in-
structions, for cor. to secs. 28, 29, 32 & 33 from which
A cottonwood 10 in. dia. bas. S. 42 1/2° W. 100 lbs. dist
do 8 . . . S. 59° W. 113 . . .

No other trees near.

Sand mostly lead. Soil good. Brush.
Cottonwood and willow.

Township 9 S. Range 24 W.
Gila and Salt River Meridian

Line East on meridian line bet sees. 28 & 33.
var. 13° 38' East

- 10.70 Road bet. N.W. and S.E.
- 2.70 Edge of slash 80 lbs. wide, runs N.W. and S.E.
- 14.50 Opposite sides - chain across.
- 32.00 Second bank of dry slash, runs S.W.
- 33.50 Leave it
- 39.00 Road bet. S.W.
- 40.00 Set temporary 1/4 sec. cor.

46.00 Indian huts on line.
79.86 Intersect N. & S. line 11/16 in. N. of cor. to sees. 27,
28, 33 and 34, from which cor. from
N. 89° 55' W. on line bet sees. 28 & 33.
var. 13° 38' East

39.93 Set post, marked N.W. & S.E. by flattened 3 in. wide, often the ground, drive
chain stake, and build mound of earth 2 ft high, with pile of debris, 2 ft
long, 4 ft wide, all as per instructions for 1/4 sec. cor. from which
A mesquite 7 in. dia. bet. S. 46 1/2° W. 140 lbs. dist
do. 8 " " S. 53 1/4° E. 150 " "

79.86 The cor. to sees. 28, 29, 32 and 33.
Land lead. Soil good. Corn by.
Mesquite, Cottonwood and willow.

Township 9 S. Range 24 N.
Gila and Salt River Meridian

to North betweensecs. 28 & 29
or. 13°38' East.

16.70 Road bet. N.W.

18.00 Bank of slough, bearing nearly N. for several chs.
It here crosses it at right angles, chaining across, 1 ch. E. to oppo-
site bank; thence N. - and counting previous 18 chs. - at

23.00 Set back W. ch. to N.E. side of slough: thence N. and counting
previous 23 chs. - at

37.20 Bank of slough, running nearly E. and W. The base cor.
will fall in the slough. Therefore at this point I build a witness
base cor. by setting a post, marked W. E. 4 ft long, flattened 3 in wide
1 ft in the ground, drove charred stakes and build mound of earth 2 ft high,
with pit 1 ft deep, 2 ft long, 1 ft wide, all as per instructions for base cor.
A willow 7 in. dia. br. S. 24° E. 81 ch. dist
S. maguire 5 " " S. 25° W. 7 " "
I then measure off a base line 1.00 E. to a point from which
flag on line, on opposite bank of slough, br. N. 6° 52' W. which
gives dist across as 8.30 chs. or at

45.50 Opposite bank of slough.

80.00 Set post, marked and notched, 4 ft long, 3 in dia. 1 ft in the ground, drove charred
stakes and build mound of earth 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide,
all as per instructions for cor. to secs. 30, 21, 28 & 29. 40 ties near.
Found mostly lead. Soil good. Brush.
Mazquite, Cottonwood and willow.

Township 9 S. Range 24 W.
Gila and Salt River Meridian

Its East meridian line between sec. 21 & 28.
var. 13° 38' East.

39.00 Squash 50 lbs. wide runs S. W.

40.00 Set post for temporary 1/4 sec. cor.

79.97 Intersect A. and B. line 11/2 mi. a part to sec.
21, 22, 27 and 28, from which cor. down
N. 89° 55' W.

on true line between sec. 21 & 28.

var. 13° 38' East

39.99 Set a post, marked 1/4 S. 11 ft long,
flattened 3 in wide, 1 ft in the ground
drill charred stake and build mound
of dirt 2 ft high, with pit 1 ft deep,
1/2 ft long, 1 ft wide, all as per instruc-
tions for 1/4 sec. cor.

No trees near.

79.94 The cor. to sec. 20, 21, 28 and 29.
Sand lead. Soil good. Not much timber
immediately on line. Brush.

Township 9 S. Range 24 N.
Gila and Salt River Meridian

Is North between secs. 20th & 21.
cur. 13°38' East

40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft long, flat-
tened 3 in. wide, 1 ft in the ground, drive
chained stake and build mound of
earth 2 ft high, with pit 1 ft deep, 2 ft
long, 1 ft wide, all as per instructions for
 $\frac{1}{4}$ sec. cor. No trees near.

80.00 Set a post, marked and notched,
4 ft long, 3 in. squared, 1 ft in the ground,
drive chained stake and build mound
of earth 2 ft high, with pit 1 ft deep,
2 ft long, 1 ft wide, all as per instruc-
tions for cor. to secs. 16, 17, 20 and
21. No trees near. Some willows
brush, but not big enough to mark.
Land level. Soil good.
Timber in strips.

Township 9 S. Range 24 W.
Gda and Salt River Meridian

Line East on random line bet sec 16 $\frac{1}{2}$ 21
var. 13°38' East.

40.00 Set post for temporary $\frac{1}{4}$ sec. cor.

79.88 Intersect A. and B. line 13 lbs. N. a few
to secs. 15, 16, 21 and 22 from which cor. done
N. 89°54' W.

Return line between secs. 16 $\frac{1}{2}$ 21.
var. 13°38' East

39.94 Set a post, marked 48.4 ft long, flattened
3 in. wide, 1 ft in the ground, drive chanced stake
and build mound of earth 2 ft high, with feet
1 ft deep, 2 ft long, 1 ft wide, all as per instructions
for $\frac{1}{4}$ sec. cor. from which

4 will be 4 in. dia. N. 13 $\frac{1}{2}$ ° W. 34 lbs. dist
do 4 . . . N. 74° E. 34 . . .

79.88 The cor. to secs 16, 17, 20 and 21.

Land level. Soil good.

Scattering timber.

Township 9 S. Range 24 N.
Gila and Salt River Meridian

North between secs. 16 & 17.
cont. 13°38' East

40.00 Set a post marked W. 4 ft long flattened 3 in. wide, 1 ft
in the ground, drive chased stake and build mound of earth
2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, all as
per instructions for 1/4 sec. cor. from which
Acottonwood 4 in. dia. br. N. 2 1/2° W. 13 br. dist
do 4 " " N. 66° E. 10 " "

80.00 Set a post, marked and matched, 4 ft long, 3 in. sq. ft
in the ground, drive chased stake and build mound
of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, all
as per instructions for cor. to secs. 8, 9, 16 and
17, from which
Armesquite 3 in. dia. br. S. 69° E. 69 br. dist
do 4 " " S. 56° E. 139 " "
do 5 " " S. 35° E. 147 " "
A willow 14 " " N. 32° E. 267 " "
Sand lead. Soil 1st rate. Mesquite
Cottonwood and willow.

Township 9 S Range 24 N.
Gila and Salt River Meridian

Line East on random line bet. sec. 9 & 16.
var. 13° 38' East

16.05 To edge of slough, bet. S.E. and N.W.

Measure off a base line 2 chs. S. to point from
which flag on line, on opposite side of slough, bet.
N. 72° E. which gives a distance of 6.16 chs., or

22.21 Opposite bank of slough.

39.00 Indian hut 1 ch. N. of line.

40.00 Set post for temporary base cor.

59.40 To bank of slough 2 chs. wide, runs S.E. shallow.

79.89 Intersect N. and S. line 13 chs. N. of cor. to Secs. 9, 10,

15 and 16 from which cor. Run

N. 89° 54' N. on true line bet. sec. 9 & 16.

var. 13° 38' East

39.95 Stake marked with 4 ft long flattened 3 in. oak, 4 ft in the ground, drive
sharpened stake, and build around it a circle 3 ft high with pits 1 ft deep 3 ft long
apart, all as per instructions for these cor. Notice near.

79.89 The cor. to Secs. 8, 9, 16 and 17.

Soil mostly good, sandy. Bush, Cottonwood, willow
and mesquite.

Township 9 S. Range 24 N.
Gila and Salt River Meridian

to North between sec. 8 & 9
cor. $13^{\circ}38'$ East

40.00 Set a post, marked W.S. 1/2 fl. long, flattened 3 in wide
1 ft in the ground, driven chanced stone and built mound
of earth 2 ft high, with pile 1 ft deep, 2 ft long, 1 ft
wide, all as per instructions for 1/2 sec. cor. from which
A cottonwood 10 in dia. by S. $61\frac{1}{2}^{\circ}$ E. 22 lbs. lead
do 10 " " S. $4\frac{1}{2}^{\circ}$ W. 6 " "

80.00 Set a post, marked and notched, 1/2 fl. long, 3 in sq. in
1 ft in the ground, driven chanced stone and built mound
of earth 2 ft high, with pile 1 ft deep, 2 ft long, 1 ft wide
all as per instructions for cor. to sec. 4, 5, 8
and 9, from which
A cottonwood 16 in dia. by S. $89\frac{1}{2}^{\circ}$ W. 125 lbs. lead
do. 15 " " N. 7° E. 150 " "
do. 8 " " N. $72\frac{1}{2}^{\circ}$ E. 155 " "
A mesquite 10 " " N. $88\frac{1}{2}^{\circ}$ E. 79 " "
Sand lead. Soil good. Cottonwood,
willow and mesquite.

Township 9 S. Range 24 W.
Gila and Salt River Meridian.

- As East monument line bet. sec. 4 & 9
was 13° 38' East.
- 40.00 Set post for temporary base cor.
- 80.30 Interest N. and S. line 2160 ft. of cor. to sec.
3, 4, 9 and 10. from which cor. from
N. 89° 51' W.
On true line between sec. 4 & 9
was 13° 38' East.
- 40.15 Set post, marked 14 S. 4 ft long, flattened
3 in wide, 1 ft in the ground, brace chained
stake and build mound against 2 ft
high, with pile 1 ft deep, 2 ft long, 1 ft wide,
all as per instructions for base cor. from which
A cottonwood 20 in. dia. N. 57½° E. 57 ft. dist
A mesquite 6 " " " S. 54° E. 14 " "
- 80.30 The cor. to sec. 4, 5, 8 and 9.
Sand level. Soil st. rate.
Mesquite and cottonwood, brush

Township 9 S. Range 34 W.
Gly and Salt River Meridian

North on true line bet. sec. 4 & 5.
az. $13^{\circ}38'$ East

40.00 Set apart, marked 4 ft. 4 ft. long, flattened
3 in. wide, 1 ft. in the ground, drive charred
stave and build mound a fourth 2 ft. high,
with pit 1 ft. deep, 2 ft. long, 1 ft. wide, all as
per instructions for 4 sec. cor. from which
A willow 3 in. dia. az. $N. 10^{\circ} E. 30$ lbs. dist
do 4 " " " $S. 15^{\circ} E. 20$ " "

69.40 Bend of Colorado river, runs S. W.
Set apart, marked, 4 ft. long, 3 in. sq. d. 1 ft. in the
ground, drive charred stave and build mound of
earth 2 ft. high, with pit 1 ft. deep, 2 ft. long, 1 ft. wide
all as per instructions for cor. to fractional sec.
4 and 5, from which
A willow 5 in. dia. az. $S. 60^{\circ} \frac{1}{4} E. 13$ lbs. dist
No other trees near.
Sand miserly lead. Soil good. Willow trees.

Township 9 S. Range 24 W.
 Gila and Salt River Meridian

On West on true line bet. sec. 5 & 8.
 and 13 & 18 East.

27.80 Bank of Colorado river, bet. S. W.
 Set a post, marked, 4 ft. long, 3 in. sq. d. 1 ft. in
 the ground. Drive chanced stake and build
 mound of earth 2 ft. high with pits 1 ft.
 deep, 2 ft. long, 1 ft. wide, all as
 per instructions for cor. to fractional
 sec. 5 and 8.

Notice near.

Willow and arrowwood brush
 along bank.

Sand lead. Soil good. Willow and
 arrowwood brush.

February 14, 1874

Township 9 S. Range 24th.
Gila and Salt River Meridian

Chs. North between secs. 31 $\frac{1}{2}$ 32,

cor. 13° 38' East

40.00 Set apart, marked 4x4 ft long, flattened 3 in. wide
1 ft in the ground, dris chanced stake and built mound
of earth 2 ft high with pit 4 ft deep, 2 ft long, 1 ft wide,
all as per instructions for 4000 cor. from which
A cottonwood 4 in. dia. br. S. 10° W. 25 lbs. dist
do 6 " " " N. 21° W. 50 " "

80.00 Set apart, (along side wood road br. N. W.)
marked and notched, 4 ft long, 3 in. sq. 1 ft in the ground,
dris chanced stake and built mound of earth 2 ft high,
with pit 4 ft deep, 2 ft long, 1 ft wide, all as per instructions
for cor. to secs. 29, 30, 31 $\frac{1}{2}$ 32. from which
A cottonwood 11 in. dia. br. N. 28° W. 56 lbs. dist
do. 9 " " " S. 73° W. 44 " "
do. 10 " " " S. 14° E. 49 " "
do. 8 " " " S. 33 $\frac{1}{2}$ ° W. 59 " "

Noone on Pedrick's place br. N. W. about 30 lbs. dist,
not visible from post. Land lead. Soil good
Heavy cottonwood timber on N. end.

Township 9 S. Range 24 W.
Gila and Salt River Meridian

Ac. East on random line between 29th & 32nd.
var. 13° 38' East

40.00 Set post for temporary 1/4 sec. cor.

80.21 Distenced N. and S. line 9 ls. S. of cor. to sec.
28, 29, 32 and 33, from which cor. from
S. 89° 56' W.

Between line between sec. 29 and 32.
var. 13° 38' East

40.10 Set post marked 1/4 S. 4 flong, flattened 3 in
wide, 1 ft in the ground, draw chanced stake and
build mound of earth 2 ft high, width 1 ft
deep, 2 ft long, 1 ft wide, all as per instructions
for 1/4 sec. cor. from which
to cottonwood 14 in. dia. S. 67° 44' W. 148 lead
do 13 " " " N. 82° 14' E. 70 " "

80.21 The cor. to sec. 29, 30, 31 and 32.

Sound lead. Soil good. Heavy cotton
wood timber on W. end. Bomb.

Township 9 S. Range 24 W.
Gila and Salt River Meridian

To West on random line bet. sec. 30 & 31.
cor. $13^{\circ}38'$ East

40.00 Set post for temporary $\frac{1}{2}$ sec. cor.

79.90 Intersect W. boundary 13 lvs. N. of cor. to sec.
30 & 31. from which cor. down
N. $89^{\circ}54'$ E.

On true line bet. sec. 30 & 31.
cor. $13^{\circ}38'$ East

39.90 Along edge of slough to the W. running N. and
S. set a post, marked $\frac{1}{2}$ S. of $\frac{1}{2}$ long. flattened
3 in. wide. From the ground, drive a sharp stake
and build mound 2 ft. high, with pits
1 ft. deep, 2 ft. long, 1 ft. wide, all as per instructions
for these cor. from which
A willow 3 in. dia. bet. N. $76\frac{1}{4}^{\circ}$ W. 104 lvs. dist.
do. 3 " " " S. $43\frac{1}{2}^{\circ}$ W. 49 " "

79.90 The cor. to sec. 29, 30, 31 and 32.
Land level. Soil mostly good.
Cottonwood & willow timber.

Township 9 S. Range 24 W.
Gila and Salt River Meridian

- 1/2 North between 29 & 30.
Cor. 13° 38' East
- 15.00 Road cor. E. and W.
- 40.00 Set a post, marked 1/4 S. 4 ft long, flattened 3 in. wide, 1 ft in the ground, drive chanced stake and build mound around 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, all as per instructions for 1/4 sec. cor. from which
- Cottonwood, 4 in dia. tree, N. 54 1/2° E. 115 ft dist.
do. 2 1/2 " " S. 1° W. 10 " "
- 80.00 Set a post, marked and notched, 1/4 ft long, 3 in. sq'd, 1 ft in the ground, drive chanced stake and build mound around 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, all as per instructions for cor. to sec. 19, 20, 29 and 30.
No trees near.
Sand beach. Soil good. Cottonwood and willow timber. Bench.

Township 9 S. Range 24 N.
Gila and Salt River Meridian

38.00 East on random line bet sec. 20 & 29.
var. 13°38' East

38.00 Slough 1.00 ch. wide, runs S.W.

40.00 Set post for temporary 1/4 sec. cor.

80.21 Intersect N. and S. line 19 lns. N. of cor. to sec.
20, 21, 28 and 29. from which cor. I run
N. 89°55' W.

on true line between sec. 20 & 29.
var. 13°38' East

40.10 Set post, marked 1/4 S. 4 ft long, flattened 3 in.
wide, 1 ft in the ground, drive chaired stake,
and build mound of earth 2 ft high, with pit 4 ft deep,
2 ft long, 1 ft wide, all as per instructions for 1/4 sec.
cor. from which

Willow 6 in dia bet. N. 57 1/2° W. 22 lns. dist
Scatterwood 8 " " S. 19° W. 36 " "

80.21 The cor. to sec. 19, 20, 29 and 30.
Land level. Soil good. Bush.
Cottonwood and willow timber.

Township 9 S. Range 24 N.
Gila and Salt River Meridian

No. West on true line bet. secs. 19 & 30
ac. 13° 38' East

11.52 Slough 2 ch. wide runs S.W.

18.00 Bend of Colorado river, bas. S.W.

Set apart, unmarked, 4 ft long, 3 in. sq. d. 1 ft
in the ground, drive charred stake and
build mound of earth 2 ft high, with
pits 1 ft deep, 2 ft long, 1 ft wide,
all as per instructions for cor. to
fractional secs. 19 and 30.

Notices near.

Sand lead. Soil good.
Thick arrowwood brush.
No timber.

552

Township 9 S. Range 24 N.
Gila and Salt River Meridian

To North between sec. 19 & 20.
var. 13° 38' East

40.00 Set a post, marked 46. 4 ft. long. flattened
3 in wide, 1 ft in the ground, drive chanced
stake and build mound of earth 2
ft high, with pit 1 ft deep. 2 ft long,
1 ft wide, all as per instructions for
4 sec. cor. No trees near.

42.90 Band of Colorado river, bet. S. M.
Set a post, marked, 4 ft long, 3 in. sq. d.
1 ft in the ground, drive chanced stake
and build mound of earth 2 ft high
with pit 1 ft deep, 2 ft long, 1 ft wide,
all as per instructions for cor. to frac-
tional sec. 19 and 20.
No trees near.

Very brushy, muddy bottom.
No timber of any size.

Township 9 S. Range 74 N.
Gila and Salt River Meridian

- From the cor. to sec. 16, 17, 20 & 21. From
West corner line bet sec. 17 and 20.
on a $13^{\circ}38'$ East
- 40.00 Set a post, marked 1/2 S. 4 ft long, flattened 3 in. wide,
1 ft in the ground, drive chanced stake and build mound
of earth 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft
wide, all as per instructions for these cor. from which
a cottonwood 2 in. dia. has $S. 68^{\circ}W. 106$ lbs. dist.
No other tree near.
- 46.50 Same as the Colorado river, cor. S.
Set a post, marked, 4 ft long, 3 in. sq. d. 1 ft in
the ground, drive chanced stake and build
mound of earth 2 ft high, with pit 1 ft deep,
2 ft long, 1 ft wide, all as per instructions for cor. to
fractional sec. 17 and 20.
No trees near.
Sand lead. Soil sandy. Brush.
Some cottonwood on E. end.

Township 9 S. Range 24 W.
Gila and Salt River Meridian

- 100
 574
 No. 1
 From cor. to sec. 8. 9. 16 & 17. 1/4
 West on true line bet. sec. 8 & 17.
 var. 13° 38' East
- 40.00 Set apart, marked 4 ft. 4 ft. long, flattened
 3 in. wide, 1 ft. in the ground, drive chanced
 stake and build mound of earth 2 ft. high, with
 pits 1 ft. deep, 2 ft. long, 1 ft. wide, all as per in-
 structions for 1/4 sec. cor. from which
 Cottonwood 8 in. dia. N. 64° W. 157 lbs. dist
 do 18 " " " N. 15 1/2° W. 140 " "
- 80.00 Set apart, marked and notched 4 ft. long, 3 in. sqd
 1 ft. in the ground, drive chanced stake and build
 mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long,
 1 ft. wide, all as per instructions for cor. to sec.
 7. 8. 17 and 18. from which
 Willow 5 in. dia. 60. N. 46° W. 68 lbs. dist
 No other trees near.
 Sand level. Soil good.
 Some Cottonwood and willow.

Township 9 S Range 24 N.
Cala and Salt River Meridian

- No South on true line bet sees. 17 & 18
var. $13^{\circ}38'$ East.
- 40.00 Set apart, marked 14 S. 4 ft long, flattened 3
in wide, 1 ft in the ground, drive chanced stake and
build mound against with 2 ft high, with pits 1 ft deep,
2 ft long, 1 ft wide, all as per instructions for 14 sec.
cor. No trees near.
- 53.80 Shallow pond 2 chs. wide.
- 74.22 Bank of the Colorado river, runs S. E.,
Set apart, marked, 4 ft long 3 in. sq. d. 1 ft in the
ground, drive chanced stake and build mound
against with 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft
wide, all as per instructions for cor to fractional
sees 17 and 18.
No trees near.
Land level. Soil sandy. Arrowwood
Bunch.
No timber of any size.

Township 9 S. Range 24 N.
Gila and Salt River Meridian

Corner to sec. 7, 8, 17 & 18, Town
West on true line bet. secs. 7 & 18.
var. $13^{\circ}38'$ East.

St. 70 Bank of Colorado river, opp S.
Set a post, marked, 4 ft. long, 3 in. square,
1 ft. in the ground. Drive chanced
stake and build mound of
earth 2 ft. high, with pit 1 ft. deep,
2 ft. long, 1 ft. wide, all as per in-
structions for cor. to fractional
secs. 7 and 18.
No trees near.

Arrowwood and willow brush,
No timber.

Township 9 S. Range 24 N.
Gila and Salt River Meridian

As North. between sec. 7 & 8.
or. 13° 38' East.

- 40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft long, flattened 3 in.
wide, 1 ft in the ground, drive chanced stakes and
build mound of earth 2 ft high, with pits 1 ft
deep, 2 ft long, 1 ft wide, all as per instructions
for these cor. from which
A cottonwood 5 in dia. bet. S. 3 $\frac{1}{2}$ ° W. 164 lbs. dist.
do 4 " " " S. 19° W. 168 " "
- 80.00 Set a post, marked and notched, 4 ft long, 3 in.
sq. d. 1 ft in the ground, drive chanced stakes and
build mound of earth 2 ft high with pits 1 ft deep,
2 ft long, 1 ft wide, all as per instructions for cor.
to sec. 5, 6, 7 and 8. from which
A cottonwood 3 in dia. bet. S. 41 $\frac{1}{4}$ ° E. 18 lbs. dist.
do 2 $\frac{1}{2}$ " " " S. 63 $\frac{1}{2}$ ° W. 14 " "
do 3 " " " N. 55 $\frac{1}{4}$ ° W. 26 " "
do 3 " " " S. 74° E. 39 " "
- Their growth of young cottonwood on N. end of
line. Soil good.

Township 9 S. Range 24 W.
Gila and Salt River Meridian

Is East on true line bet sec. 5 & 8.
var. 13' 38" East

7.52 Bank of Colorado river, bet. N.W. & S.E.
Set apart, marked, 4 ft long, 3 in. squared,
1 ft in the ground, drive chanced
stake and build mound of
earth 2 ft high, with pit 4 ft deep
2 ft long, 1 ft wide, for cor. to frac-
tional sec. 5 and 8.
No trees near.

Willow and arrowwood brush.
No timber.

Township 9 S. Range 24 W.
Gila and Salt River Meridian

The West true line bet. sec. 6⁷ & 7
var. 13° 38' East

7.25 Banks of Colorado var. bet. N. E. 35. W.
Set a post, marked, 4 ft long, 3 in.
square d. 1 ft. in the ground, drive
chained stake and build around a fence
2 ft high, with pits 1 ft deep, 2 ft long, 1 ft
wide, all as per instructions for
cor. to fractional sec. 6⁷.
No trees near.

Willow and arrowwood brush.
No timber.

Township 9 S Range 24 N.
Gila and Salt River Meridian
to North

On true line between sec. 5 & 6.
ang. $13^{\circ}38'$ East

7/10 Bank of Colorado river bet. N. W.
Set apart, marked, 4 ft long, 3 in. square,
1 ft. in the ground, drive channeled
stake and build mound of earth
2 ft high, with pits 1 ft deep, 2 ft
long, 1 ft wide, all as per instruc-
tions, for con. to fractional
secs. 5 and 6.
No trees near.

Willow and arrowwood brush,
No timber.

February 16, 1874

General Description

This Township lies in the Colorado river bottom and has the river for its western boundary.

The soil is rich, covered with thick brush and in places with a heavy growth of mesquite, cottonwood and willow timber.

In places are great fields of wild hemp.

The sloughs abounding in this Township are merely temporary bodies of water and are at present full from the late unusual overflow of the river.

Theo. J. White
U.S. Dep. Surveyor

T. G. S. R. 24 N. Gila & Salt River Meridian

Meanders of left bank of Colorado river through the Township

X Begin at the cor. to fractional sec. 25 & 30, on the W. boundary of the Township and on the left and S.E. bank of the river, and dam thence up stream with the meanders of the river in fractional sec. 30, as follows:

Courses	Distance	Remarks.
N. 80 $\frac{3}{4}$ ° E.	6.00	
N. 88° E.	4.00	
East	14.50	
N. 36 $\frac{1}{2}$ ° E.	18.00	To Peacock's wood-yard.
N. 36 $\frac{3}{4}$ ° E.	8.40	To Hall Hartori's wood-yard.
N. 16 $\frac{1}{2}$ ° E.	22.00	
N. 34° E.	12.10	
N. 36 $\frac{3}{4}$ ° E.	13.60	
N. 11° E.	5.00	To cor. to fractional sec. 19 & 30. Thence in fractional sec. 19
N. 11° E.	11.00	
N. 17 $\frac{1}{2}$ ° E.	11.70	
N. 15° E.	8.10	
N. 38 $\frac{1}{2}$ ° E.	17.50	To cor. to fractional sec. 19 and 20. Thence in fractional sec. 20.
N. 46 $\frac{1}{2}$ ° E.	12.00	
N. 7° E.	12.10	
N. 21 $\frac{1}{4}$ ° W.	17.50	To cor. to fractional sec. 17 and 20. Thence in fractional sec. 17.
N. 32° W.	6.90	To cor. to fractional sec. 17 & 18. Thence in sec. 18
N. 41° W.	10.80	

The G. S. R. 24 N. Ida and Salt River Meander
 Meander of left bank of Colorado river, through the Township

Course	Distance	Remarks.
N. 34° 44'	14.60	
N. 40° 11'	17.80	
N. 18° 1/2'	23.00	To cor. to fractional sec. 7 and 18
N. 9° 11'	18.40	Thence in sec. 7.
N. 31° 3/4'	14.00	Thick willow brush along bank of river.
N. 8° 1/2' E.	23.70	
N. 17° 1/2' E.	20.20	Sand and mud flat between bank and channel of river.
N. 26° 1/2' E.	28.30	To cor. to fractional sec. 6 and 7.
		Thence in sec. 6.
N. 26° 1/2' E.	9.80	
S. 61° E.	3.30	To cor. to fractional sec. 5 and 6.
		Thence in sec. 5.
S. 61° E.	2.00	
S. 46° 1/2' E.	5.40	
S. 39° E.	3.00	To cor. to fractional sec. 5 and 8.
		Thence in sec. 8.
S. 39° E.	10.00	
S. 87° 1/2' E.	29.00	
N. 49° 3/4' E.	13.50	To cor. to fractional sec. 5 and 8.
		Thence in sec. 5.
N. 30° 1/4' E.	13.70	Cottonwood timber
N. 21° E.	21.20	along bank of river
N. 17° E.	13.00	
N. 21° 1/2' E.	17.30	
N. 22° E.	10.40	To cor. to fractional sec. 4 and 5.
		Thence in sec. 4.
N. 22° 1/4'	11.50	To cor. to frac. sec. 4 & 5, on N. boundary of Twp.

February 17, 1874

LIST OF NAMES.

A List of the Names of Individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing Field Notes of the survey of the subdivision and meander lines of township 9 S. range 24 W. of the Gila and Salt River Meridian

Showing the respective capacities in which they acted.

- J. D. Phillips Chainman.
- R. A. Vaquez Chainman.
- Fred. C. Jones Axeman.
- J. M. C. Elliott Flagman.



65

FINAL OATH OF ASSISTANTS.


WE hereby certify that we assisted Theodore
F. White U. S. Deputy Surveyor, in
 surveying the Subdivision and
Meander lines of township
9 S. range 24 W. of the Gila
and Salt River Meridian

and that said Survey has been in all respects, to
 the best of our knowledge and belief, well and
 faithfully executed, and the boundary monu-
 ments planted according to the instructions fur-
 nished by the Surveyor-General.

J. J. Phillips Chainman.
R. A. Vasquez Chainman.
Fred. Lyons Axeman.
J. M. B. Collins Flagman.

Sworn to and subscribed before me, this 30
 day of March, 1874

Henry
 Notary Public.



FINAL OATH OF DEPUTY SURVEYOR.

I, Theodore F. White

U. S. Deputy Surveyor do solemnly swear that,
in pursuance of a contract with John Wasson,
United States Surveyor-General for Arizona, bear-
ing date the 7 day of July

1873 I have well, faithfully and truly, in my
own proper person, and in strict conformity with
the instructions furnished by the Surveyor-Gener-
al, the Surveying Manual, and the laws of the
United States, surveyed all those portions of

the subdivision and meander
lines of township 9 S. range
24 W. of the Gila and Salt
River Meridian

as are repre-
sented in the foregoing Field Notes as having

been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and also in accordance with the additional requirements contained in circular instructions from the U. S. Surveyor-General for Arizona, dated September 1, 1873, regarding the establishment of corner boundaries of public surveys, and that the foregoing are the true and original Field Notes of such surveys.

Theodore F. White

Deputy Surveyor.

Sworn to and subscribed before me, this 30
day of *March*, 1874

A. J. [Signature]

Notary Public