

No. 1191

BOOK 1191

1191

Field Notes

OF THE SURVEY OF THE

SUBDIVISION LINES

- OF - BOOK 1191

Township *7 South* Range *14 West*,
Gila and Salt River Base and Meridian

ARIZONA. No. 1191

By *Theodore F. White*, D. S.

under contract dated *Dec. 28*, 1876.

Survey commenced *March 19*, 1877.

Survey completed *March 23*, 1877.

Thos. F. White Deputy Surveyor.
 7 South R. 14 West.
 Salt River Meridian.

FIELD NOTES

OF

Subdivision Lines of
 ship 7 South Range 14 West
 Salt River Meridian.

BY

Thos. F. White Deputy Surveyor.
 his Contract of December 28 1876.
 they commenced March 19. 1877.
 they completed March 23. 1877.

d,
 d for Washington,
 script sent to Commissioner,

Preliminary Oaths of Assistants.


We, P. V. Caldwell
 and Urban Bessard
 do solemnly swear that we will faithfully execute
 the duties of Chain Carriers; that we will level the
 chain upon uneven ground, and plumb the tally
 pins, whether by sticking or dropping the same;
 that we will report the true distance to all notable
 objects, and the true length of all lines that we as-
 sist in measuring, to the best of our skill and
 ability.

P. V. Caldwell

Urban Bessard

Sworn to and subscribed before me, this 9th
 day of January, 1877.

John P. Faull
Notary Public



We,

Allan Bernard
 Fred. Jones

do solemnly swear that we will well and truly per-
 form the duties of Flagman and

Apeman respectively

according to instructions given us, and to the best
 of our skill and ability.

Allan Bernard
 Fred. Jones

Sworn to and subscribed before me this 9th
 day of January, 1877.

John P. Daniell

Notary Public



Township 7 North Range 14 West

Gila and Salt River Meridian.

BOOK 1191

6	60	5	44	4	33	3	22	2	11	1
59		58		43		32		21		10
7	57	8	42	9	31	10	20	11	9	12
56		55		41		20		19		8
18	54	17	40	16	29	15	18	14	7	13
53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24
50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25
47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36

Township

7 South

Range

14 West

Gila and Salt River

Meridian.

BOOK 1191

No. 1191

The initial corner of the survey of the subdivision, lines of this township is the corner to secs. 35, 36, 1 and 2, on the south boundary which corner was established by myself in these present surveys, and is a post with mound of earth and pits, and no trees near.

BOOK 1191

Chains From the corner to Sections 35, 36, 1 and 2 on the South boundary I ran

North, between Sections 35 and 36.

Variation 14° 46' East.

As per East Boundary

40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft. long, flattened 3 in. wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 14 sec. cor.
No trees near.

80.00 Set a post, marked and notched, 4 ft long, 3 in. sqd. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, as per instructions for cor. to secs. 25, 26, 35 and 36.
No trees near.

Land level. Soil good. Not timber.

Township

7 South

Range

14 West

BOOK 1191

Sila and Salt River

Meridian.

Chains

East, on a random line between Sections 25 and 36.

Variation $14^{\circ}46'$ East.

40.00 Set temporary 1/4 sec. cor.

80.14 Intersect E. boundary 16 hrs. N. of
cor. to secs. 25 and 36. from
which cor. Run $N. 89^{\circ} 53' W.$

On true line between secs. 25 & 36.

var. $14^{\circ}46'$ East40.07 Set a post, marked 1/4 S. 4 ft. long,
flattened 3 in. wide, 1 ft. in the
ground, drive charred stake and
build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft
long, 1 ft wide, as per instructions
for 1/4 sec. cor.

No trees near.

80.14 Cor. to secs. 25, 26, 35 & 36.

Land level. Soil good. No timber.

Township 7 South Range 14 West
Gila and Salt River Meridian.

BOOK 1191

Chains North, between Sections 25 and 26.

Variation $14^{\circ}46'$ East.

40.00 Set a post, marked 74 S. 4 ft long, flattened 3 in. wide, 1 ft in the ground, drive charred stake and build a mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 74 Sec. cor. No trees near.

80.00 Drive charred stake and build a mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, and in center of pit S. E. of cor. drive a stake marked and notched, 2 ft long, 2 in. sq. d. 1 ft in the ground, as per instructions for cor. to Secs. 23, 24, 25 and 26. No stones or timber.

Land level.

Soil good.

No timber.

Township

7 South

Range

14 West

4

Tela and Salt River

BOOK 1191
Meridian.

Chains

East, on a random line between Sections 24 and 25.

Variation $14^{\circ}46'$ East.40.00 Set temporary $\frac{1}{4}$ sec. cor.80.05 Intersect E. boundary 18 lns. N.
of cor. to secs. 24 and 25. from
which cor. drawn $N. 89^{\circ}52' W.$

Outline line between secs. 24 & 25.

var. $14^{\circ}46'$ East40.02 Set a post, marked $\frac{1}{4}$ S. 4 ft
long, flattened 3 in. wide, 1 ft in
the ground, drive charred stake
and build mound of earth 2
ft high, with pits 1 ft deep, 2 ft
long, 1 ft wide, as per instructions
for $\frac{1}{4}$ sec. cor.

No trees near.

80.05 Cor. to secs. 23, 24, 25 and 26.

Land level.

Soil good.

No timber.

BOOK 1191

Chains

North, between Sections 23 and 24.

Variation $14^{\circ}46'$ East.

40.00 Set a post, marked 14 S. 4 ft. long, flattened 3 in. wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 14 sec cor.

No trees near.

80.00 Set a post, marked and notched, 4 ft long, 3 in. sq'd. 1 ft in the ground drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for cor. to secs. 13, 14, 23 and 24.

No trees near.

Land level.

Soil good.

No timber.

Township

7 South

Range

14 West

BOOK 1191

Sila and Salt River

Meridian.

Chains

East, on a random line between Sections 13 and 24.

Variation $14^{\circ}46'$ East.40.00 Set temporary $\frac{1}{4}$ sec. cor.80.11 Intersect E. boundary 14 Sec. N.
of cor. to Secs. 13 and 24. from
which cor. I run $N. 89^{\circ}54' W.$

Outline line between Secs. 13 & 24.

var. $14^{\circ}46'$ East.40.05 Drive charred stake and
build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft
long, 1 ft wide, as per instructions
for $\frac{1}{4}$ sec. cor.

No stones or timber.

80.11 Cor. to Secs. 13, 14, 23 and 24.

Land level.

Soil good.

No timber.

Township 7 South Range 14 West
Gila and Salt River Meridian.

BOOK 1191
Chains North, between Sections 13 and 14.

Variation $14^{\circ}46'$ East.

- 15.40 Yuma road cor. W.
27.00 Road cor. S. W.
38.00 Descend.
40.00 Set a post, marked 14 S. 4 ft long, flat-
tened 3 in. wide, 1 ft in the ground,
drive charred stake and build
mound of earth 2 ft high, with
pile 1 ft deep, 2 ft long, 1 ft wide, as
per instructions, for 14 sec. cor.
from which
Apale road, 5 in. dia. br. S. 70° W. 48 lin. dist.
do. 6 " " " S. 35° W. 100 " "
80.00 Set a post, marked and notched, 4 ft
long, 3 in. sq. d. 1 ft in the ground,
drive charred stake and build a
mound of earth 2 ft high, with
pile 1 ft deep, 2 ft long, 1 ft wide, as
per instructions for cor. to secs.
 11 , 12 , 13 and 14 .
No trees near.

Land level. Soil good. No timber

Township 7 South Range 14 West
Gila and Salt River BOOK 1191
Meridian.

Chains

East, on a random line between Sections 12 and 13.

Variation $14^{\circ}46'$ East.

27.00 Road bvs. S.

31.30 Ascend.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

57.00 Yuma Road runs S.

80.15 Intersect E. boundary 12 bvs. N. of
cor. to secs. 12 and 13. from
which cor. true
N. $89^{\circ}55'W$.

On true line between secs. 12 & 13.

var. $14^{\circ}46'$ East.

40.07 Set a post, marked $\frac{1}{4}$ S. 4 ft. long,
flattened 3 in. wide, 1 ft in the
ground. Drive charred stake and
build mound of earth 2 ft high
with pit 1 ft deep, 2 ft long, 1 ft
wide, as per instructions for
 $\frac{1}{4}$ sec. cor. from which
Opale verde, 3 in. dia. bvs. S. $40^{\circ}E$. 114 bvs. dist.
No other trees near.

80.15 Cor. to Secs. 11, 12, 13 and 14.

Land level. Soil creek. Scattering
trees.

March 19, 1877.

BOOK 1191

Chains North, between Sections 11 and 12.

Variation $14^{\circ}46'$ East.

5.08 Intersect left bank of Gila river, low nearly N. Set a post, marked, 4 ft long, 3 in. sq. 1 ft in the ground, drive charred stake & build mound of earth 2 ft high, turn from pit on line S. for cor. to fractional sec. 11 & 12, from which a cottonwood, 6 in. dia. has, S. $52\frac{1}{2}^{\circ}$ W. 17 chs. dist.
 do. 7 " " " S. 84° E. 20 " "

Now set a flag on line on opposite bank of river and measure off a base 100 chs. E. to point where flag has N. 5° W. making distance across stream, on line, 11.43 chs.

16.51 Right bank, on line. Set a post, marked, 4 ft long, 3 in. sq. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pit on line N. for cor. to frac. sec. 11 and 12. Continuing N. from this point, the line would soon intersect a bend of the right bank of river, so I offset West 10 chs. and continue N.

50.00 Set back 10 chs. E. to line on bank of river and continue thence N. on line. The 4 sec. cor. falls in river and cannot be established.

80.00 Set a post, marked & matched, 4 ft long, 3 in. sq. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for cor. to Sec. 1, 2, 11 and 12. No trees near. Land level. Soil rich bottom of river. Scattering trees.

Township

7 South

Range

14 West

10

Sila and Salt River

BOOK

1191

Meridian.

Chains

East, on a random line between Sections 1 and 12.

Variation

14° 46'

East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

66.06 Opposite post on left bank of Sila river, between secs. 6 & 7 of Twp. 7 S. Range 13 N., and 9 lks. N. of it. Set instrument on line with said post and triangulate the distance to it; run a base 200 lks. N. to point whence said post bears S. 82° 25' E. which gives the distance as 15.02 chs., or 81.08 chs. on line. The said post is 1.06 chs. E. of place for cor. to secs. 6 & 7. So the measurement to place for cor. to secs. 1.6. 7 1/2 is

80.02 And said place being 9 lks. S. of my point of intersection of river bank, I run from point of intersection of true line N. 89° 56' W. on true line bet. secs. 1 & 12
var. 14° 46' East

40.01 Including distance in river, - Set a post marked $\frac{1}{4}$ S. 4 ft long, flattened 3 in. wide, 1 ft in the ground, drive chared stake and build mound of earth 1 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, as per instructions for $\frac{1}{4}$ sec. cor. No trees near.

80.02 Cor. to secs. 1, 2, 11 and 12.

Land level. Soil rich. Scattering trees.

BOOK 1191

Chains North, on a random line between Sections 1 and 2.
Variation $14^{\circ}46'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
80.07 Intersect N. boundary 16 lns. E. of cen-
to secs. 1 and 2. from which cor.
Drum

S. $0^{\circ}7'$ E.
On true line between secs. 1 & 2.
var. $14^{\circ}46'$ East.

40.07 Set a post, marked $\frac{1}{4}$ S. $4^{\circ}6'$ long,
flattened 3 in. wide, 1 ft. in the
ground, drive charred stake and
build mound of earth 2 ft. high,
with pits 1 ft. deep, 2 ft. long, 1 ft. wide,
as per instructions for $\frac{1}{4}$ sec. cor
from which

A Cottonwood, 13 in. dia. brs, S. $16^{\circ}N$. 16.5 lns. dist
do. 15 " " " N. $50\frac{1}{2}^{\circ}E$. 194 " "

80.07 Cor. to secs. 1, 2, 11 and 12.

Land level. Soil good.
Scattering trees

Township

7 South

Range

14 West ¹²

BOOK 1191

Gila and Salt River Meridian.

Chains

North, between Sections 34 and 35.

Variation

14° 46'

East.

40.00

Set a post, marked 14 S. 4 ft. long, flattened 3 in. wide, 1 ft. in the ground, drive charred stake and build mound a fourth of ft. high with pit 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions for 14 sec. cor.
No trees near.

80.00

Drive charred stake and build mound a fourth of ft. high with pit 1 ft. deep, 2 ft. long, 1 ft. wide, and in center a pit S. E. of cor. drive a stake marked and notched, 2 ft. long, 2 in. sq'd, 1 ft. in the ground, as per instructions for cor. to Secs. 26, 27, 34 and 35.

No stones or timber near.

Land level.

Soil good.

No timber.

Township

7 South

Range

14 West

Gila and Salt River

Meridian.

BOOK 1191

Chains

East, on a random line between Sections 26 and 35.

Variation $14^{\circ}46'$ East.

40.00 Set temporary 14 sec. cor.

80.13 Intersect N. and S. line 9 lvs. S. of
cor. to Secs. 25, 26, 35 and 36,
from which cor. Run $S. 89^{\circ}56' N.$ On true line between secs. 26 & 35,
var. $14^{\circ}46'$ East.40.06 Set a post, marked 14 S. 4 ft. long,
flattened 3 in. wide. 1 ft. in the
ground, drive charred stakes and
build mounds of earth 2 ft. high,
with pits 1 ft. deep, 2 ft. long, 1 ft.
wide, as per instructions for 14 sec.
cor.

No trees near.

80.13 Cor. to Secs. 26, 27, 34 and 35.

Land level.

Soil good.

No timber.

Township 7 South Range 14 West ¹⁴
Gila and Salt River BOOK 1191 Meridian.

Chains North, between Sections 26 and 27.
Variation 14° 46' East.

40.00 Drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 14 sec. cor.

80.00 Drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, and in center of pit S.E. of cor. drive a stake, marked and notched, 2 ft long, 2 in. sq. d. 1 ft in the ground, as per instructions for cor. to Secs. 22, 23, 26 and 27.

Land level.

Soil good.

Destitute of stones and timber

BOOK 1191
Chains East, on a random line between Sections 23 and 26.

Variation $14^{\circ}46'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
80.09 Intersect N. and S. line 12 ls. N.
of cor. to secs. 23, 24, 25 and 26.
from which cor. drawn

N. $89^{\circ}55'$ W.

Between line between secs. 23 & 26.
2000. $14^{\circ}46'$ East.

40.04 Set a post, marked '14 S. $\frac{1}{4}$ sec. cor.,
flattened 3 in. wide. 4 ft. in the ground.
drive charred stake and build mound
of earth 2 ft. high, with pits 1 ft. deep,
2 ft. long, 1 ft. wide, as per instruc-
tions for $\frac{1}{4}$ sec. cor.

No trees near

80.09 Cor. to Secs. 22, 23, 26 & 27.

Sand level.

Soil good.
No timber.

Township

7 South

Range

14 West

16

Gila and Salt River

BOOK 1191

Meridian.

Chains

North, between Sections 22 and 23.

Variation

14°46' East.

40.00

Set a post, marked 1/4 S. 4 ft long, flattened 3 in. wide, 1 ft in the ground, drive charred stake, and build mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 1/4 sec. cor.

No trees near.

78.00

Road cross S.W.

80.00

Set a post, marked and notched, 4 ft long, 3 in. sq. d. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for cor. to Secs. 14, 15, 22 and 23.

No trees near.

Land level.

Soil good.

No timber

17 Township 7 South Range 14 West

Gila and Salt River

BOOK 1191

Meridian.

Chains East, on a random line between Sections 14 and 23.

Variation 14°46' East.

5.00 Yuma road bas. S. W.
40.00 Set temporary 1/4 sec. cor.
79.91 Intersect N. and S. line 8 W. S. of
cor. to secs. 13, 14, 22 and 23,
from which cor. Run

S. 89°57' W.

On true line between secs. 14 & 23.
var. 14°46' East.

39.96 Set a post, marked 1/4 S. Aft. long,
flattened 3 in. wide, 1 ft. in the
ground, drive charred stakes and
build mound of earth 1 ft. high,
with pits 1 ft. deep, 2 ft. long, 1 ft.
wide, as per instructions for 1/4 sec.
cor.

No trees near.

79.91 Cor. to secs 14, 15, 22 and 23.

Level level.

Soil good.

No timber

Township

7 South

Range

14 West ¹⁸

Gila and Salt River

BOOK

1191

Meridian.

Chains

North, between Sections 14 and 15.

Variation $14^{\circ}46'$ East.

28.25 Descend.

40.00 Set a post, marked $1/4$ S. 4 ft long, flattened 3 in wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, as per instructions for $1/4$ sec. cor. No trees near.

43.50 Enter lower land.

49.06 Intersect left bank of Gila river, cross N. set a post, marked, 4 ft long, 3 in. sqd. 1 ft in the ground, drive charred stake & build mound of earth 2 ft high, with 1 pit on line S. for cor. to frac. sec. 14 & 15. Drive set flag on line on opposite bank of river and measure off a base 100 chs. N. to point whence flag brs. N. $9^{\circ}13'E$. measuring distance across stream on line, 6.16 chs.

53.22 Right bank of river on line. Set a post, marked, 4 ft long, 3 in. sqd. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with 1 pit on line N. for cor. to fractional sec. 14 and 15.

80.00 Set a post, marked & notched, 4 ft long, 3 in. sqd. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, as per instructions for cor. to sec. 10, 11, 14 and 15. No trees near. Land rich river bottom. Scattering trees.

19 Township 7 South Range 14 West
Gila and Salt River Meridian.

BOOK
Chains

1191

East, on a random line between Sections 11 and 14.

Variation $14^{\circ}46'$ East.

Crossriver and at -

79.84 Intersect N. & S. line 15 hrs. S. of cor. to sec. 11, 12, 13 & 14.
from which cor. I run

S. $89^{\circ}54'$ W. true line between sec. 11 & 14.

var. $14^{\circ}46'$ East.

34.92 Intersect left bank of Gila river, hrs. S. of W. Set a post, measured, 4 ft long, 3 in. sq d. & plain the ground, drive charred stake and build mound of earth 2 ft high, taken from 1 ft on line E. for cor. to frac. sec. 11 & 14.

Then set flag on line on opposite bank of river and measure off a base 200 hrs. S. to point whence flag runs N. $82^{\circ}18'$ W. marking distance across stream on line, 14.80 chs.

49.72 Right bank of river, on line. Set a post, measured, 4 ft long, 3 in. sq d. & plain the ground, drive charred stake and build mound of earth 2 ft high, taken from 1 ft on line W. for cor. to frac. sec. 11 and 14.

The 14 sec. cor. falls in river and cannot be established.

79.84 Cor. to Secs. 10, 11, 14 and 15.

Sand rock bottom. Scattering trees.

Township

7 South

Range

14 West 20

Gila and Salt River

BOOK

1191

Meridian.

Chains

North, between Sections 10 and 11.

Variation $14^{\circ}46'$ East.

40.00 Set a post, marked "48", 4 ft. long, flattened 3 in. wide, 4 ft. in the ground, drive charred stake and build mound a fourth of ft. high, with pits 4 ft. deep, 2 ft. long, 4 ft. wide, as per instructions for "4 sec. cor.", from which

Armesquite, 10 in. dia. tree. West 132 rods dist.
No other trees near.

80.00 Set a post, marked and notched, 4 ft. long, 3 in. sq. in the ground, drive charred stake and build a mound a fourth of ft. high, with pits 4 ft. deep, 2 ft. long, 1 ft. wide, as per instructions for cor. to Secs. 2, 3, 10 and 11.

No trees near.

Land level.

Soil good.

Scattering trees.

21 Township 7 South Range 14 West

Gila and Salt River

Meridian

BOOK 1191

Chains

East, on a random line between Sections 2 and 11.

Variation $14^{\circ}46'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.88 Intersect N. and S. line 16 lns. S. of cor. to Secs. 1, 2, 11 and 12. from which cor. Draw

$S. 89^{\circ}53' N.$

Continue line between sec. 2 & 11,

var. $14^{\circ}46'$ East

39.94 Set a post, marked $\frac{1}{4}$ S. 4 ft long, flattened 3 in. wide, 1 ft on the ground. Drive charred stake and build mounds of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for $\frac{1}{4}$ sec. cor. from which

A Cottonwood, $S. 82^{\circ} N.$ 66 lns. dist. No other trees near.

79.88 Cor. to sec. 2, 3, 10 and 11.

Land level.

Soil good.

Scattering trees.

Township

7 South

Range

14 West 22

BOOK 1191

Meridian.

Gila and Salt River

Chains

North, on a random line between Sections 2 and 3.

Variation 14° 46' East.

40.00 Set temporary 1/4 sec. cor.

64.90 Old road base N.

79.81 Intersect N. boundary 12 chs. E. of
cor. to secs. 2 & 3. from which cor.
Draw

S 0° 5' E.

Outline line between secs. 2 & 3.
var. 14° 46' East

39.81 Set a post, marked 1/4 S. 4 ft long,
flattened 3 in. wide, 1 ft in the ground,
two chared stakes and build mound
of earth 2 ft high, with pits 1 ft deep,
1/4 ft long, 1 ft wide, as per instruc-
tions for 1/4 sec. cor. from which
Amesquite, 8 in. dia. base, N. 65° W. 37 chs. dist.

do. 8 " " " N. 28° E. 56 " "

79.81 Cor. to secs. 2, 3, 10 and 11.

Sand level.
Soil good.
Scattering trees.

23 Township 7 South Range 14 West
Gila and Salt River Meridian.

BOOK 1191
Chains North, between Sections 33 and 34.

Variation $14^{\circ}46'$ East.

40.00 Set a post, marked 14 S. 4 ft. long, flattened
3 in. wide, 4 ft. in the ground, drive charred stake and build
mound of earth 2 ft. high,
with pits 4 ft. deep, 2 ft. long,
4 ft. wide, as per instructions
for 14 sec. cor.
No trees near.

80.00 Set a post marked 14 and notched,
4 ft. long, 3 in. sq. d. 4 ft. in the
ground, drive charred stake and
build mound of earth 2 ft. high
with pits 4 ft. deep, 2 ft. long, 4 ft.
wide, as per instructions for cor. to
secs. 27, 28, 33 and 34.
No trees near.

Land level.

Soil partly good.
No timber.

Township

7 South

Range

14 West

24

BOOK 1191

Salt and Salt River

Meridian.

Chains

East, on a random line between Sections 27 and 34.

Variation

14° 46'

East.

40.00 Set temporary 1/4 sec. cor.
79.50 Intersect stand S. line 13 lines S. of
cor. to secs. 26-27, 34 and 35,
from which cor. Down

S. 89° 54' W.

Put true line between secs. 27 & 34.
var. 14° 46' East.

39.90 Set a post, marked 1/4 S. 4 ft long,
flattened 3 in wide, set in the
ground, drive charred staves and
build mounds a feet or 2 ft high
with pits 1 ft deep, 2 ft long, 1 ft
wide, as per instructions for 1/4 sec.
cor.

Notes near.

79.50 Cor. to secs. 27, 28, 33 & 34.

Land level.

Soil good.

No timber

March 20. 1877.

Township

7 South

Range

14 West

Gila and Salt River

Meridian.

BOOK
Chains

1191

North, between Sections 27 and 28.

Variation $14^{\circ}46'$ East.

40.00 Drive Charred stake and build a mound of earth 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, as per instructions for "14 sec. cor." No stones or timber.

80.00 Set a post, marked and notched, 4 ft long, 3 in. sq. d. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high with pit 1 ft deep, 2 ft long, 1 ft wide, as per instructions for Cor. to Secs. 21, 22, 27 and 28.
No trees near.

Land level.

Soil good.
No timber.

Township

7 South

Range

14 West ²⁶

BOOK

1191

Meridian.

Gila and Salt Rivers

Chains

East, on a random line between Sections 22 and 27.

Variation $14^{\circ}46'$ East.

40.00 Set temporary 14 sec. cor.
 79.94 Intersect N. and S. line 13 lvs. N.
 of cor. to Secs. 22, 23, 26 and
 27, from which cor. Draw

$N. 89^{\circ}57' W.$

On true line between sec. 22 & 27
 var. $14^{\circ}46'$ East.

39.97 Drive charred stake and build
 mound of earth 2 ft. high, with
 pits 4 ft. deep, 2 ft. long, 1 ft. wide,
 as per instructions for 14 sec.
 cor.

79.94 Cor. to Secs. 21, 22, 27 & 28.

Land level.

Soil good.

Destitute of stone and timber.

Chains North, between Sections 21 and 22.

Variation 14° 46' East.

40.00 Set a post, marked 7/4 S. 4 ft long, flattened 3 in. wide, set in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 1/4 sec. cor. No trees near.

73.00 Road bro. N.

80.00 Set a post, marked and notched, 4 ft long, 3 in. sq. set in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for cor. to Secs. 15, 16, 21 and 22. No trees near.

Land level.

Soil good.
No timber.

Township

7 South

Range

14 West 28

Gila and Salt River

BOOK 1191

Meridian.

Chains

East, on a random line between Sections 15 and 22.

Variation

14° 46'

East.

40.00 Set temporary 1/4 sec. cor.

79.89 Intersect N. and S. line 600 S. of
cor. to secs. 14, 15, 22 and 23,
from which cor. from

S. 89° 57' W.

On true line between secs. 15 & 22,
var. 14° 46' East.39.95 Set a post, marked 1/4 S. 4 ft. long,
flattened 3 in. wide, 1 ft. in the
ground, drive charred stake
and build mound of earth 2
ft. high, with pits 1 ft. deep, 2 ft.
long, 1 ft. wide, as per instruction
for 1/4 sec. cor.

No trees near.

79.89 Cor. to secs. 15, 16, 21 & 22.

Land level.

Soil good.
No timber.

Gila and Salt River

Meridian.

BOOK 1191

Chains North, between Sections 15 and 16.

Variation 14° 46' East.

19.00 Descend

30.00 Enter lower bottom land.

40.00 Set a post, marked 14 S. 4 ft long, flattened 3 in wide, 1 ft in the ground, drive chard stake & build mound of earth 2 ft high with pits 1 ft deep 2 ft long. (See also per instructions for 14 sec. cor. from which Cottonwood, 4 in dia. brs. N. 50° W. 21 brs. dist.

Co. 7 " " " N. 4 1/2° W. 117 " "

70.97 Intersect left bank Gila river, brs. S. of N. Set a post, marked, 4 ft long, 3 in. sq'd. 1 ft in the ground, drive chard stake & build mound of earth 2 ft high taken from pit on line S. for cor. to frac. sec. 15 and 16.

Then set flag on line on opposite bank of river and measure off a base 200 brs. E. to point where flag brs. N. 13° W, making distance across, 8.66 chs.

79.63 Right bank of river on line. Do not set post here, but run to

80.00 And set a post, marked and notched, 4 ft long, 3 in. sq'd. 1 ft in the ground, drive chard stake and build mound of earth 2 ft high with pits 1 ft deep 2 ft long. (See also per instructions for cor. to sec. 9, 10, 15 & 16. No trees near.

Land level. Soil rich bottom. Scattering trees.

Township

7 South

Range

14 West

30

Gila and Salt River

BOOK

1191

Meridian.

Chains

East, on a random line between Sections 10 and 15.

Variation $14^{\circ}46'$ East.

The line immediately strikes a bend in the river, the north or right bank. So I off set N. 5 chs. and run East, and at 40.00 set back S. 5 chs. to line, and set temporary $\frac{1}{4}$ sec. cor.

80.21 Intersect N. and S. line 17 chs. N. of cor. to secs. 10, 11, 14 and 15. from which cor. run N. $89^{\circ}53'W$.

Original line between secs. 10 & 15.

var. $14^{\circ}46'$ East.

40.11 Set a post, marked $\frac{1}{4}$ S. 14 ft long, flattened 3 in wide, 1 ft in the ground, drive chauld stake and build mound of earth 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, as per instructions for $\frac{1}{4}$ sec. cor. from which

a cottonwood, 5 in diameter S. $40^{\circ}E$. 50 chs. dist.

do. 7 " " N. $35^{\circ}W$. 46 "

Set N. 5 chs. and continue W. and at

80.21 Intersect point 5 chs. N. of cor. to secs. 9, 10, 15 and 16.

Sand rich bottom.

Scattering trees

BOOK 1191
Chains North, between Sections 9 and 10.

Variation 14° 46' East.

- 15.00 Slough, 50 lbs. wide, bas. E. and W.
- 20.00 Ascend Texas Hill, along S. W. slope.
- 40.00 On N. slope of Texas Hill. Set a post marked $\frac{1}{4}$ S. 4 ft long, flattened 3 in. wide, 1 ft in the ground, and build mound of stones 2 ft high, as per instructions for $\frac{1}{4}$ sec. cor. No trees near.
- Descend.
- 50.00 Foot of slope on N. side: the body of the hill is E. of line.
- 53.50 Road bas. S. W.
- 80.00 Set a post, marked and notched, 4 ft long, 3 in. sqd. 1 ft in the ground. Drive charred stake and build a mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for cor. to secs. 3, 4, 9 and 10. No trees near.

Land broken. Soil poor.
No timber.

Township

7 South

Range

14 West 32

BOOK 1191

Gila and Salt River

Meridian.

Chains

East, on a random line between Sections 3 and 10.

Variation $14^{\circ}46'$ East.

- 14.10 Road bet. S. 7.
- 40.00 Set temporary 74 sec. cor.
- 80.17 Intersect N. and S. line 13 lks. N. of cor. to secs. 2, 3, 10 and 11. from which cor. In run

$N. 89^{\circ}54' W.$

On true line between secs. 3 & 10.
var. $14^{\circ}46'$ East.

- 40.08 Set a post, marked 74 S. 4 ft. long, flattened 3 in. wide, 1 ft. in the ground. Saw charred stake and built a mound of earth 2 ft. high, with hole 1 ft. deep, 2 ft. long, 1 ft. wide as per instructions for 74 sec. cor. No trees near.

- 80.17 Cor. to secs. 3, 4, 9 and 10.

Land level. Soil partly good. No timber.

33 Township 7 South Range 14 West

BOOK 1191 *Gil and Salt River* Meridia

BOOK 1191
Chains North, on a random line between Sections 3 and 4.

Variation $14^{\circ}46'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.85 Intersect N. boundary 10 Sec. E. of
cor. to Secs. 3 and 4, from which
cor. I run

S. $0^{\circ}4'$ E.

On true line between Secs. 3 & 4.

var. $14^{\circ}46'$ East.

39.85 Set a post, marked $\frac{1}{4}$ S. 4 ft. long,
flattened 3 in. wide, 1 ft. in the
ground, drive charred stakes
and build mound of earth 2
ft. high, with pits 1 ft. deep, 2 ft.
long, 1 ft. wide, as per instruction
for $\frac{1}{4}$ sec. cor.

No trees near.

79.85 Cor. to Secs. 3, 4, 9 and 10.

Sand level.

Soil good.

No timber.

Township

7 South

Range

14 West 34

BOOK 1191

Gila and Salt River

Meridian.

Chains

North, between Sections 32 and 33.

Variation

1446'

East.

40.00

Set a post, marked 74 S. 4 ft. long, flattened 3 in. wide, 1 ft. in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft. deep, 2 ft long, 1 ft wide, as per instructions for 74 Sec. cor. from which a mesquite 5 in. dia. br. S. 30° E. 91 hrs. dist. No other trees near.

80.00

Set a post, marked and notched 4 ft long, 3 in. sq. d. 1 ft. in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft. deep, 2 ft long, 1 ft wide, as per instructions for Cor. to Secs. 28, 29, 32 and 33.

No trees near.

Land level.

Soil good.

No timber.

35 Township 7 South Range 14 West
Sils and Salt Rivers Meridian

BOOK 1191

Chains East, on a random line between Sections 28 and 33.

Variation $14^{\circ}46'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
80.07 Intersect N. and S. line 11 chs. N. of
cor. to secs. 27, 28, 33 and 34,
from which cor. Draw

N. 89° 55' W.

Outline line between secs. 28 & 33.
var. $14^{\circ}46'$ East

40.03 Set a post, marked $\frac{1}{4}$ S. 4 ft long,
flattened 3 in. wide, 1 ft in the
ground, drive charred stake and
build mound of earth 2 ft high,
with pits 1 ft deep, 2 ft long, 1 ft
wide, as per instructions for $\frac{1}{4}$
sec. cor.

No trees near.

80.07 Cor. to secs. 28, 29, 32 and 33.

Land level. Soil good.
No timber.

Township 7 South Range 14 West 36

Gila and Salt River BOOK 1191 Meridian.

Chains

North, between Sections 28 and 29.

Variation $14^{\circ}46'$ East.

40.00 Set a post, marked $\frac{1}{4}$ S. $\frac{1}{4}$ E. long, flattened 3 in. wide, 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions for $\frac{1}{4}$ sec. cor.

No trees near.

80.00 Set a post, marked and notched, $\frac{1}{4}$ ft. long, 3 in. sqd., 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions for cor. to secs. 20, 21, 28 and 29.

from which

a pale verde, 5 in. dia. tree, N. 7° E. 269 lbs. dist.

No other trees near.

Land level.

Soil good.

Scattering trees.

Chains East, on a random line between Sections 21 and 28.
Variation 14°46' East.

40.00 Set temporary 1/4 sec. cor.
79.90 Intersect N. and S. line 16 hrs. N. of
cor. to secs. 21, 22, 27 and 28.
from which cor. Run

N. 89°53' W.
Continue line between secs. 21 & 28.
var. 14°46' East

39.95 Set a post, marked 1/4 S. 4 ft long,
flattened 3 in. wide, 1 ft in the
ground, drive charred stake
and build mound of earth 2
ft high, with pits 1 ft deep, 2 ft
long, 1 ft wide, as per instruction
for 1/4 sec. cor. No trees near.

79.90 Cor. to secs. 20, 21, 28 and 29.

Land level.
Soil good.
Scattered trees.

Township

7 South

Range

14 West ³⁸

BOOK 1191

Meridian.

Gila and Salt River

Chains

North, between Sections 20 and 21.

Variation

14°46'

East.

36.00

Across, 25 lns. wide, bns. N.W.

40.00

Set a post, marked $\frac{1}{4}$ S. 4 ft long, flattened 3 in. wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for $\frac{1}{4}$ sec. cor.

No trees near.

63.40

Road bns. W.

77.00

Descend.

80.00

Set a post, marked and notched, 4 ft long, 3 in. sq. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for cor. to Sec. 16, 17, 20 and 21.

No trees near.

Land level. Soil good.
A few trees.

BOOK 1191
Chains

East, on a random line between Sections 16 and 21.

Variation 14°46' East.

- 1.00 Ascend.
- 40.00 Set temporary 1/4 sec. cor.
- 80.13 Intersect N. and S. line 16 ls. S. of cor. to Secs. 15, 16, 21 and 22, from which cor. Run

S. 89°53' N.

True line between Secs. 16 & 21, var. 14°46' East.

- 40.06 Set a post, marked 1/4 S. 4 ft. long, flattened 3 in. wide, 1/2 in the ground, drive charred stake and build mound of earth 2 ft. high, with pits 1/2 ft. deep, 2 ft. long, 1 ft. wide, as per instructions for 1/4 sec. cor. from which

A pale verde, 6 in. dia. base, N. 46° E. 276 ls. dist
do. 4 " " " N. 21 1/2° N. 225 " "

- 80.13 Con. to Secs. 16, 17, 20 and 21.

Land level for most part.
Soil good. Scattering trees.

Gila & Salt River

Chains

North, between Sections 16 and 17.

Variation

14° 46'

East.

- 11.59 Intersect left bank of Gila river bro. S.W.
Set a post, marked, 4 ft long, 3 in sqd. of $\frac{1}{2}$ in the ground, drive charred stake & build mound of earth 2 ft high, with pit on line S. for cor. to fractional sec. 16 & 17.
In eve set flag on line on opposite bank of river and measure off a base 100 les. E. to point whence flag has. N. 8° 8' W. marking distance across, 7 chs.
- 18.59 Right bank of river on line. Set a post, marked, 4 ft long, 3 in sqd. of $\frac{1}{2}$ in the ground, drive charred stake and build mound of earth 2 ft high, with pit on line N. for cor. to fractional sec. 16 and 17.
- 40.00 Set a post, marked 14 S. 4 ft long, flattened 3 in wide, of $\frac{1}{2}$ in the ground, drive charred stake and build mound of earth 2 ft high with pit 1 ft deep, 2 ft long, of $\frac{1}{2}$ in wide, as per instructions for $\frac{1}{4}$ sec. cor. No trees near.
- 74.00 Slough, with running water.
- 80.00 Set a post, marked and notched, 4 ft long, 3 in sqd. of $\frac{1}{2}$ in the ground, drive charred stake and build mound of earth 2 ft high, with pit 1 ft deep, 2 ft long, of $\frac{1}{2}$ wide, as per instructions for cor. to sec. 8, 9, 16 & 17. No trees near. - Land with bottom scattering trees. March 21, 1877.

41 Township 7 South Range 14 West
Gila and Salt River Meridian

BOOK 1191

Chains East, on a random line between Sections 9 and 16.

Variation $14^{\circ}46'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
50.00 Slough, 50 hrs. wide, hrs. S.W.
79.86 Intersect N. and S. line 19 hrs. S. of
cor. to secs. 9, 10, 15, 16, from which cor.
run

$S. 89^{\circ}52' N.$

On true line between secs. 9 & 16.
var. $14^{\circ}46'$ East.

39.93 Set a post, marked $\frac{1}{4}$ S. 4 ft. long,
flattened 3 in. wide, 1 ft. in the
ground, drive charred stake and
build mound of earth 2 ft. high,
with pits 1 ft. deep, 2 ft. long, 1 ft.
wide, as per instructions for $\frac{1}{4}$
sec. cor. from which
at Cottonwood, 8 in dia. hrs. N. $12^{\circ} W.$ 39 hrs. dist.
do. 11 " " " N. $16^{\circ} E.$ 70 " "
79.86 Cor. to secs. 8, 9, 16 and 17.

Land level.

Soil good.

Scattering trees.

Township

7 South

Range

14 West ⁴²

BOOK 1191

Gila and Salt River

Meridian.

Chains

North, between Sections 8 and 9.

Variation

14°46' East.

37.00 Road cor. S. W.

40.00 Set a post, marked "4 S. 4 ft long, flat-topped 3 in. wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide as per instructions for 14 sec. cor. from which

A mesquite, 7 in dia. base, N. 85 1/2° W. 63. lead dist.

do 7 " " " S. 72° E. 260 " "

80.00 Set a post, marked and notched, 4 ft long, 3 in. sqd. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for cor. to secs. 4, 5, 8 and 9. No trees near.

Land level.

Soil good.

Scattering trees.

43 Township 7 South Range 14 West
Gila and Salt River Meridian

BOOK 1191

Chains East, on a random line between Sections 4 and 9.

Variation $14^{\circ}46'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
80.11 Intersect N. and S. line 15 lks.
S. of cor. to Secs. 3, 4, 9 and 10,
from which cor. Run

$S. 89^{\circ}54' W.$

Outline line between Secs. 4 & 9,
var. $14^{\circ}46'$ East

40.05 Set a post, marked $\frac{1}{4}$ S. 4 ft. long,
flattened 3 in. wide, 1 ft. in the
ground, drive charred stake
and build mound of earth
2 ft. high, with pits 1 ft. deep,
2 ft. long, 1 ft. wide as per in-
structions for $\frac{1}{4}$ sec. cor.
No trees near.

80.11 Cor. to Secs. 4, 5, 8 and 9.

Land level. Soil good.
Scattering trees.

Chains North, on a random line between Sections 4 and 5.
Variation $14^{\circ}46'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
50.17 Intersect N. boundary 19 lks. E. of
cor. to secs. 4 and 5, from which
cor. I run

$S. 0^{\circ} 8' E.$

On true line between secs. 4 & 5.
var. $14^{\circ} 46'$ East.

40.17 Set a post, marked $\frac{1}{4}$ S. 4 ft. long
flattened 3 in. wide, 1 ft. in the
ground, drive charred stake and
build mound of earth 2 ft. high,
with pits 1 ft. deep, 2 ft. long, 1 ft.
wide, as per instructions for
 $\frac{1}{4}$ sec. cor.

Notices near:

80.17 Cor. to secs. 4, 5, 8 & 9.

Land level. Soil good.
A few trees.

45

Township

7 South

Range

14 West

Gila and Salt River

Meridia

BOOK

1191

Chains

North, between Sections 31 and 32.

Variation

14° 46'

East.

40.00 Set a post, marked 14 S. 4 ft long
flattened 3 in. wide, 1 ft in the
ground, drive charred stake and
build mound of earth 2 ft high
with pits 1 ft deep, 2 ft long, 1 ft
wide, as per instructions for 14
Sec. cor.

No trees near.

80.00 Set a post, marked and notched
4 ft long, 3 in. sqd., 1 ft in the
ground, drive charred stake
and build mound of earth
2 ft high, with pits 1 ft deep, 2 ft
long, 1 ft wide, as per instruc-
tions for cor. to Secs. 29, 30,
31 and 32.

No trees near.

Land level.

Soil good.

No timber.

Chains East, on a random line between Sections 29 and 32.
Variation $14^{\circ}46'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
79.90 Intersect N. and S. line 8 W. S.
of cor. to Secs. 28, 29, 32 and
33, from which cor. Run
S. $89^{\circ}57'$ W.

Entire line between Secs. 29 & 32.
var. $14^{\circ}46'$ East

79.95 Set a post, marked $\frac{1}{4}$ S. 4 ft long,
flattened 3 in. wide, 1 ft in the ground,
and a charred stake and build
mounds of earth 2 ft high, with
pits 1 ft deep, 2 ft long, 1 ft wide,
as per instructions for $\frac{1}{4}$ sec. cor.
No trees near.

79.90 Cor. to Secs. 29, 30, 31 and 32.

Land level.
Soil good.
No timber.

47 Township 7 South Range 14 West

Sila and Salt River Meridi

BOOK 1191

Chains West, on a random line between Sections 30 and 31.

Variation $14^{\circ}46'$ East.

22.00 Descend into lower bottom land.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

78.51 Intersect N. boundary 13 lvs. N. of
cor. to secs. 30 and 31, from
which cor. Run

N. $89^{\circ}54'$ E.

Course line between secs. 30 & 31,
var. $14^{\circ}46'$ East.

38.51 Set a post, marked $\frac{1}{4}$ S. 4 ft long,
flattened 3 in. wide, 1 ft in the
ground, drive charred stake
and build mound of earth 2
ft high, with pits 1 ft deep, 2 ft
long, 1 ft wide, as per instruction
for $\frac{1}{4}$ sec. cor.

Notes near.

78.51 Cor. to secs. 29, 30, 31 and 32.

Land level and descending.

Soil good.

A few trees.

Chains

North, between Sections 29 and 30.

Variation

14° 46'

East.

- 22.00 Descend into lower bottom land.
- 40.00 Set a post, marked 14 S. 4 ft. long, flattened 3 in. wide, 1 ft. in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 14 sec. cor. No trees near.
- 80.00 Set a post, marked and notched, 4 ft long, 3 in sq. in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for cor. to Secs. 19, 20, 29 and 30, from which
- Amesquite, 13 in. dia. br., S. 51° W. 31 land dist.
- do. 12 " " " S. 39° W. 136 " "
- do. 5 " " " S. 72° E. 66 " "
- No other tree near.

Land level.

Soil good.
Scattering timber.

49 Township 7 South Range 14 West
Sila and Salt River Meridian

BOOK 1191

Chains East, on a random line between Sections 20 and 29.

Variation $14^{\circ}46'$ East.

10.00 Ascend from Lower bottom
40.00 Set temporary $\frac{1}{4}$ sec. cor.
79.86 Intersect N. and S. line 10 hrs. S. of
cor. to Secs. 20, 21, 28 and 29. from
which cor. drawn

$889^{\circ}56'N.$

On true line between Secs. 20 & 29.
var. $14^{\circ}46'$ East.

39.93 Set a post, marked $\frac{1}{4}$ S. 4 ft long,
flattened 3 in. wide, 1 ft on the ground,
driven charred stake and build
mound of earth 2 ft high, with
pits 1 ft deep 2 ft long, 1 ft wide,
as per instructions for $\frac{1}{4}$ sec. cor.
No trees near.

79.86 Cor. to Secs. 19, 20, 29 and 30.

Land level and ascending.
Soil good. A few trees.

Gila and Salt Rivers

Chains

West, on a random line between Sections 19 and 30.

Variation $14^{\circ}46'$ East.

- 10.90 Yuma road base, S. N.
- 32.70 Old river bank base, S. N.
- 48.00 Set temporary 1/4 sec. cor.
- 78.60 Intersect N. boundary 1/2 mi. S. of cor. to Secs. 19 & 30. from which cor. Run $N. 89^{\circ}55' E.$ on true line between secs. 19 & 30. var. $14^{\circ}46'$ East
- 6.18 Intersect right bank of Gila river, base S. N. Set a post, marked, 4 ft long, 3 in. sq. d. 1 ft in the ground, drive charred stake & build mound of earth 2 ft high, taken from pit on line N. for cor. to frac. secs. 19 & 30. - Iron set flag on line on opposite bank of river and measure off a base 200 lbs. N. to point where flag base, $S. 81^{\circ}16' E.$ marking the distance across stream on line 13.02 chs.
- 19.20 To left bank of river, on line. Set a post, marked, 4 ft long, 3 in. sq. d. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, taken from pit on line E. for cor. to frac. secs. 19 & 30.
- 38.60 Set a post, marked 1/4 S. 4 ft long, flattened 3 in. wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 1/4 sec. cor. Note near.
- 78.60 Cor. to secs. 19.20-29 and 30.
Land rich bottom. Scattering trees

51 Township 7 South Range 14 West
Gila and Salt River Meridian

BOOK 1191
Chains North, between Sections 19 and 20.

Variation $14^{\circ}46'$ East.

- 9.70 Sumner road cor. S.W.
40.00 Set a post, marked 14 S. 4 ft. long, flattened 3 in. wide
1 ft. in the ground, drive charred stake and build mound
of earth 2 ft. high with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as
for instructions for W sec. cor. No trees near.
- 55.98 Entered at left bank of Gila river, cor. S. of W. Set a post,
marked, 4 ft. long, 3 in. sq. d. 1 ft. in the ground, drive
charred stake and build mound of earth 2 ft. high,
taken from 1 pit on line S. for cor. to frac. sec. 19 & 20.
I now set flag on line on opposite bank of river and
measure off a base 100 cor. E. to point where flag was.
S. $64^{\circ}7' N.$ max. dist. across, on line, 8.41 chs.
- 64.39 Right bank of river, on line. Set a post, marked, 4 ft. long,
3 in. sq. d. 1 ft. in the ground, drive charred stake and
build mound of earth 2 ft. high, with 1 pit on line N.
for cor. to fractional sec. 19 and 20.
- 80.00 Set a post, marked & notched, 4 ft. long, 3 in. sq. d. 1 ft. in
the ground, drive charred stake and build mound of
earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide,
as for instructions for cor. to Secs. 17, 18, 19 and 20.
from which
A willow, 4 in. dia. cor. S. $32^{\circ} N.$ 74 cor. dist.
No other trees near.
Land rich river bottom. Scattering trees

Chains

East, on a random line between Sections 17 and 20.

Variation $14^{\circ}46'$ East.

Cross river and at

79.88 Intersect N. and S. line 16 hrs. S. of cor. to Secs
16, 17, 20 & 21, from which cor. In run
 $S. 89^{\circ}53' N.$ entire line between sec. 17 & 20.
var. $14^{\circ}46'$ East

30.47 Intersect left bank of Gila river, br. S. N. Set a post, mark-
ed, 4 ft long, 3 in. sq'd. ft. in the ground, drive charred
stake and build mound of earth of height,
taken from 1/4 put on line E. for cor. to frac. sec. 17 & 20.
In run set flag on line, on opposite bank of river and
measure off a base 200 hrs. S. to a point whence flag
br. N. $83^{\circ}18' N.$ making distance across, on line, 17.02 ch.

47.49 Right bank of river, on line. Set a post,
marked, 4 ft long, 3 in. sq'd. ft. in the
ground, drive charred stake and build a
mound of earth of height, with 1/4 put on line N.
for cor. to frac. sec. 17 and 20.
The 14 sec. cor. falls in the river and
cannot be established.

79.88 Cor. to sec. 17, 18, 19 and 20.

Sand rich bottom.

Scattering trees.

83 Township 7 South Range 14 West.
Tila and Salt River Meridian

BOOK 1191

Chains West, on a random line between Sections 18 and 19.

Variation $14^{\circ}46'$ East.

- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
- 73.00 Slough, 50 ft wide, bet. S. N.
- 78.59 Intersect N. boundary 9 hrs. N. of cor. to Secs. 18 and 19, from which cor. I run

$N. 89^{\circ}56' E.$

Continue line between Secs. 18 & 19, var. $14^{\circ}46'$ East.

38.59 Set a post marked $\frac{1}{4}$ S. $\frac{1}{4}$ flong. flat-tined 3 in. wide, 1 ft. in the ground, drive charred stake and build a mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for cor. to $\frac{1}{4}$ sec. from which

A willow, 5 in dia. bet. N. 42° N. 6 hrs. dist
do. 7 " " Souths, 11 " "

78.59 Cor. to Secs. 17, 18, 19 and 20.

Land level: soil rich.
Scattering trees.

Chains

North, between Sections 17 and 18.

Variation $14^{\circ}46'$ East.

40.00 Set a post, marked 14 S. 46 Cng. flattened 3 in. wide, 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions for 14 sec. cor. from which
 @ Cottonwood, in. dia. bas. N. 15° E. 72 lbs. dist.
 No other trees near.

80.00 Set a post, marked and notched, 4 ft. long, 3 in. sq. in the ground, drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions for cor. to Secs. 7, 8, 17 and 18 -
 from which
 @ Cottonwood, 13 in. dia. bas. S. 41° E. 206 lbs. dist
 do. 13 " " S. 15° E. 198 " "
 No other tree near.

Land level.

Soil good.

Scattering trees.

Chains East, on a random line between Sections 8 and 17.
Variation $14^{\circ}46'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
80.06 Intersect N. and S. line 9 lvs. N. of cor.
to Secs. 8, 9, 16 and 17, from
which cor. I run

N. $89^{\circ}56' W.$
On true line between Secs. 8 & 17.
var. $14^{\circ}46'$ East.

40.03 Set a post, marked $\frac{1}{4}$ S. 4 ft. long,
flattened 3 in. wide, 1 ft. in the
ground, drive charred stake and
build mound a fourth of ft. high, with
pits 1 ft. deep, 2 ft. long, 1 ft. wide, as
per instructions for $\frac{1}{4}$ sec. cor.
from which
Azimuth, 7 in. dia. bar, N. $47^{\circ} E.$ 196 lvs. dist.
No other trees near.

80.06 Cor. to Secs. 7, 8, 17 and 18.
Sand level. Soil good.
Scattering trees

Township 7 South Range 14 West 56
Gila and Salt River BOOK 1191 Meridian.

Chains West, on a random line between Sections 7 and 18.
Variation 14°46' East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
78.65 Intersect N. boundary $\frac{1}{4}$ sec. S. of cor.
to sec. 7 and 18 from which cor.
Iron

S. $89^{\circ}54'$ E.

On true line between sec. 7 & 18.
var. $14^{\circ}46'$ East

38.65 Set a post, marked $\frac{1}{4}$ S. $\frac{1}{4}$ E. long,
flattened 3 in. wide, 1 ft in the ground,
drill charred stake and build mound
of earth 1 ft high, with pits 1 ft deep,
2 ft long, 1 ft wide, as per instructions
for $\frac{1}{4}$ sec. cor.
from which
Armesquite, 7 in. dia. has. N. 41° E. 173 lbs. dist.
No other trees near.

78.65 Cor. to sec. 7, 8, 17 and 18.

Land level. Soil good.
Scattering trees.

March 22. 1877.

BOOK 1191

Chains North, between Sections 7 and 8.

Variation 14° 46' East.

5.00 Old river bank cor. N.
7.65 Road cor. S. N.
40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft. long, flattened 3 in. wide, 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions, for $\frac{1}{4}$ sec. cor. from which Armesquite, 10 in dia. cor. N. $6\frac{1}{2}$ N. 248 lbs. dia. No other trees near.

80.00 Set a post, marked and notched, 4 ft. long, 3 in. sq. d. 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions for cor. to Secs. 5, 6, 7 and 8. No trees near.

Land level.

Soil good.
Scattering trees

Township

7 South

Range

14 West

BOOK

1191

Meridian.

Gila and Salt River

Chains

East, on a random line between Sections 5 and 8.

Variation

14° 46'

East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
 79.90 Intersect N. and S. line 7 lns. S. of
 cor. to Secs. 4, 5, 8 and 9. from
 which cor. Inm

S. 89° 57' N.

On true line between secs. 5 & 8.

var. 14° 46' East.

39.95 Set a post, marked $\frac{1}{4}$ S. 4 ft long,
 flattened 3 in. wide, 1 ft in the
 ground, drive chared stake and
 build mound of earth 2 ft high,
 with pits 1 ft deep, 2 ft long, 1 ft wide,
 as per instructions for $\frac{1}{4}$ sec. cor.
 No trees near.

79.90 Cor. to secs. 5, 6, 7 and 8.

Land level.

Soil good.

No timber.

59 Township 7 South Range 14 West
Gila and Salt River Meridian.

BOOK 1191

Chains West, on a random line between Sections 6 and 7.

Variation $14^{\circ}46'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

78.52 Intersect W. boundary 16 ch. N. of cor. to
secs. 6 & 7, from which cor. Run

$N. 89^{\circ}53' E.$

On true line between secs. 6 & 7.

var. $14^{\circ}46'$ East.

38.52 Set a post, marked $\frac{1}{4}$ S. 4 ft long,
flattened 3 in. wide, 1 ft in the
ground, drive charred stake and
build mound of earth 2 ft high
with pit 1 ft deep, 2 ft long, 1 ft
wide, as per instructions for $\frac{1}{4}$
sec. cor.

No trees near.

78.52 Cor. to secs. 5, 6, 7 and 8.

Land level.

Soil good.

No timber.

Township

7 South

Range

14 West

60

Gila and Salt River

BOOK

1101

Meridian.

Chains

North on a random line between Sec's 5 and 6.

Variation $14^{\circ}46'$ East.

40.00 Set temporary 1/4 sec. cor.

79.85 Intersect N. boundary 17 chs. E. of
cor. to Secs. 5 and 6. from
which cor. Run

S. $0^{\circ}7'$ E.

Outline line between Secs. 5 & 6.

var. $14^{\circ}46'$ East.

39.85 Set a post, marked 1/4 S. 14 ft long,
flattened 3 in wide. 1/2 ft in the
ground. drive charred stake and
build mound of earth 2 ft high
with pits 1/2 ft deep. 2 ft long. 1/2
wide, as per instruction for 1/4 sec
cor.

No trees near.

79.85 Cor. to Secs. 5, 6, 7 & 8.

Land level.

Soil good.

November.

March 23. 1877.

61
General Description

BOOK 1191

This Township lies along both sides of the Gila river, and contains a large amount of good land that can be irrigated from the river.

The bottom land is particularly rich, and wide on the N. side of the river below "Texas Hill".

Texas Hill occupies a large part of section 10.

There is some cottonwood, willow and mesquite timber along the river, but not much of any kind on the higher lands in the Township.

Theodore F. White
U. S. Deputy Surveyor

List of Names.

No. 1191

BOOK 1191

A List of the Names of Individuals employed
 assist in running, measuring, or marking the
 lines and corners described in the foregoing Field
 notes of the survey of The Subdi-
vision lines of Township
7 S. Range 14 N. of the
Gila and Salt River Mer-
idian, Arizona.


Showing the respective capacities in which they
 acted.

Urban Bessard Chairman.

E. O. Smith Chainman,

Fred. C. Jones Axeman.

Allan Bernard Flagman.



63

Final Oath of Assistants.


BOOK 1191

We hereby certify that we assisted Theodore
F. White U. S. Deputy Surveyor, in
 surveying The Subdivision
Series of Township 7 S.
Range 14 N. of the Gila
and Salt River Meridian
Arizona.

and that said Survey has been in all respects, to
 the best of our knowledge and belief, well and
 faithfully executed, and the boundary monuments
 planted according to the instructions furnished by
 the Surveyor-General.

Urbain Bernard Chainman.
C. C. Smith Chainman,
And. L. Jones Axeman.
Allan Bernard Flagman.

Sworn to and subscribed before me, this 28th
 day of April ~~1877~~ 1877
John R. Faull,
 Notary Public



Final Oath of Deputy Surveyor.

I, *Theodore F. White*

U. S. Deputy Surveyor, do solemnly swear that in pursuance of a contract with John Wasson, United States Surveyor-General for Arizona, bearing date the *28th* day of *December*

1876. I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-General, the Surveying Manual, and the laws of the United States, surveyed all those portions of

*The Subdivision Lines of
Township 7 S. Range 14 N.
of the Gila and Salt River
Meridian Arizona*

as are represented in the foregoing Field Notes as having been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and also in accordance with the additional requirements con-

65
BOOK 1191

tained in circular instructions from the U. S. Surveyor-General for Arizona, dated September 1, 1873, regarding the establishment of corner boundaries of public surveys, and that the foregoing are the true and original Field Notes of such surveys.

Theodore J. White

Deputy Surveyor.

Sworn to and subscribed before me, this 28th
day of April, 1877

John R. Farrell

Notary Public.



U. S. Surveyor General's Office,

TUCSON ARIZONA, August 6, 1877.

The foregoing Field Notes of the Survey of the

Subdivision Lines of
Township 4 South,
Range 14 West,

Of the Gila and Salt River Base and Meridian, Arizona, executed by Theodore F. White,

Deputy Surveyor, under his contract of the 25th day of December, 1876, having been

critically examined and the necessary corrections and explanations made, the said Field Notes and the surveys they describe are hereby approved.

John Masson,
Surveyor General.