

BOOK 1192

No. 1192

1192

Field Notes

OF THE SURVEY OF THE

BOOK 1192

SUBDIVISION LINES

-OF- No. 1192

Township *South* Range *15 West*

Gila and Salt River Base and Meridian

ARIZONA.

By *Theodore F. White*, D. S.

under contract dated *Dec. 28*, 1876.

Survey commenced *April 2*, 1877.

Survey completed *April 6*, 1877.

Geo. F. White Deputy Surveyor.
7 South **R.** 15 West
Old and Salt River Meridian.

FIELD NOTES

OF

Subdivision Lines of
7 South Range 15 West
Old and Salt River Meridian.

BY

Geo. F. White Deputy Surveyor.

under his Contract of *December 28 1876.*

they commenced *April 2. 1877.*

they completed *April 6. 1877.*

ed,
d for Washington,
script sent to Commissioner,

1A

BOOK 1192

Preliminary Oaths of Assistants.

We, Urbain Bessard
and C. O. Smith

do solemnly swear that we will faithfully execute the duties of Chain Carriers; that we will level the chain upon uneven ground, and plumb the tally pins, whether by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability.

Urbain Bessard
C. O. Smith

Sworn to and subscribed before me, this 9th day of January, 1877



John R. Faull
Notary Public


We, Allan Bernard and
Fred C Jones.
do solemnly swear that we will well and truly per-
form the duties of Flagman and
Axeman, respectively
according to instructions given us, and to the best
of our skill and ability.

Allan Bernard
Fred C Jones

Sworn to and subscribed before me this 9th
day of January, 1877

John P Faull

Notary Public



Township

7 South

Range

15 West

Gila and Salt River

Meridian.

BOOK 1192

6	60	5	44	4	33	3	22	2	11	1
59		58		43		32		21		10
7	57	8	42	9	31	10	20	11	9	12
56		55		41		30		19		8
18	54	17	40	16	29	15	18	14	7	13
53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24
50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25
47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36

Township

7 South

Range

15 West

Gila and Salt River

Meridian

No. 1192

BOOK 1192

The initial point of the survey of the subdivision lines of the township is the cor. to secs. 35-36, 1 and 2, on the S. boundary, which corner was established by myself in these present surveys, and is a post in mound of earth with pile and from which

Apalinde, 5 in. dia. bas. N. 37° E. 50 lvs. dia.

do. 5 " " S. $6\frac{1}{2}^{\circ}$ W. 103 " "

Apalfeira, 9 " " S. 59° E. 98 " "

1/2 Township 7 South Range 15 West
Gila and Salt River Meridian

BOOK 1192

Chains

From the corner to Sections 35, 36, 1 and 2 on the South

boundary I ran

North, between Sections 35 and 36.

Variation $14^{\circ}50'$ East.

As per East Boundary.

33.00 Enter lower bottom land.

40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft long,
flattened 3 in. wide, 1 ft in the ground,
drive charred stake and build mound
of earth 2 ft high, with pits 1 ft deep,
2 ft long, 1 ft wide, as per instruc-
tions, for $\frac{1}{4}$ sec. cor. from which
Armesquite, 4 in. dia. brs. N. 50° W. 63 lbs. dist.
do. 5 " " " N. 50° E. 69 " "

48.15 Yuma road brs. S. W.

80.00 Set a post, marked and notched, 4
ft long, 3 in. sq'd, 1 ft in the ground,
drive charred stake and build
mound of earth 2 ft high, with
pits 1 ft deep, 2 ft long, 1 ft wide,
as per instructions for cor. to Secs.
25, 26, 35 and 36.

No trees near.

Land descending slightly N.
Soil first rate. Scattering timber.

Township

7 South

Range

15 West

BOOK 1192

Meridian.

Chains

East, on a random line between Sections 25 and 36.

Variation $14^{\circ}50'$ East.

- 20.00 Old river bank bas. S. W.
 40.00 Set temporary $\frac{1}{4}$ sec. cor.
 43.00 Opuna road bas. S. W.
 80.11 Intersect E. boundary 9 lvs. S. of
 cor. to secs. 25 and 36. from
 which cor. Drive

S. $89^{\circ}56'$ W.

On true line between secs. 25 & 36.
 var. $14^{\circ}50'$ East.

- 40.05 Set a post, marked $\frac{1}{4}$ S. 4 ft long, flat-
 tened 3 in. wide, 1 ft in the ground,
 drive charred stake and build a
 mound of earth 2 ft high with pits
 1 ft deep, 2 ft long, 1 ft wide, as per
 instructions for $\frac{1}{4}$ sec. cor.
 No trees near.

- 80.11 Cor. to Secs. 25, 26, 35 and 36.

Land level.

Soil good.

Scattering timber.

3 Township 7 North Range 15 West
Gila and Salt River Meridian.

BOOK 1192

Chains North, between Sections 25 and 26.

Variation $14^{\circ}50'$ East.

- 40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft. long, flattened 3 in. wide, 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions for $\frac{1}{4}$ sec. cor. Notes near.
- 51.00 Left bank of river (the Gila) cor. S. N. Set a post, marked, 4 ft. long, 3 in. sq. d. 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high with pit on line S. for cor. to frac. secs. 25 & 26.
I now set flag on line on opposite bank of river and measure off a base 100 lvs. E. to a point whence flag cor. N. $4^{\circ}15'N$. making distance across stream on line 13.46 chs.
- 64.46 Right bank of river, on line. Set a post, marked, 4 ft. long, 3 in. sq. d. 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, with 1 pit on line N. for cor. to fractional secs. 25 & 26.
- 80.00 Set a post, marked and scratched, 4 ft. long, 3 in. sq. d. 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions for cor. to secs. 23, 24, 25 and 26. from which
Armesquite, 11 in. dia. cor. S. $22^{\circ}N$. 193 lvs. dist. -
No other trees near.
Land rich river bottom. Scattering timber

Township

7 South

Range

15 West 4

BOOK 1192

Meridian.

Gila and Salt River

Chains

East, on a random line between Sections 24 and 25.

Variation

14°50'

East.

40.00

Set temporary $\frac{1}{4}$ sec. cor.

80.21

Intersect E. boundary 18 lns. S. of cor.
to secs. 24 and 25, from which
cor. from

S. 89°52' N.

Outline line between secs. 24 & 25.

var. 14°50' East

40.11

Set a post, marked $\frac{1}{4}$ S. 4 ft. long, flat-
tened 3 in. wide, 1 ft. in the ground,
drive charred stake and build mound
of earth 2 ft. high, with pits 1 ft. deep,
2 ft. long, 1 ft. wide, as per instruc-
tions, for $\frac{1}{4}$ sec. cor.
from whichA Cottonwood, 11 in. dia. br., N. 57 $\frac{1}{2}$ ° E. 27 lns. dist.

No other trees near.

80.21

Cor. to Secs. 23, 24, 25 and 26.

Land level. Soil good.
Scattering timber.

BOOK 1192

Chains North, between Sections 23 and 24.

Variation 14° 50' East.

40.00 Set a post, marked "U.S. 4 ft. long, flat
tied 3 in. wide, 1 ft. in the ground,
drive charred stake and build a
mound of earth 2 ft. high, with pits
1 ft. deep, 2 ft. long, 1 ft. wide, as per
instructions for "4 sec. cor.
No trees near.

80.00 Set a post, marked and notched, 4
ft. long, 3 in. sq. 1 ft. in the ground,
drive charred stake and build mound
of earth 1 ft. high, with pits 1 ft. deep, 2
ft. long, 1 ft. wide, as per instructions
for cor. to Secs. 13, 14, 23 and 24,
from which
A mesquite, 10 in. dia. S. 60° E. 69 lvs. dist.
do. 7 " " " N. 12° E. 85 " "
No other trees near.

Land level.

Soil good.

Scattering timber

April 2, 1877.

Township

7 South

Range

15 West

6

Gila and Salt River

BOOK 1192

Meridian.

Chains

East, on a random line between Sections 13 and 24.

Variation $14^{\circ}50'$ East.40.00 Set temporary $\frac{1}{4}$ sec. cor.80.10 Intersect E. boundary 11 lns. S. of cor.
to secs. 13 and 24, from which cor.
Draw $S. 89^{\circ}55' N.$

On true line between secs. 13 & 24.

Var. $14^{\circ}50'$ East40.05 Set a post, marked 14 S. 4 ft long,
flattened 3 in. wide, 1 ft in the ground,
drive charred stake and build a
mound a foot high, with pits
1 ft deep, 2 ft long, 1 ft wide, as per
instructions for $\frac{1}{4}$ sec. cor.
from whichA Cottonwood, 18 in. dia. bas. N. $28\frac{1}{2}^{\circ}$ E. 6 ft land dist.

No other trees near.

80.10 The cor. to secs. 13, 14, 23 & 24.
Land level.

Soil good.

Scattering trees

Township

7 North

Range

15 West

Gila and Salt River

Meridian.

BOOK
Chains

1192

North, between Sections 13 and 14.

Variation $14^{\circ}50'$ East.

27.15 Road base. N.

40.00 Set a post, marked 14 S. 4 ft. long,
flattened 3 in. wide, 1 ft. in the ground,
drill charred stake and build mound
of earth 2 ft. high, with pits 1 ft. deep, 2
ft. long, 1 ft. wide, as per instructions
for 14 sec. cor. from which
Amesquite, 9 in. dia. tree, S. 40° E. 146 lbs. dist.
Do. 6 " " " N. 30° E. 153 " "

80.00 Set a post, marked and notched, 4
ft. long, 3 in. sq. in. 1 ft. in the ground,
drill charred stake and build mound
of earth 2 ft. high, with pits 1 ft. deep, 2
ft. long, 1 ft. wide, as per instructions
for cor. to Secs. 11, 12, 13 and 14,
from which
Amesquite, 4 in. dia. tree, S. 75° N. 12 lbs. dist.
Do. 9 " " " S. 73° E. 38 " "
No other trees near.

Land level.

Soil good.
Scattering trees.

Township

7 South

Range

15 West

8

BOOK 1192

Meridian.

Gila and Salt River

Chains

East, on a random line between Sections 12 and 13.

Variation $14^{\circ}50'$ East.

40.00 Set temporary 1/4 sec. cor.

80.17 Intersect East boundary 15 ch. S. of
cor. to secs. 12 and 13, from which
cor. run $S. 89^{\circ}54' N.$

On true line between secs. 12 & 13.

var. $14^{\circ}50'$ East.40.08 Set a post, marked 1/4 S. 4 ft long,
flattened 3 in. wide, 1 ft. in the
ground, drive charred stakes and
build mounds of earth 2 ft high,
with pits 1 ft deep, 2 ft long, 1 ft wide,
as per instructions for 1/4 sec. cor.
No trees near.

80.17 Cor. to secs. 11, 12, 13 & 14.

Land level.

Soil good.

A few trees.

Township

7 South

Range

15 West

Gila and Salt River

Meridian.

BOOK

1192

Chains

North, between Sections 11 and 12.

Variation

14° 50'

East.

40.00 Set a post, marked 1/4 S. 4 ft. long, flattened 3 in. wide, 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions for 1/4 sec. cor. No trees near.

80.00 Set a post, marked and notched, 4 ft. long, 3 in. sq. id. 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions for cor. to Secs. 1, 2, 11 and 12. No trees near.

Sand level.

Soil good.

No timber.

Township

7 South

Range

15 West 10

BOOK 1192

Meridian.

Chains

East, on a random line between Sections 1 and 12.

Variation $14^{\circ}50'$ East.40.00 Set temporary $\frac{1}{4}$ sec. cor.80.07 Intersect E. boundary 10 ch. N. of
cor. to sec. 1 and 12, from which
cor. run $N. 89^{\circ}56' W.$

Outline line between sec. 1 & 12.

var. $14^{\circ}50'$ East.40.04 Set a post, marked $\frac{1}{4}$ S. 4 ft. long,
flattened 3 in. wide ft. in the ground,
drive charred stake and build a
mound of earth 4 ft. high, with pits
4 ft. deep, 2 ft. long, 4 ft. wide, as per
instructions for $\frac{1}{4}$ sec. cor.

No trees near.

80.07 Cor. to sec. 1, 2, 11 and 12.

Land level.

Soil good.

No timber.

11

Township 7 South Range 15 West
Gila and Salt River Meridian.

BOOK
Chains

1192 North, on a random line between Sections 1 and 2.

Variation 14° 50' East.

40.00 Set temporary 1/4 sec. cor.
79.91 Intersect N. boundary 16 lvs. E.
of cor. to secs. 1 and 2 from
which cor. I run

S. 0° 7' E.

On true line between sec. 1 & 2.

var. 14° 50' East.

39.91 Set a post, marked 1/4 S. 4 ft. long, flat-
tined 3 in. wide, 1 ft. in the ground,
driven charred stake and build
mound of earth 2 ft. high, with
pits 1 ft. deep, 2 ft. long, 1 ft. wide,
as per instructions for 1/4 sec. cor.
No trees near.

79.91 Conto Secs. 1, 2, 11 & 12.

Land level.

Soil good.

No timber.

Chains

North, between Sections 34 and 35.

Variation $14^{\circ}50'$ East.

Ascend over rocky ridge bas. N. W.

40.00 Set a granite stone, $14 \times 7 \times 6$ inches, $\frac{2}{3}$ in the ground, marked $\frac{1}{4}$, and on N. build mound of stones 2 ft high, as per instructions, for $\frac{1}{4}$ sec. cor. No trees near.

63.00 Base of mountain, N. E. slope.

66.00 Road to Yuma bas. N. of W.

68.00 Intersect left bank of Gila river, bas. N. of W. Set a post, marked, 4 ft long, 3 in sq. d. ft in the ground, drive charred stake and build mound of earth 2 ft high, with pit on line S. for cor. to fractional sec. 34 & 35, from which a Willow, 10 in dia. bas. $S 70^{\circ} E$. 90 lbs. dist.

An irrigating ditch runs here immediately along bank of river.

Throw set flag on line on opposite bank of river and measure off a base 100 lbs. W. to front, so hence flag bas. N. $73^{\circ} E$. making distance across, 7.58 chs.

75.58 Right bank of river on line, Set a post, marked, 4 ft long, 3 in sq. d. ft in the ground, drive charred stake and build mound of earth 2 ft high, with pit on line N. for cor. to fractional sec. 34 and 35.

80.00 Set a post, marked & notched, 4 ft long, 3 in sq. d. ft in the ground, drive charred stake & build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for cor. to sec. 26, 27, 34 & 35. No trees near. Sand rich bottom & scattering timber, on river. Broken & mountainous on S.

13 Township 7 North Range 15 West
 Gila and Salt River Meridian.

BOOK
 Chains

1192

East, on a random line between Sections 26 and 35.

Variation $14^{\circ} 50'$ East.

Cross river $\frac{1}{2}$ at 40 chs. set temporary $\frac{1}{4}$ sec. cor.

53.70 Old river bank hrs. S.W.

80.16 Intersect N. & S. line 17 hrs. N. of cor. to secs. 25, 26, 35
 and 36, from which cor. Run

N. $89^{\circ} 53' W$. On true line between secs. 26 & 35.

var. $14^{\circ} 50'$ East

40.08 Set a post, marked 14 ft long, flattened 3 in. wide, 1 ft in the
 ground, drive chauld stake & build mound of earth 2 ft high,
 with pit 1 ft deep, 2 ft long, 1 ft wide, as per instructions for $\frac{1}{4}$
 sec. cor. No trees near.

62.98 Intersect left bank of river, hrs. S.W. Set a post, marked 4 ft
 long, 3 in. sqd. 1 ft in the ground, drive chauld stake and
 build mound of earth 2 ft high, then from 1 pit on line E. for
 cor. to fractional secs. 26 & 35. Then set flag on line
 on opposite bank of river and measure off base
 100 hrs. S. to point where flag hrs. N. $84^{\circ} W$, mak-
 ing distance across stream on line, 9.51 chs.

72.49 Right bank of river on line. Set a post, marked,
 4 ft long, 3 in. sqd. 1 ft in the ground, drive chauld
 stake and build mound of earth 2 ft high, with
 pit on line W. for cor. to fractional secs. 26 & 35.

80.16 Cor. to secs. 26, 27, 34 and 35.

Land rich bottom of river.

Scattering timber and brush.

Township

7 South

Range

15 West 14

BOOK

1192

Meridian.

Gila and Salt River

Chains

North, between Sections 26 and 27.

Variation

14° 50'

East.

40.00 Set a post, marked 14 S 4 ft. long, flattened
3 in. wide, 1 ft. in the ground. Drive char-
red stake and build mound of earth
2 ft. high, with pits 1 ft. deep, 2 ft. long,
1 ft. wide, as per instructions for 14 sec. cor.
No trees near.

80.00 Set a post, marked and notched, 4
ft. long, 3 in. sqd. 1 ft. in the ground,
drive charred stake and build mound
of earth 2 ft. high, with pits 1 ft.
deep, 2 ft. long, 1 ft. wide, as per in-
structions for C. to Secs. 22, 23, 26
and 27.

From which

Acacia, 4 in. dia. br. N. 45° E. 181' dist.
No other trees near.

Land level, slightly ascending.

Soil good.

Scattering trees and brush.

15 Township 7 South Range 15 West

Gila and Salt River

Meridian.

BOOK 1192

Chains East, on a random line between Sections 23 and 26.

Variation 14°50' East.

40.00 Set temporary 1/4 sec. cor.
80.11 Intersect N. and S. line 1000 ft. S. of cor. to Secs. 23, 24, 25 & 26. from which cor. I run

S. 89°56' W.

On true line between Secs. 23 & 26.
var. 14°50' East.

40.05 Set a post marked 1/4 S. 14 ft. long, flattened 3 in. wide, 1 ft. in the ground, drive charred stakes and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions for 1/4 sec. cor.
No trees near.

80.11 Cor. to Secs. 22, 23, 26 & 27.

Sand level.

Soil good.
Scattering trees

Township

7 South

Range

15 West

16

BOOK

1192

Meridian.

Chains

North, between Sections 22 and 23.

Variation

14°50'

East.

40.00 Set a post, marked N.S. 4 ft long, flattened
3 in. wide, 1 ft in the ground, drive charred
stave and build mound of earth 2
ft high, with pit 1 ft deep, 2 ft long,
1 ft wide, as per instructions, for 14
sec. cor. from which

Annesquite, 10 in. dia. brs. N. 14° E. 213 lbs. dist.
No other trees near.

80.00 Set a post, marked and notched, 4
ft long, 3 in. sq. d. 1 ft in the ground,
drive charred stave and build mound
of earth 2 ft high with pit 1 ft deep,
2 ft long, 1 ft wide, as per instructions
for cor. to Secs. 14, 15, 22 & 23.
from which

Annesquite, 5 in. dia. brs. S. 35° N. 135 lbs. dist.
No other trees near.

Land level.

Soil good.

Scattering timber.

17 Township 7 South Range 15 West
Gila and Salt River Meridian.

BOOK 1192

Chains East, on a random line between Sections 14 and 23.

Variation $14^{\circ}50'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
80.11 Intersect N. and S. line 19 lvs. S. of fence
to sec. 13, 14, 23 and 24, from which
cor. drawn

S. $89^{\circ}52' N.$

Between line between sec. 14 & 23.
var. $14^{\circ}50'$ East

40.05 Set post, marked $\frac{1}{4}$ S. of $\frac{1}{4}$ long,
flattened 3 in. wide. 1 ft. in the ground,
drill charred stake and build a
mound of earth 2 ft. high, with pits
1 ft. deep, 2 ft. long. 4 ft. wide as per
instructions for $\frac{1}{4}$ sec. cor.
from which
Acornite, 7 in. dia. lvs. West, 28 lvs. dist.
No other trees near.

80.11 Cr. to sec. 14, 15, 22 & 23.

Land level.
Soil good.
Scattering trees

Township

7 South

Range

15 West 18

BOOK

1192

Meridian.

Chains

North, between Sections 14 and 15.

Variation

14° 50'

East.

12.00 Road br. S. of W.

40.00 Set a post, marked $\frac{1}{4}$ S. + $\frac{1}{2}$ ft. long. 3 in. wide flattened, 1 ft. in the ground, drive charred stake and build a mound a foot high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions for $\frac{1}{4}$ sec cor. from which

Amesquite, 6 in dia. br. S. 30° E. 147 br. dist.

do. 4 " " S. 17° N. 162 " "

80.00 Set a post, marked and notched, 4 ft. long. 3 in. sq. d. 1 ft. in the ground, drive charred stake and build a mound a foot high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions for cor. to Secs. 10, 11, 14 and 15.

Notes near:

Land level.

Soil good.

Scattered trees.

19 Township 7 South Range 15 West
Gilead Salt River Meridian.

BOOK 1192

Chains East, on a random line between Sections 11 and 14.

Variation $14^{\circ}50'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
79.85 Intersect N. and S. line 12 hrs. S. of cor.
to secs. 11, 12, 13 and 14, from which
cor. done

$S. 89^{\circ}55' N.$

Outline line between secs. 11 & 14.

Var. $14^{\circ}50'$ East.

39.93 Set a post, marked $\frac{1}{4}$ S. 14 ft. long, flat
tied 3 in. wide, 1 ft. in the ground,
drive charred stake and build a
mound of earth 2 ft. high, with
pits 1 ft. deep, 2 ft. long, 1 ft. wide,
as per instructions for $\frac{1}{4}$ sec. cor.
No trees near.

79.85 Cor. to secs. 10, 11, 14 and 15.

Land level. Soil Good.

Scattering trees on East.

Township

7 South

Range

15 West 20

BOOK 1192

Meridian.

Gila and Salt River

Chains

North, between Sections 10 and 11.

Variation

14° 50'

East.

40.00 Drive charred stake and build a mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 74 sec. cor. No stones or timber near.

80.00 Set a post, marked and notched, 4 ft long, 3 in sq'd, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for cor. to Secs. 7, 8, 10 & 11. No trees near.

Land level.

Soil good.

No timber.

21 Township 7 South Range 15 West
Gila and Salt River Meridian.

BOOK 1192
Chains

East, on a random line between Sections 2 and 11.

Variation $14^{\circ}50'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
79.82 Intersect N. and S. line 14 lvs. S. of cor.
to secs. 1, 2, 11 and 12, from which
cor. drawn

$S. 89^{\circ}54' W.$

On true line between secs. 2 & 11.

var. $14^{\circ}50'$ East.

39.91 Set a post, marked $\frac{1}{4}$ S. 4 ft long,
flattened 3 in wide, 1 ft in the ground,
drill charred stake and build
mound of earth 2 ft high, with
pits 1 ft deep, 2 ft long, 1 ft wide,
as per instructions for $\frac{1}{4}$ sec. cor.
No trees near.

79.82 Cor. to secs. 2, 3, 10 and 11.

Land level.

Soil good.
No timber.

April 3, 1877.

Township

7 South

Range

15 West 22

BOOK 1192

Meridian.

Gila and Salt River

Chains

North, on a random line between Sections 2 and 3.

Variation

14°50'

East.

40.00 Set temporary 1/4 sec. cor.

79.88 Intersect N. boundary 19 lns. East
cor. to Secs. 2 and 3. from which
cor. from

S. 0° 8' E.

On true line between Secs. 2 & 3;

var. 14° 50' East.

39.88 Set a post, marked 1/4 S. 4 ft long,
3 in. wide flattened, 1 ft in the
ground. Drive charred stake and
build mound of earth 2 ft high,
with pit 1 ft deep, 2 ft long, 1 ft
wide as per instructions for
1/4 sec. cor.

No trees near.

79.88 Cor. to Secs. 2, 3, 10 and 11.

Land level.

Soil good.

No timber.

23 Township 7 South Range 15 West
Gila and Salt River Meridian.

BOOK 1192

Chains North, between Sections 33 and 34.

Variation $14^{\circ}50'$ East.

- 3.00 Arroyo, 30 lks. wide, bds. N. W.
40.00 Set a post, marked $1/4$ S. 4 ft. long,
flattened 3 in. wide, 1 ft. in the ground,
drive charred stake and build mound
of earth 2 ft. high, with pits 1 ft. deep, 2
ft. long, 1 ft. wide, as per instructions for
 $1/4$ sec. cor. No trees near.
57.20 Ascend N. slope of low hill.
61.60 Top of slope.
66.50 Foot on N. side.
70.70 Yuma road runs N.
73.40 Descend.
80.00 Set a post, marked and notched, 4 ft.
long, 3 in. sqd. 1 ft. in the ground, drive
charred stake and build mound
of earth 2 ft. high, with pits 1 ft. deep,
2 ft. long, 1 ft. wide, as per instructions
for cor. to Secs. 27, 28, 33 and
34. from which
Apale verde, 4 in. dia. bds. N. 70° E. 169 lks. dist
do. 9 " " " N. 83° W. 269 " "
No other trees near.

Land broker and surveyor.
Scattering trees.

Chains

East, on a random line between Sections 27 and 34.

Variation

114° 50' East.

15.80 Leave lower bottom land, and pass over point of table land.

35.20 Enter bottom land again.

40.00 Set temporary 1/4 sec. cor.

54.70 Irrigating ditch runs N. of N. -

80.16 Having crossed the Gila river, - Intersect N. & S. line

12 chs. N. of cor. to secs. 26, 27, 34 & 35, from which cor. I run

- N. 89° 55' W. Or true line between secs. 27 & 34.

var. 114° 50' East

8.16 Intersect right bank of Gila river, line N. W. Set a post,

marked, 4 ft. long, 3 in. sqd. 1 ft. in the ground, drive

charred stake & build mound of earth 2 ft high, taken from

1 ft on line E. for cor. to frac. secs. 27 & 34.

Then set flag on line on opposite side of river & measure off

a base 100 chs. N. to a point where flag base S. 83° W. mark-

ing distance across stream on line, 8.14 chs.

16.30 To left bank of river, on line, Set a post, marked, 4 ft. long,

3 in. sqd. 1 ft. in the ground, drive charred stake & build mound

of earth 2 ft high, taken from 1 ft on line W. for cor. to frac. sec. 27 & 34.

40.08 Set a post, marked 1/4 S. 4 ft. long, flattened 3 in. wide, 1 ft. in the

ground, drive charred stake and build mound of earth 2 ft

high, with pile 1 ft deep, 2 ft long, 1 ft wide, as per instruc-

tions for 1/4 sec. cor. from which

Run a line, 5 in dia. base, N. 13° W. 82 chs. dist.

do. " " " " S. 19° E. 79 "

80.16 Cor. to secs. 27, 28, 33 and 34.

Land rich bottom. Scattering timber.

BOOK 1192
Chains North, between Sections 27 and 28.

Variation 14° 50' East.

- 13.75 Irrigating ditch runs N. W.
- 40.00 Set a post, marked 4 S. 4 ft long, flattened 3 in. wide, 1 ft in the ground, drive charr'd stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 7/4 sec. cor. from which
A Willow, 3 in. dia. has. S. 15° E. 184 lns. dist
No other trees near.
- 50.77 Intersect left bank of Gila river, base S. of W. Set a post, marked, 4 ft long, 3 in. sq'd. 1 ft in the ground, drive charr'd stake and build mound of earth 2 ft high, take a run 1 pit on line S. for cor. to frac. sec. 27 & 28. - I now set flag on line on opposite bank of river and measure off base 100 lns E. to point where flag has N. 5° 57' W. giving as distance across stream on line, 9. 59 chs.
- 59.83 Right bank of river, on line. Set a post, marked, 4 ft long, 3 in. sq'd. 1 ft in the ground, drive charr'd stake and build mound of earth 2 ft high, with 1 pit on line N. for cor. to frac. sec. 27 & 28.
- 80.00 Set a post, marked & notched, 4 ft long, 3 in. sq'd. 1 ft in the ground, drive charr'd stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, for cor. to Sec. 21, 22, 27 & 28 from which
A mesquite, 4 in. dia. has. S. 62° N. 259 lns. dist. No other trees near.
Land level. Soil rich. Scattering timber.

Township

7 South

Range

15 West 26

BOOK 1192

Meridian.

Gila and Salt River

Chains

East, on a random line between Sections 22 and 27.

Variation $14^{\circ}50'$ East.

9.30 Road to river bas. S.E.

40.00 Set temporary $\frac{1}{4}$ sec. cor.80.13 Intersect N. and S. line 2000 ft. N. of cor. to secs.
22, 23, 26 and 27, from which cor. RunN. $89^{\circ}51'N$.Continue line between secs. 22 & 27.
var. $14^{\circ}50'$ East40.07 Set a post, marked $\frac{1}{4}$ S. $\frac{1}{4}$ flong. flat-
tired 3 in. wide, 1 ft in the ground,
drive charred stake and build a
mound a foot high, with
cuts 1 ft deep, 2 ft long, 1 ft wide,
as per instructions for $\frac{1}{4}$ sec. cor.
No trees near.

80.13 Cor. to secs. 21, 22, 27 & 28.

Land level.

Soil good.

Scattered trees.

27 Township 7 South Range 15 West
Gila and Salt River Meridian

BOOK 1192

Chains North, between Sections 21 and 22.

Variation $14^{\circ}50'$ East.

- 26.60 Road to river brs. S. E.
- 40.00 Set a post, marked $\frac{1}{4}$ S. $\frac{1}{2}$ ft. long, flat-topped 3 in. wide, 1 ft. in the ground, drive charred stake and build a mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions for $\frac{1}{4}$ sec. cor. from which
Amesquite, 5 in. dia. brs. S. $57\frac{1}{4}^{\circ}$ N. 213 lbs. dist.
No other trees near.
Acornal brs. S. 50° N. about 4 chs. dist.
- 56.00 Rancho brs. N. 14 chs. dist.
- 56.20 Road, running N.
- 80.00 Set a post, marked & notched, $\frac{1}{2}$ ft. long, 3 in. sqd. 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high with pits 1 ft. deep, 2 ft. long, 1 ft. wide as per instructions for the cor. to secs 15, 16, 21 & 22. from which
Amesquite, 4 in. dia. brs. S. 44° N. 42 lbs. dist.
do. 6 " " " N. 42° N. 67 " "
No other trees near.

Land level. Soil good. Scattering trees.

Township

7 South

Range

15 West 28

BOOK 1192

Gila and Salt River

Meridian.

Chains

East, on a random line between Sections 15 and 22.

Variation 14°50' East.

40.00 Set temporary 1/4 sec. cor.

42.50 Road br. S.W.

79.83 Intersect N. and S. line 15 lns. S. of cor. to secs. 14, 15, 21 and 22, from which cor. I run

S. 89°54' W.

On true line between secs. 15 & 22.

var. 14°50' East.

39.91 Set a post marked 1/4 S. 1/4 fl. long, flattened 3 in. wide, 1/2 in. the ground, drive charred stake and build mound of earth 2 ft high with pits 1 ft deep 2 ft long, 1 ft wide, as per instructions for 1/4 sec. cor. from which

Amesquite, 9 in. dia. br. S. 6 1/2° E. 77 br. dist.

do. 6. " " N. 83° W. 41 " "

79.83 Cor. to Secs. 15, 16, 21 and 22.

Land level.

Soil good.

Scattering trees

29 Township 7 South Range 15 West

Gila and Salt River

BOOK 1192

Meridian.

Chains North, between Sections 15 and 16.

Variation 14° 50' East.

40.00 Set a post, marked 74 S. 4 ft long, flattened 3 in. wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 74 sec. cor. No trees near.

80.00 Set a post, marked & notched, 4 ft long, 3 in. sq. 1 ft in the ground, drive charred stake and build a mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for cor. to Sec. 9, 10, 15 and 16. No trees near.

Land level.

Soil good.

Scattered trees.

Township

7 South

Range

15 West 30

BOOK 1192

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 10 and 15.

Variation $14^{\circ}50'$ East.40.00 Set temporary $\frac{1}{4}$ sec. cor.79.86 Intersect N. and S. line 10 lns. N. of
cor. to Secs. 10, 11, 14 and 15, from
which cor. Run $N. 89^{\circ}56' W.$

On true line between secs. 10 & 15.

var. $14^{\circ}50'$ East39.93 Set a post marked $\frac{1}{4}$ S. 4 ft. long,
flattened 3 in. wide, 1 ft. in the
ground, drive chared stake and
build mound of earth 2 ft. high,
with pits 4 ft. deep, 2 ft. long, 4 ft.
wide, as per instructions for $\frac{1}{4}$
sec. cor.

No trees near.

79.86 Cor. to Secs. 9, 10, 15 and 16.

Sand level.

Soil good.

Scattering trees.

BOOK 1192
Chains North, between Sections 9 and 10.

Variation $14^{\circ}50'$ East.

40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft. long, 3 in. wide flattened, 4 in. in the ground, drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions for $\frac{1}{4}$ sec. cor. from which
An mesquite, 4 in dia. hrs. S. 40° E. 37 lbs. dist.
No other trees near.

80.00 Set a post, marked and notched, 4 ft. long, 3 in. sq. in. in the ground, drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions for cor. to secs. 3, 4, 9 and 10. from which
A pale verde, 6 in. dia. hrs. S. 83° E. 67 lbs. dist.
No other trees near.

Land level,
Soil Good.
Scattering trees.

Township

7 South

Range

15 West

32

Gila and Salt River

BOOK

1192

Meridian.

Chains

East, on a random line between Sections 3 and 10.

Variation

14°50'

East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.79.90 Intersect N. and S. line 18 lds. N. of
cor. to secs. 2, 3, 10 & 11. from
which cor. drawn

N. 89°52' W.

Outline line between secs. 3 & 10.

var. 14°50' East.

39.95 Set a post, marked $\frac{1}{4}$ S. 4 ft. long,
flattened 3 in. wide, 1 ft. in the
ground, drive charred stake and
build mound of earth 2 ft.
high, with pits 1 ft. deep, 2 ft. long,
1 ft. wide, as per instructions for
 $\frac{1}{4}$ sec. cor.

Notices near.

79.90 Cor. to secs. 3, 4, 9 and 10.

Land level.

Soil good.

No timber.

33 Township 7 South Range 15 West
Gila and Salt River Meridian

BOOK
Chains

1192
North, on a random line between Sections 3 and 4.

Variation $14^{\circ}50'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
79.80 Intersect N. boundary 22 hrs. E. of
cor. to secs. 3 and 4, from which
cor. done

$S. 0^{\circ} 9' E.$

On true line between secs. 3 & 4.
var. $14^{\circ}50'$ East.

39.80 Set a post, marked $\frac{1}{4}$ S. 14 ft. long,
flattened 3 in. wide, 1 ft. in the ground,
drill chared stake and build mound
of earth 2 ft. high, with pits 1 ft. deep,
2 ft. long, 1 ft. wide, as per instruc-
tions for $\frac{1}{4}$ sec. cor.

79.80 Cor. to secs. 3, 4, 9 and 10.

Land level.
Soil good.
No timber.

Gila and Salt River

Chains

North, between Sections 32 and 33.

Variation $14^{\circ}50'$ East.

- 40.00 Set a post, marked 4 ft long, flattened 3 in wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 14 sec. cor. from which a distance of 9 in. direct S. 60° W. 232 lvs. dist.
Do. 6. . . West, 211 . . .
- 50.24 Intersect left bank of Gila river, cor. N. of N. Set a post, marked, 4 ft long, 3 in. sqd. 1 ft in the ground, drive charred stake & build mound of earth 2 ft high, taken from pit on line S. for cor. to frac. sec. 32 & 33.
Then set flag on line on opposite bank of river and measure off a base 100 lvs. N. to point whence flag cor. N. $5^{\circ}35'$ E. giving as distance across, 10.23 Chs.
- 60.47 Right bank of river on line. Set a post, marked, 4 ft long, 3 in. sqd. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pit on line N. for cor. to frac. sec. 32 & 33.
- 80.00 Set a post, marked & notched, 4 ft long, 3 in. sqd. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 1 ft long, 1 ft wide, as per instructions for cor. to sec. 28.29. 32 & 33. No trees near.
Land subject to overflow along the river.
Soil rich, scattering trees -

35 Township 7 South Range 15 West
Gila and Salt River Meridian

BOOK 1192

Chains

East, on a random line between Sections 28 and 33.

Variation $14^{\circ}50'$

East.

Cross the river and at

51.80 Old river bank bro. S. W.

60.30 Irrigating ditch runs S. of W.

80.09 Intersect N. and S. line 13 hrs. S. of cor. to Secs.

27. 28. 33 and 34. from which cor. drawn
S. $89^{\circ}54' N$. distance line between Secs. 28 & 33.

var. $14^{\circ}50'$ East

33.50 Intersect left bank of Gila river, bro. S. W. Set a post,
marked, 4 ft. long, 3 in. sq. d. 1 ft. in the ground, drive charred
stone & build mound of earth of height, with pit on line E.
for cor. to frac. sec. 28 & 33. -

Insert flag on line, on opposite side of river, and measure
off base 100 hrs. S. to point whence flag bro. N. $85^{\circ}42' W$,
giving as distance across stream on line, 12.08 chs.

45.53 Right bank of river on line. Set a post, marked, 4 ft.
long, 3 in. sq. d. 1 ft. in the ground, drive charred stone and
build mound of earth of height, taken from pit on
line W. for cor. to frac. sec. 28 & 33.

The '4 sec. cor. falls in river and cannot
be established

80.09 Cor. to Secs. 28. 29. 32 & 33.

Land rich bottom. Scattering trees.

Township

7 South

Range

15 West 36

BOOK

1192

Meridian.

Gila and Salt River

Chains

North, between Sections 28 and 29.

Variation $14^{\circ}50'$ East.

35.00

Old bank of river bas. S. of W.

40.00

Set a post, marked $1/4$ S. 4 ft long, flattened
3 in. wide. 1 ft in the ground. Drive
charred stake and build mound
of earth 1 ft high, with pits 1 ft deep,
2 ft long, 1 ft wide, as per instructions
for $1/4$ sec. cor. from which
Anacquite, 10 in. dia. bas. S. $28^{\circ}7'$. 234 lbs. dist
No other trees near.

50.00

Set a post, marked and notched, 4 ft
long, 3 in. sq. d. 1 ft in the ground,
Drive charred stake and build mound
of earth 1 ft high, with pits 1 ft deep, 2 ft
long, 1 ft wide, as per instructions for
cor. to Secs. 20, 21, 28 and 29.
from which
Anacquite, 8 in. dia. bas. N. $72^{\circ}7'$. 289 lbs. dist
No other trees near.

Land level.

Soil rich.

Scattering timber

37 Township 7 South Range 15 West

Gila and Salt River

Meridia

BOOK 1192

Chains

East, on a random line between Sections 21 and 28.

Variation $14^{\circ}50'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.18 Intersect N. and S. line 15 lks. S.
of cor. to secs. 21, 22, 27 & 28. from
which cor. I run

$S. 89^{\circ}54' N.$

On true line between secs. 21 & 28.

var. $14^{\circ}50'$ East

40.09 Set a post, marked $\frac{1}{4}$ S. 4 ft. long,
flattened 3 in. wide, 1 ft. in the
ground, drive charred stake and
build mound of earth 2 ft. high,
with pits 1 ft. deep, 2 ft. long, 1 ft.
wide, as per instructions for $\frac{1}{4}$ sec.
cor. from which

Amesquite, 10 in. dia. hrs. $S. 74^{\circ} E.$ 202 lks. dist.
No other trees near.

80.18 Cor. to secs. 20, 21, 28 & 29.

Land level. Soil good.
Scattering trees.

April 4, 1877.

Chains

North, between Sections 20 and 21.

Variation 14°50' East.

- 19.50 Road brs. S. A.
- 40.00 Set a post, marked "4 S. 4 ft. long, flattened 3 in. wide, 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions for "4 sec. cor. from which
 A mesquite, 7 in. dia. br. S. 26½° E. 60 lbs. dist.
 Do. 6 " " " N. 46½° E. 79 " "
- 80.00 Set a post, marked and notched, 4 ft. long, 3 in. sq. d., 1 ft. in the ground. Drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions for cor. to secs. 16, 17, 20 & 21, from which
 A pale fir, 12 in. dia. br. N. 32° E. 26 lbs. dist.
 Do. 12 " " " S. 56° W. 136 " "
- No other trees near.

Land level.

Soil good.

Scattering timber.

39 Township 7 South Range 15 West

Gila and Salt River Meridi

BOOK 1192

Chains East, on a random line between Sections 16 and 21.

Variation $14^{\circ}50'$ East.

40.00 Set temporary 4th sec. cor.

80.18 Intersect N. and S. line 16th Sec. S. of
cor. to secs. 15, 16, 21 and 22. from
which cor. I run

$S. 89^{\circ}53' W.$

On true line between secs. 16 & 21.

Var. $14^{\circ}50'$ East

40.09 Set post, marked 4th S. 4 ft long,
flattened 3 in. wide, 1 ft in the ground,
drive charred stake and build mound
a foot or 2 ft high, with pits 1 ft deep
2 ft long, 1 ft wide, as per instruction
for 4th sec. cor.

from which

Amesquite, 5 in. dia. Sec. S. $40^{\circ} N.$ 15th Sec. dist.

No other trees near.

80.18 Cor. to secs. 16, 17, 20 and 21.

Land level.

Soil good.

Scattering trees

Township

7 South

Range

15 West 40

Gila and Salt River

BOOK

1192 Meridian.

Chains

North, between Sections 16 and 17.

Variation 14°50' East.

40.00 Set a post, marked 14 S. 4 ft long, flat
 tined 3 in. wide, 1 ft in the ground,
 drive charred stake and build a
 mound of earth 2 ft high, with
 pits 1 ft deep, 2 ft long, 1 ft wide, as
 per instructions, for 14 sec. cor.
 No trees near.

80.00 Set a post, marked and notched,
 4 ft long, 3 in. sq. d., 1 ft in the ground,
 drive charred stake and build
 mound of earth 2 ft high, with pits
 1 ft deep, 2 ft long, 1 ft wide, as per
 instructions for cor. to Secs. 8, 9, 16
 and 17.
 No trees near.

Sand level.

Soil good.

A few trees

41 Township 7 South Range 15 West
Gila and Salt River Meridia
BOOK 1192

Chains East, on a random line between Sections 9 and 16.

Variation $14^{\circ}50'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.98 Intersect N. and S. line 10 hrs. S. of cor.
to secs. 9, 10, 15 and 16. from
which cor. Issue

S. $89^{\circ}56' N.$

On true line between secs. 9 & 16.

var. $14^{\circ}50'$ East.

39.99 Set a post, marked $\frac{1}{4}$ S. 4 ft. long,
flattened, 3 in. wide, 1 ft. in the
ground, drive charred stake and
build mound of earth 2 ft. high
with pits 1 ft. deep, 2 ft. long, 1 ft. wide,
as per instructions for $\frac{1}{4}$ sec. cor.
Notes near.

79.98 Conto secs. 8, 9, 16 and 17.

Land level.

Soil good.

Not timber

Township

7 South

Range

15 West 42

BOOK 1192

Meridian.

Gila and Salt River

Chains

North, between Sections 8 and 9.

Variation

14° 50'

East.

40.00 Set a post, marked 14 S. 4 ft long, flat-tined 3 in. wide. 1 ft in the ground, drive charred stake and build a mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 14 sec. cor. No trees near.

80.00 Set a post, marked and notched, 4 ft long, 3 in. sq'd. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for cor. to secs. 4, 5, 8 and 9. No trees near.

Land level.

Soil Good.

No timber.

BOOK 1192

Chains East, on a random line between Sections 4 and 9.

Variation 14° 50' East.

40.00 Set temporary 1/4 sec. cor.

80.17 Intersect N. and S. line 20 hrs. S. of cor. to Secs. 3, 4, 9 and 10, from which cor. I run

S. 89° 51' W.

On true line between secs. 4 & 9.
var. 14° 50' East

40.08 Set a post marked 1/4 S. 4 ft long, flattened 3 in wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 1/2 ft long, 1/2 ft wide, as per instructions for 1/4 sec. cor.
Notes near.

80.17 Cor. to secs. 4, 5, 8 and 9.

Land level.

Soil good.

No timber.

Chains North, on a random line between Sections 4 and 5.
Variation 14°50' East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
79.91 Intersect N. boundary line 17 lcs. E. of
cor. to secs. 4 and 5, from
which cor. Run

S. 0° 7' E.
Continue line between secs. 4 & 5.
var. 14° 50' East.

39.91 Set a post, marked $\frac{1}{4}$ S. 4 ft. long,
flattened 3 in. wide, 1 ft. in the
ground, drive charred stake and
build mound of earth 2 ft. high,
with pit 1 ft. deep, 2 ft. long, 1 ft.
wide, as per instructions for $\frac{1}{4}$ sec.
cor.

No trees near.

79.91 Cor to Secs. 4, 5, 8 & 9.

Land level. Soil good.
November

BOOK 1192

Chains North, between Sections 31 and 32.

Variation 14°50' East.

- 4.78 Intersect left bank of Gila river, bro. S. W. Set a post, marked, 4 ft long, 3 in. sq. d. 1 ft in the ground, drive charred stake & build mound of earth 2 ft high, with pit on line S. for cor. to frac. secs. 31 & 32. - Drive set flag on line near opposite bank of river and measure off a base 100 ls. E. to point whence flag bro. N. 3°58' W. giving a distance across stream on line, 14.92 chs.
 - 19.70 Right bank of river on line. Set a post, marked, 4 ft long, 3 in. sq. d. From the ground, drive charred stake & build mound of earth 2 ft high, with pit on line N. for cor. to frac. secs. 31 and 32.
 - 40.00 Set a post, marked #48, 4 ft long, flattened 3 in. round 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 1/4 sec. cor. Notice near.
 - 80.00 Set a post, marked & notched, 4 ft long, 3 in. sq. d. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for cor. to secs. 29, 30, 31 and 32. from which
 Amesquite, 7 in. dia. br. East, 209 ls. dist
 do. 6 " " " N. 30° E. 207 " "
 do. 4 " " " S. 46° N. 162 "
- Land rich river bottom. Scattering timber.

Chains

East, on a random line between Sections 29 and 32.

Variation $14^{\circ}50'$ East.

The line intersects a bend in the Gila river.

So I affect N. 10 chs. and at

80.21

Intersect the N. and S. line at a point

10.19 chs. N. of cor. to secs. 28, 29, 32

and 33, or a correction of 19 lbs. S,

and from the cor. to secs. 28, 29, 32 and

33, I run

N. $89^{\circ}52'$ W.

On true line between secs. 29 & 32.

var. $14^{\circ}50'$ East.

30.00

Intersect bend in right bank of Gila river;

Set a post, marked, 4 ft long, 3 in. sq. 1 ft in the ground.

drive charred stake & build mound of earth 2 ft high, with

pit on line E. for cor. to frac. secs. 29 & 32.

Affect 10 chs. N. and continue on course

69.00

Set back S. 10 chs. to line at intersection with bend

in right bank. Set a post, marked, 4 ft long, 3 in. sq. 1

ft in the ground, drive charred stake & build mound of

earth 2 ft high, with pit on line N. for cor. to frac. secs.

29 & 32. The $\frac{1}{4}$ sec. cor. falls in river

and cannot be established.

50.21

Cor. to secs. 29, 30, 31 and 32.

Land rich river bottom. Scattering trees

47 Township 7 South Range 15 West

Gila and Salt River

Meridi

BOOK 1192

Chains West, on a random line between Sections 30 and 31.

Variation $14^{\circ}50'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

78.56 Intersect N. boundary 12 ch. N. of cor. to
secs. 30 and 31. from which cor. I
run

N. $89^{\circ}55'$ E.

On true line between secs. 30 & 31.

var. $14^{\circ}50'$ East.

38.56 Set a post, marked $\frac{1}{4}$ S. $\frac{1}{4}$ blong,
flattened 3 in wide, 1 ft in the
ground, drive charred stake and
build mound of earth 2 ft high
with pits 1 ft deep, 2 ft long, 1 ft
wide, as per instructions for $\frac{1}{4}$
sec. cor.

No trees near.

78.56 Cor. to secs. 29, 30, 31 and 32.

Land level.

Soil rich.

Scattering trees

Township

7 South

Range

15 West 48

BOOK 1192

Gila and Salt River Meridian.

Chains

North, between Sections 29 and 30.

Variation 14° 50' East.

40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft. long, flattened
3 in. wide, 4 ft. in the ground, drive
charred stake and build mound
of earth 2 ft. high, with pits 4 ft.
deep, 2 ft. long, 1 ft. wide, as per
instructions for $\frac{1}{4}$ sec. cor.
No trees near.

75.00 Road to N.

80.00 Set a post, marked and notched,
4 ft. long, 3 in. sqd. 1 ft. in the ground,
drive charred stake and build
mound of earth 2 ft. high, with
pits 4 ft. deep, 2 ft. long, 1 ft. wide, as
per instructions for cor. to Secs.

19, 20, 29 and 30.

from which

Acorn tree, 6 in. dia. base S. 72° W. 163 lbs. dia.

do. 7 " " S. 26° E. 232 " "

No other trees near.

Land level.

Soil good.

Scattered timber.

49 Township 7 South Range 15 West
Gila and Salt River Meridian
BOOK 1192

Chains East, on a random line between Sections 20 and 29.

Variation $14^{\circ}50'$ East.

15.00 Road base, S.W.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.16 Intersect N. and S. line 19 lvs. N. of cor.
to secs. 20, 21, 28 & 29. from which
cor. I run

N. $89^{\circ}52' W$.

Outline line between secs. 20 & 29,
var. $14^{\circ}50'$ East.

40.08 Set a post, marked $\frac{1}{4}$ S. 4 ft. long, flat-
tined 3 in. wide, 1 ft in the ground,
drive charred stake and build a
mound a fourth of ft high, with
pile 1 ft deep or ft long, 1 ft wide, as
per instructions for $\frac{1}{4}$ sec. cor.
from which

A mesquite, 3 in. dia. base, S. $69^{\circ} W$. 303 lvs. dit
No other trees near.

80.16. Cor. to secs. 19, 20, 29 and 30.

Land level.

Soil good.

Scattering trees

Township 7 South Range 15 West 50
Gila and Salt River Meridian. BOOK 1192

Chains West, on a random line between Sections 19 and 30.
Variation $14^{\circ}50'$ East.

6.60 Road hrs. N. N.
40.00 Set temporary $\frac{1}{4}$ sec. cor.
49.60 Road hrs. S. N.
78.49 Intersect N. boundary 20 hrs. N. of
cor. to secs. 19 & 30. from which
cor. from

$N. 89^{\circ}51' E.$

On true line between secs. 19 & 30.
var. $14^{\circ}50'$ East

38.49 Set a post, marked $\frac{1}{4}$ S. $\frac{1}{4}$ E. long,
flattened 3 in. wide, 1 ft in the ground,
drive charred stake and nail around
a fourth of high, with pit 1 ft deep, 2 ft long,
1 ft wide, as per instructions for $\frac{1}{4}$ sec.
cor. from which

Amesquite, 3 in. dia. hor. S. $27^{\circ} E.$ 70 hrs. dist.
do. 3 " " " N. $9^{\circ} E.$ 161 " "

78.49 Cor. to Secs. 19, 20, 29 & 30.

Land level.
Soil good.
Scattered timber

51 Township 7 South Range 15 West
Gila and Salt River Meridian

BOOK 1192
Chains North, between Sections 19 and 20.

Variation $14^{\circ}50'$ East.

40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft long, flattened 3 in. wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for $\frac{1}{4}$ sec. cor. No trees near.

80.00 Set a post, marked and notched, 4 ft long, 3 in. sq. d. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for cont. secs. 17, 18, 19 and 20. No trees near.

Land level.

Soil good.

Scattering trees.

ownship

7 South Range 15 West 52

Gila and Salt River

BOOK 1192 Meridian.

Chains

East, on a random line between Sections 17 and 20.

Variation $14^{\circ}50'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.09 Intersect N. and S. line 13 lns. N. of cor. to secs. 16, 17, 20 and 21. from which cor. Done

N. $89^{\circ}54'N.$

Continue line between secs. 17 & 20.
var. $14^{\circ}50'$ East.

40.04 Set a post, marked $\frac{1}{4}$ S. 4 ft long, flattened 3 in. wide, 1 ft in the ground, drive charred stake and build mound a fourth of ft high with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for $\frac{1}{4}$ sec. cor. from which

Acacia, *Son. dia. bor.* N. $50^{\circ}E.$ 98 lns. dist. No other trees near.

80.09 Cor. to secs. 17, 18, 19 and 20.

Land level.

Soil good.

Scattering trees.

53 Township

7 South

Range

15 West

Gila and Salt River

Meridian

BOOK 1192

Chains

West, on a random line between Sections 18 and 19.

Variation $14^{\circ}50'$ East.40.00 Set temporary $\frac{1}{4}$ sec. cor.78.44 Intersect N. boundary 18th Sec. N. of
cor. to secs. 18 and 19, from
which cor. done $N. 89^{\circ}52' E.$

On true line between secs. 18 & 19.

var. $14^{\circ}50'$ East.38.44 Set a post, marked $\frac{1}{4}$ S. 4 ft long,
flattened 3 in. wide, pt. in the
ground, drive charred stake and
build mound of earth 2 ft high
with pits 1 ft deep, 2 ft long, 1 ft wide,
as per instructions for $\frac{1}{4}$ sec. cor.
No trees near.

78.44 Cor. to secs. 17, 18, 19 and 20.

Land level.

Soil good.
No timber.

April 5, 1877.

Township

7 South

Range

15 West 57

BOOK 1192

Gila and Salt River Meridian.

Chains North, between Sections 17 and 18.

Variation $14^{\circ}50'$ East.

40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft long, flattened 3 in. wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for $\frac{1}{4}$ sec. cor.

No trees near.

80.00 Set a post, marked and notched, 4 ft long, 3 in. sq'd. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for cor. to Secs. 7, 8, 17 and 18.

No trees near.

Land level.

Soil good.
No timber.

55 Township 7 South Range 15 West

Gila and Salt River

Meridian

BOOK 1192

Chains

East, on a random line between Sections 8 and 17.

Variation $14^{\circ}50'$ East.

40.00 Set temporary 1/4 sec. cor.
80.15 Intersect N. and S. line 20 chs. S.
of cor. to secs. 8, 9, 16, and 17, from
which cor. Run

S. $89^{\circ}51'N$.

Patrol line between secs. 8 & 17.

Var. $14^{\circ}50'$ East.

40.08 Set a post, marked 1/4 S. 14 ft long,
flattened 3 in wide, 1 ft in the
ground. Drive charred stake and
build mound of earth 2 ft high,
with pits 1 ft deep, 2 ft long, 1 ft
wide, as per instructions for 1/4
sec. cor.

No trees near.

80.15 Cor. to Secs. 7, 8, 17 and 18.

Land level.

Soil good.

No timber.

Township

7 South Range 15 West 56
Gila and Salt River Meridian.

BOOK 1192

Chains

West, on a random line between Sections 7 and 18.

Variation $14^{\circ}50'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

78.40 Intersect N. boundary 10 chs. S. of cor. to Secs. 7 and 18, from which cor. Run

$S 89^{\circ}56' E.$

On true line between Secs. 7 & 18.
var. $14^{\circ}50'$ East

38.40 Set a post, marked $\frac{1}{4}$ S. 4 ft. long, flattened 3 in. wide. 1 ft. in the ground. Drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions for $\frac{1}{4}$ sec. cor.

Notices near.

78.40 Cont. to Secs. 7, 8, 17 & 18.

Land level.

Soil good.

No timber.

BOOK 1192

Chains North, between Sections 7 and 8.

Variation $14^{\circ}50'$ East.

40.00 Set a post, marked 14 S. 4 ft long, flattened 3 in. wide, 1 ft in the ground. Drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide as per instructions, for 14 sec. cor.

No trees near.

80.00 Set a post, marked and notched, 4 ft long, 3 in. sq. d. 1 ft in the ground. Drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for cor. to secs. 5, 6, 7 and 8.

from which

Apale verde, 3 in dia. bearing $N. 7^{\circ} E.$ 336 lbs. dist.
No other trees near.

Land level.

Soil good.

No timber of any consequence.

Township

7 South

Range

15 West 58

Gila and Salt River

BOOK

1192

Meridian.

Chains

East, on a random line between Sections 5 and 8.

Variation $14^{\circ}50'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.18 Intersect N. and S. line 9 lns. N. of
cor. to secs. 4, 5, 8 and 9, from
which cor. Run

N. $89^{\circ}56'$ W.

Put true line between secs. 5 & 8.

var. $14^{\circ}50'$ East.

40.09 Set a post marked $\frac{1}{4}$ S. 4 ft long,
flattened 3 in. wide, $\frac{1}{2}$ in the
ground, drive charred stake and
build mound of earth 2 ft high,
with pits $1\frac{1}{2}$ ft deep, 2 ft long, $\frac{1}{2}$ ft wide,
as per instructions for $\frac{1}{4}$ sec. cor.
Notes near.

80.18 Cor. to secs. 5, 6, 7 and 8.

Land level.

Soil good.

No timber.

59 Township 7 South Range 15 West
Gila and Salt River Meridian

BOOK 1192

Chains West, on a random line between Sections 6 and 7.

Variation $14^{\circ}50'$ East.

40.00 Set temporary 1/4 sec. cor.
78.45 Intersect N. boundary 19 lns. N. of
cor. to Secs. 6 and 7, from which
cor. I run

$N. 89^{\circ}52' E.$

Between lines between secs. 6 & 7.

Var. $14^{\circ}50'$ East.

38.45 Set a post marked 1/4 S. 4 ft long,
flattened 3 in. wide, 1 ft in the ground,
drill charred stake and build
mound of earth 2 ft high, with
pits 1 ft deep, 2 ft long. 1 ft wide as
per instructions for 1/4 sec. cor.
from which

Apale verde, Páridia, has. S. 63° W. 297 lns. dist.
No other trees near.

78.45 Cor. to Secs. 5, 6, 7 and 8.

Land level.

Soil good.
No timber.

Township

7 South

Range

15 West

60

BOOK 1192

Gila and Salt River

Meridian.

Chains

North on a random line between Sec's 5 and 6.

Variation $14^{\circ}50'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.86 Intersect N. boundary 16 chs. N. of cor. to secs. 5 and 6. from which cor. I run

$S. 0^{\circ} 7' W.$

On true line between secs. 5 & 6.

var. $14^{\circ} 50'$ East.

39.86 Set a post, marked $\frac{1}{4}$ S. $4\frac{1}{2}$ ch long, flattened 3 in wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 6 ft wide, as per instructions for $\frac{1}{4}$ sec. cor.

No trees near.

79.86 Cor. to Secs. 5-6-7 & 8.

Land level.

Soil good.

November.

April 6, 1877.

General Description

This Township lies along the Gila valley, the greater part of it being N. of the river, the latter running through the southern part of the township.

It contains much good land which can be irrigated from the river.

There is cottonwood, willow and mesquite timber, and some brush along the river, but not much in the northern part of the township.

Theodore F. White
U. S. Deputy Surveyor

List of Names.

No. 1192

A List of the Names of Individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing Field Notes of the survey of

The Subdivision Lines of
Township 7 S. Range

15 N. of the Gila and
Salt River Meridian

Arizona

Showing the respective capacities in which they acted.

Urban Bissard Chainman.

E. O. Smith Chainman,

Fred. C. Jones Axeman.

Allan Bennett Flagman.



Final Oath of Assistants.

We hereby certify that we assisted Theodore
F. White U. S. Deputy Surveyor, in
 surveying The Subdivision
Louis of Township 7 S.
Range 15 N. of the Gila
and Salt River Meridian
Arizona.

and that said Survey has been in all respects, to
 the best of our knowledge and belief, well and
 faithfully executed, and the boundary monuments
 planted according to the instructions furnished by
 the Surveyor-General.

Urbain Bernard Chainman.


E. C. Smith Chainman.

Arch. Jones Axeman.

Alta Bernard Flagman.

Sworn to and subscribed before me, this 28th
 day of April, 1877

John R. Dauell
 Notary Public.



Final Oath of Deputy Surveyor.

I, *Theodore J. White*

U. S. Deputy Surveyor, do solemnly swear that in pursuance of a contract with John Wasson, United States Surveyor-General for Arizona, bearing date the *28th* day of *December*

187*6*. I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-General, the Surveying Manual, and the laws of the United States, surveyed all those portions of

The Subdivision Lines of
Township 7 S. Range 15
N. of the Gila and Salt
River Meridian, Arizona,

as are represented in the foregoing Field Notes as having been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and also in accordance with the additional requirements con-

BOOK 1192

tained in circular instructions from the U. S. Surveyor-General for Arizona, dated September 1, 1873, regarding the establishment of corner boundaries of public surveys, and that the foregoing are the true and original Field Notes of such surveys.

Thudon S. White

Deputy Surveyor.

Sworn to and subscribed before me, this *28th*
day of *April*, 187*7*

John R. Faull

Notary Public.



BOOK '7192

66

BOOK 1192

U. S. Surveyor General's Office,

TUCSON, ARIZONA, August 6. 1877.

The foregoing Field Notes of the Survey of the

Subdivision Line of
Township 7 South
Range 15 West,

Of the Gila and Salt River Base and Meridian, Arizona, executed by Theodore F. White,

Deputy Surveyor, under his contract of the 28th/₉
day of December, 1876, having been
critically examined and the necessary corrections and explanations made, the said Field Notes and the surveys they describe

are hereby approved.

John Masson,
Surveyor General.