

No. 1193

BOOK 1193

John L. Harris Deputy Surveyor.
T. *7* South R. *16* West
Gila and Salt River Meridian.

BOOK 1193

1193

FIELD NOTES

OF

The *Subdivision* Lines of
Township *7* South Range *16* West
Gila and Salt River Meridian.

BY

John L. Harris Deputy Surveyor.

under his Contract of *September 20* 18*77*.

Survey commenced *January 26, 1878*.

Survey completed *January 31, 1878*.

Platted,

Copied for Washington,

Transcript sent to Commissioner,

J.L.H. b.a.

No. 1193

John L. Harris Deputy Surveyor.
 T. *7* South R. *16* West
Gila & Salt River Meridian.

FIELD NOTES

OF

The *Subdivision* Lines of
 Township *7* South Range *16* West
Gila and Salt River Meridian.

BY

John L. Harris Deputy Surveyor.
 under his Contract of *September 20 1877*
 Survey commenced *January 26. 1878.*
 Survey completed *January 31. 1878.*

Platted,
 Copied for Washington,
 Transcript sent to Commissioner,

1A

Preliminary Oaths of Assistants.

We, Lyman Wakefield
 and John Larchan
 do solemnly swear that we will faithfully execute
 the duties of Chain Carriers; that we will level the
 chain upon uneven ground, and plumb the tally
 pins, whether by sticking or dropping the same;
 that we will report the true distance to all notable
 objects, and the true length of all lines that we as-
 sist in measuring, to the best of our skill and
 ability.

Lyman Wakefield
John Larchan

Sworn to and subscribed before me, this 29
 day of September, 1877

William J. Osborn
Notary Public



We *Amos Carpenter and*
Chas B Warren

do solemnly swear that we will well and truly per-
form the duties of *Assessor and*
Magistrate respectively
according to instructions given us, and to the best
of our skill and ability.

By
Amos Carpenter
Chas B Warren

Sworn to and subscribed before me this *29*
day of *September*, 187*7*

William J Osborn
Notary Public



Township *South* Range *16 West*

Gila and Salt River

Meridian.

BOOK 1193

6	60	5	44	4	33	3	22	2	11	1
59		58		43		32		21		10
7	57	8	42	9	31	10	20	11	9	12
56		55		41		30		19		8
18	54	17	40	16	29	15	18	14	7	13
53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24
50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25
47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36

Chains

~~from the corner to Sections 35, 36, 1 and 2 on the South~~~~boundary line~~

Survey commenced Jan'y 26. 1878

North, between Sections 35 and 36.

Variation

14° 50'

East.

Aspert Burt's Solar Compass.

The true point of cor. to secs. 35 & 36, on S. boundary of the Tps. fall
ing in the Gila river, and said corner not having been
set, I begin at the fractional post on the N. end of
the line between secs. 1 and 36, on the S. boundary of the
Tps. and which post stands on the right bank of the river,
and is 71.00 chs. N. of cor. to Tps. 7 and S. S. Rps. 15 & 16 N.
From this post I run North

41.24 And thence set West 9.00 chs. to the N. and right bank

of river, and to the line between secs. 35 & 36. Set a post,
marked, 4 ft. long, 3 in. sqd. 1 ft. in the ground, drive charred
stake and build mound of earth 2 ft. high, with pit on
line N. for cor. to frac. secs. 35 and 36. No trees near.
The fractional cor. post between secs. 1 & 2, Tps. 8 S. Range 16 N.,
on S. and left bank of river is within plain sight and is
on line due S. I measure off base 100 lbs. E. from frac. cor.
between secs. 35 and 36, to a point whence post between
secs. 1 and 2, aforesaid, brs. S. 70° 45' N., giving as distance
across river, on line, 7.35 chs.

From the fractional cor. aforesaid, bet. secs. 35 & 36, I con-
tinue North between secs. 35 and 36, and at
40.00 or 35.76 chs. from frac. cor. between secs. 35 and 36, set
a post, marked 1/2 S. 4 ft. long, flattened 3 in. wide, 1 ft. in the
ground, drive charred stake and build mound of earth 2 ft.
high, with pit 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions for
frac. cor. from which
A Baraso tree, 8 in. dia. brs. S. 21° N. 78 lbs. dist.

No other trees near.

41.40

Fence and enter cultivated ground, brs. E. + N.

58.75

Acacia brs. E. and N.

65.00

Baker's farm house brs. E. 120 lbs. dist.

68.80

Fence and leave cultivated ground.

78.80

Road brs. E. + N.

80.00

Set a post, marked and notched, 4 ft. long, 3 in. sqd.
1 ft. in the ground, drive charred stake and build mound
of earth 2 ft. high, with pit 1 ft. deep, 2 ft. long, 1 ft. wide,
as per instructions for cor. to secs. 25, 26, 35 and
36. No trees near.

Land level. Soil good for most part.

Scattering trees.

Township

7 South

Range

16 West

BOOK 1193

Gila and Salt River

Meridian.

Chains

East, on a random line between Sections 25 and 36.

Variation 14°50' East.

40.00 Set temporary 7/4 sec. cor.

60.25 Road bro. N. of E.

79.88 Intersect E. boundary 25. last
of cor to secs. 25 and 36. from
which cor. Run
N. 89°50' W.

On true line between Sec. 25 & 36

var. 14°50' East

39.94 Set apart, marked 7/4 S. 4 ft
long, flattened 3 in wide, 1 ft
in the ground, driven charred
stake and build mound of
earth 2 ft high, with pits 4 ft
deep, 2 ft long, 1 ft wide, as per
instructions for 7/4 sec. cor.

No trees near.

79.88 Cor. to secs. 25, 26, 35 & 36.

Said level.

Soil good.

Scattering Mesquite.

Township 7 South Range 16 West

Gila and Salt River Meridian.

BOOK
Chains

1193
North, between Sections 25 and 26.

Variation $14^{\circ}50'$ East.

40.00 Set a post, marked 14 S. 4 ft long,
flattened, 3 in wide, 1 ft in the
ground, drive charred stake
and build mound of earth
2 ft high, with pits 1 ft deep,
2 ft long, 1 ft wide, as per instruc-
tions for 14 sec. cor.

No trees near.

Baker's Ranch House Co. N. N. 48' 40'
25.19 chs. dist

80.00 Set a post, marked and notched,
4 ft long, 3 in sq'd, 1 ft in the
ground, drive charred stake
and build mound of earth
2 ft high, with pits 1 ft deep,
2 ft long, 1 ft wide, as per in-
structions for cor. to secs. 25,
26.

from which

A Mesquite, 12 in. dia. br. N. 39° E. 341 chs. dist

No other trees near.

Land level. Soil good.
Some mesquite timber.

Township 7 South Range 16 West
Gila and Salt River Meridian. BOOK 1193

Chains East, on a random line between Sections 24 and 25.

Variation $14^{\circ}50'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.91 Intersect E. boundary 17 $\frac{1}{2}$ hrs. N.
of cor. to Secs. 24 and 25, from
which cor. Run
N. $89^{\circ}53' W.$

Between line between Secs. 24 & 25.

var. $14^{\circ}50'$ East

39.96 Set a post, marked $\frac{1}{4}$ S. $\frac{1}{4}$ ft long
flattened 3 in. wide, 1 ft in the
ground, drive charred stake
and build mound of earth
2 ft high, with pits 1 ft deep, 2
ft long, 1 ft wide, as per instruc-
tions for $\frac{1}{4}$ sec. cor. from which
Alacoguite, 12 mi. dia. br. S. $83\frac{1}{2}^{\circ} W.$ 15 $\frac{1}{2}$ hrs. dist.

do. 9 " " " N. $83^{\circ} E.$ 203 " "

79.91 Cor. to Secs. 23, 24, 25 & 26.

Land level.

Soil good.

Scattering Mesquite.

Township

7 South

Range

16 West

Gila and Salt River

Meridian.

Chains

North, between Sections 23 and 24.

Variation

14°50'

East.

40.00

Set a post, marked "4 S. 4 ft long, flattened 3 in wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for "4 sec. cor. from which a Palo Verde, Sai. di. tree. West, 50 lbs. dist. No other trees near.

80.00

Set a post, marked and notched, 4 ft long, 3 in sq. d. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for cor. to Secs. 13, 14, 23 and 24. No trees near.

Land level.

Soil good.

Some mesquite timber.

Township

7 South

Range

16 West

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 13 and 24.

Variation $14^{\circ}50'$ East.40.00 Set temporary $\frac{1}{4}$ sec. cor.79.96 Intersect E. boundary 21 $\frac{1}{4}$ Sec. N.
of cor. to Secs. 13 and 24, from
which cor. Run
N. $89^{\circ}51'$ W.On true line between Secs. 13 & 24.
var. $14^{\circ}50'$ East.39.98 Set a post marked $\frac{1}{4}$ S. 4 ft
long, flattened 3 in wide, 1 ft
in the ground, drive charred
stake and build mound of
earth 2 ft high, with pits 1 ft
deep, 2 ft long, 1 ft wide, as per
instructions for $\frac{1}{4}$ sec. cor.
from whichA Palo Verde, 7 in dia. in. N. 80° W. 249 land dist.
No other trees near.

79.96 Cor. to Secs. 13, 14, 23 and 24.

Land level and slightly rolling.
Soil good.
A few trees.

Township 7 South Range 16 West

Gila and Salt River Meridian.

Chains North, between Sections 13 and 14.

Variation 14°50' East.

40.00 Set a post, marked 74 S. 4 ft long, flattened 3 in wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep & 1 ft long, 1 ft wide, as per instructions, for 74 sec. cor.

No trees near.

80.00 Set a post, marked and notched 4 ft long, 3 in sqd, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for cor. to Secs. 11, 12, 13 and 14.

No trees near.

Sand slightly rolling.
Soil good.

Some grass.
Scattered trees.

January 26, 1878.

Township 7 South Range 16 West
Gila and Salt River Meridian.

Chains East, on a random line between Sections 12 and 13.
Variation 14°50' East.

- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
- 79.87 Intersect E. boundary 30 chs
N. of cor. to secs. 12 and 13,
from which cor. I run
N. $89^{\circ}44'$ W.
On true line between secs. 12 & 13.
var. $14^{\circ}50'$ East.
- 39.93 Set a post, marked $\frac{1}{4}$ S. 4 ft.
long, flattened 3 in. wide,
1 ft in the ground, driven and
stake and build mound of
earth 2 ft high, with pits 1 ft
deep, 2 ft long, 1 ft wide, as
per instructions for $\frac{1}{4}$ sec. cor.
No trees near.
- 79.87 Cor. to secs. 11, 12, 13 and 14.

Land slightly rolling.
Soil poor.
Scattering trees. Grass.

Township

7 South

Range

16 West

Gila and Salt River

Meridian.

Chains

North, between Sections 11 and 12.

Variation 14° 50' East.

40.00 Set an igneous rock 12 x 10 x 8 inches, $\frac{2}{3}$ in the ground, marked "4", and on the N. build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for $\frac{1}{4}$ sec. cor.

No trees near.

80.00 Set a granite stone, 13 x 11 x 9 inches, $\frac{2}{3}$ in the ground, notched S. and E. and on the N. build mound of stones 2 ft high, as per instructions for corner Secs. 1, 2, 11 and 12.

No trees near.

Sand rolling.

Some good soil. Grass.

Scattering Palo Verde trees.

There is a high black hill immediately E. of the N. half of this line, in the N. W. $\frac{1}{4}$ of Sec. 12.

Township

7 South

Range

16 West

Gila and Salt River

Meridian.

Chains

East, on a random line between Sections 1 and 12.

Variation $14^{\circ}50'$ East.40.00 Set temporary $\frac{1}{4}$ sec. cor.79.89 Intersect E. boundary 25 lns
N. of cor to Secs. 1 and 12. from
which cor. Run
N. $89^{\circ}49' W.$ On true line between Secs. 1 & 12.
var. $14^{\circ}50'$ East39.94 Set a post, marked $\frac{1}{4}$ S. 4 ft.
long, flattened 3 in. wide, 1 ft
in the ground, drive charred
stake and build mound of
earth 2 ft high, with pits 1 ft
deep, 2 ft long, 1 ft wide, as per
instructions for $\frac{1}{4}$ sec. cor.
No trees near.

79.89 Cor to Secs. 1, 2, 11 and 12.

Sand rolling.

Some good soil.

Grass and scattering
Pale verde trees.

Township 7 South Range 16 West
Gila and Salt River Meridian.

Chains North, on a random line between Sections 1 and 2.

Variation 14°50' East.

- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
- 79.90 Intersect N. boundary 15th Sec. E.
of cor. to secs. 1 and 2. from
which cor. I run
S. 0°6' E.
On true line between secs. 1 & 2.
var. 14°50' East.
- 39.90 Set an igneous rock, 17 x 13
x 10 inches, $\frac{2}{3}$ in the ground,
marked $\frac{1}{4}$, and on the
S. build mound of stones
2 ft high, as per instructions
for $\frac{1}{4}$ sec. cor.
Notes near.
- 79.90 Cor. to secs. 1, 2, 11 and 12,
Sand smooth and rolling.
Soil partly good.
Scattering mesquite trees.
Grass.

Township

7 South

Range

16 West

Gila and Salt River

Meridian.

Chains

North, between Sections 34 and 35.

Variation

14° 50'

East.

The true point of cor. to secs. 34 & 35, on S. boundary of Twp. is at the intersection of line with water on left bank ^{of the} Gila river. From this true point I send the flag across the river and station it on line N. at intersection of line between secs. 34 & 35, with the right bank of river. Then from aforesaid true point of cor. to secs. 34 & 35, I measure off a base E. 200 lns. to a point whence the flag bro. N. 40° 8' W, measuring the distance to flag 25.60 chs.

25.60

To flag on right bank. Set a post, marked, 4 ft long, 3 in. sqd. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pit on line N. for cor. to fractional 34 and 35. No trees near.

40.00

Set a post, marked T.S. 4 ft long, flattened 3 in. wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for these cor. No trees near.

80.00

Set a post, marked E. notched, 4 ft long, 3 in. sqd. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for cor. to secs. 26, 27, 34 & 35, from which

A Mesquite, 4 in. dia. bro. N. 34° W. 181 lns. dist. No other trees near.

Land uneven Soil good. Scattering trees.

Township

14 South

BOOK

1195

Range

16 West

Gila and Salt River

Meridian.

Chains

East, on a random line between Sections 26 and 35.

Variation

14°50'

East.

- 40.00 Set temporary 7/4 sec. cor.
 74.20 Road b'w S. E. and N. W.
 80.12 Intersect N. and S. line 20 lns. S. of
 Cor. to secs. 25, 26, 35 and 36 from
 which cor. I run
 S. 89° 51' W.
 On true line between secs. 26 & 35.
 var. 14°50' East
- 40.06 Set a post, marked 74 S. 4 of Blong,
 flattened 3 in. wide, 1 ft. in the
 ground, drive charred stake and
 build mound a foot high
 high, with pit 1 ft. deep 2 ft. long,
 1 ft. wide, as per instructions for
 7/4 sec. cor. from which
 A Mesquite, 6 in. dia. br. N. 57° W. 51 lns. dist
 do. 20 " " " N. 45° E. 70 " "
- 80.12 Cor. to secs. 26, 27, 34 and 35.

Land level. Soil good.
 Scattering Mesquite timber

Township

4 South

Range

16 West

Gila and Salt River

Meridian.

Chains

North, between Sections 26 and 27.

Variation $14^{\circ}50'$ East.

40.00 Set a post, marked 4 S. 4 ft long, flattened 3 in wide 1 ft in the ground. Drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long 1 ft wide as per instructions for 4 sec. cor. from which a Mesquite, 10 in. dia. br. N. 45° E. 180 lbs. dist
do. 10 " " S. 78° W. 187 " "

60.70 Road br. E. and W.

80.00 Set a post, marked and notched, 4 ft long, 3 in. sq. d. 1 ft in the ground. Drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep 2 ft long, 1 ft wide, as per instructions for the cor. to Secs. 22, 23, 26 and 27.
No trees near.

Sand level. Soil good.
Mesquite timber.

Township

14 South

BOOK 1155

Range

16 West

Gila and Salt River

Meridian.

Chains

East, on a random line between Sections 23 and 26.

Variation

14°50'

East.

40.00 Set temporary 1/4 sec. cor.
 80.09 Intersect N. and S. line 13 hrs.
 N. of cor to Secs. 23, 24, 25 and
 26, from which cor. Draw
 N. 89° 54' W

On true line between sec. 23 & 26.

Var. 14°50' East.

40.04 Set a post, marked 1/4 S. 4 ft long,
 flattened 3 in wide, 1 ft in the
 ground, drive charred stakes
 and build mound of earth
 2 ft high, with pits 1 ft deep,
 2 ft long, 1 ft wide as per in-
 structions for 1/4 sec. cor.
 No trees near.

80.09 Cont. to Secs. 22, 23, 26 & 27.

Land level.

Soil good.

Mesquite timber.

Township

14 South

Range

16 West

Gila and Salt River Meridian.

Chains

North, between Sections 22 and 23.

Variation 14°50' East.

40.00 Set a post, marked 14 S. 4 ft long
flattened 3 in wide, 1 ft in
the ground, drive charred
stake and build mound of
earth 2 ft high, with pits 1 ft
deep, 2 ft long, 1 ft wide, as
per instructions for 4 sec. cor.
No tree near.

80.00 Set a post, marked and
notched, 4 ft long, 3 in sq d.
1 ft in the ground, drive
charred stake and build
mound of earth 2 ft high
with pits 1 ft deep, 2 ft long,
1 ft wide, as per instructions
for cor. to Secs. 14, 15, 22 and
23.

No trees near.

Sand level.
Soil good.
Scattering trees.

Township

7 South

Range

16 West

Gila and Salt River

Meridian.

Chains

East, on a random line between Sections 14 and 23.

Variation $14^{\circ}50'$ East.40.00 Set temporary $\frac{1}{4}$ sec. cor.80.16 Intersect N. and S. line 10 hrs N.
of cor. to Secs. 13, 14, 23 and 24
from which cor. Drive
 $N. 89^{\circ}56' W.$ On true line between Secs. 14 & 23
var. $14^{\circ}50'$ East.40.08 Set a post, marked $\frac{1}{4}$ S. 4 ft
long, flattened 3 in wide, 1 ft
in the ground, drive charred
stake and build mound of
Earth 2 ft high, with pit 1 ft
deep, 2 ft long, 1 ft wide, as
per instructions for the cor. to
 $\frac{1}{4}$ sec.

No trees near.

80.16 Cor. to Secs. 14, 15, 22 & 23.

Land level. Soil good
Scattering trees Grass.

Township 7 South Range 16 West
Gila and Salt River Meridian.

Chains

North, between Sections 14 and 15.

Variation $14^{\circ}50'$ East.

40.00 Set a post marked 14 S. 4 ft long
flattened 3 in wide, 1 ft in
the ground, drive churred
stake and build mound of
earth 2 ft high, with pit 1 ft
deep, 2 ft long 1 ft wide, as
per instructions for 14 sec. cor.
from which

A Palo Verde, 3 in dia. base, N. 28° E. 73 lbs. dist.

A Mesquite 14 " " West 29 " "

80.00 Set a granite stone $13 \times 10 \times 8$
inches, $\frac{2}{3}$ in the ground, notch-
ed S. and E., and on the N.
build mound of stones 2 ft
high, as per instructions for
cor. to secs. 10, 11, 14 and 15.
No trees near.

Land slightly rolling
Soil good.
Grass Scattering trees.

BOOK 1195
Township 7 South Range 16 West
Gila and Salt River Meridian.

Chains East, on a random line between Sections 11 and 14.

Variation $14^{\circ}50'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
80.19 Intersect N. and S. line 5
les N. a $\frac{1}{4}$ cor. to Secs. 11, 12, 13
and 14, from which cor. Run
N. $89^{\circ}58' W.$

On true line between Secs. 11 & 14
var. $14^{\circ}50'$ East.

40.09 Set a post, marked $\frac{1}{4}$ S. 4 ft
long, flattened 3 in wide,
if in the ground, drive charred
stake and build mound of
earth 2 ft high with pits 1 ft
deep, 2 ft long, 1 ft wide, as per
instructions for $\frac{1}{4}$ sec. cor.
No trees near.

80.19 Cor. to Secs. 10, 11, 14 & 15.

Sand level. Soil partly good.
Scattered trees. Grass

Township

17 South

Range

16 West

Gila and Salt River

Meridian.

Chains

North, between Sections 10 and 11.

Variation

1450'

East.

40.00 Set a granite stone, 15 x 10 x 5 inches, $\frac{2}{3}$ in the ground, marked $\frac{1}{4}$, and on the N. build mound of stones 2 ft high, as per instruction for $\frac{1}{4}$ sec. cor.
 No trees near.

50.00 Set an igneous rock 14 x 12 x 10 inches, $\frac{2}{3}$ in the ground, notched S. and E., and on the N. build mound of stones 2 ft high as per instruction for cor. to Secs. 2, 3, 10 and 11.
 No trees near.

Land slightly rolling

Soil good and 2^d rate Grass. Scattering trees.

Chains East, on a random line between Sections 2 and 11.
Variation 14°50' East.

40.00 Set temporary 1/4 sec. cor.
80.27 Intersect N and S line 18 lbs. S.
of cor to secs. 1, 2, 11 and 12,
from which cor. Run
D. 89°59' W.

On true line between secs. 2 & 11.
var. 14°50' East

40.13 Set a post marked 1/4 S. 1/4 pt along
flattened 3 in wide ft in
the ground, and build a
mound of stones 2 ft high
as per instruction for 1/4 sec.
cor.

No trees near.

80.27 Cor. to secs. 2, 3, 10 & 11.

Land slightly rolling.
Some good soil.
Scattering Palo verde
and mesquite trees. Grass.

Township 7 South Range 16 West
Gila and Salt River Meridian.

Chains

North, on a random line between Sections 2 and 3.

Variation $14^{\circ}50'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
80.19 Intersect N. boundary 12 li. E.
of cor. to sec. 2 and 3. from
which cor. Draw
 $S 0^{\circ}5' E$.

On true line between sec. 2 & 3.
var. $14^{\circ}50'$ East.

40.19 Set an aqueous rock 18×12
 $\times 12$ inches, $\frac{3}{4}$ in. the ground,
marked $\frac{1}{4}$, and on the S.
Build mound of stones 2 ft.
high, as per instructions for
 $\frac{1}{4}$ sec. cor.

No trees near.

80.19 Cont. to Sec. 2-3, 10 and 11

Land somewhat rolling.
Soil good but stony.
Scattering trees Grass.

January 28, 1898

Township

7 South

Range

16 West

Gila and Salt River

Meridian.

Chains

North, between Sections 33 and 34.

Variation

14°50'

East.

40.00 Set a post, marked 74 S. 4 ft long, flattened 3 in wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide as per instructions for 1/4 sec. cor. from which

A Mesquite, 20 in dia. br. N. 2° E. 117 lbs. dist.

do. 7 " " N. 53° W. 207 " "

80.00 Set a post, marked and notched, 4 ft long 3 in sq. d. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for cor. to secs 27, 28, 33 and 34, from which

A Mesquite, 12 in dia. br. S. 17 1/2° E. 254 lbs. dist.
No other trees near.

Land level soil good.
Mesquite timber

Township ⁷ South Range 16 West
Gila and Salt River Meridian.

Chains East, on a random line between Sections 27 and 34.

Variation $14^{\circ}50'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
80.08 Intersect N. and S. line 13 lns. N.
of cor. to secs. 26, 27, 34 and 35
from which cor. true
N. $89^{\circ}54'$ W.
On true line between secs. 27 & 34
var. $14^{\circ}50'$ East.

40.04 Set a post, marked $\frac{1}{4}$ S. of long,
flattened 3 in wide, 4 ft in the
ground, drive charred stake
and build mound of earth
2 ft high with pit 1 ft deep,
2 ft long, 1 ft wide, as per in-
structions for $\frac{1}{4}$ sec. cor.
from which
A Mesquite, 6 in dia. base, S. 29° W. 103 lns. dist.
No other trees near.

80.08 Cor. to secs. 27, 28, 33 & 34.

Land level. Soil good.
Mesquite timber.

Chains

North, between Sections 27 and 28.

Variation $14^{\circ}50'$ East.

30.50 Road bss. S.W. and N.E.

40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft long, flattened. 3 in wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for $\frac{1}{4}$ sec. cor.

No trees near.

80.00 Set a post, marked E notched, 4 ft long, 3 in sq. d. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for cor. to Secs. 21, 22, 27 and 28.

No trees near.

Land level. Soil good.
Mesquite timber.

Township 7 South Range 16 West
Gila and Salt River Meridian.

Chains East, on a random line between Sections 22 and 27.

Variation $14^{\circ}50'$ East.

- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
80.16 Intersect N. and S. line 17 lks.
N. of cor. to secs. 22, 23, 26 and
27 from which cor. Run
N. $89^{\circ}53' W.$
On true line between secs. 22 & 27
var. $14^{\circ}50'$ East.
40.08 Set a post, marked $\frac{1}{4}$ S. 4 ft.
long, flattened 3 in. wide, 1 ft.
in the ground, drive charred
stake and build mound of
earth 4 ft high, with pits 1 ft
deep, 2 ft long, 1 ft wide, as
per instructions for $\frac{1}{4}$ sec. cor.
No trees near.
80.16 Cor. to secs. 21, 22, 27 & 28.

Level Soil. Good.
Mesquite timber.

Township

7 South

Range

16 West

Gila and Salt River

Meridian.

Chains

North, between Sections 21 and 22.

Variation

14° 30'

East.

40.00 Set a post, marked 44 S. 4 ft long, flattened 3 in wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pit 4 ft deep, 2 ft long, 1 ft wide, as per instructions for 74 sec. cor.
No trees near.

80.00 Set a post, marked and notched, 4 ft long, 3 in sq d. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, as per instructions for corner secs. 15, 16, 21 and 22.
No trees near.

Land slightly rolling
Soil good. Grass.
Scattering trees.

Chains

East, on a random line between Sections 15 and 22.

Variation $14^{\circ}50'$ East.

- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
 80.12 Intersect N. and S. line 7 lines S.
 of cor to Secs. 14, 15, 22 and
 23, from which cor. Run
 S. $89^{\circ}57'$ W.
 On true line between sec. 15 & 22,
 var. $14^{\circ}50'$ East.
- 40.06 Set a post, marked 74 S. 4 ft.
 long, flattened 3 in wide,
 1 ft in the ground, drive
 charred stake and build
 mound of earth 2 ft high
 with pits 1 ft deep, 2 ft long, 4 ft
 wide, as per instructions for
 $\frac{1}{4}$ sec. cor.
 No trees near.
- 80.12 Cor. to Secs. 15, 16-21 and 22.
 Land slightly rolling
 Soil good.
 Scattering trees.

Chains North, between Sections 15 and 16.

Variation 14° 50' East.

40.00 Set a post, marked 1/4 S. 4 ft long, flattened 3 in wide, 1 ft in the ground. Drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 1/4 sec. cor.

No trees near.

80.00 Set a granite stone 15 x 11 x 9 inches, 2/3 in the ground, marked S. and E., and on the N. build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for cor. to secs.

9, 10, 15 and 16.

No trees near.

Land slightly rolling. Soil good for most part. Scattering trees. Grass

Township 7 South Range 16 West
Gila and Salt River Meridian.

Chains East, on a random line between Sections 10 and 15.

Variation 1450 East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.95 Intersect N. and S. line 10 lbs
S. of cor. to Secs. 10, 11, 14
and 15, from which cor
run

S. $89^{\circ} 56' N$.

On true line between secs. 10 & 15.

var. 1450 East.

39.98 Set a post, marked $\frac{1}{4}$ S. 4 ft
long, flattened 3 in wide, 1 ft
in the ground; drive charred
stake and build mound of
earth 2 ft high, with pits 1 ft
deep, 2 ft long, 1 ft wide, as per
instructions for $\frac{1}{4}$ sec. cor.
No trees near.

79.95 Conto Secs. 9, 10, 15 & 16.

Sand rolling.
Some good soil.
Scattering trees.

BOOK 1155
Township 7 South Range 16 West
Gila and Salt River Meridian.

Chains North, between Sections 9 and 10.

Variation $14^{\circ}50'$ East.

40.00 Set a unique rock $12 \times 10 \times 7$
inches $\frac{2}{3}$ in the ground, marked
 $\frac{1}{4}$, and on the N. build a
mound of earth 2 ft high,
with pits 1 ft deep, 2 ft long,
1 ft wide, as per instructions
for $\frac{1}{4}$ sec. cor. from which
a Palo Verde $4\frac{1}{2}$ dia. brs. S. 40° E. 160 lbs. set
No other trees near.

80.00 Set a granite stone $18 \times 13 \times 9$
in $\frac{3}{4}$ in the ground, marked
S. and E, and on the N.
build mound of stones 2
ft high, as per instructions
for corner Secs. 3, 4, 9 and
10.
No trees near.

Land rolling.
Soil good and second rate.
Scattered trees. Grass

Township 7th South Range 16 West
Gila and Salt River Meridian.

Chains East, on a random line between Sections 3 and 10.

Variation 14°50' East.

40.00 Set temporary $\frac{1}{4}$ sec cor.
79.89 Intersect N. and S. line 14 lcs
S. of cor. to secs. 2, 3, 10 and 11,
from which cor. Run
S. 89° 54' W.
On true line between secs. 3 & 10,
var. 14°50' East.

39.94 Set a post, marked $\frac{1}{4}$ S. of
ft. long. 3 in. wide ^{flattened} 1 ft. in
the ground, and build
mound of stones 2 ft high,
as per instructions for $\frac{1}{4}$ sec.
cor.

No trees near.

79.89 Cor. to secs. 3, 4, 9 and 10.

Sand rolling
Soil good but stony.
Scattering mesquite trees,
Some little grass.

Chains North, on a random line between Sections 3 and 4.

Variation 14° 50' East.

40.00 Set temporary 1/4 sec. cor.
80.20 Intersect N. boundary 1 1/2 hrs
E. of cont. sees. 3 and 4.
from which cor. drawn
S. 0° 17' E.
On true line between sees. 3 & 4.

var. 14° 50' East

40.20 Set an igneous rock, 15 x
12 x 8 inches, 2/3 in the
ground, marked 1/4, and
on the S. build mound of
stones 2 ft high, as per in-
structions for 1/4 sec. cor.
No trees near.

80.20 Cont. to sees. 3, 4, 9 & 10.

Sand raveling and stony,
Soil poor.
Scattering mes-
quite & Palo Verde trees.

Township

7 South Range

16 West

Gila and Salt River

Meridian.

Chains

North, between Sections 32 and 33.

Variation

140°50'

East.

- 40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft. long, flattened 3 in. wide, 4 ft. in the ground, drive charred stake and build mound of earth 2 ft. high with pit 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions for 4 sec. con. from which
 A Mesquite, 10 in. dia. base, N. 5° E. 190 lbs. dist.
 No other trees near.
- 80.00 Set a post, marked and notched, 4 ft. long, 3 in. sq. d. 4 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions for con. to sec. 28, 29, 32 and 33, from which
 A Mesquite, 10 in. dia. base, N. 51° E. 126 lbs. dist.
 do. 20 " " " S. 68° W. 84 " "
 No other trees near.

Sand level. Soil Good.
 Mesquite timber.

Chains East, on a random line between Sections 28 and 33.
Variation 14° 50' East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
80.06 Intersect N. and S. line 8 hrs S. of
cor. to Secs. 27, 28, 33 and 34,
from which cor. I run
S. 89° 57' W.
Outline line between secs. 28 & 33.
var. 14° 50' East.

40.03 Set a post, marked 14 S. 4 ft long,
flattened 3 in wide, 1 ft in the
ground, drive charred stakes
and build mound of earth
2 ft high with pits 1 ft deep
2 ft long, 1 ft wide, as per in-
structions for $\frac{1}{4}$ sec. cor.
from which
a Mesquite, 10 in. dia. br., S. 80° E. 20 hrs. dist
do. 9 " " N 5° W. 100 " "

80.06 Cor to secs. 28, 29, 32 and 33
Sand level. Soil good
Mesquite timber.

Township 7 South Range 16 West
Gila and Salt River Meridian.

Chains

North, between Sections 28 and 29.

Variation 14°50' East.

- 4.20 Road brs. E. and W.
- 40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft long, flattened 3 in wide, 1 ft in the ground, drove chaired stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for $\frac{1}{4}$ sec. cor.
No trees near.
- 80.00 Set a post, marked and notched, 4 ft long, 3 in sqd, 1 ft in the ground, drove chaired stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for corner Secs. 20, 21, 28 and 29.
No trees near.

Level level. Soil good.
Scattering trees.

Township 7 South Range 16 West
Gila and Salt River Meridian.

Chains East, on a random line between Sections 21 and 28.

Variation 14°50' East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.17 Intersect N. and S. line 16 Sec
S. of cor. to Secs. 21, 22, 27
and 28, from which cor.

Run

S. $89^{\circ}53'$ W.

On true line between Secs. 21 & 28.
var. $14^{\circ}50'$ East.

40.08 Set a post, marked $\frac{1}{4}$ S. of ft.
long, flattened 3 in wide,
1 ft in the ground, drive
charred stake and build a
mound of earth 2 ft high,
with pits 1 ft deep, 2 ft long,
1 ft wide, as per instructions
for $\frac{1}{4}$ sec. cor.

No trees near.

80.17 Cor. to Secs. 20, 21, 28 & 29

Sand slightly rolling.

Soil good.

Scattering trees. Grass

Township

7 South

Range

16 West

Gila and Salt River Meridian.

Chains

North, between Sections 20 and 21.

Variation

14°50'

East.

40.00 Set a post, marked 74 S. 4 ft. long, flattened 3 in wide, 1 ft in the ground, drive a charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 4 sec. cor.

No trees near.

80.00 Set a post, marked 75 marked, 4 ft long, 3 in sq. d. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for cor. to Secs.

16, 17, 20 and 21.

No trees near.

Land somewhat rolling.

Soil good.

Scattering trees, Grass.

Chains East, on a random line between Sections 16 and 21.

Variation 14°50 East.

40.00 Set temporary 1/4 sec. cor.
80.15 Intersect N. and S. line 12 hrs.
N. of cor. to Secs. 15, 16, 21
and 22, from which cor. I
run
N. 89°55' W.

On true line between Secs. 16 & 21,
var. 14°50' East.

40.07 Set a post, marked 1/4 S. 4 ft.
long, flattened 3 in wide, 1 ft. from
the ground, drive charred stake
and build mound of earth 2
ft high, with pits 1 ft deep,
2 ft long, 1 ft wide, as per
instructions for 1/4 sec. cor.
No trees near.

80.15 Conto Secs. 16, 17, 20 & 21.

Sand rolling, soil good.
Scattering trees. Grass
January 29, 1878.

Township

7 South Range 16 West

Gila & Salt River

Meridian.

Chains

North, between Sections 16 and 17.

Variation $14^{\circ}50'$ East.

40.00 Set an igneous stone, $18 \times 14 \times 9$ inches, $\frac{3}{4}$ in the ground, marked $\frac{1}{4}$, and on the N. build mound of stones 2 ft high, as per instructions for $\frac{1}{4}$ sec. cor.
No trees near.

80.00 Set an igneous rock, $16 \times 11 \times 10$ inches, $\frac{2}{3}$ in the ground, notched S. and E., and on the N. build mound of stones 2 ft high, as per instructions for corner to Secs. 8, 9, 16 and 17.
No trees near.

Sand rolling.

Soil good.

Scattering trees. Grass.

Township

7 South

BOOK 1193

Range

16 West

Gila and Salt River

Meridian.

Chains

East, on a random line between Sections 9 and 16.

Variation $14^{\circ}50'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
 59.00 Dry wash 50 lbs wide flows S.E.
 79.93 Intersect N. and S. line 27 lbs
 N. a cor. to secs. 9, 10, 15 and
 16, from which cor. draw
 N. $89^{\circ}48'W$.

On true line between secs. 9 & 16.
 var. $14^{\circ}50'$ East

39.97 Set a granite stone $10 \times 10 \times 9$
 inches, $\frac{2}{3}$ in the ground,
 marked 14, and on N. build
 mound of earth 2 ft high,
 with pits 1 ft deep, 2 ft long,
 4 ft wide, as per instructions
 for $\frac{1}{4}$ sec. cor.

No trees near.

79.93 Cor. to secs. 8, 9, 16 & 17.

Land rolling. Soil 2^d rate.
 Scattered trees. Grass.

Township

27 South

Range

16 West

Gila and Salt River

Meridian.

Chains

North, between Sections 8 and 9.

Variation $14^{\circ}50'$ East.

240.00

Set an igneous stone $15 \times 12 \times 9$ inches, $\frac{2}{3}$ in the ground, marked 74, and on the N. build mound of stones 2 ft. high, as per instructions for 74 sec. cor.

No trees near.

80.00

Cor. falls in wash 100 lbs wide, flows S. E. At 100 lbs S. of true point set a granite stone $15 \times 11 \times 9$ inches, $\frac{2}{3}$ in the ground, notched S. & E., and on the S. build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for Cor. to Secs. 4, 5, 8 and 9. No trees near.

Land rolling. Some good soil. Scattering trees.

Township

4 South

BOOK 1193

Range

16 West

Gila and Salt River

Meridian.

Chains

East, on a random line between Sections 9 and 16.

Variation $14^{\circ}50'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
 59.00 Dry wash 50 yards from S.E.
 79.93 Intersect N. and S. line $2\frac{1}{2}$ lks
 N. of cor. to secs. 9, 10, 15 and
 16, from which cor. Run
 N. $89^{\circ}48'W$.

On true line between secs. 9 & 16.
 var. $14^{\circ}50'$ East

39.97 Set a granite stone $10 \times 10 \times 9$
 inches, $\frac{2}{3}$ in the ground,
 marked $\frac{1}{4}$, and on N. build
 mound of earth 2 ft high,
 with pits 1 ft deep, 2 ft long,
 4 ft wide, as per instructions
 for $\frac{1}{4}$ sec. cor.

Notes near

79.93 Cor. to secs. 8, 9, 16 & 17.

Land rolling. Soil 2^d rate.
 Scattered trees. Grass.

Township

N^y South

Range

16 West

Gila and Salt River

Meridian.

Chains

North, between Sections 8 and 9.

Variation

14° 50' East.

70.00 Set an igneous stone 15 x 12 x 9 inches, $\frac{2}{3}$ in the ground, marked 74, and on the N. build mound of stones 2 ft. high as per instructions for 74 sec. cor.

No trees near.

80.00 Cor. falls in wash 100 lbs wide, flows S. E. At 100 lbs S. of true point set a granite stone 15 x 11 x 9 inches, $\frac{2}{3}$ in the ground, notched S. & E., and on the S. build mound of earth 2 ft high, with pits 1 ft deep. 2 ft long. 1 ft wide, as per instructions for Cor. to Secs. 8, 5, 8 and 9. No trees near.

Land rolling. Some good soil. Scattering trees.

Township

7 South

Range

16 West

Gila and Salt River

Meridian.

Chains

East, on a random line between Sections 4 and 9.

Variation 14°50' East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
 80.20 Intersect N. and S. line 13 lvs. N.
 of cor. to Secs. 3, 4, 9 and 10.
 from which cor. I run
 N. 89° 57' W.

Notice line between sec. 4 & 9
 var. 14°50' East

40.10 Set a granite stone 14 x 11 x 11
 inches, $\frac{2}{3}$ in the ground,
 marked 14, and on the
 N. build mound of stones
 2 ft high, as per instruction
 for $\frac{1}{4}$ sec. cor.
 No trees near.

80.20 Cor. to Secs. 4, 5, 8 & 9.

Land Rolling.
 Soil poor.
 Scattering trees.

Township

7 South

Range

16 West

Gila and Salt River

Meridian.

Chains

North, on a random line between Sections 4 and 5.

Variation

14°50'

East.

- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
- 79.90 Intersect N. boundary 15 lvs. N.
of cor. to secs. 4 and 5. from
which cor. done
S. 0° 6' N.
- On true line between secs. 4 & 5.
var. 14°50' East
- 39.90 Set an igneous rock, 14 x 12
x 8 inches, $\frac{2}{3}$ in the ground,
marked $\frac{1}{4}$ and on the
S. build mound of stones
2 ft high, as per instructions
for cor. to $\frac{1}{4}$ sec. 8.
- No trees near.
- 79.90 Cor. to secs. 4, 5, 8 & 9

Land falling.

Soil poor.

Scattering Palo
Verde and Mesquite trees.

Chains

North, between Sections 31 and 32.

Variation 14°50' East.

40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft long, flattened 3 in. wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for $\frac{1}{4}$ sec. cor. from which

A Mesquite, 20 in. dia. brs. S. 45° E. 112 lbs. dia.
 do. 4 " " " N. 18° E. 90 "

51.25 Road brs. S. aft W.

80.00 Set a post, marked and scratched 4 ft long, 3 in. sq. d. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for corner secs. 29, 30, 31 and 32.

No trees near.

Land level. Soil good.
 Mesquite timber.

Township 7th South Range 16th West

Gila and Salt River Meridian.

Chains East, on a random line between Sections 29 and 32.
Variation 14°50' East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
60.00 Road crs. N. E.
80.11 Intersect N. and S. line 14 lns. N.
of cor. to secs. 28, 29, 32 & 33,
from which cor. Run
N. 89° 54' W.

On true line between secs. 29 & 32.
var. 14°50' East

40.06 Set a post, marked $\frac{1}{4}$ S. 4 ft long,
flattened 3 in wide, 1 ft in the
ground, drive charred stake
and build a mound of earth
2 ft high, with pits 1 ft deep,
2 ft long, 1 ft wide, as per in-
structions for $\frac{1}{4}$ sec. cor.
Notes near.

80.11 Cor. to secs. 29, 30, 31 & 32.

Sand level.
Soil good.
Mesquite timber.

47

Township

7 South

BOOK

1193

Range

16 West

Gila and Salt River

Meridian.

Chains

West, on a random line between Sections 30 and 31.

Variation

14°50

East.

40.00 Set temporary 1/4 sec. cor.
 78.58 Intersect N. boundary 18 Ws. N. of
 cor. to secs. 30 and 31, from
 which cor. I run
 N. 89° 52' E.

On true line between secs. 30 & 31.
 var. 14° 50' E.

38.58 Set a post, marked 1/4 S. 4 ft
 long, flattened 3 in. wide, 1 ft
 in the ground, drove charred
 stake and build mound of
 earth 2 ft high, with pits
 1 ft deep, 2 ft long, 1 ft wide,
 as per instructions for 1/4 sec.
 cor.
 No trees near.

78.58 Cor. to secs. 29-30-31 & 32

Land level
 Soil good.
 Mesquite timber.

Township

7 South Range 16 West 48

BOOK 1193

Gila & Salt River Meridian.

Chains

North, between Sections 29 and 30.

Variation 14°50' East.

40.00 Set a post, marked 74 S. 4 ft. long, flattened 3 in wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 1/4 sec. cor.

No trees near.

80.00 Set a post, marked and painted, 4 ft long, 3 in sq d, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for cor. to Secs. 19, 20, 29 and 30.

No trees near.

Land level.
Soil good.
Scattering Mesquite trees.

49

Township

7 South

Range

16 West

Gila and Salt River

Meridian.

Chains

East, on a random line between Sections 20 and 29.

Variation

14° 50'

East.

40.00 Set temporary 1/4 sec. cor.
 80.14 Intersect N. and S. line 15 lns. N.
 of cor. to secs. 20, 21, 28 and
 29, from which cor. Run
 N. 89° 54' W.
 to true line between sec. 20 & 29.

var. 14° 50' East

40.07 Set a post, marked 1/4 S. 4 ft long,
 flattened 3 in wide, 1 ft in the
 ground, drive charred stakes and
 build mound a few ft high
 with pits 1 ft deep, 2 ft long, 1 ft
 wide, as per instructions for 1/4
 sec. cor. from which
 Abalo Verde, 4 in dia. lns. N. 72° W. 162 lns. dist
 do. 4 " " " S. 38° E. 160 " "

80.14 Cor to secs. 19, 20, 29 & 30.

Land level.

Soil good.

Scattering trees.

Township

7 South

Range

16 West

Gila and Salt River

Meridian.

Chains

West, on a random line between Sections 19 and 30.

Variation $14^{\circ}50'$ East.

- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
- 48.52 Intersect N. boundary of $\frac{1}{4}$ sec. N. of cor. to Secs. 19 and 30, from which cor. Run $N. 89^{\circ} 53' E.$
 Obtain line between Secs. 19 & 30.
 var. $14^{\circ} 50' E.$
- 38.52 Set a post, marked $\frac{1}{4}$ S. $\frac{1}{4}$ E. long, flattened 3 in. wide, 1 ft. in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for $\frac{1}{4}$ sec. cor.
 No trees near.
- 48.52 Cor. to Secs. 19, 20, 29 & 30.

Sand level.
 Soil good.
 Scattering trees.

Chains

North, between Sections 19 and 20.

Variation 14° 50' East.

40.00 Set an igneous stone 13 x 10 x 8 inches, $\frac{2}{3}$ in the ground, marked 74, and on the N. build mound of earth 2 ft high, with pits 4 ft deep, 2 ft long, 4 wide, as per instructions for 74 sec cor.

No trees near.

80.00 Set an igneous stone 14 x 11 x 8 inches, $\frac{2}{3}$ in the ground, ~~marked 3, and E.~~ and on the N. build mound of stones 2 ft high, as per instructions for cor to Secs. 17, 18, 19 and 20.

No trees near.

Land level, then slightly rolling. Soil good. Scattered trees. Grass.

Township

7 South Range 16 West

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 17 and 20.

Variation $14^{\circ}50'$ East.40.00 Set temporary $\frac{1}{4}$ sec. cor.80.06 Intersect N. and S. line 19th. N. of cor. to secs. 16, 17, 20 and 21, from which cor. run N. $89^{\circ}52'W$.

On true line between secs. 17 & 20.

var. $14^{\circ}50'$ East40.03 Set a post, marked $\frac{1}{4}$ S. 4 ft. long, flattened 3 in wide, 1 ft in the ground, drive chaired stake and build mound of earth 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, as per instructions for $\frac{1}{4}$ sec. cor.

No trees near.

80.06 Cont. to secs. 17, 18, 19 and 20.

Sand level.

Soil good.

Scattering Mesquite and Palo Verde trees.

Township

7 South Range 16 West

Gila and Salt River Meridian.

Chains

West, on a random line between Sections 18 and 19.

Variation 14°50' East.

40.00 Set temporary 1/4 sec. cor.
 78.40 Intersect N. boundary of Sec. 18
 of cor. to Secs. 18 and 19, from
 which cor. I run
 N. 89°50' E.
 on true line between Secs. 18 & 19.

var. 14°50' East.

38.40 Set a granite stone 16 x 14 x 12
 inches, 2/3 in the ground,
 marked 14, and on the E.
 build mounds of stones 2
 ft high, as per instructions
 for 1/4 sec. cor.

No trees near.

78.40 Cor. to Secs. 17, 18, 19 and 20,

Sand rolling.
 Soil good.
 Scattering trees.

Township 2 South Range 16 West
Gila and Salt River Meridian.

Chains North, between Sections 17 and 18.

Variation 14°50 East.

40.00 Set an igneous rock, 15 x 12 x 10 inches, $\frac{2}{3}$ in the ground, marked 74, and on the N. build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 74 sec. cor.

No trees near.

80.00 Set a granite stone 12 x 9 x 8 inches, $\frac{2}{3}$ in the ground, marked S. and E., and on the N. build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for cor. to secs. 7, 8, 17 and 18.

No trees near.

Sand slightly rolling.
Soil good.
Scattering trees.

Township

7 South

Range

16 West

Gila and Salt River

Meridian.

Chains

East, on a random line between Sections 8 and 17.

Variation 14°50' East.

40.00 Set temporary 1/4 sec cor.
 80.18 Intersect. N. and S. line 26 lks.
 N. of cor. to secs. 8, 9, 16 and 17,
 from which cor. I run
 N. 89° 49' W.
 On true line between secs. 8 & 17
 var. 14°50' East

40.09 Set a granite stone 13 x 9 x 9 in-
 ches, 2/3 in the ground, marked
 14 and on the N. build mound
 of earth 2 ft high, with pit
 1 ft deep, 2 ft long, 1 ft wide,
 as per instructions for 1/4 sec.
 cor.
 No trees near.

80.18 Cor. to secs. 7, 8, 17 and 18.

Land slightly rolling.
 Soil partly good.
 Scattering trees. Grass.

Township 7 South Range 16 West
Gila and Salt River Meridian.

Chains West, on a random line between Sections 7 and 18.
Variation 14° 50 East.

40.00 Set temporary 1/4 sec. cor.
78.29 Intersect. N. boundary 1/4 sec.
N. of cor. to secs. 7 and 18. from
which cor. Run
N. 89° 55' E.
On true line between secs. 7 & 18.
var. 14° 50 East

38.29 Set a granite stone 17x12x5
inches, 2/3 in the ground,
marked 74, and on the E.
Build mound of stones 2
ft high, as per instructions
for 1/4 sec. cor.

No trees near.

78.29 Cor. to secs. 7, 8, 17 and 18.

Land rolling.
Soil partly good.
Scattering trees. Grass.
January 30, 1878.

57 Township 7 South BOOK 1193 Range 16 West
Gila and Salt River Meridian.

Chains North, between Sections 7 and 8.

Variation 14050 East.

40.00 Set an equine rock, 13x10x
8 inches, $\frac{2}{3}$ in the ground,
marked 14, and on the N.
build mound of stones
2ft high, as per instruction
for 14 see cor.
No tree near

80.00 Set an equine rock, 23x
18x10 inches, $\frac{3}{4}$ in the ground,
notched S. and E., and
on the N. build mound of
stones 2ft high, as per instruc-
tion for cor. to secs. 5, 6, 7
and 8.
No tree near.

Sand rolling.
Soil good but stony,
Scattering trees. Grass

Township

2 South

BOOK 1193

Range

16 West

58

Gila and Salt River

Meridian.

Chains

East, on a random line between Sections 5 and 8.

Variation 14°50' East.

40.00 Set temporary 1/4 sec. cor.
 80.13 Intersect N. and S. line of Sec. 5
 of cor. to Secs. 4, 5, 8 and 9,
 from which cor. I run
 S. 89°56' W.
 to true line between Secs. 5 & 8.

var. 14°50' East

40.06 Set a granite stone, 12 x 10 x 9
 inches, 2/3 in the ground,
 marked 1/4, and on the W.
 build mound of Earth 2 ft.
 high as per instructions with
 pit 1 ft. deep, 2 ft. long, 1 ft. wide,
 for 1/4 sec. cor.

No trees near.

80.13 Cor. to Secs. 5, 6, 7 and 8.

Land rolling

Some good soil. Stony.
Grass. A few trees.

Township 7 South Range 16 West
Gila and Salt River Meridian.

BOOK 1193

Chains

West, on a random line between Sections 6 and 7.

Variation 14°50' East.

40.00 Set temporary 1/4 sec. cor.
48.22 Intersect N. boundary 22 Sec. S.
of cor. to secs. 6 and 7. from
which cor. In run
S89°51'E.

On true line between secs. 6 & 7
var. 14°50' East

38.22 Set a granite stone, 11 x 9 x 8
inches, 2/3 in the ground,
marked 44, and on the E.
build mound of 5 stones
2 ft high, as per instruction
for 1/4 sec. cor.
No trees near.

48.22 Cor. to secs. 5, 6, 7 and 8.

Land selling
Soil poor.
No timber.

Township

7 South Range 16 West

Gila and Salt River Meridian.

Chains

North on a random line between Sec's 5 and 6.

Variation 14°50' East.

40.00 Set temporary 1/4 sec. cor.

80.15 Intersect N. boundary 1000 ft. after cor to Secs. 5 and 6. from which cor. Run S. 0° 44' W.

On true line between secs. 5 & 6. var. 14°50' East.

40.15 Set a granite stone 12 x 10 x 6 inches, 2/3 in the ground, marked 14, and on the S build mound of earth 1 ft 6 high, with pit 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 1/4 sec. cor.

Notes near.

80.15 Cor to Secs. 5, 6, 7 and 8.

Land smoothly rolling. Some good soil but stony. Not timbered. Some grass. January 31. 1878.

General Description.

Township 7 S. Range 16 W,
borders on the Gila river.

The Southern half of the
township is rich agricultural
land which can be easily
irrigated from the abundant
water in the Gila.

The Northern half contains
much good soil but covered
with stones. In this section
is found much grass.

There is considerable mes-
quite timber in places and
some scattering Palo verde
throughout the township.

There is but little cultura-
tion of the soil as yet, but as
in the other townships of these sur-
veys I observe numerous un-
marked stakes marking claims
awaiting the surveys.

John L. Harris
U.S. Dep. Surveyor.

2811 1003
List of Names.

BOOK 1193 62

No. 1193

A List of the Names of Individuals employed
to assist in running, measuring, or marking the
lines and corners described in the foregoing Field
Notes of the survey of-----

The Subdivision Lines
of Township 7 South
Range 16 West
of the Gila and Salt
River Meridian, Ariz.

Showing the respective capacities in which they
acted.

Lyman Wakefield Chairman.

John Leichan Chainman,

Frank Carpenter Axeman.

Chas B. Warren Flagman.



tained in circular instructions from the U. S. Surveyor-General for Arizona, dated September 1, 1873, regarding the establishment of corner boundaries of public surveys, and that the foregoing are the true and original Field Notes of such surveys.

John L. Harco
Deputy Surveyor.

Sworn to and subscribed before me, this 9th
day of March, 1878

William J. Osborn
Notary Public



U. S. Surveyor General's Office,

TUCSON, ARIZONA,

April 1, 1878.

The foregoing Field Notes of the Survey of the

Subdivision Lines of
Township of South,
Range 16 E West.

Of the Gila and Salt River Base and Meridian, Arizona, executed by

John L. Harris,

Deputy Surveyor, under his contract of the ^{joint} 20th

day of September, 1878, having been

critically examined and the necessary corrections and explanations made, the said Field Notes and the surveys they describe are hereby approved.

John Masson,
Surveyor General.