

No. 1194

BOOK 1194

John L. Harris Deputy Surveyor.
T. *7* South R. *17* West
Gila and Salt River Meridian.

1194

BOOK 1194

FIELD NOTES

OF

The *Subdivision* Lines of
Township *7* South Range *17* West
Gila and Salt River Meridian.

BY

John L. Harris Deputy Surveyor.

under his Contract of *September 20* 18*77*

Survey commenced *February 1, 1878.*

Survey completed *February 6, 1878.*

Platted,
Copied for Washington,
Transcript sent to Commissioner,

J. L. H. S. A.

John L. Harris Deputy Surveyor.
 T. *7* South R. *17* West
Gila and Salt River Meridian.

FIELD NOTES

OF
 The *Subdivision* Lines of
 Township *7* South Range *17* West.
Gila and Salt River Meridian.

BY
John L. Harris Deputy Surveyor.
 under his Contract of *September 20. 1877.*
 Survey commenced *February 1. 1878.*
 Survey completed *February 6. 1878.*

Platted,
Copied for Washington,
Transcript sent to Commissioner,


Preliminary Oaths of Assistants.

We, *Lyman Wakefield*
 and *John Lincham*
 do solemnly swear that we will faithfully execute
 the duties of Chain Carriers; that we will level the
 chain upon uneven ground, and plumb the tally
 pins, whether by sticking or dropping the same;
 that we will report the true distance to all notable
 objects, and the true length of all lines that we as-
 sist in measuring, to the best of our skill and
 ability.

Lyman Wakefield
John Lincham

Sworn to and subscribed before me, this *29*
 day of *September*, 187*7*

William J. Gibson
 Notary Public



We, *Frank Carpenter*
 and *Chas B Warren*

do solemnly swear that we will well and truly per-
 form the duties of *Assessor and*
Flagman respectively
 according to instructions given us, and to the best
 of our skill and ability.

Frank Carpenter
Chas B Warren

Sworn to and subscribed before me this *29*
 day of *September*, 187*7*

William J. Osborn
 Notary Public



Township

South

Range

17 West

10 Gila and Salt River

Meridian.

BOOK 1194

6	60	5	44	4	33	3	22	2	11	1
59		58		43		32		21		10
7	57	8	42	9	31	10	20	11	9	12
56		55		41		30		19		8
18	54	17	40	16	29	15	18	14	7	13
53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24
50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25
47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36

Township..... Range.....

BOOK 1194

.....Meridian.

No. 1194

Chains

From the corner to Sections 35, 36, 1 and 2 on the South
boundary I ran

North, between Sections 35 and 36.

Variation

14°49'

East.

As per East Boundary.

Survey Commenced Febry 6. 1878.

40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft long,
flattened 3 in. wide, 1 ft in the
ground, drive charred stake and
build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft long,
1 ft wide, as per instructions for
 $\frac{1}{4}$ sec. cor.

No trees near.

80.00 Cor. falls in Wash 20 lbs wide, flows
S.E. at 20 lbs N. set a post, marked
and notched, 4 ft long, 3 in. sqd.,
1 ft in the ground, drive charred
stake and build mound of earth
2 ft high, with pits 1 ft deep, 2 ft
long, 1 ft wide, as per instructions
for cor. to Secs. 25, 26, 35 and
36. from which

A Palo verde tree, 10 in. dia. brs. N. 13° W. 103 lbs. dist.

No other trees near.

Land level. Soil good. A few mes-
quite & Palo verde trees.

Township 7 South Range 17 West
Gila and Salt River Meridian.

Chains East, on a random line between Sections 25 and 36.

Variation 14°49' East.

- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
80.06 Intersect E. boundary of Sec. N. of cor.
to secs. 25 and 36, from which
cor. run
N. 89° 57' W.
On true line between secs. 25 & 36.
var. 14° 49' East
- 40.03 Set a post, marked $\frac{1}{4}$ S. of pt. long.
3 in. wide, flattened, 1 ft in the
ground, drive chared stakes
and build mound of earth 2
ft high, with pit 1 ft deep, 2 ft
long, 1 ft wide, as per instructions
for $\frac{1}{4}$ sec. cor.
No trees near.
- 80.06 Cor. to secs. 25. 26. 35 & 36.

Sand level.
Soil good.
Scattering trees.

Township 7 South Range 17 West
Gila and Salt River Meridian.

Chains North, between Sections 25 and 26.

Variation 14°49 East.

40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft long
flattened 3 in wide, 1 ft in the
ground, drive charred stake
and build mound of earth
2 ft high with pits 1 ft deep, 2
ft long, 1 ft wide as per instruc-
tion for $\frac{1}{4}$ sec. cor.

No trees near.

80.00 Set a post, marked and notched,
4 ft long, 3 in sq. d. 1 ft in the
ground, drive charred stake and
build mound of earth 2 ft
high with pits 1 ft deep, 2 ft
long, 1 ft wide, as per instructions
for cor. to secs. 23, 24, 25, and
26.

No trees near.

Land level.

Soil good.

Scattering trees.

Township 7 South Range 17 West
Gila and Salt River Meridian.

Chains

East, on a random line between Sections 24 and 25.

Variation 14°49' East.

- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
80.12 Intersect E. boundary 10 pls. N.
of cor. to secs. 24 and 25, from
which cor. I run
N. $89^{\circ}56'$ W.
On true line between sec. 24 & 25,
var. $14^{\circ}49'$ East
- 40.06 Set a post, marked $\frac{1}{4}$ S. 4 ft. E.
long, flattened 3 in. wide, 1 ft. in
the ground, drive charred stake
and build mound of earth
2 ft. high, with pits 1 ft. deep,
2 ft. long, 1 ft. wide, as per in-
structions for $\frac{1}{4}$ sec. cor.
No trees near.
- 80.12 Cor. to sec. 23, 24, 25 & 26.

Land level. Soil good.
Scattering trees.
February 1, 1878.

Gila and Salt River

Chains North, between Sections 23 and 24.

Variation 14°49' East.

40.00 Set a post marked 1/4 S. 4 ft long, flattened 3 in wide, 1/2 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 1/4 sec. cor.
 No trees near.

80.00 Set a granite stone 12 x 9 x 8 inches, 2/3 in the ground, notched S. and E., and on the N. build mound of stones 2 ft high, as per instructions for con. to Secs. 13, 14, 23 and 24.
 No trees near.

Level level. Soil good.
 Scattering trees.

Chains East, on a random line between Sections 13 and 24.
 Variation 14° 49' East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
 80.14 Intersect E. boundary 17 lns. N.
 of cor. to secs. 13 and 24, from
 which cor. Drive
 N. $89^{\circ} 53' W.$

On true line between sec. 13 & 24.
 var. $14^{\circ} 49'$ East.

40.07 Set a post marked $\frac{1}{4}$ S. 4 ft long,
 flattened 3 in. wide, 1 ft. in the
 ground, drive charred stake and
 build mound of earth 2 ft high
 with pits 1 ft. deep, 2 ft long, 1 ft.
 wide, as per instructions for $\frac{1}{4}$ sec.
 cor. from which

A Mesquite, 10 in. dia. br. S $40^{\circ} N.$ 190 lns. dist.
 do. 6 " " " N. $80^{\circ} E.$ 111 lns. "

80.14 Cor. to secs. 13, 14, 23 and 24.
 Sand level. Sort good.
 Scattering trees.

Township 7 South Range 17 West

Gila and Salt River

Meridian.

Chains North, between Sections 11 and 12.

Variation 1449' East.

40.00 Set an igneous rock, 12 x 9 x 7
inches $\frac{2}{3}$ in the ground, mark-
ed $\frac{1}{4}$ S. and on the N. build
mound of stones 2 ft high,
as per instructions for $\frac{1}{4}$ sec.
cor.

No trees near.

80.00 Set an igneous rock 15 x 11 x
9 inches $\frac{2}{3}$ in the ground,
notched S. and E., and on
the N. build mound of stones
2 ft high, as per instructions
for cor. to sec. 1, 2, 11 & 12.

No trees near.

Land smooth and rolling.

Soil partly good.

Some grass. No timber.

Township 7 South Range 17 West
Gila and Salt River Meridian.

Chains

East, on a random line between Sections 1 and 12.

Variation 14°49' East.

- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
80.19 Intersect E. boundary 14 lks.
N. of cor. to secs. 1 and 12
from which cor. True
N. $89^{\circ}54'N$.
On true line between secs. 1 & 12,
var. $14^{\circ}49'$ East
40.09 Set a post, marked $\frac{1}{4}$ S. 4
ft long, flattened 3 in. wide,
1 ft in the ground, and build
mound of stones 2 ft high as
per instructions for $\frac{1}{4}$ sec. cor.
No trees near.
80.19 Cor. to secs. 1, 2, 11 and 12.

Land smooth & rolling.
Soil poor.
Some grass.
A few trees.

Township 7 South Range 17 West
Gila and Salt River Meridian.

Chains

North, on a random line between Sections 1 and 2.

Variation

14°49' East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.85 Intersect N. boundary 21 lvs. N.
of cor. to secs. 1 and 2. from
which cor. Run
S. $0^{\circ}9'$ W.

On true line between secs. 1 & 2,

var. $14^{\circ}49'$ East.

39.85 Set an igneous rock, $15 \times 9 \times 8$
inches, $\frac{2}{3}$ in the ground square-
ed $\frac{1}{4}$, and on the S. build
mound of stones 2 ft high,
as per instructions for $\frac{1}{4}$ sec.
cor.

No trees near.

79.85 Cor. to Secs 1, 2, 11 & 12.

Land rolling

Soil poor and stony.

A few mesquite
and Pale Verde trees.

Township 7 South Range 17 West
Gila and Salt River Meridian.

Chains

North, between Sections 34 and 35.

Variation 14°49' East.

40.00 Set a post, marked 4 S. 4 ft long
flattened 3 in wide, 1 ft in
the ground, drive charred
stake and build mound of
earth 2 ft high, with pits 1 ft
deep, 2 ft long, 1 ft wide, as
per instructions for 4 sec. con.
No trees near.

80.00 Set a post, marked 8 notched,
4 ft long, 3 in sq, 1 ft in the
ground, drive charred stake
and build mound of earth
2 ft high, with pits 1 ft deep, 2
ft long, 1 ft wide, as per in-
structions for con. to Secs. 26,
27, 34 and 35.
No trees near.

Land level.

Soil good.
Scattered mesquite trees.

Township 7 South Range 17 West
Gila and Salt River Meridian.

Chains East, on a random line between Sections 26 and 35.

Variation $14^{\circ}49'$ East.

- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
79.94 Intersect N. and S. line 13 hrs
S. of cor. to secs. 25, 26, 35 and
36. from which cor. Run
S. $89^{\circ}54'N$.
On true line between secs. 26 & 35.
Var. $14^{\circ}49'$ East
39.97 Set a post marked the S. 4 ft
long, flattened 3 in wide, 1 ft
in the ground, drive charred
stake and build mound of
earth 1 ft high, with pits 1 ft
deep, 1 ft long, 1 ft wide, as
per instructions for $\frac{1}{4}$ sec. cor.
No tree near.
79.94 Cor. to Secs. 26-27, 34 & 35.

Land level.
Soil good.
A few Mesquite trees.

Township 7 South Range 17 West
Gila and Salt River Meridian.

Chains North, between Sections 26 and 27.

Variation 114° 49' East.

40.00 Set a post, marked 14 S. 4 ft.
long, flattened 3 in wide,
1 ft in the ground, drive a
chared stake and build
mound of earth 2 ft high,
with pits 1 ft deep, 2 ft long,
1 ft wide, as per instructions
for 14 sec. cor.

No trees near.

80.00 Set an igneous rock 13 x 9 x
5 inches, $\frac{2}{3}$ in the ground,
notched S. and E., and on
the N. build mound of
stones 2 ft high, as per in-
structions for corner sec -
22, 23, 26, and 27.

No trees near.

Land level.

Soil good.
A few trees.

Chains

East, on a random line between Sections 23 and 26.

Variation

14° 49'

East.

- 40.00 Set temporary 1/4 sec. cor.
- 49.90 Intersect N. and S. line 10 lks.
 Set cor. to Secs. 23, 24, 25
 and 26, from which cor. Run
 S. 89° 56' W.
 On true line between sec. 23 & 26,
 var. 14° 49' East
- 39.95 Set a post, marked 14 S. 4 ft
 long, flattened 3 in. wide, 1 ft
 in the ground, drive charred
 stake and build mound of
 earth 2 ft high, with pits 1 ft
 deep, 2 ft long, 1 ft wide, as per
 instructions for 1/4 sec. cor.
 from which
- A Mesquite, 13 in. dia. br. N. 6° W. 72 lks. dist
 Palo Verde, 5 " " " N. 25° E. 186 " "
- 49.90 Cor. to Secs. 22, 23, 26, and 27
 Land level. Soil good.
 A few trees.

Township 4 South Range 14 West
Gila and Salt River Meridian.

Chains North, between Sections 22 and 23.

Variation 14°49' East.

40.00 Set a igneous rock 13x12x8
inches, $\frac{2}{3}$ in the ground,
marked 14, and on the N.
build mound of stones 2
ft high, as per instructions
for 14 sec. cor.
No trees near.

80.00 Set a igneous rock, 12x9x8
inches, $\frac{2}{3}$ in the ground,
notched S. and E., and
on the N. build mound
of stones 2 ft high, as per
instructions for cor. to
secs. 14, 15, 22 and 23.
No trees near.

Land level. Soil good.
Some grass on the N.
Scattering trees.

Township 7 South Range 17 West
Gila and Salt River Meridian.

Chains East, on a random line between Sections 14 and 23.

Variation 14°49' East.

- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
79.88 Intersect N. and S. line, 16 chs.
S. of cor to secs. 13, 14, 23
and 24, from which cor. I
run
S. 89° 53' W.
On true line between sec. 14 & 23,
var. 14° 49' East.
- 39.94 Set a post, marked $\frac{1}{4}$ S. 4 ft
long, flattened 3 in wide, 1 ft
in the ground, drive charred
stake and build mound
of earth 2 ft high, with pits
1 ft deep, 2 ft long, 1 ft wide,
as per instructions for $\frac{1}{4}$ sec.
cor.
No trees near.
- 79.88 Con to sec. 14, 15, 22 & 23
Land slightly rolling
Soil good.
A few trees.

Township South Range 17 West
Gila & Salt River Meridian.

Chains North, between Sections 14 and 15.

Variation 14°49' East.

40.00 Set an igneous rock $13 \times 12 \times 9$ inches, $\frac{2}{3}$ in the ground, marked 4, and on the N. build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions for 4 sec. cor.
No trees near.

80.00 Set an igneous rock $13 \times 10 \times 6$ inches, $\frac{2}{3}$ in the ground, notched S. and E., and on the N. build mound of rocks 2 ft. high, as per instructions for cor. to Secs. 10, 11, 14 and 15.

No trees near.

Land level.
Soil good.
A few trees.

Chains East, on a random line between Sections 11 and 14.
Variation 14°49' East.

40.00 Set temporary 1/4 sec. cor.
79.91 Intersect N and S line 12 lks.
N. of cor. to sees. 11, 12, 13 and
14, from which cor. I run
N. 89°55' W.

On true line between sees. 11 & 14.
var. 14°49' East

39.95 Set a granite stone 19x16x
8 inches $\frac{3}{4}$ in the ground,
marked 74, and on the W.
Build mound of earth 2
ft high, with pit 1 ft deep, 2
ft long, 1 ft wide, as per in-
structions for 1/4 sec. cor.

No trees near.

79.91 Cor. to sees. 10, 11, 14 and 15

Land rolling. Soil poor.
Some grass.
No timber.

Gila and Salt River

Meridian.

Chains

North, between Sections 10 and 11.

Variation

14° 49'

East.

40.00

Set an aqueous rock, 17x12x7
inches, $\frac{2}{3}$ in the ground,
marked 74, and on the N.
build mound of stones 2
ft high, as per instructions
for 74 sec. cor.

No trees near.

80.00

Set an aqueous rock, 17x13x
6 inches, $\frac{2}{3}$ in the ground,
notched S and E, and on
the N. build mound of
Earth 2 ft high, with pits
1 ft deep, 2 ft long, 1 ft wide,
as per instructions for cor. to Sec.
2, 3, 10, and 11.

No trees near.

Land smooth and rolling.
Soil good. Scattering trees
Grass.

Chains East, on a random line between Sections 2 and 11.

Variation 14° 49' East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
 79.86 Intersect N. and S. line 9 lbs
 N. of cor. to Secs 1, 2, 10 and 11
 from which cor. I run
 N. $89^{\circ} 56' W$.

on true line between secs. 2 & 11,
 var. $14^{\circ} 49'$ East

39.93 Set a post, marked $\frac{1}{4}$ S. 4
 ft long. 3 in sq. d. ft. in the
 ground, and build mound
 of stones 2 ft high, as per
 instructions for $\frac{1}{4}$ sec. cor.,
 from which

at Palo Verde 6 in dia. born S. $36^{\circ} E$ 29 lbs. dist.
 No other trees near.

79.86 Cor. to secs. 2, 3, 10 & 11,

Land rolling. Soil poor.
 No timber of consequence.

Township 7 South Range 17 West
Gila and Salt River Meridian.

Chains

North, on a random line between Sections 2 and 3.

Variation $14^{\circ}49'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
80.12 Intersect N. boundary of l^{ts} E.
of cor. to secs. 2 & 3. from which
cor. I run
 $S. 0^{\circ}3' E.$
On true line between secs. 2 & 3,
var. $14^{\circ}49'$ East.

40.12 Set an igneous rock, 14×12
 $\times 7$ inches, $\frac{2}{3}$ in the ground,
marked $\frac{1}{4}$, and on the S.
build mound of earth 2
ft high, with pits 1 ft deep,
2 ft long, 1 ft wide, as per
instructions for $\frac{1}{4}$ sec. cor.
Notices near.

80.12 Cor. to Secs. 2, 3, 10 & 11.

Sand rolling. Salt poor.
No timber.

February 2, 1878.

Gila and Salt River

Meridian.

Chains

North, between Sections 33 and 34.

Variation

1449

East.

40.00 Set a post, marked 4 S. 4 ft. long, flattened 3 in. wide, 1 ft. in the ground, drive a charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions for 14 sec cor.

No trees near.

80.00 Set a post, marked and notched, 4 ft. long, 3 in. sq. d., 1 ft. in the ground, drive a charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions for cor. to secs 27, 28, 33 and 34.

No trees near.

Level. Soil good.
Mesquite timber.

Township 7 South Range 17 West
Gila and Salt River Meridian.

Chains

East, on a random line between Sections 27 and 34.

Variation

14°49'

East.

- 40.00 Set temporary 1/4 sec. cor.
- 80.15 Intersect A. and B. line 18
ln. S. of cor. to Secs. 26, 27,
34 and 35, from which cor. I run
S. 89° 52' W.
True line between Secs. 27 & 34.
Var. 14°49' East.
- 40.08 Set a post, marked 1/4 S. 4 ft long,
flattened 3 in wide, 1 ft in the
ground, drive charred stake
and build mound of earth
1 ft high, with pits 1 ft deep, 2 ft
long, 1 ft wide, as per instruc-
tions for 1/4 sec. cor.
No trees near.
- 80.15 Cor to Secs. 24, 28, 33 and
34.
Land level.
Soil good.
Scattering Mesquite trees.

Chains North, between Sections 27 and 28.

Variation 14049 East.

40.00 Set a granite stone 14 x 9 x 8 inches, $\frac{2}{3}$ in the ground, marked 4, and on the N. build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 4 sec. cor.
No trees near.

50.00 Set a granite stone 15 x 8 x 6 inches, $\frac{2}{3}$ in the ground, notched S. and E., and on the N. build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide as per instructions for cor. to Secs. 21, 22, 27 and 28.
No trees near.

Level level.
Soil Good.
A few trees.

Chains

East, on a random line between Sections 22 and 27.

Variation 124° 49' East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
79.93 Intersect N. and S. line 22
lvs. S. of cor to secs. 22, 23,
26 and 27, from which cor
Dinner
S. 89° 51' N.

True line between secs. 22 & 27
var. 124° 49' East

39.96 Set a post marked $\frac{1}{4}$ S. 4 ft. C.
long, flattened 3 in. wide, 1 ft. in the
ground, drive charred stake and
build mound of earth 2 ft high,
with pits 1 ft deep, 2 ft long, 1 ft
wide, as per instructions for
 $\frac{1}{4}$ sec. cor. from which

A Mesquite, 10 in dia. br N. 55° E. 213 lvs. dist.
do. 4 " " " S. 45° N. 120 " "

79.93 Cor to secs. 21, 22, 27 & 28.

Land level Soil Good
Mesquite & Palo verde trees

Gila and Salt River Meridian.

Chains

North, between Sections 21 and 22.

Variation

14°49'

East.

40.00 Set an igneous rock 14 x 10 x 9 inches, $\frac{2}{3}$ in the ground, marked 14, and on the N. build mound of earth 2 ft. high, with pits 4 ft deep, 2 ft long, 1 ft wide, as per instructions for 14 sec. cor.
No trees near.

80.00 Set an igneous rock, 17 x 11 x 9 inches, $\frac{2}{3}$ in the ground, notched S. and E., and on the N. build mound of stone 2 ft high, as per instructions for cor. to sec. 15, 16, 21 and 22. No trees near.

Land level. Soil Good.
Scattering trees.

Township 7 South Range 17 West
Gila and Salt River Meridian

Chains

East, on a random line between Sections 15 and 22.

Variation $144^{\circ}49'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
80.17 Intersect N. and S. line 30
ln. N. of cor. to Secs. 14
15. 22 and 23. from which
cor. run
N. $89^{\circ}47'$ W.
true line between secs. 15 & 22.
var. $144^{\circ}49'$ East.

40.08 Set a post marked $\frac{1}{4}$ S. 4
ft. long, flattened 3 in. wide,
upline the ground and
build mound of stones 2
ft high, as per instructions
for $\frac{1}{4}$ sec. cor. from which
a Mesquite 19 in dia br. S. 48° W. 167 ft. dist.
No other trees near.

80.17 Cor. to Secs. 15. 16. 21 & 22.
Sand level then rolling N.
Soil good. A few trees.

Township

South Range 15 West

Gila and Salt River Meridian.

Chains

North, between Sections 15 and 16.

Variation

14° 49'

East.

40.00 Set an igneous rock 14 x 9 x 8 inches
2/3 in the ground, marked 14,
and on the N. build a
mound of stones 2 ft high,
as per instructions for 14 sec.
Cor.

No trees near.

50.00 Set a granite stone 13 x 10 x 9
inches, 2/3 in the ground,
notched S. and E., and
on the N. build mound
of earth 2 ft high, with pits
1 ft deep, 2 ft long, 1 ft wide,
as per instructions for Cor.
to secs. 9, 10, 15 and 16.

No trees near.

Land somewhat rolling.
Soil good. A few trees,
Grass.

Township

South

Range

17 West

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 10 and 15.

Variation $14^{\circ}49'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
79.85 Intersect N. and S. line 36
less S. of cor. to Secs. 10, 11, 14
and 15, from which cor. I
run

S. $89^{\circ}45'$ W.

Outline line between Secs. 10 & 15.
var. $14^{\circ}49'$ East.

39.92 Set a granite stone $18 \times 16 \times 7$
inches, $\frac{3}{4}$ in the ground
measured $\frac{1}{4}$, and on the
N. build mound of earth
2 ft high, with pits 1 ft deep, 2
ft long, 1 ft wide as per in-
structions for $\frac{1}{4}$ sec. cor.
No trees near.

79.85 Cont to Secs. 9, 10, 13 & 16.

Land rolling.
Soil partly good.
Some grass. No timber.

Chains

North, between Sections 9 and 10.

Variation

14°49'

East.

40.00 Set an igneous rock, 14 x 9 x 9 inches, $\frac{2}{3}$ in the ground, marked 74, and on the N. build mound of stones 2 ft high, as per instructions for 74 sec. cor. No trees near.

80.00 Set an igneous rock 10 x 11 x 8 inches, $\frac{2}{3}$ in the ground, notched S. and E., and on the N. build mound of stones 2 ft high, as per instructions for cor. to Secs 3, 4, 9 and 10. No trees near.

Land rolling.
Some good soil
Grass. Scattering trees.

Township 7 South Range 17 West
Gila and Salt River Meridian.

Chains

East, on a random line between Sections 3 and 10.

Variation $14^{\circ}49'$ East.

- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
80.03 Intersect N. and Silvie &
Lin. N. a few cor. to sec. 2, 3, 10
and M. from which cor. I
run
N. $89^{\circ}05'$ N.
On true line between sec. 3 & 10.
var. $14^{\circ}49'$ East.
40.02 Set a granite stone 16×7
 $\times 7$ inches, $\frac{2}{3}$ in the ground,
marked M. and on the
N. build mound of stones
2 ft high, as per instructions
for $\frac{1}{4}$ sec. cor.
No trees near.
80.03 Cor. to sec. 3, 4, 9 and 10.

Sand rolling. Soil partly
good. Some grass.
No timber.

Chains

North, on a random line between Sections 3 and 4.

Variation $14^{\circ}49'$ East.40.00 Set temporary $\frac{1}{4}$ sec. cor.79.83 Intersect N. boundary 15 chs.
N. of cor. to secs. 3 and 4,
from which cor. I run
 $S. 0^{\circ} 6' W.$ On true line between sec. 3 & 4,
var. $14^{\circ}49'$ East.39.83 Set an igneous rock 16×12
 $\times 7$ inches, $\frac{2}{3}$ in the ground,
marked $\frac{1}{4}$, and on the S.
build mound of earth 2 ft
high, with pits 1 ft deep, 2
ft long, 1 ft wide, as per
instructions for $\frac{1}{4}$ sec. cor.
No trees near.

79.83 Cor. to Secs. 3, 4, 9 and 10.

Land rolling. Soil poor.
Some grass. No timber.

Chains North, between Sections 32 and 33.

Variation $14^{\circ}49'$ East.

40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft. long, flattened 3 in. wide, 1 ft. in the ground, drive charred stake and build mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide as per instructions for $\frac{1}{4}$ sec. cor.

No trees near.

80.00 Set a post, marked and notched, 4 ft long, 3 in. sqd. 1 ft in the ground, drive a charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for cor. to secs. 28, 29, 32 and 33.

No trees near

Land level. Soil Good.
Some mesquite and
Pale Verde trees.

Chains

East, on a random line between Sections 28 and 33.

Variation

14°49'

East.

40.00 Set temporary 1/4 sec. cor.
 80.16 Intersect N. and S. line 12 hrs
 N. of cor. to secs. 27, 28, 33
 and 34, from which cor. run
 N. 89°55' W.
 On true line between secs. 28 & 33.
 var. 14°49' East

40.08 Set a post, marked 1/4 S. 4 ft long,
 flattened 3 in wide, 1 ft in the
 ground, drive charred stake
 and build mound of earth
 2 ft high, with pits 1 ft deep,
 2 ft long, 1 ft wide, as per in-
 structions for 1/4 sec. cor.
 No trees near.

80.16 Cor. to secs. 28, 29, 32 and 33.

Land level.
 Soil Good.
 Scattering trees.

Chains

North, between Sections 28 and 29.

Variation 114° 49' East.

40.00 Set a post, marked 1/4 S. 4 ft long, flattened 3 in. wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 1/4 sec. Cor.

No trees near

80.00 Set an igneous rock 15 x 9 x 5 inches, 2/3 in the ground, marked S. and E., and on the N. build mound of stones 2 ft high, as per instructions for cor. to Secs. 20, 21, 28 and 29.

No trees near.

Land level. Soil poor and scattering trees.

Chains East, on a random line between Sections 21 and 28.

Variation 14°49 East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
80.19 Intersect N. and S. line, 29 lvs
N. of cor. to secs. 21, 22, 27
and 28, from which cor. I
run

N. 89°48' W.

On true line between secs. 21 & 28.
var. 14°49' East.

40.09 Set a post, marked $\frac{1}{4}$ S. 4
ft long, flattened 3 in. wide,
^{1 ft in the top} and ^{1 ft in the bottom} and ^{1 ft in the middle} round a post
2 ft high, as per instruction
for $\frac{1}{4}$ sec. cor.
from which

A Mesquite, 9 in. dia. br. S. 31° E. 66 lvs. dist.
do 8 " " " S. 70° W. 151 " "

80.19 Cor. to secs. 20, 21, 28 & 29

Land level. Soil poor.
A few trees. Grass

Chains North, between Sections 20 and 21.

Variation 14° 49' East.

40.00 Set an igneous rock, 15 x 9 x 8 inches, 2/3 in the ground, marked 74, and on the N. build mound of stones 2 ft high, as per instruction for 74 sec. cor. No trees near.

80.00 Set an igneous rock, 13 x 13 x 7 inches, 2/3 in the ground, notched S. and E., and on the N. build mound of stone 2 ft high, as per instruction for cor. to secs. 16, 17, 20 and 21. No trees near.

Land slightly rolling. Soil partly good. Scattering trees. Grass.

Chains East, on a random line between Sections 16 and 21.

Variation 14°49' East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
80.10 Intersect N. and S. line 960
S. of cor. to secs. 15, 16, 20 and
21, from which cor. Run
S. 89°56' W.

On true line between secs. 16 & 21.
var. 14°49' East.

40.05 Set a post, marked $\frac{1}{4}$ S. 4 ft.
long, flattened 3 in. wide, 1 ft.
in the ground, drive claimed
stake and build mound
a least 2 ft high, with pit 1 ft
deep, 2 ft long, 1 ft wide, as
per instructions for $\frac{1}{4}$ sec.
cor.

No trees near.

80.10 Conto secs. 16, 17, 20 & 21.

Land rolling, Soil good.
A few trees. Grass

Township 7 South Range 10 West
Gila and Salt River Meridian.

Chains

North, between Sections 16 and 17.

Variation $14^{\circ}49'$ East.

40.00 Set a granite stone $14 \times 10 \times 8$
inches, $\frac{2}{3}$ in the ground,
marked 4, and on the N.
build mound of stones 2 ft
high, as per instructions for 4
sec. cor. No trees near

80.00 Set an igneous stone 14×10
 $\times 7$ inches, $\frac{2}{3}$ in the ground,
notched S. and E., and
on the N. build mound
of stones 2 ft high, as per
instructions for cor. to Secs.
8, 9, 16, and 17.
No trees near

Sand rolling.
Soil good. Grass.
No timber.

February 4, 1878.

Chains

East, on a random line between Sections 9 and 16.

Variation 14°49' East.

40.00 Set temporary 1/4 sec. cor.

80.13 Intersect N. and S. line 16 Sec.
N. of cor. to Secs. 9, 10, 15 & 16,
from which cor. I run
N. 89° 53' W.

On true line between Secs. 9 & 16,
var. 14°49' East.

40.06 Set a granite stone 12 x 10 x 6
inches, 2/3 in the ground,
marked 14, and on the N.
build mound of stones 2 ft
high, as per instructions
for 1/4 sec. cor.

No trees near.

80.13 Cor to Secs 8, 9, 16 and 17.

Land level Soil good,
No timber. Some grass.

Township 7 South Range 17 West
Gila and Salt River Meridian.

Chains North, between Sections 8 and 9.

Variation 14°49' East.

- 40.00 Set a igneous stone $17 \times 13 \times 5$ inches, $\frac{2}{3}$ in the ground, marked 74, and on the N. build mound of stones 2 ft high, as per instructions for 74 sec. cor. from which
A Pale Verde, 5 in dia. br. S. 78° E. 220 lbs. dist.
No other trees near.
- 80.00 Set a granite stone $15 \times 12 \times 8$ inches, $\frac{2}{3}$ in the ground, notched S. and E., and on the N. build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for cor. to secs. 4, 5, 8 and 9, from which
A Mesquite, 10 in dia. br. S. 60° E. 123 lbs. dist.
Do. 14 " " S. 71° N. 167 " "
A Pale Verde, 7 " " N. $26\frac{1}{2}^\circ$ N. 78 " "
No other trees near.
Land level. Soil good. A few trees.
Grass.

Township 7 South Range 17 West
Gilman Salt River Meridian.

Chains East, on a random line between Sections 4 and 9.

Variation 14°49' East.

40.00 Set temporary 1/4 sec. cor.
80.17 Intersect N. and S. line 10 lbs
N. of cor. to secs. 3, 4, 9 and 10,
from which cor. In run
N. 89°56' W.
On true line between secs. 4 & 9
var. 14°49' East.

40.08 Set a granite stone 18 x 10 x 10
inches, 2/3 in the ground,
marked 4, and on the N.
Build mound of earth
2 ft high, with pit 1 ft deep,
3 ft long, 1 ft wide, as per in-
structions for 1/4 sec. cor.
No trees near.

80.17 Cor. to sec. 4, 5, 8 and 9.

Sand rilling. Some good
Soil. No timber. Grass.

Township 7 South Range 17 West
Gila and Salt River Meridian.

Chains

North, on a random line between Sections 4 and 5.

Variation $14^{\circ}49'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
79.84 Intersect N. boundary 18 lks. E
of cor. to Secs. 4 and 5. from
which cor. I run
 $S. 0^{\circ}8' E.$

On true line bet. Secs. 4 & 5.
var. $14^{\circ}49' E.$

39.84 Set a granite stone $16 \times 9 \times$
5 inches, $\frac{2}{3}$ in the ground,
marked 14, and on the
S. build mound of stones
2 ft high, as per instructions
for $\frac{1}{4}$ sec. cor.
No trees near.

79.84 Cor. to Secs. 4, 5, 8 & 9.

Land rolling
Some good soil
A few Palo verde and mesquite
trees.

Township *South* Range *17 West*
Gila and Salt River Meridian.

Chains North, between Sections 31 and 32.

Variation *14°49'* East.

40.00 Set a granite stone 13 x 9 x 8 inches,
 $\frac{2}{3}$ in the ground, marked
 $\frac{1}{4}$, and on the N. build a
mound of earth 2 ft high,
with pits 1 ft deep, 2 ft long,
1 ft wide, as per instructions
for $\frac{1}{4}$ sec. cor.
No trees near.

80.00 Set a granite stone 13 x 10 x 8
inches, $\frac{2}{3}$ in the ground,
notched S. and E., and on
the N. build mound of
earth 2 ft high with pits
1 ft deep, 2 ft long, 1 ft wide,
as per instructions for cor. to
Secs. 29, 30, 31 and 32.
No trees near.

Land level. Soil good.
Scattering Mesquite trees.

Township *South* Range *17 West*
Gila and Salt River Meridian.

Chains North, between Sections 31 and 32.

Variation *14°49'* East.

40.00 Set a granite stone 13 x 9 x 8 inches,
 $\frac{2}{3}$ in the ground, marked
 $\frac{1}{4}$, and on the N. build a
mound of earth 2 ft high,
with pits 1 ft deep, 2 ft long,
1 ft wide, as per instructions
for $\frac{1}{4}$ sec. cor.
No trees near.

80.00 Set a granite stone 13 x 10 x 8
inches, $\frac{2}{3}$ in the ground,
notched S. and E., and on
the N. build mound of
earth 2 ft high with pits
1 ft deep, 2 ft long, 1 ft wide,
as per instructions for cor. to
Secs. 29, 30, 31 and 32.
No trees near.

Land level. Soil good.
Scattering Mesquite trees.

Township

7 South

Range

17 West

Gila and Salt River

Meridian.

Chains

East, on a random line between Sections 29 and 32.

Variation $14^{\circ}49'$ East.

- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
- 49.93 Intersect N. and S. line 8 lns.
N. of cor. to secs. 28, 29, 32 and
33, from which cor. I run
N. $89^{\circ}05'41''$ W.
On true line between secs. 29 & 32.
var. $14^{\circ}49'$ East.
- 39.96 Set a post, marked $\frac{1}{4}$ S. 4 ft.
long, flattened 3 in wide, 1 ft.
in the ground, drive charred
stake and build mound of
earth 2 ft high, with pits
1 ft deep, 2 ft long, 1 ft wide,
as per instructions for $\frac{1}{4}$
sec. cor.
No trees near.
- 49.93 Cor. to secs. 29, 30, 31 and 32.

Sand level. Soil good.
No timber.

Chains

West, on a random line between Sections 30 and 31.

Variation

14°49' East.

- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
 78.51 Intersect N. boundary 13 lns
 N. of cor. to Secs. 30 and 31. from
 which cor. I run
 $N. 89^{\circ} 54' E.$
 On true line between sec. 30 & 31.
 var. $14^{\circ} 49' E.$
- 38.51 Set a post, marked $\frac{1}{4}$ S.
 $\frac{1}{4}$ ft. long, flattened 3 in. wide,
 $\frac{1}{2}$ ft. in the ground, drive a
 charred stake and build
 mound of earth 2 ft high,
 with pit 1 ft. deep, 2 ft. long,
 $\frac{1}{2}$ ft. wide, as per instructions
 for $\frac{1}{4}$ sec. cor.
 No trees near.

78.51 Cont. to sec. 29. 30. 31 and
 32.

Land level.
 Dirt Good.
 A few trees.

Township

7 South

Range

17 West

Gila and Salt River Meridian.

Chains

North, between Sections 29 and 30.

Variation

14°49' East.

40.00 Set a granite stone 11 x 8 x 8 inches, $\frac{2}{3}$ in the ground, marked 74, and on the N. build mounds of earth, 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 74 sec. cor.
No trees near.

80.00 Set an igneous rock, 14 x 10 x 6 inches, $\frac{2}{3}$ in the ground, notched S. & E., and on the N. build mounds of stone 2 ft high, as per instructions for cor. to Secs. 19, 20, 29 and 30.

No trees near.

Land level. Soil good.

A few trees, some grass.

17 Township South Range 17 West
Gila and Salt River Meridian

Chains East, on a random line between Sections 20 and 29.

Variation $14^{\circ}49'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
80.13 Intersect N. and S. line 116.6
S. of cor. to Secs. 20, 21, 28
and 29. from which cor. run
S. $89^{\circ}55'$ W.

On true line between sec. 20 & 29
var. $14^{\circ}49'$ East.

40.06 Set a granite stone $16 \times 11 \times$
5 inches, $\frac{2}{3}$ in the ground,
marked 74, and on the
N. build mound a fault
2 ft high, with pits 1 ft deep,
2 ft long, 1 ft wide, as per
instructions for $\frac{1}{4}$ sec. cor.
No trees near.

80.13 Cor. to Secs. 19, 20, 29 & 30.

Land level. Salt Ford.
A few trees.

Township

7 South

Range

17 West

Gila and Salt River Meridian.

Chains

West, on a random line between Sections 19 and 30.

Variation $14^{\circ}49'$ East.40.00 Set temporary $\frac{1}{4}$ sec. cor.78.48 Intersect N. boundary 26 lines
N. of cor. to secs. 19 and 30,
from which cor. Run
N. $89^{\circ}49'$ E.On true line between sec. 19 & 30
var. $14^{\circ}49'$ E.38.48 Set a post marked $\frac{1}{4}$ S. 4
ft. long, flattened 3 in wide,
1 ft. in the ground, drive a
charred stake and build
mound of earth 2 ft. high,
with pits 1 ft. deep, 2 ft.
long, 1 ft. wide, as per in-
structions for $\frac{1}{4}$ sec. cor.
No trees near.

78.48 Cor. to secs. 19, 20, 29 & 30.

Land level. Soil good.
Scattering trees.

Township 2 South Range 17 West
Gila and Salt River Meridian.

Chains North, between Sections 19 and 20.

Variation 14°49' East.

40.00 Set an igneous rock $18 \times 11 \times$
9 inches, $\frac{3}{4}$ in the ground,
marked '4, and on the N.
build mound of stones 2
ft high, as per instructions
for '4 sec. cor. No trees near.

80.00 Set an igneous rock $18 \times 12 \times$
9 inches, $\frac{3}{4}$ in the ground,
notched S. and E., and
on the N. build mound
of stones 2 ft high, as per
instructions for cor. to Secs.
17, 18, 19 and 20.
No trees near.

Land level then rolling.
Soil good.
A few trees.

Township

7 South Range 17 West

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 17 and 20.

Variation $14^{\circ}49'$ East.

- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
 79.89 Intersect N. and S. line 14 chs.
 S. of cor. to Secs. 16, 17, 20
 and 21, from which cor.
 I run
 $S. 89^{\circ} 54' N.$
 Outline line between sec. 17 & 20.
 var. $14^{\circ}49'$ East.
- 39.94 Set an igneous rock 10 x 10
 x 6 inches, $\frac{2}{3}$ in the ground,
 marked $\frac{1}{4}$, and on the N.
 build mound of stones 2
 ft high, as per instruction
 for $\frac{1}{4}$ sec. cor.
 No trees near.
- 79.89 Cor. to Secs. 17, 18, 19 and 20.

Land rolling. Some good soil.
 A few trees.

Chains West, on a random line between Sections 18 and 19.

Variation 14°49' East.

- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
- 78.34 Intersect N. boundary 19 lvs. N. of cor. to secs. 18 and 19, from which cor. Run $N. 89^{\circ} 52' E.$
On true line between secs. 18 & 19. var. $14^{\circ} 49'$ East.
- 38.34 Set a granite stone $16 \times 8 \times 8$ inches, $\frac{2}{3}$ in the ground, marked 14, and on the E. build mound of stones 2 ft high, as per instructions for $\frac{1}{4}$ sec. cor. No trees near.
- 78.34 Cor. to Secs. 17, 18, 19 & 20.

Land slightly rolling.
Soil good.
No timber.

Township 7 South Range 17 West
Gila and Salt River Meridian.

Chains North, between Sections 17 and 18.

Variation 14° 49' East.

40.00 Set an igneous rock, 9 x 9 x 8
inches, $\frac{2}{3}$ in the ground,
marked 4, and on the N.
build mound of stones 2
ft high, as per instructions
for 4 sec cor.

No trees near.

80.00 Set an igneous rock, 18 x 13
x 7 inches, $\frac{2}{3}$ in the ground,
notched S. and E., and
on the N. build mound
of stones 2 ft high, as
per instructions for cor. to Secs.
7, 8, 17 and 18.

No trees near.

Land salting. Soil good.
No timber.

Chains East, on a random line between Sections 8 and 17.

Variation 14° 49' East.

- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
- 79.83 Intersect N. and S. line $\frac{1}{4}$ sec. S. of cor. to Secs. 8, 9, 16 and 17, from which cor. I run S. $89^{\circ} 50' W.$
 true line bet Secs. 8 & 17
 var. $14^{\circ} 49'$ East.
- 39.91 Set a post, marked $\frac{1}{4}$ S. 4 ft. long, flattened 3 in. wide, 1 ft. in the ground, and build mound of stones 2 ft high, as per instruction for $\frac{1}{4}$ sec. cor. from which
 a Mesquite, 8 in. dia. 65, N. $21^{\circ} W.$ 127 lbs. dist.
 No other tree near.
- 79.83 Cor. to Secs. 7, 8, 17 and 18.
 Land level, Soil good.
 A few trees.

Township

7 South Range 17 West

Gila and Salt River Meridian.

Chains

West, on a random line between Sections 7 and 18.

Variation $14^{\circ}49'$ East.

44.00 Set temporary $\frac{1}{4}$ sec. cor.
 78.39 Intersect N. boundary 10 lbs.
 S. of cor. to secs. 7 and 18.
 from which cor. I run
 $S. 89^{\circ}56' E.$

On true line between sec. 7 & 18.
 var. $14^{\circ}49' E.$

38.39 Set a granite stone $17 \times 10 \times$
 7 inches, $\frac{2}{3}$ in the ground,
 marked $\frac{1}{4}$, and on the E.
 build mound of stones 2
 ft high, as per instructions
 for $\frac{1}{4}$ sec. cor.
 from which

At Palo Verde 4 in. dia. br. $S. 47^{\circ} E. 28$ lbs. dist.
 do 4 " " " $N. 29^{\circ} E. 178$ " "

78.39 Cor. to secs. 7, 8, 17 and 18.

Land rolling. Soil good.
 Grass. A few trees.

Township 7 South Range 17 West
Gila and Salt River Meridian.

Chains North, between Sections 7 and 8.

Variation 14° 49' East.

40.00 Set an igneous rock 19×12
 $\times 7$ inches, $\frac{3}{4}$ in the ground,
marked '4', and on the N.
build mound of stones 2
ft high, as per instructions
for '4' see cor. from which
Almasquite 19 in dia. br. S 61° N. 320 lbs. dist.
No other trees near.

80.00 Set a granite stone $17 \times 10 \times 10$
inches, $\frac{2}{3}$ in the ground,
notched S. and E., and
on the N. build mound of
stones 2 ft high, as per in-
structions for cor. to Secs. 5,
6, 7 and 8.
from which
A Palo Verde, 8 in dia. br. N. 25° E. 62 lbs. dist.
No other trees near.

Land rolling somewhat.
Soil good. A few trees.
February 5, 1878.

Township 7 South Range 19 West
Gila and Salt River Meridian.

Chains East, on a random line between Sections 5 and 8.

Variation $14^{\circ}49'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.13 Intersect N. and S. line 22
lvs. S. a/cor. to Secs. 4, 5,

8 and 9. from which cor.

Run

S. $89^{\circ}51' W.$

On true line between secs. 5 & 8.

var. $14^{\circ}49'$ East.

40.06 Set a granite stone $14 \times 14 \times 10$

inches, $\frac{2}{3}$ in the ground,

marked $\frac{1}{4}$ and on the N.

build mound of stones

2 ft high, as per instructions

for $\frac{1}{4}$ sec. cor.

No trees near.

80.13 Cor. to Secs. 5, 6, 7 & 8.

Land rolling slightly.

Soil good. No timber.

Chains West, on a random line between Sections 6 and 7.
Variation *14° 49'* East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
78.26 Intersect N. boundary 4360 S.
a/cor. to secs. 6 and 7, from
which cor. run
S. 89° 42' E.
On true line between sec. 6 & 7
var. 14° 49' East

38.26 Set an igneous rock 18 x
11 x 11 inches $\frac{3}{4}$ in the
ground, marked 74, and
on the E. build mound
of stones 2 ft high, as
per instructions for $\frac{1}{4}$ sec.
cor. No trees near.

78.26 Cor. to secs. 5, 6, 7 & 8.

Land rolling Soil good.
A few trees. Grass.

Township South Range 17 West

Gila and Salt River Meridian.

Chains

North on a random line between Sec's 5 and 6.

Variation 14°49' East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.20 Intersect N. boundary 16 lns
N. of cor. to secs. 5 and 6,
from which cor. I run
S. 0° 49' W.

On true line between secs. 5 & 6.
Var. 14°49' East.

40.20 Set a granite stone 15 x 12
x 8 inches, $\frac{2}{3}$ in the ground,
marked $\frac{1}{4}$, and on the S.
build mound of stones 2
ft high, as per instructions
for $\frac{1}{4}$ sec. cor. No trees near.

80.20 Cor. to secs. 5, 6, 7 and 8.

Land slightly rolling.
Some good soil.
No timber. Grass.

February 6, 1878.

General Description.

Township 7 S. Range 7 W,
contains a fine body of
agricultural land in the
Southern part which can
readily be irrigated from
the Gila flowing through
the adjoining township on
the South.

There is consider-
able grass land in the
northern portion of the town-
ship.

Mesquite and Palo
Verde timber is found scat-
tered at intervals over the
township.

John L. Harris,
U.S. Deputy Surveyor.

List of Names.

No. 1194

A List of the Names of Individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing Field Notes of the survey of

The Subdivision Lines of Township 7 South of Range 17 West of the Gila and Salt River Meridian Arizona

Showing the respective capacities in which they acted.

- Lynn Maxwell Chairman.
- John Lueken Chainman,
- Frank Carpenter Axeman.
- Chas B Warren Flagman.

Final Oath of Assistants.

We hereby certify that we assisted John L. Harris U. S. Deputy Surveyor, in

surveying The Subdivision Lines of Township 7 S. Range 17 West, of the Gila and Salt River Meridian Arizona

and that said Survey has been in all respects, to the best of our knowledge and belief, well and faithfully executed, and the boundary monuments planted according to the instructions furnished by the Surveyor-General.

- Lyman Wakefield Chairman.
- John Simpson Chainman,
- Frank Carpenter Axeman.
- Oliver B. Warner Flagman.

Sworn to and subscribed before me, this 9 day of March, 1878

William Osborn
Notary Public

Final Oath of Deputy Surveyor.

I, John L. Harris

U. S. Deputy Surveyor, do solemnly swear that in pursuance of a contract with John Wasson, United States Surveyor-General for Arizona, bearing date the 20th day of September

1877. I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-General, the Surveying Manual, and the laws of the United States, surveyed all those portions of

The Subdivision Lines
of Township 7 South
Range 14 West of
the Gila and Salt River
Meridian Arizona.

as are represented in the foregoing Field Notes as having been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and also in accordance with the additional requirements con-

65
 tained in circular instructions from the U. S. Surveyor-General for Arizona, dated September 1, 1873, regarding the establishment of corner boundaries of public surveys, and that the foregoing are the true and original Field Notes of such surveys.

John S. Harris
 Deputy Surveyor.

Sworn to and subscribed before me, this 9th
 day of March, 1878.

William J. Osborn
 Notary Public



U. S. Surveyor General's Office,

TUCSON, ARIZONA,

April 1, 1878.

The foregoing Field Notes of the Survey of the

Subdivision Lines of
Township 4 South.
Range 17 West.

Of the Gila and Salt River Base and Meridian, Arizona, executed by

John L. Harris.

Deputy Surveyor, under his contract of the 20th
day of September, 1877, having been
critically examined and the necessary corrections and explanations made, the said Field Notes and the surveys they describe are hereby approved.

John Mason
Surveyor General.