

Recd. June 29/93
K. A.
Copied

BOOK 1196

No. 1196

1196

BOOK 1196

4-671

FIELD NOTES

~~GENERAL LAND OFFICE~~

of the

Subdivisions Tp. 7 S. R. 11 W.,

Surveyed by Lewis Wolfley,

under contract no. 25.

Dated January 16/93.

survey commenced April 19/93.

survey completed April 24/93.

67 Indexed, Book 1205

Township 7S R. 11W

6	97	5	72	4	3	2	1
95		94		70			
7	92	8	68	9	10	11	12
90		88		67			
18	87	17	65	16	15	14	13
85		84		64			
19	82	20	63	21	22	23	24
81		79					
30	78	29		28	27	26	25
76		75					
31	73	32		33	34	35	36

Sub. Tr. 7. S. R. 11. W

chairs around post

80.00 Set a post 4 ft. long 4
ins. square with marked
stone 12 ins. in the ground
for lev. to Secs 16, 17, 20 & 21
marked

D. 7. S. 16. on N. E.

R 11. W. 21. on S. E.

S 20. on C. W. End

D 17. on N. W. faces with 3
notches on S. End 4 notches
on ^{faces} E. edges. dug pits 18x18x12
ins in each Sec. 5 1/2 ft. dist.
and raised a mound of
earth 2 ft. high 4 1/2 ft. base
around post

Land rolling and mesa

Soil 1st & 2nd rate

Scat. greasewood & Sage

Subdivision. Twp. 7. South

789° 56' E.

chains East on a random line
bet. Secs 16 and 21
Pa. 14° E.

40.00 Set temporary 1/4 Sec. cor

50.20 Intersect the N. and S.
line at 5 lks. S. of cor
to Secs 15, 16, 21 and 22
Thence I run

S. 89° 54' W. on a tree
line bet. Secs 16 and 21
Pa. 14° E

40.10 Set a frost 3 ft. long
3 ins. square with
marked stone 12 ins.
in the ground for 1/4 Sec.
cor. marked 1/4 S. on N.
face, dug pits 18x18x12
ins. E. and W. of frost 1/2
ft. dist. and raised a

Range 11 west

Small mound of earth $1\frac{1}{2}$ ft. high
 $3\frac{1}{2}$ ft. base around foot

80.20 The corner to Secs. 16, 17, 20 + 21

Land Mesa

Soil sandy loam $1\frac{1}{2}$ rate

Scat. Mesquite + Sage brush

N 62° W. bet. Secs. 16 and 17

Pa. 14° E

40.00 Set a post 3 ft. long 3 ins.

square with marked
 stone 12 ins. in the ground

for 1/4 Sec. Cor. marked 1/4

low W. face, dug pits 18x18x

12 ins. N. and S. of post

$5\frac{1}{2}$ ft. dist. and raised a

mound of earth $1\frac{1}{2}$ ft.

high $3\frac{1}{2}$ ft. base around post

Subdivisions. Tr. 7. South

chains

57.00 Wash. 15-16 ft. wide course N.W.

58.00 Set a post 4 ft. long 4
ins. square with marked
stone 12 ins. in the
ground for lev. to Sec.

5. 9. 16 and 17 marked

T. 7. S. 9. on N.E.

R. 11. W. S. 16. on S.E.

S. 17. on S.W. end

S. 8. on N.W. faces with
4 notches in S. and N.E.
^{faces}~~edges~~ dug pits 15 x 15 x 12
ins. in each Sec. 5 1/2 ft.dist. and raised a
mound of earth 2 ft. high
4 1/2 ft. base around post

Land Mesa

Soil sandy loam, 1/2 rate

Range 11 West

Chain Seat. Mesquite + Sage brush

N $87^{\circ}54'E$ on a random
line bet. Secs 9 and 16
Pa 14'E

40.00 Set temporary 1/4 Sec. cor
50.20 Intersect the N. and S. line
at 28. cks. N. of cor. to Secs
9, 10, 16 and 17

Thence I run

N $87^{\circ}54'W$ on a true line
bet. Secs 9 and 16

Pa 14°E

40.10 Set a post 3 ft. long 3 ins
square with marked
stone 12 ins. in the ground
for 1/4 Sec. Cor. marked 1/4
on N. face, dug pits 18x18x12

Subdivisions. Tr. 7 North

shams E End W. of post $5\frac{1}{2}$ ft.
dist. and raised a
mound of earth $1\frac{1}{2}$ ft.
high $3\frac{1}{2}$ ft. base around
post

80.20 The lev. to Secs 8, 9, 16 + 17

Land Mesa

Soil sandy loam $1\frac{1}{2}$ rate

Scat. mesquite + Sage brush

$40^{\circ} 2' W.$ bet. Secs 8 + 9

$7\frac{1}{2} 14^{\circ} E.$

14.90 Southern Pacific Rail Road lev. $281^{\circ} 0' E.$
Post on Mancosha lev. line
bear. East about 4 chs.

18.00 Road from Sentinel to
Aytec bro. E. End W.

40.00 Set a post 3 ft. long 3 ins.

Range 11 west

Shaw's Square with marked stone
 12 ins. in the ground for $\frac{1}{4}$
 Sec. cor. marked "40. on $\frac{1}{4}$
 face, dug pits 15x15x12 ins.
 N. and S. of post $5\frac{1}{2}$ ft. dist.
 and raised a mound
 of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft.
 base around post.

80.00 Set a post 4 ft. long 4 ins.
 square with marked
 stone 12 ins. in the ground
 for cor. to Secs. 4, 5, 8 + 9
 marked

T. 7 S. D. 4. on N. E.

R. 11. W. P. 9. on S. E.

D. 8. on S. W. and

P. 5. on N. W. faces with 5
 notches on $\overset{E}{C}$ and 4 notches
 on $\overset{N}{E}$ faces. dug pits 15x15x12

Subdivisions. Tr. 7 South

Chains in each Sec. $5\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high $4\frac{1}{2}$ ft. base around post

Land Mesa

Soil sandy loam $1\frac{1}{2}$ rate

Scat. Mesquite + Sage brush

$S 89^{\circ} 54' E$ on a random line bet. Secs 4 and 9

$Va 14^{\circ} E$.

40.00 Set temporary $1/4$ Sec. Cor.

80.00 Intersect the St. and S. line at 23.25 S. of Cor. to Secs 3. H. 9 + 10

Thence I run

$S 89^{\circ} 56' W$ on a true line bet. Secs 4 and 9

Range 11 west

charis

79. 14° E

40.00 Set a post 3 ft. long 3 ins square with marked stone 12 ins in the ground for 14 Sec. cor. marked 1/4 C. or N. face, dug pits 8 x 10 x 12 ins. E. and W. of post 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base around post

75.00 ^{marked} Post. Yuma and Maricopa Co. about 2 ch. South

80.00 The cor. to Secs. 4, 5, 8, 9
Land Mesa

Soil sandy loam 1/4 rate
Plant. Mesquite + Sage brush

Subdivisions. Tr. 7 South

Chains No° 2' W. on a random
line bet. Secs 4nd and 5
Va 14° E

40.00 Set temporary 1/4 Sec. Cor

79.00 Intersect the N. bay. of
the Tr. at 25. Ch. E. of Cor
to Secs. 4. 5. 32 + 33 as
before described
thence run

20° 13' E. on a true line bet
Secs. 4nd and 5.

Va 14° E

39.00 Set a post 3 ft. long 3
ins. square with marked
stone 12 ins. in the ground
for 1/4 Sec. Cor. marked
1/4 S. on W. face, dug pits
15 x 15 x 12 ins N End of
post 5 1/2 ft. dist. and
raised a mound of earth

Range 11 west

Chamiso $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base around
post

79.00 The cor. to Secs 4, 5, 8, 9

Land Mesa

Soil sandy loam $\frac{2}{3}$ rate

Scat. Mesquite & Sage brush.

April 22nd 1893

From the cor. to Secs 5, 6, 31 & 32
on the S. side of the Tr. as
heretofore described

No. 3' W. bet. Secs. 31 and 32

Pa. 14° E.

40.00 Set a post 3 ft. long 3 ins
square with marked
stone 12 ins. in the ground
for 1/4 Sec. cor. marked 1/4
S. on W. face, dug pits $18 \times 18 \times$
12 ins N and S of post 542 ft

Subdivisions. Tr. 7

Chamis dist. and raised a mound
of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft.
base around post

80.00 Set a post 4 ft. long 4
ins. square with marked
stone 12 ins. in the ground
for lev. to Secs 29, 30, 31, 32
marked

T7 S. 29. on N.E.

R11. W. 32. on S.E.

D31. on S.W. end

S 30 on N.W. faces with 1
notch on S. ^E and 5 notches
on ^{N.E. faces} E. edges. dug pits 18x18
x 12 mo in each Sec. $5\frac{1}{2}$ ft.
dist. and raised a
mound of earth 2 ft. high
 $4\frac{1}{2}$ ft. base around post
Land Mesa

South Range 11 West

Acres Soil sandy loam 1st rate
 Scat. Mesquite, Sage and
 greasewood brush

N 89° 57' E. on a random
 line bet. Secs. 29 and 32
 Fa 14° E.

40.00 Set temporary 1/4 Sec. Cor.

79.90 Intersect. the N. and S.
 line at 7 E. S. of Cor. to
 Secs 28. 29. 32 and 33

Thence I run

S 89° 54' W. on a true line
 bet. Secs. 29 + 32

Fa 14° E.

39.95 Set a post 3 ft. long 3 ins
 square with marked
 stone 12 ins. in the ground

Subdivisions. Tr. 7 South
 chain for 1/4 Sec. Cor. marked
 114 ft. on N. face dug pits
 15 x 15 x 12 ins. E. and W. of
 post 5 1/2 ft. dist. and
 raised a mound of earth
 1 1/2 ft. high 3 1/2 ft. base
 around post
 79.90 The Cor. to Secs. 29, 30, 31 + 32
 Land slightly rolling
 Soil 1/2nd date
 Scar Mesquite & Sage brush

S 89° 57' W. on a random
 line bet. Secs 30 + 31

Pa 14° E.

40.00 Set temporary 1/4 Sec. Cor.
 78.65 Intersect the W. Bdy. of
 the Tr. at 7 cks. N. of Cor.
 to Secs 25, 30, 31 + 32. as
 hereinbefore described

Range 11 west

Chavis Thence I run

N $89^{\circ}54'E$ on a true line
bet. Secs. 30 & 31

$9\frac{1}{2}$ 14° E.

38.65 Set a post 3 ft. long in
square with marked
stone, 12 ins. in the ground
for 14 Sec. cor. marked
14 ft. on N. face, dug pits 18 x
18 x 12 ins. E. and W. of post
5 1/2 ft. dist. and raised
a mound of earth 1 1/2 ft.
high 3 1/2 ft. base around post

44.65 Leave Kalpasi gravel

78.65 The cor. to Secs. 29, 30, 31 & 32

Land slightly rolling
Soil 1st and 2nd rate
Scat. Mesquite & Sage brush

Subdivisions. T₇ S₇ South

chamie 40° 3' W. bet. Sec. 29 + 30

T₉ 14° E

40.00 Set a post 3 ft. long 3
 ins. square with marked
 stone 12 ins. in the ground
 for 1/4 Sec. Cor. marked
 1/4 S. on W. face, dug pits
 18 x 18 x 12 ins. N. End. of
 post 5 1/2 ft. dist. and
 raised a mound of
 earth 1 1/2 ft. high 5 1/2 ft.
 base around post

80.00 Set a post 4 ft. long 4
 ins. square with marked
 stone 12 ins. in the ground
 for cor. to Secs. 19, 20, 29 + 30
 marked

T₇ S₇ 20 on N. E.

R. 11. W. O. 29 on S. E.

Range 11 West

Chain 13 on O.W. End

S 19. on N.W. faces with 2
notches on ^EN and 5 notches
on ^NE faces
on E. edge. dug pits 18x18x
12 ins. in each Sec. 5 1/2 ft.

dist. and raised a mound
of earth 2 ft. high 4 1/2 ft. base
around post

Land Mesa

Soil sandy loam 1% rate
Scat Mesquite. Sage and
greasewood brush

N 89° 54' E on a random
line bet. Secs 25 + 29

N 14° E.

40.00 Set temporary 1/4 Sec. cor.
79.80 Intersect the N. and O. line

Subdivisions. Tfr. 7 South

chains at cor. to Secs. 20. 21. 28 & 29

Thence I run

$S 89^{\circ} 54' W$ on a true line

bet. Secs. 20 and 29

of a $14^{\circ} E$

39.90 Set a post 3 ft. long³
 ins square with marked
 stone 12 ins. in the ground.
 for $\frac{1}{4}$ Sec. cor. marked
 $\frac{1}{4}$ P. on N. face dug pits
 $18 \times 18 \times 12$ ins. E & W of post
 $5\frac{1}{2}$ ft. dist. and raised
 a mound of earth $1\frac{1}{2}$
 ft. high $3\frac{1}{2}$ ft. base around
 post

79.50 The cor. to Secs. 19. 20. 29 & 30.

Land Mesa

Soil 1st rate

Scat. mesquite + Sage brush

Range 11 west

Chain $S 89^{\circ} 54' W$ on a random
line bet. Secs 19th and 30th
of a $14^{\circ} E$.

40.00 Set temporary $1/4$ Sec. cor.

78.60 Intersect the W. Bdy. of
the T₁ at 5 E.K.S. S. of Cor
to Secs. 19, 24, 25 and 30
as hereinbefore described
Hence run

at $S 89^{\circ} 56' E$ on a true line
bet. Secs. 19th and 30th
of a $14^{\circ} E$.

38.60 Set a post 3 ft long 3
ins square with marked
stone 12 ins. in the ground
for $1/4$ Sec. cor. marked $1/4$
E. on N. face, dug pits $18 \times$
 18×12 ins. E. and W. of post
 $5\frac{1}{2}$ ft. dist. and raised
a mound of earth $1\frac{1}{2}$ ft.

Subdivisions, Tfr. 7. South
 chains high $3\frac{1}{2}$ ft. base around flush
 78.60 The cor. to Secs. 19, 20, 29 & 30

Land Mesa

Soil sandy loam $\frac{1}{2}$ ft. gate
 Scar. Mesquite. Sage and
 greasewood brush

$N 0^{\circ} 3' W$. bet. Secs. 19 & 20

Δ . $14^{\circ} E$

40.00 Set a post 3 ft. long 3
 ins. square with marked
 stone 12 ins. in the ground
 for $\frac{1}{4}$ Sec. cor. marked $\frac{1}{4}$
 on W. face. dug pits 18×18
 $\times 12$ ins. N. and S. of post
 $5\frac{1}{2}$ ft. dist. and raised
 a mound of earth $1\frac{1}{2}$
 ft. high $3\frac{1}{2}$ ft. base around
 flush

Range 11 west

Claims

50.00 Set a post 4 ft. long 4 ins. square with marked stone 12 ins. in the ground for cor. to Secs 17, 18, 19 + 20 marked

S. 7. S. S 17. over E.

R. 11. W. S 20 over E.

S 19. over S. W. 2nd

S 15. over N. W. faced with 3 notches over ^E and 5 notches over ^E edges, deep pits 18x18x12 ins. in each Sec. 5 1/2

ft. dist. and raised a mound of earth 2 ft. high 4 1/2 ft. base around post
Land Mesa

Soil sandy, loam st rate
Leat. Mesquite, Sage + greasewood
brush

Subdivisions Twp. 7. South

Stations At $89^{\circ}54'E$. on a random
line bet. Secs 17th and 20
Va $14^{\circ}E$.

40.00 Set temporary $1/4$ Sec. Cor
79.80 Intersect the N. End S. line
at 5 cks. N. of Cor to
Secs. 16, 17, 20 + 21

Thence I run
S. $89^{\circ}56'W$. on a true
line bet. Secs. 17th and 20
Va $14^{\circ}E$.

39.90 Set a frost 3 ft. long 3
ins square with marked
stone 12 ins in the ground
for $1/4$ Sec. cor. marked $1/4$
on N. face, dug pits 15×15
 $\times 12$ ins. E. and W. of frost
 $5\frac{1}{2}$ ft. dist. and raised
a mound of earth $1\frac{1}{2}$ ft.

Range 11 west

Chanis high 3 $\frac{1}{2}$ ft. base around post
79.80 The cor. to Secs. 17, 18, 19 & 20

Land Mesa

Soil sandy loam $1\frac{1}{2}$ rate
Scat. Mesquite. Sage and
greasewood brush

S $89^{\circ}56'W$. on a random
line bet. Secs. 18 & 19

$\frac{1}{4}$ a $14^{\circ}E$.

40.00 Set temporary $\frac{1}{4}$ Sec. cor

78.40 Intersect the W. bdy. of
the Tr. 5 E. N. of Cor. to
Secs. 13, 18, 19 & 24 as
heretofore described
thence run

N. $89^{\circ}54'E$. on a true line
bet. Secs 18 & 19

$\frac{1}{4}$ a $14^{\circ}E$

Subdivisions. Tr. 7. South

Clearing

38.40 Set a post 3 ft. long 3
 ins. square with marked
 stone 12 ins. in the
 ground for $\frac{1}{4}$ Sec. cor
 marked $\frac{1}{4}$ S. on N. face
 dug pits 18x18x12 ins.
 E. $\frac{1}{4}$ W. of post $5\frac{1}{2}$ ft.
 dist. and raised a
 mound of earth $1\frac{1}{2}$ ft.
 high $3\frac{1}{2}$ ft. base around
 post

78.40 The cor. to Secs 17, 18, 19, 20

Land Mesa

Soil sandy loam $1\frac{1}{2}$ cts
 Seat. Mesquite, Sage and
 greasewood brush

Range 11 West

Chanis $N 0^{\circ} 3' W$. bet. Secs. 17 & 18
 $T 14^{\circ} E$

40.00 Set a post 3 ft. long 3
 ins. square with marked
 stone 12 ins. in the ground
 for 14 Sec. cor. marked
 144. on W. face, dug pits
 $18 \times 18 \times 12$ ins. N. & S. of
 post $5 \frac{1}{2}$ ft. dist. and
 raised a mound of
 earth $1 \frac{1}{2}$ ft. high $3 \frac{1}{2}$ ft. base
 around post

80.00 Set a post 4 ft. long 4 ins
 square with marked
 stone 12 ins. in the ground
 for cor. to Secs. 7, 8, 17 & 18
 marked

T-7 S. 8. on N.E.

R-11. W. 17. on S.E.

Subdivisions, Tr. 7 South

Shanis 15 on S.W. end
 of 7. on N.W. faces with
 4 notches on ^N and 5
 notches on ^E edges. dug
 pits 15 x 15 x 12 ins in
 each Sec. 5 1/2 ft. dish and
 raised a mound of
 earth 2 ft. high 4 ft.
 base around each

Land Mesa

Soil sandy loam ^{at} rate
 Scar. Mesquite Sage +
 greasewood brush

N 89° 56' E. on a random
 line bet. Secs. 8 + 17

Pa. 14° E.

40.00 Set temporary 1/4 Sec. cor.

Range 11 west

Chavis

50.00 Intersect the N and S line
at 9 lks. N. of Cor. to Secs
5, 9, 16 and 17
Thence I run
West on a true line bet
Secs 8 and 17

9a 14° E.

40.00 Set a post 3 ft. long 3
ins. square with marked
stone 12 ins. in the ground
for 1/4 Sec. Cor. marked 1/4
D. on N. face, dug pits 18x
18x12 ins. E. & W. of post 3 1/2
ft. dist. and raised a
mound of earth 1 1/2 ft.
high 3 1/2 ft. base around
post

80.00 The Cor. to Secs. 7, 8, 17 & 18

Subdivisions Twp. 7 South

Chavis

Land Mesa

Soil sandy loam $\frac{1}{4}$ rate
Scat. Mesquite Sagebrush

S $89^{\circ}54'W$ on a random
line bet. Secs. 7 & 18

$\frac{1}{4}$ 14 $^{\circ}E$

40.00 Set temporary 1/4 Sec. Cor

75.00 Intersect the W. bdy.
of the Twp. at 5 cks. S. of
Norpto Secs. 7, 12, 13, & 18 as
therein before described
Thence Run

N $89^{\circ}56'E$ on a tree
line bet. Secs. 7 & 18

$\frac{1}{4}$ 14 $^{\circ}E$

35.00 Set a post 3 ft. long 3
ins. square with marked
stone 12 ins. in the ground

Range 11 West

chain for 14 Sec. Cor. marked
 144. On N. face, deep pits
 18x18x12 ins. E. and W.
 of post 5 1/2 ft. dist. and
 raised a mound of
 earth 1 1/2 ft. high 3 1/2 ft.
 base around post

44.00 Sentinel and Aztec road
 bss Easterly and Westerly

57.00 Southern Pacific Rail Road bss. N87°10'E.

78.00 The Cor. to Secs 7, 8, 17, 18
 Land Mesu

Soil sandy loam
 1/2 rate

Scat. Mesquite, Sage
 and greasewood brush

I tested my solar by the
 sun at noon and found
 the latitude to be 32° 48'

Subdivisions. Tr. 7 South

chains $N 0^{\circ} 3' W$. bet. Secs. 7 & 8

Pa. 14 E

3.25 Southern Pacific Rail Road brs $N 81^{\circ} 10' E$ 4.40 Road from Sentinel to
Aztec brs. E and W

40.00 Set a post 3 ft. long 3
ins. square with marked
stone 12 ins. in the ground
for 14 Sec. cor. marked 14
P. on W. face, dug pits 18
 \times 15 \times 12 ins. W and S. of
post $5\frac{1}{2}$ ft. dist. and
raised a mound of
earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft.
base around post

53.75 Wash 20 lks. wide course W

80.00 Set a post 4 ft. long 4 ins.
square with marked
stone 12 ins. in the ground

Range 11 west

Claims for cor. to Secs. 5, 6, 7 + 8
marked

T 7. S. 5. on N. E.

Q 11. W. 5. on S. E.

P 7. on O. W. and

O 6. on N. W. faces with 5
notches on ^E and ^N E.

⁴ Edges, dug pits 15x15x12
ins. in each Sec. 5 1/2 ft.

dist. and raised a
mound of earth 2 ft. high
4 1/2 ft. base around post

Land rolling

Soil 2nd + 3rd rate

Scat. mesquite, sage +
greasewood brush

Subdivisions Twp. 7 South

Chanis

East on a random line
bet. Secs. 5 and 8

Ta $14^{\circ}E$ 40.00 Set temporary $1/4$ Sec. Cor.

~~79.80~~ Intersect the N. and S. line
at 14 chs. S. of cor. to Secs
4, 5, 8 + 9

Thence I run

$S 89^{\circ} 54' W$, on a true line
bet. Secs. 5 and 8

Ta $14^{\circ}E$

39.90 Set a post 3 ft. long 3
ins. square with marked
stone 12 ins. in the ground
for $1/4$ Sec. cor. marked $1/4$ S.
on N. face, dug pits $18 \times 18 \times$
12 ins. E. and W. of post $5\frac{1}{2}$
ft. dist. and raised a

Range 11 west

chain mound of earth $1\frac{1}{2}$ ft.
high $3\frac{1}{2}$ ft. base around
frost

79.80 The cor. to Secs. 5, 6, 7 & 8
Land slightly rolling
Soil 3rd & 4th rate
Scat. Mesquite Sage and
greasewood brush

$S 89^{\circ} 56' W.$ on a random
line bet. Secs 6 and 7
Va $14^{\circ} E.$

40.00 Set temporary $\frac{1}{4}$ Sec. cor

78.25 Intersect the W. bdy. of
the Tp. at 3 cks. N. of
Cor. to Secs. 1, 6, 7 & 12 as
before described
hence a run

N. $89^{\circ} 55' E.$ on a true line

Subdivisions. Tr. 7 South
 chains bet. Secs 6 and 7
 Fa 14° E

11.65 Wash 10 lks. wide course NW
 38.25 Set a post 3 ft. long 3
 ins. square with marked
 stone 12 ins. in the ground
 for 1/4 Sec. cor. marked
 1/4 S. on N. face, dig pits
 18 x 18 x 12 ins. E + W of post
 5 1/2 ft. dist. and raised
 a mound of earth 1 1/2
 ft. high 3 1/2 ft. base around
 post

66.25 Wash 30 lks. wide course W
 same as other

78.25 The lev. to Secs. 5, 6, 7 & 8
 Land slightly rolling
 Soil 3rd + 4th rate
Scab. Mesquite + Sage

Range 11 West

Main No^o 3' W. on a random
line bet. Secs. 5 and 6
Fa 14° E.

40.00 Set temporary ¹⁴ Sec. cor
79.25 Intersect the N. bdy. of
the Tp. at 20 chs. E of
cor. to Secs. 5, 6, 31 and 32
as herebefore described
hence run

S 0° 12' E. on a true line
bet. Secs. 5 and 6

Fa 14° E.

39.25 Set a post 3 ft. long 3
ins. square with marked
stone 12 ins. in the ground
for ¹⁴ Sec. cor. marked ¹⁴
N. on W. face, dug pits 18 x 18
x 12 ins. N. end E. of post
5 1/2 ft. dist. and raised
a mound of earth 1 1/2 ft. high

Sub. Tr. 7. S. R. 11. West

Chains 3 1/2 ft. base around post
79.25 The cor. to Secs. 5, 6, 7 & 8

Land mesa

Soil 1st rate

Scat. Mesquite & Sage brush

April 24th 1893

General Description

This Tr. is almost level except. at the extreme S.W. cor. in the S.W. 1/4 of Sec. 31. where it is mountainous.

The remainder can be cultivated, most of it being excellent land.

There are a few patches of malpais but it appears to be only on the surface.

The Soil is a sandy loam and with water will raise any thing that this section of Country is adapted too. The Southern Pacific Rail. Road runs E and W near the middle of it. Took latitude twice during the Survey of this Tr.

100

BOOK 1196

BOOK 1106

Lewis Walling
U.S. Deputy Surveyor

No. 1196

U. S. Surveyor-General's Office,

TUCSON, A. T.,

Apr 30, 1894.

The foregoing Field Notes of the Surveys of

The Subdivisions of
T^{ps} 7 S R. 11 W

of Gila and Salt River Meridian
in Arizona executed by

Lewis Wolfley

U. S. Deputy Surveyor, under his contract dated

January 16th 1893

having been critically examined, the necessary corrections and explanations made, the said Field Notes and the surveys they describe are hereby approved.

W. H. Manning

U. S. Surveyor-General
for the Territory of Arizona.

Township N^o 7 South R

G

f

BOOK F 1196

e

