

Recd July 18. 1893
copied

L.

BOOK 1197

No. 1197

197

BOOK 1197

4-671

FIELD NOTES

GENERAL LAND OFFICE

Subdivisions

Trac: Tp: 10 S. R 12 W.

Arizona

By Lewis Wolfley D.S.

under Contract

Dated Janry 16. 1893.

Survey commenced June 7. 1893

Survey completed June 10. 1893

No. 1197

Field Notes of
the Subdivision Lines
in The S. L. R. 12. N.
Gila and A. R. Base and
Meridian
in the Territory of Arizona
as surveyed by
Lewis Wolfley
U. S. Deputy Surveyor

Under Contract No 25
Dated July 16/93

Survey commenced June 7
" completed " 10th

I tested my solar
by the Sun at noon
and found the latitude
to be $32^{\circ}30'$

June 7/1893

For manner of testing
see page 187 - 2^{d} Parallel South

Having surveyed the
South and East Boundaries
of this Tr. and my
instruments in perfect
adjustment. I proceed
to subdivide as follows

Sub. Tract. Twp. 10 P. R. 12. West

Chain Beginning at the cor. to
Secs 1-2. 35 and 36 on the
South boundary of the
Twp. as hereinbefore described
From

No^o 1^W. bet. Secs 35 and 36
of 13^o 45' E.

40.00 Set a post 3 ft. long 3 ins.
square with marked stone
12 ins. in the ground for
1/4 Sec. cor. marked 1/4 P. on
W. face, dug pit 18 x 18 x 12
ins. N end of post 5 1/2 ft.

dist. and raised a
mound of earth 1 1/2 ft.
high 3 1/2 ft. base around post

80.00 Set a post 4 ft. long 4 ins.
square with marked
stone 12 ins. in the ground

1B

Index

(4-874.)

Township

10 D.

R.

Q. 12 W

Index for

}

BOOK 1197

BOOK 1198

6	92	5	71	4	52	3	33 1/2	2	17	1
91		89		69		57		32		15
7	87	8	67	9	49	10	31	11	13	12
86		84		65		48		30		12
18	82	17	64	16	46	15	28	14	10	13
81		79		62		44		27		9
19	77	20	60	21	43	22	26	23	7	24
76		73		59		41		24		6
30		29	57	28	39	27	22	26	4	25
				55		38		21		3
31		32		33	36	34	19	35	1	36

Subdivision Tract. Op.

Chambers for Cen. to Secs. 25-26
 35 and 36, marked

P. 10. P. 25. on N. E

Q 12. W. P. 36 on N. E

S 35. on S. W. and

N 26. on N. W. faces

with 1 notch out, and
 N. E. ^{faces} edges dug pits 18x18
 x 12 ins. in each Sec.

5 1/2 ft. dist. and raised
 a mound of earth 2
 ft. high 4 1/2 ft. base
 around post.

Land level near

Soil 1st rate

Scattering Sage and
 greasewood brush

10 P. R. 12 West

40.00 East on a random line
bet. Secs 25nd and 36

$\text{Pa. } 13^{\circ} 45' \text{ E.}$

40.00 Set temporary $\frac{1}{4}$ Sec. cor

80.00 Interest the East. boundary
of low. to Secs. 25, 30, 31nd and 36
is here for described
Thence Run

West on a true line bet. Secs
25nd and 36

$\text{Pa } 13^{\circ} 45' \text{ E.}$

40.00 Set a post 3 ft. long 3 ins.
square with marked stone
12 ins. in the ground. for
 $\frac{1}{4}$ Sec. cor. marked $\frac{1}{4}$ C. on
N. face, dug pits 18 $\frac{1}{2}$ x 12
ins. E. and W. of post 5 $\frac{1}{2}$ ft.
dist. and raised a
mound of earth 1 $\frac{1}{2}$ ft. high
3 $\frac{1}{2}$ ft. base around post

Subdivisions Fract. Tr.

chains

80.00 The Cor. to Secs 25-26
35 and 36

Land level mesa

Soil 1st/₄ rateScattering greasewood
and bunch grass

No^o 1st W. bet. Secs 25+26

Pa. 13° 45'

40.00 Set a post 3 ft. long 3
ins. square with
marked stone 12 ins
in the ground for 1/4
Sec. SW. marked 1/4
on W. face, dug pits
18 x 18 x 12 ins. N End S.
of post 5 1/2 ft. dist. and

10 S. R 12. west

Chain raised a mound of earth
 $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base around ^{foot}
 80.00 Set a post 4 ft. long 4 ins.
 square with marked
 stone 12 ins. in the ground
 for cor. to Secs. 23, 24, 25, 26
 marked

T. 10. S. 24. on N.E

R 12. W. S. 25. on S.E.

S 26. on S.W. end

S 23. on N.W. faces with 2
 notches on ^N end 1 notch
 on ^{NE} ^{face} edges. dug pits $18 \times 18 \times$
 12 ins. in each Sec 5 ft. ft
 dist. and raised a mound
 of earth 2 ft. high $4\frac{1}{2}$ ft. base
 around post

Land level mesa
 Soil $1\frac{1}{2}$ rate scattering Sage brush

Subdivisions Fract. Trp.

- 40.00 East on a random
 line bet. Secs 24, 25
 Va $13^{\circ}45'E$
- 40.00 Set temporary 1/4 Sec. cor
 80.20 Intersect the E. bdy. of
 the Trp at 10 cks. SW
 of cor. to Secs 19, 24, 25 & 30
~~set~~ henceforth described
 Hence from
 N $89^{\circ}56'W$. on a true
 line bet. Secs 24 & 25
 Va $13^{\circ}45'E$.
- 40.10 Set a post 3 ft. long
 3 in. square with
 marked stone 12 in.
 in the ground for 1/4
 Sec cor marked 1/4 c. on
 N face, dug pits 18x18
 x 12 in. E. & W. of post
 5 1/2 ft. dist. and raised

10 S. R. 12 West

Obtain a mound of earth $1\frac{1}{2}$ ft.
high $3\frac{1}{2}$ ft. base around foot
80.20 The lev. to Secs. 23, 24, 25 & 26
Land level mesu
Soil $1\frac{2}{3}$ rate
Scattering grasswood brush

No 1' W. bet. Secs 23 and 24
Pa. $13^{\circ}45'E$

40.00 Set a post 3 ft. long 3 ins.
square with marked
stone 12 ins. in the ground
for 1/4 Sec. cor. marked 1/4
On W. face, dug pits 15 x 15
x 12 ins. N end of post $5\frac{1}{2}$
ft. dist and raised a
mound of earth $1\frac{1}{2}$ ft. high
 $3\frac{1}{2}$ ft. base around post

Subdivisions Fract T_h

Chains

80.00

Set a post 4 ft. long 4
ins. square with marked
stone 12 ins. in the
ground for lev. to Secs
13, 14, 23 and 24. marked

T. 10. S 13. on N.E.

R 12. W. S 24 on S.E.

S 23. on S.W. and

S 14 on N.W. faces with
3 notches on S.E. and 1

notch on N.E. ^{face} dig

cuts 18x10x12 ins. in
each Sec. 5 1/2 ft. dist. and

raised a mound of
earth 2 ft. high 4 1/2 ft.
base around post

Land level mesu

Soil 1 1/2 rate

10 S. R. 12 West

Scattered Sage and
greasewood brush

$S 89^{\circ} 56' E$ on a random
line bet. Secs 13 and 24
C/A $13^{\circ} 45' E$

40.00 Set temporary 1/4 Sec. cor.

79.90 Intersect the East. bdy. of
the Tp. at 14. lks. S. of the cor.
to Secs. 13, 18, 19 + 24 as here-
before described
thence from

$S 89^{\circ} 58' N$ on a true line
bet. Secs. 13 and 24

C/A $13^{\circ} 45' E$

39.95 Set a post 3 ft. long 3 ins.
square with marked stone
12 ins. in the ground for
1/4 Sec. cor. marked 1/4 S. on N.

Subdivision Tract. Tr.

Chains face, dug pits $15 \times 15 \times 12$
 ins. E. End W. of post
 $5\frac{1}{2}$ ft. dist. and raised
 a mound of earth $\frac{1}{2}$
 ft. high $3\frac{1}{2}$ ft. base
 around post

79.90 The Cor. to Secs. 13, 14, 23 & 24

Land level mesa

Soil 1st rate

Scattering greasewood &
 Sage brush

$N 0^{\circ} 1' W$. cor. Secs. ~~13~~ 14

$N 13^{\circ} 45' E$

35.75 Canal Stake No 25-98 on line

40.00 Set a post 3 ft. long 3 ins.
 square with marked
 stone 12 ins. in the ground

10 P. R 12 West

Plan for 14 Sec lev. marked 14 S.

on W. face, dug pits, 18x18x
12 ins. N. end of post 5 1/2
ft. dist. and raised a mound
of earth 1 1/2 ft. high 3 1/2 ft. base
around post

80.00 Set a post 4 ft. long 4 ins.
square with marked stone
12 ins. in the ground for
lev. to Secs. 11, 12, 13 + 14. marked

T. 10. 0. S 12. on N.E.

R 12. W. S 13. on S.E.

O 14. on S.W. end

S 1/3 on N.W. faces with 4
notches on N. end / notch
on ^{N.E. faces} E. edges dug pits 18x18x
12 ins. in each Sec 5 1/2 ft.
dist. and raised a mound
of earth 2 ft. high 4 1/2 ft. base

Subdivisions. Tract Tr.

around post

Land level mesa

Soil 1st rateScattering Sage & greasewood
brushN 89° 58' E. on a random
line bet. Secs 12 & 13.

Va 13° 45' E

40.00 Set temporary 1/4 sec cor

80.00 Intersect the E. bdy.
of the Tr. at 4 x 8 Nof sec. to Secs. 7, 12, 13 & 18
as shown before described
hence run

Post on a true line

bet. Secs 12 and 13

Va. 13° 45' E

40.00 Set a post 3 ft. long 3 ins.

10 S. R. 12. West

Chain square with marked stone
 12 ins. in the ground for
 1/4 Sec. or marked 1/4 on
 N. face, dug pits 18 10 x 12
 ins. E. end W. of post 5 1/2 ft.
 dist. and raised a
 mound of earth 1/2 ft. high
 3 1/2 ft. base around post
 80.00 The lev. to Secs. 11, 12, 13 & 14
 Land level mesa
 Soil 1st rate
 Scattering grasswood & Sage brush

No. 1' W. bet. Secs. 11 & 12

2a 13' 45" E.

40.00 At a post 3 ft. long 3 ins.
 square with marked stone
 12 ins. in the ground for

Subdivision Grant Trp.

Chains 14 Sec. cor. marked 14 S.
 on W. face, dug pits 18x18
 x 12 ins N. End of post $5\frac{1}{2}$
 ft. dist. and raised a
 mound of earth $1\frac{1}{2}$ ft.
 high $3\frac{1}{2}$ ft. base around ^{post}
 80.00 Set a post 4 ft. long 4
 ins. square with marked
 stone 12 ins. in the ground
 for cor. to Secs 1, 2, 11 & 12
 marked
 T. 10. S. 1. on N.E.
 R 12. N. S 12. on S.E.
 S 11. on W. End
 S 2. on N.W. faces with
 5 notches on ^{N.E.} and 1
 notch on ^{N.E. faces} S.E. edges. dug
 pits 18x18x12 ins. in
 each Sec. $5\frac{1}{2}$ ft. dist. and

10 S. R. 12. West

chain raised a mound of earth
2 ft. high 4 1/2 ft. base around
post

Land level mesa

Soil 2nd rate

Scattering greasewood & Sage
brush

East on a random line
bet. Secs 1st and 12

$\text{S } 13^{\circ} 45' \text{ E.}$

40.00 Set temporary 1/4 Sec. cor.
79.80 Intersect the E. bay. of
the T^h. at. low. to Secs
1.6. 7 & 12 as heretofore^{described}.

Thence I run
West on a true line bet. Secs
1st and 12

Subdivision. Fract. 5th

Chains

Ta 13' 45" E

39.9.0 Set a post 3 ft long
 3 ins. square with
 marked stone 12 ins.
 in the ground for 1/4
 Sec. cor. marked 1/4 ft.
 on N. face, dug pits 18x
 18x12 ins. E. End N. of post
 5 1/2 ft. dist. and raised
 a mound of earth 1 1/2
 ft. high 3 1/2 ft. base
 around post

79.80 The lev. to Sec. 1. 2. 11 + 12

F and meso

Soil 10th rate

Scattering greasewood

and Sage brush

T. S. R. 12 West

Chain $N 0^{\circ} 1' W$. bet. Secs 1 and 2

$S a. 13^{\circ} 45' E$.

40.00 Set a post 3 ft. long 3 ins square with marked stone 12 ins. in the ground for $1/4$ Sec. cor. marked $1/4$ P. on W. face, dug pits $18 \times 18 \times 12$ ins. N and S. of post $5 \frac{1}{2}$ ft. dist. and raised a mound of earth $1 \frac{1}{2}$ ft. high $3 \frac{1}{2}$ ft. base around post

79.90 Intersect the 2nd Stand Parallel South at a point 20.50^{ms} E. of Stand. Cor. to Secs 35 and 36. T. S. R. 12. W. at which point I set a post 4 ft. long 4 ins. square with marked stone 12 ins. in the ground for

Subdivision Fract. Tr.

Shows Closing Cor. to Secs
1 and 2. Tr. 10. S. R. 12. W
marked

Co. 6, T. 10. S. R. 12. W. and

S1. on E End

S2. on W. faces with 1 notch
on E. End 5 notches on W

faces. dug pits 7.8' x 1.8' x
1/2 ins. NE End W. of post 5 1/2

ft. dist. and raised a
mound of earth 2 ft. high
4 1/2 ft. base around post

Land level mesa

Soil 1% rate

Scattering greasewood
brush

June 7/93

10 S. R 12 west

chain From the cor. to Secs. 2, 3, 34
and 35. on the S. bdy. of the
Twp. as hereinbefore described
From

N 0° 11'W. bet. Secs 34 & 35

Pa. 13° 45'E

40.00 Set a post 3 ft. long 3 ins.
square with marked
stone 12 ins. in the ground
for 1/4 Sec. cor. marked 1/4
R on N. face, dug pits 18 x 18
x 12 ins. N and S. of post 5 1/2
ft. dist. and raised a
mound of earth 1 1/2 ft.
high 3 1/2 ft. base around
post

80.00 Set a post 4 ft. long 4 ins.
square with marked
stone 12 ins. in the ground

Subdivision Tract. Tr.

Chairs for Cor. to Secs. 26, 27, 34, 35
marked

T. 10. S. 26. on N.E.

R. 12. W. S. 35. on N.E.

S. 34. on O. W. End

S. 25. on N.W. face with
1 notch on ^W end and 2
notches on ^{N.E. face} E. edge dug
pits 18 x 15 x 12 ins. in
each Sec. 5 1/2 ft. dist. and
raised a mound of
earth 2 ft. high 4 1/2 ft.
base around foot

Land level meso

Soil 1 1/2 rate

Scattering greasewood
and Sage brush

10 S. R. 12. West

charis East on a random line
bet. Secs. 26. and 35

VA $13^{\circ}45'E$

40.00 Set temporary 1/4 Sec. corner

79.90 Intersect the N. and S. line
at cor. to Secs. 25. 26. 35 + 36

Thence from

West on a true line bet
Secs 26 & 35

VA $13^{\circ}45'E$.

39.95 Set a post 2 ft. long 3 ins.
square with marked
stone 12 ins. in the ground
for 1/4 Sec. cor. marked 1148
on N. face, dug pits 18x18
x 12 ins. E. and W. of post 5 1/2
ft. dist. and raised a
mound of earth 1 1/2 ft.
high 3 1/2 ft. base around post

Subdivision Tract. Tr.

79.90 The lev. to Secs 26, 27, 34, 35
 Land Level meso
 Soil 1st/₁₁ rate
 Scattering grasswood &
 bunch grass

N0° 1' W. b. l. Secs. 26 + 27.
 Va 13° 45' E

40.00 Set a first 3 ft. long 3
 ins. square with marked
 stone 12 ins. in the ground
 for 1/4 Sec. cor. marked
 1/4 on W. face, dug pits
 18 x 15 x 12 ins. N. and S. of
 first 5 1/2 ft. dist. and
 raised a mound of
 earth 1 1/2 ft. high 3 1/2 ft.

10. S. R. 12 West

Chain bore around frost.

80.00 Set a frost 4 1/2 ft. long 4 ins.
square with marked
stone 12 ins. in the ground
for lev. to Secs. 22, 25, 26 & 27
marked

T. 10 S. 23. on N. E

R. 12. W. 26. on N. E.

S. 27 on S. W. end

S. 22. on N. W. face with 2
notches on ^{top} and ^{edges} faces
dug pits 18 x 18 x 12 ins. in
each Sec. 5 1/2 ft. dia. and
raised a mound of earth
2 ft. high 4 1/2 ft. base around
frost

Land level mesa

Soil 1 1/2 rate

Scattering Ironwood & Sage brush

Subdivision Fract. Tr.

Chains East on a random line
bet. Secs 23 and 26
Va $13^{\circ} 45' E$

40.00 Set temporary $1/4$ Sec. cor.

80.00 Intersect the N and S.
line 12 cks. N. of corr. to
Secs. 23, 24, 25 + 26

Thence I run

N $89^{\circ} 55' W$. on a true line
bet. Secs 23 and 26

Va $13^{\circ} 45' E$

40.00 Set a post 3 ft. long 3
ins. square with marked
stone 12 ins. in the ground
for $1/4$ Sec. cor. marked
N 40. on N. face. dug pits
18x18x12 ins. E and W. of
post $5\frac{1}{2}$ ft. dist. and
raised a mound of

10 S. R. 12 west

chain earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base
around post

80.00 The lev. to Secs. 22, 23, 26 & 27

Land mesa

Soil $1\frac{1}{2}$ rate

Scattering grasswood ^{brush}

N 0° 1' W. bet. Secs. 22 and 23

Pa. 13° 45' E.

40.00 Set a post 3 ft. long 3 ins.

square with marked
stone 12 ins. in the ground
for 14 Sec. cor. marked 14

On W. face, dug pits 18×18
 $\times 12$ ins. N. and S. of post $5\frac{1}{2}$
ft. dist. and raised a mound
of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft.
base around post

Subdivision Fract. Tr.

chains

80.01 Set a post 4 ft. long 4
ins. square with marked
stone 12 ins. in the ground
for cor. to Secs 14, 15, 22 & 23
marked

T. 10. S. 14. on N.E.

R 12. W. 23 on S.E.

S 22. on S.W. end

S 15. on N.W. face with
3 notches on ^{N.E.} and 2
notches on ^{N.E. faces} edges. dug
pits 18 x 18 x 12 ins. in each
Sec 5 1/2 ft. dist. and raised
a mound of earth 2 ft
high 4 1/2 ft. base around post

Land level mesa

Soil 1st rate

Scattering Ironwood & Sage brush

10 P. R. 12. west

thence $189^{\circ} 55' E.$ on a random
line bet. Secs. 14 and 23

$74^{\circ} 13' 45" E.$

40.00 Set temporary $1/4$ Sec. cor

80.10 Intersect the $N.$ and $S.$ line
at 12 lps. S. of cor. to Secs
13, 14, 23 and 24

Thence I run

west on a true line bet.
Secs 14 and 23

$74^{\circ} 13' 45" E.$

40.05 Set a post 2 ft. long 2 ins
square with marked
stone 12 ins. in the ground
for $1/4$ Sec. cor. marked
 $1/4$ S. or N. face, dug pits
18 x 18 x 12 ins. E. and W. of post
5 1/2 ft. dia. and raised a
mound of earth 1 1/2 ft. high

Subdivision Tract. Tr.

Chain 3 $\frac{1}{2}$ ft. base around post

D. 10 The lev. to Secs 14, 15, 22 + 23

Land level mesa

Soil 1 $\frac{1}{4}$ rate

Scattering greasewood + Sage
brush

No^o 1^W. bet. Secs 14 + 15

VA 13° 45' E.

40.00 Set a post 3 ft. long 3
ins. square with marked
stone 12 ins. in the
ground for 14 Sec lev
Marked 14 E. or W. face
dug pits 18 x 18 x 12 ins.
W. end of post 5 $\frac{1}{2}$ ft. dia.
and raised a mound
of earth 1 $\frac{1}{2}$ ft. high. 3 $\frac{1}{2}$ ft.

W. S. R 12 west

base around post

80.00 Set a post 4 ft. long 4 ins.
square with marked stone
12 ins. in the ground for
loc. to Secs. 10, 11, 14 + 15. Marked
T 10. S 11. on N.E.

R 12. W. S. 14. on W.E.

S 15. on W. and

S 10. on N.W. face with 4
notches on N.E. and 2 notches

on ^{N.E. faces} E. edges, dug pits 15x15x

12 ins. in each Sec. 5 1/2 ft

dist. and raised a mound
of earth 2 ft. high 4 1/2 ft.

base around post

Land level mesa

Soil 1st rate

Scattering Ironwood and

greasewood bush

Subdivision Fract. Tpi

Chains East on a random
line bet. Secs. 11 & 14

$\text{PA } 13^{\circ}45'E$

40.00 Set temporary $1/4$ Sec. cor

80.00 Intersect the N and S line
at 5 lks. South of cor. to
Secs 11, 12, 13 & 14

Thence Iron

$S 87^{\circ}58' W$ on a true line

bet. Secs. 11 and 14

$\text{PA } 13^{\circ}45'E$

40.00 Set a post 3 ft. long 3
ins. square with marked
stone 12 ins. in the ground
for $1/4$ Sec. cor. marked
 $1/4 P.$ on N. face, dug pits
18x18x12 ins. E and W. of
post 6-1/2 ft. dist. and
raised a mound of

10 S. R 12 West

chain earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base
around post

80.00 The lev. to Secs. 10. 11. 14 + 15

Land level mesa

Soil $1\frac{25}{11}$ rate

Scattering of rosewood
and Sage brush

N 0° 1' W. bet. Secs. 10 + 11

Va 13° 45' E.

40.00 Set a post 3 ft. long 3 ins
square with marked
stone 12 ins. in the
ground for 14 Sec. Cor
Marked 14 S. on W. face
dug pit 15 x 15 x 12 ins
N. End S. of post $5\frac{1}{2}$ ft.
dist. and raised a

Subdivision Grad. Trk.

Chairs mound of earth $1\frac{1}{2}$ ft.
high $3\frac{1}{2}$ ft. base around
post

80.00 Set a post 4 ft. long 4
ins. square with marked
stone 12 ins. in the ground
for lev. to Sec 2. 3. 10 + 11
marked

T. 10. S S 2. on N.E.

R. 2. W. S. S 11. on S.E.

S 10. on O. W. End

P 3 on n. w. faces with 5
notches on ^E and 2 notches
on ^N E. ^{face} edges. dug pits 15 x 15
x 12 ins. in each Sec $5\frac{1}{2}$
ft. dist. and raised a
mound of earth 2 ft
high $4\frac{1}{2}$ ft. base around
post

10 P. R 12 west

Chain Land level mesa

Soil 1st rate

Scattering greasewood &
Sage Bush

N 89° 58' E. on a random
line bet. Secs. 2 & 11

VA 13° 45' E.

40.00 Set temporary 1/4 Sec. cor.

79.90 Intersect the Q and L. line
at 14 lks. N of cor. to Secs

1. 2. 11 & 12

Thence run

N 89° 56' W. on a true line
bet. Secs. 2 & 11

VA 13° 45' E.

3. 9. 95 Set a post 3 ft. long 3 ins.
square with marked

Subdivision Fract. Tpi.

chain stone 12 ins. in the ground
for 1/4 Sec cor. marked
1/40. on N. face, dug pits
18x18x12 ins. E. End W. of post
5 1/2 ft. dist. and raised a
mound of earth 1 1/2 ft.
high 3 1/2 ft. base around
post

79.90 Cor. to Secs. 2, 3, 10 + 11

Land mesa

Soil 1st/_n rate

Scattering greasewood
and Sage brush

N 0° 1' W. bet. Secs. 2 + 3

Q 13° 45' E

40.00 Set a post 3 ft long 3 ins
square with marked

10 S. R 12 West

Chains stone 12 ins. in the ground
for 1/4 Sec. cor. marked 140
on W. face, dug pits 15x15x
12 ins. N and E of post 5
1/2 ft. dist. and raised
a mound of earth 1 1/2 ft.
high 3 1/2 ft. base around
post

79.90 Entered the 2 Stand.

Parallel Smith at 20.40

chs. E of lev. to Secs. 34

and 35. Twp. 9 S. R 12 W
as herein before described
at which point I set

a Post 14" ft. long 4
ins. square with marked
stone 12 ins. in the
ground for closing lev.

to Secs 19 and 3. Twp. 10 S
R 12 W. Marked

Subdivision Grad. Twp.

Chambers Co. La. Twp. 10. S. R. 12. W. and S.

S. 2 on E. End

S 3 on W. face with ~~2~~
~~notches on E and 4 notches~~
~~on W. face.~~ dug pits 18" x 18" x
12 in. S. E. End W. of frost
5 1/2 ft. dist. and raised
a mound of earth 2 ft.
high 4 1/2 ft. base around
frost.

Land level mesa

Soil 1st/₂ rate

Scattering greasewood
and Sage Brush

I tested my solar by the
sun at noon. and found
the latitude to be. 32° 35'

10 S. R. 12 West

Charris From the lev. to Secs 3, 4
33 and 34 on the S. bdy.
of the Tr as herebefore ^{Described}
W. run

N 0° 2' W. bet Secs. 33 + 34
Ta 13° 45' E.

Descending slightly

40.00

Set a post 3 ft. long 3 ins
square with marked
stone 12 ins. in the ground
for 1/4 Sec. lev. marked 1/4
O. on W. face, dug pits 18
18 x 12 ins. N and S. of post
5 1/2 ft. dist. and raised
a mound of earth 1 1/2
ft. high 3 1/2 ft. base around
post

80.00

Set a post 4 ft. long 4 ins.
square with marked stone

Subdivision Fract Op

chains 12 ins. in the ground
for loc. to Secs. 27, 28, 33 & 34
marked

T. 10. S. 27. on N.E.

R. 12. W. S. 34. on S.E.

S. 33 on S.W. End

S. 28 on N.W. faces with
1 notch on ^{N.E.} and 3 notches
on ^{N.E. faces} edges dug pits 18x18
x 12 ins. in each Sec. 5 1/2

ft. dist. and raised a
mound of earth 2 ft.
high 4 1/2 ft. base around
flats

From which a Pale Verde
10 ins. drain loc. S 75° W
40 lks. dist. marked
T. 10. S. R. 12. W. S. 33. B. 1/4.

Land level mesa

10 O. R. 12 West

Chains Soil 1st/₂ rate.

Scattering Ironwood &
Palo Verde

East on a random line
bet. Secs 27 & 34

VA 13° 45' E.

40.00 Set temporary 114 Sec. corner

79.90 Intersect the 2^d and 3^d line
at 10 lks. N. of cor. to Secs

26.27.34 and 35

Thence I run

A 89° 56' W. on a true line
bet. Secs. 27 and 34

VA 13° 45' E.

39.95 Set a post 3 ft. long 3 ins
square with marked
stone 12 ins. in the ground

Subdivision Tr. Tract.

Chains for $1/4$ Sec. Cor marked
 $1/4$ D. on N. face, dug pits
 $18 \times 18 \times 12$ ins. E. and W. of
 post $5\frac{1}{2}$ ft. dist. and
 raised a mound of
 earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft
 base around post

79.90 The Cor. to Secs. 27, 28, 33 & 34

Land level mesa

Soil $1\frac{1}{2}$ rate

Scattering greasewood
 and Sage brush

N 0° 2' W. bet. Secs 27 & 28

Va. 13° 45' E

40.00 Set a post 3 ft. long 3 ins
 square with marked
 stone 12 ins. in the

10 S. R 12 West

chain ground for 1/4 Sec. Cor
 marked 1/4 C. on W. face
 dug pits 15 x 15 x 12 ins.
 N. End S. of post 5 1/2 ft.
 dist and raised a mound
 of earth 1 1/2 ft. high 3 1/2 ft.
 base around post

80.00 Set a post 4 ft. long 4
 ins. square with marked
 stone 12 ins. in the ground
 for Cor. to Secs. 22, 27, 28
 marked

T. 10 S. S. 22. on N. E

R 12. W. S. 27. on N. E.

S 28. on S. W. End

S 21. on N. W. faces with 2
 notches on N. End 3

notches on ^{N. E. faces} S. E. ^{edges} dug
 pits 15 x 15 x 12 ins. in each

Subdivision Grad. Top.

Chain Sec. $5\frac{1}{2}$ ft. dist. and
raised a mound of
earth 2 ft. high $4\frac{1}{2}$ ft
base around post.

Land level mesa

Soil $1\frac{2}{4}$ rate

Scattering Pals. Verde ^{and}
Ironwood

$S89^{\circ}56'E$. on a random
line bet. Secs. 22 + 27

Va $13^{\circ}45'E$

40.00 Set temporary 1/4 Sec. cor

80.00 Intersect the N and S
line at cor. to Secs. 22, 23

26 ^{and} 27

Thence I run

$N89^{\circ}56'W$. on a true line

10 S. R. 12 West

Chavis bet. Secs 22 and 27

W. $13^{\circ} 45' E$

40.00 Set a post 3 ft. long 3 ins square with marked stone 12 ins. in the ground for 1/4 Sec. cor. marked 1/4 S. on N. face, dug pits 18x18x12 ins. E and W. of post 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base around post

80.00 The lev. to Secs. 21. 22. 27+28
Land level meso
Soil 1/2 rate
Scattering Ironwood + Palo Verde

Subdivision Tract. Tr.

Claim N^o 2 W. bet. Secs. 21 & 22Pa. 13^o 45^e

40.00 Set a post 3 ft. long 3 ins. square with marked stone 12 ins. in the ground for lev. cor. marked by N. or W. face, dug pits 18x18 x 12 ins. N. end E. of post 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base around post

80.00 Set a post 4 ft. long 4 ins. square with marked stone 12 ins. in the ground for lev. to Secs 15. 16. 21 & 22 marked

T 10. S 15. or N.E.

R 12. W. D 22. or S.E.

10 S. R. 12 W. 9 N.

chain 0 21. on O. W. End

S 16. on N. W. faces with 3
notches on $\frac{1}{2}$ and $\frac{1}{2}$ ^{NE faces} edges
dug pits 18 x 18 x 12 ins
in each Sec. 5 $\frac{1}{2}$ ft. dia.

and raised a mound
of earth 2 ft. high 4 $\frac{1}{2}$ ft.

base around fresh
Land level mesa

Soil 1 $\frac{1}{2}$ rate

Scattering grasswood
and Sagebrush

S 89° 56' E. on a random
line bet. Secs 15th and 22nd

Pa. 13° 45' E

40.00 Set temporary 4 $\frac{1}{4}$ Sec. line

79.90 Intersect the N. End S. line

Subdivision Tract Tr.

Chains at 10 lks. S. of lerr. to Secs
14, 15, 22 and 23

Thence from

West on a true line
bet. Secs 15 and 22

$91^{\circ}13'40''$ E.

39.95 Set a post 3 ft. long 3 ins
square with marked
stone 12 ins. in the ground
for 14 Sec. cor. marked
1140. on N. face, dug pits
15 x 18 x 12 ins. E and W. of
post $5\frac{1}{2}$ ft. dist. and
raised a mound of
earth $11\frac{1}{2}$ ft. high $3\frac{1}{2}$
ft. base around post

79.90 The lerr. to Secs 15, 16, 21 & 22
Land level mesa
Soil $1\frac{25}{100}$ rate

P. O. R. 12 West

Scarcely Scattering grasses
and Sage Brush

June 8/93

N⁰ 2' W. by Secs. 15-16

Qd 12° 45' E.

40.00 Set a post 3 ft. long 3 ins.
square with marked
stone 12 ins. in the ground
for 1/4 Sec. lev. marked
1140. on W. face, dug pits
18 x 18 x 12 ins. N End S. of
post 5 1/2 ft. dist. and
raised a mound of
earth 1 1/2 ft. high 3 1/2 ft.
base around post

41.20 Land Stake No. 2712 on line

80.00 Set a post 4 ft. long 4 ins.
square with marked stone

Subdivision Tract. Tr.

Chains 12 ins. in the ground
for loc. to Secs 9, 10, 15 + 16
marked

T. 10. S. S 10. on N.E.

R 12. W. S. 15. on S.E.

S 16. on S. W. Quad

S 9. on NW. faces with 4
notches on ^{N.E.} E. and 3 notches
on ^{N.E.} E. edge. dug pits 18
x 15 x 12 ins. in each Sec

5 1/2 ft. dist. and raised
a mound of earth 2 ft.
high 4 1/2 ft. base around
pit

Land level mesa

Soil 1st rate

Scattering greasewood
and sage brush

10 S. Q. 12 West

Mark East on a random line
bet. Secs. 10 and 15

TA $13^{\circ} 45' E$.

40.00 Set temporary $1/4$ Sec. cor.

79.80 Intersect the N and S. line
at cor. to Secs 10, 11, 14 & 15
Thence I run

West on a true line bet
Secs 10 & 15

TA $13^{\circ} 45' E$.

3:9.9.0 Set a post 3 ft. long in
square with marked
stone 12 ins. in the ground
for $1/4$ Sec. cor. marked
 $1/4$ S. on N. face, deep pit
 $18 \times 18 \times 12$ ins. E. end of
post $5\frac{1}{2}$ ft. dist. and
raised a mound of
earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft.

49

BOOK 1197

Subdivision Tract. Tpk.

chanis base around post

79.80 The corr. to Secs 9, 10, 15+16

Land mesa

Soil $1\frac{1}{2}$ rateScattering grasswood
and Sage brush

N0° 2' W. bet. Secs 9+10

Va 13° 45' E.

40.00 Set a post 3 ft. long 3 ins
square with marked
stone 12 ins. in the ground
for 1/4 Sec. cor. marked
1/40. on W. face due fifty
18 x 18 x 12 ins. N E d. l. of
post $5\frac{1}{2}$ ft. dist. and
raised a mound of earth
 $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base

10 S. R. 12 Wash

chains around post

80.00 Set a post 4 ft. long 4 in
square with marked
stone 12 ins. in the
ground for lev. to sea.

3, 4, 9 + 10 marked

T. 10. S. 13. on N.E.

R 12. W. 10. on S.E.

S 9. on S.W. end

S 4 on N.W. faces with 5
notches on S. end and 3 notches

on ^{N.E. faces} E. edges. dug pits 18 x 18
x 12 ins in each Sec. 5 1/2 ft.

dist. and raised a
mound of earth 2 ft. high
4 1/2 ft. base around post

Land level Nissa

Drill 1/4 rate

Scattering Sage brush

Subdivision T_h. Tract.

Chains East on a random line
bet. Secs. 3 and 10

Pa. $13^{\circ}45'E$

40.00 Set temporary $1/4$ Sec. cor

80.15 Intersect the N End line
at cor. to Secs 2. 3. 10 + 11

Thence I run

West on a true line
bet. Secs 3 and 10

Pa $13^{\circ}45'E$

40.08 Set a post 3 ft. long 3
ins square with marked
stone 12 ins. in the ground
for $1/4$ Sec. cor. marked
 $1/4$ D. on N face, dug pits
18 x 18 x 12 ins. E and W. of
post $5\frac{1}{2}$ ft. dist. and
raised a mound of earth
1 1/2 ft. high $3\frac{1}{2}$ ft. base around
post

10 P. R 12 west

Shanis

80.15 The low. to Secs. 3, 4, 9 + 10

Land level mesu

Sail 1st/₁₆ rate

Scattering grasswood &
Sage Bush

No° 2' W. bet. Secs 3 and 4

Pa 13° 45' E

40.00 Set a post 3 ft long 3 ins
square with marked
stone 12 ins. in the ground
for 1/4 Sec. on marked
1/4 P. on W. face, dug pits
18 x 18 x 12 ins. N. and S. of
post 5 1/2 ft. dist. and
raised a mound of earth
1 1/2 ft. high 3 1/2 ft. base

Subdivision Tract. Tr.

Chain around post

80.10 Intersect the 2nd Stand
Parallel South at a point
20.50. Chs. East of Stand
Cor. to Secs 33 + 34 Tr.

as hereinbefore described

9. S. R. 12. W. at which
point I set a post 4
ft. long 4 ins. square
with marked stone
12 ins. in the ground
for closing Cor. to Secs
33 and 4. Tr. 10. S. R. 12. W.

marked

6. S. T. 10. S. R. 12. W. on S

D. 3. on E. end

✓ ~~0.2 on W. face with 3~~
~~notches on E. and W. face~~
dug pits 18x18x12 ins
S. E. End W. of post 5 1/2 ft

10 P. R. 12 West

charis dirt and raised a
mound of each 2 ft
high $4\frac{1}{2}$ ft. base
around fresh
sand level mesa
Soil $1\frac{1}{2}$ rate
Scattering grasswood
and Sage brush

I tested my solar by
the sun at noon and
found the latitude to be
 $32^{\circ} 35'$

Subdivision Tract. Tfr.

Chain All the South bdy. of Secs
31, 32 + 33. is not surveyed
on account of insurmountable
Mountains

I go to the Cor. to Secs
27, 28, 33 and 34. recently
established by me and run
West on a true line
bet. Secs 28 + 33.

$\text{VA } 13^{\circ} 45' \text{ E}$

40.00 Set a post 3 ft. long 3 ins
square with marked
stone 12 ins in the ground
for 1/4 Sec. cor. marked
1/4 on N. face. dug pits
18 x 18 x 12 ins. E. and W. of
post 5 1/2 ft. dist. and
raised a mound of
earth 1 1/2 ft. high. 3 1/2 ft.

10 S. R 12 west

chain base around frost

65.00 Enter stone 3rd gravel

80.00 Set a frost 4 ft. long 4
ins square with marked
stone 12 ins. in the ground
for lev. to Secs 28, 29, 32 & 33
marked

T. 10. S. S 28. on N. E.

R 12. W. S 33. on S. E.

S 32. on S. W. and

S 29. on N. W. faces with
1 notch on S. ^E and 4 notches
on ^N E. ^{face} edges. and raised a
mound of stone 1 1/2 ft.
high 2 ft. base around
frost.

Pits unpracticable

Land surface gravel

Soil 2nd/₄ to 4th/₄ rate

Subdivision Fract. Tr.

Chama Scattering Ironwood
and Palo Verde

Rocks and cliffs about
10 chs. South also. Mt. to the W.

N 0° 2' W. br. Secs 28 + 29
Va 13° 45' E

Descending gradually
N E slopes of Rocky Range ^{that}
brs. N.W. and N.E.

40.00 Set a post 2 ft. long 3 ins
square with marked
stone 12 ins in the ground
for 14 Sec. lev. marked 14
On W. face, dug pits 18x
18x 12 ins. N ^{end} of post

10 P. R. 12 West

Clearing 5 $\frac{1}{2}$ ft. dist. and raised
a mound of earth 1 $\frac{1}{2}$ ft.
high 3 $\frac{1}{2}$ ft. base around
frost

80.00 Set a frost 4 ft. long 4
ins square with marked
stone 12 ins. in the ground
for lev. to Secs 28, 29, 20, 21
marked

T. 10. S. S 21. on N.E.

R 12. W. S 28. on S. E

S 29. on S. W. Quad

S 20. on N. W. faces with
2 notches on $\frac{1}{2}$ and 4
notches on $\frac{1}{2}$ ^{N.E. faces} edges. Aug
sets 18x18 12 ins. in each
Sec 5 $\frac{1}{2}$ ft dist. and
raised a mound of
earth 2 ft. high 4 $\frac{1}{2}$ ft.

Subdivision - Tract. Tr.

chain base around foot
 Land gravel and stony
 Soil 2nd to 4th rate
 Scattering Ironwood + Palo
 Verde

East on a random
 line bet. Secs 21 + 28
 Va 13° 45' E.

40.00 Set temporary 1/4 Sec Corn
 80.10 Intersect the N. 2nd S. line
 at 5 cks N. of Corn to Secs
 21. 22. 27 + 28

Thence Iron
 N 89° 58' W. on a true
 line bet. Secs 21 + 28
 Va 13° 45' E.

40.05 Set a post 3 ft. long 3 ins

10 A. R. 12 West

Chain in square with marked
stone 12 ins. in the ground
for 14 Sec. lev. marked
14 S on N. face, dug pits
18 x 18 x 2 ins. E and W. of
post 5 1/2 ft. dist. and raised
a mound of earth 1 1/2 ft.
high 3 1/2 ft. base around
post

80.10 The lev. to Secs 20, 21, 25, 29

Land Level mesa

Soil 1st/_n rate

Scattering greasewood
brush

N 8° 2' W. bet. Secs 20 + 21

Va 13° 45' E.

40.00 Set a post 3 ft. long 3 ins.

Sub. Fract. T₁₀. S. Q 12. West
 Chain square with marked stone
 12 ins. in the ground for
 1/4 Sec. lev. marked 14 S. on
 W. face, dug pits 15x15x12
 ins. N. End of post 5 1/2 ft.
 dist and raised a mound
 of earth 1 1/2 ft. high 3 1/2 ft.
 base around post

80.00 Set a post 4 1/2 ft. long 4
 ins. square with marked
 stone 12 ins. in the ground
 for lev. to Secs 16. 17. 20 + 21
 marked

T₁₀. S. S 16. on N.E.

Q 12. W. S 21. on S.E.

S 20. on S.W. End

S 17. on N.W. faces with
 3 scratches on S^E end 4
 notches on N^E faces
 edges of dig

Concluded, Book 1198