

Recd July 18. 1893

2
60

2d.
Copied

BOOK 1198

No. 1198

1198

BOOK 1198

4-671

FIELD NOTES

~~GENERAL LAND OFFICE~~

Subdivisions

Frac: Tp: 10 S. R 12 W

Arizona

By Lewis Wolfley D. S.

under Contract

Dated Janry 16. 1893.

Survey commenced June 7. 1893.

Survey completed June. 10. 1893

Indexed, Book 1197

Township 105 R. 12W

61

6	92	5	71	4	3	2	1
91	89	69					
7	87	8	67	9	10	11	12
86	84	65					
18	82	17	64	16	15	14	13
81	79	62					
19	77	20	21	22	23	24	
76	73						
30	29	28	27	26	25		
31	32	33	34	35	36		

Sub. Tract. Tm. 12. S. R. 12. West

Chairs pits $18 \times 18 \times 12$ ins. in each

Sec $5\frac{1}{2}$ ft. dia. and raised
a mound of earth 2 ft.

high $4\frac{1}{2}$ ft. base around fresh

Land nearly level then

Soil $1\frac{1}{2}$ rate

Scattering grasswood +
Sage brush

$S 89^{\circ} 58' E$ on a random
line bet. Secs 16 and 21

$9a 13^{\circ} 45' E$.

40.00 Set temporary 114 Sec. cor

79.90 Intersect the N. and S. line at
14 Ets S of cor. to Secs. 15. 16. 21

and 22

Hence run

$S 89^{\circ} 56' W$ on a true line bet

Subdivision Tract. Of

chains Secs 16 and 21

Va 13° 45' E

39.9.5 Set a frost 3 ft long
 3 ins. square with
 marked stone 12 ins
 in the ground for 1/4
 Sec cor. marked 1/4
 on N. face, dug pits
 15 x 15 x 12 ins E & W. of
 post 5 1/2 ft. dist. and
 raised a mound of
 earth 1 1/2 ft. high 3 1/2
 ft. base around post

79.9.0 The Cor. to Secs 16, 17, 20, 21

Land mesa

Soil 1st rate

Scattering grasswood
 and Sage Brush

10 A. R. 12 west

Chains No^o 2 W. bet. Secs. 16 & 17

Ta 13^o 45' E.

40.00 Set a post 3 ft. long 3 ins square with marked stone 12 ins. in the ground for 14 Sec. lev. marked 14 R. on W. face dug pits 18x18 x 12 ins. N. end of post 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base around post

72.00 Enter Band

80.00 Set a post 4 ft. long 4 ins square with marked stone 12 ins. in the ground for lev. to Secs. 8-9. 16 & 17 marked

T. 10. S. S. 9. on N. E.

R. 12. W. S. 16. on S. E.

Subdivision Tract. Tr.

Chanis S 17 on N.W. Quad
 S 18 on N.W. face with
 4 notches on ^{N & E} and ^{W & E}
 edges dug pits 18x18x
 12 ins. in each Sec 5^{1/2}
 ft. dist. and raised a
 mound of each 2 ft.
 high 4^{1/2} ft. base
 around foot
 Land level mesa
 Soil sandy loam ^{at} rate
 Scattering grasswood
 and Sage brush

N 89° 56' E on a random
 line bet. Secs. 9 and 16

VA 13° 45' E.

140.00 Set temporary 1/4 Sec. cor.

10 S. R. 12 West

chain

80.00 Intersect the N and S. line
at 14 E. 15. N of Cor. to Secs
9, 10, 15 and 16

Thence Run

N $89^{\circ}58'W$. on a true line bet.
Secs 9 and 16

40.00 Set a post 3 ft. long pins.

Square with marked stone
12 ins. in the ground for
1/4 Sec Cor. marked 140. on

N. face, dug pits 18x18x2
ins. E and W. of post 5 1/2 ft.

dist. and raised a
mound of earth 1 1/2 ft.
high 1/2 ft. base around post

4300 Enter Sand ridges

80.00 The Cor. to Secs 8, 9, 16 + 17

Sand level mesa

Subdivision Fract. Tr.

Chamie

Drill 1 $\frac{1}{2}$ rate

Scattering greasewood
and Sagebrush

N 0° 2' W. bet. Secs 8+9N 13 $^{\circ}$ 45' E

26.50 Top of low sand ridge
bet. N. E. and S. W

29.00 Lean sand

40.00 Set a post 3 ft. long
3 ins. square with
marked stones 2 ins
in the ground for $\frac{1}{4}$ Sec
left. marked $\frac{1}{4}$ on W
face, dug pits 18x15x12
ins. N. 2^{nd} E. of post $5\frac{1}{2}$
ft. dist. and raised a
mound of earth $1\frac{1}{2}$ ft

10 D. R 12 West

Stanis high $3\frac{1}{2}$ ft. base around post
 #44.75 Central Stake No. 2792
 about 75 S.W.E.

80.00 Set a post 4 ft. long 4 ins
 square with marked
 stone 12 ins in the ground
 for lev. to Secs 4.5. 8. & 9
 marked.

T 10. D. S 4. on N.E.

R 12. W. S 9. on S.E.

D 8. on N.W. End

D 5 on N.W. faces with
 5 notches on S. End and 4
 notches on ^{N.E.} ~~S.~~ ^{faces} ~~edges~~ deep
 pits 15 x 18 x 12 ins in each
 Sec $5\frac{1}{2}$ ft. dist. and
 raised a mound of earth
 2 ft. high $4\frac{1}{2}$ ft. base
 around post.

Subdivision Tract. Tfr

chains

Land level

Soil sandy. 1st/_u + 2nd/_u rateScattering grasswood ^{brush}

$S 89^{\circ} 58' E$ on a random
line bet Secs 4 and 9

Va $13^{\circ} 45' E$

40.00 Set temporary 14 Sec. cor.

80.05 Intersect the N and S
line at cor. to Secs

3, 4, 9 and 10

Thence I run

$N 89^{\circ} 58' W$ on a true
line bet Secs. 4 and 9.

Va $13^{\circ} 45' E$

44.00 Top of low sand ridge
bet N. and S. about 5
ds. wide

10 J. R 12 West

Chains

- 32.00 Top of low sand ridge bet
U.S. about 4 chs. wide
- 40.03 Set a post 3 ft. long 3 ins
square with marked
stone 12 ins in the ground
for 1/4 Sec. lev. marked 1/4
N. on N. face, and raised
a mound of adobe clay
1 1/2 ft. high 3 1/2 ft. base
around post
Pits unfracturable
- 50.05 The lev. to Secs 4, 5, 8 & 9
Sand level except
sand ridges
Soil 1st/₂ to 3rd/₂ rate
Scattering grasses
and Sage brush

Subdivision Tract. Th.

Chains $N 0^{\circ} 2' W$, bet. Secs. 4 & 5

$S 13^{\circ} 45' E$.

40.00 Set a post 3 ft. long
3 ins. square with marked
stone 12 ins. in the ground
for $1/4$ Sec. cor. marked
 $1/4$ on W. face, deep
cuts $18 \times 18 \times 12$ ins. $N 0^{\circ}$.
of post $5 \frac{1}{2}$ ft. dist. and
raised a mound of
earth $1 \frac{1}{2}$ ft. high $5 \frac{1}{2}$ ft.
base around post

80.00 Intersect the 2nd
Stand Parallel South
at a point 20.50 chs.
E of Stand. cor. to Secs
32 and 33, Tr. 9. S. R. 12
at here before described
W₂ at which point I
set a post 4 ft. long 4

10 A. R 12. west

Clearing in square with marked
stone 12 ins. in the ground
for closing lev. to Des.

4 and 5. Top 10. S. R 12. W.
marked

Top. R 12 W on P.

4 on E. end

5 on W. face, with 4 notches
on E end and 2 notches on W edges
dug pits 10x10x12 ins. N. E
W. of post 5 1/2 ft. dist. and
raised a mound of
earth 2 ft. high 4 1/2 ft. base
around post

Land level near

Soil sandy loam 1/2 rate
Scattering grasswood and
Sage brush

June 9/20

Subdivision Tract, T₁N.

Chains From the lev. to Secs
20, 21, 28 + 29 recently
established by met
I run

West on a true line
bet. Secs. 20 and 29

Va. 13° 45' E.

20.00 Enter washed ground

240.00 Set a post 3 ft. long 3
ins. square with marked
stone 12 ins. in the
ground for 1/4 Sec. lev.
marked 1/4 S. on N. face
dug pits 18 x 18 x 12
ins. E and W. of post 5 1/2
ft. dist. and raised a
mound of earth 1 1/2 ft.
high 3 1/2 ft. base around
Post

10 S. R. 12 west

Chassis

80.00

Set a post 4 ft. long 4 ins. square with marked stone 12 ins. in the ground for lev. to Secs 19, 29, 30 marked

T 10. S. 12 on N.E.

R 12. W. 129. on S.E.

S 30 on S.W. end

S 19. on N.W. faces with 2 notches on S. E. and 5

notches on ^{N.E.} ~~S.E.~~ ^{faces} edges, dug

posts 18 x 18 x 12 ins. in each Sec 5 1/2 ft. dist. and raised

a mound of earth and gravel 2 ft. high 4 1/2 ft. base around post

From which an Ironwood 12 ins. diam. bis

Subdivision Tract. Tr

Chains S 85° W. marked

To S. R. 12. W. 13 30 B. T.

50 lks. dist.

Sand beds. gravel flows
and washes from Mt.

Sand beds. level

Soil 1st/₄ to 4th/₄ rate

Scattered Ironwood
and greasewood

Mountainous and non
agricultural land to
the south

10 S. R. 12 west

Chain West on a random line
bet Secs. 19 and 30

$79^{\circ}13'45''$ E.

40.00 Set temporary 1/4 Sec. cor

78.25 Intersect the West bdy
of the Tpi. at 3 lks. S.

Vol. lerr. to Secs. 19, 24, 25 & 30
as theretofore described
thence run

$89^{\circ}58'$ E. on a true
line bet. Secs. 19 and 30

$79^{\circ}13'45''$ E.

Descending gradually
along N.E. Slopes of Mt

38.25 Set a post 3 ft. long 3 ins.

square with marked
stone 12 ins. in the ground

for 1/4 Sec. cor. marked

1/4 on N. face, dug pits,

18 x 18 x 12 ins. E. and W. of

Subdivision Fract. Tpi

Chains frost $5\frac{1}{2}$ ft. dist. and
 raised a mound of
 earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$
 ft. base around frost
 78.25 The Cor. to Secs. 19.20.29.30
 Land gravel flow. +
 washes from Mt.
 Soil worthless
 Scattering Ironwood
 and Palo Verde

N 20° 3' W. bet. Secs 19 + 20

N 16° 45' E.

Descending over gravel
 washes

29.00 Leave washes + enter level

40.00 Set a post 3 ft. long in
 square with marked

10 S. R 12 West

Chain stone 12 ins. in the ground
for 114 Sec. lev. marked
1140. on W. face dug pits
15 x 15 x 12 ins. N. End of
post 5 1/2 ft. dist. and
raised a mound of
earth 1 1/2 ft. high 3 1/2 ft.
base around post

80.00 Set a post 4 ft. long 4 ins
square with marked
stone 12 ins. in the ground
for lev. to Secs. 17, 18, 19 & 20
marked

T 10. on N.E.

R 12. on S.E.

D 19. on W. End

D 18. on N.W. faces with 3
notches on ^E end and 5 notches
on ^N ^E faces
on ^E edges dug pits 15 x 15 x

7.9

BOOK 1198

Tract

Subdivision, Tr 10 South

Chains x 2 ris. in each sec 5th
ft. dist. and raised a
mound of earth 2 ft.
high + 4 $\frac{1}{2}$ ft. base
around post

Land 1 $\frac{1}{2}$ M. Inval. & Washes

" 1 $\frac{1}{2}$ M. Level mesa

Soil 2 $\frac{1}{2}$ + 4 $\frac{1}{2}$ rate

Scattering Ironwood

and Palo Verde

Scattering greasewood

and Sage brush

East on a random
line bet. Secs 17 + 20

VA 13 + 45 E

140.00 Set temporary 1/4 section

80.10 Intersect the U. and S.

R. 12 West

Chain line at 10 E.K.S. of Cor. to
Secs. 16, 17, 20 & 21

Thence Iron

S $89^{\circ} 56' W.$ on a true line
bet. Secs 17 and 20

$90^{\circ} 13' 45'' E.$

40.05 Set a post 3 ft. long 3 ins
square with marked
stone 12 ins. in the ground
for 1/4 Sec. Cor. marked
1140. on N. face dug pits
18x18x12 ins. E. and W. of post
5 1/2 ft. dist. and raised a
mound of earth 1/2 ft.
high 3 1/2 ft. base around
post

80.10 The Cor. to Secs. 17, 18, 19 & 20

Land level mesa

Soil 1/2 rate, 1 cattering.

Ground. End Pals. End & ground ^{Grass}

Subdivision Tract Tr.

Chains N 89° 58' W. on a random
line bet. Secs 18 + 19

Va 13° 45' E

40.00 Set temporary 1/4 sec. cor

78.25 Intersect the west

bdy. of the Tr. at

14 cor. N. of cor to Secs

13, 18, 19. End 24 as here-
before. described
thence run

N 89° 56' E on a true
line bet. Secs 18 + 19

Va. 13° 45' E.

38.25 Set a four 9 ft long iron
square with marked
stone 12 ins. in the ground
for 1/4 sec. cor. marked
11 ft on N. face and pits

15 x 15 x 12 ins. E + W. of feet
5 1/2 ft. dist and raised a

10 S. R 12 West

Chain mound of earth 14 1/2 ft. high
 5 1/2 ft. base around post

78.25 The low to Secs 17, 18, 19 + 20

Land level near

Soil 2nd rate

Scattering Ironwood Full Palo
 Verde Red grasswood brush

N 0° 3' W. bet Secs 17 + 18

N 13° 45' E

10.00 Enter Sand

39.00 Top of low sand ridge bet. N 8° N

40.00 Set a post 3 ft. long 3 ins. square
 with marked above 12 ins.
 in the ground for 1/4 Sec
 cor. marked 1/4 C. on W. face
 dug pits 15 x 15 x 2 in
 N. end of post 5 1/2 ft. dist.

Subdivision Fract. Tr.

- Chains and raised a mound
of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$
ft. base around post
- 50.00 Scar sand and enter
mesa
- 80.00 Set a post 4 ft. long 4
ins. square with marked
stone 12 ins. in the ground
for cor. to Secs; 7, 8, 17 & 18
marked
- T. 10 S. S. 5. on N.E.
R 12 W S 17 on S.E.
S 15. on S.W. Quad
I 7. on N.W. faces
with 4 notches on S.E.
and 5 notches on N.E.
faces
~~Edges~~ dug pits 18x18x12
ins. in each cor. $5\frac{1}{2}$
ft. dist. and raised a

10 S. R. 12. West

Chains mound of earth 2 ft. high
4 1/2 ft. base around post
Sand 40 Cr. Candy.

" 40. " Soil Neesa
Soil 1st/₂ and 4th/₄ rite
Scattering grasswood
and Sage brush

N 89° 56' E. on a random
line bet. Secs 8 + 17

VA 13° 45' E.

40.00 Set temporary 1/4 Sec. corner.

80.20 Intersect the N and S line
at 14 Sks. N. of corner to Secs
8. 9. 16 + 17

Thence I run

N 89° 58' W. on a true line
bet. Secs. 8 + 17

Subdivision Tract. Tr.

Charis Va $13^{\circ} 45' E.$

35.00 Low sand low
ridges bearing N.E. + S.W

40.10 Set a post 3 ft. long
3 ins. square with
marked stone 12 ins
in the ground for
1/4 Sec. Cor. marked 1/4
0 on N. face, dug pits
18x18x12 ins. E + W. of
post 5 1/2 ft. dist. and
raised a mound of
earth 1 1/2 ft. high 3 1/2
ft. base around post.

50.20 The lev. to Secs 7, 8, 17 + 18
Found $45 \frac{10}{2}$ elev. Soil mesa
" 35. " Low sand ridges
Soil 1st and 3rd rate
Scattering sage brush

10 P. R 12 West

Chains S. 89° 56' W on a random
line bet. Secs 7 and 18
Pa. 13° 45' E.

40.00 Set temporary 114 Sec cor

78.35 Intersect the W. bay of
the Tr. at 10 lks. S. of leg
to Secs 7, 12, 13 + 18. As here-
mentioned described
thence run

East on a true line
bet. Secs 7 and 18

Pa 13° 45' E.

12.70 Road 600 S.W. and N.E.

20.70 Wash 50 lks. wide course N.E.

38.35 Set a post 3 ft long 3 ins
square with marked stone
12 ins. in the ground for
114 Sec. cor. marked 44 on
N. face dug pits 18 x 18 x 22
ins. E and W. of post 542 feet

Subdivision The Tract

Chamis and raised a mound
 of earth $4\frac{1}{2}$ ft. high $3\frac{1}{2}$
 ft. base around post
 75.35 The cor. to Secs 7, 8, 17 & 18
 Land level mesu
 Soil $1\frac{3}{4}$ rate
 Scattering greasewood & Sage
 brush

N. 0° E. West bet. Secs. 7 & 8.
 Va. $13^{\circ} 45'$ E.

40.00 Set a post 9 ft. long
 3 ins. square with
 marked stone 12 ins.
 in the ground for $\frac{1}{4}$
 Sec. cor. marked $\frac{1}{4}$
 S. on N. face. dug
 pits $18 \times 18 \times 2$ ins. N. &

10 Q. R 12 West

Chavis S. of post $5\frac{1}{2}$ ft. dist.
 And raised a mound
 of earth $1\frac{1}{2}$ ft. high
 $5\frac{1}{2}$ ft. base around
 post.

80.00 Set a post 4 ft. long
 4 ins. square with
 marked stone 12 ins
 in the ground for Cor.
 to Secs. 5, 6, 7, & 8. mar-
 ked.

Sp. 10 S. S. 5 on N.E.

R. 12 W. S. 8 on SE

S. 7 on S. W. and

S. 6 on N. W. faces

with 5 notches on S^E₁

N.E. faces
 dug pits
 $18 \times 18 \times 17$ ins in each
 Sec. $5\frac{1}{2}$ ft. dist. and

Subdivision Gract. Trp

chains raised a mound of
 earth 2 ft. high $4\frac{1}{2}$
 ft. base around post.
 Land level Mesa
 Soil 1st rate
 Scattering grease wood
 and sage brush.

S. $89^{\circ}58'E$ on a man-
 down line bet. Secs. 5 + 8
 Va $13^{\circ}45'E$.

40.00 Set temporary $\frac{1}{4}$ Sec. cor
 79.90 Intersect the N. + S. line
 at 5 lks. S. of the cor.
 to Secs. 4, 5, 8 + 9.
 Thence run
 West on a true line
 bet. Secs. 5 + 8.

75 D. R. 12 west

Chavis

19.00 Stake No. 2820 South
Gila Canal about 60 lbs
North

39.95 Set a post 3 ft. long
3 ins. square with
marked stone 19 ins
in the ground marked
1/4 S. on N. face
dug pits 18 X 18 X 12 ins
E. & W. of post 5 1/2 ft.
dist. and raised a
mound of earth
1 1/2 ft. high 3 1/2 ft.
base around post.

79.90 The cor. to Secs. 5, 6, 7 & 8
Land level mesa
Soil 1st gate
Scattering quince wood ^{and sugarbush}

Subdivision Th. Fract.

Chains West on a random
line bet. Secs 6 and 7

Va. $13^{\circ} 45' E$

40.00 Set temporary 114 Sec cor.

78.30 Intersect the W. bdy. of
the Th. at. 100 yds. N. of
Cor. to Secs 1, 6, 7 & 12 as
noted before described
thence run

$N 79^{\circ} 56' E$ on a true
line bet. Secs 6 and 7

Va. $13^{\circ} 45' E$

38.30 Set a post 8 ft. long
3 ins. square with
marked stone 12 ins
in the ground for 114
Sec cor. marked 114

on N face, dug pits 8×15
 $\times 12$ ins. E and W. of post
 $5 \frac{1}{2}$ ft. dist. and raised

10 S. R 12 west

chain a mound of earth 1 1/2
ft. high 3 1/2 ft. base around
post

50.30 Road bet. S.W. and N.E.

77.50 Wash 30 lks. wide course N.E.

78.30 The lev. to Secs. 5, 6 & 8

Land level mesa

Soil 1st rate

Scattering Ironwood &

Palo Verde & grasswood
brush

N 0° 3' W. bet. Secs. 5 & 6

N 13° 45' E.

1.30 Wash 30 lks. wide course N.E.

40.00 Set a post 3 ft. long & six
square with marked
stone 12 ins. in the ground

Subdivision Grad. Tp.

Chain for 1/4 Sec cor. marked
 1/4 c. on W. face dug
 pits 15x15x12 ins. W
 and S. of post 5 1/2 ft.
 dist. and raised a
 mound of earth 1 1/2
 ft. high 34 1/2 ft. base
 around post

79.90 Intersect the 2nd
 stand. Parallel S. at
 a point 20.60 E. of
 stand. cor. to Secs. 31 & 32
 as hereinbefore described
 Tp. 9. S. R. 12. W. at
 which point I set a
 post 4 ft. long 4 ins.
 square with marked
 stone 12 ins. in the
 ground for closing cor
 to Secs. 5 & 6. Tp. 10. S. R. 12. W

10 S. R. 12 West

Chains marked C. C.

T. 10. S. R. 12. W. on S.

S. 5. on E End

16. on W. faces with 5
~~notches on E and notch~~
~~on W. faces deep pits~~
 15 x 15 x 12 ins. To E & W. of
 post 5 1/2 ft. dist. and
 raised a mound of
 earth 2 ft. high, 4 1/2 ft.
 base around post

Land level near

Soil 1 1/4 rate

Scattering greasewood
 and Sage brush

General Description

Five sections in the SW part of this Twp lay in the mountains.

Just west of the center of the west line is a pass in the mountains through which sand drifts over some of the western portion.

Most of the Twp is excellent agricultural land, and the South Line line of canal is projected through it.

Along the Mountain slopes is a scattering growth of Ironwood ~~Red~~ Palo Verde and the entire Twp is covered with a scattering

growth of greasewood
and sagebrush. And
some bunch grass
June 18/93

Lewis Wolfley
U. S. Deputy Surveyor

We hereby certify that we assisted Lewis
Wolfe U. S. Deputy Surveyor, in
surveying all those parts or portions of the 2^d
Standard S. 1st W. between
The Principal Meridian and
to the 1st Cor. to Rs 11 & 12 W.

of the Gila and Salt River Base and Meridian, in
the Territory of Arizona, as are represented in the
foregoing field notes as having been surveyed by him
and under his direction; and that said Survey has
been in all respects, to the best of our knowledge
and belief, well and faithfully surveyed, and the
corner monuments established according to the
instructions furnished by the United States Surveyor
General for Arizona.

..... Chainman.

..... Chainman.

..... Chainman.

..... Chainman.

..... W. H. Mow Axeman.

..... Axeman.

..... Flagman.

Sworn to and subscribed before me, this 30th
day of April, 1893

Lewis Wolfe
Notary Public.

A List of the Names of the Individuals
 employed by
 U. S. Deputy Surveyor, to assist in running, meas-
 uring and marking the lines and corners described
 in the foregoing Field Notes of the survey of the

of the Gila and Salt River Base and Meridian, in
 the Territory of Arizona, showing the respective
 capacities in which they acted.

- Chainman.
- Chainman.
- Chainman.
- Chainman.
- Axeman.
- Axeman.
- Flagman.



Final Oath of Assistants.

We hereby certify that we assisted Lewis

Wolfe U. S. Deputy Surveyor, in
 surveying all those parts or portions of the 2^d
 Standard S. through Rs 1-2-3-4-5
 6-7-8-9-10-11-12-13 + 14 W -
 and the 3^d final Meridian from
 Cor. to Tp. 9 S. Rs 12 + 13 N. W. through
 Tps 8 + 9 S. & Rs 12 + 13 W. and Range
 of the Gila and Salt River Base and Meridian, in
 the Territory of Arizona, as are represented in the
 foregoing field notes as having been surveyed by him
 and under his direction; and that said Survey has
 been in all respects, to the best of our knowledge
 and belief, well and faithfully surveyed, and the
 corner monuments established according to the
 instructions furnished by the United States Surveyor
 General for Arizona.

- A. R. Trippel - Chairman
- Francis Libby - Chairman.
- Chairman.
- Chairman.
- Axeman.
- Axeman.
- Flagman.

Sworn to and subscribed before me, this
day of May 5th, 1893

Lewis Wolfe
Notary Public.



[SEAL.]

List of Names.

BOOK 1198

A List of the Names of the Individuals employed by U. S. Deputy Surveyor, to assist in running, measuring and marking the lines and corners described in the foregoing Field Notes of the survey of the

of the Gila and Salt River Base and Meridian, in the Territory of Arizona, showing the respective capacities in which they acted.

- Chairman.
- Chairman.
- Chairman.
- Chairman.
- Axeman.
- Axeman.
- Flagman.



Final Oath of Assistants.

100

We hereby certify that we assisted Levi

Wolfe U. S. Deputy Surveyor, in surveying all those parts or portions of the 2^d

Stand^d S. through R. 11-12-13-14 + 15 N. the 3^d Guide Meridian - and Extensions of Tps 8 & 19 S. R. 13 W. + Tps 8 S. R. 14 W. 1st Sub. Div. of Tps. 8 S. R. 14 W.

of the Gila and Salt River Base and Meridian, in the Territory of Arizona, as are represented in the foregoing field notes as having been surveyed by him and under his direction; and that said Survey has been in all respects, to the best of our knowledge and belief, well and faithfully surveyed, and the corner monuments established according to the instructions furnished by the United States Surveyor General for Arizona.

..... Chainman.

Jno. Sullivan Chainman.

..... Chainman.

..... Chainman.

Jno. Sullivan Axeman.

..... Axeman.

..... Flagman.

Sworn to and subscribed before me, this 12th

day of May, 1895

Levi Wolfe
Notary Public.

[SEAL.]

101

BOOK 1198

List of Names.

A List of the Names of the Individuals employed by

U. S. Deputy Surveyor, to assist in running, measuring and marking the lines and corners described in the foregoing Field Notes of the survey of the

.....
.....
.....
.....
.....
.....
.....

of the Gila and Salt River Base and Meridian, in the Territory of Arizona, showing the respective capacities in which they acted.

- Chairman.
- Chairman.
- Chairman.
- Chairman.
- Axeman.
- Axeman.
- Flagman.



Final Oath of Assistants.

We hereby certify that we assisted Lewis

Wolfe U. S. Deputy Surveyor, in surveying all those parts or portions of the Sub-

divisions of Tps 8 S. R. 12 + 13 W. +
Tps 9 S. R. 12 + 13 W. + the Extremes of Tps
10 S. R. 12 W. + Sub Divisions of same
also S. 1/4 of Tps 8 S. R. 12 W.

of the Gila and Salt River Base and Meridian, in the Territory of Arizona, as are represented in the foregoing field notes as having been surveyed by him and under his direction; and that said Survey has been in all respects, to the best of our knowledge and belief, well and faithfully surveyed, and the corner monuments established according to the instructions furnished by the United States Surveyor General for Arizona.

..... Chainman.

..... Chainman.

..... Chainman.

..... Chainman.

..... Axeman.

notaries } Amicet's Sonnets Axeman. *Lewis*

Frank Madigan Flagman. *Frank*

Sworn to and subscribed before me, this 10

day of June, 1893

Lewis Wolfe
Notary Public.

List of Names.

BOOK 1198

*A List of the Names of the Individuals
employed by*

*U. S. Deputy Surveyor, to assist in running,
measuring and marking the lines and corners described
in the foregoing Field Notes of the survey of the*

*of the Gila and Salt River Base and Meridian, in
the Territory of Arizona, showing the respective
capacities in which they acted.*

.....Chainman.

.....Chainman.


.....Chainman.

.....Chainman.

.....Axeman.

.....Axeman.

.....Flagman.



List of Names.

BOOK 1198

103

A List of the Names of the Individuals employed by Lewis Wapley

U. S. Deputy Surveyor, to assist in running, measuring and marking the lines and corners described

in the foregoing Field Notes of the survey of the

2^d Standard S. through Rs. 1 to 15^W inclusive

and all the extensions of T^p 8 S. Rs. 12-13 + 14 W. T^p

9 S. Rs. 12 + 13 W. T^p 10 S. R. 12 W. + T^p 7 S. R. 11 W.

Retracing of 3 miles 2^d Stand S. R. 1 E. and 6 miles of the

Principal Meridian T^p 10 S. also the S. Boundary

of T^p 7 S. Rs. 12-13 + 14 W.

of the Gila and Salt River Base and Meridian, in the Territory of Arizona, showing the respective capacities in which they acted.

- | | |
|-------------------|-----------|
| George Marshall | Chainman. |
| John Morland | Chainman. |
| John J. Hollowell | Chainman. |
| Frank C. Kibler | Chainman. |
| John Sullivan | Chainman. |

W. H. Moore Axeman.

Frank Madigan Axeman.

Quinto Anacleto Flagman.

Lewis Madigan Cook

H. H. Wapley Treasurer



104

Final Oath of Assistants.

BOOK 1198

We hereby certify that we assisted Lewis

Droffler U. S. Deputy Surveyor, in
 surveying all those parts or portions of the 2^d
 Standard S. Triple Co. 1 to 15 inclusive and all
 the extensions & Sub-Surveys of Tps E S. Co. 12, 13,
 14 N. - Tps. 9 S. Co. 12 + 13 W. Tps. 16 S. Co. 12 W. -
 Tps. 7 S. Co. 11 W. Retracing of 37 miles of 2^d & 5th
 R. 1 E. & Principal Meridian through Tps. 10 S. & 11th
 of the Gila and Salt River Base and Meridian, in
 the Territory of Arizona, as are represented in the
 foregoing field notes as having been surveyed by him
 and under his direction; and that said Survey has
 been in all respects, to the best of our knowledge
 and belief, well and faithfully surveyed, and the
 corner monuments established according to the
 instructions furnished by the United States Surveyor
 General for Arizona.

John Moorhead Chainman.

George Marshall Chainman.

..... Chainman.

James J. Powell Chainman. +

Frank Madigan Axeman.

..... Axeman.

..... Flagman.

Sworn to and subscribed before me, this 10th

day of June, 1893.

Lewis Medley
Notary Public.



Final Oath of U. S. Deputy Surveyor. 105

BOOK 108

I, Lewis Wolfley

U. S. Deputy Surveyor, do solemnly swear that in pursuance of a contract received from Royal A. Johnson, United States Surveyor-General for Arizona, bearing date of the 16th day of

January 1893, I have well, faithfully, and truly, in my own proper person, and in strict conformity with the instructions furnished by the United States Surveyor-General for Arizona, the Manual of Surveying Instructions, and the laws of the United States, surveyed all those parts

or portions of the 2^d Standard S. through Rs 1 to 10 N. inclusive, and all the Extensios of T^p. 8 S. Rs 12-13+14 N. T^p 9 S. Rs 12+13 W. T^p 10 S. R 12 W. T^p 7 S. R 11 W. - also the

Retracing of 3 miles of 2^d Stand S. R 1 E. and 7 Miles of the Principal Meridian through T^p 10 N. S.

also the S. Boundary of T^p 7 S. Rs 12-13+14 W.

of the Gila and Salt River Base and Meridian, in the Territory of Arizona, as are represented in the foregoing Field Notes as having been surveyed by me and under my direction; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Manual of printed instructions, the special instructions of the United States Surveyor-General for Arizona, and in the specific

manner described in the field notes, and that the foregoing are the true Field Notes of such survey; and should any fraud be detected I will suffer the penalty of perjury, under the provisions of an act of Congress approved August 8, 1846.

BOOK

1198

Lewis Waller
U. S. Deputy Surveyor.

Sworn to and subscribed before me this 10th

day of July, 1893.

Levi H Manning
U. S. Surveyor General

U. S. Surveyor-General's Office,

TUCSON, A. T., *ap^l 30* 1894.

The foregoing Field Notes of the Surveys of

*The Subdivisions of
Trac. Tp. 10 S. R. 12 W*

*Gila and Salt River Meridian
in Arizona* executed by

Lewis Wolfley

U. S. Deputy Surveyor, under his contract dated

January 16th 1893

having been critically examined, the necessary corrections and explanations made, the said Field Notes and the surveys they describe are hereby approved.

L. S. Mummy

U. S. Surveyor-General
for the Territory of Arizona.

Township N^o 10 South R

G f F 108^e

BOOK 1198

