

No. 1199

BOOK 1199

Field Notes

1199

OF THE SURVEY OF THE

SUBDIVISION LINES

-OF- BOOK 1199

Township 10 S Range 23 E.

Gila and Salt River Base and Meridian

ARIZONA. No. 1199

By Geo. F. White D. S.

under contract dated Aug. 25 1873.

Survey commenced March 19 1874

Survey completed March 25 1874

10

4-674.

Township 10 S. R. 23 W. Sec. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36

BOOK 1199

6	60	5	44	4	33	3	22	2	11	1
59		58		43		32		21		10
7	57	8	42	9	31	10	20	11	9	12
56		55		41		30		19		8
18	54	17	40	16	29	15	18	14	7	13
53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24
50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25
47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36

Township 10 S. Range 23 W.
Gila and Salt River Meridian

Beginning on the S. boundary at the
cor. to sec. 35 & 36. Drive
North between sec. 35 & 36.
dis. 13° 35' East.

As per East boundary.

Resnote from stone and timber:

40.00 Drive charred stake 12 in. down, and build
mound of earth 2 ft high, with pile 1 ft
deep, 2 ft long, 1 ft wide, all as per instruc-
tions for 1/4 sec. cor.

80.00 Drive charred stake 12 in. down and
build mound of earth 2 ft high, with pile 1 ft
deep, 2 ft long, 1 ft wide, and in center a pit
S. E. of cor. I drive a stake unmarked and
notched, 2 ft long, 2 in. sq. d. 1 ft in the
ground all as per instructions, for cor.
to secs 25, 26, 35 and 36.

Land flat Soil 2^d rate. Some grass
and bushes. No timber.

Township 10 S. Range 20 W.
 Gila and Salt River Meridian

- 110.00 East in random line bet sec. 25 & 36.
 var. 13°35' East
- 50.10 Set post for temporary $\frac{1}{4}$ sec. cor.
 Dist cut E. boundary $\frac{1}{4}$ sec. N. of cor. to
 sec. 25 & 36. from which cor. Run
 N. 89°57' W.
 On true line between sec. 25 & 36.
 var. 13°35' East
- 110.05 Drive charred stake 12 in. down,
 and build an mound of earth 2 ft high,
 with pit's 1 ft deep, 3 ft long, 1 ft wide,
 all as per instructions, for cor. to $\frac{1}{4}$
 sec.
- 80.10 Cor. to sec. 25-26-35 & 36.
 Sand flat soil 2^d rate.
 Some grass.
 November.
-

Township 10 S Range 23 W.
Gila and Salt River Meridian

to North between sec. 25 & 26.

ang. $13^{\circ}35'$ East

40.00 Drive charred stake 12 in. down,
and build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft long,
1 ft wide, all as per instructions for 1/4
sec. cor.

80.00 Drive charred stake 12 in. down and
build mound of earth 2 ft high, with
pits 1 ft deep, 2 ft long, 1 ft wide, and in
center of pit S. E. of cor. I drive a
stake marked and notched, 2 ft
long, 2 in. sq. d. 1 ft in the ground, all
as per instructions, for cor. to sec.
23, 24, 25 and 26.

Land mostly level. Soil sandy.
Grass and bushes. No timber.

Township 10 S. Range 23 N.
Gila and Salt River Meridian

- E. Eastern random line between 24 & 25
 var. 13° 35' East
- 40.00 Set post for temporary 1/4 sec. cor.
 79.87 Intersect E. boundary 21 hrs. N. of cen.
 to secs. 24 and 25 from which cor.
 Run
 N. 89° 51' W.
 On true line between secs. 24 & 25.
 var. 13° 35' East
- 39.94 Drive charred stake 12 in. down,
 and build mound of ferns etc 2 ft
 high, with pits 1 ft deep, 2 ft long,
 1 ft wide, all as per instructions for
 1/4 sec. cor.
- 79.87 Cor. to secs. 23, 24, 25 and 26.
 Sand lead. Soil sandy.
 No timber.
-

Township 10 S Range 23 W.
Gila and Salt River Meridian

Co. North between sec. 23 & 24.
var. 13° 35' East.

40.00 Drive charred stake 12 in. down
and build mound of earth 2 ft high
with pits 1 ft deep, 2 ft long, 1 ft wide,
all as per instructions for 14 sec.
cor.

80.00 Drive charred stake 12 in. down and
build mound of earth 2 ft high,
with pits 1 ft deep, 2 ft long, 1 ft wide,
and in center of pit S. E. of cor. I
drive a stake, marked and notched,
2 ft long, 2 in. sq. 1 ft in the ground,
all as per instructions for cor. to sec.
13, 14, 23 and 24.

Land flat. Soil 3rd rate.
Bushes. No timber.

Township 10 S. Range 23 W.

Gila and Salt River, Maricopa

Rs East on random line bet. sec. 13 & 24.
 cor. 13° 35' East

40.00 Set post for temporary $\frac{1}{4}$ sec. cor.

80.12 Intersect E. boundary 8 sec. S. of cor.
 to sec. 13 and 24, from which cor.

Run
 S. 89° 57' W.

Outline line between sec. 13 & 24
 cor. 13° 35' East

40.06 Drive charred stake 19 in. down,
 and build mound of earth 2 ft high
 with pits 1 ft deep, 2 ft long, 1 ft wide,
 all as per instructions for $\frac{1}{4}$ sec. cor.

80.12 Cor. to sec. 13, 14, 23 & 24

Sand somewhat rolling.
 Good grass. No timber.

Township 10 S. Range 23 W.
 Gila and Salt River Meridian

to North between sec. 13 & 14.
 cor. 13° 35' East
 40.00 Drive charred stake 12 in. down,
 and build mound of earth 2 ft
 high, with pits 1 ft deep, 2 ft long, 1 ft
 wide, all as per instructions for 14 sec.
 cor.

80.00 Drive charred stake 12 in. down,
 and build mound of earth 2 ft
 high, with pits 1 ft deep, 2 ft long, 1 ft
 wide, and in center of pit S. E. of cor.
 I drive a stake marked and notched
 2 ft long, 2 in sq. 1 ft in the ground,
 all as per instructions for cor. to secs
 11, 12, 13 and 14.

Sand flat. Good grass. Bushes.
 No timber.

Township 10 S. Range 73 W.
Gila and Salt River Meridians.

As East on random line bet. sec. 12 & 13
var. 13°35' East.

40.00 Set post for temporary 4 sec. cor.

79.82 Intersect E. boundary 31 hrs. N. of cor.
to sec. 12 & 13. from which cor.

From

N. 89°47' W.

On true line between sec. 12 & 13

var. 13°35' East

39.91 Drive charred stake 12 in. down,
and build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft long, 1 ft
wide, all as per instructions for
4 sec. cor.

79.82 Cor. to sec. 11, 12, 13 & 14.

Sand level. Grass and bushes.
No timber.

Township 10 S. Range 23 W.
Gila and Salt River Meridian

Sec. North between sec. 11 & 12
near 13° 35' East

40.00 Drive charred stake 12 in. down,
and build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft long,
1 ft wide all as per instructions for
these cor.

80.00 Drive charred stake 12 in. down,
and build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft long,
1 ft wide, and in center of pit
S. E. of cor. I drive a stake,
marked and notched, 2 ft long,
2 in. sqd 1 ft in the ground, all as
per instructions for cor. to secs.
1, 2, 11 and 12.

Land flat. Some grass.
No timber.

Township 10 S. Range 23 W.
Gila and Salt River Meridian

As East on random line bet sec. 1 & 12.

ans. $13^{\circ} 35'$ East

40.00 Set post for temporary $\frac{1}{4}$ sec. cor.

79.92 Intersect E. boundary 10 hrs. S. of
cor. to sec. 1 and 12, from which
cor. drawn

N. $89^{\circ} 56'$ W.

On true line between sec. 1 & 12

ans. $13^{\circ} 35'$ East

39.96 Drive charred stake 12 in. down,
and build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft long,
1 ft wide, all as per instructions for
 $\frac{1}{4}$ sec. cor.

79.92 Cor. to sec. 1, 2, 11 and 12.

Sand mostly level. Soil sandy.
No timber.

Township 10 S Range 23 W.
Gila and Salt River Meridian

to North our random line bet sec. 1 & 2.
acc. $13^{\circ} 35'$ East.

40.00 Set post for temporary $\frac{1}{4}$ sec cor.

79.88 Intersect N. boundary 26 lbs. E. of cor.
to secs. 1 and 2, from which
cor. drawn

S. $0^{\circ} 11'$ E.

Outline line between secs. 1 & 2
acc. $13^{\circ} 35'$ East.

39.88 Drive charred stake 12 in. down,
and build mound of earth 2 ft
high, with pile 1 ft deep, 2 ft long,
1 ft wide, all as per instructions
for cor. to $\frac{1}{4}$ sec.

79.88 Cor. to secs. 1, 2, 11, and 12.
Sand lead. Some grass.
No timber.

March 19, 1874

Township 10. S. Range 73 W.
Gila and Salt River Meridian

Line North between sec. 34 & 35,
cor. 13° 35' East

40.00 Drive charred stake 12 in. down
and build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft long,
1 ft wide, all as per instructions
for $\frac{1}{4}$ sec. cor.

80.00 Drive charred stake 12 in. down
and build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft long, 1 ft
wide, and in center of pit S. E. of
cor. Drive a stake, marked and
notched, 2 ft long, 2 in. sq. d. 1 ft
in the ground, all as per instructions
for cor. to sec. 26, 27, 34 and
35.

Land mostly flat. Soil 3' rate.
No timber.

Township 10 S Range 23 W.
Eda and Salt River Meridian

Go East on random line bet sec. 26th & 35.
var. 13° 35' East.

40.00 Set post for temporary $\frac{1}{4}$ sec. cor.

80.08 Intersect N. and S. line 11 lvs. S. of
cor. to secs. 25, 26, 35 and 36,
from which cor. run
S. 89° 55' W.

On true line between sec. 26th & 35.
var. 13° 35' East.

40.04 Drive charred stake 17 in. down,
and build mound a few ft
ft high, with pits 1 ft deep, 2 ft long
1 ft wide, all as per instructions
for $\frac{1}{4}$ sec. cor.

80.08 Cor. to secs. 26, 27, 34 and
35.

Land flat. Soil 2nd rate. Some
grass. No timber.

Township 10 S. Range 23 W.
Gila and Salt River Meridian.

Line North between sec. 26 & 27.

cor. 13° 35' East.

40.00 Drove charred stake 12 in. down
and build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft
long, 1 ft wide, all as per instruc-
tions for these sec. cor.

80.00 Drove charred stake 12 in. down
and build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft long,
1 ft wide, and in center of pit S. E.
of cor. I drove a stake, marked
and notched, 2 ft long, 2 in. sq. d.
1 ft in the ground, all as per instructions
for cor. to sec. 22, 23, 26 and 27.
Land mostly flat. Some grass.
No timber.



Township 10 S. Range 23 W.

Gila and Salt River Meridian

Line East on random line bet sec. 23 & 26.
 cor. $13^{\circ}35'$ East

40.00 Set post for temporary 1/4 sec. cor.

79.90 Intersect N. and S. line 12 hrs. N. a post
 to sec. 23, 24, 25 and 26. from
 which cor. from
 N. $89^{\circ}55'$ W.

Return line between sec. 23 & 26.
 cor. $13^{\circ}35'$ East

39.95 Drive charred stake 12 mi. down
 and build mound a few ft high,
 with pits 1 ft deep, 2 ft long, 1 ft wide,
 all as per instructions for 1/4 sec. cor.

79.90 Cor. to sec. 22, 23, 26, and 27.
 Land mostly flat. Some grass
 No timber.

Township 10 S. Range 23 W.
Gila and Salt River Meridian.

To North between sec. 22 & 23.

cor. 13° 35' East.

40.00 Drive charred stake 19 in. down and
build mound of earth 2 ft. high, with
pit 1 ft. deep, 2 ft. long, 1 ft. wide,
all as per instructions for 1/4 sec. cor.

80.00 Drive charred stake 12 in. down,
and build mound of earth 2 ft.
high, with pit 1 ft. deep, 2 ft. long,
1 ft. wide, and in center of pit S. E.
of cor. Drive a stake marked
and notched, 2 ft. long, 2 in. sq. and
1 ft. in the ground, all as per instruc-
tions for cor. to sec. 14, 15, 22
and 23.

Sand lead. Grass and bushes
No timber.

Township 10 S. Range 23 W.
Gila and Salt River Meridian

As East on random line bet sec. 14 & 23
ans. 13° 35' East

40.00 Set post for temporary 1/4 sec. cor.

80.19 Intersect N. and S. line 12 cor. S. of
cor. to secs. 13, 14, 23 and 24.
from which cor. down
S. 89° 55' W.

On true line between secs. 14 & 23.

ans. 13° 35' East

40.09 Drive charred stake 12 in. down,
and build mound a few in. high
high, with pits 1 ft deep, 2 ft long, 1 ft
wide, all as per instructions, for
1/4 sec. cor.

80.19 Cor. to secs. 14, 15, 22 & 23.

Land mostly level. Some grass.
No timber.

Township 10 S. Range 23 W.
Gila and Salt River Meridian.

His North between secs. 14^g & 15,
var. 13° 35' East

40.00 Drove charred stake 12 in. down,
and build mound a few inch 2 ft
high, with pits 1 ft. deep, 2 ft. long,
1 ft. wide, all as per instructions
for this sec. cor.

80.00 Drove charred stake 12 in. down,
and build mound a few inch 2 ft
high, with pits 1 ft. deep, 2 ft. long, 1 ft.
wide and in center of pit S. E.
of cor. I drove a stake, unmarked
and notched, 2 ft. long, 2 in. sq. d.
1 ft. in the ground, all as per instruc-
tions for cor. to secs. 10, 11, 14 and
15.

Sand level. Some grass.
No timber.

Township 10 S. Range 23 W.
 6th and Salt River Meridian

Sec. East on random line bet sec. 11 & 14.
 cor. $13^{\circ}35'$ East

40.00 Set post for temporary $\frac{1}{4}$ sec. cor.

79.82 Intersect N. and S. line 21 hrs. S. of cor.
 to sec. 11, 12, 13 and 14. from
 which cor. down
 $S. 89^{\circ}51' W.$

Patrol line bet sec. 11 & 14
 cor. $13^{\circ}35'$ East

39.94 Two charred stakes 12 in. down,
 and build mound of earth 2 ft
 high, with pits 1 ft deep, 2 ft long,
 1 ft wide, all as per instructions for
 $\frac{1}{4}$ sec. cor.

79.82 Cor. to sec. 10, 11, 14 and 15.
 Land level.
 Soil poor.
 No timber.

Township 10 S. Range 23 W.
Gila and Salt River Meridians.

Line North between sec. 10 & 11.

var. $13^{\circ}35'$ East

40.00 Drive charred stake 12 in. down,
and build mound of earth 2 ft
high, with pit 1 ft deep, 2 ft long,
1 ft wide, all as per instructions
for $\frac{1}{4}$ sec. cor.

80.00 Drive charred stake 12 in. down,
and build mound of earth 2 ft
high, with pit 1 ft deep, 2 ft long,
1 ft wide, and in center of pit S. E.
of cor. I drive a stake, marked
and notched, 2 ft long, 2 in. sq. d.
1 ft in the ground, all as per in-
structions for cor. to secs. 2, 3, 10
and 11.

Land mostly flat Soil poor.
Bushes. No timber.

Township 10. S. Range 23 W
Gila and Salt River Meridian

Go East on random line between sec. 7 & 11.
var. $13^{\circ}35'$ East

40.00 Set post for temporary 1/4 sec. cor.

80.10 Intersect N. and S. line 13 lbs. N.
from sec. 1, 2, 11 and 12. from
which cor. from

N. $89^{\circ}54'$ W.

On true line between sec. 7 & 11

var. $13^{\circ}35'$ East

40.15 Drive charred stake 12 in. down
and build mound a few feet high
with pits 1 ft deep, 2 ft long, 1 ft wide,
all as per instructions for 1/4 sec. cor.

80.10 Cor. to sec. 2, 3, 10 and 11.

Land flat Soil 2nd rate.

Some grass. Brush.

No timber.

Township 10 S. Range 23 N.
Gila and Salt River Meridian

As North or random line betweens 2 & 3.
var. $13^{\circ}35'$ East

410.00 Set post for temporary $\frac{1}{4}$ sec. cor.
79.96 Intersect N. boundary 10 hrs. E. of
cor. to secs. 2 and 3. from which
cor. I run
S. $0^{\circ}4'$ E.

Outline line between secs. 2 & 3.
var. $13^{\circ}35'$ East

39.96 Drive charred stake 12 in. down,
and build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft long,
1 ft wide, all as per instructions
for $\frac{1}{4}$ sec. cor.

79.96 Cor. to secs. 2, 3, 10 and 11.
Sand flat soil 2nd or 3rd. Some
grasses. Brush. No timber.
March 20, 1874

Township 10 S. Range 23 W.

Gila and Salt River Meridian

to North between sec. 33 & 34
and 13 & 35 East.

40.00 Drive charred stake 12 in. down
and build mound of earth 2 ft high,
with pits 1 ft deep, 2 ft long, 1 ft wide,
all as per instructions for 14 sec. cor.

80.00 Drive charred stake 12 in. down
and build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft long,
1 ft wide, and in center of pit S.E.
of cor. I drive a stake, marked
and notched, 2 ft long, 2 in. sqd,
1 ft in the ground, all as per in-
structions for cor. to sec. 27.

28. 33 and 34

Sand flat. Grass. Bushes.
No timber.

Township 10 S Range 23 W.
Gila and Salt River Meridian

1/4 East on random line bet sec. 27 & 34,
cor. 13' 35" East.

40.00 Set post for temporary 1/4 sec. cor.

80.13 Intersect N. and S. line 18 hrs. S. of
cor. to sec. 26, 27, 34 and
35, from which cor. I am
S. 89° 52' W.

On true line between sec. 27 & 34
cor. 13' 35" East

40.06 Drive charred stake 12 in. down,
and build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft long,
1 ft wide, all as per instructions
for 1/4 sec. cor.

80.13 Cor. to sec. 27, 28, 33 and 34.
Sand loam. Soil sandy
Bushes. No timber.

Township 10 S Range 23 W.

Gda and Salt River Meridian

Co North between sec. 27 & 28
cor. 13° 35' East

40.00 Drive charred stake 12 in. down
and build mound of earth 2 ft high
with pits 1 ft deep, 2 ft long, 1 ft wide
all as per instructions for 1/4
sec. cor.

80.00 Drive charred stake 12 in. down,
and build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft long,
1 ft wide, and in center of pit S. E.
of cor. I drive a stake, marked
and notched, 2 ft long, 2 in. sq. d.,
1 ft in the ground, all as per instruc-
tions for cor. to sec. 21, 22, 27
and 28.

Sand flat. Soil 3rd rate. No timber.
Sagebrush.

Township 10 S. Range 23 W.
Gila and Salt River Meridian

- To East on random line bet sec. 22 & 27.
 dir. $13^{\circ}35'$ East
 40.00 Set post for temporary 1/4 sec. cor.
 80.10 Intersect N. and S. line of Sec. 21 of Co.
 to Secs. 22, 23, 26 and 27, from
 which cor. I run
 N. $89^{\circ}57'$ W.
 Put true line between secs. 22 & 27.
 dir. $13^{\circ}35'$ East
 40.05 Drive charred stake 12 in. down,
 and build mound of earth 2
 ft high, with pits 1 ft deep, 2 ft long,
 1 ft wide, all as per instructions
 for 1/4 sec. cor.
 80.10 Cor. to secs. 21, 22, 27 and 28.
 Sand level. Soil sandy.
 Bushes. No timber.

Township 10 S. Range 23 W.
 6th and Salt River Meridian

to North between sec. 21 & 22.

var. 13° 35' East.

40.00 Drive charred stake 12 in. down,
 and build mound of earth 2
 ft high, with pits 1 ft deep, 2 ft
 long, 1 ft wide, all as per instruc-
 tions, for $\frac{1}{4}$ sec. cor.

80.00 Drive charred stake 12 in. down,
 and build mound of earth 2 ft
 high, with pits 1 ft deep, 2 ft long,
 1 ft wide, and in center of pit
 S. E. of cor. I drive a stake,
 marked and notched, 2 ft long,
 2 in. sq'd. 1 ft in the ground, all
 as per instructions for cor. to Secs
 15, 16, 21 and 22.

Sand flat Soil 3rd rate. No timber.
 Sage brush.

Township 10 S. Range 93 W.
Gila and Salt River Meridian

the East meander line bet secs. 15 & 22
cor. 13° 35' East

40.00 Set post for temporary 1/4 sec. cor.
79.93 Intersect N. and S. line 8 km. S. of cor.
to secs. 14, 15, 22 and 23. from
which cor. Draw
N. 89° 05' W.

On true line between secs. 15 & 22
cor. 13° 35' East

39.97 Drive charred stakes 2 in. down,
and build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft long,
1 ft wide, all as per instructions
for 1/4 sec. cor.

79.93 Cor. to secs. 15, 16, 21 and 22.
Sand level. Soil sandy and poor.
Some Bushes. No timber.



Township 10 Range 23 W.
 Gila and Salt River Meridian

To North between sec. 15 & 16.

var. 13' 35" East

40.00 Drive charred stake 12 in. down,
 and build mound of earth 2
 ft high, with pit 1 ft deep, 2 ft
 long, 1 ft wide, all as per instruc-
 tions for 1/4 sec. cor.

80.00 Drive charred stake 12 in. down,
 and build mound of earth 2
 ft high, with pit 1 ft deep, 2
 ft long, 1 ft wide and in center of
 pit S. E. of cor. Drive a stake
 marked and notched, 2 ft long,
 2 in. sq. d. 1 ft in the ground, all
 as per instructions, for cor. to sec.
 9, 10, 15 and 16.

Land level, Soil 3rd rate. No
 timber, Bushes.

Township 10 S Range 23 W.
Gila and Salt River Meridian

To East on random line bet secs. 10 & 15.

cur. $13^{\circ}35'$ East

40.00 Set post for temporary 1/4 sec. cor.

80.07 Intersect N. and S. line 9/16 mi. N. of cor.
to secs. 10, 11, 14 and 15, from which
cor. drawn

N. $89^{\circ}56'$ W.

On true line between secs. 10 & 15.

cur. $13^{\circ}35'$ East

40.03 Drive charred stake 12 in. down,
and build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft long,
1 ft wide, all as per instructions
for 1/4 sec. cor.

80.07 Cor. to secs. 9, 10, 15 & 16.

Land mostly level. Some
grass. No timber. Bushes.

Township 10 S Range 23 W.
 Gila and Salt River Meridian

- Rs North between sec. 9 & 10.
 cur. 13° 35' East
- 44.00 Drive charred stake 12 in down,
 and build mound of earth 2
 ft high, with pit 1 ft deep, 2 ft
 long, 1 ft wide, all as per in-
 structions, for 4 sec. cor.
- 80.00 Drive charred stake 12 in.
 down and build mound of earth
 2 ft high, with pit 1 ft deep, 5 ft
 long, 1 ft wide, and in center of
 pit S. E. of cor. I drive a stake,
 marked and notched 2 ft long,
 2 in. sq. d. 4 ft in the ground,
 all as per instructions for cor.
 to secs. 3, 4, 9 and 10.
 Land mostly flat. Some
 grass. No timber.

Township 10 S Range 73 W
Gila and Salt River Meridian

His East on random line bet. sec. 3 & 10.
cor. 13° 35' East

40.00 Set post for temporary 1/4 sec. cor.
79.88 Intersect it, and set line to cor. S. of
cor. to sec. 2, 3, 10 and 11,
from which cor. Run
S 89° 57' W,

Patrol line between sec. 3 & 10.
cor. 13° 35' East.

39.94 Drive charred stake 12 in. down,
and build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft long
1 ft wide, all as per instructions
for 1/4 sec. cor.

79.88 Cor. to sec. 3, 4, 9 and 10.
Land level. Soil sandy.
No trees. Some bushes.

Township 10 S. Range 23 W.

Gila and Salt River Meridian

To North on random line bet sec. 3 & 4.

cor. 13° 35' East

40.00 Set post for temporary T. sec. cor.

79.90 Intersect N. boundary 12 lbs. W.
of cor. to sec. 3 and 4. from
which cor. down

S. 0° 5' W.

Outline line between sec. 3 & 4

cor. 13° 35' East

39.90 Drive charred stake 12 in.

down and build mound of earth
2 ft high, with pits 1 ft deep, 2 ft
long, 1 ft wide, all as per instruc-
tions for T. sec. cor.

79.90 Cor to sec. 3, 4, 9 & 10.

Land level. Soil sandy.
No timber. Bushes

March 21, 1874

Township 10 S. Range 23 W
 Gila and Salt River Meridian

Line North between sec. 32 & 33

var. 13° 35' East

40.00 Iron charred stake 12 in. down
 and build mound of earth 2
 ft high, with pit 1 ft deep, 2 ft
 long, 1 ft wide, all as per instruc-
 tions for 1/4 sec. cor.

80.00 Iron charred stake 12 in. down,
 and build mound of earth 2
 ft high, with pit 1 ft deep, 2
 ft long, 1 ft wide, and in center
 of pit S. E. of cor. I drive a
 stake, marked and notched,
 2 ft long, 2 in. sq'd, 1 ft in the
 ground, all as per instructions
 for cor. to sec. 28, 29,
 32 and 33.

Land mostly lead. Grass-
 No timber.

Township 10 S Range 23W

Gila and Salt River Meridian

Go East on random line bet sec. 28 & 33
 cor. 13° 35' East

40.00 Set post for temporary 1/4 sec. cor.

80.16 Intersect N. and S. line 21 hrs.

S. of cor. to sec. 27, 28, 33

and 34, from which cor. down
 S. 89° 5' W.

On line bet sec. 28 & 33

cor. 13° 35' East

40.08 Drive chained stake 12 in down,

and build mound of earth 2
 ft high, with pit 1 ft deep, 2 ft
 long, 1 ft wide, all as per
 instructions for 1/4 sec. cor.

80.16 Cor. to sec. 28, 29, 32
 and 33.

Land mostly level. Grass
 November.

Township 10 S Range 23 W.
Gila and Salt River Meridian

Sec. North between sec. 28 & 29.

var. $13^{\circ}35'$ East

40.00 Drive charred stake 12 in. down,
and build mound of earth 2
ft high, with pits 1 ft deep, 2
ft long, 1 ft wide, all as per
instructions for 14 sec. cor.

80.00 Drive charred stake 12 in.
down and build mound of
earth 2 ft high, with pits
1 ft deep, 2 ft long, 1 ft wide,
and in center of pit S. E. of cor.
Drive a stake, marked and
notched, 2 ft long, 2 in. sq. d.,
1 ft in the ground, all as per
instructions for cor. to sec. 20,
21, 28 and 29.

Land lead. Some grass. No
timber.

Township 10 S Range 23 W.
Gila and Salt River Meridian

As East on random line bet sec. 21 & 28,
var. $13^{\circ}35'$ East

40.00 Set post for temporary $\frac{1}{4}$ sec. cor.

79.80 Intersect N. and S. line 12 cor. N. of
cor. to sec. 21, 22, 27 and 28,
from which cor. Run
N. $89^{\circ}55'$ W.

Outline line between sec. 21 & 28,
var. $13^{\circ}35'$ East

39.90 Drive charred stake 12 in. down,
and build mound of earth 2
ft high, with pile 1 ft deep, 2
ft long, 1 ft wide, all as per
instructions, for $\frac{1}{4}$ sec. cor.

79.80 Cr. to sec. 20, 21, 28 and 29.
Sand lead. Some grass
No timber. Cashes.

Township 10 S Range 23 W.
Gila and Salt River Meridian

Sec. North Section sec. 20 & 21.

aur. 13° 35' East

40.00 Drove charred stake 12 in.
down and build mound of earth
2 ft high, with pits 1 ft deep, 2
ft long, 1 ft wide all as per
instructions, for 4 sec. cor.

80.00 Drove charred stake 12 in. down
and build mound of earth 2
ft high, with pits 1 ft deep, 2 ft long,
1 ft wide, and in center of pit
S. E. cor. I drove a stake,
marked and notched, 2 ft long,
2 in. sq. d. 1 ft in the ground,
all as per instructions, for cor. to
secs. 16, 17, 20 and 21.

Land level. Soil sandy 2nd rate.
No timber. Bushes.

Township 10 S. Range 73 W.

Gila and Salt River Meridian

As East corner of line bet sec. 16 & 21.
 var. $13^{\circ}35'$ East

40.00 Set post for temporary $\frac{1}{4}$ sec. cor.

79.92 Intersect N and S. line 10 Sec. N. of
 cor. to sec. 15, 16, 21 and 22
 from which cor. Run
 N. $89^{\circ}56'$ W.

Continue line between sec. 16 & 21.
 var. $13^{\circ}35'$ East

39.96 Drive charred stake 12 in. down,
 and build mound of earth
 2 ft high, with pit 1 ft deep,
 2 ft long, 1 ft wide, all as per
 instructions for $\frac{1}{4}$ sec. cor.

79.92 Cor. to Secs 16, 17, 20 & 21.
 Sand flat surface.

Some grass and bushes.
 No timber.

Township 10 S. Range 23 W.
Gila and Salt River Meridian

Sec North between sec. 16 & 17
var. 13° 35' East.

40.00 Drive charred stake 19 in. down,
and build mound a foot or 2 ft
high, with pits 1 ft deep, 2 ft long,
1 ft wide, all as per instructions
for 1/4 sec. cor.

80.00 Drive charred stake 19 in. down,
and build mound a foot or 2
ft high, with pits 1 ft deep, 2 ft
long, 1 ft wide, and in center
affix S. E. of cor. Drive a
stake, marked and notched,
2 ft long, 2 in. sq. d. 1 ft in the
ground, all as per instructions
for cor. to sec. 8, 9, 16 and 17.

Sand level. Soil poor.
Bushes. No timber.

Township 10 S. Range 23 W.
Cila and Salt River Meridian

To East meridian bet sec. 9 & 16.
cur. $13^{\circ}35'$ East

40.00 Set post for temporary $\frac{1}{4}$ sec. cor.

80.03 Interest on and S. line 11 hrs. S.
of cor. to sec. 9, 10, 15 and 16.
from which cor. $\frac{1}{4}$ sec.
 $89^{\circ}55'$ W.

On true line bet sec. 9 & 16.
cur. $13^{\circ}35'$ East

40.01 Drive charred stake 12 in. diam
and build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft long,
1 ft wide, all as per instructions
for $\frac{1}{4}$ sec. cor.

80.03 Cor. to sec. 8, 9, 16 and 17.
Land flat surface. Soil sandy.
No timber.

Township 10 S. Range 23 W.
Gila and Salt River Meridian

to North between sec. 8 & 9
cor. 13° 35' East

40.00 Drive charred stake 12 in. down
and build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft long,
1 ft wide, all as per instructions
for these cor.

80.00 Drive charred stake 12 in. down
and build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft
long, 1 ft wide, and in center of
pit S. E. of cor. I drive a stake
marked and notched, 2 ft long,
2 in. sq. d. 4 ft in the ground,
all as per instructions, for cor.
to Secs. 4, 5, 8 and 9.
Land level. Soil sandy,
November.

Township 10 S. Range 23 W.
 Tola and Sull River Meander

to East meander line bet. sec. 4th & 9th
 av. 13°35' East.

40.00 Set post for temporary base cor.

80.10 Intersect Meand. S. line 13 ls. N.
 of cor. to sec. 3, 4, 9 and 10,
 from which cor. Draw
 N. 89°54' W.

Outline line between sec. 4th & 9th
 av. 13°35' East

40.05 Drive charred stake 12 in. down
 and build mound of earth 2 ft
 high, with pits 4 ft deep, 2 ft long,
 4 ft wide, all as per instructions
 for base cor.

80.10 Cor. to Secs. 4, 5, 8th & 9.
 Sand loam. Soil 3rd rate
 No timber.

Township 10 S Range 23 W.
Gila and Salt River Meridian

The North-south line between sec. 4 & 5.

var. $13^{\circ}35'$ East,

40.00 Set post for temporary $\frac{1}{4}$ sec. cor.

79.94 Intersect N. boundary 10 hrs. E. of
cor. to sec. 4 and 5. from
which cor. 1 run
 $S. 0^{\circ}4' E.$

On true line between sec. 4 & 5.

var. $13^{\circ}35'$ East

39.94 Drive Ch. road stake 12 in. down,
and build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft
long, 4 ft wide, all as per in-
structions for $\frac{1}{4}$ sec. cor.

79.94 Cor. to sec. 4, 5, 8 and 9.

Land level. Soil poor.

Bushes, No timber.

March 23, 1894.

Township 10 S Range 23 W.
Gila and Salt River Meridian

To North between sec. 31 & 32,
and 13 & 35 East.

40.00 Drive charred stake 12 in. down
and build mound of earth 2 ft
high, with pits 1 ft. deep, 2 ft long,
1 ft wide, all as per instructions
for 1/4 sec. cor.

80.00 Drive charred stake 12 in. down,
and build mound of earth 2
ft high, with pits 1 ft. deep, 2 ft
long, 1 ft wide, and in center of
pit S. E. of cor. I drive a stake,
marked and notched, 2 ft long,
2 in. sq. depth in the ground, all
as per instructions, for cor. to sec.
29, 30, 31 and 32.

Land flat surface. Soil sandy.
Some bushes. No timber.

Township 10 S. Range 23 W.
Gila and Salt River Meridian

- No. East on random line bet sees. 29 & 32.
var. 13° 35' East
- 40.00 Set post for temporary $\frac{1}{4}$ sec. cor.
- 80.12 Intersect standard line 10 hrs. S.
of cor. to sees. 28, 29, 32 and
33, from which cor. from
S. 89° 56' W.
- On true line between sees. 29 & 32
var. 13° 35' East
- 40.06 Drive charred stake 12 in. long
and build mound of earth 2 ft
high, with pit 1 ft deep, 2 ft long
1 ft wide, all as per instructions
for $\frac{1}{4}$ sec. cor.
- 80.12 Cor. to sees 29, 30, 31 & 32.
Sand level. Soil 3rd rate.
Some bushes. No timber.

Township 10 S. Range 93 W.
 6th and Salt River Meridian

As West on random line bet. sec. 30 & 31,
 cor. 13° 35' East.

40.00 Set post for temporary 1/4 sec. cor.

79.82 Intersect W. boundary 16 hrs. S. of
 cor. to sec. 30 and 31, from which
 cor. from

S. 89° 53' E.

On true line between sec. 30 & 31
 cor. 13° 35' East.

39.82 Drive charred stake 12 in. down,
 and build mound of earth 2 ft
 high, with pits 1 ft deep, 2 ft long,
 4 ft wide, all as per instruction
 for 1/4 sec. cor.

79.82 Cor. to sec. 29, 30, 31 and
 32.

Land level. Soil poor.

Bushes. No timber

Township 10 S. Range 23 W.
Gila and Salt River Meridian

Go North between sec. 29 & 30.

ans. $13^{\circ}35'$ East

40.00 Drive charred stake 12 in. down,
and build mound of earth 2
ft high, with pits 1 ft deep, 2 ft
long, 1 ft wide, all as per instruc-
tions for these cor.

80.00 Drive charred stake 12 in.
down, and build mound of earth
2 ft high, with pits 1 ft deep, 2 ft long
1 ft wide, and in center of pit
S. E. of cor. I drive a stake, mark-
ed and nailed, 2 ft long, 2 in. sq, 1 ft
in the ground, all as per in-
structions for cor to sec.

19.20. 29 and 30.

Land level. Soil poor.

Bushes. No timber.

Township 10 S. Range 23 W.
Gila and Salt River Meridian

- Go East on random line bet. sec. 20 & 29
 cor. $13^{\circ}35'$ East
- 40.00 Set post for temporary these cor.
 80.11 Intersect N. and S. line 14 ls. N.
 of cor. to secs. 20, 21, 28 and
 29, from which cor. I run
 N. $89^{\circ}54'$ W.
 Outline line between sec. 20 & 29
 cor. $13^{\circ}35'$ East
- 40.05 Drive charred stake 17 in down,
 and build mound of earth 2 ft high,
 with pile 1 ft deep, 2 ft long, 1 ft
 wide, all as per instructions for
 these cor.
- 80.11 Cor. to secs. 19, 20, 29 & 30.
 Sand loam. Soil sandy.
 No timber.

Township 10 S. Range 23 W.
Gila and Salt River Meridian

Set West on random line bet sec. 19 & 30.
var. 13'35" East

40.00 Set post for temporary 1/4 sec. cor.
79.84 Intersect N. boundary 13 hrs. S. of
cor. to sec. 19 and 30. from which
cor. from
S 89° 54' E.

On true line between sec. 19 & 30.
var. 13'35" East

39.84 Drive charred stake 12 in. down
and build mound of earth 2 ft
high with pile 1 ft deep, 2 ft
long, 1 ft wide, all as per instruc-
tions for 1/4 sec. cor.

79.84 Cor. to sec. 19, 20, 29 & 30.
Sand loam. Soil 3° rate.
Bushes. No timber.

Township 10 S Range 23 W.
Gila and Salt River Meridian

To North between sec. 19 & 20.
cor. 13' 35" East

40.00 Drove charred stake 12 in. down,
and build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft long, 1
ft wide, all as per instructions for
1/4 sec. cor.

80.00 Drove charred stake 12 in. down,
and build mound of earth 2
ft high, with pits 1 ft deep, 2 ft
long, 1 ft wide, and in center of
pits. E. of cor. I drove a stake
marked and notched, 2 ft long,
2 in. sq. d. 1 ft in the ground, all
as per instructions, for cor. to
secs. 17, 18, 19 and 20.
Sand flat Soil poor. Some
bushes. No timber.

Township 10 S. Range 23 W.
Gila and Salt River Meridian

Go East on random line bet sec. 17 & 20.
var. 13°35' East.

40.00 Set post for temporary 1/4 sec. cor.

80.09 Intersect N. and S. line 15 lbs. N. of
cor. to sec. 16, 17, 20 and 21, from
which cor. Drive
N. 89°54' W.

On true line between sec. 17 & 20.
var. 13°35' East

40.04 Drive charred stake 12 in. down,
and build mound of earth 2
ft high, with pit 1 ft deep, 2 ft
long, 1 ft wide, all as per in-
structions, for 1/4 sec cor.

80.09 Cor. to sec. 17, 18, 19 and 20.
Sand level. Some bushes.
No timber.

Township 10 S Range 23 W.
Gila and Salt River Meridian

As West on a random line between secs. 18 & 19
var. 13° 35' East

40.00 Set post for temporary 1/4 sec. cor.

79.87 Intersect W. boundary 20 hrs. S. of
cor. to secs. 18 and 19. from which
cor. from
S. 89° 51' E.

On true line between secs. 18 & 19
var. 13° 35' East

39.87 Drive charred stake 12 in. down,
and build mound a fourth 2 ft
high, with pile 1/2 ft deep, 2 ft long,
1 ft wide, all as per instructions
for 1/4 sec. cor.

79.87 Cor. to secs. 17, 18, 19 and 20.
Sand lead soil 3" rate.
No timbers, Bushes.

Township 10 S. Range 23 W.
Gila and Salt River Meridian

to North between secs. 17 & 18
and 13 & 35 East

40.00 Drive charred stake 12 in. down,
and build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft long,
1 ft wide, all as per instructions
for 14 sec. cor.

80.00 Drive charred stake 12 in. down,
and build mound of earth 2
ft high, with pits 1 ft deep, 2 ft
long, 1 ft wide, and in center of
pit S. E. of cor. I drive a stake,
marked and notched, 2 ft long,
2 in. sq. 1 ft in the ground, all
as per instructions for cor. to secs.
7, 8, 17 and 18.

Land lease. Soil poor. No timber.

Township 10 S. Range 23 W.
Gila and Salt River Meridian

Go East on random line bet sec. 8th & 17th.
bear. 13°35' East

40.00 Set post for temporary 1/4 sec. cor.

80.11 Intersect N. and S. line 10 den. S. of cor.
to sec. 8, 9, 16 and 17, from which
cor. I run
S. 89°05' E. M.

Set true line between sec. 8th & 17th.
bear. 13°35' East.

40.05 Drive charred stake 12 in. down
and build mound of earth 2 ft high,
with pits 1 ft deep, 2 ft long, 1 ft wide,
all as per instructions, for 1/4 sec.
cor.

80.11 Cor. to sec. 7, 8, 17 and 18.
Sand lead. Soil poor.
Some bushes. No timber.

March 24, 1874

Township 10 S. Range 23 W.
Gila and Salt River Meridian

- to West on random line between secs. 7 & 18.
var. $13^{\circ}35'$ East
- 40.00 Set post for temporary $\frac{1}{4}$ sec. cor.
- 79.80 Intersect W. boundary 12 hrs. S. of
cor. to secs 7 and 18. from which
cor. from
 $S. 89^{\circ}55'$ E.
- On true line between secs. 7 & 18.
var. $13^{\circ}35'$ East
- 39.80 Drive charred stake 12 mi. down
and build mound of earth 2
ft high, with pits 4 ft deep,
2 ft long, 4 ft wide, all as per in-
structions, for $\frac{1}{4}$ sec. cor.
- 79.80 Cor. to secs. 7, 8, 17 and 18.
Sand level soil 3rd rate.
No timber.

Township 10 S. Range 23W.
 T4a and Salt River Meander

to North between sec. 7 & 8.
 var. $13^{\circ}35'$ East

40.00 Drive charred stake 12 in. down,
 and build mound of earth 2 ft
 high, with pits 1 ft deep, 2 ft long,
 1 ft wide, all as per instructions
 for 14 sec. cor.

80.00 Drive charred stake 12 in. down
 and build mound of earth 2
 ft high, with pits 1 ft deep, 2 ft
 long, 1 ft wide, and in center of
 pit S. E. of cor. I drive a stake
 marked and notched, 2 ft long,
 2 in. sqd. 1 ft in the ground, all
 as per instructions for cor. to sec.
 5, 6, 7 and 8.

Land level. Soil poor. Bushes
 No timber.

Township 10 S. Range 23 W.
Gila and Salt River Meridian

Line East on random line between 5th & 8.

var. $13^{\circ} 35'$ East

40.00 Set post for temporary 1/4 sec. cor.

80.08 Intersect N. and S. line 10 hrs. S.
of cor. to sec. 4, 5, 8 and 9,
from which cor. I run
S. $89^{\circ} 56'$ W.

On true line between sec. 5th & 8.

var. $13^{\circ} 35'$ East

40.04 Drive charred stake 12 in. d. in
and build mound of earth 2 ft
high, with pits 4 ft deep, 2 ft long,
4 ft wide, all as per instructions
for 1/4 sec. cor.

80.08 Cor. to sec. 5, 6, 7 & 8.

Sand level. Soil poor.

Bushes. No timber.

Township 10 S. Range 23 W.
Eda and Salt River Meridian

To West on random line betwee. 6 & 7.

acc. $13^{\circ}35'$ East

40.00 Set post for temporary $\frac{1}{4}$ sec. cor.

79.82 Intersect W. boundary 1/4 sec. S. of
cont. sec. 6 and 7. from which

cor. from

S. $89^{\circ}53'$ E.

Antic line between sec. 6 & 7

acc. $13^{\circ}35'$ East

39.82 Snow charred stake 12 in. down,
and build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft long, 1 ft
wide, all as per instructions for
 $\frac{1}{4}$ sec. cor.

79.82 Cor to sec. 5, 6, 7 and 8.

Land lead. Soil 3rd rate -

Bushes. No timber -

Township 10 S. Range 23 W.
Gila and Salt River Meridian.

To North on random line bet sec. 5 & 6.
az. 13° 35' East.

40.00 Set post for temporary 1/4 sec. cor.

80.17 Intersect N. boundary 150 yds. W.
of cor. to sec. 5 and 6. from
which cor. I run
S. 0° 6' W.

On true line between sec. 5 & 6.
az. 13° 35' East

40.17 Drive charred stake 12 in. down
and build mound of earth 2 ft high
with pit 1 ft deep, 2 ft long. 1 ft wide,
all as per instructions for 1/4 sec.
cor.

80.17 Cor. to sec. 5, 6, 7 and 8.
Sand lead. Soil poor. Some bushes
No timber.

March 25, 1874

General Description

The surface of the land in this township is mostly level, soil sandy. In the Southern part there is a large growth of "quijote" grass.

In the balance of the township the soil is poor, producing little but small bushes. There is no stone or timber in the township.

Thos. J. White
Notary Public

LIST OF NAMES.

A List of the Names of Individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing Field Notes of the survey of *the subdivision lines of township 10 S. range 23 W. of the Gila and Salt River Meridian*

Showing the respective capacities in which they acted.

Joe Phillips Chainman.

R. A. Vasquez Chainman.

Fred C. Jones Axeman.

J. M. C. Elliott Flagman.

FINAL OATH OF ASSISTANTS.

WE hereby certify that we assisted Theodore
R. White U. S. Deputy Surveyor, in
 surveying the subdivision lines
of township 10 S. range 23
W. of the Gila and Salt River
Meridian

and that said Survey has been in all respects, to
 the best of our knowledge and belief, well and
 faithfully executed, and the boundary monu-
 ments planted according to the instructions fur-
 nished by the Surveyor General.

J. P. Phillips Chairman.

R. A. Vargas Chairman.

Fred Stone Axeman.

J. M. B. Elliott Flagman.

Sworn to and subscribed before me, this 30
 day of March, 1874

Henry
 Notary Public.

FINAL OATH OF DEPUTY SURVEYOR.

I, Theodore F. White

U. S. Deputy Surveyor do solemnly swear that, in pursuance of a contract with John Wasson, United States Surveyor-General for Arizona, bearing date the 25 day of August

1873 I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-General, the Surveying Manual, and the laws of the United States, surveyed all those portions of

The subdivision lines of town
ship 10 S. range 23 W.
of the Gila and Salt River
Meridian

as are represented in the foregoing Field Notes as having

65

been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and also in accordance with the additional requirements contained in circular instructions from the U. S. Surveyor-General for Arizona, dated September 1, 1873, regarding the establishment of corner boundaries of public surveys, and that the foregoing are the true and original Field Notes of such surveys.

Theodore F. White

Deputy Surveyor.

Sworn to and subscribed before me, this 30 day of March, 1874

H. H. H. H.

Notary Public.



U. S. Surveyor General's Office,
Tucson, Arizona, May 9, 18711

The foregoing Field Notes of the survey of

The Subdivision lines of
Township 10 S. Range 23 N.

of the Gila and Salt River Base and Meridian, Arizona
executed by Theodore F. White
D. S., under his contract of the 25th day of
August, 1873, having been critically ex-
amined and the necessary corrections and explanations
made, the said Field Notes and the surveys they de-
scribe, are hereby approved.

John Wasson

Surveyor General.