

No. 1200

p1.

BOOK 1200

1200

Field Notes

OF THE SURVEY OF THE

SUBDIVISION LINES

BOOK 1200

-OF-

No. 1200

Township

10 S

Range

24 N.

Gila and Salt River Base and Meridian

ARIZONA.

By

Theo. F. White

D. S.

under contract dated

July 7

1873.

Survey commenced

Jan 30

1874.

Survey completed

Feb 5

1874.

PRELIMINARY OATHS OF ASSISTANTS.

WE, J. D. Phillips

and R. A. Vasquez

do solemnly swear that we will faithfully execute the duties of Chain Carriers; that we will level the chain upon uneven ground, and plumb the tally pins, whether by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability.

J. D. Phillips
R. A. Vasquez

Sworn to and subscribed before me, this

day of December, 1873

Whitney
Totary Public.

WE, Fred C. Jones

J. M. C. Elliott

do solemnly swear that we will well and truly perform the duties of Witness and
flagman respectively
according to instructions given us, and to the best of our skill and ability.

Fred C. Jones

J. M. C. Elliott

worn to and subscribed before me this 29

day of December 1873

H. H. H. H.

Notary Public



10

4-674.

Township 10 S. R. 24 W. Sec 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36

BOOK 1200

6	60	5	44	4	33	3	22	2	11	1
59		58		43		32		21		10
7	57	8	42	9	31	10	20	11	9	12
56		55		41		30		19		8
18	54	17	40	16	29	15	18	14	7	13
53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24
50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25
47		46		35		24		13		2
31	45	32	34	33	33	34	12	35	1	36

Township 10 S. Range 24 N.
Gila and Salt River Meridian

As Beginning on the S. boundary at the
cor. to secs. 35 & 36. Run
North, between secs. 35 & 36.
on a 13° 35' East

As per E. boundary.

40.00 Remote from stone and timber: drive chanced
stake 12 in. down and build mound & perch
2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, all
as per instructions for 44 sec. cor.

80.00 Drive chanced stake 12 in. down and build
mound & perch 2 ft high, with pit 1 ft deep,
2 ft long, 1 ft wide, and in center of pit S.E.
of cor. Drive stake, marked and notched
2 ft long, 2 in. sq'd, 1 ft in the ground, all as
per instructions for cor. to secs. 25, 26,
35 and 36.

Land, level mesa. Soil sandy.
Some grass. No timber.

Township 10 S. Range 241 W.
Gila and Salt River Meridian

To

- No East. on random line bet. sec. 25 & 26.
cor. 13° 35' East.
- 40.00 Set post for temporary $\frac{1}{4}$ sec. cor.
- 79.50 Intersect E. boundary 39 lbs. S. of cor.
to sec. 25 & 26. from which cor. from
S. 89° 43' W.
- Set true line between sec. 25 & 26.
cor. 13° 35' East.
- 39.75 Drive charrad stake 12 in. down,
and build mound of earth 2 ft high,
with pits 1 ft deep, 2 ft long, 1 ft wide
all as per instructions for $\frac{1}{4}$ sec.
cor.
- 79.50 The cor. to sec. 25, 26-35 and
36.
Land lead. Soil sandy.
Grass. No timber.

Township 10 S. Range 24 N.

Gila and Salt River Meridian

to North between secs. 25 & 26.

cor. 13° 35' East

10.00 Drive charred stake 12 in. down,
and build mound of earth 2 ft
high, with pile 1 ft deep, 2 ft long,
1 ft wide, all as per instructions
for 44 sec. cor.

10.00 Drive charred stake 12 in. down,
and build mound of earth 2 ft
high, with pile 1 ft deep, 2 ft long,
1 ft wide, and in center of pile S. E.
of cor. Drive a stake, marked and
notched, 2 ft long, 2 in. sq. d. 1 ft in the
ground, all as per instructions for
co. to secs. 23, 24, 25 and 26.

Land lead. Soil 2^o rate. a little
grass. No timber.

Township 10 S. Range 24 W.
Gila and Salt River Meridian.

No East on sandstone line bet. sec. 24 & 25
cor. 13° 35' East.

40.00 Set post for temporary 1/4 sec. cor.
79.90 Intersect E. boundary 9/16 S. of cor. to
sec. 24 & 25, from which cor. down
S. 89° 56' W.

On true line between sec. 24 & 25.
cor. 13° 35' East.

39.95 Drive chert stake 15 in. down,
and build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft long,
1 ft wide, all as per instructions for
1/4 sec. cor.

79.90 The cor. to sec. 23, 24, 25 & 26.

Land level mesa.
Soil sandy 2^o rate.
No timber.

Township 10 S. Range 24 N.
Gila and Salt River Meridian

As North between sec. 23 & 24
arr. 13° 35' East
40.00 Drive chanced stake 12 in. down,
and build mound of earth 2 ft
high, with pit 1 ft deep, 2 ft long, 1 ft
wide, all as per instructions for
1/4 sec. cor.

80.00 Drive chanced stake 12 in. down, and
build mound of earth 2 ft high,
with pit 1 ft deep, 2 ft long, 1 ft wide,
and in center a pit S.E. of cor. 1 drive
stake, marked and nailed, 2 ft long
2 in. sq'd, 1 ft in the ground, all as
per instructions, for cor. to sec.
13, 14, 23 and 24.
Land level. Soil sandy.
No timber.

Township 10 S. Range 24 N.
Gila and Salt River Meridian

hs East on random line bet. sec. 13 & 24
cor. 13° 35' East

40.00 Set post for temporary 1/4 sec. cor.

80.11 Intersect E. boundary 5 hrs. S. of cor.
to sec. 13 & 24 from which cor. Draw
S. 89° 58' N.

entire line between sec. 13 & 24
cor. 13° 35' East

40.05 Drive charred stake 12 in. down and
build mound of earth 2 ft high
with pit 1 ft deep, 2 ft long, 1 ft
wide, all as per instructions
for 1/4 sec. cor.

80.11 The cor. to sec. 13, 14, 23,
and 24.

Land level mesa. Soil sandy
white. Some grass.
No timber.

Township 10 S. Range 24 N.
Gila and Salt River Meridian

To North between secs. 13 & 14.
var. 13° 35' East

- 7.00 Leave mesa, bear N. E. 45° W., and descend into bottom.
- 40.00 Set a post, marked 14 S. 4 ft long, flattened 3 in wide, 1 ft in the ground, drive charred stakes and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, all as per instructions for 14 sec. cor. from which
- Amesquite 9 in. dia. bear N. 25° W. 78 lbs. dist.
do 8 " " " East 96 " "
- 80.00 Set a post, marked and notched, 4 ft long, 3 in. sq., 1 ft in the ground, drive charred stakes, and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, all as per instructions for cor. to secs. 11, 12, 13 and 14, from which
- Amesquite 9 in. dia. bear S. 54 1/2° E. 22 lbs. dist.
do 8 " " " S. 1° W. 15 " "
do 6 " " " S. 80 1/2° W. 20 " "
do 8 " " " N. 15° W. 8 " "
- Land in bottom. Soil good.
Mesquite timber.

Township 10 S Range 24 W.

Gila and Salt River Meridian

of E. & W. random line bet sec. 12 & 13.
var. 13°35' East

40.00 Set post for temporary 1/4 sec. cor.

55.00 Leave bottom and ascend mesa, bearing N. E. & S. W.

79.92 Intersect E. boundary 20 lbs. S. of cor. to
secs. 12 & 13. from which cor. Run
S. 89° 51' W.

On line line between secs. 12 & 13

var. 13°35' East

39.96 Set a post, marked 1/4 S. 11 ft long, flat-
tined 3 in. wide 1 ft in the ground, drive chisel
stake and build mound of earth 2 ft high,
with pile 1 ft deep, 2 ft long, 1 ft wide, all as per
instructions for 1/4 sec. cor. from which
Mesquite 10 in. dia. has S. 32 3/4° E. 39' lead
do 12 " " " S. 74° W. 124 " "

79.92 The cor. to secs. 11, 12, 13 and 14.
Sand hillocks on E. portion of this
line. Some mesquite trees.

Township 10 S. Range 24 W.
Gila and Salt River Meridian.

Line North between sec. 11 & 12.

Cor. 13° 35' East

40.00 Set a post, marked 1/4 S. 4 ft long, flattened 3 in.
wide, 1 ft in the ground, drive chanced stake
and build mound of earth 2 ft high, with pit
1 ft deep, 2 ft long, 1 ft wide, all as per instructions
for these cor. from which

A mesquite 10 in dia. bears S. 32 1/2° W. 84 lbs. dist.

do 12 " " " N. 30° W. 71 " "

80.00 Set a post, marked and notched, 4 ft long,
3 in sq. d. 1 ft in the ground, drive chanced stake
and build mound of earth 2 ft high, with
pit 1 ft deep, 2 ft long, 1 ft wide, all as per instruc-
tions for cor. to sec. 1, 2, 11 and 12, from which

A mesquite 10 in dia. bears S. 36° E. 191 lbs. dist.

do 6 " " " N. 53 1/4° E. 315 " "

No other trees near.

Land in bottom. Soil rich. Brush.
Mesquite timber.

Township 10 S. Range 24 N.
Gila and Salt River Meridian

For East meridian line bet. secs. 1 & 12.
cor. $13^{\circ}35'$ East

40.00 Set post for temporary $\frac{1}{4}$ sec. cor.

45.00 Leave bottom and ascend mesa.

79.81 Intersect E. boundary 34 les. N. of cor. to
sec. 1 and 12. from which cor. Dorm
 $N. 89^{\circ}45'$ W.

On line between secs. 1 & 12.
cor. $13^{\circ}35'$ East

39.91 Set up post, marked $\frac{1}{4}$ S. 24 ft long, flat-
tined 3 in wide, 1 ft in the ground, drive
chained stake and build mound
of earth 2 ft high, with pits 1 ft
deep, 2 ft long, 1 ft wide, all as per
instructions for $\frac{1}{4}$ sec. cor.
No trees near.

79.81 The cor. to secs. 1, 2, 11 and 12.
Sand in bottom. Soil good.
No timber.

Township 10 S. Range 24 W.
Gila and Salt River Meridian

The North corner of the 1st 2.

var. $13^{\circ}35'$ East

40.00 Set post for temporary $\frac{1}{4}$ sec. cor.

80.38 Intersect N. boundary 16 les. W. of cor.
to secs. 1 and 2. from which cor. run
S. $0^{\circ}7'$ W.

Between line between secs. 1 and 2.

var. $13^{\circ}35'$ East

40.38 Set a post, marked $\frac{1}{4}$ S. 4 ft. long,
flattened 3 in. wide, 1 ft. in the ground
to be charred stake and build
mound of earth 2 ft high, with pit
1 ft deep, 2 ft long, 1 ft wide, all as per
instructions for $\frac{1}{4}$ sec. cor.

No trees near.

80.38 The cor. to secs. 1, 2, 11 and 12.
Land lead. Soil sandy.

Some mesquite trees.

January 30, 1874

Township 10 S. Range 211 W.
Gila and Salt River Meridian

Lo North between secs 34 & 35
cor. 13° 35' East

40.00 Remove from stone and timber;
Drive charred stake 12 in. down,
and build mound of earth 2 ft high
with pit 1 ft deep, 2 ft long, 1 ft wide,
all as per instructions for 1/4 sec.
cor.

80.00 Drive charred stake 12 in. down,
and build mound of earth 2 ft high,
with pit 1 ft deep, 2 ft long, 1 ft wide,
and in center of pit S. E. of cor. Drive
a stake, marked and notched, 2 ft long,
2 in. sq. 1 ft in the ground, all as per
instructions for cor. to secs. 26, 27,
34 and 35.

Land lead mesa. Soil 1st rate.
Some grass. No timber.

Township 10 S. Range 24 N.
Gila and Salt River Meridian

To East. on random line bet. secs. 26 & 35.
var. 13° 35' East

40.00 Set post for temporary $\frac{1}{4}$ sec. cor.

80.12 Intersect N. & S. line, 8 lvs. N. of cor. to
secs. 25, 26, 35 and 36, from which
cor. drawn

N. 89° 57' N.

on true line between secs. 26 & 35
var. 13° 35' East

40.06 Drive chanced stake 12 in. down
and build mound of earth
2 ft high, with pit 1 ft deep, 2 ft
long, 1 ft wide, all as per instructions
for $\frac{1}{4}$ sec. cor.

80.12 The cor. to secs. 26, 27, 34 and
35.

Land lead. Soil 7^o rate.
No timber.

Township 10 S. Range 24 N.
Gila and Salt River Meridian

Line North between sec. 26 & 27
and 13'35" East

110.00 Drive charred stake 12 in. down
and build mound of earth 2 ft. high
with pits 1 ft. deep, 2 ft. long, 1 ft. wide,
all as per instructions for 1/4 sec. cor.

80.00 Drive charred stake 12 in. down
and build mound of earth 2
ft. high, with pits 1 ft. deep, 2 ft. long,
1 ft. wide, and in center of pit
S. E. of cor. I drive stake marked
and notched, 2 ft. long, 2 in. sq. d.,
1 ft. in the ground, all as per in-
structions for cor. to secs.
22, 23, 26 and 27.

Land lead mesa. Soil sandy.
A little grass. No timber.

Township 10 S. Range 24 W.
Gila and Salt River Meridian

East meridian line bet sec. 23 $\frac{1}{2}$ & 26.
var. 13° 35' East.

40.00 Set post for temporary $\frac{1}{4}$ sec. cor.

79.95 Intersect N. and S. line at cor. to sec.
23. 24. 25 and 26. from which cor.

Down

West

Outline line between sec. 23 $\frac{1}{2}$ & 26.
var. 13° 35' East.

39.98 Drive charred stake 12 in. down,
and build mound of earth 2 ft
high, with pit 1 ft deep, 2 ft long,
1 ft wide, all as per instructions for
 $\frac{1}{4}$ sec. cor.

79.95 The cor. to sec. 22. 23. 26 & 27.
Land lead. Soil 2^o rate.
No timber.

Township 10 S Range 24 N.
Gila and Salt River Meridian

As North Citrus sec. 21 & 23,
cor. 13' 35" East

35.00 *See* me and descend into bottom bet. S. E. & S. W.
40.00 Set apart, marked $\frac{1}{4}$ S. 4 ft long, flattened 3 in.
wide, 1 ft in the ground, drive charred stake and
build mound of earth 2 ft high, with pits 1 ft deep,
2 ft long, 1 ft wide, all as per instructions for $\frac{1}{4}$ S. W.
cor. from which

A mesquite 8 in. dia. bet. S. 40 $\frac{1}{2}$ E. 239 lbs. Dist
No other tree near.

80.00 Set apart, marked and notched, 4 ft long,
3 in. sq. 1 ft in the ground, drive charred stake
and build mound of earth 2 ft high, with
pits 1 ft deep, 2 ft long, 1 ft wide, all as per in-
structions for cor. to secs 14, 15, 22
and 23. No trees near.
Land, wherever bottom. Soil sandy.
No timber.

Township 10 S. Range 24 N.
Gila and Salt River Meridian

No East meridian line bet sees 14 & 23
var. 13° 35' East

38.00 Level bottom and ascend bank of mesa,
bas. N. E. and S. W.

40.00 Set post for temporary T₄ sec. cor.

80.45 Intersect N. and S. line 8 hrs. N. of cor. to
secs. 13, 14, 23 and 24 from which
cor. done

N. 89° 57' W.

On true line between secs. 14 & 23.

var. 13° 35' East

40.22 Set a post, marked T₄ S. 4 ft long, flattened
3 in. wide, 1 ft in the ground, drive chanced
stakes and build mound of earth 2 ft high
with pile 4 ft deep, 2 ft long, 1 ft wide, all as
per instructions for T₄ sec. cor. Notice near.

80.45 The cor. to sec. 14, 15, 22 and 23
Land uneven. Soil 2nd rate.
No timber.

Township 10 S. Range 24 N.
Gila and Salt River Meridians

To North between secs. 14 & 15.

and 13° 35' Ea. L.

40.00

Set a post, marked $\frac{1}{4}$ S. 4 ft long, flattened 3 in.
wide, 1 ft in the ground, drive charred stake
and build mound of earth 2 ft high with pit 1 ft deep,
2 ft long, 1 ft wide, all as per instructions for $\frac{1}{4}$ sec. cor.
A magnete 4 in. dia. bar N. $14\frac{1}{2}$ ° E. 56 lbs. dist.
do 4 " " S. 74 ° E. 74 " "

80.00

Set a post, marked and notched, 4 ft long, 3 in.
sq. ft. 1 ft in the ground, drive charred stake
and build mound of earth 2 ft high, with
pit 1 ft deep, 2 ft long, 1 ft wide, all as per in-
structions for cor. to secs. 10, 11, 14 and
15. from which

A magnete 7 in. dia. bar. N. 60° W. 382 lbs. dist.
No other trees near.
Sand level. Soil good.
Some magnete trees.

Township 10 S. Range 24th.
Gda and Salt River Meridian

Lo East on random line bet. sec. 11 & 14.
var. $13^{\circ}35'$ East

40.00 Set post for temporary $\frac{1}{4}$ sec. cor.

79.94 Intersect N. and S. line 18 ls. N. of cor. to
secs. 11, 12, 13 and 14. from which
cor. drawn

N. $89^{\circ}52'$ W.

On true line between sec. 11 & 14.

var. $13^{\circ}35'$ East

39.94 Set a post, marked $\frac{1}{4}$ S. 4 ft long, flattened 3 in wide,
1 ft in the ground, drive charred stake, and build
mound of earth 3 ft high with pits 1 ft deep, 3 ft long, 3 ft
wide, all as per instructions for these cor. from which
A mesquite 5 in diameter S. 49° E. 142 ls. dist
do 20. " " S. 16° W. 191 " "

79.94 The cor. to secs. 10, 11, 14 and 15.
Sand lead. Soil good. Brush.
Some Mesquite trees.

Township 10 S. Range 24 N.
Gila and Salt River Meridian

As North between secs. 10 & 11

cor. $13^{\circ} 35'$ East.

40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft long, flattened 3 in. wide
1 ft in the ground, drove charred stake and build
mound of earth 2 ft high with pile 1 ft deep, 2 ft
long, 1 ft wide, all as per instructions for $\frac{1}{4}$ sec. cor.
A mesquite 7 in. dia. br. S. 58° E. 235 lbs. last
do 8 " " " S. $21\frac{1}{2}^{\circ}$ E. 209 " "

80.00 Set a post, marked and notched, 4 ft long,
3 in. sq. d. 1 ft in the ground, drove charred
stake and build mound of earth 2 ft high
with pile 1 ft deep, 2 ft long, 1 ft wide, all
as per instructions for cor. to Secs. 2, 3, 10
and 11, from which

A mesquite 10 in. dia. br. S. $51\frac{1}{4}^{\circ}$ N. 209 lbs. last

No other trees near.

Land level. Soil good.

Some mesquite trees.

Township 10 S. Range 24 W.
Gila and Salt River Meridian

Go East on random line between sec. 2 & 11
var. $13^{\circ}35'$ East

30.00 Slough 1 ch. wide, runs S.

31.00 Ascend opposite bank of slough.

33.00 Summit of sand hill and descend.

40.00 Set post for temporary $\frac{1}{4}$ sec. cor.

80.05 Intersect N. and S. line 7 lbs. N. a few. to
secs. 1, 2, 11 and 12. from which cor. Run
N. $89^{\circ}57'$ W.

Continue line between sec. 2 & 11.

var. $13^{\circ}35'$ East

40.02 Set a post, marked $\frac{1}{4}$ S. 4 ft long, flattened
3 in. wide, 1 ft in the ground, brai charred stake
and build mound of earth 2 ft high, with pile
1 ft deep, 2 ft long, 1 ft wide, all as per instructions
for $\frac{1}{4}$ sec. cor. from which

A magnet 12 in dia. in. S. $33\frac{1}{2}^{\circ}$ W. 181 lbs. dist

do 8 " " " S. 17° E. 199 " "

80.05 The cor. to sec. 2, 3, 10 and 11.

Good lead. Soil sandy. Some mesquite trees.

Township 10 S. Range 24 N.
Gila and Salt River Meridian

Line North on main line bet. sec. 2 & 3.
ans. $13^{\circ}35'$ East

40.00 Set post for temporary $\frac{1}{4}$ sec. cor.

80.39 Intersect N. boundary 18 lvs. E. of cor. to sec.
2 and 3 from which cor. from
S. $0^{\circ}8'$ E. on true line bet. sec. 2 & 3.
ans. $13^{\circ}35'$ East

40.39 Set post, marked $\frac{1}{4}$ S. 4 ft long, flattened,
3 in wide, 1 ft in the ground, drive chanced
stake and build mound of earth 2 ft high
with pile 1 ft deep, 2 ft long, 1 ft wide, all as per
instructions for $\frac{1}{4}$ sec. cor. from which
Some quite 8 in. dia. N. 43° E. 38 lvs. dit
do 8 " " S. $10\frac{1}{2}^{\circ}$ E. 42 " "

80.39 The cor. to sec. 2, 3, 10 and 11.
Sand local. Soil sandy.
Some mesquite trees and brush.

January 31, 1872

Township 10 S. Range 24 N.
Gila and Salt River Meridian

↳ North, between secs. 33 & 34.
var. $13^{\circ}35'$ East

40.00 Remote from stone and timber:
Drive charr'd stake 12 in. down and
build mound of earth 2 ft. high, with
pits 1 ft. deep, 2 ft. long, 1 ft. wide, all as per
instructions for 1/4 sec. cor.

80.00 Drive charr'd stake 12 in. down, and
build mound of earth 2 ft. high, with pits
1 ft. deep, 2 ft. long, 1 ft. wide, and in center
of pit S.E. of cor. I drive a stake, made
of oak notched, 2 ft. long, 2 in. sq. d., 1 ft.
in the ground, all as per instructions
for cor. to secs. 27, 28, 33 and 34.

Land level mesa. Soil 2nd rate.
Some grass. No timber.

Township 10 S. Range 24 N.
Gila and Salt River Meridian

On East or random line between secs 27 & 34
cor. 13° 35' East

40.00 Set post for temporary $\frac{1}{4}$ sec. cor.

80.07 Intersect N. $\frac{1}{2}$ S. line at the cor. to secs.
26, 27, 34 and 35, from which
cor. from

West

Outline line between secs 27 & 34
cor. 13° 35' East

40.03 Drive charred stake 19 in. down,
and build mound of earth 2 ft high
with pits 4 ft deep, 2 ft long, 4 ft wide,
and all as per instructions for $\frac{1}{4}$ sec
sec cor

80.07 The cor. to secs. 27, 28, 33
and 34.

Good land. Soil 2nd rate. A little
grass. No timber.

Township 10 S. Range 24 N.
Gila and Salt River Meridian

Line North between secs. 27 & 28.
var. $13^{\circ}35'$ East

29.00 Leave mesa and descend into bottom Colorado
river. hrs. N. E. and S. W.

40.00 Set a post, marked "40", 4 ft long, flattened 3 in. wide, 1 ft in
the ground, drive chanced stake and build mound of earth
2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, all as per in-
structions for "4" sec. cor. from which

Amesquite 10 in. dia. hrs. N. 14° W. 11 lbs. dist

do 4 " " S. $18\frac{1}{2}^{\circ}$ W. 58 " "

80.00 Set a post, marked and notched, 4 ft long, 3 in. sq. in. 1 ft
in the ground, drive chanced stake and build mound of
earth 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, all as per
instructions for cor. to secs. 21, 22, 27 and 28, from which

Amesquite 3 in. dia. hrs. S. 35° W. 160 lbs. dist

do 6 " " N. $64\frac{3}{4}^{\circ}$ W. 148 " "

do 15 " " N. 51° W. 195 " "

do 6 " " N. 17° E. 214 " "

Land mostly bottom. Soil red silt. Considerable
Mesquite timber.

Township 10 S. Range 2424
Gila and Salt River Meridian

To E. corner random line between secs. 22 & 27.
cor. $13^{\circ}35'$ East.

9.00 Leave bottom and second mesa, cor. N. & S.
80.08 Intersect N. & S. line 12 lev. S. & far. to sec.
22. 23. 26 and 27. from which
cor. Damm
S. $89^{\circ}55'$ W.

On true line between secs. 22 & 27.
cor. $13^{\circ}35'$ East.

40.04 Drive chaired stakes 12 in. down and
build mound of earth 2 ft. high,
with pits 1 ft. deep, 2 ft. long, 1 ft. wide,
all as per instructions for $\frac{1}{4}$ sec.
cor.

80.08 The cor. to secs. 21. 22. 27 and 28.
Land mostly mesa.
Soil sandy 2nd rate. No timber.

Township 10 S Range 24 N.

Gila and Salt River Meridian

Line North between sec. 21 & 22.

var. $13^{\circ} 35'$ East

40.00 Set a post, marked $1\frac{1}{2}$ ft long, flattened 3 in. wide,
 1 ft in the ground, drive chanced stake and build mound
 2 ft high, with pile 1 ft deep, 2 ft long, 1 ft wide,
 all as per instructions for these cor. from which
 A mesquite 15 in. dia. br. S. $76\frac{1}{2}^{\circ}$ E. 125 lbs. dist.
 do 8 " " " N. 11° W. 67 " "

80.00 Set a post, marked and notched, 4 ft long, 3 in. sq. d. 1 ft in
 the ground, drive chanced stake and build mound
 2 ft high, with pile 1 ft deep, 2 ft long, 1 ft wide
 all as per instructions for cor. to sec. 15, 16, 21 and
 22. from which

A mesquite 24 in. dia. br. S. $12\frac{1}{2}^{\circ}$ E. 58 lbs. dist.

do 20 " " " S. $47\frac{1}{2}^{\circ}$ E. 65 " "

do 10 " " " S. $52\frac{3}{4}^{\circ}$ W. 70 " "

do 12 " " " S. $22\frac{1}{4}^{\circ}$ W. 98 " "

Sand in bottom. Soil good. Mesquite
 timber.

Township 10 S. Range 24 W.
Gila and Salt River Meridian

No. East on random line bet. sec. 15 & 22.
cor. $13^{\circ}35'$ East

40.00 Set post for temporary 1/4 sec. cor.

79.97 Intersect N. and S. line 10 hrs. S. of cor. to sec.
14, 15, 22 and 23, from which cor. from
S. $89^{\circ}56'$ W.

On true line between sec. 15 and 22
cor. $13^{\circ}35'$ East

39.99 Set a post marked 1/4 S. 4 ft long, flattened &
3 in. wide. 1 ft in the ground, drive charred stakes
and build mound of earth 2 ft high, with pits
1 ft deep, 2 ft long, 1 ft wide, all as per instructions for
1/4 sec. cor. from which

Arms guide 10 in. dia. br. S. $43^{\circ}14'$ W. 54 hrs. dist.
do 9 " " " N. $84^{\circ}12'$ E. 65 " "

79.97 The cor. to sec. 15, 16, 21 and 22.
Land in bottom. Soil good.
Mesquite timber.

Township 10 S. Range 24 W.
Gila and Salt River Meridian

Line North between sec. 15 and 16.

var. 13°35' East

40.00 Set a post, marked $\frac{1}{4}$ in. 4 ft long, flattened 3 in. and
1 ft in the ground, driven chanced stake and build
mound of earth 2 ft high, with pits 1 ft deep, 2 ft
long, 1 ft wide, all as per instructions for 4 sec. cor. from which
A meagrite 11 in. dia. be. S. 8½° E. 27 yds. dist.
do 9 " " " S. 24½° W. 268 " "

80.00 Set a post, marked and notched, 4 ft long, 3 in. sq. ft.
1 ft in the ground, driven chanced stake and build
mound of earth 2 ft high, with pits 1 ft deep, 2 ft long,
1 ft wide, all as per instructions for cor. to sec.
9, 10, 15 and 16, from which
A meagrite 5 in. dia. be. S. 24° W. 107 yds. dist.
do 5 " " " S. 80½° W. 93 " "

No other trees near.

Lead lead. Soil good.

Meagrite timber and brush.

Township 10 S. Range 24 W.
Gila and Salt River Meridian

See East or random line between secs. 10 & 15
arr. 13°35' East

40.00 Set post for temporary 1/4 sec. cor.

80.46 Intersect N. and S. line 15 hrs. S. of cor. to
secs. 10, 11, 14 and 15. from which cor.
Dum.

S. 89°54' W.

Subm line between secs. 10 & 15
arr. 13°35' East

40.23 Set a post, marked 1/4 S. 1/4 flong, flattened 3 in. wide,
1 ft in the ground, drive chased stake and build
mound of earth 2 ft high, with pits 1 ft deep, 2 ft long,
1 ft wide, all as per instructions for 1/4 sec. cor. from which
A was made 10 in. dia. hrs. N. 27 1/2° W. 238 hrs. dist.

do 7 " " " S. 2° W. 94 " "

80.46 The cor. to secs. 9, 10, 15 and 16.

Land lead. Soil good.

Mcquite timber on W. end.

Township 10 S. Range 24 W.

Gda and Salt River Meridian

East North between secs. 9 and 10
cor. $13^{\circ}35'$ East

- 40.00 Set a post, marked 14 S. 4 flong, flattened 3 in. wide,
1/2 in. thick ground, doria charred stake and build mound of
earth 2 fl high, with pit 1 fl deep, 2 fl long, 1/2 fl wide, all as
per instructions for 1 sec. cor. from which
Amesquite 14 in. dia. ber. S. 47° W. 25 lbs. dist.
do 13 " " " S. 30° E. 18 " "
- 80.00 Set a post, marked and notched, 4 fl long, 3 in. sq. fl,
1/2 in. thick ground, doria charred stake, and build
mound of earth 2 fl high, with pit 1 fl deep, 2 fl long,
1/2 fl wide, all as per instructions for cor. to sec. 3,
3, 4, 9 and 10. from which
Amesquite 6 in. dia. ber. N. 52° E. 47 lbs. dist.
do 7 " " " S. 62° E. 68 " "
do 16 " " " S. 31° E. 210 " "
do 4 " " " S. $40\frac{1}{2}^{\circ}$ W. 193 " "
Sand lead. Soil 1st rate. Mesquite
timber.

Township 10 S. Range 24 W.
Gila and Salt River Meridian

to East on random line bet. sec. 3 & 10
var. $13^{\circ}35'$ East

40.00 Set post for temporary $\frac{1}{4}$ sec. cor.

80.17 Intersect N. and S. line 11 hrs. S. of cor. to sec.
2, 3, 10 & 11. from which cor. Run
 $S. 89^{\circ}55'$ W.

on true line between sec. 3 & 10.
var. $13^{\circ}35'$ East

40.08 Set a post, marked $\frac{1}{4}$ S. 4 ft. long, flattened
3 in. wide, 1 ft. in the ground, drive chanced
stake and build mound of earth 2 ft. high
with pile 1 ft. deep, 2 ft. long, 1 ft. wide, all as per
instructions for $\frac{1}{4}$ sec. cor. from which,
at once grade 10 in. dia. be. S. 10° W. 238 lead dist.
No other tree near.

80.17 the cor. to sec. 3, 4, 9 and 10
Land level. Soil good.
Some mesquite trees and brush.

Township 10 S. Range 24 W.
Gila and Salt River Meridian

Go North on random line bet sec 3 & 4
dir. $13^{\circ}35'$ East.

14.00 Road bet. S. W.

40.00 Set post for temporary 1/4 sec. cor.

45.00 Same road bet. S. E.

80.35 Intersect N. boundary 64 hrs. W. of cor. to
sec. 3 and 4, from which cor. down
 $S. 0^{\circ}27'$ W.

On true line between sec. 3 and 4.
dir. $13^{\circ}35'$ East

40.35 Set a post, (near fork of the road,) marked
1st S. 4 ft long, flattened 3 in. wide, 1 ft in the ground, base
chased steel and wood mound of earth 2 ft high with pile
1 ft deep, 2 ft long, 1 ft wide, all as per instructions for these cor.
Armequite 3 in. dia. bet. N. $51^{\circ}E$. 27 hrs. dist
do 4. " " " S. $85^{\circ} \frac{3}{4} W$. 24 " "

80.35 The cor. to sec. 3, 4, 9 and 10.

Land lead. Soil & strata heavy mesquite timber
on N. end.

February 2, 1874

Township 10 S. Range 24 W
Gila and Salt River Meridian

No North between sees. 32 & 33
var. 13° 35' East

40.00 Set a post, marked 4 in. 4 ft long, flattened 3 in.
wide. 1 ft in the ground, drive charred stake and
build mound of earth 2 ft high, with pits 1 ft
deep, 2 ft long, 1 ft wide, all as per instructions
for 1/4 sec. cor. No trees near.

66.00 Leave mesa and descend into bottom br. nearly E. & W.

80.00 Set a post, marked and notched, 4 ft long, 3 in. sq.
1 ft in the ground, drive charred stake and build
mound of earth 2 ft high, with pits 1 ft deep, 2 ft
long, 1 ft wide, all as per instructions for cor. to Secs.
28, 29, 32 and 33, from which

A mesquite 12 in dia. br. N. 56 1/2° E. 46 br. dist

do 20 " " " N. 34° W. 138 " "

do 24 " " " N. 73° W. 191 " "

do 30 " " " S. 3° E. 146 " "

Land mostly mesa. Soil sandy.
Mesquite timber on bottom.

Township 10 S. Range 24th
Gila and Salt River Meridian

Rs East meridian line bet sees. 28 & 33
cor. 13° 35' East.

40.00 Set post for temporary base cor.

65.00 Level bottom and ascend mesa, cor. N. E. & W.

79.70 Intersect N. & S. line 12 cas. N. of cor. to sees.
27, 28, 33, & 34, from which cor. Run
N. 89° 55' W.

Outline line between sees. 28 & 33
cor. 13° 35' East.

39.85 Set a post, marked 14 b. 4 ft long, flattened 3 in.
wide, 1 ft in the ground, drive chanced stake and
build mound of earth 2 ft high, with pile 1 ft deep,
2 ft long, 1 ft wide, all as per instructions for 14 sec.
cor. from which

A mesquite 5 in. dia. cor. N. 67° E. 171 Cas. dist

do 6 " " " N. 44 1/2° W. 155 " "

79.70 The cor. to sees. 28, 29, 32 and 33.
Land mostly in bottom. Mesquite
timber on W. end.

Township 10 S. Range 24 W.
Gila and Salt River Meridian

To North between sec. 28¹/₂ & 29
var. 13° 35' East

38.00 Road var. S. W. and N. E.

40.00 Set a post, (alongside main road,) marked 48 S.
4 ft long, flattened 3 in. wide, 1 ft in the ground, drive chased
stake and build mound 4 ft high, with pits 1 ft deep,
2 ft long, 1 ft wide all as per instructions for 4 sec. cor. from which
Azimuth 4 in. dia. br. S. 77° W. 51 br. dist.
do 9 " " S. 34¹/₂° E. 190 " "

80.00 Set a post, marked and notched, 4 ft long, 3 in. sq. d. 1 ft
in the ground, drive chased stake and build mound
4 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide
all as per instructions for cor. to sec. 20, 21, 28¹/₂ & 29, from which
Azimuth 4 in. dia. br. N. 43° E. 40 br. dist.
do 20 " " N. 66° W. 168 " "
do 5 " " S. 55¹/₂° W. 128 " "
do 10 " " N. 18° W. 151 " "

Land in bottom. Soil good.
Considerable Mesquite timber.

Township 10 S. Range 24 W.
Gila and Salt River Meridian

- L^o East on random line between sec. 21 & 28.
 cor. 13°35' East
 13.00 Road bet. W. of S.
 40.00 Set post for temporary 1/4 sec. cor.
 79.65 Intersect N. and S. line 18 lbs. N. of cor. to sec.
 21, 22, 27 & 28, from which cor. down
 N. 89°52' W.
 On true line between sec. 21 & 28
 cor. 13°35' East
 39.83 Set a post, marked 1/4 S. 4 ft long, flattened 3 in.
 wide, 1 ft in the ground, drive chessed stakes and
 build mound a fourth of ft. high, with pit 1 ft deep,
 2 ft long, 1 ft wide, all as per instructions for 1/4 sec.
 cor. from which
 a mesquite 20 in. dia. bet. S. 9° E. 268 lbs. dist.
 No other trees near.
 79.65 The cor. to sec. 20, 21, 28 and 29.
 Sand lead bottom. Soil good.
 Mesquite timber.

Township 10 S. Range 24 N.
Gila and Salt River Meridian

Line North between secs. 20 & 21

as. $13^{\circ}35'$ East.

40.00 Set a post, marked "48", 4 ft long, flattened 3 in. wide,
1 ft in the ground, drive chanced stake and build
mound of earth 2 ft high, with pits 1 ft deep, 2 ft long,
1 ft wide, all as per instructions for 4 sec. cor. furnished
A mag. pole 10 in. dia. br. S. $52\frac{1}{2}^{\circ}$ W. 58 lbs. dist.
do 12 " " " S. 22° E. 45 " "

43.00 Slough 80 lbs. wide, runs S. W.

80.00 Set a post, marked and notched, 4 ft long, 3 in. sq. ft
1 ft in the ground, drive chanced stake and build mound
of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide
all as per instructions for cor. to Secs. 16, 17, 20
and 21, from which

A mag. pole 15 in. dia. br. S. $24\frac{1}{2}^{\circ}$ E. 30 lbs. dist.
do 16 " " " S. $56\frac{1}{4}^{\circ}$ E. 64 " "
do 18 " " " N. 43° W. 124 " "
do 14 " " " N. $42\frac{3}{4}^{\circ}$ E. 135 " "

Sand loam. Soil 1st rate. Mesquite timber.

Township 10 S. Range 24 N.
Gila and Salt River Meridian

See East on random line bet sec. 16 $\frac{1}{2}$ 21
var. $13^{\circ}35'$ East.

40.00 Set post for temporary $\frac{1}{4}$ sec. cor.

42.10 Road bet. W. of S.

49.62 Intersect N. $\frac{1}{2}$ S. line 35 bet. N. $\frac{1}{4}$ sec. to
secs. 15, 16, 21 and 22, from which cor.

Down

N. $89^{\circ}45'$ W.

Outline line between secs. 16 $\frac{1}{2}$ 21.

var. $13^{\circ}35'$ East.

39.81 Set a post, marked 14 S. 4 ft long, flattened 3 in.
wide, 1 ft in the ground, braced with stake and
board around of each 2 ft high, with pit 1 ft deep,
2 ft long, 1 ft wide, all as per instructions for $\frac{1}{4}$ sec. cor.

A mesquite 3 in. dia. bet. N. $24\frac{1}{2}^{\circ}$ E. 20 Cor. dist.

do 9 " " " N. $1\frac{1}{2}^{\circ}$ E. 21 " "

49.62 The cor. to secs. 16, 17, 20 and 21.

Land lead. Soil $\frac{1}{2}$ in. Heavy mes-
quite timber on W. end.

Township 10 S. Range 24 N.
Gila and Salt River Meridian

Line North between secs. 16th & 17th
var. 13°35' East

40.00 Set a post, marked 14 S. 4 ft long, flattened 3 in wide
1 ft in the ground, drive chased stake and build
mound of earth 2 ft high, with pile 1 ft deep, 2 ft
long, 1 ft wide, all as per instructions on 1/4 sec. cor. of which
A mesquite 10 in dia. br. S. 15° E. 121 br. dist
do 13 " " " N. 46 1/2° E. 58 " "

80.00 Set a post, marked and scratched, 4 ft long, 3 in 1/2 ft
1 ft in the ground, drive chased stake and build
mound of earth 2 ft high, with pile 1 ft deep, 2 ft long
1 ft wide, all as per instructions for cor. to secs.
8, 9, 16 and 17, from which
A mesquite 12 in dia. br. N. 65° E. 310 br. dist
do 14 " " " N. 34° W. 295 " "

Another trees near.

Sand loam. Soil st. rate.

Much mesquite on S. end.

Township 10 S. Range 24 W.
Gila and Salt River Meridian

Line East on random line between secs. 9 & 16
var. $13^{\circ}35'$ East

40.00 Set post for temporary sec. cor.

41.00 Old road cor. S.W.

62.60 Main road to the ranches cor. W. of S.

79.53 Intersect N. and S. line 61 lbs. N. of cor. to sec.
9, 10, 15 & 16. from which cor. Turn
N. $89^{\circ}34'$ W.

On true line between secs. 9 & 16.

var. $13^{\circ}35'$ East.

39.77 Set a post, marked "H.S." 4 ft long, flattened 3 in.
wide. 1 ft in the ground, drive chanced stake and
build mound of earth 2 ft high with pit 1 ft
deep, 2 ft long. 1 ft wide, all as per instructions for "H
sec. cor. from which

A mesquite 6 in. dia. N. $61\frac{1}{2}^{\circ}$ E. 80 lbs. dist.

do 12 " " " S. 43° W. 54 " "

79.53 The cor. to sec. 8, 9, 16 and 17.

Land in bottom. Soil good. Mesquite
timber.

Township 10 S. Range 24 N.
Gila and Salt River Meridian

As North between sec. 8th & 9.
var. $13^{\circ}35'$ East

23.00 Slough 40 lbs. wide, runs NW.

40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft long, flattened 3 in. wide,
1 ft in the ground, drive chased stake and build mound
of earth 2 ft high, with pits 4 ft deep, 2 ft long, 1 ft wide,
all as per instructions for 1st sec. cor. from which
A mesquite 3 in. dia. bears N. $26\frac{1}{2}^{\circ}$ E. 10 lbs. dist.
do 20. " " N. 76° W. 64 " "

80.00 Set a post, marked and notched, 4 ft long, 3 in.
sqd. 1 ft in the ground, drive chased stake
and build mound of earth 2 ft high, with
pits 4 ft deep, 2 ft long, 1 ft wide, all as per in-
structions for cor. to sec. 4, 5, 8 and 9
from which
A mesquite 4 in. dia. bears S. $57\frac{1}{2}^{\circ}$ E. 109 lbs. dist.
do 14 " " S. $75\frac{1}{2}^{\circ}$ W. 86 " "
No other tree near. Sand land. Soil red rate.
Heavy mesquite on last end.

Township 10 S. Range 24 W.
Gda and Salt River Meridian.

To E. on random line between secs. 4 & 9
on. $13^{\circ}35'$ East

21.00 Road bet. N. W. and S. E.

40.00 Set post for temporary true cor.

74.00 Road runs S.

79.57 Intersect N. and S. line 6 kn. N. of corner
3. 4. 9 and 10. from which cor. down
N. $89^{\circ}57'$ W.

On true line between secs. 4 and 9
on. $13^{\circ}35'$ East

39.79 Set a post, marked "4 S. 4 ft long, flattened
3 in wide, 4 ft in the ground, driven charred stake
and build mound of earth 2 ft high, with pile of
deaf. 2 ft long, 4 ft wide, all as per instructions for
sec. cor. from which

A magnetic 12 in dia. bar S. $75^{\circ}14'$ E. 55 kn. bet.

do 24 " " " N. $31^{\circ}11'$ W. 65 " "

79.57 The cor. to secs. 4. 5. 8 and 9.

Land lead. Soil good. Mesquite timber and brush.

Township 10 S. Range 24 N.
Gila and Salt River Meridian

- No Northward run line bet. sec. 4 & 5.
are. 13° 35' East.
- 40.00 Set post for temporary $\frac{1}{4}$ sec. cor.
- 50.00 Slough 500 yds. wide, runs S. W.
- 80.20 Dubious N. boundary 1500 yds. W. of cor. to sec.
4 & 5, from which cor. from
S. 0° 6' W. on line bet. sec. 4 & 5
are. 13° 35' East
- 40.20 Set a post, marked $\frac{1}{4}$ S. 4 ft. long, flattened
3 in. wide, 4 ft. in the ground, laid charred
stake and build mound of earth 2 ft. high
with pile 1 ft. deep, 2 ft. long, 1 ft. wide, all as per
instructions for $\frac{1}{4}$ sec. cor. from which
A. 100 yds. 8 in. dia. N. 23 $\frac{1}{4}$ ° E. 70 yds. dist
do 7 " " " N. 15 $\frac{1}{4}$ ° E. 68 " "
- 80.20 The cor. to sec. 4, 5, 8 and 9.
Lead lead. Soil good. Some mes-
quite timber.
- February 3, 1874

Township 10 S. Range 24 N.
Gila and Salt River Meridian

to North between sec. 31 & 32.
var. 13° 35' East

35.00 Clear mesa and descend into bottom, var. N. E. and S. W.

40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft long, flattened 3 in wide, 1 ft in
the ground, drive charred stake and build mound
of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft
wide, all as per instructions for these co.
No trees near.

50.00 Set a post, marked and notched, 4 ft long, 3 in sq,
1 ft in the ground, drive charred stake and build mound
of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide, all
as per instructions for co. to sec. 29, 30, 31 and 32
from which

A mesquite 20 in. dia. var. S. 63 $\frac{1}{2}$ ° W. 132 lbs. dist

A willow 16 " " " N. 57 $\frac{1}{2}$ ° W. 358 " "

No other trees near. A slough just N. of cor. runs

N. Land lead. Soil good.

Mesquite and some willow trees.

Township 10 S. Range 24 W.
Gila and Salt River Meridian

Line Eastmond line bet. secs. 29 & 32
cor. $13^{\circ}35'$ East.

19.00 Summit of sand hill and descend.

37.00 Fence of corral runs N. and S.

38.00 Fence of corral runs N. and S. and leave it.

40.00 Set post for temporary Mecc. cor.

51.00 Bush corral bet. N.W. and S.E.

54.00 Leave same.

80.28 Intersect N. & S. line 8 lvs. N. of cor. to secs.

28.29.32 & 33. from which cor. down

N. $89^{\circ}57'$ N. onto line bet. secs. 29 & 32

cor. $13^{\circ}35'$ East

40.14 Set a post, marked with yellow, flattened 3 in. wide, 1 ft. in the ground, driven about
stake and build mound of earth 2 ft. high with pile of brush 2 ft. long 1 ft. wide, all as per

instructions for Mecc. cor. from which

A mesquite 10 in. dia. bet. N. $6^{\circ}E$. 76 lvs. dist.

do 12 " " " N. $81^{\circ}E$. 60 " "

Home of stock ranch of Estevan Redondo bet. S. 57° W.
about 6 lvs. dist. A number of corals in the vicinity.

80.28 The cor. to secs. 29. 30. 31 and 32.

Land bad. Soil good. Mesquite timber.

Township 10 S. Range 24th.
Gila and Salt River Meridian

Lot 1 Westward line bet. sec. 30¹/₂ & 31
cor. 13° 35' East

16.00 Slough 50 lbs. wide, runs S. W.

40.00 Set post for temporary 4 sec. cor.

79.91 Intersect W. boundary 14 lbs. S. of cor. to sec.
30¹/₂ & 31. from which cor. Run
S. 89° 54' E.

Outline line between sec. 30¹/₂ & 31
cor. 13° 35' East

39.91 Set a post marked 74 S. 4 ft long, flattened 3
in wide, 1 ft in the ground, drive charred stake
and build a mound of earth 2 ft high with post
1 ft deep, 2 ft long, 1 ft wide, all as per instructions
for 4 sec. cor. from which

A willow 6 in dia. bet. S. 3° W. 85 lbs. dist
do 5 " " S. 45¹/₂° W. 109 " "

79.91 The cor. to sec. 29, 30, 31 and 32.
Land uneven. Soil good. Mesquite and
Willow trees.

Township 10 S. Range 24 W.
Gila and Salt River Meridian

No North between secs. 29 & 30.
Cor. $13^{\circ} 35'$ East

40.00 Set a post, marked $\frac{1}{4}$ S. $\frac{1}{4}$ ft long, flattened 3 in.
wide, 1 ft in the ground, drive charr'd stake and
build mound of earth 2 ft high, with pit 1 ft deep,
2 ft long, 1 ft wide, all as per instructions for $\frac{1}{4}$ sec.
cor. from which

A megnide 15 in. dia. bearing $N. 62^{\circ} \frac{3}{4}' E.$ 16 ls. dist.
do 20 " " " $S. 41^{\circ} E.$ 11 " "

80.00 Set a post, marked and bruted, $\frac{1}{4}$ ft long, 3 in. sq ft
1 ft in the ground, drive charr'd stake and build mound
of earth 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide
all as per instructions for cor. to sec. 19, 20, 29 & 30.

A megnide 12 in. dia. bearing $N. 75^{\circ} \frac{1}{2}' E.$ 52 ls. dist.
do 18 " " " $S. 22^{\circ} \frac{1}{2}' E.$ 132 " "
do 14 " " " $S. 37^{\circ} \frac{1}{2}' W.$ 86 " "
do 5 " " " $N. 18^{\circ} \frac{1}{2}' W.$ 121 " "

Land lead. Soil rich, Heavy mesquite
in land.

Township 10 S. Range 24 N.
Gila and Salt River Meridian

To East meridian line bet sec. 20 & 29
var. 13° 35' East

40.00 Set post for temporary. These cor

50.00 Slough 70 lbs. wide, runs N. of S.

60.00 Slough 50 " " " W. of S.

79.92 Intersect N. and E. line 11 lbs. S. of cor. to
secs. 20, 21, 28 & 29, from which cor. down
S. 89° 55' N. on true line bet sec. 20 & 29
var. 13° 35' East

39.96 Set a post, marked "4", 4 ft long, flattened 3 in. wide,
spike in ground, do in charred stake and build mound
against 2 ft high, with pit 4 ft deep, 2 ft long, 1 ft wide,
also per instructions for these cor. from which
A. 10° W. 140 lbs. dist
do 5 " " " A. 89° W. 79 " "

79.92 The cor. to secs. 19, 20, 29 and 30.
Sand loam. Soil strata
Some nice granite timber.

Township 10 S. Range 24 N.
Gila and Salt River Meridian.

On West meridian line bet sec. 19 & 30.
cor. 13° 35' East

40.10 Set post for temporary 4 sec. cor.

80.10 Intersect W. boundary 13 cor. N. of cor. to sec.
19 and 30, from which cor. from
N. 89° 54' E.

On true line between a secs. 19 & 30.

cor. 13° 35' East

10 Set a post, marked 44 S. 4 ft long, flattened 3 in. wide,
1 ft in the ground, drove chased stakes and build
mound of earth 2 ft high, with pit 1 ft deep, 2 ft long
1 ft wide, all as per instructions for these cor. from which
A. megquite 3 in. dia. N. 49° W. 50 cor. dist
do 6 " " S. 15° W. 65 " "

80.10 Secor. to Secs. 19, 20, 29 and 30.

Land level. Soil good. Brush.
Some mesquite timber.

Township 10 S. Range 24 W.
Gila and Salt River Meridian

Line North between secs. 19 and 20.
cor. 13°35' East

40.00 Set a post marked 4 x 8 1/2 ft long, flattened 3 in.
wide, 1 ft in the ground, drive channel stake and
build mound of earth 2 ft high, with pits 1 ft deep,
2 ft long, 1 ft wide, all as per instructions for
these cor. from which
A once quite 15 in. dia. br. N. 83 1/2° E. 67 ft. dist
do 24 " " North 148 " "

80.00 Set a post, marked and notched, 4 ft long,
3 in. sq. d. 1 ft in the ground, drive channel stake
and build mound of earth 2 ft high, with pits 1 ft deep,
2 ft long, 1 ft wide, all as per instructions for cor. to
secs. 17, 18, 19 and 20. from which
A once quite 11 in. dia. br. S. 69 1/4° W. 26 ft. dist
do 8 " " " N. 65 3/4° E. 46 " "
do 8 " " " N. 45 1/2° E. 64 " "
do 9 " " " S. 66 3/4° E. 61 " "

Sand lead. Soil good.

Mesquite timber.

Township 10 S. Range 24 W.
Gila and Salt River Meridian

- 17.20 East meridian line bet. secs. 17 & 20
 var. $13^{\circ}35'$ East
- 39.80 Slough 40 lbs. wide, runs S.
- 40.00 Set post for temporary $\frac{1}{4}$ sec. cor.
- 80.10 Intersect N. and Blinn 7 lbs. N. of cor. to secs.
 16, 17, 20 and 21, from which cor. Run
 N. $89^{\circ}05'$ W.
- Return line between secs. 17 & 20.
 var. $13^{\circ}35'$ East
- 40.05 Cor falls in slough; at a point 50 lbs. W. Set
 a post, marked $\frac{1}{4}$ S. 4 ft long, flattened 3 in wide,
 1 ft in the ground, drive charred stakes and build
 mound of earth 2 ft high, with pits 1 ft deep, 2 ft
 long, 1 ft wide, all as per instructions for return
 $\frac{1}{4}$ sec. cor. from which
- Run a gage 12 in. dia. lbs. S. 34° E. 105 lbs. dist.
 do 10 " " " South 85 " "
- 80.10 The cor. to secs. 17, 18, 19 and 20.
 Land low. Soil rich. Heavy mesquite.

Township 10 S Range 34 N.
Gila and Salt River Meridian

Sec. West on random line bet. Secs. 18 & 19
var. $13^{\circ}35'$ East

17.00 Blough, 90 lbs. wide, runs S. W.

40.00 Set post for temporary face cor.

79.84 Intersect W. boundary 10 lbs. N. of face line
18 & 19. from which cor. down
N. $89^{\circ}56'$ E.

On true line between secs. 18 & 19
var. $13^{\circ}35'$ East

39.84 Set apart, marked by S. 4 ft long, flattened
3 in wide 1 ft in the ground, brass chisel
tree and build mound of earth 2 ft high
with pits 1 ft deep, 2 ft long, 1 ft wide all as per
instructions for face cor. from which
A wooden 6 in. dia. bar West 76 lbs. dist
No other trees near.

79.84 The cor. to secs. 17, 18, 19 and 20
Land low and flat, very muddy.
Willow and arrowwood brush.

Township 10 S. Range 24 W.
Gila and Salt River Meridian

No North between secs. 17 and 18.
var. 13° 35' East

40.00 Set a post, marked 4 1/2 ft long, flattened
3 in. wide, 1 ft in the ground, drive chanced stakes
and build mound a foot or 2 ft high, with pits
1 ft deep, 2 ft long, 1 ft wide, all as per instructions
for these cor. from which
A mesquite 5 in. dia. bet. N. 44 1/2° W. 104 lbs. dist.
do 8 " " " N. 18 1/4° W. 138 " "

80.00 Set a post, marked and notched, 4 ft long, 3 in.
sq. ft. 1 ft in the ground, drive chanced stakes and
build mound a foot or 2 ft high, with pits 1 ft
deep, 2 ft long, 1 ft wide, all as per instructions
for cor. to secs. 7, 8, 17 & 18. from which
A willow 7 in. dia. bet. S. 33 1/2° W. 172 lbs. dist.
A mesquite 4 " " " N. 83 1/2° E. 87 " "

No other trees near.
Land rather low. Soil rich.
Heavy mesquite.

Township 10 S. Range 24 W.
Gila and Salt River Meridian

As East. meander line bet. sec. 8 & 17
var. 13°35' East.

31.00 Blough 80 lbs. wide, runs S.W.

40.00 Set post for temporary 1/4 sec. cor.

80.09 Intersect A. and B. line, 13 lbs. N. of cor. to sec.
8, 9, 16 and 17, from which cor. Run
N. 89°54' W.

Set true line between sec. 8 & 17.
var. 13°35' East.

40.05 Set a post marked 1/4 S. 4 ft. long, flattened
3 in. wide, 1/2 in. the ground, drive chiseled stake
and build mound of earth 2 ft. high, with
posts 1 ft. deep, 2 ft. long, 1/2 in. wide, all as per in-
struction for 1/4 sec. cor. from which
A mesquite 4 in. dia. N. 84.5° W. 132 lbs. dist.
to other tree near.

80.09 The cor. to sec. 7, 8, 17 and 18.

Land lead. Soil 1st rate. Mesquite
timber.

February 4, 1871

Township 10 S. Range 24 W.
Gila and Salt River Meridian

Set Metamordon line between sec. 7 & 18.
cor. $13^{\circ}35'$ East.

40.00 Set post for temporary $\frac{1}{4}$ sec. cor.

79.60 Intersect W. boundary 38 lbs. N. of cor.
to sec. 7 & 18, from which cor. Run
 $N. 89^{\circ}44' E.$

On true line between sec. 7 & 18
cor. $13^{\circ}35'$ East.

39.60 In field of wild hemp. Set a post, marked
 $\frac{1}{4}$ S. of $\frac{1}{4}$ long, flattened 3 in. wide, 1 ft in the
ground, drive charred stake and build
mound of earth 2 ft high, with pile 1 ft
deep, 2 ft long, 1 ft wide, all as per instruc-
tions for $\frac{1}{4}$ sec. cor.

No trees near.

79.60 Sand loam. Soil 1 strata.
Willow on W. end.

Township 10 S. Range 24 N.
Gila and Salt River Meridian

To North between sec. 7 & 8.

az. $13^{\circ} 35'$ East.

40.00 Set a post, marked $\frac{1}{4}$ S. $\frac{1}{4}$ ft. long, flattened
3 in wide, 1 ft in the ground, drove charred stake
and build mound of earth 2 ft high, with pit
1 ft deep, 2 ft long, 1 ft wide, all as per instruc-
tion for these sec. From which
Azimuth 6 in dia. be. N. 18° E. 92 be. dist.

do 4 " " " S. $85\frac{1}{2}^{\circ}$ W. 95 " "

80.00 Set a post, marked and notched, $\frac{1}{4}$ ft. long
3 in sq'd, 1 ft in the ground, drove charred stake
and build mound of earth 2 ft high, with
pit 1 ft deep, 2 ft long, 1 ft wide, all as per in-
struction for con. to sec. 5, 6, 7 and
8. from which

Azimuth 4 in dia. be. S. $85\frac{1}{2}^{\circ}$ W. 186 be. dist.
No other trees near.

Land level. Soil 1^{st} rate. Mesquite timber
and some cottonwood and willow tree.

Township 10 S. Range 24 W.
Gila and Salt River Meridian

See East on random line bet. sec. 5 & 8.
var. 13° 35' East

40.00 Set post for temporary 1/4 sec. cor.

79.91 Intersect N. and E. line 7/8 S. of corner sec.
4.5.8 & 9. from which cor. Town
S. 89° 54' W.

On true line between sec. 5 & 8.
var. 13° 35' East

39.96 Set a post, marked 1/4 S. 4 ft long, flattened
3 in wide, 1 ft in the ground, drive charred
stave and build mound of earth 2 ft high
with pits 1 ft deep, 2 ft long, 1 ft wide, all
as per instructions for 1/4 sec. cor. from which
A mesquite 5 in. dia. br. N. 25° W. 10 lbs. dist.
do 8 " " " N. 23° E. 17 " "

79.91 Recor. to sec. 5, 6, 7 and 8.
Land level. Soil good.
Some mesquite.

Township 10 S. Range 24 W.
Gila and Salt River Meridian

See Met. on and on line bet. sec. 6⁷ & 7.
var. 13° 35' East.

40.00 Set post for temporary 1/4 sec. cor.

80.13 Intersect W. boundary 16 W. S. of cor.
to sec. 6⁷ from which cor. Run
S. 89° 53' E.

On line between sec. 6⁷ & 7.

var. 13° 35' East

40.13 Set a post, marked 1/4 S. 4 ft. long, flattened
3 in. wide, 1 ft. in the ground, drive charred
stake and build mound of earth 2 ft. high
with pts. 1 ft. deep, 2 ft. long, 1 ft. wide, all as
per instructions for 1/4 sec. cor.
Some willow brush near, but none big
enough to measure.

80.13 This cor. to sec. 5, 6, 7 and 8.
Land level. Soil good. Some willows
on W. end.

General Description

The land of this Township, with the exception of the S.E. corner, lies along the Colorado bottom. Soil mostly good, much of it is very rich, covered with a dense growth of arrow wood brush, wild hemp growing to a height of 8 to 10 feet, and in places heavy mesquite timber and along the western border considerable willow and occasional cotton-wood trees.

Thos. F. White
U.S. Dep. Surveyor

LIST OF NAMES.

A List of the Names of Individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing Field Notes of the survey of *the Subdivision Lines of Township 10 S. Range 24 W. of the Gila and Salt River Meridian*

Showing the respective capacities in which they acted.

<i>J. D. Phillips</i>	Chainman.
<i>R. A. Vasquez</i>	Chainman.
<i>Fred. C. Jones</i>	Axeman.
<i>J. M. C. Elliott</i>	Flagman.

FINAL OATH OF ASSISTANTS.

WE hereby certify that we assisted Theodore
F. White U. S. Deputy Surveyor, in
 surveying the Subdivision lines
of Township 10 S. range 24
W. of the Gila and Salt River
Meridian

and that said Survey has been in all respects, to
 the best of our knowledge and belief, well and
 faithfully executed, and the boundary monu-
 ments planted according to the instructions fur-
 nished by the Surveyor General.

J. P. Phillips Chainman

R. A. Vargo Chainman

Fred. Malone Axeman.

J. M. B. Elliot Flagman.

Sworn to and subscribed before me, this 30
 day of March, 1874.

W. H. Murray
 Notary Public.

FINAL OATH OF DEPUTY SURVEYOR.

I, Theodore F. White

U. S. Deputy Surveyor do solemnly swear that,
in pursuance of a contract with John Wasson,
United States Surveyor-General for Arizona, bear-
ing date the 7 day of July

1873 I have well, faithfully and truly, in my
own proper person, and in strict conformity with
the instructions furnished by the Surveyor-Gener-
al, the Surveying Manual, and the laws of the
United States, surveyed all those portions of

The Subdivision Lines of Town-
ship 10 S. range 9 + 11 W.
of the Gila and Salt River
Meridian

_____ as are repre-
sented in the foregoing Field Notes as having


66
BOOK 1008
been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and also in accordance with the additional requirements contained in circular instructions from the U. S. Surveyor-General for Arizona, dated September 1, 1873, regarding the establishment of corner boundaries of public surveys, and that the foregoing are the true and original Field Notes of such surveys.

Theodore F. White

Deputy Surveyor.

Sworn to and subscribed before me, this 30
day of *March*, 1874

W. H. ...
Notary Public



U. S. Surveyor General's Office,
Tucson, Arizona, April 15, 1874

The foregoing Field Notes of the survey of

The subdivision lines of Town
Ship 10 S. range 24 N.

of the Gila and Salt River Base and Meridian, Arizona,
executed by Theodore F. White,
D. S., under his contract of the second day of
July, 1873, having been critically ex-
amined and the necessary corrections and explanations
made, the said Field Notes and the surveys they de-
scribe, are hereby approved.