

Recd Jan 6-1893

Book

Sent to G.L.O. 3-4/93

BOOK 1202

Original
Noted
Compared

No. 1202

Approved April 27-1893

1202

4-671 BOOK 1202

FIELD NOTES

GENERAL LAND OFFICE.

OF THE

SUBDIVISIONS.

Tp. 7. S. R. 8. W.

By Lewis Wolfley.

Under Contract No 22.

Dated May 26-1892.

Survey Commenced Nov 17. 1892

Survey Completed Nov. 22. 1892.

Indexed, Book 1201.

50

Township 7 S R. 8 W

6	93	5	67	4	51	3	2	1
91		90		66				
7	88	8	64	9	10	11	12	
86		85		62				
18	83	17	61	16	15	14	13	
82		80		59				
19	78	20	58	21	22	23	24	
77		75		56				
30	74	29	54	28	27	26	25	
72		71		53				
31	69	32	51	33	34	35	36	

Subdivision of T. O. R. & W.

3 1/2 ft. base around post
 60.00 Enter Malpais and ascend
 80.25 The cor. to Secs 3, 4, 9 + 10
 Land 60 chd mesa
 " 20 " Malpais
 Poil on mesa 2nd rate
 " " Malpais worthless
 Nov. 5-1892

From the cor. to Secs
 4, 5, 32 and 33, on the
 Bay of The Tfc.

Iron

No^o 2' W bet Secs 32 and 33
 Va. 12° 12' E.

40.00 Set a post 3 ft. long 3
 ins. square with marked
 stone 12 ins. in the ground
 for 1/4 Sec. cor, marked 1/4 S.

Subdivisions Tr. 7

Chassis on W. face, dug pits
 18 x 18 x 12 ins. N. end of
 of post 5 1/2 ft. dist. and
 raised a mound
 of earth 1 1/2 ft. high
 13 1/2 ft. base around post

80.00 Set a post 4 ft. long
 4 ins. square with
 marked stone 12 ins.
 in the ground for cor.
 to Secs 28. 29. 32 + 33
 marked

T. 7. S. 28. on N.E.
 R. 8 W. 33. on S.E.
 S 32. on S.W. and
 S 29. on N.W. faces
 with 1 notch on S.
 and 4 notches on
 E. edges, dug pits 18 x 18

South Range S. W.

Chains x 12 ins. in each. Sec. 5 1/2
 ft. dist. and raised a
 mound of earth 2
 ft. high 4 1/2 ft. base
 around post
 Land level mesa
 Soil 1st rate

$89^{\circ}58'E$ on a random
 line bet Secs 28 + 33

Pa. $12^{\circ}30'E$.

40.00 Set temporary 1/4 Sec. cor

86.00 Intersect the N. and S.
 line at 14 lks. S. of cor.
 to Secs 27, 28, 33 and 34

Thence I run
 $89^{\circ}55'W$ on a true line
 bet. Secs 28 + 33.

Subdivisions, Tr. 7.

Claims

Va. 12°30'E.

40.00 Set a post 3 ft. long 3
 ins. square, with marked
 stone 12 ins. in the
 ground for $\frac{1}{4}$ Sec. or
 marked $\frac{1}{4}$ S. on N. face
 dug pits 18x 18x 12 ins.
 E. and W. of post $5\frac{1}{2}$
 ft. dist. Pudd raised a
 mound of earth $1\frac{1}{2}$
 ft. high $3\frac{1}{2}$ ft. base
 around post

80.00 The cor. to Secs 28, 29, 32 & 33
 Land level mesa
 Soil 1st gate

N0°2'W. bet Secs 28 & 29

Va. 12°30'E.

South Range 8 west

Claims

46.00 Set a post 3 ft. long 3 ins. square with marked stone 12 ins. in the ground for 1/4 Sec. cor, marked 1/4. On W. face dug pits 18 x 18 x 12 ins. N. and S. of post 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft high 5 1/2 ft base around post.

70.00 Set a post 4 ft. long 4 ins. square with marked stone 12 ins. in the ground for cor. to Secs 20-21, 28+29 marked

T. 7. S. 21. on N. E.

R. 8. W. 28. on S. E.

S. 29. on S. W. and

Subdivisions Tfr. 7.

Chains 0.20 on N.W. faces with
 2 notches on S. and 4
 notches on E. edges, dug
 pits 18x18x12 ins. in
 each Sec. 5 1/2 ft. deep
 and raised a mound
 of earth 2 ft high 4 1/2
 ft. base around post
 Land level mesa
 Soil 1/2 rate

N 89° 56' E. on a random
 line bet. Secs 21 + 28
 Va 120 45 E.

40.00 Set temporary 1/4 Sec cor
 79.80 Interest The N. and S
 line at cor. to Secs 21.22
 27 + 28

South Range T. West

Chaina Thence I run

079°56'W. on a true line
bet. Secs 21 and 28

Pa. 12°45'E.

39.90 Set a post 3 ft. long 3
ins. square with marked
stone 12 ins. in the ground
for $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$ S
on N. face, deep pits 18x18x
12 ins. E. and W. of post $5\frac{1}{2}$
ft. dist. and raised a
mound of earth $1\frac{1}{2}$ ft. high
 $3\frac{1}{2}$ ft. base around post

79.80 The cor. to Secs 20, 26, 28 + 29
Land level mesa
Soil 1st rate
Some surface gravel

Subdivisions T. 7.

Chassis N^o 2' W. bet Secs 20 + 21
 Fa. 12° 45' E.

40.00 Set a post 3 ft long
 3 ins. square with marked
 stone 12 ins. in the ground
 for 14. Sec. cor. marked 14
 P. on N. face. dug pits 18
 x 18 x 12 ins. N. and S. of post
 5 1/2 ft. dist. and raised a
 mound of earth 1 1/2 ft
 high 3 1/2 ft. base around
 post

80.00 Set a post 4 ft. long 4
 ins. square with marked
 stone 12 ins. in the
 ground for cor. to Secs
 16, 17, 20 + 21. marked
 T. 7. D. S. 16. on N. E.
 R. 8. W. S. 21. on S. E.

South Range & West

Chain S. 20. on S.W. Quad

S 17. on N.W. faces with
3 notches on S. Quad & notches
on E. edges, dug pits 18x18
x 12 ins. in each Sec 5 1/2
ft. dist. Quad raised a
mound of earth 2 ft
high 4 1/2 ft. base around
post

Land level mesa
Soil 1st rate

N 89° 56' E. on a random
line bet Secs 16 Quad 2
Va. 12° 12' E.

40.00 Set temporary 1/4. Sec. cor
79.80 Intersect the N. Quad S. line
at 16. lks. S. of the cor. to Secs

Subdivisions Tr. 7

Chavis 15, 16, 21 and 22

Thence I run

$0.89^{\circ} 49' W$ on a true
line bet Secs 16 & 21

$7a. 12^{\circ} 12' E.$

39.90 Set a post 3 ft. long
3 ins. square with
marked stone 12 ins. in
the ground for $\frac{1}{4}$ Sec. cor
marked $\frac{1}{4}$ W. on N. face
dug pits $18 \times 18 \times 12$ ins.
E. End W. of post $5\frac{1}{2}$ ft
dist. and raised a mound
of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$
ft. base around post

79.80 The cor. to Secs. 16, 17, 20 & 21

Land level mesa

Soil 1 $\frac{1}{4}$ rate

Considerable mesquite

South Range & West
 main and grasswood brush.

N^o 2' W. bet Secs 16 & 17

74. 12° 12' E.

40.00 Set a post 3 ft. long 3 ins.
 square with marked
 stone 12 ins. in the ground
 for 1/4 sec. cor. marked 1/4 S
 on W. face, dug pits 18 x
 18 x 12 ins. N. End S. of
 post 5 1/2 ft. dist. and raised
 a mound of earth 1 1/2 ft
 high 3 1/2 ft. base around
 post

76.00 Ascend over Malpais

80.00 Set a post 4 ft. long 4 ins.
 square with marked
 stone 12 ins. in the ground

Subdivisions T_p. 7.

Chains for cor. to Secs 8, 9, 16 + 17
marked

T. 7 S. 1. 9. on N.E.

R. 5. W. 16. on S.E.

S. 17. on S.W. end

O. 18. on N.W. faces with
H notches on S. and E.

edges, and raised a
mound of stone $1\frac{1}{2}$ ft
high 2 ft base around foot
Land level

Soil on mesa $1\frac{1}{4}$ rate

" " Malpais $4\frac{1}{4}$ rate

N $89^{\circ}49'E$ on a random
line bet. Secs 9 and 16

S $79.12^{\circ}30'E$

40.00 Set temporary $1\frac{1}{4}$ Sec. cor

South Range & West.

Chanis

79.70 Intersect the N. and S. line
at $1\frac{1}{2}$ m. N. of cor. to Secs
9, 10, 16 + 15

Thence I run

$S 89^{\circ} 54' W.$ on a true line
bet. Secs 9 and 16

$S 12^{\circ} 30' E.$

79.85 Set a post 3 ft. long 3 ins.
square with marked
stone 12 ins. in the ground
for $\frac{1}{4}$ Sec. cor., marked $\frac{1}{4}$ S
on N. face, dug pits $18 \times 18 \times 12$
ins. E. and W. of post $5\frac{1}{2}$ ft.
dist. and raised a mound
of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft.
base around post

69.00 Enter rolling Malpais

79.70 The cor. to Secs 7, 9, 16 + 17

Subdivisions Tfr. 7

Charris Land mesa 69. chs
 " Malpais 10.70 chs
 Soil 1st rate

N 0° 2' W. bet. Secs. 8 and 9

Va. 12° 30' E.

40.00

Set a post 3 ft. long
 3 ins. square with
 marked stone 12 ins.
 in the ground for 1/4
 Sec. cor, marked 1/4 S. on
 W. face, and raised a
 mound of stone 1 1/2 ft
 high 2 ft. base around
 post.

56.00

Leave malpais and
 enter upper level mesa

80.00

Set a post 4 ft. long 4

South Range & West

chain 1 mi. square with marked
stone 12 ins. in the ground
for cor. to Secs 4, 5, 8 & 9
marked

T. N. S. S. H. on N.E.

R. S. W. S. 9. on S.E.

S. T. on S. W. Quad

S. S. on N. W. faces with 5
notches on S. Quad & 4 notches
on E. edges, dug pits 18x
18x 12 ins. in each Sec. 5 $\frac{1}{2}$

ft. dist. and raised a
mound of earth 2 ft high
4 $\frac{1}{2}$ ft base around post.
Land level

Coil on mesa 1 $\frac{1}{2}$ rate

" " Malpais 4 $\frac{1}{4}$ rate

Subdivisions Tr. 7

Chains N. $89^{\circ} 54' E$. on a random
line bet Secs. 4 and 9
 $94.12^{\circ} 30' E$

40.00 Set temporary $1/4$ Sec. cor

80.00 Intersect the N and S
line 17 chs. S. of the cor.
to Secs 3, 4, 9 & 10

Thence I run

$089^{\circ} 47' W$. on a true line
bet. Secs 4 and 9
 $94.12^{\circ} 30' E$.

13.00 Leave Malpais

40.00 Set a post 3 ft. long 3
ins. square with marked
stone 12 ins. in the ground
for $1/4$ Sec. cor. marked $1/4 S$
on N. face, aug pits $18 \times 18 \times$
12 ins. E and W. of post $5 \frac{1}{2}$
ft. dist. and raised a

South Range & west

chain mound of earth $1\frac{1}{2}$ ft.
high $3\frac{1}{2}$ ft. base around
post

41.75 Enter malpais

60.00 Leave malpais

80.00 The cor. to Secs 4, 5, 8 & 9

Land mesa + Malpais

Soil on mesa $1\frac{2}{3}$ rate

" " malpais worthless

N $0^{\circ}2'$ W. on a random line
bet Secs 4 and 5

Pa. $12^{\circ}35'E$.

40.00 Set temporary $1/4$ Sec. cor

80.310 Intersect the N. Ed. of the

Tr. at 30 lks W. of the

Cor. to Secs 4, 5, 32 and 33

Thence I run

Subdivisions Tr. 7

Chain 10° 11' W. on a true line
bet Secs 4 and 5

Va. 12° 30' E.

40.30 Set a post 3 ft. long
3 ins. square with
marked stone 12 ins in
the ground for 1/4 Sec. cor
marked 1/4 W. on W face
dug pits 18x18x12 ins.
N End S. of post 5 1/2 ft
dist. and raised a
mound of earth 1 1/2
ft. high 5 1/2 ft. base
around post

70.30 The cor. to Secs 4, 5, 8, 9
Land level mesa
Soil 1¢ rate

Nov-6-1872

South Range 8 west

Chains From The cor. to Secs 5
6. 31 and 32. on The S. Side
of the Tr.

I run

$N 0^{\circ} 3' W.$ bet Secs 31 and 32
Ta. $12^{\circ} 36' E.$

- 40.00 Set a post 3 ft. long 3
ins. square. with marked
stone 12 ins. in the
ground for 1/4 Sec. cor.
marked 1/4 P. on W. face
dug pits 18x18x12 ins.
N. End S. of post $5\frac{1}{2}$ ft
dist. and raised a mound
of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$
ft. base around post
- 74.70 Sentinel and Ajo Road
bars Northernly and Southernly
- 80.00 Set a post 4 ft. long 4 ins.

Subdivisions Tr. 7

Chain square with marked
 stone 12 ins. in the
 ground for cor. to Secs
 29. 30. 31 and 32. marked
 T. 7. S. 29. on N.E.
 R 8 W. P 32. on S.E.
 S 31. on S.W. and
 S 30. on N.W. faces with
 1 notch on S. and 5 notches
 on E. edges, dug pits 18x18
 x12 ins. in each Sec 5 1/2
 ft. dist. and raised a
 mound of earth 2 ft
 high 4 1/2 ft. base around
 post

Land level mesa
 Soil 1st rate

South Range West

chain 589° 58' E on a random
line bet. Secs 29nd and 32

Va. 12° 30' E.

40.00 Set temporary 1/4 Sec. cor

80.00 Intersect the N. and S.
line 9. eks. N of cor. to Secs
28, 29, 32, and 33.

Thence run

N 89° 54' W on a true line
bet. Secs 29nd and 32

Va. 12° 30' E.

40.00 Set a post 3 ft. long 3 ins.
square with marked
stone 12 ins. in the ground
for 1/4 Sec. cor. marked 1/4
N. on N. face, dug pits 18 x 18 x
12 ins. E. and W. of post 5 1/2
ft. dist. and raised a
mound of earth 1 1/2 ft.

Subdivisions Twp. 7.

Chains high $3\frac{1}{2}$ ft. base ground
post

80.00 The cor. to Secs 29, 30, 31 + 32

Land level mesa

Soil $1\frac{1}{4}$ rate

N $89^{\circ} 58' W$. on random
line bet. Secs 30 + 31

VA. $12^{\circ} 30' E$.

40.00 Set temporary $\frac{1}{4}$ Sec. Cor

77.60 Entered the West Edge
of the Twp at 5 Lks. N
of the cor. to Secs 25, 30, 31 + 36

Thence I run
East on a true line bet
Secs 30 + 31

VA. $12^{\circ} 30' E$

Descending over Malpais

South Range & West

Chains

- 35.00 Learn Malpais
- 37.60 Aeta post 3 ft. long 3 ins square with marked stone 12 ins. in the ground for 1/4 Sec. cor, marked 1/4 S. on N. face, dug pits 18x18x12 ins. E. and W. of post 5 1/2 ft. dist. End raised a mound of earth 1 1/2 ft high 3 1/2 ft. base around post
- 75.40 Sentinel End Ajo Road
beats Northernly End Sorehole
- 77.60 The cor. to Secs 29.30.31 + 32
Land level
Soil on mesa, $\frac{2}{3}$ rate
" " Malpais $\frac{4}{5}$ rate

Subdivisions Tr. 7

Chains $N60^{\circ}3'W$. bet. Secs. 29nd and 30

Va. $12^{\circ}30'E$.

40.00 Set a post 3 ft. long
3 ins. square with
marked stone 12 ins.
in the ground for $\frac{1}{4}$ Sec
cor. marked $\frac{1}{4}$ S. and W.
face, dug pits $18 \times 18 \times 12$
ins. N and S. of post $5\frac{1}{2}$
ft. dist. and raised a
mound of earth $1\frac{1}{2}$ ft
high $3\frac{1}{2}$ ft. base around
post

73.00 Leave mesa and enter Malpeans
and ascend

80.00 Set a post 4 ft. long 4
ins. square with marked
stone 12 ins. in the
ground for cor. to Secs.

South Range T. West

Chains 19. 20. 29^{End} 30. marked

T. 71. S. 20. on N.E.

R 8 W. S. 29. on S.E.

S 30. on S.W. End

O. 19. on N.W. faces with 2 notches on S. End 5 notches on E. edges, and raised a mound of stone 1 1/2 ft high 2 ft. base around post.

Land level mesa
Soil, 2 1/4 rate

S 89° 54' E. on a random line bet. Secs 20^{End} 29.

Va. 12° 30' E.

40.00 Set temporary 1/4 Sec. cor
80.20 Intersect the N. End S. line

Subdivisions Twp. 7

Chain at 14. E.K.S. of the cor
to Secs. 20, 21, 28 + 29

Thence I run
West on a true line
bet. Secs. 20 and 29.

Va. $12^{\circ}30'E$

40.10 Set a post 3 ft. long
3 ins. square with
marked stone 12 ins.
in the ground for 14
Sec. cor, marked 14x.
on N. face, dug pits 15
 $\times 18 \times 12$ ins., E. and W. of
post $5\frac{1}{2}$ ft. dist. and
raised a mound of
earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft.
base around post

56.00 Enter rolling Malheur

70.20 The cor. to Secs 19, 20, 29 + 30

South Range T. West

chains

Land level mesa

Soil 1st rate

West on a random line
bet Secs 19 and 30

Va. $12^{\circ}30'E.$

40.00 Set temporary 1/4 Sec. cor

77.00 Intersect the West Bdy
of the Tn. at 9 cks. N

Top of the cor. to Secs 19, 24
25 and 30

Thence I run

$N89^{\circ}56'E.$ on a true line
bet. Secs 19 and 30

Va. $12^{\circ}30'E.$ 26.50 Sentinel and afo. Road cor
N. W. and S. E.

37.00 Set a fast 3 ft. long 3 ins.

Subdivisions Tr. 7

Chains square with marked
stone 12 ins. in the
ground for 1/4 Sec. cor
marked 1/4 0. on N. face
dug pits 18x18x12 ins
E. end N. of post 5 1/2 ft.
dist. and raised a mound
of earth 1 1/2 ft. high 3 1/2 ft.
base around post

50.00 Leave level mesa and
enter malpais

77.00 The cor. to Secs 19, 20, 29 & 30
Land level mesa. rocks
Soil 1/4 rate

N 0° 3' W. bet. Secs 19 and 20
N 12° 30' E.

Ascend over malpais

South Range S. West

Chains

- 14.00 Top and Descend
 20.00 1400 ft of malleable
 40.00 Set a first 3 ft long
 3 ins. square with
 marked stone 12 ins.
 in the ground for 1/4 Sec
 cor, marked 1/4 S. on W
 face, dug pits 18x18x12
 ins. n. End of first 5 1/2
 ft. dist. and raised a
 mound of earth 1 1/2 ft
 high 3 1/4 ft. base around
 first
- 80.00 Set a first 4 ft. long 4
 ins. square with
 marked stone 12 ins.
 in the ground for cor.
 to Secs 17, 18, 19 and 20
 marked

Subdivisions Tr. 7

chains S. 7. S. 17. on N.E.

R. 8. W. S. 20. on S.E.

S. 19. on S.W. Quad

S. 18. on N.W. faces with
3 notches on N. Quad 5

notches on E. edges,

dig pits 18x18x12 ins.

in each Sec. 5 1/2 ft. dist

and raised a mound
of earth 2 ft. high 4 1/2

ft. base around post

Land 30 chs Malpais

" 50 " mesa

Coil on mesa 1 1/2 rate

" " Malpais worthless

East on a random

line bet Secs. 17 and 20

South Range & West

chains

T_A. 12° 15' E.

40.00 Set temporary 1/4 Sec. cor

79.80 Intersect the N. end S. line
at cor. to Secs 16, 17, 20 & 21

Thence I run

West on a true line bet
Secs 17 and 20T_A. 12° 15' E.3.9.90 Set a post 3 ft. long 3
ins. square with marked
stone 12 ins. in the
ground for 1/4 Sec. cor.
marked 1/4 P. on N. face
dug pits 18x18x12 ins. E.
and W. of post 5 1/2 ft. dist.
and raised a mound
of earth 1 1/2 ft. high 3 1/2 ft
base around post

79.80 The cor. to Secs 17, 18, 19 and 20

Subdivision Tr. 7

Chains Extra fine land both
N. and S.

Land level mesa

Soil 1st rate

Thick mesquite brush

S. $89^{\circ} 56' W.$ on a random
line bet. Secs. 18 + 19

40.00 Set temporary $\frac{1}{4}$ Sec. cor ^{va. $12^{\circ} 15' E.$}

77.00 Intersect the West Bdy
of the Tr. at 9. lks S. of
the cor. to Secs 13, 18, 19 + 24

Thence I run

East on a true line bet
Secs 18 + 19

37.00 Set a post 3 ft. long 3 in
square with marked ^{va. $12^{\circ} 15' E.$}

South Range T-west

Chain stone 12 ins. in the ground
 for 14 Sec. cor, marked 14
 P. on N. face, dug pits 18
 x 18 x 12 ins. E. and W. of
 post 5 1/2 ft. dist. and
 raised a mound of
 earth 1 1/2 ft. high 3 1/2 ft.
 base around post

77.00 The cor. to Secs 17, 18, 19 + 20
 Extra fine land both N + S
 Land level mesa
 Soil 1st rate

N 0° 3' W. bet Secs 17 and 18
 Pa. 12° 15' E.

40.00 Set a post 3 ft. long
 3 ins. square with marked
 stone 12 ins. in the ground

Subdivisions Tr. 7

Chains for 1/4 Sec. cor, marked 145
 on W. face, dug pits 18
 x 18 x 12 ins. W. End of
 post 5 1/2 ft. dist. and
 raised a mound of earth
 1/2 ft. high 3 1/2 ft. base
 around post

80.00 Set a post 4 ft. long 4
 ins. square with marked
 stone 12 ins. in the ground
 for cor. to Secs 7, 8, 17 & 18
 marked

T. 7. O. S. 8. on N. E.

R. 8. W. S. 17. on S. E.

S. 18. on S. W. End

P. 7. on N. W. faces with
 4 notches on S. End 5 notches
 on E. edges. dug pits 18 x 18
 x 12 ins. in each Sec. 5 1/2 ft

S Range & west

chains dist. and raised a mound
 of earth 2 ft. high $4\frac{1}{2}$ ft
 base around post
 Land level mesa
 Soil 1st rate

East on a random line
 bet Secs 8 and 17
 Va. $12^{\circ}12'E$

40.00 Set temporary 14 Sec cor

80.00 Intersect the N. and S
 line at 9 Ets. S. of the
 cor to Secs 8, 9, 16 and 17

Thence I run
 $089^{\circ}56'W$. on a true line
 bet. Secs 8 and 17

Va. $12^{\circ}12'E$

Over rolling meadows

Subdivisions Tr. 7

Chains

37.00 Leav. Malpais

40.00 Set a frost 3 ft. long
3 ms. square with marked
stone 12 ms. in the ground
for 1/4 Sec. cor, marked 1/4
P. on n. face, dug pits
18 x 18 x 12 ms. E. and W.
of frost 5 1/2 ft. dist. and
raised a mound of
earth 1 1/2 ft. high 3 1/2 ft.
base around frost

80.00 The cor. to Sec 17, 5, 17 & 18

Land 49. chs mesa

" 31 " Malpais

Soil on mesa 1st rate

Soil on Malpais worth less

West on a random line

South Range T. West

Chains bet. Secs 7 and 18

Va. $12^{\circ} 12' E$

40.00 Set temporary 114 Sec. cor

77.00 Intersect the W. Bdy of
the Twp. at 9 lks. S of
cor. to Secs. 7, 12, 13 & 18

Thence I run

 $S 89^{\circ} 56' E$ on a true line
bet. Secs 7 and 18Va. $12^{\circ} 12' E$ 37.00 Set a post 3 ft. long 3
ins. square with marked
stone 12 ins. in the ground
for $\frac{1}{4}$ Sec. Cor.
marked H.O. on N. face, dug
pits $18 \times 18 \times 12$ ins. E and W
of post. $5\frac{1}{2}$ ft. dist. and
raised a mound of
earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base
around post

Subdivisions: Tr. 7

Chains

27.00 The cor. to Secs 7, 8, 17 & 18
 Land level mesa
 Soil 1st rate

N 0° 3' W. bet. Secs 7 + 8

PA. 12° 12' E

40.00 Set a post 3 ft. long 3
 ins. square with marked
 stone 12 ins. in the
 ground for 1/4 Sec. cor
 marked 1/4. O. on W. face
 dug pits 18 x 18 x 12 ins.

2 P. S. of post 5 1/2 ft. dist.
 and raised a mound
 of earth 1 1/2 ft. high 3 1/2
 ft. base around post

80.00 Set a post 24 ft. long 4

South Range & West

Chambers. Square with marked
stone 12 ins. in the ground
for cor. to Secs. 5, 6, 7 & 8
marked w

T. 7. S. 5. on N.E.

R. 8. W. 8. on S.E.

D. 7. on W. end

D. 6. on N.W. faces with
5 notches on S. and E
edges, dug pits $18 \times 18 \times$
 12 ins. in each Sec. 5 $\frac{1}{2}$
ft. dist. and raised a
mound of earth 2 ft
high $4 \frac{1}{2}$ ft. base around
first

Land level mesa

Soil $1 \frac{1}{2}$ rate

Subdivisions Tr. 7

Chains N $89^{\circ} 56' E$. on a random
line bet. Secs 5 and 8

N. $12^{\circ} 12' E$.

40.00 Set temporary $1/4$ Sec. Cor

80.00 Intersect the N. and S. line
at 9 sps. N. of Cor. to Secs
4, 5, 8 and 9.

Thence I run
West on a true line bet
Secs 5 and 8

N. $12^{\circ} 12' E$.

24.00 Enter Malpais

40.00 Set a post 3 ft long 3 ins.
square with marked stone

12 ins. in the ground for
 $1/4$ Sec. Cor. marked $1/4 S$.

on N. face, dug pits $18 \times 18 \times$
12 ins. E. and W. of post 5 ft
ft. dist. and raised a mound

South Range 8 week

chains of each $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft.
Base around post.

80.00 The cor. to Secs 5, 6, 7 & 8
Land, Mesa + Malpais
Soil on Mesa 3rd rate
" " Malpais 4-rate

$97^{\circ} 56' W.$ on a random
line bet Secs 6 and 7

$99, 12^{\circ} 12' E.$

40.00 Set temporary $1/4$ Sec cor

76.75 Intersect the N. edy of
the Tp at 9 lds N. of
cor. to Secs 6, 7 and 12

Thence I run

East on a true line bet
Secs 6 and 7

$99, 12^{\circ} 12' E.$

Subdivisions. Tr. 7

Chains

- 1.50 Enter rolling Malpais
 21.00 Leave Malpais + enter Mesa
 36.75 Set a post 3 ft. long
 3 ins. square with
 marked stone 12 ins. in
 the ground for 14 Sec. cor
 marked 14 S. on N. face
 dug pits 18x18x12 ins.
 E. End W. of post 5 1/2 ft.
 dist. and raised a mound
 of earth 1 1/2 ft. high 3 1/2 ft.
 base around post
 76.75 The cor. to Secs 5, 6, 7 & 8
 Land mostly level mesa
 Soil 1 1/4 rate

N 0° 3' W. on a random line

South Range S. West

Chains bet Secs. 5 and 6.

T₉, 12° 12' E

40.00 Set temporary 1/4 Sec. cor

80.30 Intersect the N. Bay of
the Tp. at 300 yds. E. of Por. to
Secs 5, 6, 31 and 32

Thence I run

S. 0° 15' E. on a true line bet
Secs 5 and 6T₉, 12° 12' E.Descend gradually
over light meadows

31.00 Enter level mesa

40.30 Set a post 3 ft. long
3 ins. square with
marked stone 12 ins. in
The ground for 1/4 Sec. cor
marked 1/4 on N. face
aug pits 18 x 18 x 12 ins. N.

94. Subdivisions Sp. 7 D. R. 8 W.

Chains and I. of post $5\frac{1}{2}$ ft. dist.
and raised a mound
of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft.
base around post

80.30 The cor. to Secs 5, 6, 7 & 8
Land level mesa
Soil 1st rate

General description.

This T^p. contains mostly fine lands excepting a few Malpais Buttes. Considerable mesquite brush, also grease-wood and sage-brush, with patches of Mesa grass. With water it will make a fine fruit section.

I tested latitude 3 times during the Survey of this T^p.

Nov - 7 - 1892

Lewis H. Hooper

U. S. Deputy Surveyor

Magn. Declination $12^{\circ}20' E$.

No. 1202

U. S. Surveyor-General's Office,

TUCSON, A. T., March 4 1883

The foregoing Field Notes of the Surveys of
The Subdivision Lines of
The G. & S. R. Meridian

of the Gila and Salt River Meridian
in Territory of Arizona executed by
Lewis Wolfley

U. S. Deputy Surveyor, under his contract dated
May 26th 1892
having been critically examined, the necessary correc-
tions and explanations made, the said Field Notes and
the surveys they describe are hereby approved.

Rapael Johnson

U. S. Surveyor-General
for the Territory of Arizona.