

Recd Jan 6 - 1893

3

Book 1

Checked
Compared
Platted

Sent to G. L. O. 3-4-93

BOOK 1203

No. 1203

Approved. April 27-1893

1203

4-671

BOOK 1203

FIELD NOTES

GENERAL LAND OFFICE.

Of the

SUBDIVISIONS

T. 7. S. R. 9. W.

by Lewis. Woltley

Under Contract. No. 22

Dated. May 26-1892

Survey. Commenced. Oct. 19/92

" Completed. Oct. 24/92

No. 1203

BOOK 1203

Field Notes
of the
Survey of the Subdivision
Lines of T^{ps}. 7. S. R 9. W.
of the
Gila and Salt River
Base and Mexican
Territory of Arizona
as surveyed by
Lewis Wolfley
U. S. Deputy Surveyor

Under Contract No 22
Dated May 26th 1892

Survey commenced Oct. 19th/92
" completed " 24th/92

1A

BOOK 1203

(1-674.)

Township 7. D. R. 9. West

Index for } BOOK 1203
 } BOOK 1204

6	92	5	68	4	50	3	33	2	16	1
91		89		67		49		31		14
7	85	8	65	9	47	10	30	11	12	12
86		85		64		46		28		11
18	83	17	62	16	44	15	26	14	9	13
82		81		60		42		25		8
19	74	20	59	21	41	22	23	23	6	24
75		76		57		39		22		5
30	75	29	55	28	35	27	20	26	4	25
73		72		54		36		19		2
31	74	32	52	33	34	34	17	35	1	36

Subdivisions Twp. 7, South Range 9, West

Chains Beginning at the cor.
to Secs. 1, 2, 35 and 36 on the
S. Bay of the Twp.

Found

$N 0^{\circ} 1' W$. bet Secs 35 and 36

$S 13^{\circ} 21' E$.

40.00 Set a ^{over nail} post 3 ft. long 3 ins.
square with marked stone
12 ins. in the ground for
 $\frac{1}{4}$ Sec. cor, marked $\frac{1}{4}$ S.
on W. face, and raised a
mound of stone $1\frac{1}{2}$ ft
high 2 ft. base around post

50.00 Set a post 4 ft. long 4
ins. square with marked
stone 12 ins. in the ground
for cor. to Secs 25, 26, 35 + 36
marked

C. 7. S. S 25. on N. E.

Subdivisions Tr. 7

chains R. 9. W. S. 36 on N.E.

S 35. on S. W. end

S 26. on N. W. faces with
 1 notch on E. end W. edges.
 dug pits 18x18x12 ins.
 in each Sec. 5 1/2 ft. dist.
 and raised a mound
 a mound of earth 2
 ft. high 4 1/2 ft. base around
 post

Land rough malpais
 Soil 1 1/4 rate

N. 89° 57' E. on a random
 line bet Secs 25 and 36
 Va. 13° 31' E.

40.00 Set temporary 1/4 Sec. cor
 80.25 Intersect The E. Bay of

South Range 9 West

Chains The Tp. at 21. cks N. of the
 cor. to Secs 25. 30. 31 + 36.

Thence I run

$N 89^{\circ} 54' W.$ on a true line

bet. Secs 25 and 36

Var. $13^{\circ} 31' E.$

ascend over rough Malpais

40.13 Set a post 3 ft. long 3 ins.
 square with marked stone
 pins in the ground for
 $\frac{1}{4}$ Sec. on marked $\frac{1}{4}$ S.

on N. face, and raised a
 mound of stone $\frac{1}{2}$ ft. high
 2 ft. base around post

57.00 Malpais Butte 10 chs. S. 250
 ft. high

80.75 The Cor. to Secs 25. 26 35 + 36

Land rough Malpais

Coil $\frac{1}{4}$ rate

Subdivisions Tr. 7.

Chain No^o 1st W. bet Secs 25 & 26.✓ Va. 130^o 31^o E.

40.00 Set a post 3 ft. long
 5 ins. square with
 marked stone 12 ins.
 in the ground for 4th Sec
 cor, marked 14 S. on W
 face, and raised a
 mound of stone 1¹/₂ ft
 high 2 ft. base around post

80.00 Set a post 4 ft. long
 4 ins. square with
 marked stone 12 ins. in
 the ground for cor. to Secs.
 23, 24, 25 and 26.

marked

T. 7. D. 1 24. on N.E.

R 9. N. D. 25. on D.E.

D 26. on S.W. and

South Range 9 West.

Chains 23. on N. W. faces with
 2 notches on S. and 1 notch
 on E. edges, and raised a
 mound of stone $1\frac{1}{2}$ ft
 high 2 ft. Base around foot
 Land rough Malpais
 Soil 4th rate

$S 89^{\circ} 54' E$ on a random
 line bet Secs 24 and 25
 Va. $15^{\circ} 45' E$.

40.00 Set temporary 1/4 Sec. cor
 80.10 Intersect the E. Bay of
 the Tr at 14 lks. S. of cor.
 to Secs. 19. 24. 25 and 30.
 Thence I run
 West on a true line
 bet Secs 24 and 25

Subdivisions Sp. 7.

Chains

T₉. 15° 45' E.

- 4.10 Leave mesa and enter ^{Malpais}
- 40.05 Set a post 3 ft. long 3
ins. square with marked
stone 12 ins. in the
ground for 1/4 Sec. cor.
marked 1/4 S. on N. face
and raised a mound
of stone 1 1/2 ft. high 2 ft
base around post
- + 80.10 The cor. to Secs 23, 24, 25 & 26
Land Malpais
Oil 4th rate
-

N0° 1' W. bet Secs 23 & 24

T₉. 15° 45' E.

- 40.00 Set a post 3 ft. long 3
ins. square with marked
N

South Range 9 West.

Chains stone 12 ins. in the ground
for 1/4 Sec. cor. marked 1/4
D. on W. face, and raised
a mound of stone 1 1/2 ft.
high 2 ft. base around post

44.50 Leave rolling malpais

80.00 Set a post 4 ft. long 4
ins. square with marked
stone 12 ins. in the ground
for cor. to Secs 13, 14, 23 & 24
marked

T. 7. S. 13. on N.E.

R. 9. W. 24. on S.E.

S 23. on S. W. end

O 14. on NW. faces with 3
notches on S. end. 1 notch
on E. edge, dug pits 18x18x
12 ins. in each Sec. 5 1/2 ft.
dist. and raised a mound

Subdivisions Tr. 7.

Chains of earth 2 ft. high $4\frac{1}{2}$
 ft. base around foot
 Land mesa + Malpais
 Soil on mesa 1st rate
 " " Malpais 4th rate

East on a random line
 bet. Secs 13 and 24

Va. $13^{\circ} 33' E$.

40.00 Set temporary $\frac{1}{4}$ Sec. cor.

79.70 Intersect the E. Bay of
 the Tr. at Cor. to Secs
 13, 18, 19 and 24

Thence I run

West on a true line bet
 Secs 13 and 24

Va $13^{\circ} 33' E$.

39.85 Set a post 3 ft. long 3

South Range 9 West.

Chain vis. Squares with marked
stone 12 ins. in the ground
for 1/4 Sec. cor, marked 1/4
D. on N. face, dug pits 15x15
x 12 ins. E. and W. of post
5 1/2 ft. dist. and raised a
mound of earth 1 1/2 ft. high
3 1/2 ft. base around post

46.00 Sentinel and afs. Road
bears N. W. and P. E.

79.70 The cor. to Secs 13, 14, 23 & 24
Land Mesa
Soil 1st rate

N^o 1' W. bet Secs 13 and 14
Pa. 13° 33' E.

40.00 Set a post 3 ft. long 3
ins. square with marked

Subdivisions Sp. 7

- Chains Stone 12 ins. in the ground for 1/4 Sec. cor marked 1/4 S. on W. face and raised a mound of Stone 1 1/2 ft. high 2 ft base around post
- 48.70 Sentinel and App Road bears N. W and S. E.
- 80.00 Set a post 4 ft. long 4 ins. square with marked stone 12 ins. in the ground for cor. to Secs 11, 12, 13 and 14 marked T. 7. S. 12. on N. E. R. 9. W. 13 on S. E. D. 14. on S. W and D. 11. on N. W. faces with H notches on S. end 1 notch on E. edges, dug pits 18x18

South Range 7 West.

Chains 12 ins. in each Sec. $5\frac{1}{2}$ ft.
 dist. and raised a mound
 of earth 2 ft. high $4\frac{1}{2}$ ft.
 base around post
 Land level mesa
 Soil $1\frac{1}{4}$ rate

East on a random line
 bet. Secs 12 and 13

$\nabla 14^{\circ}12'E.$

40.00 Set temporary $1/4$ Sec. cor

79.80 Intersect the E. Bay of the
 Tr. at 21.25 s. n. of the cor.
 to Secs 7, 12, 13 and 18

Thence I run

N. $89^{\circ}51'W.$ on a true line
 bet. Secs 12 and 13

$\nabla 14^{\circ}12'E.$

Subdivisions Sp. 7

Chains

3.9.90 Set a post 3 ft. long
 3 ins. square with marked
 stone 12 ins. in the ground
 for 1/4 Sec. cor. marked
 1/4 S. on N. face, dug pits
 18 x 18 x 12 ins. E. and W. of
 post 5 1/2 ft. dist. and raised
 a mound of earth 1 1/2 ft.
 high 3 1/2 ft. base around
 post

79.80 The cor. to Secs 11, 12, 13 + 14
 Land level mesa
 Soil 1st rate.

N 0° 1' W. bet Secs 11 and 12
 90 14° 12' E.

40.00 Set a post 3 ft. long 3 ins.

South Range West.

Chain square with marked stone
 12 ins. in the ground for 1/4
 Sec. cor. marked 1/4 D. on W face
 dug pits 18x18x12 ins. N. and
 S. of post 5 1/2 ft. dist. and
 raised a mound of earth
 1 1/2 ft. high 3 1/2 ft. base
 around post

80.00

Set a post 4 ft. long 4
 ins. square with marked
 stone 12 ins. in the ground
 for cor. to Secs 1, 2, 11 and 12
 marked

T. 7. D. 1. on N.E.

R 9. W. 12. on S.E.

S 11. on S. W. and

P 2. on N.W. faces with 5
 notches on S. and 1 notch
 on E. edges, dug pits 18x18

Subdivisions Sp. 7

Chains x 12 ins. in each Sec. 5 $\frac{1}{2}$
 In dist. and raised a
 mound of earth 2 ft
 high $4\frac{1}{2}$ ft. base around
 post

Land mesa
 Soil $1\frac{1}{4}$ rate

S. $89^{\circ} 57' E.$ on a random
 line bet Secs 1 and 12
 Va. 14 $^{\circ} 37' E.$

40.00 Set temporary $1/4$ Sec. cor
 80.10 Intersect the E. Bdy of
 The Tr. at 11 cks. S. of the
 cor. to Secs 1, 6, 7 and 12
 Thence I run

South Range 9 West

Chain N $89^{\circ} 56' W.$ on a tree line
bet. Secs 1 and 12

V.A. 140378.

Over rolling Malpais
40.05 Set a post 3 ft. long 3 ins.
square with marked stone
stone 12 ins. in the ground
for 1/4 Sec. cor. marked 1/4 D
on N. face, and raised a
mound of stone 1 1/2 ft
high 2 ft. base around post

48.00 Leave Malpais

80.10 The cor. to Secs 1, 2, 11 and 12

Land. mesa + Malpais

Soil on mesa 1st/₁₁ rate

" " Malpais 4th/₁₁ "

Subdivisions Sp. 7

Chains N. $0^{\circ}1'W$. on a random
line bet. Secs 1 and 2
Va. $14^{\circ}37'E$.

40.00 Set temporary 1/4 Sec. cor

80.00 Intersect the N. Bdy of
the Tr. at 20. lks. E. of
the cor. to Secs 1, 2, 3, 5 & 36

Thence I run
 $0^{\circ}10'E$. on a true line
bet. Secs. 1 and 2

Va. $14^{\circ}37'E$.

40.00 Set a post 3 ft. long 3
ins. square with marked
stone 12 ins. in the ground
for ~~the~~ Sec. cor. marked 1/4 S
on W. face, dug pits 18x18
x12 ins. N. and S. of post
 $5\frac{1}{2}$ ft. dish and raised a
mound of earth $1\frac{1}{2}$ ft high

Douth Range 9 West.

Chains 3 1/2 ft. base around post
 80.00 The cor. to Secs 1, 2, 11 & 12
 Land level mesa
 Soil 1st rate

Oct-19-1892

From the cor. to Secs
 2, 3, 34^{and} 35 - on the S
 Bdy. of the Twp.

Iron

N^o 1st N. bet Secs 34^{and} 35
 Pa. 14^o 06' E.

40.00 Set a post 3 ft. long 3
 ins. square with marked
 stone 12 ins. in the ground
 for 1/4 Sec. cor, marked 1/4
 P. on W. face, dug pits 18x
 18x12 ins. N. and S. of post
 5 1/2 ft. dist. and raked a

Subdivisions of 7

Chains mound of earth $1\frac{1}{2}$ ft
 high $3\frac{1}{2}$ ft. base around post
 80.00 Set a post 4 ft. long 4
 ins. square with marked
 stone 12 ins. in the ground
 for cor. to Secs 26, 27, 34
 and 35 marked

T 7. S. S. 26. on N.E.

R 9. W. S. 35. on S.E.

S 34. on SW. end

S 27. on N.W. faces with
 1 notch on S. and 2 notches
 on E. edges, dug pits 18
 x 18 x 12 ins. in each Sec.
 $5\frac{1}{2}$ ft. dist. and raised
 a mound of earth 2
 ft. high $4\frac{1}{2}$ ft. base
 around post

Land level mesa

Smith Range 9 West.

Chains Scattering malpais
Soil $\frac{1}{4}$ rate

N 89° 57' E. on a random
line bet. Secs 26 and 35
Va. 13° 31' E.

40.00 Set temporary $\frac{1}{4}$ Sec. cor

79.40 Intersect the N. and S.
line at 28. cks. N. of the
cor. to Secs 25, 26, 35 and 36

Thence run

N 89° 51' W. on a true line
bet. Secs 26 and 35

Va 13° 31' E.

Continue to ascend over
rough malpais rock

39.70 Set a fast 0 ft. long 3
ms. square with marked

Subdivisions Sp. 7

- Chains stone 12 ins. in the
ground for 1/4 Sec. cor
marked 1/4 C. on N. face
and raised a mound
of stone 1 1/2 ft. high 2
ft. base around post
- 60.00 Leave Malfrais & enter ^{mesa}
- 79.40 The cor. to Secs 26, 27, 34 & 35
Land Mesa ^{and} Malfrais
Soil on mesa 1/4th rate
" " Malfrais. Worthless

N. 0° 1' W. bet Secs 26 & 27
79 13° 31' E.

- 40.00 Set a post 0 ft. long 3
ins. square with marked
stone 12 ins. in the
ground for 1/4 Sec. cor

South Range 9 West.

Chains marked 14. S. on N. face, aug
 pits 18x18x12 ins. N. end
 P. of post 5 1/2 ft. dist. and
 raised a mound of
 earth 1 1/2 ft. high 3 1/2 ft.
 base around post.

80.00 Set a post 4 ft. long 4
 ins. square with marked
 stone 12 ins. in the ground
 for cor. to Secs 22, 23, 26 & 27
 marked

T. 7. S. S. 23. on N.E.

R. 9. W. S. 26 on S.E.

S. 27. on S.W. end

S. 22. on N.W. face with
 2 notches on S end E. edges
 and raised a mound of
 stone 1 1/2 ft. high 2 ft. base
 around post

Subdivisions Sp. 7

Chain Land mesa
 Soil 1st/_n rate
 Some Malpais gravel

S. $89^{\circ} 51' E$. on a random
 line bet. Secs 23 and 26

$Tq 13^{\circ} 05' E$.

40.00 Set temporary 1/4 Sec. cor.

80.00 Intersect the N. and S.

line at cor. to Secs 23, 24
 25 and 26

Thence I run

N $89^{\circ} 51' W$. on a true line
 bet Secs 23 and 26

$Tq 13^{\circ} 05' E$.

34.00 Leave Malpais ^{2nd} over mesa

40.00 Set a post 3 ft. long 3
 ins. square with marked.

South Range 9 West.

chainstone 12 ins. in the ground
 for 1/4 Sec. cor. marked 14
 on N. face, aug pits
 18x 18x 12 ins. to end W
 of post 5 1/2 ft. dist. and
 raised a mound of earth
 1 1/2 ft. high 3 1/2 ft. base
 around post, and over mesa

80.00 The cor. to Secs 22, 23, 26+27
 Land mesa + Malpais
 Soil on mesa 1st/₁₁ rate
 " " Malpais 3rd/₁₁ + 4th/₁₁ R.

N 0° 1' W. bet. Secs 22 and 23
 Va. 13° 05' E

40.00 Set a first 3 ft. long
 3 ins. square with marked
 stone 12 ins. in the

Subdivisions Sp. 7

chains ground for 14 Sec. Cor.
 marked 14 P. on W. face
 dug pits 18x18x12 ins.
 N. End S. of post 5 1/2 ft.
 dist. End raised a mound
 of earth 1 1/2 ft. high 3 1/2
 ft. base around post
 80.00 Set a post 4 ft. long
 4 ins. square with marked
 stone 12 ins. in the ground
 for cor. to Secs 14, 15, 22 & 23
 marked
 P. 7, S. 14. on N. E.
 R 9, W. P. 23, on S. E.
 S 22. on S. W. End
 S 15. on N. W. faces with
 3 notches on S. End 2 notches
 on E. edges, and dug pits
 18x18x12 ins. in each

North Range 9 West.

Chains Sec. $5\frac{1}{2}$ ft. dist. and raised
 a mound of earth 2 ft ^{high}
 high $4\frac{1}{2}$ ft. base around
 Land mesa
 Soil 1st rate

D. $89^{\circ} 51' E$ on a random
 line bet. Secs 14 and 23
 Va. $13^{\circ} 33' E$.

40.00 Set temporary 1/4 Sec. cor
 79.80 Intersect the N. and S. line
 at 21 cks. S. of cor. to Secs
 13, 14, 23 and 24.

Thence I run
 West on a true line bet
 Secs 14 and 23

Va. $13^{\circ} 33' E$.

3.9.90 Set a post 3 ft. long in

Subdivisions Sp. 7

Chains Square with marked
stone 12 ins. in the ground
ground for $\frac{1}{4}$ Sec. Cor
marked $\frac{1}{4}$ S. on N. face
aug pits 18x18x12 ins.
E. End N. of post 5 $\frac{1}{2}$ ft
dist. and raised a mound
of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$
ft. base around post

79.88 The cor. to Secs 14, 15, 22 & 23

Land mesa

Some mafic gravel

Soil 1st and 3rd rate

N $0^{\circ}1'W$. bet. Secs 14 and 15

Sta. 13, 033'E.

40.00 Set a post 3 ft. long 3
ins. square with marked

South Range 9 West.

Chain Stone 12 ins. in the ground
for 1/4 Sec. cor, marked
114 S. on W. face, dug pits
18 x 18 x 12 ins. N. and S. of
post 5 1/2 ft. dist. and
raised a mound of
earth 1 1/2 ft. high 3 1/2 ft
base around post

80.00 Set a post 4 ft. long.
4 ins. square with marked
stone 12 ins. in the ground
for cor. to Secs 10, 11, 14 & 15
marked

T. S. P. 11 on N. E.

R 9. W. P. 14. on S. E.

S 15. on S. W. and

P 10. on N. W. faces with
4 notches on S. and 2
notches on E. edges, dug

Subdivisions of 7

Chains pits 18X18X12 ins. in each
 Sec. 5th of dist. and raised
 a mound of earth 2 ft
 high 4 1/2 ft base around
 first.

Land mesa
 Soil 1st rate

East on a random line
 bet. Secs. 11 and 14

Va. 14° 40' E.

40.00 Set temporary 1/4 Sec. cor
 79.80 Intersect the N. and S. line
 at 9 lks N. of cor. to Secs
 11, 12, 13 and 14.

Thence I run
 N 89° 56' W. on a true line
 bet. Secs 11 and 14

South Range 9 West.

Chains Va. 14° 45' E.

18.40 Sentinel and App. Road
beams N.W. and S.E.

3.9.90 Set a post 3 ft. long 3
ins. square with marked
stone 12 ins. in the ground
for 14 Sec. cor, marked 14
W. on N. face, dug pits 18
x 18 x 12 ins. E. and W. of
post 5 1/2 ft. dist. and
raised a mound of
earth 1 1/2 ft. high 3 1/2
ft. base around post

79.80 The cor. to Secs 10, 11, 14 & 15
Land mesa
Coil 1st/₁₁ and 2nd/₁₁ rate

Subdivisions Sp. 7

Chains N 0° 1' W. bet. Secs. 10 and 11
 Va. 14° 45' E.

13.00 Enter malpais

27.00 Leave malpais

40.00 Set a post 3 ft. long 3 ins.
 square with marked
 stone 12 ins. in the ground
 for 1/4 Sec. cor, marked 1/4
 N. or W. face, aug pits 18
 x 18 x 12 ins. N. and S of
 post 5 1/2 ft. dist. and raised
 a mound of earth 1 1/2 ft.
 high 3/2 ft. base around post

45.00 Road bet. N. W. and S. E.

50.00 Set a post 4 ft. long 4 ins.
 square with marked
 stone 12 ins. in the ground
 for cor. to Secs 2, 3, 10 & 11
 marked

South Range 9 West.

Chain T. 7. S. S. 2. on N. E.

R. 9. W. S. 11 on S. E.

P. 10. on S. W. End

D. 3. on N. W. faces with 5
notches on S. End & notches
on E. edges. dug pits 18x18
x12 ins. in each Sec. 542

ft. dist. End raised a
mound of earth 2 ft. high
4 1/2 ft. base around post

Land mesa End Malpais
Soil on mesa, 1/4 rate

" " Malpais 1/4 rate

D. 89° 56' E. on a random
line bet. Secs 2 and 11

of a. 14° 37' E.

40.00 bet a temporary 1/4 Sec. cor

Subdivisions Sp. 7.

Chains

79.80 Intersect the N. end S. line
at. 11. lks. N. of the cor. to
Secs 1, 2, 11 and 12

Thence Iron

$789^{\circ}51'W.$ on a true line
bet. Secs 2 and 11

$V4 14^{\circ}37'E$

30.00 Enter rolling Malpais

39.90 Set a post 5 ft. long 3 ins.
square with marked stone
12 ins. in the ground for
1/4 Sec. cor. marked 1/4 S.
on N. face, and raised a
mound of stone 1 1/2 ft
high 2 ft. base around post

70.00 Leave Malpais

79.80 The cor. to Secs 2, 3, 10 + 11

Land mesa and Malpais

South Range 9 West.

Chains Soil on mesa 1st rate
 " " Malpais 4th " "

N0°1'W. on a random line
 bet Secs 2 and 3.

Va. 14° 37' E.

40.00 Set temporary 1/4 Sec. cor
 79.70 Intersect the N. Bdy. of
 the Twp. at 20 lks. E. of Cor
 to Secs 2, 3, 34 and 35

Thence I run

S0°10'E. on a true line bet
 Secs 2 and 3

Va. 14° 37' E.

39.70 Set a post 3 ft. long 3 ins.
 square with marked
 stone 12 ins. in the ground
 for 1/4 Sec. cor, marked 1/4 S.

Subdivisions Sp. 7

Chain on W. face, dug pits 18x18
x 12 ins. N. end S. of post
5 1/2 ft. dist. and raised a
mound of earth 1 1/2 ft
high 3 1/2 ft. base around
post

79.70 The cor. to Secs 2, 3, 10 & 11

Land mesa

Soil 1st rate

a little surface malfais

Oct. 20-1892

From the cor. to Secs 3, 4,
33 and 34, on the South Side
of the Tpi.

Drum

No. 2' W. bet. Secs 33 and 34

Va. 14° 04' E

410.00 Set a post 3 ft. long 3 ins.

Fourth Range 9 West.

Chain square with marked stone 12 ins. in the ground for 1/4 Sec. cor, marked 1/4 P. on W. face, and raised a mound of stone 1 1/2 ft high 3 1/2 ft. base around post

80.00 Set a post 4 ft. long 4 ins. square with marked stone 12 ins. in the ground for cor. to Secs 27. 28. 33 and 34 marked
 S 7. D. S. 27. on N.E.
 R 9. W. D. 34. on D.E.
 D 33. on D.W. and
 S 28. on N.W. face with 1 notch on W. and 3 notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec. 5 1/2 ft. dist.

Subdivisions Sp. 7.

Chains and raised a mound of
earth 2 ft. high $4\frac{1}{2}$ ft. base
around post.

Land mesa

Soil $1\frac{2}{3}$ rate

Scattering Malpais

$N 89^{\circ} 57' E$ on a random
line bet. Secs 27 and 34

$Va. 13^{\circ} 31' E$.

40.00 Set temporary 114 Sec. cor

79.60 Intersect the N. and S. line
at 32. eps. N. of cor. to Secs
26. 27. 34 and 35

Thence I run

$N. 89^{\circ} 49' N$ on a tree line
bet. Secs 27 and 34

$Va 13^{\circ} 31' E$.

South Range 9 West 37.

Chains

39.80 Set a post 3 ft. long 3 ins. square with marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. cor. marked $\frac{1}{4}$.
 Down N. face dug pits $18 \times 18 \times 12$ ins. E. and W. of post $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft. base around post around which

a Palo Verde 8. ins. diam bears N. 40° E. 30. lks. dist marked $\frac{1}{4}$ S. C. T.

53.00 Enter mesa

79.60 The cor. to Secs 27, 28, 33 & 34

Land mesa

Soil 1st & 2nd rate

Subdivisions of 7.

Chains N. 0° 2' W. Sec. 27 & 28
Var. 13 3/4 E.

40.00 Set a post 3 ft. long 3 ins square, with marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. corner, marked $\frac{1}{4}$ S. on W. face, and raised a mound of stone $\frac{1}{2}$ ft. high 2 ft. base around post.

53.00 Leave Mesa, and enter malpais

80.00 Set a post 4 ft. long 4 ins. square with marked stone 12 ins. in the ground for cor. to Secs. 21, 22, 27 & 28. marked
T. 7 S. E. 22 on N. E.
R. 9 W. S. 27 on S. E.

Truth Range West.

Chains S. 28 on S.W. and
 S. 21 on N.W. Faces
 with 2 notches on S. and
 3 notches on E. edges.
 and raised a mound
 of stone $1\frac{1}{2}$ ft. 2 ft. high
 around post.
 Land mesa ^{red} Malpais
 Soil 1st rate

S. $89^{\circ}49'$ E. on a random
 line bet. Secs. 22 & 27.
 Var. 13° E.

40. 00 Set temporary $\frac{1}{4}$ Sec. cor.
 79. 80 Intersect the N. & S. line
 at 11 lks. S. of the corner
 22, 23, 26 & 27.
 Thence S run

Subdivisions of 7

Chains N. $89^{\circ}54'$ W. on a true
line bet. Secs. 22 + 27
Var. 13° E.

39.90 Set a post 3 ft. long
3 ins square, with marked
stone 12 ins. in the ground
for $\frac{1}{4}$ Sec. cor. marked $\frac{1}{4}$
S. on N. face. dug pits
 $18 \times 18 \times 2$ ins. E. & W. of post
 $5\frac{1}{2}$ ft. dist. and raised a
mound of earth $1\frac{1}{2}$ ft.
high. $3\frac{1}{2}$ ft. base around
post.

And continue over mesa
79.80 The corner to Secs. 21, 22,
27 + 28.

Land mesa
Soil 1st rate

South Range West.

Chains N^o 2nd W. bet. Secs. 21 and 22
T^o 13th E.

- 1.00 Leave Malpais over mesa
40.00 Set a post 3 ft. long 3 ins.
square with marked
stone 12 ins. in the ground
for 14 Sec. cor, marked 14
P. on W. face, deep pits 18
x 18 x 12 ins. N. end of post
5 1/2 ft. dist and raised a
mound of earth 1 1/2 ft.
high 5 1/2 ft. base around
post
- 80.00 Set a post 4 ft. long 4 ins.
square with marked
stone 12 ins. in the ground
for cor. to Secs 15, 16, 21 & 22
marked
T. 7. S. 15 on N. E.

Subdivisions Sp 7

Chains R. 9. W. S. 22. on S. E.

S 21. on S. W. end

S 16. on N. W. faces with
3 notches on S. end E. edges
each fits $18 \times 18 \times 12$ ins.

in each Sec. $5\frac{1}{2}$ ft. dist. and
raised a mound of
earth 2 ft. high $4\frac{1}{2}$ ft
base around post

Land mesa

Soil $1\frac{1}{4}$ rate

very little surface Macfrae

S. $89^{\circ} 54' E$ on a random
line bet. Secs 15 and 22

79. $13^{\circ} 33' E$.

40.00 Set temporary $1/4$ Sec. cor

79.80 Intersect the N. and S. line

South Range West.

Chains 23 lks. S of the cor. to Secs
14, 15, 22 and 23

Thence Iron

S. $89^{\circ}56'W$. on a tree line
bet. Secs. 15 and 22
ra. $13^{\circ}33'E$.

Over mesa

3.9.90 Set a post 3 ft. long 3 ins.
square with marked stone
12 ins. in the ground for
1/4 Sec. cor, marked 1/4 S. on
N. face, dug pits $18 \times 18 \times 12$
ins. E. and W. of post $5\frac{1}{2}$ ft
dist. and raised a mound
of earth $1\frac{1}{2}$ ft. high $5\frac{1}{2}$ ft
base around post

79.80 The cor. to Secs 15, 16, 21 & 22

Land level mesa

Soil $1\frac{1}{4}$ rate

Subdivisions Sp. 7

Chains No^o 2^d W. bet Secs 15^{and} 16.

Var. 15° 33' E.

Over level mesa,

40.00 Set a post 3 ft. long
3 ins. square with
marked stone 12 ins.
in the ground for $\frac{1}{4}$
Sec. cor. marked $\frac{1}{4}$
S. on W. face dug pits
18 x 18 x 12 ins. N. & S. of
post $\frac{5}{8}$ ft. dist.
and raised a mound
of earth $1\frac{1}{2}$ ft. high
 $3\frac{1}{2}$ ft. bay around
post.

Ascend gradually to North
80.00 Set a post 4 ft. long
4 ins. square with
marked stone 12 ins.

North Range 9 West.

chains in the ground for cor.
 to Secs. 9, 10, 15 & 16. marked)
 T. 7 S. S. 10 on N. E.
 R. 9 W. S. 15 on S. W.
 S. 16 on S. W. and
 T. 9 on N. W. faces
 with four notches
 on S. and 3 notches
 on E. edges. dug pits
 18x18x12 ins. in each
 Sec. 5 1/2 ft. dist. and
 raised a mound of
 earth 2 ft. high 4 1/2
 ft. base around post.
 Land level mesa
 Soil 1st platy
 A very little scattering
 Malpais.

Subdivisions of 7

Chains N. $89^{\circ}56'$ E. on a random
line bet. Secs. 10 + 15.

Var. $14^{\circ}30'$ E.

40.00 Set temporary $\frac{1}{4}$ Sec. cor.

79.80 Intersect N. + S. line at
9 lks. N. of corner to Secs.
10, 11, 14 + 15.

Thence I run,

West on a true line
bet. Secs. 10 + 15.

39.90 ^{ascending over mesa} Set a first 3 ft. long
3 ins. square with
marked stone 12 in.
in the ground for $\frac{1}{4}$
Sec. cor. marked
 $\frac{1}{4}$ S. on N. line and
raised a mound
of stone $1\frac{1}{2}$ ft. high

South Range 9 West

Chains 2 ft. base around post.
 79.80 The cor. to Secs. 9, 10, 15 & 16.
 Land Mesa & Malpais
 Soil 2nd & 4th plate.

N^o 2' W. bet. Secs 9 and 10
 Va. 14^{35'} E

Ascending gradually to N
 40.00 Set a post 3 ft. long 3 ins.
 square with marked stone
 pins in the ground for 14
 Sec. cor. marked 1/4 N. on
 W. face, deep pits 18x18x12
 ins. N. and S. of post 5 1/2 ft
 dist. and raised a mound
 of earth 1 1/2 ft. high 3 1/2 ft
 base around post

80.00 Set a post 4 ft. long 4 ins

Subdivision Sp. 7.

Chain square with marked stone
12 ins. in the ground for
cor. to Secs 3, 4, 9 and 10
marked

T. 7. S. S. 3. on N. E.

R. 9. W. S. 10. on S. E.

S. 9. on S. W. End

S. 4. on N. W. faced with 5
notches on W. End 5 notches
on E. edges, and raised
a mound of stone $1\frac{1}{2}$ ft
high 2 ft. base around post
From which a Pale Verde
10 ins. diam bears S. 60° W
200 yds. dist. marked T. 7. S.
R. 9. W. S. 9. B. T.

and end of gradual ^{Ascent}
Land mesa
Soil $1\frac{1}{4}$ rate

Douth Range West.

Chain Little scattering surface gravel

East on a random line
bet. Secs 3 and 10

Va. 14° E.

40.00 Set temporary $\frac{1}{4}$ Sec. cor

79.90 Intersect the N. and S
lines at 11. lks. N. of cor
to Secs 2, 3, 10 & 11

Thence I run

N. $89^{\circ} 55' W.$ on a true line
bet. Secs. 3 and 10

Va. 14° E.

39.95 Set a post 3 ft. long 3 ins.
square with marked stone
12 ins. in the ground for
 $\frac{1}{4}$ Sec. cor, marked $\frac{1}{4}$ S. on
N. face, dug pits $18 \times 18 \times 12$

Subdivisions Exp. 7

Chain ins. E. end W. of post $5\frac{1}{2}$
ft. dist. and raised a
mound of earth $1\frac{1}{2}$ ft
high $3\frac{1}{2}$ ft. base around
post

57.50 Sentinel End Ajo. Road
bears N.W. end S.E.

79.90 The cor. to Secs 3, 4, 9 & 10
Land mesa
Soil $1\frac{0}{11}$ rate

N. $0^{\circ} 2' W.$ bet. Secs 3 and 4

Va. $140^{\circ} E$

40.00 Set temporary $1/4$ Sec. cor.

80.00 Intersect the N. Bdy of

+ the Tr at. 30 chs. W. of

cor. to Secs 3, 4, 9 & 10

Thence I run

Douth Range 9 West.

S. $10^{\circ} 11' W.$ on a true line
bet. Secs 3 and 4

To. $140^{\circ} - E.$

40.00 Set a post 3 ft. long 3
ins. square with marked
stone 12 ins. in the ground
for $1/4$ Sec. cor, marked $1/4$
P. on W. face, and raised
a mound of stone $1 1/2$ ft
high 2 ft. base around ^{post}

65.00 Road bet N.W. and P.E.

Section End of

80.00 The cor. to Secs. 3, 4, 9 & 10
Land mesa

Soil, $1/4$ rate

Oct 2 / 1892

Subdivisions Sp. 7

Chains From the cor. to Secs
4, 5, 32 and 33, on the
South Bay. of the Trp
Crum

No 2' W. bet. Secs 32 + 33

N¹⁴W 35^E

Over mesa

40.00 Set a post 3 ft. long 3
ins. square with marked
stone 12 ins. in the ground
for 1/4 Sec. cor, marked 1/4
N. on W. face, dug pits
18 x 18 x 12 ins. W. End of
post 5 1/2 ft. dist. and
raised a mound of
earth 1 1/2 ft. high 5 1/2 ft.
base around post

80.00 Set a post 4 ft. long
4 ins. square with
marked stone 12 ins.

South Range 9 West.

Chains in the ground for cor
to Secs 28, 29, 32 and 33
marked

T. T. S. 28. on N.E.

R. G. W. 33. on N.E.

S. 32. on S.W. and

S. 29. on N.W. faces with
1 notch on N. and 4 notches
on E. edges, dug pits 18
x 18 x 12 ins. in each Sec
5 1/2 ft. dist. and raised
a mound of earth 2
ft. high 4 1/2 ft. base around
each

Land mostly mesa

Soil 1st rate

a little malpais at
North end

Subdivisions Sp. 7. T. R. 9 W.

Chains $789^{\circ}57'E$ on a random
line bet. Secs 28 + 33

Va. $14^{\circ}40'E$

740.00 Set temporary $1/4$ Sec. cor

80.05 Intersect the N. and S. line
at 7. lks. north of cor
to Secs 27. 28. 33. and 34

Thence I run

West on a true line bet
Secs 28 + 33

Va. $14^{\circ}40'E$

40.03 Set a post 3 ft long 3 ins.
square with marked
stone 12 ins. in the ground
for $1/4$ Sec. cor, marked
 $1/4$ S. on N. face, deep pits
 $18 \times 18 \times 12$ ins. E. and W. of post
 $5\frac{1}{2}$ ft. dist. and raised a
mound of earth $1\frac{1}{2}$ ft. high

BOOK 1203

U. S. Surveyor-General's Office,

TUCSON, A. T., *March 4* 1883

The foregoing Field Notes of the Surveys of
Subdivision Lines of Tr.
7 S. R. 9 W

of the Gila and Salt River Meridian
in *Territory of Ariz* executed by
Lewis Wolfley

U. S. Deputy Surveyor, under his contract dated
May 26th 1892

having been critically examined, the necessary correc-
tions and explanations made, the said Field Notes and
the surveys they describe are hereby approved.

Peppercorn Johnson

U. S. Surveyor-General
for the Territory of Arizona.