

Recd Jan 6 - 1893

300 12

copied  
compared

Platted

sent to G.L.O. 3-4/93

No. 1204

Approved April 27 - 1893

4-671

BOOK 1204

1204

FIELD NOTES

GENERAL LAND OFFICE.

of the

SUBDIVISIONS.

T. 7 S. R. 9. W

by Lewis Wolfley

under Contract No. 22

Dated May 26 1892

Survey Commenced Oct 19

Completed Oct 24 1892

Indexed, Book 1203.

54

Township 7S R. 9W

6	92	5	68	4	3	2	1
91		89	67				
7	88	8	65	9	10	11	12
86		85	64				
18	83	17	62	16	15	14	13
82		81	60				
19	79	20	59	21	22	23	24
78		76	57				
30	75	29	55	28	27	26	25
73		72	55				
31	70	32	33	34	35	36	

## Subdivisions Sp. 7 S. R. 9 W.

Chains  $3\frac{1}{2}$  ft. base around post

64.50 Enter Malpais gravel

80.05 The cor. to Secs 28, 29, 32 + 33

Line running along mesa edge

Land mesa and Malpais

Soil on mesa 1<sup>st</sup> rate

" " Malpais 4<sup>th</sup> rate

No<sup>o</sup> 2' W. bet. Secs 28 and 29

Va 14° 40' E.

across Lava bed 30 ft.

higher than mesa

25.00 Leave Lava bed, and over mesa

40.00 Set a post 3 ft. long 3 ins.

square with marked

stone 12 ins. in the ground

for 1/4 Sec. cor, marked 1/4

## Subdivisions Sp. 7.

Chains S. or W. face, dug pits  
 18x18x12 ins. at End S.  
 of first  $5\frac{1}{2}$  ft. dist.  
 and raised a mound  
 of earth  $1\frac{1}{2}$  ft. high  
 $5\frac{1}{2}$  ft. base around post  
 80.00 Set a post 4 ft. long  
 4 ins. square with  
 marked stone 12 ins.  
 in the ground for Cor  
 to Secs. 20, 21, 28 + 29  
 marked

T. 7. S. S. 21 on N.E.  
 R 4 W. S 28. on S.E.  
 S 29. on S.W. End  
 S 20 on N.W. faces with  
 2 notches on S. End 4  
 notches on E. edges, dug  
 pits 18x18x12 ins. in

## South Range 9 West.

chains each Sec.  $5\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high  $4\frac{1}{2}$  ft. base around each

Land mesa and Malpais  
Soil on mesa 1<sup>st</sup> rate

" " Malpais worthless

East on a random line  
bet. Secs 21 and 28

$\text{Va } 13^{\circ} 43' \text{ E}$

40.00 Set temporary  $\frac{1}{4}$  Sec. cor  
80.30 Intersect the N. and S.  
line at 25. lks. N. of cor.  
to Secs 21. 22. 27 & 28

Thence I run

N.  $89^{\circ} 49' \text{ W}$  on a true line  
bet. Secs 21 and 28

## Subdivisions Sp. 7.

Chains

Va 130 43'E.

- Over mesa, <sup>and Malpais</sup>
- 40.15 Set a post 3 ft. long  
3 ins. square with  
marked stone 12 ins.  
in the ground for 114  
Sec. cor, marked 114 S.  
on N. face, dug pits  
18 x 18 x 12 ins. E and W.  
of post 5 1/2 ft. dist. End  
raised a mound of  
earth 1 1/2 ft. high 3 1/2 ft  
base around post
- 80.30 The cor. to Secs 20. 21. 28. 29  
<sup>S and E.</sup> 1/2 over Malpais <sup>and</sup> ~~but~~  
mesa 1. ch. North  
Soil 1 <sup>st</sup>/<sub>n</sub> rate

## South Range 9 West.

Chains No<sup>o</sup> 2' W. bet. Secs 20 + 21  
 Va 13<sup>43</sup> E.

Over mesa

22.50 Wash course S.W.

40.00 Set a post 3 ft. long 3  
 ins. square with marked  
 stone 12 ins. in the ground  
 for  $\frac{1}{4}$  Sec. cor, marked  
 $\frac{1}{4}$  S. on W. face, and raised  
 a mound of stone 11 $\frac{1}{2}$  ft.  
 high 3 $\frac{1}{2}$  ft. base around  
 post, and leave mesa  
 ascending, to Malpais

80.00 Set a post 4 ft. long 4  
 ins. square with marked  
 stone 12 ins. in the  
 ground for cor. to Secs  
 16:17, 20 and 21, marked  
 T.T.S.P 16. on N.E.

## Subdivisions Sp. 7

Chains R. G. W. S. 21. on S.E.  
 S 20. on S.W. End  
 S 17. on N.W. faces with  
 3 notches on W. End 4  
 notches on E. edges,  
 and raised a mound  
 of stone  $1\frac{1}{2}$  ft. high 20  
 ft. base around frost  
 Land mesa + Malpais  
 Soil on mesa 1<sup>st</sup> rate  
 " " Malpais worthless

---

S.  $89^{\circ} 49' E$ . on a random  
 line bet. Secs 16 and 21  
 Sa  $15^{\circ} 46'$

40.00 ✓ Set temporary  $1\frac{1}{4}$  Sec. cor  
 80.20 Intersect the N. end S  
 line at 5 lks S. of cor. to



## Smith Range 9 West.

Chain Secs 15, 16, 21 and 22

Thence Iron

N.  $89^{\circ} 51' W.$  on a tree line  
bet. Secs 16 and 21

to  $15^{\circ} 4' E.$

40.15 Put a post 3 ft. long 3 ins  
square with marked  
stone 12 ins. in the ground  
for 1/4 Sec. cor. marked 44  
D. on N. face, dug pits 18  
 $\times 18 \times 12$  ins. E. and W. of  
post  $5\frac{1}{2}$  ft. dist. and  
raised a mound of earth  
 $1\frac{1}{2}$  ft. high  $9\frac{1}{2}$  ft. base  
around post

60.00 Leave mesa and enter  
Malpais, and ascend

80.30 The cor. to Secs 16, 17, 20 & 21  
Land mesa & Malpais

## Subdivisions Sp. 7

Chains Soil 1<sup>st</sup>/<sub>4</sub> rate on Mesa  
 ,, worthless on Malpais

---

No<sup>o</sup> 2' W. bet. Secs 16+17  
 Va. 15<sup>o</sup> 4' E.

Continued Ascend  
 Malpais Butte 200 ft  
 high in the center of  
 Sec. 17, Lava ridges  
 radiating from it in  
 all directions, probably  
 an old crater

40.00 Set a post 3 ft long 3  
 ins. square with marked  
 stone 12 ins. in the ground  
 for N<sup>o</sup> 4 Sec. cor, marked 14  
 P. on W. face, and raised  
 a mound of stone 1 1/2 ft

# Bruth Range 9 West.

Chains high 2 ft. base around post  
 56.00 Top and descend to N  
 70.00 Leave Mafra's and enter  
 mesa  
 80.00 Set a post 4 ft. long 4  
 ins. square with marked  
 stone 12 ins. in the ground  
 for cor. to Secs 8, 9, 16 & 17  
 marked

T. 7. S. 9. on N.E.

R 9 W. 16. on S.E.

S 17. on S.W. end

S 8. on NW. faces with  
 4 notches on S. and E. edges  
 aug pits 18x18x12 ins. in  
 each Sec. 5 1/2 ft. dist. and  
 raised a mound of earth  
 2 ft. high 4 1/2 ft. base  
 around post.

## Subdivisions Sp. 7

Chains Land Malpais  
Soil 4<sup>th</sup>/<sub>11</sub> rate

---

S.  $89^{\circ} 57' E$ . on a random  
line bet. Secs 9 and 16  
Va  $12^{\circ} 34' E$ .

40.00 Set temporary  $1/4$  Sec. cor.

80.50 Intersect the N. and S.  
lines at 11. lks. S. of  
cor. to Secs 9, 10 15 & 16

X Thence N  $89^{\circ} 56' W$ . on  
a true line bet Secs 9 & 16  
Va.  $12^{\circ} 34' E$

ascend over mesa

40.25 Set a post 3 ft. long  
3 ins. square with  
marked stone 12 ins. in  
The ground for  $1/4$  Sec. cor.

## South Range 9 West.

Chains marked 1/4. Dow N. face  
and raised a mound of  
stone 1 1/2 ft. high 2 ft.  $\phi$   
base around frost

80.50 The cor. to Secs 8, 9, 16 + 17  
and leave mesa and  
enter Malpais. Ascending  
Land Mesa  
Soil 2 <sup>rod</sup>/<sub>in</sub> to 4 <sup>th</sup>/<sub>in</sub> rate

---

N<sup>o</sup> 2' W. bet. Secs 8 + 9

P.A. 12° 34' E

Over mesa

30.00 Leave mesa & enter Malpais

40.00 Set a frost 3 ft. long 3  
ins. square with marked  
stone 12 ins. in the ground  
for 1/4 Sec. cor. marked

## Subdivisions Sp. 7.

Chains 114. S. on N. face, and  
raised a mound of  
stone  $1\frac{1}{2}$  ft. high 2 ft.  
base around post

60.00 Ascend ridge

80.00 Set a post 4 ft. long  
4 ins. square with marked  
stone 12 ins. in the ground  
for cor. to Secs 4, 5, 8 & 9  
marked

T. 7. S. 4. on N. E.

R 9. W. 9. on S. E.

S 5. on S. W. and

S 5. on N. W. faces with  
5 notches on S. and 4

notches on E. edges. and  
raised a mound of stone  
 $1\frac{1}{2}$  ft. high 2 ft. base  
around post

## South Range 9 West.

chains Land mesa and  
rolling malpais  
Soil 1<sup>st</sup>/<sub>11</sub> and 4<sup>th</sup>/<sub>11</sub> rate

S. 89° 56' E. on a random  
line bet. Secs 4 and 9  
Va. 14° E.

40.00 Set temporary 1/4 Sec. cor

79.80 Intersect the N. and S.  
lines at 9 lks. N. of cor. to  
Secs 3, 4, 9 and 10

Thence I run

N. 89° 52' W. on a true  
line bet. Secs 4 and 9  
Va. 14° E.

Ascend

40.00 Set a post 3 ft. long 3 ins.  
square with marked

## Subdivisions Sp 7

Chain Stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. cor marked  $\frac{1}{4}$  P. on N. face dug pits  $18 \times 18 \times 12$  ins. E. & W. of post  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high  $5\frac{1}{2}$  ft. base around post.

79.80 The cor. to Secs 4, 5, 8 & 9  
Land rolling Malpais  
Soil  $3^{\text{rd}}$  and  $4^{\text{th}}$  rate

N.  $0^{\circ} 2' W.$  on a random  
line bet. Sec. 4 & 5.

Var.  $14^{\circ} \dots ' E.$

40.00 Set temporary  $\frac{1}{4}$  Sec. cor

79.80 Intersect the N.  $\frac{1}{4}$  Sec. of



## South Range 9 West

Chain the Tp. at 40 lks. W. of  
the cor. to Secs. 4, 5, 32 + 33.

Thence I run  
S. 0° 15' W. on a true line  
bet. Secs. 4 + 5

Var. 14° 16' E.

- 5.80 Old road bears S. E. & N. W.
- 35.80 Leave mesa foot of ridge  
and ascend
- 39.90 Set a post 3 ft. long  
3 in. square with  
marked stone 12 in. in  
the ground for  $\frac{1}{4}$  Sec.  
cor. marked  $\frac{1}{4}$  S. on W.  
face and raised a  
mound of stone  $\frac{1}{2}$  ft.  
high 2 W. base around  
post. W. ascend E. end of Malpais <sup>cut</sup>
- 66.80 Top of ridge & descend

## Subdivisions Sp 7.

Chains

79.80

The cor. to Secs. 4, 5, 8 & 9  
 Land Mesa + Malpais  
 Soil 1<sup>st</sup> & 4<sup>th</sup> pette  
 Oct 23 - 1892

---

From the cor. to Secs  
 5, 6, 31 and 32. on the S.  
 Bdy. of the Tfr.  
 I run

N<sup>o</sup> 3' W. bet Secs 31 and 32  
 Va. 13° 43' E.

.50 Enter rolling malpais

40.00 Set a post 3 ft. long 3  
 ins. square with marked  
 stone 12 ins. in the ground  
 for 1/4 Sec. cor, marked 1/4  
 D. on W. face aug. pits  
 18 x 18 x 12 ins. W. end P. of

Breith Range 9 West. <sup>71</sup>

chains of post  $5\frac{1}{2}$  ft. dist. and  
 raised a mound of  
 earth  $1\frac{1}{2}$  ft. high  $5\frac{1}{2}$   
 ft. base around post  
 49.40 Least rolling malpais  
 80.00 Put a post 4 ft. long 4 ins.  
 square with marked  
 stone 12 ins. in the ground  
 for cor. to Secs 29. 30. 31 + 32  
 marked

T. P. S. 29. on N. E.

R. 9. W. P. 32. on S. E.

P. 31. on S. W. end

P. 30. on N. W. faces with 1  
 notch on S. and 5 notches  
 on E. edges, dug pits  $18 \times 18 \times 12$   
 ins. in each. No. and raised  
 a mound of earth 2 ft. high  
 $4\frac{1}{2}$  ft. base around post

## Subdivisions Sp. 7

Chains

Land mesa + Malpais  
Soil 1<sup>st</sup> and 4<sup>th</sup> rate

N 89° 57' E. on a random  
line bet. Secs 29 and 32  
Va. 13° 45' E.

40.00 Set temporary 1/4 Sec. cor

80.00 Intersect the N and S.  
line at 2 lks S. of cor  
to Secs 28, 29, 32 + 33

Thence I run

S. 89° 56' W. on a true line  
bet. Secs 29 and 32

Va. 13° 45' E.

40.00 Set a post 3 ft. long 3  
mis. square with marked  
stone 12 mis. in the  
ground for 1/4 Sec. cor.

## South Range 9 West.

Chains marked 1/4 S. on N. face  
and raised a mound  
of stone 1 1/2 ft. high 2 1/2 ft.  
base around post

43.00 Clear Malpais

80.00 The cor. to Secs 29, 30, 31 & 32

Land mesa and Malpais  
Soil 1 1/4 and 3 1/4 rate

---

S. 89° 57' W on a random  
line bet Secs 30 & 31

N 91° 30' 45" E.

40.00 Set temporary 1/4 Sec. cor

89.70 Intersect the W. Bdy of  
the Tp at 18. lks N. of  
cor. to Secs 25, 30, 31 and 36

Thence I run

N 89° 49' E. on a true line

## Subdivisions of 7

Chains bet Secs 30 and 31

Ta.  $13^{\circ} 45' E$ .

47.70 about 4 chs North a  
Rock Peak 75. ft. high  
about 4 chs. diam. at  
the Base.

49.70 Set a post 3 ft. long  
3 ins. square with marked  
stone 12 ins. in the ground  
for 1/4. Sec. cor. marked  
1/4. S. on N. face, dug pits  
18 x 18 x 12 ins. E. and W. of  
post 5 1/2 ft. dist. and  
raised a mound of earth  
1 1/2 ft. high 8 1/2 ft. base  
around post

89.70 The cor. to Secs 29.30.31 + 32

Land mesa  
Soil 1  $\frac{2}{3}$  rate

---

South Range 9 West.

Chains  $N 10^{\circ} 3' W$ . bet. Secs 29 + 30

$V a. 13^{\circ} 45' E.$

Over mesa

40.00 Set a post 3 ft. long 3  
 ins. square with marked  
 stone 12 ins. in the ground  
 for 14 Sec. cor. marked 14  
 D. on W. face, dug pits 18  
 $\times 18 \times 12$  ins. N. End of  
 post  $5\frac{1}{2}$  ft. dist. and  
 raised a mound of earth  
 $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base  
 around post

80.00 Set a post 4 ft. long 4  
 ins. square with marked  
 stone 12 ins. in the ground  
 for cor. to Secs 19. 20. 29 + 30  
 marked

P. T. D. 20. on N. E.

## Subdivision Sp. 7

Chains R. 9. W. S 29. on D. E.

D. 30. on D. W. and

D 19. on N. W. faces with  
2 notches on W. and 5  
notches on E. edges

aug pits  $18 \times 18 \times 12$  ins.

in each sec.  $5\frac{1}{2}$  ft. dist.

and raised a mound of  
earth 2 ft. high  $4\frac{1}{2}$  ft  
base around post

Land level soil  $1\frac{1}{2}$  rate

N  $89^{\circ} 56' E$ . on a random  
line bet. Secs 20 and 29

N  $913^{\circ} 43' E$ .

40.00 Set temporary 114 Sec. cor

79.80 Intersect the N. and S.

line at 30 lks. N. of cor



## South Range 9 West.

Chains to Secs 20, 21, 28 + 29

Thence I run

N 89° 51' W. on a true line

bet. Secs 20 and 29

Pa. 13° 43' E

3.9.90 Set a post 3 ft. long 3 ins. square with marked stone 12 ins. in the ground for 14 Sec. cor, marked 14. On N. face, dug pits 18 x 18 x 12 ins. E. End N. of post 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft high 3 1/2 ft. base around post.

61.80 Enter Malpais

79.80 The cor. to Secs 19, 20, 29 + 30

Land <sup>and plain</sup> mesa <sup>and Malpais</sup>

Soil 1<sup>st</sup>/<sub>4</sub> and 4<sup>th</sup>/<sub>4</sub> rate

## Subdivisions of 7

Chains N.  $89^{\circ} 49' W.$  on a random  
line bet. Secs 19 and 30

Va.  $13^{\circ} 43' E$

40.00 Set temporary 1/4 Sec. Cor.

89.65 Intersect the W. Bdy of  
the Tp. at 25. lks. S. of  
the cor. to Secs 19, 24, 25  
and 30.

Thence I run

East on a true line bet  
Secs 19 and 30

Va.  $14^{\circ} 30' E$

Over rolling malpais

22.00 Leave malpais & enter Mesa

49.65 Set a post 3 ft. long & 3 ins  
square with marked  
stone 12 ins. in the ground  
for 1/4 Sec. cor, marked 1/4 A  
on N. face, dug pits  $18 \times 18 \times 12$

Droth Range 9 West

BOOK 1204

79

Chains ins. E. and W. of post  $5\frac{1}{2}$   
ft. dist. and raised a  
mound of earth  $1\frac{1}{2}$  ft  
high  $3\frac{1}{2}$  ft. base around  
post

89.65 The cor. to Secs 19.20.29+30  
Land mesa + Malpais  
Soil 1<sup>st</sup> and 4<sup>th</sup> rate

$N0^{\circ}3'W$ . bet. Secs 19 and 20  
Ta.  $13^{\circ}43'E$ .

40.00 <sup>Corr mesa</sup> Set a post 3 ft. long 3  
ins. square with marked  
stone 12 ins. in the ground  
for  $\frac{1}{4}$  Sec. cor. marked  $\frac{1}{4}$  ft  
on W. face and raised a  
mound of stone  $1\frac{1}{2}$  ft  
high 2 ft. base around post.

Subdivisions C<sup>o</sup>. 7

Chains ascending steep ascent  
45.00 Leave mesa and enter

Malpais. Top of ascent  
50.00 Set a post 4 ft. long 4  
ins. square with marked  
stone 12 ins. in the ground  
for cor. to Secs 17, 18, 19 & 20  
marked

T. 7. S. 17. on N.E.

R 9. W. 20. on S.E.

S 19. on S.W. and

S 18. on N.W. faces with  
3 notches on N. and 5  
notches on E. edges and  
raised a mound of stone  
1 1/2 ft. high 2 ft. base  
around post

Land Malpais + mesa

Soil on mesa 1<sup>st</sup>/<sub>4</sub> + 2<sup>nd</sup>/<sub>4</sub> rate

## Fourth Range 9 West.

chains Soil on malpais 4<sup>th</sup> rate

---

D.  $89^{\circ} 57' E.$  on a random  
line bet. Secs 17 and 20

Va.  $13^{\circ} 43' E.$

40.00 Set temporary 1/4 Sec. cor

79.60 Intersect the N. end of  
line at 10 EKS. N. of cor  
to Secs 16, 17, 20 and 21

Thence I run

N.  $89^{\circ} 47' W.$  on a true line  
bet. Secs 17 and 20

Va.  $13^{\circ} 43' E.$

Continue ascending over  
malpais, rolling

39.80 Set a post 3 ft. long 3  
ins. square with marked  
stone 12 ins. in the ground

## Submissions Exp. 7

Chains for  $1/4$  Sec. cor. marked  $1/4$   
 on N. face and raised  
 a mound of stone  $1\frac{1}{2}$  ft  
 high 2 ft. base around post  
 79.60 The cor. to Secs 17, 18, 19 + 20  
 Land malfeas  
 Soil  $3\frac{3}{4}$  to  $4\frac{1}{2}$  rate

---

West on a random line  
 bet. Secs 18 + 19

Pa.  $13^{\circ} 43'E$

40.00 Set temporary  $1/4$  Sec. cor

89.80 Intersect the W. Bdy of  
 the Twp 49, E. 2. N. of cor  
 to Secs 13, 18, 19 and 24

Thence I run

$N 89^{\circ} 39'E$  on a true line

bet. Secs 18 + 19

## Break Range 9 West.

Chains ~~3000~~ Va.  $13^{\circ}43'E$ .  
 Descending over Malpais  
 49.80 Set a post 3 ft. long 3 ins  
 square with marked  
 stone 12 ins. in the ground  
 for 14. Sec. cor, marked 14  
 P. on N. face and raised  
 a mound of stone  $1\frac{1}{2}$  ft  
 high 2 ft. base around  
 post

89.80 The cor. to Secs 17, 18, 19 + 20  
 Land Malpais  
 Soil 3<sup>rd</sup>/<sub>4</sub> + 4<sup>th</sup>/<sub>4</sub> rate

No 3 W. bet. Secs 17 & 18  
 Va.  $13^{\circ}43'E$ .

Cor Malpais

40.00 Set a post 3 ft. long 3 ins

## Subdivisions of 7

Chain square with marked  
stone 12 ins. in the ground  
for 1/4 Sec. cor, marked 14  
N.W. face and raised a  
mound of stone 1 1/2 ft. high  
2 ft. base around frost

45.00 Lead nails.

80.00 Set a frost 4 ft. long 4  
ins. square with marked  
stone 12 ins. in the ground  
for cor. to Secs 7, 8, 17 & 18  
marked

5.7.1.8 on N.E.

9.9.W.17. on S.E.

18. on S.W. End

17. on N.W. faces with 4  
notches on S. End & 5 notches  
on E. edges, and raised  
a mound of stone 1 1/2 ft.



## South Range 9 West.

Chains 2 ft. base around post  
 Land mesa + malpais  
 Soil: 1<sup>st</sup> rate 35 chs  
 " 2<sup>nd</sup> rate 45 "

---

D.  $89^{\circ} 47' E$ . on a random  
 line bet. Secs 8 & 17

Va.  $13^{\circ} 43' E$ .

40.00 Set temporary 1/4 Sec. cor

79.60 Intersect the N. and S.  
 line at 30 chs. S. of cor  
 to Secs 8, 9, 16 and 17

Thence I run

west on a true line bet  
 Secs 8 + 17

Va.  $13^{\circ} 43' E$ .

ascending over malpais

39.80 Set a post 3 ft. long 3 ins

## Subdivisions Sp. 7.

Chains square with marked  
stone 12 ins. in the ground  
for 1/4 Sec. cor, marked 14  
D. on N. face, dug pits 18x  
18x12 ins. E and W. of  
first 5 1/2 ft. dist. and raised  
a mound of earth 1 1/2 ft  
high 3 1/2 ft. base around  
Grash

56.60 Top of Malpais and descend

79.60 The cor. to Secs 7, 8, 17 & 18

Land rolling malpais  
Soil 4<sup>th</sup> rate

S. 89° 39' W. on a random  
line bet. Secs 7 and 18

79.13° 43' E.

40.00 Set temporary 1/4 Sec. cor

## South Range 9 West.

Chains

89.50

Intersect the West Bdy  
of the Twp. at 39. lks. S of  
Cor. to Secs 7, 12, 13 + 18

Thence I run

$989^{\circ}56'E$  on a true line  
bet. Secs 7 and 18

$75^{\circ}13'43'E$ .

Ascending over rolling <sup>Malpais</sup>

49.50

Set a post 3 ft. long 3  
ins square with marked  
stone 12 ins. in the ground  
for  $1/4$  Sec. cor. marked  $1/4$   
W. on N. face, and raised  
a mound of stone  $1\frac{1}{2}$  ft  
high  $3\frac{1}{2}$  ft. base around  
post

89.50

The cor. to Secs 7, 8, 17 + 18  
Land rolling Malpais

## Subdivisions Sp. 7

Chains Coel  $4\frac{1}{4}$  rate

N 0° 3' W, bet. Secs. 7 & 8

Va. 13° 43' E.

Ascending over Malpais <sup>rock</sup>

20.50 Top of Malpais and descend

40.00 Set a post 3 ft. long 3

ins. square with marked  
stone 12 ins. in the ground  
for 14 Sec. cor. marked 14

on W. face, and raised  
a mound of stone  $1\frac{1}{2}$  ft  
high 2 ft. base around post

80.00 Set a post 4 ft. long 4

ins. square with marked  
stone 12 ins. in the ground  
for cor. to Secs 7, 8, 5, and 6  
marked

## South Range West.

Chairs T. 7. S. S. 5. on N. E.

R. 9. W. S. 7. on S. E.

S. 7. on S. W. End

S. 6. on N. W. faces with 5  
notches on S. and E. edges  
and raised a mound  
of stone  $1\frac{1}{2}$  ft. high 2 ft  
base around each

Land rolling Malpais

Soil  $\frac{4}{10}$  rate

East on a random line  
bet. Secs. 5 and 7.

Pa.  $14^{\circ}35'E$ .

40.00 Set temporary 1/4 Sec. cor

79.80. Intersect the N. and S. line  
at 21.2 k. N. of the cor. to  
Secs 4. 5. 8 & 9

## Subdivisions of 7

Chains Thence I run

N.  $89^{\circ} 51' W$  on a tree

line bet. Secs 5 + 8

Pa.  $14^{\circ} 35' E$ 

ascending

8.00 Top of ascent and descend  
to w. over rolling malpais39.90 Set a post 3 ft. long 3 in.  
square with marked stone  
12 ins. in the ground for 14  
Sec. cor. marked 14 P. brown  
face, dug pits  $18 \times 18 \times 12$  ins.E. end W. of post 5 1/2 ft. dist.  
and raised a mound of  
earth 1 1/2 ft. high 5 1/2 ft  
base around post

79.80 The cor. to Secs 5. 6. 7 + 8

Land rolling malpais  
Soil 4 1/2 ft Gate

## South Range 9 West.

Chains S  $89^{\circ} 56' N$ . on a random  
line bet. Secs 6 & 7

$\frac{1}{4}$  a.  $14^{\circ} 35' E$

40.00 Set temporary  $\frac{1}{4}$  Sec. cor

89.30 Intersect the west edge of  
the Tp. at  $49.000' N$  of the  
cor. to Secs. 1, 6, 7 and 12

Thence I run

N.  $89^{\circ} 35' E$ . on a true line  
bet. Secs 6 and 7

$\frac{1}{4}$  a.  $14^{\circ} 35' E$ .

49.30 Set a post 3 ft. long 3 ins.  
square with marked  
stone 12 ins. in the ground  
for  $\frac{1}{4}$  Sec. cor. marked  $\frac{1}{4}$  D  
on N. face, dug pits 18x18x  
12 ins. E and W. of least  $5\frac{1}{2}$   
ft. dist. and raised a mound  
of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base

## Subdivisions Sp. 7

Chains around frost

89.30 The cor. to Secs 5, 6, 7 & 8  
 Land rolling Malpais  
 & high mesa  
 Soil 2  $\frac{1}{2}$  and 4  $\frac{1}{2}$  rate

---

on a yardang line  
 $N 0^{\circ} 3' W_n$  bet. Secs 5 & 6.

Va.  $14^{\circ} 35' E$ .

40.00 Set temporary 14 Sec. cor

88.00 Intersect the N. Bay of the  
 Twp. at 25. lks. W. of the cor.  
 to Secs 5, 6, 31 and 32

Thence I run

$S. 0^{\circ} 8' W$  on a true line  
 bet. Secs 5 and 6.

Va.  $14^{\circ} 35' E$ .

Ascend over rolling Malpais

40.00 Set a frost 3 ft. long



## Breith Range 9 West.

Chains vis. square with marked  
stone 12 vis. in the ground  
for 14 Sec. cor, marked 114  
P. on W. face, dug pits 15x15  
x 12 vis. N. and S. of post 5 1/2 ft.  
dist. and raised a mound  
of earth 1 1/2 ft. high 3 1/2 ft  
base around post

50.00 The cor. to Secs 5, 6, 7 + 8  
Land Malpais  
Soil 4<sup>th</sup>/<sub>10</sub> rate

---

## General Description

This Tp. has a great deal of very good land; some finer and some worthless, alternating in such a way, that it requires all to be surveyed to take in the good land.

Much marked Malpais is only a surface covering, with good under soil. In fact all soil is first rate, being all of the same general character, and is strong and productive, wherever any signs of moisture appears, with

many fine patches  
of Meka grass.

Considerable guava-  
wood brush and  
pape-brush.

With water fully  $\frac{3}{4}$   
of it could and would  
be successfully sub-  
stituted. Being par-  
ticularly adapted  
to grape culture of  
the finest character.  
A very few pal-  
verds and mes-  
quite trees.

I tested latitude on 8<sup>th</sup>,  
22<sup>nd</sup>, & 25<sup>th</sup> while sur-  
veying this Sp.

Oct 24-1892

Lewis Wolfley

U. S. Deputy Surveyor

Mean Declination  $13^{\circ}57' E$ .

U. S. Surveyor-General's Office,

TUCSON, A. T., *March 4* 188*3*

The foregoing Field Notes of the Surveys of  
*The Subdivision Lines of*  
*Tp. 7 S. R. 9 W*

*Of the Gila and Salt River Meridian*  
 in *Territory of Ariz* executed by  
*Lewis Wolfley*

U. S. Deputy Surveyor, under his contract dated  
*May 26<sup>th</sup> 1892*

having been critically examined, the necessary corrections and explanations made, the said Field Notes and the surveys they describe are hereby approved.

*Rufus Johnson*  
 U. S. Surveyor-General  
 for the Territory of Arizona.