

Book 1

Recd Jan 6 - 1893

Compared  
Platted  
Sent to G.L.O. 3-4-93

BOOK 1206

No. 1206

Approved. April 27-1893

1206

4-671

BOOK 1206

FIELD NOTES

BOOK 1206

GENERAL LAND OFFICE.

of the

SUBDIVISIONS

T. 7 S. R. 7 W

by Lewis Wolfley

UNDER CONTRACT, No 22

Dated May 26-1892

Survey Commenced Nov 13-89 1/2

Completed Nov 17-89 1/2

(1-64.)

Township 7 R. 7 West

BOOK 1206

①

6	5	4	3	2	1
N. 89° 51' E	W	S. 89° 54' W	W	S. 89° 51' W	S. 89° 51' W
7	8	9	10	11	12
N. 89° 58' E	S. 89° 54' W	S. 89° 56' W	W	S. 89° 57' W	S. 89° 51' W
15	17	16	15	14	13
N. 89° 57' E	S. 89° 49' W	S. 89° 52' W	S. 89° 51' W	W	S. 89° 52' W
19	20	21	22	23	24
N. 89° 58' E	S. 89° 56' W	S. 89° 51' W	S. 89° 54' W	W	S. 89° 51' W
30	29	28	27	26	25
N. 89° 48' E	S. 89° 58' W	S. 89° 51' W	S. 89° 54' W	S. 89° 54' W	W
31	32	33	34	35	36

(11921--10 M.)

6-389

S. 89° 59' E.

BOOK 1206



1A

BOOK 1206

Preliminary Oaths of Assistants.

*I, John W. Wilkinson*

and  
do solemnly swear that we will well and faithfully  
execute the duties of Chain Carriers; that we will  
level the chain upon even and uneven ground, and  
plumb the tally pins, either by sticking or dropping  
the same; that we will report the true distance to  
all notable objects, and the true lengths of all lines  
that we assist in measuring, to the best of our skill  
and ability, and in accordance with instructions  
given us, in the survey of the <sup>1<sup>st</sup></sup> portion of the 1<sup>st</sup>

Stand. Par. A + a portion of the 2<sup>nd</sup>  
Guide Meridian + Exterior and Subdivison

lines of T. 5. S. R. 7. W. + T. 6. S. R. 6. 7. 8. 9. W

and T. 7. S. R. 7. E. + 9. west

of the Gila and Salt River Base and Meridian in  
the Territory of Arizona.

*John W. Wilkinson* Chainman.

..... Chainman.

..... Chainman.


..... Chainman.

Subscribed and sworn before me, this *14<sup>th</sup>*

day of *November* 189*2*

*Frank S. Welles*

Notary Public.



No. John W. Wilkinson 13

BOOK 1206

C

I solemnly swear that we will well and truly perform the duties of Chairman

in the establishment of corners and other duties, according to instructions given us, and to the best of our skill and ability, in the survey of the <sup>2</sup> stations of the 1<sup>st</sup> Stand. Par. S. and a station of the 2<sup>nd</sup> Side Meridian, + Extension + Subdivision of The S. C. R. 7. 2. W. + The G. S. R. 6. 7. 5. 1. 9. W. + The T. D. R. 7. 5. 1. 9. 2. W. S. H. of the Gila and Salt River Base and Meridian, in the Territory of Arizona.


John W. Wilkinson

Subscribed and sworn to before me this 14<sup>th</sup>

day of November 1892

Frank S. Welbauer

Notary Public.



Field Notes of the  
Survey of the  
Subdivision Lines of  
T<sup>h</sup>. 7. S. R. 7. W.  
of the  
Gila and Salt River  
Base and Mendocino  
Territory of Arizona  
as Surveyed by  
Lewis Wolfley  
U. S. Deputy Surveyor  
under Contract No 22  
Dated May 26<sup>th</sup> 1892

Survey commenced Nov 15<sup>th</sup> 1892  
" completed Nov 17<sup>th</sup> 1892

10

## BOOK 1206

(4-674.)

Township

7. S

R.

7. West

Index for

BOOK 1206

BOOK 1207

6	91	5	67	4	57	3	33	2	16	1
92		90		66		49		32		14
7	89	8	64	9	48	10	36	11	13	12
87		86		63		46		28		12
18	84	17	61	16	44	15	26	14	10	13
82		81		60		43		25		8
19	79	20	58	21	41	22	23	23	7	24
77		76		57		40		22		6
30	73	29	55	28	38	27	20	26	4	25
72		70		54		37		19		2
31	68	32	52	33	35	34	17	35	1	36

(11921-10 M.)

6-389

Survey commenced Nov. 13/1892.  
 " Completed Nov. 17/1892.

Subdivisions T<sub>7</sub> S. 7 W.

Chains

Beginning at the Cor.  
to Secs. 1, 2, 35 and 36 on the  
South Bay of the T<sub>7</sub>.

I. run.

N<sup>o</sup> 1<sup>1</sup>/<sub>2</sub> W. bet. Secs. 35 and 36.

Or. 12<sup>o</sup> 06' E.

40.00 Set a post 3 ft. long 3  
nis. square with marked  
stone 12 nis. in the ground  
for 1/4 Sec. cor, marked 145.  
on N. face, dug pits 18x18x  
12 nis. N. end of post. 5 1/2  
ft. dist. and raised a  
mound of earth 1 1/2 ft. high  
3 1/2 ft. base around post.

80.00 Set a post 4 ft. long 4 nis.  
square with marked stone  
12 nis. in the ground for

## Subdivisions Sp. 7

Chains cor. to Secs. 25, 26, 35 & 36  
marked

T 7. S. S. 25. on N.E.

R 7. N. S. 36. on S.E.

S 35. on S.W. and

S 26. on N.W. faces with  
1 notch on S. and E. edges  
dug pits 18x18x12 ins. in  
each Sec. 5 1/2 ft. dist. and  
raised a mound of earth  
2 ft. high 4 1/2 ft. base around  
posts.

Land level mesa

Soil 1 <sup>ct</sup>/<sub>7</sub> rate

S 79° 59' E. on a random  
line bet. Secs. 25 and 36.

Pa. 12° 06' E



## South Range 7. West

Chains

40.00 Set temporary  $\frac{1}{4}$  Sec. cor  
 70.00 Intersect the East Bdy of  
 the Twp at 2 lks. south of  
 the cor. to Secs 25, 30, 31 & 36.

Hence I run  
 West on a true line bet.  
 Secs. 25 and 36.

$\nabla$  a.  $12^{\circ} 06' E$ .

40.00 Set a least 3 ft. long 3 in.  
 square with marked stone  
 12 in. in the ground for  
 $\frac{1}{4}$  Sec. cor. marked  $\frac{1}{4}$  S. on  
 N. face, dug pits  $18 \times 18 \times 12$   
 ins. E. and W. of post  $5\frac{1}{2}$  ft.  
 dist. and raised a  
 mound of earth  $1\frac{1}{2}$  ft. high  
 $5\frac{1}{2}$  ft. base around post.

49.70 Enter surface real face ground

## Subdivisions Sp. 1

Chains

80.00 The lev. to Secs. 25, 26, 35 & 36  
 Land almost level  
 Soil 1<sup>st</sup> and 2<sup>nd</sup> rate

---

N<sup>o</sup> 11<sup>W</sup>. bet. Secs. 25 and 26.  
 of a 12° 06' E.

9.00 Ascend over Malpais

29.50 Top of Malpais Butte.  
 200 ft. high

40.00 Set a post 3 ft. long 3 ins.  
 square with marked stone  
 12 ins. in the ground for  $\frac{1}{4}$   
 Sec. Cor, marked  $\frac{1}{4}$  S. & W.  
 face, dug pits 18 x 18 x 12 ins.  
 N. and S. of post 5  $\frac{1}{2}$  ft. dist.  
 and raised a mound of  
 stones  $1\frac{1}{2}$  ft. high 2" ft. base

## South Range of West.

Chains around post

79.00 Leave Malpais and enter level

80.00 Set a post 4 ft. long, 4 ins. square, with marked stone 12 ins. in the ground for cor. to Secs. 23, 24, 25 and 26 marked

T7. S. S. 24 on N.E.

R7. W. S. 25 on S.E.

S26. on S.W. and

S23. on N.W. faces with 2 notches on S. and 1 notch on E. edges, dug pits 18x18x12 ins. in each Sec. 5 1/2 ft. dist.

and raised a mound of earth 2 ft. high 4 1/2 ft. base around post.

Land 70 chs. Malpais.

## Subdivisions Sp. 7.

Chains Land 10 chs. level  
Soil 1<sup>st</sup> rate

---

East on a random line  
bet. Secs. 24 and 25  
of  $110^{\circ}51'E$ .

40.00 Set temporary  $1/4$  Sec. cor

79.90 Intersect the E. Bay of  
the Twp. at 20. lks. South  
of the cor. to Secs. 19, 24  
25 and 30

Thence I run

$S 89^{\circ}51' W$ . on a true line  
bet. Secs. 24 and 25

of  $110^{\circ}57'E$ .

In lightly rolling malpais  
39.95 Set a post 3 ft. long 3 in.  
square with marked

## South Range 7 West.

Chains stone 12 ins. in the ground  
for  $1/4$  Sec. cor, marked  $1/4$  S. on  
N. face, dug pits  $18 \times 18 \times 12$   
ins. E and W. of post.  $5\frac{1}{2}$  ft.  
dist. and raised a mound  
of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base  
around post.

79.90 The cor. to Secs. 23, 24, 25 & 26  
Land E.  $1/2$  level mesa  
Soil  $1\frac{st}{11}$  rate

N $0^{\circ}1'W$ . bet. Secs. 23 and 24  
Wa.  $17^{\circ}51'E$ .

40.00 Set a post 3 ft. long 3 ins.  
square with marked stone  
12 ins. in the ground for  $1/4$   
Sec. cor, marked  $1/4$  S. on N.  
face, dug pits  $18 \times 18 \times 12$  ins.

8

BOOK 1206

## Subdivisions Tr. 7. South

Chains N. End of first  $5\frac{1}{2}$  ft. dist.  
and raised a mound of  
earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base  
around first.

80.00 Set a post 4 ft. long 4  
ins. square with marked  
stone 12 ins. in the ground  
for cor. to Sec. 13 14. 20 & 24  
marked

T. 7. S. 13. on N.E.

R. 7. W. S. 24. on S.E.

S 23. on S.W. End

S 14. on N.W. faces with  
3 notches on S. End 1 notch  
on E. edges, dug pits  $18 \times 18$   
 $\times 12$  ins. in each Sec.  $5\frac{1}{2}$  ft.  
dist. End raised a mound  
of earth 2 ft. high  $4\frac{1}{2}$  ft. base  
around first

Range 7. West

chains Land level mesa  
Soil 1<sup>st</sup> rate

---

N.  $89^{\circ}51'E$ . on a random  
line bet. Secs. 13 and 24.

$\frac{1}{4}$  12 $^{\circ}27'E$ .

40.00 Set temporary 1/4 Sec. cor.

80.00 Intersect the E. Bay. of the  
Twp. 12 E. N. of Cor. to Secs  
13, 18, 19 and 24.

Thence I run

S.  $89^{\circ}56'W$ . on a true line  
bet. Secs 13 and 24.

$\frac{1}{4}$  12 $^{\circ}27'E$ .

40.00 Set a first 3 ft. long 3 in.  
square with marked stone  
12 in. in the ground for  
1/4 Sec. cor, marked 1/4 S. 100 N.

## Subdivisions T. 7. South

Chains face, dug pits  $18 \times 18 \times 12$   
 ins. E. end W. of post  $5\frac{1}{2}$   
 ft. dist. and raised a  
 mound of earth  $1\frac{1}{2}$  ft. high  
 $3\frac{1}{2}$  ft. base around post

30.00 The cor. to Secs. 13, 14, 23 & 24  
 Land level mesa  
 Soil  $1\frac{1}{2}$  rate

$80^{\circ} 11' W.$  bet. Secs. 13 + 14,  
 $70^{\circ} 12' E.$

40.00 Set a post 3 ft. long 3  
 ins. square with marked  
 stone 12 ins. in the ground  
 for 14. Sec. cor, marked 14. S.  
 on W. face, dug pits  $18 \times 18 \times$   
 $12$  ins. N. end of post  $5\frac{1}{2}$   
 ft. dist. and raised a mound



## Range 7. West

chains of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base  
around post.

80.00 Set a post 4 ft. long 4 ins.  
square with marked stone  
12 ins. in the ground for  
cor. to Secs. 1, 12, 13<sup>End</sup> 14  
marked

T. 7. S. 12. on N.E.

R. 7. W. S. 13. on S.E.

S. 14. on S.W. End

S. 11 on N.W. faces with 4  
notches on S. End 1 notch on  
E. edges, dug pits  $18 \times 18 \times 12$  ins.  
in each Sec.  $5\frac{1}{2}$  ft. dist. and  
raised a mound of earth  
2 ft. high  $4\frac{1}{2}$  ft. base around  
post.

Land slightly rolling  
Soil 1 $\frac{1}{4}$  rate

## Subdivisions Twp. 7. S.

Chains  $N 89^{\circ} 56' E$ . on a random  
line bet. Secs. 12 and 13  
9 a.  $12^{\circ} 15' E$ .

40.00 Set temporary  $1/4$  Sec. cor.  
80.00 Intersect the E. Bdy of  
the Twp at 12 cks. South of  
the cor. to Secs. 7, 12, 13 + 18

Thence I run

$S. 89^{\circ} 51' W$ . on a true line  
bet. Secs. 12 and 13

9 a.  $12^{\circ} 15' E$ .

40.00 Set a post 3 ft. long 3  
ins. square, with marked  
stone 12 ins. in the ground  
for  $1/4$  Sec. cor, marked  $1/4$  S.  
On N. face, dug pits  $18 \times 18$   
12 ins. E. and W. of post  
 $5 \frac{1}{2}$  ft. dist. and raised  
a mound of earth  $1 \frac{1}{2}$  ft.

## Range 7. West

Chains high  $3\frac{1}{2}$  ft. base around post  
 80.00 The cor. to Secs. 11, 12, 13 & 14  
 Land level mesa  
 Soil 1<sup>st</sup> rate

---

No<sup>o</sup> 1<sup>st</sup> W. bet. Secs. 11 and 12

$\frac{1}{4}$  S.  $12^{\circ}$  15' E.

40.00 Set a post 3 ft. long 3 ins.  
 square with marked stone  
 12 ins. in the ground for<sup>14</sup>  
 Sec. cor, marked  $\frac{1}{4}$  S. or W. face,  
 dug pits 18 x 18 x 12 ins. N.  
 E. of post.  $5\frac{1}{2}$  ft. dist,  
 and raised a mound of  
 earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base  
 around post.

80.00 Set a post 4 ft. long 4 ins.  
 square with marked stone

## Subdivisions T. 7. South

Chains 12 ins. in the ground  
for cor. to Secs. 1, 2, 11 & 12  
marked

T. 7. S. 1. on N.E.

R. 7. W. S. 12. on S.E.

S. 11 on S.W. End

S. 2. on N.W. faces with 5  
notches on S. End 1 notch  
on E. edges, dug pits 18x18  
x 12 ins. in each Sec. 5½ ft.  
dist. End raised a mound  
of earth 2 ft. high 4½ ft.  
base around post.

Land level used

Soil 1<sup>st</sup> rate

---

N 89° 51' E. on a random line  
bet. Secs. 1 and 12.

## Range 7. West

Chains

Q.A.  $12^{\circ}12'E.$ 

- 40.00 Set temporary  $1/4$  Sec. cor.  
 80.00 Intersect The E. Bay of the  
 Twp. at cor. to Secs. 1, 6, 7 & 12  
 Thence I run  
 $S. 89^{\circ}51'W.$  on a true line  
 bet. Secs. 1 and 12

Q.A.  $12^{\circ}12'E.$ 

- 40.00 Set a post  $3$  ft. long  $3$   
 ins. square with marked  
 stone  $12$  ins. in the ground  
 for  $1/4$  Sec. cor, marked  $1/4$   
 N. or N. face, deep pits  $18 \times 18 \times$   
 $12$  ins. E. and W. of post  $5 1/2$   
 ft. dist. and raised a  
 mound of earth  $1 1/2$  ft. high  
 $3 1/2$  ft. base around post.  
 80.00 The cor. to Secs 1, 2, 11 and 12  
 Land level mesa

## Subdivisions Twp. 7.

Chains Soil 1<sup>st</sup> rate

$N 0^{\circ} 1' W.$  on a random  
line bet. Secs 1 and 2.

Va.  $12^{\circ} 1' SE$

40.00 Set temporary  $1/4$  Sec. Cor.

50.00 Intersect The N. Bdy of  
the Twp. at 20 lks. E. of the  
Cor. to Secs. 1, 2, 05 & 06.

Thence I run

$S. 0^{\circ} 14' E.$  on a true line  
bet. Secs 1 and 2

Va.  $12^{\circ} 1' SE$

40.00 Set a post 3 ft. long 3 ins.  
square with marked stone  
12 ins. in the ground for  $1/4$   
Sec. cor, marked  $1/4$  C. on N  
face, dug pits  $18 \times 18 \times 12$  ins.

## South Range 7. West

Chains N. End S. of post  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around post.

50.00 The cor. to Secs. 1, 2, 11 and 12.

Land level mesa

Soil 1<sup>st</sup> rate

Nov - 13 - 1892

From the cor. to Secs. 2, 3, 34 and 35, on the S. Bdy of the T<sup>h</sup>.

Iron

No<sup>o</sup> 1<sup>st</sup> W. bet. Secs. 34 & 35.

$90^{\circ} 11' 45'' E.$

40.00 Set a post 3 ft. long 3 ins. square with marked stone 12 ins. in the ground for 14 Sec. cor, marked "H.S."

Subdivisions T<sub>7</sub>. S<sub>7</sub> South

Chains on W. face, dug pits 18  
x 15 x 12 ins. N. End S. of  
post 5½ ft. dist. and  
raised a mound of  
earth 1½ ft. high 3½ ft.  
base around post.

80.00 Set a post 4 ft. long  
4 ins. square with marked  
stone 12 ins. in the ground  
for cor. to Secs, 26 27 34  
and 35. marked

T. 7. S. S. 26. on N.E.

R. 7. W. S. 35. on S.E.

S. 34. on S.W. End

S. 27. on N.W. face with  
1 notch on S. End 2 notches  
on E. edges, dug pits 18 x 15  
x 12 ins. in each sec. 5½  
ft. dist. and raised a



## Range 7. West

Chains mound of earth 2 ft. high  
 4 1/2 ft. base around post  
 Land level mesa  
 Soil 1<sup>st</sup> rate

---

S.  $89^{\circ}59'E$ . on a random  
 line bet. Secs. 26 and 35.

$\frac{7}{8}$  a.  $11^{\circ}36'E$ .

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

50.10 Intersect the N. and S. line  
 at. 16. ecks. S. of the Cor. to  
 Secs. 25, 26, 35 and 36.

Thence I run

S  $89^{\circ}54'W$ . on a true line  
 bet. Secs. 26 and 35

$\frac{7}{8}$  a.  $11^{\circ}36'E$ .

In. Malfrais ground

30.00 Leave Malfrais ground

Subdivisions T<sub>7</sub>

Chains

40.05 Set a post 3 ft. long 3 ins. square. with marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. cor, marked  $\frac{1}{4}$  S on N. face, dug pits 18x18x12 ins. E. and W. of post  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around post

50.10 The cor. to Secs. 26-27. 34 & 35

Land level mesa

Soil  $1\frac{1}{11}$  rate

N $0^{\circ}$  1' W. bet. Secs. 26 and 27

79. 11 $^{\circ}$  36' E.

40.00 Set a post 3 ft. long 3 ins.

## South Range 7. West

Chain squares with marked stone  
 12 ins. in the ground for 114  
 Sec. cor, marked 114. S. on W.  
 face, dug pits 15x15x12  
 ins. N. End S. of post 5 1/2  
 ft. dist. and raised a  
 mound of earth 1 1/2 ft.  
 high 3 1/2 ft. base around  
 post

50.00 Set a post 4 ft. long 4  
 ins. square with marked  
 stone 12 ins. in the ground  
 for cor. to Secs. 22, 23, 26 & 27  
 marked

T. 7. S. S. 23. on N.E.

R. 7. W. S. 26. on S.E.

S. 27. on S.W. and

S. 22. on N.W. faces with 2  
 notches on S. and 2 notches

## Subdivisions Tr. 7

Chains on E. edges, dug pits 18  
 x 18 x 12 ins. in each Sec.  
 5 1/2 ft. dist. and raised a  
 mound of earth 2 ft.  
 high 4 1/2 ft. base around  
 post.

Land level mesa  
 Soil 1<sup>st</sup>/<sub>11</sub> rate

N 89° 54' E. on a random  
 line bet. Secs. 23 and 26.

of a. 11° 57' E.

40.00 Set temporary 1/4 Sec. cor.

80.20 Intersect the N. and S.

line 1/4 Sec. N. of corner Secs 23 24  
 25 and 26.

Thence I run  
 West on a true line

South, Range 7. West

Chains bet Secs. 23 and 26.

Pa.  $11^{\circ} 57' E$ .

40.10 Set a post 3 ft. long 3  
ins. square with marked  
stone 12 ins. in the ground  
for  $\frac{1}{4}$  Sec. cor, marked  $\frac{1}{4}$   
N. on N. face, dug pits  $18 \times 18$   
 $\times 12$  ins. E. and W. of post.  $5\frac{1}{2}$   
ft. dist. and raised a  
mound of earth  $1\frac{1}{2}$  ft.  
high  $3\frac{1}{2}$  ft. base around  
post

70.20 The cor. to Secs 22. 23. 26 + 27  
Land nearly level  
Soil  $1^{\text{st}}$  and  $3^{\text{rd}}$  rate

$110^{\circ} 1' W$ . bet. Secs. 22 and 23

Pa.  $11^{\circ} 57' E$ .

Subdivisions T<sub>7</sub>

## Chains

- 40.00 Set a post 3 ft. long 3  
 ins. square with marked  
 stone 12 ins. in the ground  
 for <sup>marked</sup> 1/4 Sec. Cor. dug pits  
 15 x 15 x 12 ins. N. and S. of  
 post 5 1/2 ft. dist. and  
 raised a mound of  
 earth 1 1/2 ft. high 3 1/2  
 ft. base around post
- 80.00 Set a post 4 ft. long 4  
 ins. square with marked  
 stone 12 ins. in the ground  
 for Cor. to Secs. 14, 15, 22  
 and 23. marked  
 T<sub>7</sub>, S. S. 14, on N.E.  
 R<sub>7</sub>, W. S. 23, on S.E.  
 S<sub>22</sub>, on S.W. end  
 S<sub>15</sub>, on N.W. faces with

## South Range 7. West

Chains 3 notches on S. and 2 notches on E. edges, dug pits  $18 \times 18 \times 12$  ins. in each Sec.  $5\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high  $4\frac{1}{2}$  ft. base around post.

Surface level mesa  
Soil 1<sup>st</sup> rate

---

East on a random line bet. Secs. 14 and 23

$\text{Pa. } 12^\circ 27' \text{ E.}$

40.00 Set temporary  $\frac{1}{4}$  Sec. cor.

50.10 Intersect the N. and E. line at cor. to Secs. 13, 14, 23 & 24

Thence I run West on a true line bet.

## Subdivisions Tfr. 7

Chains Secs 14 and 23.

Tfr. 12° 27' E

40.05 Set a first 3 ft. long 3  
 ins. square with marked  
 stone 12 ins. in the ground  
 for 14. Sec. cor, marked 14  
 S. on N. face, dug pits 18x  
 18x 12 ins. E. and W. of first  
 5½ ft. dist. and raised a  
 mound of earth 1½ ft.  
 high 3½ ft. base around first

80.10 The lev. to Secs 14, 15, 22+23

Land level mesa

Soil 1<sup>st</sup> rate

N0° 1' W. bet. Secs. 14 and 15

Tfr. 12° 27' E.

14.00 Enter Malpais and leave



## South Range 7. West

chains level country

40.00 Set a post 3 ft. long 3  
 ins. square with marked  
 stone 12 ins. in the ground  
 for  $\frac{1}{4}$  Sec. cor. marked  $\frac{1}{4}$   
 W. on W. face

and raised a  
 mound of stone  $1\frac{1}{4}$  ft.  
 high  $3\frac{1}{2}$  ft. base around  
 post.

46.00 Ascend to North

67.00 Malpais Butte about 10 chs  
 E. 200 ft. above valley

80.00 Set a post 4 ft. long 4 ins.  
 square with marked  
 stone 12 ins. in the ground  
 for cor. to Secs 10, 11, 14 & 15  
 marked

## Subdivisions Tpi 7

Chains T. 7. S. 11. on N.E.

R 7. N. S. 14. on S.E.

S 15. on S.W. end

S 10. on N.W. faces with 4  
notches on S. end 2 notches  
on E. edges, (dix fits ~~18x18~~  
xix ~~ix~~, xi each Sec. 5th  
(~~18~~ dix.) and raised a  
mound of stone 2 ft  
high 4 1/2 ft base around foot

Land 66 chs Malpais

" 14 " mesa

Soil 1<sup>st</sup> rate on mesaSoil worthless on Malpais

East on a random  
line bet Secs. 11 and 14

9a 13° 30' E.

40.00 Per temporary 1/4 H. Sec. cor.

## Aruth Range 7. West

Chains

79.80 Intersect the N. and S. line  
at 20 lks. S. of the cor. to  
Secs. 11, 12, 13 + 14.

Thence I run

S.  $79^{\circ}57' N.$  on a true line  
bet. Secs. 11 and 14.

By a.  $13^{\circ}30' E.$

Over mesa

35.80 Leave mesa + enter Malpais

39.90 Set a post 3 ft. long 3  
ins. square. with marked  
stone 12 ins. in the ground  
for 14. Sec. cor. marked 14. S. on  
N. face, (a dig feet ~~XXXX~~  
ins. & 2nd ~~W.~~ of post  $5\frac{1}{2}$   
ft. dist.) and raised a  
mound of stone  $1\frac{1}{2}$  ft.  
high  $3\frac{1}{2}$  ft. base around post

## Subdivisions Twp. 7

## Chains

- 64.80 Butte 15 chs South 125 ft  
high and ascend along  
the N. Slope Malpais Point
- 75.80 Top of ridge
- 79.80 The Cor. to Secs. 10. 11. 14 & 15  
Land 44 chs. Malpais  
" 35.80 " level  
Soil  $1\frac{1}{4}$  rate on level
- 

No<sup>o</sup> 1' W. bet Secs. 10 + 11

VA. 13<sup>o</sup> 30' E.

- 15.00 Descend W. Slope Malpais  
Butte
- 40.00 Set a post 3 ft. long 3  
ins. square with marked  
stone 12 ins. in the  
ground for 1/4 Sec. Cor

## South Range 7 West

Chains marked 140. on W. face  
 dug pits 18 x 18 x 12 ins.  
 N. End S. of post 5 1/2 ft.  
 dist. and raised a  
 mound of earth 1 1/2 ft  
 high 3 1/2 ft. base around  
 post

80.00 Set a post 4 ft. long 4  
 ins. square with marked  
 stone 12 ins. in the ground  
 for cor. to Secs 2, 9, 10 & 11  
 marked

T. 7. D. S 2. on N.E.

R 7. W. S 11. on S.E.

D 10 on S.W. End

D 3. on N.W. faces with  
 5 notches on S. End 2  
 notches on E. edges, and  
 dug pits 18 x 18 x 12 ins. in

## Subdivisions of 7

Chains each Sec.  $5\frac{1}{2}$  ft. dist. and  
 raised a mound of earth  
 $2\frac{1}{2}$  ft. high  $4\frac{1}{2}$  ft. base around  
 each

Land mesa + Malpai  
 Soil mesa 1<sup>st</sup> rate  
 Malpais 3<sup>rd</sup> rate

$N 89^{\circ} 51' E$ . on a random  
 line bet. Secs 2 and 11

$Pa. 12^{\circ} 12' E$ .

40.00 Set temporary  $1/4$  Sec. cor  
 79.90 Intersect the N. and S. line  
 at cor. to Secs. 1, 2, 11 & 12

Thence I run

$S 89^{\circ} 51' W$ . on a true line  
 bet. Secs 2 & 11

$Pa. 12^{\circ} 12' E$ .

# South Range 7. West.

Chains

39.95 Set a post 3 ft. long 3 ins. square, with marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. cor, marked  $\frac{1}{4}$  D. on N. face, dug pits  $18 \times 18 \times 12$  ins. E. and W. of post  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around post

79.90 The Cor. to Secs. 2, 3, 10 + 11  
Land level mesa  
Soil  $1\frac{1}{2}$  rate

$N. 0^{\circ} 1' W.$  on a random line, bet. Secs. 2 + 3.  
(Var.  $12^{\circ} 12' E.$ )

## Subdivisions Twp. 7

Chains

40.00 Set temporary  $\frac{1}{4}$  Sec.  
cor.80.00 Intersect the N. bdy. of  
the Twp. at 25 lks. East  
of the Cor. to Secs. 2, 3, 34  
& 35.

Thence I run

S.  $0^{\circ}12'$  E. on a true line  
bet. Secs. 2 & 3.Var.  $12^{\circ}012'E$ .40.00 Set a post 3 ft. long 3  
ins. square with marked  
stone 12 ins. in the ground  
for  $\frac{1}{4}$  Sec. corner mark-  
ed  $\frac{1}{4}$  S. on W. face.  
dug pits 18x18x12 ins  
N. & S. of post  $5\frac{1}{2}$  ft.  
dist. and raised a



## South Range T West.

Chains mound of earth  $1\frac{1}{2}$   
ft. high  $3\frac{1}{2}$  ft. base  
around post.

for. or The corner to Secs. 2,  
3, 10 + 11.

Land level mesa  
Soil 1<sup>st</sup> rate  
Scattering mesquite brush  
Nov 14 - 1892

From the cor. to Secs 3, 4  
33<sup>rd</sup> 34. on the South  
Bdy. of the Tfr.

I run

N 0° 2' W. bet Secs 33<sup>rd</sup> 34.

Va. 12' E.

40.00 Set a post 3 ft. long 3 ins.  
square with marked  
stone 12 ins. in the ground

## Subdivisions p. 7

Chains for 1/4 Sec. Cor, marked 1/4 S.  
 on W face, dug pits 18 x 18 x  
 12 ins. N. and S. of post 5 1/2  
 ft. dist. and raised a  
 mound of earth 1 1/2 ft  
 high 3 1/2 ft. base around  
 post

80.00 Set a post 4 ft. long 4 ins.  
 square with marked  
 stone 12 ins. in the ground  
 for lev. to Secs 27, 28, 33 & 34  
 marked

T 7. S. S. 27 on N. E.

R 7. W. S. 34. on S. E.

S 33. on S. W. end

S 28. on N. W. face with 1  
 notch on S. and 3 notches  
 on E. edges. dug pits 18  
 x 18 x 12 ins. in each Sec

## South Range 7 West

Chains  $5\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high  $4\frac{1}{2}$  ft. base around post.

Land level mesa

Soil 1<sup>st</sup> rate

---

S.  $89^{\circ}59'E$ . on a random line bet. Secs 27<sup>and</sup> 34

Va.  $12^{\circ}E$ .

40.00 Set temporary 1/4 Sec. cor

79.80 Intersect the N. and S.

line at 17 eps S. of the cor. to Secs 26, 27, 34<sup>and</sup> 35

Thence I run

S.  $89^{\circ}54'W$ . on a true line

bet. Secs 27<sup>and</sup> 34

Va  $12^{\circ}E$ .

## Subdivisions Twp. 7.

Chains

39.90 Set a frost 3 ft. long 3  
 ins. square with marked  
 stone 12 ins. in the ground  
 for 1/4 Sec. cor, marked 1/4 S.  
 on N. face, dug pits 18x18x  
 12 ins. E. end W. of frost  
 5 1/2 ft. dist. and raised  
 a mound of earth 1 1/2 ft  
 high 3 1/2 ft. base around  
 frost.

79.70 The cor. to Secs 27. 28. 33 & 34  
 Land level mesa  
 Soil 1<sup>st</sup> rate

---

N 0° 2' W bet. Secs 27 & 28  
 Va. 12° 0' E.

40.00 Set a frost 3 ft. long

## South Range 7 West.

Chains 3 ins. square. with marked  
stone 12 ins. in the ground  
for  $\frac{1}{4}$  H. Sec. Cor. marked  $\frac{1}{4}$   
D. on W. face, dug pits  $18 \times$   
 $18 \times 12$  ins. N. and S. of post  
 $5\frac{1}{2}$  ft. dist. and raised  
a mound of earth  $\frac{1}{2}$   
ft. high  $3\frac{1}{2}$  ft. base around  
post.

To. 00 Set a post 4 ft. long 4  
ins. square with marked  
stone 12 ins. in the ground  
for cor. to Secs 21, 22, 27 & 28  
marked

T. 7. S. 22. on N.E.

R. 7. W. 27. on S.E.

S. 28. on S.W. and

D. 21. on N.W. faces with  
2 notches on S. and 3 notches

## Subdivisions Tpi. 7

Chains on E edges, dug pits  $18 \times 18 \times$   
 12 ins. in each Sec.  $5\frac{1}{2}$  ft.  
 dist. and raised a mound  
 of earth 2 ft. high  $4\frac{1}{2}$  ft.  
 base around post

Land level mesa

Soil 1<sup>st</sup> rate

$N 89^{\circ} 54' E$ . on a random  
 line bet. Secs 22<sup>nd</sup> & 27<sup>th</sup>

$S 9.11^{\circ} 57' E$ .

40.00 Set temporary  $1/4$  Sec. cor.

70.00 Intersect the N. end S.  
 line at cor. to Secs 22

23. 26<sup>th</sup> & 27<sup>th</sup>

Thence I run

S.  $89^{\circ} 54' W$  on a true  
 line bet. Secs 22<sup>nd</sup> & 27<sup>th</sup>

## South Range 7. West

Chains

Va.  $11^{\circ} 57' E$ .

40.00 Set a frost 3 ft. long 3 ins. square with marked stone 12 ins. in the ground for  $1/4$  Sec. cor, marked  $1/4$  D. on N. face, dug pits  $18 \times 18 \times 12$  ins. E and W. of frost  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high  $5\frac{1}{2}$  ft. base around frost.

80.00 The lev. to Secs 21, 22, 27 & 28  
Land level mesa  
Soil. 1<sup>st</sup> rate

---

$N 0^{\circ} 2' W$ . bet. Secs. 21 & 22

Va.  $12^{\circ} 57' E$ .

40.00 Set a frost 3 ft. long 3 ins

## Subdivisions. Tr. 7

Chain square with marked stone  
 12 ins. in the ground for 1/4  
 Sec. cor, marked 1/4. D. on W  
 face, dug pits 18x18x12 ins.  
 N. end of post 5 1/2 ft.  
 dist. and raised a mound  
 of earth 1 1/2 ft. high 3 1/2 ft.  
 base around post.

80.00 Set a post 4 ft. long 4  
 ins. square with marked  
 stone 12 ins. in the ground  
 for cor. to Secs 15, 16, 21 + 22  
 marked

T. 7. D. 15 on N.E. —

R. 7. W. 22. on S.E.

D. 21. on S.W. end

D. 16. on N.W. faces with  
 3 notches on S. end & edges,  
 dug pits 18x18x12 ins. in



## South Range 7. West

chains each sec.  $5\frac{1}{2}$  ft. dist. and  
raised a mound of earth  
 $2\frac{1}{2}$  ft. high  $4\frac{1}{2}$  ft. base  
around post

Land level ~~mess~~  
Soil  $1\frac{1}{4}$  rate

$N 89^{\circ} 54' E$  on a random line  
bet. Secs 15 and 22

$N a. 11^{\circ} 57' E$

40.00 Set temporary  $\frac{1}{4}$  H. Sec. cor.

79.85 Intersect the N. and S. line  
at 7 E.S.P. of cor. to Secs  
14, 15, 22 + 23

Thence I run

$S. 89^{\circ} 51' W$  on a true line  
bet Secs 15 and 22

$N a. 11^{\circ} 57' E$

## Subdivisions Tr 7

Chains

- 39.93 Set a post 3 ft. long 3 ins. square with marked stone 12 ins. in the ground for 14. Sec. cor, marked 14 S. on N. face, dug pits 5 x 15 x 12 ins. E. End W. of Post 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft. high 5 1/2 ft. base around post
- 79.85 The cor. to Secs 15, 16, 21 + 22  
 Land level mesa  
 Soil 1<sup>st</sup> rate  
 Scattering mesquite brush

---

 N 0° 2' W. bet. Secs. 15 + 16

Va. 11° 57' E

## South Range 7 West

Chains

40.00

Set a post 3 ft. long 3 ins. square with marked stone 12 ins. in the ground for 1/4 Sec. cor, marked 14.8 on W. face, dug pits 18x18x12 ins. n. end of post 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base around post

80.00

Set a post 4 ft. long 4 ins. square with marked stone 12 ins. in the ground for cor. to Secs. 9, 10, 15 and 16 marked

T. 7. S. 10. on 91.8

R. 7. W. 15. on 1. E

S 16. on 1. W. and

## Subdivisions Tr. 7

Chains Sec. 9 on N. W. Faces with  
 4 notches on S. End 3  
 notches on E. edges, dug  
 pits  $18 \times 18 \times 12$  ins. in  
 each Sec.  $5\frac{1}{2}$  ft. dist. and  
 raised a mound of  
 earth 2 ft. high  $4\frac{1}{2}$  ft. base  
 around each

Land level mesa

Soil 1<sup>st</sup> rate

Scattering mesquite bush

$N 89^{\circ} 51' E$  on a random  
 line bet Secs 14 and 15

$N. 12^{\circ} 15' E$

40.00 Set temporary 1/4 Sec. cor  
 80.20 Intersect N. and S. line  
 at 21. lks. North of the

## South Range 7. West

Chains cor. to Secs 10, 11, 14 and 15

Thence I run

West on a true line bet  
Secs 10 and 15

99. 12° 15' E. /

Over Malpais Surface. <sup>discont</sup>

30.00 Leave Malpais and foot of  
ridge

40.10 Set a post 3 ft. long 3 ins.  
square with marked stone  
12 ins. in the ground for  
1/4 Sec. cor, marked 1/4 W. on  
N. face,

and raised a mound  
of stone 1 1/2 ft. high 3 1/2 ft.  
base around post

50.20 The cor. to Secs 9, 10, 15 + 16  
Land <sup>50</sup> 20 chs mesa

## Subdivisions Twp. 7

Chain Land ~~30.22~~ Malpais  
Soil 1<sup>st</sup> rate on Mesa

---

N<sup>o</sup> 2' W. bet. Secs. 9 and 10  
T<sup>o</sup> 12<sup>o</sup> 15 E.

40:00 Set a post 3 ft. long  
3 ins. square with marked  
stone 12 ins. in the ground  
for 1/4 Sec. cor, marked 1/4 S.  
on W. face, dug pits 18x18  
12 ins. N. and S. of post 5 1/2  
ft. dist. and raised a  
mound of earth 1 1/2 ft. high  
3 1/2 ft. base around post.

70:00 Set a post 4 ft. long 4 ins.  
square with marked stone  
12 ins. in the ground for  
cor. to Secs 9, 4, 9 & 10. marked

## South Range 7 West

Chains T. 7. S. 3. on N.E.

R. 7. W. S. 10. on S.E.

D. 9. on S.W. end

S. H. on N.W. faces with 5 notches on S. end 3 notches on E. edges, dug pits 18x18x

12 ins. in each Sec. 5 1/2 ft.

dist. end raised a mound of earth 2 ft. high 4 1/2 ft.

base around post

Land level mesa

Soil 1<sup>st</sup> rate

Scattering Mesquite brush

East on a random line

bet. Secs 3 and 10

N. 12° E.

No. 00 Set Temporary 1/4 Sec. cor

## Subdivisions

Pg 7

Chains

- 80.20 Intersect the N. and S. line  
at cor. to Secs 2, 3, 10 & 11  
Thence I run  
West on a true line bet  
Secs 3<sup>rd</sup> and 10  
94.12° E.
- 40.10 Set a post 3 ft. long 3  
ins. square with marked  
stone 12 ins. in the ground  
for 1/4 Sec. cor. marked 1/4  
N. on N. face, dug pits 18  
x 18 x 12 ins. E and W. of post  
5 1/2 ft. dist. and raised a  
mound of earth 1 1/2 ft  
high 3 1/2 ft. base around  
post.
- 80.20 The Cor. to Secs 3, 4, 9 & 10  
Land level mesa



## Bruth Range 7 West

Chains

Soil 1 $\frac{1}{2}$  rate

North 0'2" W on a random  
line bet Secs. 3 and 4

Pa. 12° 0' E.

40.00 Set temporary 1/4 Sec. cor

80.00 Intersect the N. Bay of  
the Tri. at 20. chs. E. of the  
cor. to Secs 3, 4, 33 and 34

Thence I run

S 0° 11' E. on a true line bet  
Secs 3 and 4

Pa 12° 0' E.

40.00 Set a post 3 ft. long 3  
ins. square with marked  
stone, 12 ins. in the ground  
for 1/4 Sec. cor, marked 1/4 X  
on W. face, dug pits 15 X 15 X 12

## Subdivisions of 7

- Chains run N. and S. of post  $5\frac{1}{2}$  ft.  
 dist. and raised a mound  
 of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$   
 ft. base around post
- 70.00 The cor. to Secs 3, 4, 9 & 10  
 Surface level mesa  
 Soil 1<sup>st</sup> rate  
 Scattering mesquite brush

Nov 15<sup>th</sup> / 1892

From the cor. to Secs  
 4, 5, 32 and 33 on the S. side  
 of the Tfr.

Run  $N0^{\circ} 2' W.$  bet Secs  
 32 and 33

$99. 12^{\circ} 06' E.$

- 40.00 Set a post 3 ft. long 3 ins.  
 square with marked stone

## South Range 7. West

Chains 12 ins. in the ground for  $\frac{1}{4}$  Sec. cor, marked  $\frac{1}{4}$  P. on N. face, dug pits  $18 \times 18 \times 12$  ins. N. and S. of post.  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around post.

80.00 Set a post 4 ft. long 4 ins. square with marked stone 12 ins. in the ground for cor. to Secs. 27, 29, 32 + 33 marked

T. 7. S. S 27. on N.E.

R. 7. W. S 33, on S.E.

S 32. on S.W. <sup>2nd</sup>

S. 29. on N.W. faces with 1 notch on S. and 4 notches on E. edges, dug pits  $18 \times 18 \times 12$  ins. in each Sec.  $5\frac{1}{2}$  ft.

## Subdivisions Twp. 7. S. R. 7. W.

Chain dist. and raised a mound  
of earth 2 ft. high 4 1/2 ft.  
base around post.

Land level mesa

Soil 1<sup>st</sup> rate

---

S. 89° 59' E. on a random  
line bet Secs 28 + 33

Va. 12° 03' E.

40.00 Set temporary 1/4 Sec. cor

80.10 Intersect the N. and S. line  
at 12 Mts. S. of the cor. to  
Secs. 27, 28, 33 and 34

Thence I run

S. 89. 56' W. on a true line  
bet. Secs 28 + 33

Va. 12° 03' E.

40.05 Set a post 3 ft. long 3 ins.

No. 1206

55

BOOK 1206

U. S. Surveyor-General's Office,

TUCSON, A. T., March 4 1893

The foregoing Field Notes of the Surveys of  
The Subdivision Lines of  
T. 7 S. R. 7 W.

of the Gila and Salt River Meridian  
in Territory of Ariz. executed by  
Lewis Wolfley

U. S. Deputy Surveyor, under his contract dated

May 26<sup>th</sup> 1892

having been critically examined, the necessary corrections and explanations made, the said Field Notes and the surveys they describe are hereby approved.

*Raphael Johnson*

U. S. Surveyor-General  
for the Territory of Arizona.