

10  
Recd Jan 6-1893  
Lent. to G. L. O. 3-4/93  
Original  
Compared  
Pratted

Book 2

BOOK 1207

No. 1207

Alford. April 27-1893

4-671

BOOK 1207

1207

FIELD NOTES

GENERAL LAND OFFICE.

of the

SUBDIVISIONS

T. 7 S. R. 7 W

by Lewis Wolzley

Under Contract No. 22

Dated. May 26 1892

Survey Commenced. Nov. 13-1892

Completed NOV 17-1892

Indexed, Book 1206.

54

Township 7S R. 7W

6	93	5	67	4	3	2	1
92		90		66			
7	89	8	64	9	10	11	12
87		86		63			
18	84	17	61	16	15	14	13
82		81		60			
19	79	20	58	21	22	23	24
77		76		57			
30	73	29	55	28	27	26	25
72		70		55			
31	68	32		33	34	35	36

Subdivisions Sp. 7 S. R. 7 W.

Chains square with marked stone  
 1/2 ms. in the ground for 1/4  
 Sec. cor, marked 1/4 S. on N.  
 face, dug pits 18 x 18 x 12 ms.  
 E. End W. of post. 5 1/2 ft. dist. and  
 raised a mound of earth 1 1/2  
 ft. high 3 1/2 ft. wall around  
 post

50.00 The cor. to Secs 28, 29, 32 & 33  
 Land level mesa  
 Soil 1<sup>st</sup> rate

---

No 2' W. bet. Secs 28 & 29  
 Va. 12° 03' E

40.00 Set a post 3 ft. long 3 ms.  
 square with marked stone  
 1/2 ms. in the ground for 1/4  
 Sec. cor, marked 1/4 S. on W. face



## Subdivisions Sp. 7

Chains dug pits  $18 \times 18 \times 12$  ins.

N. End S. of post  $5\frac{1}{2}$  ft. dist.

and raised a mound  
of earth  $1\frac{1}{2}$  ft. high  $5\frac{1}{2}$   
ft. base around post.

50.00 Set a post 4 ft. long 4  
ins. square with marked  
stone 12 ins. in the ground  
for cor. to Secs 20, 21, 28 & 29  
marked

T. 7 S. S. 21. on N.E.

R. 7. W. S. 28. on S. E.

S 29. on S. W. End

S 20. on N. W. faces with  
2 notches on S. End 4  
notches on E. edges, dug  
pits  $18 \times 18 \times 12$  ins. in each  
Sec.  $5\frac{1}{2}$  ft. dist. and raised  
a mound of earth 2 ft.

## South Range 7 West.

Chains high  $4\frac{1}{2}$  ft. base around post  
 Land level mesa  
 Soil  $1\frac{1}{2}$  rate  
 Scattering mesquite brush

---

N.  $89^{\circ}56'E$  on a random line  
 bet. Secs. 21, and 28

N.  $110^{\circ}57'E$ .

40.00 Set temporary  $\frac{1}{4}$  H. Sec. cor.

79.80 Intersect the N. and S. line  
 at 12 eps. S. of cor. to Secs 21, 22, 27  
 and 28.

Thence from

S.  $89^{\circ}51'W$  on a true line bet Secs  
 21 and 28

S.  $110^{\circ}57'E$

39.90 Set a post 3 ft. long 3 ms.  
 square with marked stone

## Subdivisions Sp. 7

Chains 12 ins. in the ground  
for 1/4 Sec. cor. marked 1/4  
D. on N. face, dug pits 18x18  
x 12 ins. S. and W. of post  
5 1/2 ft. dist. and raised a  
mound of earth 1 1/2 ft  
high 3 1/2 ft. base around post

79.80

The cor. to Secs 20. 21. 28 &amp; 29

Land level mesa

Soil, 1/2 rate

N 0° 2' W. bet Secs 20 &amp; 21

Va. 11° 57' E.

40.00

Set a post 3 ft. long 3  
ins. square with marked  
stone 12 ins. in the ground  
for 1/4 Sec. cor, marked 1/4  
D. on W. face, dug pits 18x



## South Range of West

Cherino 17x12 vis. N. End of post 5 1/2  
ft. dist. and raised a mound  
of earth 1 1/2 ft. high 3 1/2 ft. base  
around post

80.00 Set a post 4 ft. long 4 vis.  
square with marked stone  
12 vis. in the ground for  
cor. to Secs 16, 17, 20 & 21

marked

T7. S. S 16. on N.E.

R7. W. O 21. on S.E.

O20. on S.W. End

O17. on N.W. faces with  
3 notches on S. End 4  
notches on E. edges, deep pits  
18x18x12 vis. in each Sec.

5 1/2 ft. dist. and raised a  
mound of earth 2 ft. high  
4 1/2 ft. base around post

Subdivisions T<sub>1</sub>. 7

Chains Land level mesa  
Soil 1<sup>st</sup> rate

---

N 89° 51' E. on a random  
line bet Secs. 16 and 21

Pa. 13° 9' E

40.00 Set temporary 1/4 Sec. cor

80.00 Intersect the N. and S. line  
at 7. lks. N. of the cor. to  
Secs 15, 16, 21 and 22

Thence I run

S. 89° 54' W. on a true line  
bet Secs 16 and 21

Pa. 13° 9' E

40.00 Set a post 3 ft. long 3  
ins. square with marked  
stone 12 ins. in the ground  
for 1/4 Sec. cor. marked 1/4 S.



## South Range of West

Chains on N. face, dug pits  $18 \times 18 \times 12$   
 ins. E. and W. of post  $5\frac{1}{2}$  ft.  
 dist. and raised a mound  
 of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base  
 around post

70.00 The Cor. to Secs 16, 17, 20 & 21

Land level mesa

Soil 1<sup>st</sup> rate

Scattering mesquite brush

---

$N40^{\circ}2'W$ . bet. Secs 16 and 17

Sta. 13009'E.

40.00 Set a post 3 ft. long, 3 ins.  
 square, with marked stone  
 12 ins. in the ground for  $\frac{1}{4}$   
 Sec. cor, marked  $1/4 S.$  on W. face  
 dug pits  $18 \times 18 \times 12$  ins. N. and S  
 of post.  $5\frac{1}{2}$  ft. dist. and raised

# Subdivisions Sp. 7

Chain a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around post.

80.00 Set a post 4 ft. long 4 ins. square with marked stone. 12 ins. in the ground for cor. to Secs. 8, 9, 16 & 17 marked

T. 7. S. 9. on N. E.

R. 7. W. 16. on S. E.

S. 17. on S. W. End

S. 8. on N. W. faces with 4 notches on S. and E. edges, dug pits  $15 \times 15 \times 12$  ins. in each Sec.  $5\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high  $4\frac{1}{2}$  ft. base around post

Land level mesa

## South Range 7 West

Chains

Soil 1<sup>st</sup>/<sub>4</sub> rate

N 89° 54' E. on a random line  
bet Secs 9 and 16

Ta. 12° 15' E.

40.00 Set temporary 1/4 Sec. cor.

80.00 Intersect the N. and S. lines at  
5 cks. N. of cor. to Secs 9, 10, 15 & 16

Thence Run

S. 89° 56' W. on a true line  
bet Secs. 9 and 16

Ta. 12° 15' E.

40.00 Set a post 3 ft. long 3 ins.  
square with marked stone  
12 ins. in the ground for 1/4  
Sec. cor, marked 1/4 S. on N.  
face, dug pits 18 x 18 x 12 ins.  
E. and W. of post. 5 1/2 ft. dist.



## Subdivisions Sp. 7

Chains and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around post.

80.00 The cor. to Secs 8, 9, 16 + 17  
Land level mesa  
Soil  $1\frac{1}{2}$  rate

---

$N0^{\circ} 2' W.$  bet Secs 7 + 9

$99.12^{\circ} E.$   
15'

40.00 Set a post 3 ft. long 3 in. square with marked stone 12 in. in the ground for  $\frac{1}{4}$  Sec. cor, marked  $\frac{1}{4}$  ft. on W. face, dug pits  $18 \times 18 \times 12$  in. N. and S. of post  $6\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around post

## South Range of West

Chains

50.00 Set a post 4 ft. long 4 ins. square. with marked stone 12 ins. in the ground for cor. to Secs 4, 5, 8 + 9 marked

T. 7. S. 4. on N.E.

R. 7. W. 9. on S.E.

S. 8 on S.W. end

S. 5. on N.W. faces with 5 notches on S. end. 4 notches

on E. edges. dug pits 18x18x

12 ins. in each Sec. 5 1/2 ft.

dist. and raised a mound of earth 2 ft. high 4 1/2 ft. base ground flush

Land level mesa

Soil 1/4 rate

## Subdivisions Sp. 7

Chains  $N 89^{\circ} 56' E$ . on a random  
line bet Secs 4 and 9

$\frac{1}{4} \text{ a } 12^{\circ} 15' E$

40.00 Set temporary  $\frac{1}{4}$  Sec. cor.

50.00 Intersect the N. and S. line  
at .5 lks. S. of Cor. to Secs 3, 4, 9, 10

Thence I run

$S 89^{\circ} 54' W$ . on a true line  
bet Secs 4 and 9

$\frac{1}{4} \text{ a } 12^{\circ} 15' E$

40.00 Set a post 3 ft. long 3  
ins. square with marked

stone 12 ins. in the ground

for  $\frac{1}{4}$  Sec. cor. marked  $\frac{1}{4}$

S. on N. face, dug pits 18

$\times 18 \times 12$  ins. E. and W. of

post  $5\frac{1}{2}$  ft. dist. and raised

a mound of earth  $1\frac{1}{2}$  ft.

high  $5\frac{1}{2}$  ft. base around post



## South Range 7 West.

Chains

70.00 The cor. to Secs 4, 5, 8 & 9  
 Land level mesa  
 Soil 1<sup>st</sup> rate  
 Scattering brush

---

N<sup>0</sup> 2' W. on a random line  
 bet. Secs 4<sup>th</sup> and 5<sup>th</sup>

Pa. 2° 15' E.

40.00 Set temporary 1/4 Sec. cor.

70.30 Intersect the N. Bdy of the  
 Trp at 35. lks. E. of cor. to  
 Secs. 4, 5, 32<sup>nd</sup> and 33.

Thence I run

S 0° 17' E. on a true line bet  
 Secs. 4<sup>th</sup> and 5<sup>th</sup>.

Pa. 2° 15' E.

40.30 Set a first 3 ft. long 3 in. square

## Subdivisions Tr. 7

Chains with marked stone 12 ins.  
in the ground for  $\frac{1}{4}$  Sec.  
cor, marked  $\frac{1}{4}$  S. on W. face.  
dug pits 18 x 18 x 12 ins N  
and S of post 5  $\frac{1}{2}$  ft. deep  
and raised a mound of  
earth  $1\frac{1}{2}$  ft. high 3  $\frac{1}{2}$  ft  
base around post

80.30 The cor. to Secs. 4, 5, 8 & 9

Land level mesa

Soil 1<sup>st</sup> rate

Nov 16 1892

From the cor. to Secs  
5, 6, 31 and 32 on the  
South Side of Tr  
Iron

N 0° 3' W bet Secs 31 + 32

Var 12° 06' E

## South Range of West

Chains

40.00 Set a post 3 ft. long 3  
 ins. square with marked  
 stone 12 ins. in the ground  
 for  $\frac{1}{4}$  Sec. Cor. marked  $\frac{1}{4}$   
 S. on W. face, dug pits  
 18x18x12 ins. N. End of  
 post  $5\frac{1}{2}$  ft. dist. and  
 raised a mound of  
 earth  $1\frac{1}{2}$  ft. high  $5\frac{1}{2}$  ft  
 base around post

80.00 Set a post 4 ft. long  
 4 ins. square with  
 marked stone 12 ins. in  
 the ground for Cor. to  
 Secs. 29, 30, 31 and 32  
 marked

T. J. S. 29. on N.E.

R. J. W. S. 32. on S. E.



## Subdivisions Sp. 7

chains Sec. 31 on S. W. End

S 30 on N. W. faces with 1  
notch on S. End 5 notches  
on E. edges, dug pits 18 x  
18 x 12 ins. in each Sec  
5 1/2 ft. dist. and raised a  
mound of earth 2 ft  
high 4 1/2 ft. base around  
pits.

Land level mesa  
Soil 1<sup>st</sup> rate

S. 89° 59' E. on a random  
line bet Sec 29. + 32

Va 120 13' E

40.00 Set temporary 1/4. Sec. cor

80.00 Intersect The N. End S  
line at 7 lks S. of line

## South Range 7 West.

Chains to Secs 28, 29, 32 and 33

Thence I run

S 89° 58' W. on a true line  
bet Secs 29 + 32

Ta. 12° 03' E.

40.00 Set a post 3 ft. long 3  
ins. square with marked  
stone 12 ins. in the  
ground for 1/4 Sec. cor  
marked 1/4 S. on N. face  
dug pits 18 x 18 x 12 ins.  
E. and W. of post 5 1/2 ft.  
dist. and raised a  
mound of earth 1 1/2 ft.  
high 3 1/2 ft. base around  
post

80.00 The cor. to Secs 29, 30, 31 + 32

Land level mesa

Oil 1<sup>st</sup> rate

## Subdivisions Tr. 7

- |        |   |
|--------|---|
| Chains | N 89° 59' W. on a random<br>line bet Secs 30 and 31<br>Va 12° 03' E.  |
| 40.00  | Set temporary 1/4 Sec cor   |
| 77.50  | Intersect the West Eddy<br>of The Tr. at 28 <sup>1/2</sup> ft of The<br>Cor. to Secs 25, 30, 31 & 36<br>Thence I run<br>N. 89° 49' E. on a true<br>line bet Secs 30 & 31<br>Va 12° 03' E. |
|        | Over level land   |
| 165.0  | Leaves level land foot of<br>ascent.  |
| 22.00  | ascend abruptly   |
| 23.50  | Top of ascent and descend   |
| 37.50  | Set a post 3 ft. long 3<br>ins. square with marked<br>stone 12 ins. in the ground   |



## South Range 7 West.

Chains for 1/4 Sec. cor, marked 1/4 A  
 on N. face dug pits 18x18x  
 12 ins. E and W. of post 5 1/2  
 ft. dist. and raised a  
 mound of earth 1 1/2 ft  
 high, 3 1/2 ft. base around  
 post.

Descend rapidly and  
 leave Malpais

77.50 The lev. to Secs 29, 30, 31 + 32  
 Land level mesa  
 and rough Malpais  
 Soil west. 1<sup>st</sup> rate  
 " Malpais 3<sup>rd</sup> + 4<sup>th</sup> rate

N 0° 3' W. bet. Secs 29 + 30

Va. 12° 03' E.

Ascend over rolling Malpais

## Chains

- 34.00 ascend rapidly
- 36.00 Top of Butte 60 ft. high, Descend
- 39.00 Foot of Butte and later level
- 40.00 Set a post 5 ft. long 3  
 ins. square with marked  
 stone 12 ins. in the ground  
 for 1/4 Sec. cor. marked 1/4  
 P. on W. face, dug pits 18  
 x 18 x 12 ins. N. end of  
 post 5 1/2 ft. dist. and  
 raised a mound of  
 earth 1 1/2 ft. high 3 1/2 ft.  
 base around post
- 58.50 Malpais Butte just  
 East 75 ft. high
- 70.00 Set a post 4 ft. long  
 4 ins. square with  
 marked stone 12 ins.

## South Range 7 West.

Chains in the ground for Cor  
to Secs 19, 20, 29 + 30,  
marked

T 7. S. S. 20. on N.E.

R 7. W. S. 29. on S.E.

S 30. on S.W. and

S 19. on N.W. faces with  
2 notches on S. and 5  
notches on E. edges, dug  
pits 18x18x12 ins. in  
each Sec. 5 1/2 ft. dist. and  
raised a mound of earth  
2 ft high 4 1/2 ft. base  
around each

Land mostly mesa

Oil 1<sup>st</sup>/<sub>7</sub> rate

---



## Subdivisions Pt. 7

Chains N 79° 58' E. on a random  
line bet Secs 20 + 29

7a 11° 57' E.

40.00 Set temporary 1/4 Sec. cor

70.10 Intersect the N. and S.  
line at 5 lks S. of the  
Cor. to Secs 20. 21. 28 + 29

Thence I run

O. 79° 56' W on a true  
line bet Secs 20 + 29

7a 11° 57' E

40.05 Set a post 3 ft. long  
3 ins. square with  
marked stone 12 ins. in  
the ground for 1/4 Sec  
cor. marked 1/4. O. on N. face  
dug pits 15 x 15 x 12 ins.  
E and W. of post 0 1/2 ft  
dist. and raised a mound

## Fourth Range 7. West.

chains of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft.  
base around post

70.10 The cor. to Secs 19.20 29+30  
Land level mesa  
Soil 1<sup>st</sup> rate  
Scattering mesquite brush

---

$S 79^{\circ} 49' W$  on a random  
line bet. Secs 19 and 30

Va.  $11^{\circ} 57' E$ .

40.00 Set temporary 1/4 Sec. cor.

77.00 Intersect the W. Bdy of  
Tr at 21. cks. S. of cor. to  
Secs 19.24 25 and 30.

Thence I run

$N 79^{\circ} 58' E$ . on a true line bet  
Secs 19 and 30

Va.  $11^{\circ} 57' E$ .

## Subdivisions Sp. 7

Chains

- 14.00 Leave mesa and enter between two Malpais ridges. The one on South about 175 ft. high and ridge on N from 100 to 150 ft high  
Valley 10 chs wide
- 37.00 Set a post 3 ft. long 3 ins. square with marked stone 12 ins. in the ground for 14 Sec cor marked 14 P. on N. face dug pits 18x18x12 ins. E. and W. of post 5 1/2 ft dist and raised a mound of earth 1 1/2 ft high 3 1/2 ft. base around post.



## South Range 7 West

Chains

- 49.50 Ascend Malpais abruptly  
 52.50 Top of Malpais bet N + S.  
 and descend gradually  
 to E.  
 64.00 Descend abruptly  
 66.75 Foot of Malpais + enter  
 mesa  
 77.00 The cor. to Secs. 19, 20, 29 + 30  
 Land 17.25. chs Mountainous  
 " 59.75. chs level mesa  
 Soil 1<sup>st</sup> rate on mesa
- 

No<sup>o</sup> 3' N. bet. Secs. 19 and 20

Pa 12° 57' E.

- 40.00 Set a post 3 ft. long 3 ins.  
 square with marked stone  
 12 ins. in the ground for 14

## Subdivisions Tr. 7

Chains Sec. cor. marked 114 P. on  
 W. face, dug pits  $18 \times 18 \times$   
 $12$  ins. N. End S. of post  
 $5\frac{1}{2}$  ft. dist. and raised  
 a mound of earth  $1\frac{1}{2}$  ft  
 high  $3\frac{1}{2}$  ft. base around  
 post

80.00 Set a post 4 ft. long  
 4 ins. square with marked  
 stone 12 ins. in the ground  
 for cor. to Secs 17, 18, 19 & 20  
 marked

T. 7 S. 17. on N.E.

R. 7. W. 20. on S. E.

S 19. on S. W. end

S 18. on N. W. faces with  
 3 notches on S. end 5  
 notches on E. edges. dug  
 pits  $18 \times 18 \times 12$  ins. in

# South Range 7 West.

Chains each Sec.  $5\frac{1}{2}$  ft. dist. and  
raised a mound of earth  
2 ft. high  $4\frac{1}{2}$  ft. base around  
post

Surface level mesa  
Soil 1<sup>st</sup> rate

$N 89^{\circ} 56' E.$  on a random  
line bet. Secs 17 and 20

$Pa. 11^{\circ} 57' E.$

40.00 Set temporary  $1\frac{1}{4}$  Sec. cor

79.90 Intersect the N. and S. line  
at 16.00 cks. S. of cor. to Secs  
16, 17, 20 and 21

Thence I run

$S 89^{\circ} 49' W.$  on a true line  
bet. Secs 17 and 20

$Pa. 11^{\circ} 57' E.$



## Subdivisions No. 7

## Chains

39.95 Set a post 3 ft. long 3  
 mis. square with marked  
 stone 12 mis. in the ground  
 for 1/4 Sec. cor, marked  
 1/4 S. on N. face, dug pits  
 15 x 15 x 12 mis. E. and W. of  
 post 5 1/2 ft. dist. and  
 raised a mound of earth  
 1 1/2 ft. high 3 1/2 ft. base  
 around post

79.90 The cor. to Secs 17, 18, 19 + 20  
 Land level mesa  
 Soil 1/2 rate  
 Scattering mesquite brush

---

S. 89° 58' W. on a random  
 line bet. Secs. 17 and 19

## South Range West

Chains

Va.  $11^{\circ}57'E$ .40.00 Set temporary  $1/4$  Sec. cor77.50 Intersect the West Bdy  
of the Tp. at 25. lks. N.  
of the cor. to Secs 13, 18, 19  
and 24

Thence I run

 $N 89^{\circ}47'E$  on a true line  
bet Secs 18 and 19Va.  $11^{\circ}57'E$ .37.50 Set a post 3 ft. long 3  
ins. square with marked  
stone 12 ins. in the ground  
for  $1/4$  Sec. cor, marked  $1/4$   
S. or W. face, dug pits  $18 \times$   
 $18 \times 12$  ins. E. and W. of post  
 $5\frac{1}{2}$  ft. dist. and raised a  
mound of earth  $1\frac{1}{2}$  ft  
high  $3\frac{1}{2}$  ft. base around post

## Subdivisions. Tp. 7

Chains

77.50 The Cor. to Secs 17, 18, 19 & 20  
 Land level mesa  
 Soil 1<sup>st</sup> rate  
 Scattering Mesquite brush

---

N 0° 3' W. bet Secs 17 & 18

V 911.057 E.

40.00 Set a post 3 ft. long  
 3 ins. square with  
 marked stone 12 ins.  
 in the ground for  $\frac{1}{4}$  Sec  
 cor. marked  $\frac{1}{4}$  S. on W  
 face, dug pits 18 x 18 x  
 12 ins. N. and S of post  
 5  $\frac{1}{2}$  ft. dist. and raised  
 a mound of earth 1  $\frac{1}{2}$   
 ft. high 3  $\frac{1}{2}$  ft base



# South Range 7 West

Chains around first

50.00 Set a first 4 ft. long  
4 ins. square with  
marked stone 12 ins.  
in the ground for  
Cor. to Secs 7, 8, 9 & 10  
marked

T. 7. N. S 8. on N.E.

R. 7. W 17. on S.E.

S. 8 on S.W. end

S 7. on N.W. face with  
4 notches on S. end 5  
notches on E. edges  
aug pits 18x18x12 ins.  
in each Sec. 5 1/2 ft. dist.  
and raised a mound  
of earth 2 ft high 4 1/2  
ft. base around first  
Land level mesa

Subdivisions T<sub>7</sub>

Chains

Soil  $1\frac{1}{4}$  rate

N $89^{\circ}49'E$ . on a random  
line bet Secs 8 & 17  
Va.  $12^{\circ}E$ .

40.00 Set temporary 1/4 Sec. cor

80.20 Intersect the N. and S  
line at 12 links N of cor  
to Secs 8, 9, 16 & 17

Thence I run

S.  $89^{\circ}54'W$ . on true line  
bet Secs 8 & 17Va.  $12^{\circ}E$ .440.10 Set a post 3 ft. long  
3 ins. square with  
marked stone 12 ins. in  
the ground for 1/4 Sec  
cor, marked 1/4 S on N

## Brook Range of West

chains face, dug pits 15 x 15 x  
 12 ins. E. End W. of flash  
 5 1/2 ft. dist End raised  
 a mound of earth  
 1 1/2 ft. high 3 1/2 ft. base  
 around flash

70.20 The cor. to Secs 7, 8, 17 & 18  
 Land level mesa  
 Soil 1/4 rate  
 Scattering mesquite brush

---

S. 89. 47' W. on a random  
 line bet Secs 7 & 18

79. 12' ... E.

40.00 Set temporary 1/4 Sec. cor

77.15 Intersect the West Bdy  
 of the Twp at 22. ex. P.

Vol of the cor. to Secs. 7, 12, 13 & 18



## Subdivisions. Sp. 7

Chains Thence I run  
 N89°56'E. on a true  
 line bet Secs 7 & 18

79.12° 1'-E.

37.15 Set a post 3 ft. long 3 in.  
 square with marked stone  
 12 in. in the ground for  
 1/4 Sec. cor, marked 1/4 S.  
 on N. face, dug pits 18x  
 18x12 in. E and W of post  
 5 1/2 ft. dist. and raised  
 a mound of earth 1 1/2  
 ft. high 3 1/2 ft. base around  
 post.

77.15 The Cor. to Sec 7, 8, 17 & 18  
 Land level mesa  
 Soil 1/4 rate  
 Scattering Mes. brush

## South Range 7 West

Chains  $N 10^{\circ} 3' W$ . bet Secs 7 & 8

Va.  $12^{\circ} E$ .

40.00 Set a post 3 ft. long  
3 ins. square with  
marked stone 12 ins. in  
the ground for  $1/4$  Sec  
cor, marked  $1/4$  S. on W  
face, dug pits  $18 \times 18 \times 12$   
ins. N. End S. of post  $5 \frac{1}{2}$   
ft. dist. and raised a  
mound of earth  $1 \frac{1}{2}$  ft  
high  $3 \frac{1}{2}$  ft. base around  
post.

80.00 Set a post 4 ft. long 4  
ins. square with marked  
stone 12 ins. in the  
ground for cor. to Secs  
5, 6, 7 & 8. marked  
T. T. P. S. on N. E.

Subdivisions T<sub>p</sub> 7.

Chains R 7. W. S 8. on S. E.

S. 7. on S. W. end

S 6. on N. W. faces with  
5 notches on S. end 5  
notches on E. edges  
dug pits 18 x 18 x 12 in  
in each Sec. 5 1/2 ft  
dist. and raised a  
mound of earth 2 ft  
high 4 1/2 ft. base around  
posts

Land level mesa

Soil 1<sup>st</sup> rate

N 89° 54' E. on a random  
line bet Secs. 5 and 8

S 91° 57' E.

40.00 Set temporary 1/4 Sec. cor.



## Fourth Range T. West.

Chains

80.10

Intersect The N. End of  
line H. H. <sup>W. of</sup> E. to Secs

4, 5, 8 + 9

Thence I run

West on a true line  
bet Secs 5 + 8Ta.  $11^{\circ} 57' E.$ 

40.05

Set a post 3 ft. long  
3 ins. square with  
marked stone 12 ins.  
in the ground for 1/4  
Sec. cor. marked 1/4 S  
on N. face, dug pits  
18 x 18 x 12 ins. E and W  
of post 5 1/2 ft. dist and  
raised a mound of  
earth 1 1/2 ft high 3 1/2  
ft base around post

## Subdivisions of 7

Chains

80.10 The cor. to Secs 5, 6, 7 & 8  
 Land level mesa  
 Soil 1<sup>st</sup>/<sub>4</sub> rate  
 Scattering mesquite brush

---

S. 89° 56' W. on a random  
 line bet Secs 6 and 7  
 Val 11° 57' E.

40.00 Set temporary 1/4 Sec. cor

77.00 Intersect the W. Bay of  
 the TP at 12 exs n. of  
 cor. to Secs 1, 6, 7 & 12

Thence I run

N 89° 57' E on a true  
 line bet Secs 6 & 7

Val 11° 57' E.

37.00 Set a post 3 ft. long 3 ins

## South Range T West

Chain square with marked  
stone 12 ins. in the ground  
for  $\frac{1}{4}$  Sec. cor, marked  $\frac{1}{4}$   
S. on N. face, dug pits 18x  
18x12 ins. E. and W. of  
post 5th ft. dist. and raised  
a mound of earth  $1\frac{1}{2}$  ft  
high  $5\frac{1}{2}$  ft base around  
post.

77.00 The lev. to Secs 5, 6, 7 & 8  
Land level mesa  
Soil 1<sup>st</sup> rate  
Mesquite brush

---

$N 0^{\circ} 3' W$ . on a random  
line bet Secs. 5 and 6

$S 91.1^{\circ} 57' E$ .

40.00 Set temporary  $\frac{1}{4}$  Sec. cor



## Subdivisions

Tp. 7.

Chains

80.50 Intersect the N. Bdy of  
The Tp at 10. lks E. of  
cor. to Secs 5, 6, 31 + 32

Thence I run

$50^{\circ} 7' E.$  on a true line  
bet Secs 5<sup>and</sup> 6

Va. 11-576.

40.50 Set a frost 3 ft. long 3 ins.  
square with marked  
stone 12 ins. in the ground  
for 1/4 Sec. cor, marked "4 S.  
on N. face, dug pits 18 x 18  
x 12 ins. N. and S. of frost 5 1/2  
ft. dist. and raised a  
mound of earth 1 1/2 ft  
high 3 1/2 ft. base around frost

80.50 The cor. to Secs 5, 6, 7 + 8  
Land level mesa

## South Range T. West

Chains

Soil,  $\frac{1}{4}$  rate

## General description.

This Twp. contains mostly fine lands, excepting a few Malpais Brums. Considerable mesquite brush also grease-wood and sage with patches of Misa grass. With water it will make a fine fruit section.

I tested latitude on three days during the survey of this Twp.

Nov 14 - 1892

Lewis Wolfley

U. S. Deputy Surveyor



## List of Names.

No. 1207

A List of the Names of the Individuals  
 employed by Lewis Wolfley  
 U. S. Deputy Surveyor, to assist in running, meas-  
 uring and marking the lines and corners described  
 in the foregoing Field Notes of the survey of the <sup>a</sup>  
 portion of the 1<sup>st</sup> Stand. Par.  
 D. and a portion of the 2<sup>nd</sup> Guide  
 Meridian <sup>West</sup> and exterior and Subdivi-  
 sions in Tps 7. D. Rs. 7. 8. & 9. W.  
 Tps. 6. D. Rs. 6. 7. 8. & 9. W. Tps. 5. D.  
 R. 7. W.

of the Gila and Salt River Base and Meridian, in  
 the Territory of Arizona, showing the respective  
 capacities in which they acted.

Adam Glier..... Chainman.

..... Chainman.

..... Chainman.

..... Chainman.

Adam Glier..... Axeman.

..... Axeman.

..... Flagman.

## Final Oath of Assistants.

We hereby certify that we assisted Suvis  
Wadley U. S. Deputy Surveyor, in  
 surveying all those parts or portions of the 1<sup>st</sup>  
Standard 2<sup>o</sup> Guide Meridian  
 the sub divisions & extensions  
 of Tps 6 S. R. 7. 8 + 9 W. Tps  
7 S. Rs 7. 8 + 9 W. Twp 10 N.

of the Gila and Salt River Base and Meridian, in  
 the Territory of Arizona, as are represented in the  
 foregoing field notes as having been surveyed by him  
 and under his direction; and that said Survey has  
 been in all respects, to the best of our knowledge  
 and belief, well and faithfully surveyed, and the  
 corner monuments established according to the  
 instructions furnished by the United States Surveyor  
 General for Arizona.

X Adam Ghem Chainman.

Chainman.

Chainman.

Chainman.

Adam Ghem  
 + Ghem Axeman.

Axeman.

Flagman.

Sworn to and subscribed before me, this 21<sup>st</sup>  
 day of November, 1892

Frank W Wilson

Notary Public.

## Final Oath of U. S. Deputy Surveyor.

I, Lewis Wolfley

U. S. Deputy Surveyor, do solemnly swear that in pursuance of a contract received from Royal A. Johnson, United States Surveyor-General for Arizona, bearing date of the 26<sup>th</sup> day of

May 1892, I have well, faithfully, and truly, in my own proper person, and in strict conformity with the instructions furnished by the United States Surveyor-General for Arizona, the Manual of Surveying Instructions, and the laws of the United States, surveyed all those parts

or portions of the 1<sup>st</sup> Stand. Cor. South +

2<sup>nd</sup> Guide Meridian<sup>with</sup> and Exterior

and Subdivision Lines in Tps. 7. S.

Rs. 7. 8 + 9. W. Tps. 6. S. Rs. 6. 7. 8 + 9. W

Tp. 5. S. R. 7. W

of the Gila and Salt River Base and Meridian, in the Territory of Arizona, as are represented in the foregoing Field Notes as having been surveyed by me and under my direction; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Manual of printed instructions, the special instructions of the United States Surveyor-General for Arizona, and in the specific



manner described in the field notes, and that the foregoing are the true Field Notes of such survey; and should any fraud be detected I will suffer the penalty of perjury, under the provisions of an act of Congress approved August 8, 1846.

*Lewis Nolley*  
 U. S. Deputy Surveyor.

Sworn to and subscribed before me this *6<sup>th</sup>* *1891*

day of *January*, 189*1*

*Ronald Johnson*

Mean Declination  $12^{\circ}14'6''$

U. S. Surveyor-General's Office,

TUCSON, A. T., *March 4* 18*93*

The foregoing Field Notes of the Surveys of  
*The Subdivision of The 7 S*  
*R 7 W.*

*of The* Gila and Salt River Meridian  
in *Territory of Ariz* executed by  
*Lewis Wolfley*

U. S. Deputy Surveyor, under his contract dated  
*May 26<sup>th</sup> 1892*

having been critically examined, the necessary corrections and explanations made, the said Field Notes and the surveys they describe are hereby approved.

*Rapael Johnson*

U. S. Surveyor-General  
for the Territory of Arizona.