

Recd July 18. 1893.

2
61

2^{cc}
copied

BOOK 1208

No. 1208.

1208

BOOK 1208

4-671

FIELD NOTES

GENERAL LAND OFFICE.

of the Survey of
Subdivisions of

Tp: 9. S. R. 12. W.

Gila and Salt River M.
Arizona.

By Lewis Wolfley. D. S.
under Contract dated

Jan: 16. 1893.

Survey comm'd May 27. 1893.

Survey compt'd June 5. 1893.

Indexed, Book 12 15.

62

Township 9S R. 12W

| | | | | | | | |
|----|----|----|----|----|----|----|----|
| 6 | 94 | 5 | 69 | 4 | 3 | 2 | 1 |
| 93 | | 91 | 68 | | | | |
| 7 | 90 | 8 | 66 | 9 | 10 | 11 | 12 |
| 89 | | 87 | 64 | | | | |
| 18 | 85 | 17 | 63 | 16 | 15 | 14 | 13 |
| 84 | | 82 | | | | | |
| 19 | 81 | 20 | | 21 | 22 | 23 | 24 |
| 79 | | 78 | | | | | |
| 30 | 76 | 29 | | 28 | 27 | 26 | 25 |
| 74 | | 73 | | | | | |
| 31 | 71 | 32 | | 33 | 34 | 35 | 36 |

Sub. Tr. 9. S. R. 12 W.

Chain

No 2 W. bet. Secs 16 + 17

S 14° E.

40.00 Set a post 3 ft. long 3 ins square with marked stone 12 ins. in the ground for 1/4 Sec. cor. marked 14 on W. face, dug pits 18x18x12 ins N and S. of post 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base around post

80.00 Set a post 4 ft. long 4 ins square with marked stone 12 ins. in the ground for cor. to Secs 8. 9. 16 + 17 marked

T 9. S. 9. on N. E.

R 12. W. 16 on S. E.

Subdivisions Sp. - 9

Chains 17 on SW and

18 on N.W. faces with
4 notches on S and ^{NE} E

faces
edges dug pits 15 x 18 x 12
ins. in each Sec 5 1/2 ft.

dist. and raised a
mound of earth 2 ft. high
4 1/2 ft. base around post
Land level mesu

Soil 1st rate

Scattering Sage and
grasswood brush

East on a random

line bet. Secs 9 + 16

Va 14° E

H.O. 00 Set temporary 1/4 Sec on

South Range 12, West

Chains

80.20 Intersect the N and S. line at
10.210 N. of Cor. to Secs. 9. 10
15 and 16

Thence Run

N $89^{\circ} 56'$ W. on a true line
bet. Secs. 9 + 16

9a $14^{\circ} E$

40.10 Set a post 3 ft. long 3 ins
square with marked
stone 12 ins. in the ground
for 14 Sec. cor. marked 140
on N face, dug pits 18x18x
12 ins E + W. of post $5\frac{1}{2}$ ft. dist.
and raised a mound of
earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base
around post

80.20 The cor. to Secs 8, 9, 16 + 17

Land level mesa

Subdivisions Sp. 9.

Chains Coil 1 $\frac{1}{2}$ rate
 Scattering Sage and
 greasewood brush

No. 2 W. bet. Secs 8 & 9

Pa 14° E

40.00 Set a post 3 ft. long 3 ins
 square with marked
 stone 12 ins. in the ground
 for 1/4 Sec. Cor. marked 1/4
 on W. face, dug pits 18
 x 18 x 12 ins. N and S. of
 post 5 1/2 ft. dist. and
 raised a mound of earth
 1 1/2 ft. high 3 1/2 ft. base
 around post

50.00 Set a post 4 ft. long 4
 ins. square with marked

South Range 12 West

Chain stone 12 ins. in the ground
for loc. to Secs 4, 5, 8 & 9. marked
T 9. S. 4 on N.E.

R. 2 W. 9. on N.E.

P 8. on SW Quad

S 5. on NW. faces with 5
notches on one ^E end & 4 notches
N.E. ^{face} edges. dug pits 18x18x
12 ins in each Sec 5 1/2 ft.

dist. and raised a mound
of each 2 ft high 4 1/2 ft. base
around foot

Land level mesa

Soil 1st rate

Scattering greasewood
and Sage brush

Subdivisions Sp. 9

Chains $N 89^{\circ} 56' E$ on a random
line bet. Secs. 4 and 9
VA $14^{\circ} E$.

40.00 Set temporary $1/4$ Sec. cor
80.10 Intersect the N and
D. line 5 lbs. S of cor.
to Secs. 3, 4, 9 + 10

Thence Iron

$N 89^{\circ} 58' W$ on a true line
bet. Secs. 4 and 9
VA $14^{\circ} E$.

40.05 Set a post 3 ft. long
3 ins. square with
marked stone 12 ins
in the ground for $1/4$
Sec cor. marked $1/4$ D. on
N face, dug pits $18 \times 15 \times 12$
ins E + W. of post $5 \frac{1}{2}$ ft
dist. and raised a

South Range 12 West 69

chain mound of earth $1\frac{1}{2}$ ft. high
 $3\frac{1}{2}$ ft base around post

80.10 The lev. to Secs. 4, 5, 8 + 9

Sand level mesa

Soil 1st rate

Scattering sages + greasewood brush

$N0^{\circ}2'W$. on a random line bet
 Secs 4 and 5

Va $14^{\circ}E$ 40.00 Set temporary $1/4$ sec cor

80.25 Intersect the N Bdy. of the
 Tr. at 10 ch. N. of lev. to Secs
 4, 5, 32 + 33 as heretofore described
 Thence Run

$N0^{\circ}2'W$ on a true line bet. Secs
 4 and 5

Va $14^{\circ}E$.

Subdivisions Sp. 9

Chains

40.25 Set a post 3 ft. long 3
 ins. square with marked
 stone 12 ins. in the ground
 for 14 sec. on marked
 140. on W. face, dug pits
 15 x 15 x 12 ins. N and S of
 post 5 1/2 ft. dia. and raised
 a mound of earth 1 1/2 ft.
 high 3 1/2 ft. base around
 post

80.25 The lev. to Sec 4. 5. 8 + 9

Land level Mesa

Soil 10% rate

Scattering greasewood
 and Sage brush

South Range 2 West

Chains From the cor. to Secs. 5, 6
31 + 32. on the S. Bdy. of the
Tp. as heretofore described
I run

N^o 3^o W bet. Secs 31 + 32

89 / 40 E

- 17.50 Wash. 3 alk. wide. course N. E
- 40.00 Set a post 3 ft. long 3 ins. square
with marked stone 12 ins
in the ground for N. Sec. cor
marked 140. on W. face dug
pits 18 x 18 x 12 ins. 2nd end
of post 5 W. of. det. and raised
a mound of earth 1 1/2 ft.
high 3 1/2 ft. base around post
- 80.00 Set a post 4 ft. long 4 ins
square with marked stone
12 ins. in the ground for cor
to Secs 29, 30. 31 + 32 marked

Subdivisions *Sp. 9*

Chains *Sp. 9* S. S. 29 on N.E.

R. 12. W. S. 32 on S.E.

S. 31 on NW ^{end}

S. 30. on N.W. face with
 notch in ^E and 5 notches
 on ^N ^{face} _E edges. dug pits 18x
 18x12 ins. in each ^{1/2} _{ft.}
 fr. dist. and raised a
 mound of earth 2 ft.
 high 4 1/2 ft. base around
 foot

Land level mesa

Soil 1st rate

Scattering Sage and
 grasswood bush

South Range 12 West

- Chains East on a random line
bet. Secs. 29 + 32
70 14° E
- 40.00 Set temporary 1/4 Sec. cor
80.10 Intersect the N. end. line
at. cor. to Secs. 28, 29, 32 + 33
Thence run
Wet on a true line bet. Secs
29 and 32
70 14° E
- 40.05 Set a post 3 ft. long 3 ins
square with marked stone
12 ins. in the ground for 1/4
Sec. cor. marked 1/4 S. on N
face dug pits 18 x 18 x 12 ins
E + W. of post 5 1/2 ft. dist
and raised a mound of
earth 1 1/2 ft. high 3 1/2 ft. base
around post

Subdivisions P. 9

Chains

80.10 The cor. to Secs. 29, 30, 31 + 32

Land level mesa

Soil 1st rateScattering Sage and
greasewood brushWest on a random
line bet. Secs. 30 + 31

Va 14° E

40.00 Set temporary 1/4 Sec. cor.

80.10 Intersect the W. Bdy.
of the Tp. at 14 cks. P. of
Cor. to Secs. 25, 30, 31 + 36, as
previously described
thence runS 89° 54' E. on a true line
bet. Secs. 30 + 31

Va 14° E

South Range 12 West. 75

Chand

- 28.10 Road bis. N.S
- 40.10 Set a post 3 ft. long 3 ins
square with marked
stone 12 ins. in the ground
for 114 Sec. on marked
114 on N face, dug pits 18x18
x 12 ins E. W. of post 5 1/2 ft
dix and raised a mound
of earth 12 ft. high 5 1/2 ft. base
around post
- 80.10 The lev. to Secs. 29, 30, 31, 32
Land level mesa
Soil 1st rate
Some surface gravel
Scattering Juniperwood
and greasewood
-

Subdivisions of 7

Chains

N⁰ 3' W. bet. Secs 29 & 30

Va 14° E.

40.00 Set a post 3 ft. long 3 ins. square with marked stone 12 ins. in the ground for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ S. on W. face dug pit 18 x 18 x 12 ins. N. end of post 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base around post

80.00 Set a post 4 ft. long 4 ins. square with marked stone 12 ins. in the ground for lev. to Secs 19, 20, 29, 30 marked

South Range 12 West 77

Chains T 9.0 S 29. on N.E.
 R 12 W 29. on S.E.
 D 30 on S.W. end
 O 19. on N.W. face with 2
 notches on N.E. and 5 notches
 N.E. faces
 on E. edges dug pits 18x15
 x 12 in in each Sec 5 $\frac{1}{2}$
 ft. dist. and raised a
 mound of earth 2 ft.
 high 4 $\frac{1}{2}$ ft. base around
 from

Land level mesa

Soil 1 $\frac{1}{2}$ rate

Thick Sage and greasewood
 brush 80.00, very dense

Subdivisions of 9

Chain East on a random
line bet. Secs 20 + 29
VA $14^{\circ}E$

40.00 Set temporary $1/4$ Sec. Cor

79.80 Intersect the N and
S. line at 10 Ets. S. of Cor
to Secs. 20, 21, 28, 29

Thence I run

$S 89^{\circ} 56' W.$ on a true line
bet. Secs 20, 29

VA $14^{\circ}E$

13.80 Road bet. N.W. + S.E

319.90 Set a frost 3 ft. long &
ins. square with marked
stone 12 ins. in the ground
for $1/4$ Sec. cor. marked
 $1/4$ S. on N. face, dug pits
 $18 \times 18 \times 12$ ins. E & W. of frost
 $5 \frac{1}{2}$ ft. dist. and raised a

South Range 12 West.

Chains mound of each $1\frac{1}{2}$ ft. high
 $3\frac{1}{2}$ ft base around foot

79.00 The lev. to Secs. 19, 20, 29 + 30

Land level mesa

Soil 1st rate

Scattering grasswood, and
 Sage brush

$N 89^{\circ} 54' W.$ on a random
 line bet. Secs 19 and 30

$\nabla 14^{\circ} E$

40.00 Set temporary $\frac{1}{4}$ Sec. cor

80.05 Intersect the W. Body of the
 Tr at 15. cks. N. of lev. to
 Secs. 19, 24, 25 + 30 as herein-
 before described
 Cheneau Inn

East on a true line bet. Secs
 19 and 30.

Subdivisions # 9

Chains

Va 14° E

40.05 Set a post 3 ft. long
 3 ins square with marked
 stone 12 ins. in the
 ground for 114 Sec. or
 marked 114 on N face
 dug pits 15 x 18 x 12 ins
 E & W. of post 5 1/2 ft. dist.
 and raised a mound
 of earth 1 1/2 ft. high 3 1/2
 ft. base around post

80.05 The loc. to Secs 19, 20, 29, 30

Land level mesa

Soil 1st rate

Scattering Sage and
 grasswood brush

South Range 12 West

Chain No 3 W. bet. Secs. 19 & 20

Va 14° E.

40.00 Set a post 3 ft. long 3 ins square with marked stone 12 ins. in the ground for N 4 Sec. Cor. marked 140 on W. face dug pits 18 x 18 x 12 ins. N and S of post 5 1/2 ft. dia. and raised a mound of earth 1 1/2 ft. high 8 1/2 ft. base around post

71.60 Road bet. N.W. 1 O.E.

80.00 Set a post 4 ft. long 4 ins square with marked stone 12 ins. in the ground for cor to Secs. 17, 18, 19, 20 marked

T 9, 11 17 on N.E.

R 12 W 20 on S.E.

Subdivisions *pp.* 9

Chain S 19. on O.W. End

S 18. on N.W. faces with 3
notches on O. ^E end 5

notches on ^{N & faces} E. edges, dug

pits 15 x 15 x 12 ins. in

each Sec 5 $\frac{1}{2}$ ft. dist. and

raised a mound of
earth 2 ft. high 4 $\frac{1}{2}$ ft.
base around post

Land level mesa

Soil 1 $\frac{2}{4}$ rate

Scattering grassweed & Sage brush

June 3rd 1893.

N 89° 56' E on a random
line bet. Secs. 17 & 20

Va 14° E

40.00 Set temporary 114 Sec. cor

79.00 Entered the N. and O. line

South Range 12 West.

Chain at 15¹⁶ N. of lev. to Secs. 16, 17
20 + 21

Thence I run

N. 89° 58' W. on a true line
bet. Secs 17 + 20

N. 14° E.

3.9.90 Set a post 3 ft. long 3 ins
square with marked stone
12 ins. in the ground for 114
Sec. cor. marked 14 on N
face, dug pits 18 x 18 x 12 ins
E. W. of post 5 1/2 ft. dist. and
raised a mound of earth
1 1/2 ft high 3 1/2 ft base around

79.05 ~~post~~ Road bis. N. W. S. E.

79.80 The lev. to Secs. 17, 18, 19, 20

Land level mesa

Soil 1st rate

Scattering greasewood, Sage brush

Subdivisions Twp. 9

Chains West on a random line
bet. Secs. 18 + 19

VA 14°E

40.00 Set temporary 1/4 Sec. cor.

80.00 Intersect the W. Bdy. of
the Twp. at 10 chs. S. of
cor. to Secs. 13, 18, 19, 24 as
given before described
Chord from

S 89° 56' E. on a true line
bet. Secs. 18 + 19

VA 14°E

40.00 Set a post 3 ft. long 3 ins
square with marked
stone 12 ins. in the ground
for 1/4 Sec. cor. marked 1/4 A.
on N face, dug pits 18x18
x 12 ins. E + W. of post 5th
ft. dist. and raised a
mound of earth 1 1/2 ft. high 3 1/2

South Range 12 West

Chain base around frost
 70.00 Road Cr. N.W. 8 S.E.
 80.00 The Cor. to Secs 17, 18, 19, 20

Land level mesa

Soil 1st rate

Scattering grasses and
 Sage brush.

N $0^{\circ}3'$ W. bet. Secs. 17 & 18

Pa 14 $^{\circ}$ E.

40.00 Set a post 3 ft. long 3 in. square
 with marked stones 2 in.
 in the ground for 1/4 Sec on
 marked 1/4 S. on W. face, dug
 pits 18 x 18 x 12 in N and S
 of post 5 1/2 ft. dist. and
 raised a mound of earth
 1 1/2 ft. high 5 1/2 ft base around
 post

Subdivisions of 9

Chains

80.00 Set a post 4 ft. long 4
 ins. square with marked
 stone 12 ins. on the
 ground for cen. to Secs
 7, 8, 17-18 marked
 T 9, S, S 8. on N.E.
 R 12 W. S 17 on S.E.
 S 18. on S.W. and
 P 7. on N.W. face with
 4 notches on S and 5
 notches on ^N E. edges. dug
 pits 18 x 15 x 12 ins. in
 each Sec 5 1/2 ft. dist. and
 raised a mound of earth
 2 ft. high 4 1/2 ft. base around post
 Land level mesa
 Soil 1st rate

Scattering greasewood & sage brush

South Range 12 West.

chain $089^{\circ}55'E$ on a random
line bet. Secs 8+17

$7a 14^{\circ}E$.

40.00 Set temporary 114 Sec. cor.

79.85 Intersect the N end 0 line at
lev. to Secs 8, 9, 16+17

Thence run

$N89^{\circ}58'W$ on a true line bet.
Secs 8+17

$7a 14^{\circ}E$.

3.9.90 Set a post 3 ft. long 3 ins.
square with marked

stone 12 ins. in the ground
for 114 Sec. cor. marked $114S$

on N face, dug pits $15 \times 15 \times$
12 ins. E & W of post $5\frac{1}{2}$ ft.

dist. and raised a mound
of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft. base
around post.

Subdivisions Twp. 9

Chains

79.80 The cor. to Secs. 7, 8, 17 & 18

Land level mesu

Soil 1st rateScattering grass wood &
Sage brushN 89° 56' W. on a random
line bet. Secs. 7 & 18

70 14° E.

40.00 Set temporary 1/4 Sec. cor.

80.20 Intersect the W. Bdy. of
the Twp. at cor. to Secs. 7, 12
13 and 18 as heretofore described

Then a Iron

D 89° 56' E. on a true line
bet. Secs. 7 & 18

70 14° E.

South Range 12 West

Chains

2.50 Road bet NW. & S.E.

40.20 Set a post 3 ft. long 3 ins
square with marked
stone 12 ins. in the ground
for 1/4 Sec. cor. marked 114
On N face, dug pits 18x18x
12 ins E & W. of post 5 1/2 ft
dirt and raised a mound
of earth 1 1/2 ft. high 3 1/2 ft. base
around post

80.20 The bet. the Secs. 7, 8, 17 & 18

Land level mesa

Soil 1 1/2 ft. sale

Scattering Sage & Greasewood brush

Subdivisions Tr. 9

Chains No^o 3 N. Va. Secs 7 + 8

VA 1408

40.00 Set a foot 3 ft. long 3 ins square with marked stone 12 ins. in the ground for 14 Sec. cor. marked 14 S. on W face, dug pits 18x18x12 ins. N and S. of foot 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft. high. 3 1/2 ft. base around foot

80.00 Set a foot 4 ft. long 4 ins. square with marked stone 12 ins. in the ground for corr. to Secs 5. 6. 7 + 8 marked

S 9.0. S 5. on N. E

R 12 on S. on S. E

S 7. on S W End

South Range 12 West

Chains 16 on N.W. faces with 5
 notches on ^E and ^N faces
 and ^E edges.
 dug pits 18 x 18 x 12 ins. in
 each Sec 5 1/2 ft. dist. and
 raised a mound of earth
 2 ft high 4 1/2 ft. base around
 each

Land level mesu

Soil 1st rate

Scattering greasewood and
 Sage brush

S89° 58' E on a random line
 bet. Secs 5 & 8

S89 14' E.

40.00 Set temporary 1/4 Sec cor
 80.00 Intersect the N and S line at
 5115. P. of Cor. to Secs 4, 5, 8 & 9

Subdivisions Sp. 9

Chains Thence I run

West on a true line bet
Secs 5 & 8

79 14° E

40.00 Set a post 3 ft. long 3 ins
square with marked stone
12 ins. in the ground for
1/4 Sec. cor. marked 1/4 S
on N face, dug pits 15 x 15 x
12 ins E & W. of post 5 1/2 ft
dist. and raised a mound
of earth 1 1/2 ft. high 3 1/2 ft.
base around post

50.00 The lev. to Secs. 5, 6, 7 & 8

Land level mesa

Soil 1st rateScattering Sage and
greasewood brush

South Range 12 West

Chains N 89° 56' W on a random
line bet. Secs. 6 & 7

74 14° E

40.00 Set temporary 1/4 Sec. cor

80.10 Intersect the W. Bay. of
the Tr. at 19. cks. N. of Cor. to
Secs. 1, 6, 7 & 12 as heretofore
described
Dence Iron

N 89° 56' E on a true line bet.
Secs. 6 & 7

74 14° E

40.10 Set a first 3 ft. long 2 ins
square with marked stone
12 ins. in the ground for 1/4
Sec. cor marked 1/4 l. on N. face
dug pits 18 x 18 x 12 ins. E & W
of first 5 1/2 ft. dist. and raised
a mound of earth 1 1/2 ft. high
3 1/2 ft. base around first

Subdivisions, Tr. 9 S.

Churris

80.10 The cor. to Secs 5, 6, 7 & 8
 Land level mesa
 Soil 1st/₄ rate
 Scattering Sage and
 greasewood bush

N^o 3' W. on a random line
 bet. Secs. 5 and 6

Va 14° E

40.00 Set temporary 114 Sec. cor

80.00 Intersect the N. Body of
 the Tr. at 15 lks. W. of
 cor. to Secs 5, 6, 31 & 32 do
~~top~~ ~~rule~~ ~~for~~ ~~associated~~
 trend ~~run~~

S^o 3' W. on a true line bet.
 Secs. 5 and 6

Va 14° E

Range 12 West

charms

40.00

Set a post 3 ft. long 3 ins.
square with marked stone
12 ins. in the ground for
114 Sec. cor. marked 114 on W
face, dug pits 18 x 18 x 12 ins.
N and S of post 5 1/2 ft. dist.
and raised a mound of
earth 1 1/2 ft. high 3 1/2 ft.
base around post.

80.00

The lev. to Secs. 5, 6, 7 & 8

Land level mes.

Soil 1st rate

Thick greasewood and
and Sage brush

General Description

This Tr. is entirely agricultural land and is of excellent quality except a few small sand ridges in the N. E. portion.

Most of the Tr. will be under the South Gila Canal - When that projected canal is constructed.

There is a scattering growth of Mesquite and Sage brush covering the Tr. and a very little bunch grass in the Eastern portion.

All of the roads are made by myself and the South Gila Canal Co. and are only temporary, and in

Some places covered with
sand.

June 4/ 1893

Lewis Wolfley
U. S. Deputy Surveyor

No. 1208

BOOK 1208

98

U. S. Surveyor-General's Office,

TUCSON, A. T., Apr 30, 1894.

The foregoing Field Notes of the Surveys of

The Subdivisions of
Tp. 9 S R. 12 W

of Gila and Salt River Meridian
in Arizona executed by

Lewis Wolfley

U. S. Deputy Surveyor, under his contract dated

January 16th, 1893

having been critically examined, the necessary corrections and explanations made, the said Field Notes and the surveys they describe are hereby approved.

Levi H. Manning

U. S. Surveyor-General
for the Territory of Arizona.