

Recd July 18. 1893

1.

BOOK 1209

No. 1209

1209

BOOK 1209

4-671

FIELD NOTES

~~GENERAL LAND OFFICE~~

Subdivisions

Trac: Tp: 9.S. R. 13.W.

Arizona

By Lewis Wolfley, D.S.
under Contract

Dated Jan'y 16. 1893.

Survey commenced May 18. 1893

Survey completed May 22. 1893

No. 1209

Field Notes
of the
Survey of the
Subdivisions Lines
in T^h 9. S. R. 13. W.
G. and S. R. Base and
Meridian
as Surveyed by
Lewis Wolfley
U. S. Deputy Surveyor

Under Contract 25

Dated July 16th 93Survey Commence May 15
" Completed " 27/93

1A

BOOK 1209

I tested my Solar
by the Sun at noon
and found the latitude
to be. $32^{\circ}35'$

May 18/1893

For Manner of testing see page 187
2^d Standard Parallel South -

Having surveyed the
East and South Bays of
this Is. and my instrument
being in perfect adjustment
I proceed to subdivide
as follows

Sub. Tract. Tp. 9 S. R. 13 West

Commencing at the corner
to Secs. 2, 35 and 36 on
the north side of the
Tr^o ~~Tract~~ ^{as hereinbefore described}
Tr^o run
N 0° 1' W. bet. Secs 35 + 36
Ta. 14° E.

40.00 Set a post 3 ft. long 3 ins.
square with marked
stone 12 ins. in the ground
for 1/4 sec. cor. marked 1/4
P. on W. face, deep cuts 15 x 15
12 ins. N. and S. of post 5 1/2
ft. dist. and raised a
mound of earth 1 1/2 ft. high
3 1/2 ft. base around post

80.00 Set a post 4 ft. long 4 ins.
square with marked
stone 12 ins. in the ground
for corner to Secs. 25 & 26. 35 & 36

(4-874.)

Index

• Township 90

R. 13 West

BOOK 1209
BOOK 1210

Index for

16

6	52	5	69	4	55	3	37	2	18	1
80		79		67		53		36		16
7	77	8	65	9	57	10	34	11	14	12
		75		64		50		32		10
18	73	17	62	16	48	15	38	14	11	13
	*	71		60		46		29		9
19		20	59	21	45	22	27	23	8	24
			*	57		43		25		6
30		29		28	41	27	24	26	7	25
					*	39		22		3
31		32		33		34	20	35	/	36

Subdivision. Fract. T_p.

Chains marked

T 9. S. S 25. on N. E.

R 13. W. S 36. on S. E.

S 35. on S. W. End

P 26. on N. W. faces with
1 notch on ^{N. E.} End ^{N. E.}^{faces}
Edges dug pits 18" x 18"
12 ins. in each Sec 5thSt. dist. and raised a
mound of earth 2 ft.
high 4th ft. base around
Post

Land level near

Soil 1st/₂ rate

Scattering Sage brush

9. S. R. 13. west

Chain East on a random line
bet. Secs. 25nd and 36

$\text{Va } 14^{\circ} \text{E.}$

40.00 Set temporary $\frac{1}{4}$ Sec. cor

79.00 Intersect the E. bdy. of the
Twp at 15. lks. S. of cor. to
Secs. 25, 28, 31 & 36, as
previously described.

Thence run

$S 89^{\circ} 54' \text{W.}$ on a true line bet.

Secs 25nd and 36

$\text{Va } 14^{\circ} \text{E.}$

3.9.90 Set a post 3 ft. long 3 ins.
square with marked stone
12 ins. in the ground for
 $\frac{1}{4}$ Sec. cor. Marked $\frac{1}{4}$
Cor N. face dug pits 18x18x
12 ins. End and W. of post $5\frac{1}{2}$ ft.
dist. and raised a mound
of earth 11 $\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base.

4

BOOK 1209

Subdivision Tract 7⁹/₄

Chains around foot
79.50 The lev. to Secs 25-26. 35136

Land level
Soil surface grave
2nd rate

Scattering Ironwood
Palo Verde and grasswood

90° 1' W. bet. Secs 25 + 26
Va 14° E.

40.00 Set a post 3 ft. long 3 in
square with marked
stone 12 ins. in the ground
for 1/4 Sec. cor. marked
1/4 on W. face. dug pits
18 x 18 x 12 ins. N. E. of
post 5 1/2 ft. dist. and
raised a mound of earth

9. South Range 13 West

Chains $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base around
post

80.00 Set a post 4 ft. long 4 ins
square with marked stone
12 ins. in the ground for
cor. to Secs. 23 24 25 End 26
marked

T. 9. S. 24. on N.E.

R. 13. W. 25. on S.E.

S 26. on S.W. End

S 23. on N.W. faces. with 2
notches out ^E and 1 notch on
N ^{base}
E. ~~edges~~ dug pits 18x18x12
ins in each Sec $5\frac{1}{2}$ ft. dist.
and raised a mound of
earth 2 ft. high $4\frac{1}{2}$ ft. base
around post, From which
a Palo Verde 14 ins. drain
br. N 50 W. 25. $1\frac{1}{2}$ dist. marked

Subdivision Tract Tp. 9

Chains T. 9. S. R. 13. W. S. 23. B. T

Land slightly washed

Soil 2nd rate

Scattering Ironwood
mesquite and Palo Verde

N 89° 54' E. on a random
line bet. Secs. 24 & 25

Pa 14° E.

40.00 Set temporary 1/4 Sec cor

79.90 Intersect the E. bay. of
the Tp. at 19 pks. N
of leg. to Secs. 19, 24, 25 & 30
as hereinbefore described
Thence run

N 89° 58' W on a true line
bet. Secs 24 and 25

Pa 14° E.

9.50 Road bet. N. W. + S. E.

South Range 13 West

chains

39.95 Set a post 3 ft. long 3 ins.
square with marked
stone 12 ins. in the ground
for 1/4 Sec. Cor. marked 1/4
N. on N. face dug pits 18x18
x 2 ins. End W. of post 5 1/2
ft. dist. and raised a
mound of earth 1 1/2 ft.
high 3/4 ft. base around
post

55.20 Wash 1 ch. wide Course N.E.

79.95 The Cor. to Secs. 23 24. 25 + 26.

Land level mesa

Soil 1st rate

Scattering Ironwood and

Palo Verde and grasswood

Subdivision Tract Tp. 9

Chains No 1 W. bet. Seco. 23 + 24
Sta. 14 E

Over washed ground

40.00 Set a post 10 ft. long
3 ins. square with
marked stone 12 ins
in the ground for 14
Sec. cor. marked 14 E on
W. face, dug pits 18x18x
12 ins. N. End S. of post
5 1/2 ft. dist. and raised
a mound of earth 1 1/2
ft. high 3 1/2 ft. base around
post and

Levee washed ground

50.00 Set a post 4 ft. long
4 ins square with
marked stone 12 ins. in
the ground for cor. to Secs

South Range 13 West

9

Chains 13, 14, 23 and 24 marked

T. 9. S. 13. on N.E.

R. 13. W. S. 24. on W.E.

S. 23. on S. W. End

S. 14. on N.W. faces with 3
notches on ^E and 1 notch
on ^W E. ^{faces} edges. dug pits 18x18x12
ins. in each Sec. 5 1/2 ft. dist.
and raised a mound of
earth 2 ft. high 4 1/2 ft. base
around post

Land slightly washed

Soil 2nd rate

Scattering Ironwood, Palo

Verde and greasewood

S 87° 58' E. on a random
line bet. Secs. 13 and 24

Subdivision Tract 9p9

Chains

Ta 14°E

40.00 Set temporary 1/4 Sec. cor

80.20 Intersect the E. bay of
the Tr. at 5 lks. N. of Cor
to Secs. 13, 18, 19, 24 as
heretofore described
thence runN 89° 56' W. on a true line
bet. Secs 13 and 24

Ta 14°E.

40.10 Set a post 3 ft. long 3
ins square with marked
stone 12 ins. in the ground
for 1/4 Sec. cor. marked
1/4 P. on N. face, dug pits
15 x 15 x 12 ins. E. and W. of
post 5 1/2 ft. dist. and raised
a mound of earth 1 1/2 ft.
high 3 1/2 ft. base around
Post

South Range 13 West

Chains

57.00 Road cor. N.W. & S.E.

80.20 The cor. to Secs. 13, 14, 23 & 24

Land level mesa

Soil 1st rateScattering greasewood
and Sage Brush

20° 1' W. bet. Secs. 13 and 14

Qa 140 E

40.00 Set a post 3 ft. long 3 ins square with marked stone runs in the ground for 1/4 Sec. cor. marked 1/4 S. on W face, dug pits 18x18x12 ins N. and S. of post 5 1/2 ft. dia. and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base

Subdivision Tract No. 9

Chains around post
 59.00 Road for N and S.
 80.00 Set a post 4 ft. long
 4 ins. square with
 marked stone 12 ins. in
 the ground for less to
 Secs. 11, 12, 13, 14 marked
 T. 9. S. 12. on N. E.
 R. 13. W. S. 13. on S. E.
 S. 14. on S. W. Quad
 P. 11 on N. W. face with
 4 notches on ⁶ S. and 1
 notch on ^{N. E. face} E. edge. dug
 pits 18 x 18 x 12 ins. in
 each Sec. 5 1/2 ft. dist. and
 raised a mound of earth
 2 ft. high 4 1/2 ft. base around
 post
 Land level meso.

South Range 13 West.

chains Oil $1\frac{1}{4}$ rate

Scattering greasewood &
Sage Brush

$S 89^{\circ} 56' E.$ on a random
line bet. Secs. 12 & 13

$DA 14^{\circ} E.$

40.00 Set temporary 14 Sec. low.

80.00 Intersect the E. bay. of
the Op. at 14 eks. S. of them
to Secs. 7, 12, 13 + 18. As
previously described
thence run

$S 89^{\circ} 58' W.$ on a true line
bet. Secs. 12 + 13

$DA 14^{\circ} E.$

40.00 Set a post 3 ft. long 3 ins
square with marked
stone 12 ins in the ground.

Subdivision Tract Tp. 9

Chains for 114 Sec. lev. marked
 114 on N-face, dug pits
 15 x 15 x 12 ins. E of W
 of post 5 1/2 ft. dist. and
 raised a mound
 of earth 1 1/2 ft. high
 3 1/2 ft. base around
 post

80.00 The lev. to Secs. 11, 12, 13 + 14

Land level mesu

Soil 1st rate

Scattering greasewood

and Sage brush

May 18th 93

N 0° 1' W. bet. Secs 11 + 12

Pa. 14° E.

40.00 Set a post 3 ft. long 3 in
 square with marked

South Range 13 West.

Chain stone 12 ins. in the ground
 for 14 Sec. lev. marked
 14 S. on W. face dug pits
 18 x 18 x 12 ins. N. End of
 post 5 1/2 ft. dist. and
 raised a mound of
 earth 1 1/2 ft. high 3 1/2 ft.
 base around post

80.00 Set a post 4 ft. long 4
 ins. square with marked
 stone 12 ins in the ground
 for lev. to Secs. 1, 2, 11 & 12
 marked

P. 9 S. 11. on N. E.

R 13. W. 12. on S. E.

S 11. on S. W. End

P 2 on N. W. face with 5
 notches on ^E and 1 notch
 on ^N ~~face~~ ^{faces} edges dug pits 18 x 18

Subdivision Tract 7p 9

Chairs 12 pins in each Sec 5 $\frac{1}{2}$
 ft. dist. and raised a
 mound of earth 2 ft.
 high 4 $\frac{1}{2}$ ft. base around
 foot

Land level mesa
 Soil 1 $\frac{1}{2}$ rate
 Scattering Mesquite &
 Sage. Brush

N 89° 58' E. on a random
 line bet. Secs. 1 and 12
 Fa 14° E.

40.00 Set temporary $\frac{1}{4}$ Sec. corner
 79.80 Intersect the E. bdy. of
 the Tr. at 10 rks. N
 of corner to Secs. 1, 6, 7, & 12
 as hereinbefore described
 Hence I run

South Range 13 West.

Chain N 89° 58' W on a true line
bet. Secs. 1 and 12

7/4 14° E

~~Road~~ ~~br.~~ ~~N. W. 1/4~~ ~~1/4~~

39.90 Set a post 3 ft. long 3 ins
square with marked
stone 12 ins. in the ground
for 14 Sec. cor. marked 14
on N. face, dig pits 18 x
10 x 12 ins. E. end of post
5 1/2 ft. dist. and raised a
mound of earth 1 1/2 ft. high.

3 1/2 ft. bend around post

46.80

79.80

Grad. br. N. W. 1/4 E.
The legs to Secs. 1, 2, 11 & 12

Land level meso

Soil 1st rate

Scattering Mesquite & Sage
brush

Subdivision Tract Tp. 9

Chains $N0^{\circ}1'W$. bet. on a random
line bet. Sec. 1 and 2
of a $14^{\circ}E$.

40.00 Set temporary $1/4$ Sec. cor

80.00 Intersect the N. ldy.

of the Tp. at. 10 lks. W

of ldy. to Secs. 1, 2, 3, 5 + 36
the chamber described
Crence run

$S0^{\circ}3'W$. on a true line
bet. Secs. 1 and 2

of a $14^{\circ}E$

39.90 Road bet. S. E and N. W

40.00 Set a post 3 ft. long
ins. square with marked
stone 12 ins. in the ground
for $1/4$ Sec. cor. marked
 $1/4$ S. on W. face, dug pits
 $18 \times 18 \times 12$ ins. N. E. S.
of post $5\frac{1}{2}$ ft. dist. and

South Range 13 West

Chain raised a mound of earth
 1 1/2 ft. high 3 1/4 ft. base
 around post

62.75 Stake No. 3202 on line

80.00 The low to Secs 1, 2, 11 + 12

Land Level Mesa

Soil 1st rate

Scattering Sage brush

I tested my solar by the
 sun at noon and found
 the latitude to be 32° 40

Subdivision Tract of 9

Chains From the corr. to Secs. 2, 3,
34 and 35, on the South
Bay of the Ctr. as herein-
before described

N 0° 1' W. bet. Secs. 34 + 35

Va 14° E

Over broken and washed
ground, surface gravel
40.00 Set a post 3 ft long 3
ins. square with marked
stone 12 ins. in the
ground for 1/4 Sec. corr.
Marked 1/4 S. on W. face
dug pits 15 x 15 x 12 ins.
N and S. of post 5 1/2 ft.
dist and raised a
mound of earth 1 1/2 ft.
high 3 1/2 ft. base around
post

South Range 13 West

Chains

45.00 Wash 1 ch. wide course East

50.00 Set a post 4 ft. long 4 ins
square with marked
stone 12 ins. in the ground
for cor. to Secs. 26, 27, 34 & 35
marked

T. 9. S. 26. on N. E.

R. 13. W. S. 35. on S. E.

S. 34. on S. W. End

Q. 27. on N. W. face with 2
notches on ^{N. E.} end / notch on
E. faces
Dredges dug pits 18x18x12
ins in each Sec 5 1/2 ft. dist

and raised a mound of
earth 2 ft. high 4 1/2 ft. base

around post No. 1. 80° W. 48' the dist.
measured. B. 9. S. 26. R. 13. W. S. 34.

Land S. 1/2 badly broken

" N. 1/2. nearly level

Subdivision Tract 7p 9

Chains Soil 3rd rate
 Scattering Ironwood
 and Oak Verde
 West of this line is
 mountainous and non
 agricultural land.
 Therefore I do not survey
 it.

East on a random
 line bet. Secs. 26 + 35
 VA 14° E.

40.00 Set temporary 1/4 Sec. Cor.

80.20 Intersect the N and S line
 at Cor. to Secs 25, 26, 35 + 36

Thence I run

West on a true line bet
 Secs. 26 and 35

South Range 13 West

chains

of a 14° E.

- 40.10 Set a post 3 ft. long 3 ins. square with marked stone 12 ins. in the ground
 f. 14 Sec. ten, marked 14
 on N. face, dug pits 18x18
 x 2 ins. E and W. of post 5 1/2
 ft. dist. and add raised
 a mound of earth 1 1/2 ft.
 high 3 1/2 ft. base around ^{post}
 41.20 ~~surface rough~~ ~~grassy~~ N. 8 1. Ch road
 80.20 The limits Secs. 2. 6. 27. 34. 35

Land nearly level

Soil 2nd to 3rd rateScattering Ironwood and
 Palo Verde

Subdivision Tract App. 9.

Chain No° 1' W. bet. Secs. 26 + 27

VA 14° E.

40.00 Set a post 3 ft. long 3 ins
square with marked
stone 12 ins. in the ground
for 1/4 Sec. cor. marked
N 40 on W. face, dug pit
18 x 15 x 12 ins. N of
post 5 1/2 ft. dist. and
raised a mound of
earth 1 1/2 ft. high, 3 1/2 ft
base around post

77.00

irreg. comp. N.E.

80.00 Set a post 4 ft. long 4
ins. square with marked
stone 12 ins. in the ground
for limits Secs 22. 23. 26 + 27
marked

T 9 S. 23. on N.E.

R 13. W 26. on S. E

South Range 13 West.

Chains D 27 on S.W. end

D 22 on N.W. faced with 2
 notches on ^{8th} ^{NE faces} end ^{NE} E. edges
 dug pits 18 x 18 x 12 ins.
 in each Sec. 5 $\frac{1}{2}$ ft. dist. ^{and}
 raised a mound of
 earth 2 ft. high 4 $\frac{1}{2}$ ft. base
 around each.

Land nearly level

Soil 3rd State

Scattering Ironwood end

Palo Verde

East on a random line

bet. Secs 25 and 26

N 14° E.40.00 Set temporary 1 $\frac{1}{4}$ Sec. Cen.

80.20 Intersect the N. end line at

Subdivision Tract 7p. 9

Chains 15 exps. S. of Cor. to Secs. 23,
24, 25 and 26

Thence I run
S. $89^{\circ} 54' W.$ on a true line
bet Secs. 23 and 26

$7a 14^{\circ} E.$

40.00 Set a post 3 ft. long³
ins. square with
marked stone 12 ins.
in the ground for 14
Sec. cor. marked 14 on
N. face, dug pits 18x18
x12 ins. E. End N. of post
 $5\frac{1}{2}$ ft. dist. and raised
a mound of earth $1\frac{1}{2}$
ft. high $3\frac{1}{2}$ ft. base around
post

79.00 Wash 80 lks wide course E. & E.

80.20 The Cor. to Secs 22, 23, 26 & 27

South Range 13 West.

Chains Land nearly level
 Soil 2nd rate
 Scattering Ironwood &
 Palo Verde

@ $10^{\circ} 11' W.$ bet. Secs. 22 & 23

$14^{\circ} E.$

1.00 Wash course N.E.
 40.00 Set a post 3 ft. long 3 ins
 square with rebarked
 stone 12 ins. in the ground
 for 1/4 Sec cor. marked 1/4
 On W. face dug pits 18x
 18x12 ins. N. End of post
 5 1/2 ft. dist. and raised
 a mound of earth 1 1/2 ft
 high 3 1/2 ft. base around post
 80.00 Set a post 4 ft. long 4 ins
 square with rebarked

BOOK 1209
 Subdivision Tract Sp. 9

Chain stone 12 ins in the ground
 for cen. to Secs 14. 15. 22 + 23
 marked

T. 9. S. 14. on N. E.

R. 13. W. 23. on S. E.

S. 22. on S. W. End

S. 15. on N. W. face with
 3 notches on ^{N. E.} ~~end~~ and 2
 notches on ^{N. E.} ~~edges~~ ^{face} dug
 pits 15 x 15 x 12 ins. in
 each Sec 5 1/2 ft. dist. and

raised a mound of
 earth 2 ft. high 4 1/2 ft.
 base around post

From which

An Ironwood 11 ins. diam

60. S. 25. W. 90 lks. dist.

marked T. 9. S. R. 13 W

S. 22. B. T.

South Range 13, West.

BOOK 1209

29

Chains Land nearly level
Soil 2nd & 3rd rate
Scattering Ironwood +
Palo Verde

N 89° 54' E. on a random
line bet. Secs. 14 and 23
Va 14° E.

40.00 Set temporary 1/4 Sec. Cen
80.00 Intersect the Rand. Line
at Cen. to Secs 13, 14, 23 & 24
Thence from
S 89° 54' W. on a true line
bet. Secs. 14 and 23
Va 14° E.

40.00 Set a post 3 ft. long 3 ins
square with marked
stone 12 ins. in the ground

Subdivision Tract Jp.

Chains for 1/4 Sec. lev. marked
 1140 on N. face, dug pits
 18 x 18 x 12 ins. E. end W
 of post 5 1/2 ft. dist. and
 raised a mound of
 earth 1 1/2 ft. high 3 1/2 ft.
 base around post.

80.00 The lev. to Secs 14, 15, 22 & 23

Land level mesu

Soil 1st rate

Scattering greasewood
 and Sage brush

N 0° 1' W. bet. Secs. 14 + 15

VA 14° E.

16.00 Wash 1 ch. wide course E.

20.00 Stake No. 3130. South Gila
 Canal about 1 ch. N.W.

9. South Range 13 West.

Chains

40.00 Set a post 3 ft long 3 ins square with marked stone 12 ins. in the ground for Sec. 10, marked 14 on W. face dug pits 18x18x12 ins. N. and S. of post 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft. high 3 1/2 ft base around post

80.00 Set a post 4 ft. long 4 ins. square with marked stone 12 ins. in the ground for Secs. 10, 11, 14 & 15 marked

T 9, S. 11. on N.E.

R 13, W. 14. on S.E.

S 15. on S.W. and

Subdivision Tract Tp. 9

Chains S. 10. on N. W. faces with
 4 notches on $\frac{1}{2}$ and 2
 notches on $\frac{1}{4}$ ^{faces} edges. dug
 pits 18 x 18 x 12 ins. in
 each Sec 5 $\frac{1}{2}$ ft. dist.
 and raised a mound
 of each 2 ft. high 4 $\frac{1}{2}$
 ft. base around foot
 Land level

Soil 2nd + 3rd rate
 Scattering Ironwood +
 Palo Verde

N 89° 54' E. on a random
 line bet. Secs. 11 + 14

N 14° E.

40.00 Set temporary 1/4 Sec corner
 80.00 Intersect the N. and E. line

South Range 13 West.

Chairs at 5 cks. n. of lev. to Secs
11, 12, 13 & 14

Thence run

S $89^{\circ} 56'$ W. on a true line
bet. Secs 11 and 14

To 14 $^{\circ}$ E.

11.40 Road brs. N. and S.

40.00 Set a post 3 ft. long 3 ins
square. with marked
stone 12 ins. in the ground
for 14 Sec. lev. marked
1140 on N. face deep pits
18 x 18 x 12 ins. E. Ed. W. of
post 5 1/2 ft. dia. and
raised a mound of earth
1 1/2 ft. high 3 1/2 ft. base
around post.

80.00 The lev. to Secs 10, 11, 14 & 15
Land level

Subdivision tract pp. 9

Chains Soil 1st and 2nd rate
 Scattering Palo Verde
 and greasewood

N^o 1st W. bet. Secs. 10 & 11
 Hd. 140° E.

40.00 Set a post 3 ft. long
 3 ins. square with
 marked stone 12 ins.
 in the ground for 1/4 sec
 lpr. marked 1/4 E. on W
 face dug pits 15 x 15 x
 12 ins. at End S. of post
 5 1/2 ft. dist. and raised
 a mound of earth 1 1/2
 ft. high 3 1/2 ft. base
 around post

80.00 Set a post 4 ft. long 4

South Range 13 West

Chains ins. square with marked
stone 12 ins. in the ground
for Gov. to Secs. 2, 3, 10, & 11
marked.

T. 9. S. 2. on N. E.

R. 13. W. S. 11. on S. E.

S. 10. on S. W. end

S. 9. on N. W. faces with 5
notches on ^E and 2 notches
on ^N ~~E~~ ^{faces} edges dug pits 18x18
x 12 ins. in each Sec 5 1/2 ft
dial and raised a mound
of earth 2 ft. high 4 1/2 ft.
base around foot

Land level

Soil 1 1/2 rate

Scattering Pals Verde and
Mesquite and bunch grass

Subdivision Tract Tp 9

Chains $N 89^{\circ} 56' E$ on a random
line bet. Secs. 2 and 11

Va $14^{\circ} E$.

40.00 Set temporary 1/4 Sec. corner

79.90 Intersect the U and S.
line at 10.00s North of
corner to Secs. 1, 2, 11 & 12

Thence run

West on a true line bet.
Secs 2 and 11

Va $14^{\circ} E$

39.95 Set a post 3 ft. long 3 ins
square with marked
stone 12 ins. in the
ground for 1/4 Sec. corner
marked 1/4 S. on N. face
dug pits $17 \times 18 \times 12$ ins
E. Ed W. of post $5 \frac{1}{2}$ ft. dist.
and raised a mound of

South Range 13 West.

chains each $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base
around post

46.50 Road b/w. N.W. and S.E.

79.90 The lerr to Secs. 23, 11+12

Land level

Dial $1\frac{1}{4}$ rate

Scattering grasswood
and Sage brush

$N 0^{\circ} 1' W.$ on a random
line bet. Secs. 2 and 3

Fa $14^{\circ} E$

40.00 Set temporary $1/4$ Sec. lerr.

80.30 Intersect the N. Bdy. of the
Cp. at 15. lks. W. of lerr.
to Secs. 2, 3, 34 and 35 as
before described
thence run

$S 0^{\circ} 5' W.$ on a true line bet. Secs

Subdivision Tract 7p 9

Chains 2 and 3

Va 140° E.

10.40 Road bet. Northley & Southley

40.30 Set a post 3 ft. long 3
ins. square with marked
stone 12 ins. in the ground
for 14 Sec. lev. marked 1/4
E. on W. face, dug pits 18x
18x12 ins. N. End of post
5 1/2 ft. dist. and raised a
mound of earth 1 1/2 ft.
high 3 1/2 ft base around
post

80.30 The lev. to Secs 2, 3, 10 & 11

Land level

Soil 1st/₄ rate

Scattering greasewood

May 19/93

South Range 13 West.

BOOK 1209

39

chains at the line bet. Secs. 33 & 34
is in mountainous land
I go to the cor. to Secs
26, 27, 34 and 35. recently
established by me. and
run

West on a true line bet
Secs. 27 and 34

of a $14^{\circ} E$

- 35.00 Middle of wash 300 yds. wide
course N. E.
- 40.00 Set a post 3 ft. long 3 ins
square with marked
stone 12 ins. in the ground
for 1/4 Sec. cor. marked 1/4
on N. face, dug pits 18 x 18
x 2 ins. E and W. of post 5 1/2
ft. dist. and raised a
mound of earth 1/2 ft. high

Subdivision Tract T₂ P₂ 9

Chains 3 1/2 ft. base around post
40-80 Old Road bro. N and S

76.00 wash 1 cu. wide course N.E.

80.00 Set a post 4 ft. long 4
ins. square with marked
stone 12 ins. in the ground
for corr. to Secs. 27, 28, 33 & 34
marked

T. 9. S. 27. on N.E.

R 13 W. S. 34. on S.E.

S 33. on S.W. end

S 28. on N.W. faces with
1 notch on S. end 3 notches
on E. faces and raised a
mound of gravel 1 1/2 ft
high 4 ft. base around post
Pits infracticable

Land. slightly ascending
to west

No. 1209
South Range 13 West.

Chains Soil 3rd and 4th rate
Scattering Ironwood and
Palo Verde

Mountainous Land to the
S. and West. and non-
agricultural

No 2 W bet. Recs. 27 & 28
Pa 14° E

40.00 Set a first 3 ft. long 3 ins
square with marked
stone 12 ins. in the ground
for 14 Rec. len. marked 14.
On W. face, dug pits 18x
18x12 ins. N. End of first
5 1/2 ft. dist. and raised a

Subdivision Sect. 2p 9.

Chain mound of earth $1\frac{1}{2}$ ft.

high $3\frac{1}{2}$ ft. base around post
71.00 Wash 250 lbs. wide course

Easterly

80.00 Set a post 4 ft. long 4
ins. square with marked
stone 12 ins. in the ground
for low to Secs. 21, 22, 27, 28
marked

T 9, S 22. on N.E.

R 13, W 27. on O.E.

O 28. on O.W. End

D 21. on N.W. face with
2 notches on ^E end 3
notches on ^N E. ^{face} edges. dug
pits 18 x 18 x 12 ins. in
each Sec. $5\frac{1}{2}$ ft. dist. and
raised a mound of
each 2 ft. high $4\frac{1}{2}$ ft. base

South Range 13 West.

Chains around post

Land ascending slightly to W

Soil $3\frac{1}{2}$ and $4\frac{1}{2}$ rate

Scattering Ironwood and

Palo Verde

East on a random line
bet. Secs. 22 and 27

$\text{N } 14^{\circ} \text{ E.}$

40.00 Set temporary $1/4$ Sec. corner

79.90 Intersect the N. and E. line
at 10.2 kts. S. of corner to Secs
22, 23, 26, 27

Thence run

$S. 89^{\circ} 56' \text{ W.}$ on a true line bet.

Secs 22 and 27

$\text{N } 14^{\circ} \text{ E.}$

2.00 Wash 50 kts. wide course N. E.

Subdivision Tract Gp. 9

Chains

39.95 Set a post 3 ft. long 3 ins. square with marked stone 12 ins. in the ground for 14 Sec. lev. marked 140. on N. face, dug pits 18x 18x 12 ins. E and W of post 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base around post

67.00 Wash 1 ch. wide course NE

69.00 Old Road cr. N.W. 1 O.E

73.00 Wash 75 lbs. wide course NE

79.90 The lev. to Secs. 21, 22, 27, 28

Land nearly level

Soil 2nd & 3rd rate

Scattering Ironwood &

Palo Verde

South Range 13 West.

Chains

No. 2 W. bet. Secs 21 + 22
 7/8 14° E.

- 38.75 Old Road bet. Northerly + Southerly
 40.00 Set a post 3 ft. long 3 ins.
 square with marked
 stone 12 ins. in the ground
 for 1/4 Sec. ~~low~~ marked 1/4 Sec. on
 W face, dug pits 18 x 18 x 12
 ins. N and S. of post 5 1/2 ft.
 dist. and raised a
 mound of earth 1 1/2 ft.
 high 3 1/2 ft. base around ^{post}
 45.00 Wash 1 ch. wide Course E
 80.00 Set a post 4 ft. long 4 ins.
 square with marked stone
 12 ins. in the ground for
 bet. to Secs. 15 16 21 22
 marked

Subdivision Part 7p. 9.

Chain T. 9. S. S. 15 on NE.

R 13. W. S. 22 on SE.

S 21. on SW. End

S 16. on N.W. faces with 3
notches on ^NE and 3 notches
on ^NE faces
on ^NE edges dug pits 18x18
x 12 in. in each Sec 5th

ft. dist. and raised a
mound of each 2 ft. high
4 1/2 ft. base around post

Land nearly level

Soil 2nd + 3rd rate

Scattering Ironwood + Palo
Verde and greasewood

N 89° 56' E. on a random
line bet. Secs. 15 and 22

Ha 14° E

South Range 13 West

Chains

40.00 Set temporary 1/4 Sec. cor.

80.00 Intersect the U. and O. lines
at 10 lks. N. of cor. to Secs
14, 15, 22 and 23Thence run
West on a tree line bet
Secs 15 and 22

Pa 14° E

33.00 Wash 75 lks. wide course N.E.

40.00 Set a post 3 ft. long 3 ins
square with marked stone
12 ins. in the ground for
1/4 Sec. cor. marked 1/4 S. on
N. face, dug pits 18x18x12
ins. E and W of post 5 1/2 ft.
dist. and raised a mound
of earth 1 1/2 ft. high 3 1/2 ft
base around post

Subdivision Tract Tp.

Chains

80.00 The corr. to Secs 15, 16, 21, 22

Land nearly level
 Soil 3rd + 4th rate
 Scattering Ironwood +
 Palo Verde.

N 6° 2' W. bet. Secs 15 + 16

VA 14° E.

17.00 Wash 50 lbs. wide course E.

40.00 Set a frost 0 ft. long³
 ins. square with marked
 stone 12 ins. in the ground
 for 1/4 Sec. corr. marked
 1/4 on W. face dug pits 18
 X 18 X 12 ins. N. End E. of frost
 5 1/2 ft. dist. and raised a
 mound of earth 1 1/2 ft. high

9 South Range 3 West.

Chains $3\frac{1}{2}$ ft. base around foot
 78.00 Wash. 1 ch. wide course E
 80.00 Set a post 4 ft. long 4 ins
 square with marked
 stone 12 ins. in the ground
 for cor. to Sec 9, 10, 15 & 16
 marked

79.00 10. on N.E.

81.30 15. on E

81.60 on S.W. End

81.90 on N.W. faces with 4
 notches on ^{N.E.} and 3 notches
 on ^{N.E.} faces
 on ^E edges dug pits 18x18x
 12 ins. in each Sec $5\frac{1}{2}$ ft
 dist. and raised a mound
 of earth 2 ft. high $4\frac{1}{2}$ ft. base
 around post

Land nearly level

Soil 2nd & 3rd rate

Subdivision Tract No. 9

chains Scattering Homewood
and Palo Verde

May 20/93

East on a random
line bet. Secs. 10 + 15
∠ 140° E.

40.00 Set temporary $\frac{1}{4}$ Sec cor.

79.90 Intersect the N and S. line
at 5 lks. S. of cor. to Secs
10, 11, 14 + 15

Thence run

S. 89° 58' W on a true
line bet. Secs. 10 + 15

∠ 140° E.

39.95 Set a post 3 ft. long 3 ins
square with marked
stone 12 ins. in the
ground for $\frac{1}{4}$ Sec cor

South Range 13 West

Chain marked 114 L on N. face. dug
 pits 8x15x12 ins E and W
 of post 5 1/2 ft. dist. and
 raised a mound of earth
 1 1/2 ft. high 3 1/2 ft. base around
 post

76.90 Wash 1 ch. wide course N.E.

79.90 The lev. to Secs. 9, 10, 15 & 16

Land level

Soil 2nd rate

Scattering Ironwood and
 Palo Verde, and greasewood

N^o 2 W. bet. Secs. 9 and 10

of N 14° E.

6.75 Cross. G. line 25. lks. of State No. 3198

40.00 Set a post 3 ft. long 3 ins
 square with marked stone

Subdivision Tract No. 9

Chains 12 ins. in the ground
for 1/4 Sec. Cr. marked
1/40 on W. face, dug pits
18x18x12 ins. N^W & S. of
post 5 1/2 ft. dist. and
raised a mound of
earth 1 1/2 ft. high 3 1/2 ft.
base around post

80.00 Set a post 4 ft. long 4
ins. square with marked
stone 12 ins. in the
ground for cor. to Secs
3, 4, 9 & 10 marked
9, 9, 1, 1, 3 on N. E.
R 13. W. S 10. on S. E.
S 9. on S. W. end
S 4. on N. W. face with
5 notches on S^E and 3 notches
on N^E faces. dug pits 18x18

South Range 13 West.

Chain 12 ins. in each Sec 5 1/2
 ft. dist. and raised a
 mound of earth 2 ft. high
 4 1/2 ft. base around post
 Land nearly level
 Soil 2nd 3rd rate
 Scattering Ironwoods & Palo
 Verde ^{and} grasswood

N 89° 58' E. on a random
 line bet. Secs. 3 + 10

Pa. 14° E.

40.00 Set temporary 1/4 Sec cor
 79.90 Intersect the N. and S. line at
 10 E. S. of cor. to Secs 23, 10 + 11
 Thence Iron

S. 89° 54' W. on a true line
 bet. Secs. 3 and 10

Subdivision Tract Tp 9.

Chains

Ta 14° E

39.95 Set a post 3 ft. long 3
 ins. square with marked
 stone 12 ins. in the ground
 for 1/4 Sec. cor. marked 1/4 S
 on N. face, dug pits 18 x 18 x
 12 ins. E. and W. of post 5 1/2
 ft. dist. and raised a
 mound of earth 1/2 ft.
 high 3 1/2 ft. base around post

79.90 The cor. to Secs 3. 4. 9 + 10

Land level

Soil 1st/₁₆ rate

Scattering greasewood
 and Sage Brush

South Range 13 West.

chain $N0^{\circ} 2' W.$ on a random line
bet. Secs 3 & 4

$Sa 14^{\circ} E$

40.00 Set temporary $1/4$ Sec. cor

80.25 Intersect the N. Bdy. of
the Tr. at 1000 ft. west of
cor. to Secs 3, 4, 33 and 34
as shown before described
thence run

$S0^{\circ} 2' W.$ on a true line bet
Secs. 3 and 4

$Sa. 14^{\circ} E$

40.25 Set a post 3 ft. long 3 ins
square with marked stone
12 ins. in the ground for $1/4$
Sec. cor. marked $1/4 N.$ on W
face, dug pits $18 \times 18 \times 12$ ins
N and S. of post $5 \frac{1}{2}$ ft. dist.
and raised a mound of
earth $1 \frac{1}{2}$ ft. high $3 \frac{1}{2}$ ft. base
around post

Sub. Tract Tp. 9. S. R. 13 West.

Chains

80.25 The Cor. to Secs 3, 4, 9 + 10

Land level

Soil $1\frac{1}{4}$ rate

Scattering Palo Verde

and greasewood. and

some grass

I tested my Solar
by the sun at noon
and found the latitude
to be $32^{\circ} 40'$

Sub-Fract. Twp. 9 S. R. 13 West

Drains From the Cor. to Secs 21, 22
27 & 28. I run

West on a true line bet
24 and 28

of a $14^{\circ}E$.

31.00 Wash 150 lks wide course N:8

40.00 Set a post 3 ft. long 3 ins
square with marked
stone 12 ins. in the
ground for 1/4 Sec cor
marked 140. on N. face
and raised a mound of
stone 1 1/2 ft. high. 2 ft. base
around post.

Pits impracticable

80.00 Set a post 4 ft. long 4
ins. square with marked
stone 12 ins. in the ground
for Cor. to Secs. 21. 2. 28 & 29

Subdivisions Fract. Th.

Areas marked

T 9. S 21. on N.E.

R 13. W. S. 25. on S.E.

S 29. on P.W. End

S 20 on N.W. faced with
2 notches on ^{N.E.} and 4
notches on ^{N.E. faces} edges and

raised a mound of
stone $1\frac{1}{2}$ ft. high 2 ft.
base around post

Pits impracticable

Land nearly level

Soil 3rd & 4th rate
Scattering Ironwood
and Palo Verde

Mountains to S. End W. Non-
agricultural

G. S. R. 13. West

Chain No 2 W. bet. Secs 20 + 21
 N 14° E.

- Over broken ground
- 17.00 Leave broken ground
- 40.00 Set a post 3 ft. long 3 ins square with marked stone 12 ins. in the ground for N 4 Sec cor. marked N 4 S. on W. face dug pit 18 x 15 x 12 ins. N and S of post 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base around post
- 69.00 Wash 75 lbs. wide course
- 80.00 Set a post 4 ft. long 4 ins square with marked stone 12 ins. in the ground for cor. to Secs 16, 17, 20 + 21 marked

Subdivisions Fract. Sp.

Chains T. 9. D. 16 on N.E.

R/3. W. D 21 on S.E.

D 20 on O.W. and

D 17 on N.W. faced with

3 notches on ^E and 4

notches on ^{N.E.} ^{faces} edges.

dug pits 18 x 18 x 12 ins

in each sec 5 1/2 ft. dist.

and raised a mound

of each 2 ft. high 4 1/2

ft. base around foot

Land nearly level

Soil 3rd and 4th rate

Scattering Ironwood

and Palo Verde. ^{Form which}

a Palo Verde 6 ins diam. on N 35° E

900 ft dist marked T. 9. D. R/3. W. D 16. 13. 9

East on a random

line bet. Secs 16 and 21

G. A. R. 13. West

Chains

Va 14° E.

40.00 Set temporary 1/4 Sec. cor

80.00 Intersect the N. end S. line
at 12016. N. of lerr. to Secs
15, 16, 21, 22

Thence I run

N 89° 55' W. on a true line
bet. Secs 16 and 21

Va 14° E.

10.75 Old Road bet N. & S

40.00 Set a post 3 ft long 3 ins
square with marked
stone 12 ins. in the ground
for 1/4 Sec. cor, marked ~~1/4~~
on N. face and raised a
mound of gravel 18 ft high
3 1/2 ft. base around post
Pits unfracturable

80.00 The lerr. to Secs 16, 17, 20 & 21

Sub. Fract. T_p. 9. S. R. 13. West.

Chains

Land nearly level

Soil 3rd & 4th rate

Scattering Ironwood and
Palo Verde

May 21st 1893.

No. 2 W. bet. Secs. 16 & 17
T₄ 14⁰⁸

- 2.00 Enter wash course Westerly
11.00 Leave " " N. Easterly
40.00 Set a post 3 ft. long 3 ins
square with marked
stone 12 ins. in the
ground for 1/4 Sec cor
marked 1/4 S. on W. face
and raised a mound
of gravel 1/2 ft. high 3 1/2 ft.
base around post
Pits impracticable

Concluded, Book 1210.