

Recd July 18. 1893.

2.

copied

61

BOOK 1210

No. 1210

BOOK 1210

1210

4-671

FIELD NOTES

~~GENERAL LAND OFFICE~~

Subdivisions

Trac: Tp: 9. S. R. 13. W.

Arizona

By Lewis Wolfley, D.S.

under Contract

Dated Janry 16. 1893.

Survey commenced May 18. 93.

Survey completed May 22. 93.

Indexed, Book 1209.

62

Township 95 R. 13W

6	825	69	4	3	2	1
80	79	67				
7	778	65	9	10	11	12
	75	64				
18	73	17	63	16	15	14
	71					
19		20	21	22	23	24
30		29	28	27	26	25
31		32	33	34	35	36

Sub. Grad. Th. 9. 1. R. 13 West

Chains

80.00 Set a post 4 ft. long &
 ins. square with marked
 stone 12 ins. in the ground
 for lev. to Coes. 8. 9. 16 & 17
 marked

T. 9. S. 1. 9. on N. E.

R 13. W. S. 16. on E.

S 17. on S. W. End

S 8. on N. W. faces with
 notches in ^N E and ^E S.

Edges dug pits 18 x 15 x 12
 ins. in each Dec 5 1/2 ft.
 dist. and raised a
 mound of earth 2 ft. high
 4 1/2 ft. base around post

Land nearly level

Soil 3rd and 4th rate

Scattering Palo Verde & Juniper

Subdivisions Tract Tfr

chains $N 89^{\circ} 55' E.$ on a random
line bet. Secs 9 and 16
Va $14^{\circ} E.$

470.00 Set temporary $1/4$ Sec cor
80.10 Intersect the N end l.
line at 3 lts. S. of corner
to Secs 9, 10, 15 + 16

Thence run
 $N 89^{\circ} 56' W.$ on a true line
bet. Secs. 9 and 16
Va $14^{\circ} E.$

35.25 Old Road bet. N.W. + S.E.

40.05 Set a post 3 ft. long 3
ins. square with marked
stone 12 ins. in the ground
for $1/4$ Sec cor. marked
 $1/4$ on N. face and raised
a mound of stone and
gravel $1 1/2$ ft. high $3 1/2$ ft.

G. O. R 13. West

chain base around post

Pits impracticable

80.10 The Cor. to Secs. 8, 9, 16 & 17

Land nearly level

Soil 2nd + 3rd rate

Scattering Ironwood + Palo Verde

N^o 2' W. bet. Secs 8 + 9

N^o 14^o E.

40.00 Set a post 3 ft. long 3 ins
square with marked
stone 12 ins. in the
ground for 1/4 Sec. cor
marked 1/4 S. on W. face
and dug pits 18x15x12
ins. N. End E. of post 5 1/2
ft. dist. and raised a

BOOK 1210

Subdivisions Tract. Tfr.

Chains mound of earth $1\frac{1}{2}$ ft
high $3\frac{1}{2}$ ft. base around
brush

64.00 Wash 60 lks. wide course N.E.

80.00 Set a post 4 ft. long
4 in square with
marked stone 12 ins.
in the ground for corner
to Secs. 4, 5, 8 + 9
marked

T 9 S. 4. on N. E.

R 13 W. 9. on S. E.

S 8. on O. W. and

S 5 on N. W. faces with
5 notches on ^E and 4
notches on ^N ^E edges. dug
pits 18 x 18 x 12 ins. in each
Sec $5\frac{1}{2}$ ft. dist. and raised
a mound of earth 2 ft. high

9. S. R. 13. West

Chains 4 1/2 ft. base around post
From which

a Palo Verde 10 ins. diam
br. S 88° E. 75. lks. dist.

marked T 9. S. R. 13. W. S 9. O. T.

Land newly level

Soil 2nd & 3rd rate

Scattering Ironwood + Palo
Verde

S 89° 56' E on a random
line bet. Secs. 4th and 9th
Va. 14° E.

40.00 Set temporary 1/4 Sec. cor.

80.10 Intersect the N 2nd line
at 14. lks. S. of cor. to Secs.

3, 4, 9 + 10

Thence I run

Subdivisions Tract Of

Chain S $89^{\circ} 58' W.$ on a true
line bet. Secs 4 & 9
Va $14^{\circ} E.$

40.05 Set a post 3 ft long 3
ins. square with marked
stone 12 ins. in the
ground for $1/4$ Sec cor
marked $1/4$ on N. face
dig pits $15 \times 15 \times 12$
ins. E. $1/2$ W. of post $5 \frac{1}{2}$
ft dist. and raised a
mound of earth $1 \frac{1}{2}$ ft.
high $3 \frac{1}{2}$ ft. base around
post

80.10 The Cor. to Secs 4-5-8-9
Land nearly level
Soil 30% + 4th rate
Scattering Ironwood +
Palo Verde

9. D. R. 13. West

Chain $N0^{\circ}2'W$. on a random
line bet Secs 4 and 5

$\Delta 14^{\circ}E$.

40.00 Set temporary $1/4$ Sec cor.

79.90 Intersect the N. bdy. of
the Twp. at 20 lks. E. of
Cor. to Secs. 4, 5, 32 + 33
as hereinbefore described
Hence Run

$S0^{\circ}11'E$ on a true line bet
Secs 4 and 5

$\Delta 14^{\circ}E$

33.90 Old Road bet N.W. + D.E.

39.90 Set a post 9 ft. long 3 ins
square with marked
stone 12 ins. in the ground
for $1/4$ Sec Cor. marked $1/4$
N. on W face, dug pits $15 \times 15 \times$
12 ins. N. end of post $5 \frac{1}{2}$ ft.
dist. and raised a mound

Subdivisions Tract. Tr.

chains of each $1\frac{1}{2}$ ft. high $3\frac{1}{2}$
 ft. base around post
 40-40 Wash 50 lks wide
 course N.E.

79-90 The Cor. to Secs 4, 5, 8 & 9
 Land newly level
 Soil 2nd & 3rd rate
 Scattering Pals Vande
 and Ironwood

9.0 R. 13 West

Chanis

From the Cor. to Secs. 16. 17
20 + 21. recently established
by me

Drum

Went on a true line bet
Secs. 17 and 20

74 1/4^o E

40.00 Set a post 3 ft. long 3 ins
square with marked
stone 12 ins in the ground
for 14 Sec cor marked "14"

On N. face dug pits 18 x 18 x
12 ins. E. and W. of post 5 1/2
ft. dist. and raised a
mound of earth 6 1/2 ft. high
3 1/2 ft. base around post

66.50 Wash 50 lks. wide course N.E.

80.00 Set a post 4 ft. long. 4 ins.

Subdivisions ~~Fract. Tr.~~

Chain square with marked
stone 12 ins. in the
ground for cor. to Secs
17, 18, 19 & 20 marked

T 9. S. 17 on N.E.

R 13 W. S. 20 on S.E.

S 19. on S.W. end

S. 18. on N.W. faces with
3 notches on N.E. end & 5
notches on ^{N.E. faces} E. end dug
fits 18 x 18 x 12 ins in
each sec 5 1/2 ft. dist.

and raised a mound
of earth 2 ft. high

4 1/2 ft. base around post
from which

An. Ironwood 8 ins. diam
br. N 35° W. 20 Ks. dist.

marked T. 9. S. R 13. W. S.

18. B. T.

9. S. R. 13. West

Chain Land broken

Soil 3rd + 4th rate

Scattering Ironwood &

Palo Verde

Land Mountains S. and West

N 0° 3' W. bet. Secs. 17 + 18

of a 14° E.

40.00 Set a post 9 ft. long 3 ins
square with marked stone
12 ins. in the ground for
114 Sec. Cor. marked 114 on
W. face. dug pits 18 x 18 x 12
ins. N and S. of post 5 1/2
ft. dist. and raised a
mound of earth 14 1/2 ft. high
3 1/2 ft. base around post

72.50 Wash 60 lks wide course E.

80.00 Set a post 4 ft. long 4 ins

Subdivisions Tract No.

Chain square with marked
stone 12 ins. in the
ground for cor to Sec's
7. 8. 17 + 18 marked

T 9. 0. 1 8. on N.E.

R 13. W. 1. 17. on S.E.

S 18. on S.W. end

O 7. on N.W. face with
4 notches on ^E edge
5 notches on ^{NE} ^{faces} edge.

dig pits 18 x 18 x 12
ins in each Sec 5 1/2

ft. dist. and raised a
mound of earth 2 ft
high 4 1/2 ft. base around
post, from which
a Palo Verde 8 ins.

Chain br. N 23° E. 105 lks.

dist. marked T. 9. 0. R. 13. W. 1. 8. O. 7.

9 S. R 13. West

Chain Land broken

Coil 3rd and 4th rate

Scattering Ironwood and

Palo Verde

East on a random line
bet. Secs 8 & 17

$\theta \approx 14^\circ E.$

40.00 Set temporary 1/4 Sec cor

80.10 Intersect the 1/4th and 1 line
at 10 cks. N. of cor. to Secs
8, 9, 16 & 17.

Thence from

N $89^\circ 56' W.$ on a true line
bet. Secs. 8 & 17

$\theta \approx 14^\circ E.$

40.05 Set a post 3 ft. long in
square with marked stone

Subdivisions Fract. Tr.

Chain 12 ins. in the ground
 for 14 Sec cor. marked
 14 ft. on N. face, dug pits
 18 x 18 x 12 ins. E + W. of
 post 5 1/2 ft. dist. and
 raised a mound of
 earth 1 1/2 ft. high on
 ft base around post
 4, 2 10 Wash 75 lks. wide course
 Easterly

70.10 Wash 1 ch. wide course N.E.

80.10 The cor. to Sec. 7, 8, 17 + 18

Land broken

Soil 4 th/_u rate

Scattering Ironwood

and Palo Verde

Mountainous Land to the West
 Mohawk Range

9. S. R. 13 west

Chains $N0^{\circ}2'W$. bet. Secs. 7 & 8
Va $14^{\circ}E$.

27.75 Wash 6 s lts. wide course
Easterly.

40.00 Set a post 3 ft. long 3 ins
square with marked
stone 12 ins. in the ground
for 14 Sec. cor. marked 14
D. on W. face dug pits $18 \times$
 15×12 ins. at E. end of post
 $5\frac{1}{2}$ ft. dist. and raised
a mound of earth $1\frac{1}{2}$ ft.
high $3\frac{1}{2}$ ft. base around
post.

80.00 Set a post 4 ft. long 4
ins. square with marked
stone 12 ins. in the ground
for cor. to Secs. 5, 6, 7 & 8
marked

Subdivisions Fract. Op.

chanis

T 9. S. O 5. on N. E.

R 13. W. S. 8. on S. E.

O 7. on S. W. End

S 6. on NW. faces with
5 notches on S. E. and ^{NE} E.~~faces~~
Edges dug pits 15 x 15 x

12 ins. in each see 5 1/2

ft. dist. and raised a
mound of earth 2 ft.high 4 1/2 ft. base around
post. From whichAn. Ironwood 10 ins. in
diam bro S 10° E. 130.

pts. dist. marked

T 9. S. R 13 W. S. 8. O. S.

Land nearly level

Soil good + 4th rate

Scattered Ironwood

And Palo Verde

G. O. R. 13, west

chain $89^{\circ}56'E$ on a random
line bet. Secs. 5 + 8

$7a 14^{\circ}E$.

40.00 Set temporary 114 Sec. cor

80.10 Intersect the N. and S. line
at 20.00 S. of cor. to Secs
4 and 5. 8 + 9.

Thence Iron

$89^{\circ}56'W$ on a true line
bet. Secs 5 + 8

$7a 14^{\circ}E$.

8.10 Road bro. N.W. + S.E.

8.90 Wash 50 lks. wide course N.E.

39.90 Wash 50 lks. wide " " "

40.05 Set a post 3 ft. long 3 ins
square with marked
stone 12 ins. in the ground
for 114 Sec. cor. marked 114
on N. face; dig pits $15 \times 15 \times 12$

Subdivisions Fract. Fr.

chains ins. E and W. of post $5\frac{1}{2}$
 ft dist. and raised a
 mound of earth $11\frac{1}{2}$ ft.
 high $3\frac{1}{2}$ ft. base around
 post from which
 a Palo verde 12 ins. diam
 br. S. 15° E. 35. lks. dist.
 marked 114 P. B. T.

80.10 The cor. to Secs. 5, 6, 7 & 8
 Land nearly level
 Soil 3rd date
 Scattering Ironwood
 and Palo verde

Went on a random
 line bet. Secs. 6 & 7
 Va 14° E.

40.00 Set temporary 114 Rec. cor.

Q. S. R. 13 West

Chains

80.40 Intersect the West bdy.
of the Tr. at 10 lks. N
of cor. to Secs 1-6. 7+12
as hereinbefore described
Hence Run

N $89^{\circ} 56' E$. on a true line
bet. Secs. 6+7

S $14^{\circ} E$.

40.40 Set a post 5 ft. long 3 ins
square with marked
stone 12 ins in the ground
for N. E. cor. marked $1/4$
N on N. face dug pits 18x18
x 12 ins. E. and W. of post $5\frac{1}{2}$
ft. dist. and raised a
mound of earth $1\frac{1}{2}$ ft.
high $3\frac{1}{2}$ ft. base around post

50.40 Wash 2 chs wide course N & E

80.40 The cor. to Secs 5-6. 7+8

Subdivisions Fract. Tr.

Chain Land broken

Soil at the gate

Scattering Ironwood
and Palo Verde

N⁰3^W bet. on a random
line bet. Secs 5 and 6.
Va 14° E.

40.00 Set temporary 114 Sec cor

79.80 Intersect the N bdy. of
the Tr. at 10 eps. E. of
Cor. to Secs 5, 6, 31 & 32
as herebefore described
Hence Run

S⁰7° E on a true line
bet. Secs 5 & 6

Va 14° E.

39.80 Set a post 3 ft. long
ins. square with marked

9. S. R 13 West

Chain stone 12 ins. in the ground
for $1\frac{1}{4}$ Sec lev. marked
 $1\frac{1}{4}$ S. on W. face and raised
a mound of gravel $1\frac{1}{2}$
ft. high $3\frac{1}{2}$ ft. base around
from Cuts unfracturable.

79.80 The Cor. to Secs 5. 6. 7. & 8

Land nearly level

Soil 2nd rate

Scattering Ironwood and
Pals Verde

General Description

The S.W. portion of this Tr. lays in the inaccessible cliffs of the Mohawk Mts.

The unsurveyed portion lays in the Mts. or along the N.E. slopes and is non-agricultural.

The surveyed portion gradually raises to the West and S.W. just enough to afford excellent drainage and flow for irrigation.

The soil to the West and S.W. has more or less surface gravel but otherwise seems equally as good as

the balance, and of an excellent character for fruits,

Near the Mountains, mostly along washes Ironwood and Palo Verde grow scattering.

Groserwood and some Sage brush with considerable bunch grass.

The South Gila Canal will irrigate most of the land and with water it will raise anything grown in this Section.


The roads are all old and down and covered up with sand in many places.

85

BOOK 1210

May 22/1893

Lewis Wolfery
U. S. Deputy Surveyor



No. 1210

86

U. S. Surveyor-General's Office,

TUCSON, A. T., Apr. 30, 1894.

The foregoing Field Notes of the Surveys of

The subdivisions of
Trac. Tp 9 S R 13 W

of Gila and Salt River Meridian
in Arizona executed by

Lewis Walley

U. S. Deputy Surveyor, under his contract dated

January 16th, 1893

having been critically examined, the necessary corrections and explanations made, the said Field Notes and the surveys they describe are hereby approved.

L. A. Manning

U. S. Surveyor-General
for the Territory of Arizona.