

BOOK 1211-2

Recd April 10 1892

Platted - pd 58

To You L.O. May 27, 1892

Survey approved.

April 31, 1892

4-671

No. 1211

BOOK 1211

FIELD NOTES

No. 1211

~~of the~~
~~GENERAL LAND OFFICE.~~

Subdivisions
T6S. R4W.

By Daniel Drummond U.S. D.S.

UNDER CONTRACT No 19.

Dated June 13, 1891.

Sur. Tp. Commenced Oct. 31, 1891.

Sur. Tp. Completed Nov. 9, 1891.

1211

59

BOOK 1211

(4-674.)

Township *6 S* R. *4 W.*

6	<i>112</i>	5	<i>87</i>	4	<i>65</i>	3	2	1
<i>111</i>		<i>109</i>		<i>85</i>		<i>63</i>		
7	<i>108</i>	8	<i>83</i>	9	<i>61</i>	10	11	12
<i>106</i>		<i>105</i>		<i>81</i>		<i>60</i>		
18	<i>104</i>	17	<i>79</i>	16		15	14	13
<i>102</i>		<i>101</i>		<i>77</i>				
19	<i>100</i>	20	<i>75</i>	21		22	23	24
<i>99</i>		<i>97</i>		<i>73</i>				
30	<i>95</i>	29	<i>71</i>	28		27	26	25
<i>93</i>		<i>91</i>		<i>69</i>				
31	<i>89</i>	32	<i>67</i>	33		34	35	36

~~70~~ 60

BOOK 1211

Subdivision J. C. L. R 4 W. Continued.
chain

62.80 Wash 30 lks wide, course N W.

79.82 The cor. to Secs 9. 10. 15 & 16.

Land level.

Soil, sandy loam, 1st rate.

Timber, palo verde & mesquite brush.

Subdivisions F. C. S. R. & W. Continued
 Chain.

N. $0^{\circ}2'W$. bet. Secs 9 & 10

Var. $13^{\circ}4'E$.

Over even ground.

- 15.20 Wash 45 lks wide, course NW.
- 37.30 Wash 15 lks wide, course N. W.
- 40.00 Set a post 4 ft long 4 ins square with
 marked at one 12 ins in the ground
 for $\frac{1}{4}$ sec cor. marked $\frac{1}{4}$ S. on W. face
 dug pits $18 \times 18 \times 12$ ins. N & S. of post
 $5\frac{1}{2}$ ft dia and raised a mound
 of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base around
 post.
- 72.50 Wash 40 lks wide, course NW.
- 80.00 Set a post 4 ft long 4 ins square
 with marked at one 12 ins in the
 ground for cor to Secs 3, 4, 9 & 10
 marked T. 6 S. S. 3 on NE.
 R. 4 W. S. 10 on SE.
 S. 9 on SW and

Subdivision T. 6 S. R. 4 W. Continued

S. 4 on NW face, with 5 notches
 on S and 3 notches on E ^{faces} dug
 pits 18 x 18 x 12 ins in each sec. 5 1/2 ft
 dist. and raised a mound of earth
 2 ft high 4 1/2 ft base around post.

Land level

Soil, sandy loam 1st rate

Timber, palo verde & mesquite brush.

Subdivisions T. 6 S. R. 4 W. Continued.

N. $89^{\circ}53'E$ on a random line bet.

Secs 3 & 10

Var. $13^{\circ}4'E$.

Across level land.

40.00 Set temp. $\frac{1}{4}$ Sec cor.

79.94 Intersect N & S line 5 lks N. of the
cor to Secs 2, 3, 10 & 11

Thence I run

S $89^{\circ}55'W$. on a true line bet

Secs 3 & 10

Var. $13^{\circ}4'E$.

24.30 Wash 15 lks wide, course NW.

37.50 Wash 10 lks wide course NW.

39.97 Set a post 4 ft long 4 ins square
with marked stone 12 ins in the
ground for $\frac{1}{4}$ Sec. cor. marked $\frac{1}{4}$ S.
on N. face, dug pits 18 x 18 x 12 ins
E & W. of post $5\frac{1}{2}$ ft dist and
raised a mound of earth $1\frac{1}{2}$ ft high

Subdivision T. 6 S. R. 4 W. Continued
Chains

3½ ft base around post.

79-94 The cor to Secs 3, 4, 9 & 10

Land level

Soil, sand loam, 1st rate.

Timber, Palo verde and mesquite
bush.

Subdivisions T. 6 S. R. 4 W. Contained
Chains.

N. $0^{\circ} 2'$ W. bet Secs 3 & 4.

N. $13^{\circ} 4'$ E.

Over level ground.

18.10 Wash 20 lks course NW.

39.80 Wash 10 lks wide, course NW.

40.00 Set a post 4 ft long 4 ins square with
marked at one 12 ins in the ground
for $\frac{1}{4}$ sec cor. marked $\frac{1}{4}$ S. on W.
face, dug pits 18 X 18 X 12 ins N & S of
post $5\frac{1}{2}$ ft dia and raised a mound
of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base around
post.

70.00 Wash 20 lks wide course NW.

73.10 Wash 15 lks wide course NW.

80.20. Intersect the N. bd'y of T. 6 and 1st
Standard Parallel South at a point
7.27 chs N. $89^{\circ} 56'$ E. from the Standard
Cor. to Secs 33 & 34 T. 5 S. R. 4 W. as
previously reestablished and hereinafter

Subdivision T. 6 S. R. 4 W. Continued

Chains.

described by me where I set a post
4 ft long 4 ins square with marked
at or 12 ins. in the ground for.
Closing corner to Secs 3 & 4 marked
C. C. T. 6 S. R. 4 W. on S.

S 3 on E and

S 4 on W. faces, with
3 notches on E & W. faces, dry pits 18x
18x12 ins S. E & W. of post 5 1/2 ft dist
and raised a mound of earth 2 ft
high 4 1/2 ft base around post
Land level

Soil sandy loam 1st rate

Timber, Palo verde & mesquite brush.

Subdivisions T. 6 S. R. 4 W. Continued.

Chains

From the established cor. to Secs. 45, 32 &
33 - on the S. bdy of the Tp. I run
N. 0° 2' W. bet Secs 32 & 33.

Var. 13° 4' E.

Over level ground

- 8.30 Wash 15 lks wide, course N.W.
- 14.20 Wash 70 lks wide, course N.W.
- 30.90 Wash 45 lks wide, course N.W.
- 40.00 Set a granite stone 15 x 10 x 5 ins, 10 ins
into the ground for $\frac{1}{4}$ Sec. Cor. marked
 $\frac{1}{4}$ on W. face, dug pits 18 x 18 x 12 ins
N & S of stone 5 $\frac{1}{2}$ ft dist. and raised
a mound of earth 1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft base
alongside.
- 53.00 Wash 20 lks wide, course N.W.
- 70.00 Wash 100 lks wide, course N.W.
- 80.00 Set a granite stone 20 x 9 x 4 ins 15 ins
in the ground for cor to secs 28, 29, 32
and 33 marked with 1 notch on S

Subdivision T. 6 S. R. 4 W. Continued

Cham

and 4 notches on E edges, dug pits 18 x 18 x 12 ins. in each Sec. 5 1/2 ft dist. and raised a mound of earth 2 ft high 4 1/2 ft base alongside.

Land, level.

Soil, sandy loam, 1st rate.

Timber, Palo verde and mesquite bush.

Subdivisions T. 6. R. 4 W. Continued
 Chains.

N. $89^{\circ}55'E$, on a random line bet
 Secs. 28 & 33.

Var $13^{\circ}4'E$.

Across level country.

40.00 Set temp $\frac{1}{4}$ Sec. Cor.

79.90 Intersect N & S. line at the Cor. to Secs
 27. 28. 33 & 34

Thence I run

S $89^{\circ}55'W$ on a true line bet Secs
 28 & 33.

Var $13^{\circ}4'E$.

39.95 Set a granite stone $15 \times 8 \times 5$ ins. 10 ins
 in the ground for $\frac{1}{4}$ Sec. Cor. marked
 $\frac{1}{4}$ on N. face, dug pits $18 \times 18 \times 12$ ins
 E & W. of stone $5\frac{1}{2}$ ft dist and raised
 a mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
 base along side

79.90 The cor to secs 28. 29. 32 & 33
 Land, level.

Subdivision T. 6 S. R. 4 W. Continued

Chain.

on E edges, dug pits 18 x 18 x 12 ins in each Sec 5 1/2 ft dist and raised a mound of earth 2 ft high 7 1/2 ft base around pit.

Land, level

Soil, sandy loam, 1st rate

Timber, Palo verde and mesquite brush

Nov 5th 1891

BOOK 1211

Subdivision T. 6 S. R. 4 W. Continued
 Chain

N 89° 55' E on a random line bet
 Secs 21 & 28

Var. 13° 4' E.

Across level country

40.00 Set temp 1/4 Sec. Cor.

79.98 Intersect N & S line 5 lks S. of the
 cor to Secs 21. 22. 27 & 28.

Thence I run

S 89° 53' W. on a true line bet Secs
 21 & 28.

Var. 13° 4' E

16.40 Wash 10 lks wide, course N.W.

39.99 Set a post 4 ft long 4 ins square with
 marked stone 12 ins in the ground
 for 1/4 Sec. Cor. marked 1/4 S. on N. face
 dug pits 18 x 18 x 12 ins E. & W. of post
 5 1/2 ft dia and raised a mound of
 earth 1 1/2 ft high 3 1/2 ft base around
 post.

44.00 Wagon road from Lila Bend to Ajo

Subdivisions T. 6 S. R. 4 W. Continued

Chario

mine running NW & SE.

51.00 Wash 15 lks wide, course NW.

64.40 Wash 25 lks wide, course NW.

79.98. The cor to Secs 20. 21. 28 & 29

Land level.

Soil, sandy loam, 1st rate.

Timber, Palo verde and mesquite
brush.

Subdivision is T. 6 S. R. 4 W. Continues of
Chambers.

N. 0° 2' W bet. Secs 20 & 21

Var. 13° 4' E

Over even ground.

- 2.30 Wash 50 lbs wide, course N.W.
- 38.30 Wagon road from Gila Bend to Gyo
mine, running NW & SE.
- 40.00 Set a post 4 ft long 4 ins square with
marked stone 12 ins in the ground for
1/4 Sec Cor. marked 1/4 S. on W. face, dug
pits 18 x 18 x 12 ins N & S. of post 5 1/2 ft
dist and raised a mound of earth 1 1/2 ft
high 3 1/2 ft base around post.
- 70.10 Wash 10 lbs wide, course N.W.
- 80.00 Set a granite stone 20 x 9 x 4 ins 15 ins
in the ground for cor to Secs 16-17.
20 & 21 marked with 3 notches on S
and 4 notches on E ^{edge} face, dug pits
18 x 18 x 12 ins in each Sec 5 1/2 ft
dist. and raised a mound of

Subdivisions T. 6 S. R. 4 W. continued
Chains

earth 2 ft high 4 1/2 ft base along side

Land, level

Soil, sandy loam, 1st rate.

Timber, Palo verde and mesquite

Hud.

Subdivision T. 6 S. R. 4 W. Continued.

Chaires

N. $89^{\circ}53'E$. on a random line bet
Secs. 16 & 21

Var. $13^{\circ}4'E$.

Across level country.

40.00 Set temp. $\frac{1}{4}$ Sec. cor.

80.00 Intersect N & S line 7 lks N. of the
cor to Secs 15, 16, 21 & 22

Thence I run

S $89^{\circ}56'W$. on a true line bet Secs
16 & 21.

Var. $13^{\circ}4'E$.

40.00 Set a post 4 ft long 4 ins square with
marked at one 12 ins in the ground
for $\frac{1}{4}$ Sec cor. marked $\frac{1}{4}$ S. on N. face
dug pits 18 x 18 x 12 ins E & W. of post
 $5\frac{1}{2}$ ft diam and raised a mound
of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base around
post.

57.40 Wash 100 lks wide, course N.W.

60

Subdivisions T. C. S. R. 4 W. Continued

Chains

Chains

Timber, Palo verde and Mesquite
bush.

Subdivision T. 60. - R. 4. W. - Continued.

Chains

N. $89^{\circ}56'E$. on a random line bet
Secs 9 & 16

Var. $13^{\circ}4'E$.

Across level country.

40.00 Set temp $\frac{1}{4}$ Sec. Cor.

79.90 Intersect N & S line 3 lks S. of the Cor to
Secs 9. 10. 15 & 16

Thence I run

S. $89^{\circ}55'W$. on a true line bet Secs
9 & 16

Var. $13^{\circ}4'E$

30.25 Wash 30 lks wide, course N. W.

39.95 Set a post 4 ft long 4 ins. square
with marked stone 12 ins in the ground
for $\frac{1}{4}$ Sec Cor. marked $\frac{1}{4}$ S on N. face
dug pits 18 x 18 x 12 ins. E & W. of
post $5\frac{1}{2}$ ft dist and raised a
mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
base around post.

Subdivision T.6 S. R.4 W. - Continued

Chains

79-90

The cor to Secs 8, 9, 16, & 17

Land level

Soil, sandy loam, 1st rate.Timber, Palo verde and mesquite
brush.

Subdivision T. 6 S. R. 4 W. - Continued
Chains.

N. $0^{\circ} 2'$ W. bet Secs 8 & 9

Var. $13^{\circ} 4'$ E.

Over level ground

- 35.85 Wash 25 lks wide, course N. W.
- 40.00 Set a post 4 ft long 4 ins square with marked stone 12 ins in the ground, for $\frac{1}{4}$ Sec cor. marked $\frac{1}{4}$ S. on W. face dug pits $18 \times 18 \times 12$ ins N. & S of post $5\frac{1}{2}$ ft dist and raised a mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base around post.
- 62.10 Wash 10 lks wide, course N. W.
- 66.40 Wash 25 lks wide, course N. W.
- 80.00 Set a post 4 ft long 4 ins square with marked stone 12 ins in the ground for cor to Secs 4, 5, 8 & 9 marked T. 6 S. S. 4 on N. E.
R 4 W. S 9 on S. E
S 8 on S. W. and

Subdivision T. 6 S. - R. 4 W. - Continued

chains

S. 5 on NW faces with 5 notches
on S and 4 notches on E edges,
dry pits 18 x 18 x 12 ins. in each dec.
5 1/2 ft dist and raised a mound
of earth 2 ft high 4 1/2 ft base around
post.

Land level

Soil, sandy loam, 1st rate

Timber, Oak verde and mesquite
brush.

Subdivision T. 6 S. - R. 4 W. - Continued
 Chains.

N. $89^{\circ}55'$ E. on a random line bet
 Secs. 4 & 9.

Var. $13^{\circ}4'$ E.

Across level country.

40.00 Set temp $\frac{1}{4}$ Sec cor.

79.96 Intersect N & S line at cor to Secs
 3, 4, 9 & 10

Thence I run

S. $89^{\circ}55'$ W. on a true line bet
 Secs 4 & 9

Var. $13^{\circ}4'$ E

14.20 Wash 15 lbs wide course N W.

39.98 Set a granite stone 15 x 8 x 6 ins
 10 ins in the ground for $\frac{1}{4}$ Sec cor.
 marked $\frac{1}{4}$ on N. face, dig pits 18 x 18
 x 12 ins. E & W. of stone $5\frac{1}{2}$ ft dist
 and raised a mound of earth $1\frac{1}{2}$ ft
 high $3\frac{1}{2}$ ft base along side.

79.96 The cor to Secs 4, 5, 8 & 9.

68.

Subdivisions T. 6 S. - R. 4 W. Continued

Chains

Land, level.

Soil, sandy loam, 1st rateTimber, Palo verde and mesquite
brush.

Subdivision T. 6 S. - R. 4 W. - Containing
Chains

N. $5^{\circ}2'$ W. bet Secs 4 & 5

Var. $13^{\circ}4'$ E

Over level ground.

4.60 Wash 20 lks wide course N W.

40.00 Set a post 4 ft long 4 ins square
with marked stone 12 ins in the
ground for $\frac{1}{4}$ Sec Cor. marked $\frac{1}{4}$
S. on W. face, dug pits 18 X 18 X 12 ins
N & S of post $5\frac{1}{2}$ ft dist and raised
a mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
base around post

42.90 Wash 25 lks wide, course N W.

80.15 Intersect N. body of Tp and 1st Stand.
Parallel South at a point $N 89^{\circ}56' E$. 7.38

Chs. from the Stand Cor. to Secs 32 & 33

T. 5 S. R. 4 W. as previously re-established
and described hereinbefore, where
I set a granite stone 20 X 10 X 4 ins
15 ins in the ground for closing

Subdivision T.C.S. - R4W - Continued

Chains

Corner to Secs 4 & 5 marked

C.C. with 4 notches on E and 2 notches
 on W. edges, dug pits 18x18x12 ins
 S. E & W. of stone 5 1/2 ft dist. and
 raised a mound of earth 2 ft
 high 4 1/2 ft base alongside.

Land level.

Soil, sandy loam, 1st rate

Timber, Palo verde and mesquite
 brush.

Nov 6th 1891

Subdivision T₆S - R₄W - Continued

Chains

From the cor to Secs 5, 6, 31 & 32
on the S. side of the Tp. as recently
established by me and heretofore
described I run

N. $0^{\circ}3'$ W. bet Secs 31 & 32

Var. $13^{\circ}4'$ E

Over level ground

40.00 Set a post 4 ft long 4 ins square with
marked stone 12 ins in the ground
for $\frac{1}{4}$ Sec cor. marked $\frac{1}{4}$ S. on W.
face, dug pits $18 \times 18 \times 12$ ins N & S of
post $5\frac{1}{2}$ ft dist. and raised a
mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
base around post.

80.00 Set a granite stone $20 \times 8 \times 5$ ins
15 ins in the ground for cor to
Secs 29, 30, 31 & 32 marked with
1 notch on S. and 5 notches on
E edges, dug pits $18 \times 18 \times 12$ ins

Subdivision T. 6 S. R. 4 W. - Continued

Chairs

in each Sec. 5 1/2 ft dist. and raised
a mound of earth 2 ft high 4 1/2 ft base
along side.

Land, level.

Soil, sandy loam, 1st rate

Timber, Palo verde & mesquite brush.

Subdivisions T. 6 S. - R. 4 W. - Continued
 Chains

N. $89^{\circ}55'E$ on a random line bet
 Secs 29 & 32.

Var $13^{\circ}4'E$.

Across level country.

40.00 Set temp. $\frac{1}{4}$ sec cor.

79.92. Intersect N & S line 3 lks S of
 cor to Secs 28, 29, 32 & 33

Thence I run

S $89^{\circ}54'W$ on a true line bet
 Secs 29 & 32

Var $13^{\circ}4'E$

- 2.40 Wash 15 lks wide, course NW
 4.25 Wash 20 lks wide, course NW
 9.40 Wash 20 lks wide, course NW
 12.90 Wash 15 lks wide, course NW
 33.20 Wash 20 lks wide, course NW
 38.00 Wash 25 lks wide, course NW.
 39.96 Set a granite stone 15 x 8 x 5 ins
 10 ins in the ground for $\frac{1}{4}$ sec

Subdivisions T. 6 S. - R. 4 W. - Continued
Chains

lev. marked $\frac{1}{4}$ on N. face. dug
pits 18x18x12 ins E. & W. of stone $5\frac{1}{2}$ ft
dist. and raised a mound of earth
 $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base along side.

78.60 Wash 30 lks wide, course N.

79.92 The cor to Secs 29. 30. 31 & 32.

Land, level.

Soil, sandy loam, 1st rate

Timber, Palo verde & mesquite brush.

Subdivision T. 6 S. - R. 4 W. - Continued

Chains

S $89^{\circ}55'$ W. on a random line
bet Secs 30 & 31

Var $13^{\circ}4'$ E.

Over even ground.

40.00 Set temp $\frac{1}{4}$ Sec Cor.

78.44 Intersect W. bdy of Tp at cor to
Secs 25-26, 30 & 31 previously established,
and hereinbefore described by me.

Thence I run

N $89^{\circ}55'$ E on a true line bet
Secs 30 & 31

Var $13^{\circ}4'$ E.

38.44 Set a granite stone 15 X 10 X 4 ins
10 ins in the ground for $\frac{1}{4}$ Sec
Cor. marked $\frac{1}{4}$ on N. face, dug
pit 18 X 18 X 12 ins E & W. of stone
 $5\frac{1}{2}$ ft dist and raised a mound
of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base along
side.

68.

Subdivision T. 6 S. - R. 4 W. - Continued

Chains

Ch.

78.44 The cor to Secs 29. 30. 31 & 32

Land level

Soil, sandy loam 1st rate.Timber, Palo verde & mesquite
brush.

Subdivision T. 6 S. R. 4 W. - Continued
 Chains

N. 0° 3' W. bet Secs 29 & 30

Var. 13° 4' E.

Over even ground.

40.00 Set a granite stone 16x9x5 ins
 11 ins in the ground for $\frac{1}{4}$ sec cor.
 marked $\frac{1}{4}$ on W. face, dug pits
 18x18x12 ins N & S of stone $5\frac{1}{2}$ ft
 dist. and raised a mound of
 earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base along
 side.

80.00 Set a granite stone 30x9x5 ins
 20 ins in the ground for cor to
 Secs 19. 20. 29 & 30 marked with
 2 notches on S and 5 notches
 on E edges. dug pits 18x18x12
 ins in each sec $5\frac{1}{2}$ ft dist and
 raised a mound of earth 2 ft
 high $4\frac{1}{2}$ ft base along side.
 Land, level.

68.

Subdivisions T.6 S. - R.4 W. - Continued

Main

Cha

Soil, sandy loam, 1st rate
Timber, scattering Palo verde
and mesquite brush.

Subdivision T. 6 S. - R. 4 W. - Continued
Chains

N. $89^{\circ}54' E$ on a random line bet
Secs 20 & 29
Var. $13^{\circ}4' E$

Across level country.

40.00 Set temp $\frac{1}{4}$ Sec cor.

79.98 Intersect N. & S line 5 lks. N. of
the cor to Secs 20. 21. 28 & 29.

Thence I run

S. $89^{\circ}56' W$ on a true line bet
Secs 20 & 29

Var. $13^{\circ}4' E$.

4.00 Wash 15 lks wide, course NW

17.60 Wash 45 lks wide, course NW.

22.60 Wash 50 lks wide, course NW

39.99 Set a sandstone $15 \times 8 \times 5$ ins 10 ins
in the ground for $\frac{1}{4}$ Sec cor.

marked $\frac{1}{4}$ on N. face, dug pits
 $18 \times 18 \times 12$ ins E & W. of stone
 $5\frac{1}{2}$ ft dist. and raised a mound

Subdivision T. 6 S. - R. 4 W. - Continued

Chains

of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base alongside
79.98 The cor to Sec 19. 20. 29 & 30

Land level

Soil, sandy loam, 1st rate

Timber, Palo verde & Mesquite brush.

Subdivisions T. 6. S. - R. 4. W. - Continued

Chains

S89°55'W. on a random line bet

Secs 19 & 30

Var. 13°4'E.

Across level country.

40.00 Set temp 1/4 Sec cor.

78.36 Intersect W. bdy of Tp 3 lks S. of the
cor to Secs 19. 24. 25. 30

Thence I run

N89°56'E on a true line bet Secs

19 & 30.

Var. 13°4'E.

38.36 Set a granite stone 15x9x5 ins 10 ins
in the ground for 1/4 Sec cor. marked
1/4 on N. face, dug pits 18x18x12 ins E.
& W of stone 5 1/2 ft dist and raised
a mound of earth 1 1/2 ft high 3 1/2 ft
base alongside.

78.36 The cor to Secs 19. 20. 29 & 30.

Land, level

Soil, sandy loam, 1 ch sate

Timber Palo Verde & mesquite brush.

Subdivision T. 6 S. R. 4 W. Continued
 Chain

N. $0^{\circ} 3'$ W. bet Secs 19 & 20

Var. $13^{\circ} 4'$ E

Over even ground.

40.00 Set a post 4 ft long 4 ins square with
 marked stone 12 ins in the ground
 for $\frac{1}{4}$ Sec Cor. marked $\frac{1}{4}$ S. on W. face
 dug pits 18 x 18 x 12 ins N & S of post
 $5\frac{1}{2}$ ft dist. and raised a mound of
 earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base around
 post.

80.00 Set a post 4 ft long 4 ins square with
 marked stone 12 ins in the ground
 for cor to Secs 17, 18, 19 & 20 marked
 T. 6 S. S. 17 on NE.

R 4 W. S. 20 on SE

S. 19 on SW and

S. 18 on NW faces with

3 notches on S and 5 notches on
 E. edges dug pits 18 x 18 x 12 ins in

BOOK 1211

Subdivision T. 6 S. R. 4 W. Continued

Chains

each sec $5\frac{1}{2}$ ft dist and raised
a mound of earth 2 ft high $4\frac{1}{2}$ ft
base around post.

Land level

Soil, sandy loam 1st rateTimber Palo verde and mesquite
bush.Nov 7th 1891

N. $89^{\circ} 56' E$ on a random line bet
secs 17 & 20

Var. $13^{\circ} 4' E$.

Across level country.

40.00 Set temp $\frac{1}{4}$ sec cor.80.00 Intersect N & S. line at cor to secs
16. 17. 20 & 21

Thence to sun

S. $89^{\circ} 56' W$. on a true line bet
secs 17 & 20

Var. $13^{\circ} 4' E$.

Subdivision T. 6 S. R. 4 W. Continued

Chains

10.50 Wash 220 lks, course NW.

40.00 Set a post 4 ft long 4 ins square
with marked stone 12 ins in the ground
for $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$ S on N face
dig pits 18 X 18 X 12 ins E & W. of post
 $5\frac{1}{2}$ ft dist and raised a mound of
earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base around
post.

44.00 Wash 100 lks wide, Course NW.

44.10 Wagon road from Cila Bend to
Ajo mines course NW & SE.80.00 The cor to Secs 17. 18. 19 & 20
Land level.Soil, sandy loam 1st rate

Timber, palo verde & mesquite brush.

S $89^{\circ}56'$ W. on a random line bet
Secs 18 & 19
Var. $13^{\circ}4'$ E.

Subdivision T. 6 S. R. 4 W. Continues

Heins.

40.00 Set temp $\frac{1}{4}$ Sec Cor.78.30 Intersect ~~the~~ W. bdy of the Tp. at the cor to Secs 13. 18. 19 & 24 previously established and heretofore described.

Thence I run

N. $89^{\circ}56'E$ on a true line bet
Secs 18 & 19.Var. $13^{\circ}4'E$.38.30 Set a post 4 ft long 4 ins square with marked stone 12 ins in the ground for $\frac{1}{4}$ Sec Cor. marked $\frac{1}{4}$ S. on N. face, dig pits 18x18 x 12 ins. E & W. of post $5\frac{1}{2}$ ft dia and raised a mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base around post78.30. The cor to Secs 17. 18. 19 & 20.
Land level.

Subdivisions P. C. L. R. & W. Continued
 Chas.

Soil, sandy loam, 1st rate
 Timber, scattering Palo verde
 and mesquite brush.

N. 0° 3' W. bet Secs 17 & 18

Var. 13° 4' E.

Over even ground

36.80 Wagon road from Gila Bend to
 Ajo mines, Course NW $\frac{1}{4}$ SE.

40.00 Set a granite stone 16 x 8 x 5 ins 10
 ins in the ground for $\frac{1}{4}$ Sec cor.
 marked $\frac{1}{4}$ on W. face, dug pits 18 x
 18 x 12 ins NW & S of stone 5 $\frac{1}{2}$ ft dist
 and raised a mound of earth 1 $\frac{1}{2}$ ft
 high 3 $\frac{1}{2}$ ft base alongside.

60.00 Wash 25 lks wide, Course NW.

72.60 Wash 200 lks wide, Course NW.

80.00 Set a granite stone 15 x 10 x 4
 ins. 10 ins in the ground for.

Subdivisions T. 6 S. R. 4 W. Continued

Chain

cor to Secs 7, 8, 17 & 18 marked
with 4 notches on S and 5 notches
on E edges, dug pits 18 X 18 X 12 ins
in each Sec. 5 1/2 ft dia and raised
a mound of earth 2 ft high 4 1/2 ft
base alongside.

Land level

Soil, sandy loam 1st rate

Timber. Palo verde and mesquite
brush.

N. 89° 56' E on a random line bet

Secs 8 & 17

Var. 13° 4' E

Across even ground

40.00 bet temp 1/4 sec cor.

79.84 Intersect N & S line 3 lks S. of
the cor to Secs 8, 9, 16 & 17

Thence I run

Subdivision T. 6 S. R. 4 W. Continued

Chains

S. $89^{\circ}55'W$ on a true line bet
Secs 8 & 17

Var. $13^{\circ}4'E$.

39.92 Set a post 4 ft long 4 ins square
with marked stone 12 ins in
the ground for $\frac{1}{4}$ Sec line marked
 $\frac{1}{4}$ S. on N. face, dug pits 18 x 18
x 12 ins E & W. of post 5 $\frac{1}{2}$ ft dirt
and raised a mound of earth
 $1\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft base around post

46.90 Mark 110 yds wide course N.W.

79.84 The cor to Secs 7, 8, 17 & 18

Land level

Soil, sandy loam, 1st class

Timber, Palo verde & mesquite

S $89^{\circ}56'W$ on a random line bet

Secs 7 & 18

Var. $13^{\circ}4'E$.

Subdivisions T. 6 S. R. 4 W. Continued

Chains

Across level country.

40.00 Set temp $\frac{1}{4}$ Sec. Cor.

78.22 Intersect W. ldy of Tp at cor to
Secs 7, 12, 13 & 18 previously estab-
lished and heretofore described
by me.

Thence I run

$N 89^{\circ} 56' E$ on a true line bet
Secs 7 & 18

Var. $13^{\circ} 4' E$

38.22 Set a post 4 ft long 4 in square
with marked at one 12 in in the
ground for $\frac{1}{4}$ Sec cor. marked
 $\frac{1}{4}$ S on N face, dug pits 18 x 18 x 12
in E & W of post $5\frac{1}{2}$ ft dia
and raised a mound of earth
 $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base around
post.

62.30 Wagon road from Gila Bend to Ajo

Subdivisions T. 6 S. R. 4. W. Continued

Chains

mines course NW & SE

69.30 Wash 160 lks wide course NW

78.22 Tho cor to Secs 7, 8, 17 & 18

Land level

Soil sandy loam 1st rateTimber, Palo Verde & mesquite
brush.

N. 0° 3' W. bet Secs 7 & 8

Var. 13° 4' E.

Over mesa land.

17.40 Wash 120 lks wide course NW.

40.00 Set a post 4 ft long 4 ins square
with marked stones 12 ins in the
ground for $\frac{1}{4}$ Sec Cor. marked $\frac{1}{4}$ S
on W. face, dry pits 18 x 18 x 12 ins
NW & S of post 5 $\frac{1}{2}$ ft dist and
raised a mound of earth 1 $\frac{1}{2}$ ft
high 3 $\frac{1}{2}$ ft base around post.

Subdivisions T. 6 S. R. 4 W. Continued

Chains

80.00 Set a granite stone $17 \times 8 \times 5$ ins
 11 ins in the ground for cor. to
 Secs 5, 6, 7 & 8 marked with 5
 notches on S. and E. ^{faces} ~~faces~~ dug
 pits $18 \times 18 \times 12$ ins in each Sec. $5\frac{1}{2}$ ft
 dist. and raised a mound of
 earth 2 ft high $4\frac{1}{2}$ ft base along side
 Land level

Soil, sandy loam 1st rate

Timber, Palo verde & mesquite
 brush

N. $89^{\circ} 55' E.$ on a random line bet
 Secs 5 & 8

Var. $13^{\circ} 4' E.$

Across level country.

40.00 Set temp $\frac{1}{4}$ Sec cor

79.96 Intersect N. & S. line at cor to
 Secs 4, 5, 8 & 9

Subdivision T. 6 S. R. 4 W. Continued

Chains

Theme I run

S $89^{\circ} 55'$ W. on a true line bet
Secs 5 & 8Var. $13^{\circ} 4'$ E -

- 39.98 Set a post 4 ft long 4 ins square
with marked stone 12 ins in
the ground for $\frac{1}{4}$ Sec Cor. marked
 $\frac{1}{4}$ S. on N. face, dug pits 18×18
 $\times 12$ ins E & W of post $5\frac{1}{2}$ ft
dirt and raised a mound
of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base
around post.
- 46.20 Wash 20 lbs wide course NW
- 57.10 Wash 20 lbs wide course NW.
- 79.96 The cor to Secs 5, 6, 7 & 8
Land level
Soil, sandy loam, 1st rate
Timber, Palo verde & mesquite brush

Subdivisions T. 6 S. R. 4 W. Continued
Chains

S. $89^{\circ}56'W.$ on a random line bet
Secs 6 & 7.

Var. $13^{\circ}4'E$

Over level mesa.

40.00 Set temp $\frac{1}{4}$ Sec cor.

78.15 Intersect W. ldy of Tp at cor
to Secs 1, 6, 7 & 12 previously established
and heretofore described by me
Thence I run

N. $89^{\circ}56'E.$ on a true line bet
Secs 6 & 7

Var $13^{\circ}4'E.$

32.85 Wagon road from Gila Bend to
Lyo mines course NW & SE.

38.15 Set a post 4 ft long 4 ins square
with marked stone 12 ins in
the ground for $\frac{1}{4}$ Sec cor. marked
 $\frac{1}{4}$ S on N. face, dug pits 18x18
x 12 ins E & W. of post $5\frac{1}{2}$ ft

Subdivisions T. 6 S. R. 4 W. Continued
Chains.

dist. and raised a mound
of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base
around post

59.20 Wash 120 lks wide course N.W.

78.15 The cor to Secs 5, 6, 7 & 8.

Land level

Soil sandy loam ^{set} rate

Timber, Palo verde and
mesquite brush

N. $0^{\circ}3'$ W. bet Secs 5 & 6

Var. $13^{\circ}4'$ E.

Over level ground

29.60 Wash 25 lks wide course N.W.

40.00 Set a granite stone $15 \times 11 \times 4$

ins 10 ins in the ground for

$\frac{1}{4}$ Sec cor marked $\frac{1}{4}$ on N

face, dug pits $18 \times 18 \times 12$ ins

N & S of stone $5\frac{1}{2}$ ft dist

Subdivisions T. 6 S. R. 4 W. Continued
Chains

and raised a mound of earth
1½ ft high 3½ ft base along side
80.10 Intersect N. bd'y of T₆ and 1st
Stand. Parallel South at a point
N. 89° 56' E. 7.35 chs from the Stand
Corr to Secs 31 & 32 T. 5 S. R. 4 W
as previously reestablished and
hereinbefore described by me
where I set a post 4 ft long 4 ins
square with marked above 12 ins
in the ground for blaying corner
to Secs 5 & 6 marked

C. C. T. 6 S. R. 4 W. and

S. 5 on E and

S. 6 on W. faces with

5 notches on E and 1 notch
on W ^{face} dug pits 18 X 18 X 12

ins S. E & W. of post 5½ ft
dist. and raised a mound

Subdivision F. S. R. & W. Co. 2nd

Chairs

of earth 2 ft high & 1/2 ft base
around post.

Land level

Soil sandy loam 1st cat
Fumbe, Paw verde and
mesquite brush.

Nov. 9th 1891

Subdivisions T. C. S. R. & W. Cont'd

c

General Description

This township is composed of rich sandy loam, and the land is all level, with the single exception of a mountain ridge in Sec. 36. The soil is somewhat rocky and gravelly in Secs. 25, 26, 35 & 36.

The washes running through this township are dry with the exception of rain fall in the mountains lying to the South and East.

The timber is Palo Verde and Mesquite, growing to a height of from 12 to 18 feet, and is confined

to the margins of the Washes
the Palo Verde predominating
There is a brush growing
between the washes called
greasewood growing to a
height of from 2 to 3 feet.
No Springs or Natural
Water appears on the
Surface.

Abundant Crops can be
grown. with the aid of
Artificial irrigation
Canals are now being in
course of construction which
if completed will reclaim
large portions of this
township. —

The mean declination for
the plat. the average of

five observations is $13^{\circ}4'E$
The town of Gila Bend is
 $\frac{1}{4}$ mile North of the N.W.
Cor. of the township.
The Santa Fe Pacific Rail
road, runs in a northeasterly
direction from a $\frac{1}{4}$ to
a mile and a half North
of the north boundary of
the township.

Daniel Drummond
U.S. Deputy Surveyor

119

OK 1214

U. S. Surveyor-General's Office,

TUCSON, A. T., *May 26 1892*

The foregoing Field Notes of the Surveys of
T. 6 S. R. 4 W.

..... Gila and Salt River Meridian
in *Arizona* executed by

Daniel Drummond

U. S. Deputy Surveyor, under his contract dated
June 13th 1891

having been critically examined, the necessary corrections and explanations made, the said Field Notes and the surveys they describe are hereby approved.

Rapae & Johnson
U. S. Surveyor-General
for the Territory of Arizona.