

Recd July 18. 1893.
Copied

1.

BOOK 1215

1215

No. 1215

BOOK 1215

4-671

FIELD NOTES

~~GENERAL LAND OFFICE~~

of the Survey of

Sub Lines Tp. 9. S. R. 12. W.

Gila and Salt River M.

Arizona

By Lewis Wolfley, D. S.

under, Cont: dated Jan 16. 93

Survey com^d May 27. 1893.

Survey com^d June 5. 1893.

1215 BOOK 1215 1A

Index for { BOOK 1208
BOOK 1215

Township 9. S. R. 12 W. (4-674.)

Index

6	94	5	69	4	57	3	34	2	16	1
93		91		65		50		32		15
7	90	8	66	9	45	10	30	11	13	12
85		87		64		47		29		12
18	85	17	63	16	45	15	27	14	10	13
84		82		61		44		26		8
19	81	20	59	21	42	22	24	23	7	24
79		75		55		41		23		5
30	76	29	56	28	39	27	21	26	4	25
74		73		55		38		19		2
31	71	32	53	33	36	34	18	35	1	36

No. 1215

BOOK 1215

1A

Field Notes
of the
Subdivision Lines
in Tp. 9. S. R. 12 W.
of the Gila and
S. R. Base and
& Meridian
in the Territory of Arizona
Surveyed by Lewis Wolfley
U. S. Deputy-Surveyor

under Contract No. 25
dated Jan. 16, 1893.

Survey commenced May 27/93
.. completed June 5/93

16

I tested my solar
by the Sun at noon
and found the latitude
to be $32^{\circ}35'$

For Manner of testing see page 187
2^d Standard Parallel South.

Having surveyed
the East and South
boundaries of this Tr.
and my Instrument
being in perfect
adjustment. I proceed
to subdivide as follows.

Sub. Tr. 9. S. R. 12. W.

Chains Beginning at the Cor. to Secs
12. 35 + 36 on the S. Bdy. of
as herebefore described of
the Tr. 9. S. R. 12. W.

N⁰1⁰W. bal. Secs 35 and 36

89 14° E.

40.00 Set a post 3 ft. long 3 ins.
square with marked stone
12 ins. in the ground for
1/4 Sec. or marked 1/4 Sec. on W
face, dug pits 18x18x12 ins
N and S. of post 5 1/2 ft. dist.
and raised a mound of
earth 1 1/2 ft. high 3 1/2 ft. base
around post

80.00 Set a post 4 ft. long 4 ins
square with marked stone
12 ins. in the ground for
Cor. to Secs. 25. 26. 35 + 36
marked

Subdivisions Sp. 9

Chains T9. O. S 25 on N.E.

R12 W. O 36 on O. E

S35 on O W End

S26 on N W. faces with
1 notch on ^N and ^E faces
edges

dig pits 10x18x12 ins.

in each Sec 5 1/2 ft. dist

and raised a mound

of earth 2 ft. high 4 1/2 ft

base around post

Land level meso

Soil 1st rate

Scattered Sage and
greasewood brush

East on a random

line bet. Secs 25 + 36

8 a 14⁰⁰ E

40 00 set temporary 1/4 Sec cor

South Range 12 West.

chains

80.05 Intersect the E. Bdy. of the
Tr. at. lcn. to Secs. 25, 30, 31 & 36 as
heretofore described
hence run

West on a true line bet
Secs 25 and 36

Va 14° E

40.03 Set a post 3 ft. long 3 ins
square with marked stone
12 ins. in the ground for
1/4 Sec. cor. marked 1/4 D. on N
face, dug pits 18x18x12 ins
E+W. of post 5 1/2 ft. dist
and raised a mound of
earth 1 1/2 ft. high 3 1/2 ft. base
around post

80.05 The lcn. to Secs. 25, 26, 35, & 36
Land level mesa
Soil 1st/₄ rate

Subdivisions Sp. 9.

Chains scattering sage and
greasewood brush

N⁰1^W. bet. Secs 25 + 26
9914⁰E.

40.00 Set a post 3 ft. long 3 ins
square with marked
stone 12 ins. in the ground
for 1/4 Sec. cor. marked 1/4
N on W. face, dug pits 18x18
x 12 ins. N and S of post
5 1/2 ft. dist. and raised a
mound of earth 11 1/2 ft.
high 5 1/2 ft. base around post.

80.00 Set a post 4 ft. long 4
ins. square with marked
stone 12 ins. in the ground
for cor. to Secs. 23, 24, 25 + 26

South Range 12 West

Chains marked

T 9. S. S 24. on N. E

R 12. W. S 25. on S. E

S 26. on SW ^{end}S 22. on N. W. faces with 2
notches on ^E end and 1 notch on N.Each ^{face} edge dug pits 18 x 15 x 12
ins. in each Sec 5 1/2 ft. distand raised a mound of
earth 2 ft. high 4 1/2 ft. base
around foot

Land level mesu

Soil 1st rate

Scattered Sage, grasswood brush

East on a random line
bet. Secs. 24 + 25

Va 14° E

40.00 Set temporary 1/4 Sec. cor.

Subdivisions Twp. 7.

Chains

80.10 Intersect the E. Bdy.
of the Twp. 5 E. Ks. S. of Lem
to Sec. 19, 24, 25 + 30 as
previously described
thence run

$089^{\circ} 58' W.$ on a true line
bet. Secs. 24 + 25

42140°

40.05 Set a post 3 ft. long 0 ins
square with marked
stone 12 ins. in the ground
for 114 Sec. or marked
114 S. on N. face, dug pits
18 x 18 x 12 ins. E + W of post
5 1/2 ft. dist. and raised a
mound of earth 1 1/2 ft. high
3 1/2 ft. base around post

80.10 The Lem. to Sec. 23, 24, 25 + 26
Land level mesa

South Range 12 West.

chains Oil $1\frac{1}{2}$ rate
 Scattering Sage and greasewood
 brush

N 0° 1'W. bet. Secs 23 and 24
 S 91° 4'E

- 40.00 Set a post 2 ft. long 3 ins. square
 with marked stone 12 ins. in
 the ground for 1/4 Sec. cor.
 marked 40 on W. face, dug
 pits 18x18x12 ins. N and S. of
 post 5 1/2 ft. dist. and raised
 a mound of earth 1 1/2 ft.
 high 3 1/2 ft. base around post
- 80.00 Set a post 4 ft. long 4 ins
 square with marked stone
 12 ins. in the ground for cor
 to Secs 13, 14, 23 + 24. marked

Subdivisions Sp. 9

Chains

T 9, S 13, on N.E.

R.P.M.S 24 on S.E.

S 23 on SW End

S 14. on NW faces with

3 notches on ^E End 1 notchN^{faces} on N.E. edges. dug pits 18x15
x 12 ins. in each Sec 5 1/2 ftdist. and raised a mound
of earth 2 ft. high 4 1/2 ft.

Base around foot

Sand level near

Soil 1st rateScattering Sage + grasswood
bushN 89° 58' E on a random line
bet. Secs 13 and 24

Va 14° E.

South Range 12 West.

Chains

- 40.00 Set temporary $\frac{1}{4}$ Sec. cor.
- 80.10 Intersect the E. Bay of the
Tpr. at 10.649 N. of cor. to Secs.
13, 18, 19, 24, as herebefore ^{described}
Thence run
N $89^{\circ} 58' W.$ on a true line bet
Secs. 13 and 24
90.140 E.
- 40.05 Set a post 3 ft. long 3 ins
square with marked
stone 12 ins. in the ground
for $\frac{1}{4}$ Sec. cor. marked $\frac{1}{4}$ Sec.
Don N. face, dug pits 15x15x
12 ins. E & W of post $5\frac{1}{2}$ ft.
dist. and raised a mound
of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base
around post.
- 80.10 The cor. to Secs. 13, 14, 23, 24

Subdivisions Sp. 9

Chains Land level mesa
 Soil $1\frac{1}{2}$ rate
 Scattering Sage and
 greasewood brush.

N 0° 1'W. bet. Secs. 13 & 14
 VA 14^dE

- 40.00 Set a post 0 ft. long 3 in
 square with marked
 stone 12 ins. in the ground
 for 14 Sec. cor. marked 14
 On W. face, dug pits 15x15
 x 12 ins. N and S. of post 5 $\frac{1}{2}$
 ft. dist. and raised a
 mound of earth 1 $\frac{1}{2}$ ft. high
 0 $\frac{1}{2}$ ft. back around post
- 60.00 Top of low sand ridge
 5 chs. wide br. E & W

South Range 12 West

chain

80.00 Set a post 4 ft. long 4 ins
square with marked stone
12 ins. in the ground for corner
to Secs 11, 12, 13 + 14 marked
T 9 S 12. in N.E.
R 12 W 13. on S.E.
S 14 on S.W. ^{end}
S 11 on N.W. faces with 4
notches on ^E end 1 notch
on ^{N.E.} ^{faces} edges. dug pits 18x15
x12 ins. in each Sec 5 1/2 ft.
dist. and raised a mound
of earth 2 ft. high 4 1/2 ft. base
around post
Land level mesu except
5 chs sand hill
Soil 1st rate
Scatterling Sage ^{brush} and greasewood

Subdivisions Sp. 9

Chains $S 89^{\circ} 58' E$ on a random
line bet. Secs 12 + 13
Va $14^{\circ} E$.

40.00 Set temporary $1/4$ Sec. cor
80.05 Intersect the E. Bdy. of
the Tract bet. to Secs 7, 12
13 + 18 as hereinbefore described
Thence I run
 $N 89^{\circ} 58' W$ on a true line
bet. Secs. 12 + 13.
Va $14^{\circ} E$

40.03 Set a post 3 ft. long 3 ins
square with marked stone
12 ins. in the ground
for $1/4$ Sec. cor. marked
 $1/4$ S. on N. face dug pits
 $18 \times 18 \times 12$ ins. E + W. of post
 $5 \frac{1}{2}$ ft. dist. and raised
a mound of earth 11 in. ft. high

South Range 12 West.

Chains 3 $\frac{1}{2}$ ft. base around post
 80.00 The lev. to Secs. 11, 12, 13 + 14
 Land level near
 Soil 1 $\frac{0}{10}$ rate
 Scattering Sage, Greasewood
 brush

N0° 1' W. bet. Secs. 11 + 12

TA 14° E.

40.00 Set a post 3 ft. long 2 ins
 square with marked stone
 12 ins. in the ground for
 114 sec. cor. marked 1/4 on
 W. face, dug pits 18 x 18 x 12
 ins N and S. of post 5 $\frac{1}{2}$ ft.
 dist. and raised a mound
 of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft.
 base around post.

Subdivisions Sp. 9

Chains

80.0.0 Set a post 4 ft. long 4
ins. square with marked
stone 12 ins. in the
ground for less to Sec 1. 2 1/2
12 marked

T 9.0.0 1. on N. E.

R 12. W 12. on S. E.

S 11. on SW ^{Quadr.}

P 2. on N. W. faces with 5
notches on E and 1 notch
on ^{N. E. face} S. E. ^{edges} dug pits 18 x 15
x 12 ins. in each Sec 5 1/2 ft
dist. and raised a mound
of earth 2 ft. high 4 1/2 ft. base
around post

Land level mesa

Soil 1st rate

Scattering Sage & greasewood brush

South Range 12 West.

Chain 1 $89^{\circ} 58' E.$ on a random
line bet Secs. 1 and 12

$VA 14^{\circ} E.$

40.00 Set temporary $1/4$ Sec. cor.

79.80 Intersect the E. Coy. of the
Twp. at 10 ch. S. of cor. to Secs
1, 6, 7 + 12, as herebefore described
Thence run

$89^{\circ} 58' W.$ on a true line bet.
Secs. 1 and 12

$VA 14^{\circ} E.$

3.9.90 Set a post 3 ft. long 3 ins. square
with marked stone 12 ins
in the ground for $1/4$ Sec. cor
marked $1/4$ ch. on N. face. dug
pits $15 \times 15 \times 12$ ins. E & W. of
post 5 1/2 ft. dist. and raised
a mound of earth 1 1/2 ft. high
3 1/2 ft. base around post

Subdivisions of Sp. 9.

Chains

79.80 The cor. to Secs 1, 2, 11 + 12

Land level mesa

Soil 1st rateScattering grasswood +
Sage brushN0°1'W. on a random
line bet. Secs. 1 and 2

VA 14°E.

40.00 Set temporary $\frac{1}{4}$ Sec. cor.79.85 Intersect the N. Bay of
the Tr. 10 E. W. of Leg.to Secs 1, 2, 35 + 36 as heretofore
described

Trend from

S0°3'W

on a true
line bet. Secs 1 and 2

VA 14°E.

South Range 12 West.

Chains

39.85 Set a post 3 ft. long 3 ins square
with marked stone 12 ins
in the ground for $1/4$ sec cor
marked $1/4$ C. on W. face dug
pits $18 \times 18 \times 12$ ins. 2' and 3'
of post $5 \frac{1}{2}$ ft. dist. and
raised a mound of earth
 $1 \frac{1}{2}$ ft. high $3 \frac{1}{2}$ ft. base
around post

79.85 The corr. to Secs. 1, 2, $11 \frac{1}{2}$
Land level mesa
Soil 1st rate
Centennial Sage and
greasewood brush

May 22th 1893

Subdivisions Tp. 9

Chains From the cor. to Secs.

2, 3, 34 + 35 on the S. Body
of the Tp. as herebefore ^{described}
I run

N^o 1' W. bet. Secs 34 & 35
Va 14° E

40.00 Set a post 3 ft. long 3
ins. square with marked
stone 12 ins. in the ground
for 1/4 Sec. cor. marked
1/4 on W. face, dug pits
15 x 18 x 12 ins. W. and S. of post
5 1/2 ft. dist. and raised a
mound of earth 1 1/2 ft
high 3 1/2 ft. base around post.

80.00 Set a post 4 ft. long 4 ins
square with marked stone
12 ins. in the ground for
cor. to Secs 26, 27, 34, 35. marked

South Range 12 West.

Chain T. 9 S. S 26. on N.E.

R 12 W. S 35. on S.E.

S 34. on S.W. End

S 27. on N.W. faces with 1

notch on ^E and 2 notches

on E ^{faces} edges dug pits 15x15x12
ins. in each Sec 5 1/2 ft. dist.

and raised a mound of
earth 2 ft. high 4 1/2 ft. base
around floor

Land level mesa

Soil, 2nd rate

Scattering Sage and greasewood
bush

East on a random line bet

Secs. 26 and 35

of 14° E.

Subdivisions Sp. 9

Chains

40.00 Set temporary 1/4 Sec. cor

79.80 Entered the U and S
line at 5 lks. N. of lev. to
Secs 25-26-35+36

Thence I run

N 59° 58' W. on a true line
bet. Secs 26 and 35

78 14° E

39.90 Set a post 3 ft. long 3
ins. square with marked
stone 12 ins. in the ground
for 1/4 Sec. cor. marked 1/4
N. on N face, dug pits 15x15
x 12 ins. E & W. of post 5 1/2 ft
dist and raised a mound
of earth 1/2 ft. high 3 1/2 ft.
base around post

79.80 The lev. to Secs 26-27-34+35

South Range 12 West.

Chain Land level mesa

Soil 1st rateScattering Sage and grasswood
bush

N0°1'W. bet. Secs. 26 & 27

T9A14E

40.00 Set a post 3 ft. long 3 ins
square with marked
stone 12 ins. in the ground
for 14 Sec. Cor. marked 1/4 S
on W. face, dug pits 18x18x12
ins. N and S of post 5 1/2 ft.
dist. and raised a mound
of earth 10 1/2 ft. high 3 1/2 ft. base
around post

80.00 Set a post 4 ft. long 4 ins
square with marked stone

Subdivisions Sp. 9

chains 12 ins. in the ground
for loc. to Sec 22. 23. 26 & 27
marked

T.P.S. 23. on N.E.

R. 2. W.P. 26 on S.E.

A 27. on O.W. end

A 22. on N.W. faces with
2 notches on S. end, ^{N.E. faces} E. edges

dug pits 18 x 18 x 12 ins
in each Sec 5 1/2 ft. dist.

and raised a mound
of earth 2 ft. high 4 1/2 ft.

base around post

Land level mesa

Soil 1st rate

Scattering greasewood
and Sage brush

South Range 12 West.

Chain 189° 58' E. on a random
line bet. Secs 23 and 26
98/14° E.

40.00 Set temporary 1/4 Sec. cor.
80.10 Intersect the N and S line at
cor. to Secs 23, 24, 25, 26
Thence Run

N 89° 58' W. on a true line
bet. Secs. 23 and 26
98/14° E

40.05 Set a post 3 ft. long 3 ins.
square with marked stone
knobs in the ground for 1/4
Sec. cor. marked 1/4 S. on N face
dug pits 18 x 18 x 12 ins. E & W
of post 5 1/2 ft. dist. and raised
a mound of earth 1 1/2 ft high
3 1/2 ft. base around post

80.10 The cor. to Secs 22, 23, 26 & 27

Subdivisions Tp. 9

Chains Land level mesa
Soil 1st/₂ rate
Scattering Sage and greasewood
Brush

N⁷⁰°1'W. bet. Secs. 22 + 23

of a 14°E.

- 40.00 Set a post 3 ft. long 3 ins
square with rounded stone
12 ins. in the ground for
1/4 Sec. cor. marked 1/4
on W. face, dug pits 18 x 18
x 12 ins. N and S. of post 5 1/2
ft. dist. and raised a
mound of each 1 1/2 ft.
high 3 1/2 ft. base around post
- 80.00 Set a post 4 ft. long 4 ins
square with marked

South Range 12 West.

Chert Stone 12 ins. in the ground
for loc. to Secs 14, 15, 22 & 23
marked

T 9 N. S. 14. on N.E.

R 12. W. S. 23. on N.E.

S 22. on SW Quad

S 15. on SW face with 3
notches on N.E. and 2 notches
on N.E. face
on edges dug pits 18 x 15
x 12 ins in each Sec 5 1/2 ft

dist. and raised a mound
of earth 2 ft. high 4 1/2 ft. base
around foot.

Sand level mesa

Pail 1/2 rate

Peatening Sage and greasewood
brush

26

BOOK 1215

Subdivisions P. 9

Chain S $89^{\circ} 58' E$ on a random
line bet. Secs. 14 and 23
of a $14^{\circ} E$.

40.00 Set temporary $1/4$ Sec. cor.

80.00 Intersect the N End S. line
at 52 1/4 S. of cor. to Secs
13-14-23 and 24.

Thence run
west on a true line bet
Secs 14 and 23
of a $14^{\circ} E$.

40.00 Set a post 3 ft. long 3
ins. square with marked
stone 12 ins. in the ground
for $1/4$ Sec. cor. marked $1/4$
S. on N face. dig pits 18x18
x 12 ins. E & W. of post $5 1/2$ ft
dist. and raised a mound
of earth $1 1/2$ ft. high $3 1/2$ ft. base

South Range 12 West.

Chain around post

80.00 The cor. to Secs. 14, 15, 22 and 23

Land level mesa

Soil 1st rate

Scattered Sage and
greasewood brush

N^o 1 W. bet. Secs 14 + 15

T^o 14^o E

40.00 Set a post 3 ft. long 3 in.
square with marked stone
12 ins. in the ground for 14
Sec. cor. marked 14 E. on W
face, dug pits 15 x 15 x 12 ins
W and E. of post 5 1/2 ft. dia.
and raised a mound of
earth 1 1/2 ft. high 3 1/2 ft. base
around post.

Subdivisions Ep. 9

Chains

80.00 Set a post 4 ft. long 4
ins. square with marked
stone 12 ins. in the ground
for corners Secs 10, 11, 14 + 15
marked

S 9. S 11. on N.E.

R 12. W 14. on S.E.

S 15. on S.W. Quad

S 10 on N.W. faces with
4 notches on ^N ^E and 2
notches on ^N ^E ^{faces} edges. deep
cuts 15 x 10 x 12 ins. in each
Sec 5 1/2 ft. dist. and raised
a mound of earth 2 ft.
high 4 1/2 ft. base around
post

Land level mesa

Soil 1st/₁₆ rate

No. 1215
South Range 12 West.

Chain Scattering Sage and
grasswood brush

East on a random line
bet. Secs. 11 and 14.
79° 14' E

40.00 Set temporary 1/4 Sec. cor.

80.20 Intersect the 1/4 Sec. line
at cor. to Secs 11, 12, 13 + 14

Thence Run

West on a true line bet
Secs 11 & 14

79° 14' E

40.10 Set a post 9 ft. long 3 ins
square with marked
stone 12 ins. in the ground
for 1/4 Sec. cor. marked 1/40
on N face, dug pits 18 x 18 x 12

Subdivisions T. 9

Chain E. and W. of post $5\frac{1}{2}$ ft
 dist. and raised a
 mound of earth $1\frac{1}{2}$ ft
 high $3\frac{1}{2}$ ft. base around
 post

65.20 Low Sand Ridge bet. N.E. 1st & W
 6. ch. wide

80.20 The cor. to Secs 10, 11, 14 & 15
 Sand level except one
 sand hill

Sail $1\frac{1}{4}$ rate
 Scattering Sage and
 greasewood brush

N 0° 1' W. bet. Secs. 10 & 11

Va 14 $^{\circ}$ E.

17.00 Top of low sand Ridge
 bet. E. & W. 5. ch. wide

South Range 12 West.

Chains

40.00 Set a post 3 ft. long 3 ins
square with marked stone
12 ins. in the ground for
1/4 Sec. Cor. marked 1/4 on
W. face, dug pits 15 x 15 x 12
ins. N. and S. of post 5 1/2 ft.
dist. and raised a mound
of earth 1 1/2 ft. high 3 1/2 ft. base
around post

80.00 Set a post 4 ft. long 4 ins.
square with marked stone
12 ins. in the ground for
Cor. to Secs. 2, 3, 10 & 11
marked

S 9. S. S 2. on N. E.

R 12 W S 11 on S. E.

S 10. on S. W. S. 1/2

S 3 on N. W. faces with 5

Subdivisions Tp. 7

Chains notches on $\frac{1}{2}$ and 2 notches
 on $\frac{1}{2}$ E. faces
 on $\frac{1}{2}$ E. edges. dug pits 18x18
 x 12 ins in each Sec 5 $\frac{1}{2}$
 ft. dia. and raised a
 mound of earth 2 ft. high
 4 $\frac{1}{2}$ ft. base around post
 Land level mesa
 Sand hill 5' dia
 Soil 1 $\frac{1}{2}$ rate
 Scattering Sage and
 grass-wood brush

East on a random line
 bet. Secs 2+11

$\frac{1}{2}$ A. 14° E

40.00 Set temporary 1/4 Sec. cor.
 80.10 Intersect the N. end S. line
 at 5 lks N. of cor. to Secs

South Range 12 West.

Chambers 1.2. 11 & 12

Thence I run

N 89° 58' W. on a true line

60. Secs 2 and 11

of 14° E.

40.05 Set a post 9 ft. long 3 ins
square with marked
stone 12 ins. in the ground
for 1/4 Sec. Cor. marked 1/4
On N face dig pits 15 x 15 x
12 ins E. & W. of post 5 1/2 ft.
dist. and raised a mound
of earth 1 1/2 ft. high 3 1/2 ft. base
around post

50.10 The cor. to Sec. 2, 9, 10 & 11

Land level mesu

Soil 1st rate

Scattering greasewood and
Sage brush

Subdivisions P. 9

Chain $N0^{\circ}1'W$ on a random line
bet. Secs 2 and 3

$78^{\circ}14'0''E$

40.00 Set temporary $1/4$ Sec. cor

79.75 Distanced the N. Bdy. of
the Tp. at 15 lns. W. of leg
to Secs 2, 3, 34 and 35 as here-
in before described
Thence I run

$S0^{\circ}5'W$ on a true line bet
Secs 2 and 3

$79^{\circ}14'0''E$

29.75 Long Sand Ridge bet. Secs 2 & 3
39.75 Set a post 9 ft. long 3 ins

square with marked
stone 12 ins. in the ground
for $1/4$ Sec. cor. marked $1/4$
on W face, dug pits $15 \times 15 \times$
12 ins. N and S of post $5\frac{1}{2}$ ft
dist. and raised a mound
of earth $11\frac{1}{2}$ ft high $5\frac{1}{2}$ ft.

South Range 12 West.

Chain base around foot
79.75 The low to Secs 2, 3, 10 & 11
Sand level except 6 chs
Sand Ridge
Soil 1st rate
Scattering Sage and
greasewood brush

I tested my solar by
the sun at noon. and
found the latitude to be
32° 40'

May 28th / 1893

Subdivisions P. 9

Chains From the cor. to Secs. 3. 4.
33 and 34 on the S. Bdy.
of the Tp. as heretofore described
Iron

No^o 2^o W. bet. Secs. 33 + 34

9a 14°E

34.00 Old Road bet. N.W. + S.E

39.40 Canal Stake no 2/2866 on line

40.00 Set a post 3 ft. long 3 ins
square with marked stone
12 ins. in the ground for $\frac{1}{4}$
Sec. cor. marked $\frac{1}{4}$ on W
face. dug pits 15 x 15 x 12 ins
N and S of post 5 $\frac{1}{2}$ ft. dist.
and raised a mound
of earth $1\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft.
base around post

80.00 Set a post 4 ft. long 4 ins
square with marked stone

South Range 12 West.

Chains 12 ins. in the ground for
Cor. to Secs 27, 28, 33, & 34

marked

T 9. S 27. on N. E.

R 12. W. S 34. on N. E.

S 33 on O. W. end

S 28. on N. W. faces with 1
notch on ^{N. E.} and 3 notches
on ^{N. E.} ^{faces} edges. dug pits 18
x 18 x 12 ins. in each Sec 5th
ft. dist. and raised a mound
of earth 2 ft. high 4 1/2 ft.
base around post

Land level mesa

Soil 1st rate

Scattering Sage and
greasewood brush

Subdivisions of 9.

Chains East on a random
line bet. Secs 27 + 34

79 14° E

40.00 Set temporary 114 Sec. Cor

79.90 Intersect the N and S line
at 5 lks. N. of cor. to Secs

26. 27. 34 + 35

Thence I run

N 89° 58' W. on a true line
bet. Secs 27 + 34

79 14° E

39.95 Set a post 3 ft. long 3 ins
square with marked
stone 12 ins. in the ground
for 114 Sec. Cor. marked
114 on N face dug pits
18 x 18 x 12 ins. E. or W. of post
5 1/2 ft. dist. and raised a
mound of earth 1 1/2 ft. high

South Range 12 West.

Chain 3 1/2 ft. base around post
79.90 The cor. to Secs 27, 28, 33, & 34

Land level mesa

Soil 1st rate

Scattering greasewood

and Sage brush

May 28th 1893.

No. 2' W. cor. Secs 27, 28

89 1/4° E

40.00 Set a post 3 ft. long 3 ins
square with marked stone
12 ins in the ground for 114
on W. face, dug pits 18 x 18 x
12. N. end of post 5 1/2 ft.

dist. and raised a mound
of earth 1 1/2 ft. high 3 1/2 ft. base
around post

80.00 Set a post 4 ft. long 4 ins. square

Subdivisions of 9.

Chains with marked stone 12 ins
in the ground for cor. to Secs
21, 22, 27, & 28

marked

T. 9. S. 22. on N. E.

R. 2. W. S. 27. on S. E.

S. 25. on O. W. end

S. 21 on N. W. face with
2 notches on ^{N. E.} and 3 notches
on ^{N. E.} faces
on ^{N. E.} edges. dug pits 18x18x
12 ins. in each Sec 5 1/2 ft.

dist. and raised a mound
of earth 2 ft. high 4 1/2 ft. base
around post

Land level mesa

Soil 1/2 rate

Scattering Sage and
greasewood brush

South Range 12 West.

chain S89°58'E. on a random
line bet. Secs 22 and 27

9a 14°E

40.00 Set temporary $\frac{1}{4}$ Sec. cor.

79.90 Intersect the N End l. line at
5 lps. N. of cor. to Secs. 22, 23,
26 and 27.

Thence run

N 89°56' W. on a true line
bet. Secs. 22 + 27

9a 14°E

39.95 Set a post 3 ft. long 3 ins
square with marked stone
12 ins. in the ground for $\frac{1}{4}$
Sec. cor. marked $\frac{1}{4}$ l. on N
face, dug pits 15 x 15 x 12 ins
E & W. of post 5 1/2 ft. dist. and
raised a mound of earth
1 1/2 ft. high 3 1/2 ft. base around ^{post}

Subdivisions P. 9.

Chain

79.90 The lev. to Secs 21, 22, 27, 28.

Land level mesa

Soil 10% rate

Scattering Sage and
grasswood brush

No. 2. W. bet. Secs 21 + 22

Va 14° E

40.00 Set a fork 3 ft. long 3 ins

square with marked
stone 12 ins. in the ground
for 1/4 Sec. cor. marked

1/4 on W. face, dug pits 18 x

18 x 12 ins N. End E. of from 5 1/2

ft. dist. and raised a mound
of earth 1 1/2 ft. high 3 1/2 ft.

base around fork.

South Range 12 Nest.

Chain

80.00 Set a post 4 ft. long 4
 ins. square with marked
 stone 12 ins. in the ground
 for loc. to locs 15, 16, 21 & 22
 marked

T 9 S 15. n. n. E.

R 12. W 22. n. E

S 21. n. SW end

O 16. on NW. faces with
 3 notches on ^E and ^W faces
 16. ~~edges~~

dig pits 15 x 15 x 12 ins.
 in each loc 5 1/2 ft. dia. and
 raised a mound of earth
 2 ft. high 4 1/2 ft. base around
 post

Land level mesa

Soil 1st rate

Scattering Sage + grasswood brush

Subdivisions P. 9

Chains $S 89^{\circ} 56' E$ on a random
line bet. Secs 15 and 22
Va $14^{\circ} E$.

40.00 Set temporary 114 Sec. cor.
79.80 Intersect the N and S. line
at 14 H. S. of cor. to Secs
 $14, 15, 22, 23$

Thence Run

$S 89^{\circ} 58' W$ on a true line
bet. Secs 15 and 22
Va $14^{\circ} E$

39.90 Set a post 3 ft. long 3 ins
square with marked
stone 12 ins. in the ground
for 114 Sec. cor. marked 114
P. on N. face. dug pits 15×15
 $\times 12$ ins. E & W. of post $5 \frac{1}{2}$ ft
dist. and raised a mound
of earth $1 \frac{1}{2}$ ft. high $3 \frac{1}{2}$ ft.

South Range 12 West.

chain base around foot

~~79.00 Road to W.W. & O.E.~~

79.50 The loc. to Secs. 15, 16, 21, 22

Land level

Soil 1st rate

Scattering Sage and greasewood brush

N^o 2 W. bal. Secs 15 + 16T₁₄ 14° E.

40.00 Set a post 3 ft. long 3 ins square with marked stone 12 ins in the ground for 1/4 Sec. corner marked 1/40. on W. face dug pits 18 x 18 x 12 ins N and S of post 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base

Subdivision of 9.

Chairs around foot

80.00 Lava foot 4 ft. long 4
ins. square with marked
stone 12 ins. in the ground
for line to Sec 9. 10 15+16
marked

S 9. S 10. on N.E.

R 12. W 15. on S.E.

S 16. on NW Quad

S 9. on N.W. faces with 4
notches on ⁸ and 3 notches
on ⁹ faces
on ⁸ edges dug pits 18x18
x 12 ins. in each Sec 5 ft.
died. and raised a mound
of earth 2 ft. high 4 1/2 ft. base
around foot

Land level meso

Soil 10% rate

Scattering greasewood sage brush

South Range 12 West.

Chain N 89° 58' E on a random
line bet. Secs. 10 & 15

Va 14° E.

40.00 Set temporary 114 Sec. cor.

79.90 Intersect the N and S. line at
5 lks. N. of cor. to Secs. 10, 11, 14 & 15

Thence run

West on a true line bet
Secs. 10 and 15

Va 14° E.

39.95 Set a post 3 ft. long 3 ins.
square with marked
stone 12 ins. in the ground
for 114 Sec. cor. marked 114 S
on N face, dug pits 18x18x12
ins E & W. of post 5 1/2 ft. dist.
and raised a mound of
earth 1 1/2 ft. high 3 1/2 ft. base
around post

Subdivisions Sp. 9.

Chains

79.90 The len. to Secs 9, 10, 15+16

Sand level mesa

Soil 1st rateScattering Sage and greasewood
bush

No° 2' W. bet Secs. 9+10

Va 14° E

40.00 Set a post 3 ft. long 3 ins
square with marked
stone 12 ins. in the ground
for 114 Sec. cor. marked
114 D. on W. face, dug pits
18x18x12 ins. N and S of
post 5 1/2 ft. dist. and raised
a mound of each 1 1/2 ft.
high 3 1/2 ft. base around post

South Range 12 West.

Chamie

80.00 Set a post 4 ft. long 4 in
square with marked stone
12 ins. in the ground for low
to Sec 3, 4, 9, 10 marked
T. 9. S. 3. on N. E.
R 12 W. S. 10. on O. E.
S 9. on SW Quad
S 4. on NW face with 5
notches on ^E and 3 notches
on ^E faces
on ^E edges, dug pits 18 x 18 x
12 ins. in each Sec 5 1/2 ft. dish
and raised a mound of
earth 2 ft. high 4 1/2 ft. base
around post

Land level mesa

Soil 1st rate

Scattering Sage and
greasewood brush

Subdivisions No. 9

Chains East on a random line
bet. Secs 3 and 10

$\theta a 14^{\circ} E$

40.00 Set temporary $1/4$ Sec cor

79.90 Intersect the N and S line
at 10 chs. S of cor. to Secs
2, 3, 10 + 11

Thence I run

$D 57^{\circ} 56' W$ on a true line
bet. Secs 3 and 10

$\theta a 14^{\circ} E$

16.00 Top of low Sand Ridge
bet. Easterly and Westerly
about 10 chs. wide

39.95 Set a post 3 ft. long in
square with marked stone
12 ins. in the ground for $1/4$
Sec cor marked $1/4 S$ on N face
aug pits $18 \times 18 \times 12$ ins. E-W

South Range 12 West.

Chain of post $5\frac{1}{2}$ ft. dist. and
 raised a mound of each $1\frac{1}{2}$
 ft high $3\frac{1}{2}$ ft base around from
 79.90 The lev. to Seco 3, 4, 9 & 10

Land level mesu
 except one sand hill

Soil 1st rate

Scattering grasswood and
 Sagebrush

No 2 W. on a random line
 bet. Sec. 3 and 4

Va 14° E.

40.00 Set temporary 1/4 Sec. cor.

80.10 Intersect the N. Body of the
 Tr. at 12.00 W. of lev. to Secs
 3, 4, 9, 10 and 34 as heretofore
 described
 Thence S. 1/4

Subdivisions Twp. 9

Chain $50^{\circ} 3' W.$ on a true line
bet. Secs 3 and 4

$7a 14^{\circ} E$

~~40.~~¹⁰ Set a post 3 ft. long 3 ins
square with marked stone
12 ins. in the ground for $1/4$
Sec. cor. marked $1/4$ on W
face, dug pits $15 \times 15 \times 12$ ins
N and S of post $5 \frac{1}{2}$ ft. dist
and raised a mound of
earth $1 \frac{1}{2}$ ft. high $3 \frac{1}{2}$ ft. base
around post

~~80.~~¹⁰ The lev. to Secs 3, 4, 9 + 10
Land level mesa

Soil $1 \frac{1}{4}$ rate

Scattering Sage and
greasewood brush

South Range 12 West.

Chains From the lev. to Secs 4, 5-
32 and 33 on the S. Bay of
the Tr. as heretofore described
Inm.

No. 2 W. bet. Secs 32 and 33

Ta. 14° E.

40.00 Set a post 3 ft. long 3 ins
square with marked
stone 12 ins. in the ground
for 1/4 Sec. ev. marked 1/4
on W. face, dug pits 18 x 18 x
12 ins. N. end of post 5 1/2
ft. dist. and raised a mound
of earth 1 1/2 ft. high 3 1/2 ft. base
around post

80.00 Set a post 4 ft. long 4 ins
square with marked
stone 12 ins. in the ground
for lev. to Secs 28, 29, 32 & 33, marked

Subdivisions of 9.

Chains

T 9. S. S 28. on N. E.

R 12 W. S 33. on O. E.

S 32 on SW and

S 29. on NW. faces with
 1 notch on ^{N. E.} and 4 notches
 on ^{N. E.} ^{faces} edges. dug pits 18x18
 x 12 ins. in each Sec 5 1/2 ft
 dist. and raised a mound
 of earth 2 ft. high 4 1/2 ft.
 base around first

Land level mesa

Soil 1st. rate

Scattering Sage and
 greasewood brush

I tested my solar by the Sun
 at noon and find the
 latitude to be. 32° 36'
 June - 2 11893

South Range 12 West.

Chains

East on a random line
bet. Secs. 28 + 33

$\text{Va } 14^{\circ}\text{E.}$

40.00 Set temporary 1/4 Sec. cor

80.00 Intersect the N and S. line
at 10 eks. N. of cor. to Secs
27, 28, 33 and 34

Thence from

$\text{N } 89^{\circ} 56' \text{ W. on a true line}$
bet. Secs. 28 + 33

$\text{Va } 14^{\circ}\text{E.}$

11.20 Road bet N. P

40.00 Set a post 3 ft. long 3 ins.
square with marked
stone 12 ins. in the ground
for 1/4 Sec. cor. marked 1/4 S
on N face dug pits 18 x 18 x 12
ins E. and W. of post 5 1/2 ft. dist.

56

Subdivisions P. 9

Chains

and raised a mound
of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft.
base around post

80.00 The lev. to Secs 28, 29, 32, 33

Land level mesa

Soil $1\frac{1}{2}$ rate

Scattering greasewood
and Sage Bush

N^o 2 W. cor Sec. 28 + 29

Q 14° E

40.00 Set a post 3 ft. long 3 ins
square with marked
stone 12 ins. in the ground
for N 4 Sec cor. marked 140
on W. face, dug pits 18x18x
12 ins N and S of post $5\frac{1}{2}$ ft

South Range 12 West.

chain dist and raised a mound of earth
 $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft.
 base around post

64.00 Road bro N.W. 1 S.E.

80.00 Set a post 4 ft. long 4 in
 square with marked stone
 12 in in the ground for loc
 to Secs 20. 21. 28, 29

marked

T 9. S S 21. on N.E.

R 12 W S 25. on S.E.

S 29. on SW Quad

A 20. on NW. faces with 2
 notches on ^{N.E.} and 4 notches
 on ^{W.} faces
 on E. edges. dug pits $15 \times 15 \times$
 12 in. in each sec $5\frac{1}{2}$ ft dist.
 and raised a mound of
 earth 2 ft. high $4\frac{1}{2}$ ft base
 around post

Land level mesa

Subdivisions of 9.

Chains

Soil 1st rateScattering Sage and
greasewood brushJune 2nd 1893.S87°56'E on a random
line bet. Secs 21 + 28

Ga 14°E

40.00 Set temporary 1/4 Sec. cor

80.10 Intersect the Rand. S. line
at 5 lks. S. orth of bear to
Secs 21. 22. 27 + 28

Thence down

N89°58'W. on a true line
bet. Secs 21 + 28

Va 14°E

40.05 Set a post 3 ft. long 3
ins. square with marked
stone 12 ins. in the ground

South Range 12 West.

chain for 1/4 Sec. cor. marked 114
 on N. face aug pits 18 x 18
 x 12 ins. E & W. of post 5 1/2 ft
 dist. and raised a
 mound of earth 1 1/2 ft.
 high 3 1/2 ft. base around post
 80.10 The cor. to Secs. 20, 21, 28, 29

Land lev. mesa

Soil 10% rate

Scattering greasewood
 and Sage

N 2° W. bet. Secs. 20 & 21

N 14° E

4000 Set a post 3 ft. long 3
 ins. square with rounded
 stone 12 ins. in the ground
 for 1/4 Sec. cor. marked 114

Subdivisions Pp. 9.

Chains P on W. face, dug pits
 15x15x12 ins in N end
 of post 5 $\frac{1}{2}$ ft. dist. and
 raised a mound of
 earth 1 $\frac{1}{2}$ ft. high 5 $\frac{1}{2}$ ft.
 base around post

80.00 Set a post 4 ft. long
 4 ins square with marked
 stone 12 ins. in the ground
 for loc. to Secs 16 17, 2012
 marked

P 9 D. S 16 on N.E

R 12 W S 21. on S.E

P 20 on S.W end

P 17 on N.W. faces with
 3 notches on S and 4
 notches on ^N E faces dug
 pits 15x15x12 ins in
 each Sec 5 $\frac{1}{2}$ ft. dist. and

South Range 12 West.

chain raised a mound of earth
2 ft high 4 1/2 ft base around
post

Land level mesa

Soil 1st rate

Scattering sage and
greasewood brush

S89°58' E on a random
line bet. Secs 16 and 21

On 14° E

40.00 Set temporary 1/4 Sec. cor

50.00 Intersect the N. end line
at 5 lks S of cor to Secs
15, 16, 21 & 22

Thence run

West on a true line bet Secs
16 and 21

62

Sub. Tp. 9 S. R. 12 W.

Chain

7/14 E

40.05 Set a post 3 ft. long 3
 ins. square with marked
 stone 12 ins. in the ground
 for 1/4 Sec. cor. marked
 1/4 on N face dug pits
 18 x 18 x 12 ins. E. W. of
 post 5 1/2 ft. dist. and
 raised a mound of
 earth 1 1/2 ft. high 5 1/2 ft.
 base around post

80.10 The Cor. to Secs. 16. 17. 21 + 21

Land level mesa

Soil 1st rate

Scattering greasewood
 and Sage Bush

Concluded, Book 1208.