

2

BOOK 1217

Recd. April 10 1892.  
Comptrolr.

Platted - x d

To Gen. L. O. May 27, 1892

1217

Survey approved

August 31, 1892

4-671

No. 1217

No. 1217

FIELD NOTES

GENERAL LAND OFFICE

BOOK 1217

Subdivisions  
T6 S. R5 W.

By Daniel Drummond U.S. D.S.

UNDER CONTRACT N<sup>o</sup> 10.

Dated June 13, 1891.

Sur Tp. Commenced Oct. 22/91

Sur Tp. Completed Oct. 30/91

## BOOK 1217

(4-674.)

Township *6<sup>th</sup>* R. *5<sup>th</sup>*

6	103	5	81	4	64	3	2	1
102		100		80		62		
7	99	8	78	9		10	11	12
98		96		77				
18	95	17	76	16		15	14	13
94		93		74				
19	91	20	73	21		22	23	24
90		89		72				
30	88	29	70	28		27	26	25
86		85		68				
31	84	32	66	33		34	35	36

Subdivision T. 6 S. R. 5 W. Cont<sup>d</sup>  
 Chas. W.

N.  $89^{\circ}41'E$ . on a random line bet  
 Secs 3 & 10.

Var.  $13^{\circ}4'E$ .

Across level country

40.00 Set temp  $\frac{1}{4}$  Sec Cor.

80.04 Intersect N & S line 3 lks S of the  
 cor. to Secs 2-3-10 & 11

Thence S run

S.  $89^{\circ}40'W$ . on a true line bet  
 Secs 3 & 10

Var.  $13^{\circ}4'E$ .

5.60 Wash 20 lks wide course NW.

40.02. Set a post 4 ft long 4 in square  
 with marked stone 12 in in  
 the ground for  $\frac{1}{4}$  Sec Cor. marked  
 $\frac{1}{4}$  S. on N. face, dug pits 18x18x12  
 in E & W. of post  $5\frac{1}{2}$  ft dia  
 and raised a mound of earth  
 $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around post.

No. 1217

63.

BOOK 1217

Subdivision T. 6 S. R. 5 W. - Cont<sup>d</sup>

Chambers

80.04 The cor. to Secs 3. 4. 9. & 10

Land level.

Soil, sandy loam 1<sup>st</sup> rate

Timber, Palo verde and  
mesquite brush.



Subdivision T. 6 S. R. 5 W. Cont'd

N.  $0^{\circ}2'$  W. bet Secs 3 & 4.

Var.  $13^{\circ}4'$  E.

Over level ground.

- 40.00 Set a post 4 ft long 4 ins square with marked stone 12 ins in the ground per  $\frac{1}{4}$  Sec. lev. marked  $\frac{1}{4}$  S. on W. face, dug pits 18 X 18 X 12 ins. N & S of post  $5\frac{1}{2}$  ft dist and raised a mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around post.
- 54.00 Southern Pacific R.R. corner NE & SW.
- 61.90. Major road from Gila Bend to Yuma corner NE & SW.
- 80.28. Intersect N. bdy of Tp and 1<sup>st</sup> Standard Parallel South at a point N.  $89^{\circ}42'$  E. 10.45 chs from the Stand. Cor. to Secs 33 & 34 T. 5 S. R. 5 W. where I set a post 4 ft long 4 ins square with

Subdivisions T. 6 S. R. 5 W. Cont<sup>d</sup>  
 chains

marked stone 12 ins. in the ground  
 for closing Cor to Secs 3 & 4

marked C. C. T. 6 S. R. 5 W. on S.

S 3 on E

and S 4 on W

faces with 3 notches on E and

W faces, dug pits 18 x 18 x 12 ins

S, E & W of post 5 1/2 ft dia

and raised a mound of earth

2 ft high 4 1/2 ft base around post.

Land, level

Soil, sandy loam 1<sup>st</sup> rate

Timber, none.

Subdivision T. 6 S. R. 5 W. - Cont<sup>d</sup>  
 Chain.

From the cor to Secs 4, 5, 32 & 33  
 on S. bd'y. of Tp previously established  
 and hereinbefore described by me  
 J. W. W.

N.  $0^{\circ} 2' W.$  bet Secs 32 & 33.

Var  $13^{\circ} 4' E.$

Over level ground.

40.00 Set a granite stone  $16 \times 12 \times 6$  ins  
 11 ins. in the ground for  $\frac{1}{4}$  Sec  
 Cor. marked  $\frac{1}{4}$  on W. face, dug  
 pits  $18 \times 18 \times 12$  ins N & S. of stone  
 $5\frac{1}{2}$  ft diam. and raised a mound  
 of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base  
 along side.

80.00 Set a granite stone  $18 \times 10 \times 8$  ins  
 12 ins. in the ground for Cor.  
 to Secs 28, 29, 32 & 33 marked  
 with 1 notch on S. and 4 notches  
 on E. edges, dug pits  $18 \times 18 \times 12$

Subdivision T. 6 S. R. 5 W. - Cont'd

Chems

nis. in each sec  $5\frac{1}{2}$  ft dist  
and raised a mound of earth  
2 ft high  $4\frac{1}{2}$  ft base along side  
Land level

Soil sandy loam, 1<sup>st</sup> rate  
Timber, none.



Subdivision T. 6 S. - R. 5 W. - Cont'd

Chains.

N.  $89^{\circ}41'E$  on a random line bet  
Secs 28 & 33

Var.  $13^{\circ}4'E$ .

Across level mesa.

40.00 Set temp  $\frac{1}{4}$  Sec Cor.

79.90 Intersect N & S line  $\frac{7}{8}$  lks S of  
the cor to Secs 27, 28, 33 & 34

Thence S run

S.  $89^{\circ}38'W$ . on a true line  
bet Secs 28 & 33

Var.  $13^{\circ}4'E$

29.60 Wagon road from Gila Bend to  
Emergent mine course NE & SW.

39.95 Set a post 4 ft long 4 ins square  
with marked stone 12 ins in  
the ground for  $\frac{1}{4}$  Sec Cor. marked  
 $\frac{1}{4}$  S. on N. face, dug pits 18 X 18  
X 12 ins E & W. of post  $5\frac{1}{2}$  ft  
dist and raised a mound

Subdivision T. 6 S. - R. 5 W. - East <sup>of</sup>  
Chasie

of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base  
 around post:

79.90 The cor. to Secs 28-29, 32 & 33.

Land level

Soil, sandy loam 1<sup>st</sup> rate

Timber, none.

Subdivision T. 6 S. R. 5 W. - Cont'd  
Chairs.

N.  $0^{\circ} 2'$  W. bet Secs 28 & 29.

Var  $13^{\circ} 4'$  E.

Over even ground.

40.00 Set a granite stone  $20 \times 8 \times 5$  ins  
15 ins in the ground for  $\frac{1}{4}$  Sec. cor.,  
marked  $\frac{1}{4}$  on W. face, dug pits  
 $18 \times 18 \times 12$  ins N & S. of stone  
 $5\frac{1}{2}$  ft dist and raised a mound  
of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base  
along side.

80.00 Set a post 4 ft long 4 ins square  
with marked stone 12 ins  
in the ground for cor. to Secs  
20-21-28 & 29 marked  
T. 6 S. S. 21 on NE  
R. 5 W. S. 28 on SE.  
S. 29 on SW and  
S. 20 on NW. faces  
with 2 notches on S and

Subdivision T6 S. R5 W. Cont'd

Chains

4 notches on E edges, dry pits  
18x18x12 in in each sec.

5½ ft dist and raised a  
mound of earth 2 ft high  
4½ ft base around post  
Land level

Soil, sandy loam 1<sup>st</sup> rate  
Timber, none.



## Subdivision T6 S. R5 W. Cont'd

Chains

N.  $89^{\circ}38' E$ . on a random line bet  
Secs 21 & 28  
Var.  $13^{\circ}4' E$

Across level mesa

40.00 Set temp  $\frac{1}{4}$  Sec Cor.

79.92 Intersect N & S. line 10 Wks  
N. of the Cor. to Secs 21, 22, 27 & 28  
Thence I run

S  $89^{\circ}42' W$ . on a true line  
bet Secs 21 & 28  
Var  $13^{\circ}4' E$ .

8.20 Wash 40 Wks wide, course NW.

39.96 Set a post 4 ft long 4 ins square  
with marked at one 12 ins in  
the ground for  $\frac{1}{4}$  Sec Cor. marked  
 $\frac{1}{4}$  S on N. face, dug pits  $18 \times$   
 $18 \times 12$  ins E & W. of post  
 $5\frac{1}{2}$  ft dist and raised a  
mound of earth  $1\frac{1}{2}$  ft high

Subdivision T6 S. R5 W. - Cont'd  
 Chair

3½ ft base around post.

79.92 The cor to Secs 20, 21, 28 & 29

Land level

Soil, sandy loam 1<sup>st</sup> rate

Timber, none.

Oct. 27<sup>th</sup> 1891

N. 0° 2' W. bet Secs 20 & 21

Var 13° 4' E.

Over level ground.

40.00 Set a granite stone 20 x 8 x 6 ins

15 ins. into ground for ¼ sec

Cor. marked ¼ on W. face, dug

pit 18 x 18 x 12 ins N. E. of stone

5½ ft dia and raised a mound

of earth 1½ ft high 3½ ft base

alongside

80.00 Set a post 4 ft long 4 ins square

with marked stone 12 ins in

## Subdivisions T. 6 S. R. 5 W. Cont'd

Chains

the ground for Cor to Secs 16-17  
20 & 21. marked

T. 6 S. S. 16 on NE

R. 5 W. S. 21 on SE

S. 20 on SW and

S. 17 on NW faces,

with 3 notches on S and 4 notches  
on E edges, dug pits 18 x 18 x 12  
ins. in each sec. 5 1/2 ft dist. and  
raised a mound of earth 2 ft high  
4 1/2 ft base around post.

Land level

Soil, sandy loam, 1<sup>st</sup> rate

No timber.

---

N 89° 42' E on a random line bet

Secs 16 & 21

Var 13° 4' E

Across mesa.



Subdivision J. C. R. S. W. Cont<sup>d</sup>

Chain

- 40.00 Set temp  $\frac{1}{4}$  Sec Cor  
 79.96 Intersect N & S line at cor to Secs  
 15.16.21 & 22

Thence S run

S  $89^{\circ}42'$  W. on a true line bet  
 Secs 16 & 21

Var  $13^{\circ}4'$  E

- 2.20 Wash 20 lbs wide, course Northw. by.  
 39.98 Set a granite stone 18 x 8 x 5 ins  
 12 ins in the ground for  $\frac{1}{4}$  Sec  
 Cor. marked  $\frac{1}{4}$  on N. face,  
 dug pits 18 x 18 x 12 ins E & W. of  
 stone  $5\frac{1}{2}$  ft. dist. and raised  
 a mound of earth  $1\frac{1}{2}$  ft high  
 $3\frac{1}{2}$  ft base along side.  
 79.96 The Cor to Secs 16.17.20 & 21  
 Land level  
 Soil sandy loam 1<sup>st</sup> rate  
 No timber.



Subdivisions T. 6 S. R. 5 W. Cont<sup>d</sup>  
 Chains

N.  $0^{\circ}2'$  W bet Secs 16 & 17

Var  $13^{\circ}4'$  E.

Along level ground

40.00 Set a post 4 ft long 4 ins square  
 with marked stone 12 ins in the  
 ground for  $\frac{1}{4}$  Sec Cor. marked  
 $\frac{1}{4}$  S. on W. face; dug pits 18 x 18  
 x 12 ins N & S of post  $5\frac{1}{2}$  ft  
 dist. and raised a mound  
 of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base  
 around post.

80.00 Set a post 4 ft long 4 ins square  
 with marked stone 12 ins in  
 the ground for Cor to Secs  
 8, 9, 16 & 17 marked

T. 6 S. S. 9 on NE

R. 5 W. S. 16 on SE

S. 17 on SW and

S. 8 on NW. faces

Subdivisions T. 6 S. R. 5 W. Cont<sup>d</sup>  
 Charms

with 4 notches on S and 4 notches  
 on E edges, dug pits 18x18x12 ins  
 in each Sec 5 1/2 ft dist and  
 raised a mound of earth  
 2 ft high 4 1/2 ft base around  
 post.

Land level

Soil, sandy loam, 1<sup>st</sup> rate

Timber, none.

N. 89° 42' E on a random line bet  
 Secs 9 & 16

Bar 13° 4' E

Across level country.

40.00 Set temp 1/4 Sec Cor.

80.00 Intersect N & S line 3 lks S. of  
 the Cor to Secs 9, 10, 15 & 16.

Thence I run

S 89° 41' W on a true line

Subdivision T. 6 S. R. 5 W. - Cont<sup>d</sup>

Chains

bet Secs 9 & 16

Var.  $13^{\circ} 4' E$ .

12.80 Wash 80.00 wide corner North by

40.00 Set a granite stone  $17 \times 8 \times 4$  ins  
11 ins in the ground for  $\frac{1}{4}$  in  
lev. marked  $\frac{1}{4}$  on N. face, dug  
pits  $18 \times 18 \times 12$  ins E & W. of  
stone  $5\frac{1}{2}$  ft dist and raised  
a mound of earth  $1\frac{1}{2}$  ft high  
 $3\frac{1}{2}$  ft base alongside.

80.00 The cor to Secs 8, 9, 16, & 17

Land level

Soil, sandy loam 1<sup>st</sup> rate  
Timber none.

$N 0^{\circ} 2' W$ . bet Secs 8 & 9

Var  $13^{\circ} 4' E$ .

Over even ground.

40.00 Set a sandstone  $18 \times 10 \times 3$  ins



Subdivisions T. 6 S. R. 5 W. Cont<sup>d</sup>  
 Chas

12 ins in the ground for  $\frac{1}{4}$  Sec 6  
 marked  $\frac{1}{4}$  on W. face dug pits  
 18 x 18 x 12 ins N & S of post  $5\frac{1}{2}$  ft  
 dist and raised a mound of  
 earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base  
 along side.

80.00 Set a post 4 ft long 4 ins square  
 with marked stone 12 ins in  
 the ground for cor to Sec 4.  
 5, 8, & 9 marked

T. 6 S. S. 4 on NE.

R. 5 W. S. 9 on SE

S. 8 on SW and

S. 5 on NW faces

with 5 notches on S and 4 notches<sup>on</sup>  
 E. edges. dug pits 18 x 18  
 x 12 ins in each Sec  $5\frac{1}{2}$  ft  
 dist. and raised a mound  
 of earth 2 ft high  $4\frac{1}{2}$  ft base



Subdivision T. 6 S. R. 5 W. - Cont<sup>d</sup>  
 Chorio

around post.

Land level

Soil sandy loam, 1<sup>st</sup> rate

Timber, none.

N.  $89^{\circ}41'E$  on a random line bet  
 Secs 4 & 9

Var.  $13^{\circ}4'E$

40.00 Set temp  $\frac{1}{4}$  sec cor.

80.02 Intersect N & S line 5 lks N.  
 of the cor. to Secs 3, 4, 9 & 10

Thence I run

S  $89^{\circ}43'W$ . on a true line bet  
 Secs 4 & 9

Var  $13^{\circ}4'E$ .

23.10 Wash 30 lks wide course Northwly.

40.01 Set a post 4 ft long 4 ins square  
 with marked stone 12 ins in  
 the ground for  $\frac{1}{4}$  sec cor. marked

Subdivision T. 6 R. 5 W. - Cont<sup>d</sup>

Chains

$\frac{1}{4}$  S on N. face, dug pits 18x18x12  
 in E & W of post 5 $\frac{1}{2}$  ft dist  
 and raised a mound of earth  
 1 $\frac{1}{2}$  ft high 3 $\frac{1}{2}$  ft low around  
 post.

80.02 The cor to Secs 4, 5, 8 & 9.

Land level

Soil, sandy loam <sup>1st</sup> rate

Timber none.

N. 0° 2' W. bet Secs 4 & 5

Var. 13° 4' E.

Across level mesa.

38.07 Southern Pacific Railroad course

NE & SW.

40.00 Set a post 4 ft long 4 in square  
 with marked stone 12 in in  
 the ground for  $\frac{1}{4}$  Sec cor marked  
 $\frac{1}{4}$  S on W. face, dug pits 18x18

BOOK 1217

Subdivisions T. 6 S. R. 5 W. - Cont<sup>d</sup>  
chains

x 12 ins N. & S of post 5 1/2 ft dist  
and raised a mound of  
earth 1 1/2 ft high 3 1/2 ft base  
around post.

52. 82 Wagon road from Cila Bend  
to Yuma course N 6 1/2 S W.

80. 22 Intersect N. bdy. of T<sub>6</sub> and  
First Standard Parallel South  
at a point 10.76 chs N 89° 42' E  
from the Stand Cor to Secs 3 2 & 33  
T. 5 S. R. 5 W. where I set a post  
4 ft long 4 ins square with  
marked stone 12 ins in the ground  
for closing Cor. to Secs 4 & 5  
marked C.C. T. 6 S. R. 5 W. on S.

S. 4 on E and  
S 5 on W. faces  
with 4 notches on E and 2  
notches on W. faces, dug pits

Subdivision T. 6 S. R. 5 W. - Cont<sup>d</sup>

Chain

18 X 18 X 12 vis. S., E., & W. of  
post 5 1/2 ft dist and raised a  
mound of earth 2 ft high 4 1/2 ft  
base around post.

Land level

Soil, sandy loam 1<sup>st</sup> rate

Timber none

October 28<sup>th</sup> 1891.



Subdivisions T. 6 S. R. 5 W. Cont<sup>d</sup>  
 Chains

From the cor to Secs 5-6-31 & 32  
 on the S. bd'g of the Tp as recently  
 established by me and heretofore  
 described

I run

N<sup>o</sup> 3' W. bet Secs 31 & 32.

Var. 13° 4' E.

Over level ground.

- 40.00 Set a post 4 ft long 4 ins square  
 with marked stone 12 ins in the  
 ground for  $\frac{1}{4}$  Sec cor. marked  $\frac{1}{4}$  Sec  
 W. face, dug pits 18 x 18 x 12 ins N & S  
 of post 5  $\frac{1}{2}$  ft dia and raised a  
 mound of earth 1  $\frac{1}{2}$  ft high 3  $\frac{1}{2}$  ft  
 base around post
- 80.00 Set a granite stone 20 x 12 x 10 ins  
 15 ins in the ground for cor to  
 Secs 29-30-31 & 32 marked with  
 1 notch on S and 5 notches on

Subdivision T. 6 S. R. 5 W. - Cont<sup>d</sup>  
 Chemo

E edges, dug pits 18X18X12 ins in each Sec. 5 1/2 ft dist. and raised a mound of earth 2 ft high 4 1/2 ft base alongside.

Land level

Soil, sandy loam, 1<sup>st</sup> rate

No timber

N. 89° 41' E on a random line bet  
 Secs 29 & 32

Var 13° 4' E.

Across mesa land.

40.00 Lit temp 1/4 Sec lev.

30.06 Intersect N & S line 5 lks S. of the  
 cor to Secs 28, 29, 32 & 33

Thence I run

S. 89° 39' W. on a true line bet  
 Secs 29 & 32

Var. 13° 4' E.

Subdivisions T. 6 S. R. 5 W. - Cont<sup>d</sup>

Chorus

40-03 Set a granite stone  $18 \times 9 \times 4$  ins  $12$  ins  
in the ground for  $\frac{1}{4}$  Sec cor marked  
 $\frac{1}{4}$  on N. face, dug pits  $18 \times 18 \times 12$  ins  
E & W. of stone  $5 \frac{1}{2}$  ft dist and  
raised a mound of earth  $1 \frac{1}{2}$  ft high  
 $3 \frac{1}{2}$  ft base along side.

80-06 The cor to Secs 29. 30. 31 & 32  
Land level.

Soil, sandy loam 1<sup>st</sup> rate,  
Timber none.

S  $89^{\circ} 41'$  W. on a random line bet  
Secs 30 & 31  
Var.  $13^{\circ} 4'$  E.

Across level land

40.00 Set temp  $\frac{1}{4}$  Sec cor.

80.10 Intersect W. bdy' of T<sub>2</sub> 10 W. N. of  
the cor to Secs 25. 30. 31 & 36. previously  
established and heretofore described

Subdivision T. 6 S. R. 5 W. - Cont<sup>d</sup>

Chains

by me.

Thence I run

N.  $89^{\circ}37'E$  on a true line bet  
Secs 30 & 31

Var.  $13^{\circ}4'E$ .

40.10 Set a granite stone  $16 \times 9 \times 5$  ins  
10 ins in the ground for  $\frac{1}{4}$  Sec cor  
marked  $\frac{1}{4}$  on N. face, dig pits  $18$   
 $\times 18 \times 12$  ins E & W. of stone  $5\frac{1}{2}$  ft  
dirt and raised a mound  
of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base  
alongside.

80.10 The cor to secs 29. 30. 31 & 32  
Land level  
Soil, sandy loam, 1<sup>st</sup> rate  
Timber, none.



## Subdivision T. 6 S. R. 5 W. Continued

Chains

N.  $0^{\circ}3'$  W. bet Secs 29 & 30.Var.  $13^{\circ}4'$  E.

Over even ground.

- 40.00 Set a post 4 ft long 4 in square with marked stone 12 in in the ground for  $\frac{1}{4}$  Sec Cor. marked  $\frac{1}{4}$  S. on W. face, dug pits  $18 \times 18 \times 12$  in N & S of post  $5\frac{1}{2}$  ft dist and raised a mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around post.
- 80.00 Set a granite stone  $16 \times 8 \times 5$  in 10 in in the ground for cor to Secs 19. 20. 29 & 30. marked with 2 notches on S and 5 notches on E edges, dug pits  $18 \times 18 \times 12$  in in each Sec  $5\frac{1}{2}$  ft dist and raised a mound of earth 2 ft high  $4\frac{1}{2}$  ft base along side.
- Land level.

Subdivision T. 6 S. R. 5 W. Cont<sup>d</sup>

Chains

Soil sandy loam 1<sup>st</sup> rate  
No timber

N.  $89^{\circ}37'E$ . on a random line bet  
Secs 20 & 29.

Var.  $13^{\circ}4'E$ .

Across level mesa

40.00 Set temp  $\frac{1}{4}$  Sec bar.

80.04 Intersect N. and S. line  
7 lks N. of the cor to Secs 20, 21, 28  
& 29.

Thence S. run

S.  $89^{\circ}40'W$ . on a true line bet  
Secs 20 & 29

Var  $13^{\circ}4'E$ .

40.02 Set a porphyry stone  $18 \times 10 \times 4$  ins  
12 ins. in the ground for  $\frac{1}{4}$  Sec  
Cor. marked  $\frac{1}{4}$  on N. face dug  
pits  $18 \times 18 \times 12$  ins E & W. of stone

## Subdivision T. 6 S. R. 5 W. - Continued

Chain

5½ ft dist. and raised a mound  
of earth 1½ ft high 3½ ft base along side

80.04 The cor to Secs 19. 20. 29 & 30

Land level

Soil sandy loam, 1<sup>st</sup> rate

No timber.

S. 89° 37' W. on a random line bet

Secs 19 & 30

Var. 13° 4' E.

Over level land.

40.00 Set temp ¼ Sec cor

80.04 Intersect the W. bd'y. of the Tp. 10 ths  
S. of the cor to Secs 19. 24. 25 & 30

previously established and heretofore  
described by me

Thence I run

N. 89° 41' E. on a true line bet Secs  
19 & 30.



## Subdivisions T. 6 S. R. 5 W. Continued

Chains

Var.  $13^{\circ}4'E$ .

40.04 Set a porphyry stone  $16 \times 9 \times 4$  ins  
 11 ins in the ground for  $\frac{1}{4}$  Sec Cor  
 marked  $\frac{1}{4}$  on N. face, dug pits  
 $18 \times 18 \times 12$  ins E & W. of stone  $5\frac{1}{2}$  ft  
 dist and raised a mound of  
 earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base along side.

80.04 The cor to Secs 19. 20. 29 & 30  
 Land level

Soil, sandy loam, 1<sup>st</sup> rate  
 Timber none.

$N. 0^{\circ}3'W.$  bet Secs 19 & 20

Var.  $13^{\circ}4'E$ .

Over level ground.

40.00 Set a granite stone  $24 \times 12 \times 8$   
 ins. 16 ins in the ground for  $\frac{1}{4}$   
 Sec Cor. marked  $\frac{1}{4}$  on W. face  
 dug pits  $18 \times 18 \times 12$  ins. N & S. of stone



Subdivisions T. 6 S. R. 5 W. - Cont<sup>d</sup>

Phanis

5½ ft dist and raised a mound of earth 1½ ft high 3½ ft base along side.

80.00 Set a post 4 ft long 4 ins square with marked stone 12 ins in the ground for cor to Sec 17-18-19 X 20 marked T. 6 S. S. 17 on NE.

R 5 W. S. 20 on SE

S 19 on SW and

S 18 on NW. faces,

with 3 notches on S and 5 notches on E edges, dug pits 18 X 18 X 12 ins

in each Sec. 5½ ft dist and raised a mound of earth 2 ft high 4½ ft base around post

Land level

Soil, sandy loam

Timber, none.

Subdivisions T.C.S.R.3.W. - East<sup>d</sup>  
 chains

N 89° 40' E on a random line bet  
 Secs 17 & 20

Var 13° 4' E.

Across level mesa.

40.00 Set temp.  $\frac{1}{4}$  Sec cor.

80.00 Intersect N & S line at cor to Secs 16  
 17. 20 & 21

Thence I run

S 89° 40' W. on a true line bet Secs  
 17 & 20

Var. 13° 4' E.

40.00 Set a post 4 ft long 4 ins square  
 with marked stone 12 ins in the  
 ground for  $\frac{1}{4}$  Sec cor. marked  
 $\frac{1}{4}$  S. on N. face, dug pits 18 x 18 x 12  
 ins E & W. of post 5  $\frac{1}{2}$  ft dist  
 and raised a mound of earth  
 1  $\frac{1}{2}$  ft high 3  $\frac{1}{2}$  ft base around post.

80.00 The cor to Secs 17. 18. 19 & 20.

Subdivisions T<sub>6</sub> S. R 5 W. - Cont<sup>d</sup>

Chains

Land level

Soil, sandy loam 1<sup>st</sup> rate

No timber.

S 89° 41' W. on a random line bet

Secs 18 &amp; 19

Var. 13° 4' E.

40.00 Set temp 1/4 Sec cor.

80.00 Intersect W. bdy of T<sub>6</sub>. 4 lks N. of  
the cor. to Secs 13. 18. 19 & 24 previously  
established and heretofore described  
by me

Thence I run

N. 89° 39' E on a true line bet Secs  
18 & 19.

Var. 13° 4' E.

40.00 Set a post 4 ft long 4 ins. square  
with marked stone 12 ins in the  
ground for 1/4 Sec cor. marked



Subdivisions T. 6 S. R. 5 W. - Cont<sup>d</sup>

Chains

$\frac{1}{4}$  S. on N. face, dug pits 18 X 18 X 12  
ins E & W. of post  $5\frac{1}{2}$  ft diet. and  
raised a mound of earth  $1\frac{1}{2}$  ft  
high  $3\frac{1}{2}$  ft base around post.

80.00 The cor to Secs 17. 18. 19. & 20.

Land level

Soil, sandy loam, 1<sup>st</sup> rate.

Timber none.

Oct 29<sup>th</sup> 1891

N.  $0^{\circ} 5' W.$  bet Secs 17 & 18

Var.  $13^{\circ} 4' E.$

Across mesa land.

40.00 Set a post 4 ft long 4 ins square  
with marked stone 12 ins in  
the ground for  $\frac{1}{4}$  sec cor marked  
 $\frac{1}{4}$  S. on W. face dug pits 18 X 18 X 12  
ins N & S. of post  $5\frac{1}{2}$  ft diet  
and raised a mound of earth  
 $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around post.



Subdivisions T. 6 S. R. 5 W. - Cont<sup>d</sup>

Chains

80.00 Set a post 4 ft long 4 ins square  
with marked at one 12 ins with  
ground for cor to Secs 7-8-17 & 18  
marked T. 6 S. S. 8 on N E  
R 5 W S. 17 on S E.  
S. 18 on S W and  
S. 7 on N W faces  
with 4 notches on S and 5 notches  
on E edges, dig pits 18 X 18 X 12 ins  
in each sec 5 1/2 ft dist and raised  
a mound of earth 2 ft high 4 1/2 ft  
base around post.

Land level

Soil, sandy loam 1<sup>st</sup> rate  
No timber.

N 89° 40' E on a random line bet  
Secs 8 & 17  
Var. 13° 4' E

Subdivisions T. 6 S. R. 5 W. Continued

Chains

Over level ground.

40.00 Set temp.  $\frac{1}{4}$  Sec Cor.

80.08 Intersect N & S line 4 lks S. of  
the cor. to Secs 8, 9, 16 & 17.

Thence from

S  $89^{\circ}38'W.$  on a true line bet Secs  
8 & 17.

W.  $13^{\circ}4'E.$

40.04 Set a post 4 ft long 4 ins square  
with marked star on 12 ins in  
the ground for  $\frac{1}{4}$  Sec Cor. marked  
 $\frac{1}{4}$  S. on N. face, dig pits 18x18  
x12 ins E & W of post  $5\frac{1}{2}$  ft dist  
and raised a mound of earth  
 $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around post

80.08 The cor to Secs 7, 8, 17 & 18.

Land level

Soil, sandy loam 1<sup>st</sup> rate

No timber.

BOOK 1217

## Subdivision T. 6 S. R. 5 W. Continued

chains

S.  $89^{\circ}39'$  W. on a random line bet

Secs 7 &amp; 18

Var.  $13^{\circ}4'$  E

Across open mesa.

40.00 Set temp  $\frac{1}{4}$  Sec cor.

79.90 Intersect W. bd'y of Tp 7 N. S. of  
the cor to Secs 7. 12. 13 & 18 previously  
established and hereinbefore  
described by me.

Thence I run

N.  $89^{\circ}42'$  E on a true line bet Secs  
7 & 18.Var.  $13^{\circ}4'$  E.

39.90 Set a post 4 ft long 4 ins square  
with marked above 12 ins in the  
ground for  $\frac{1}{4}$  Sec cor. marked  
 $\frac{1}{4}$  S. on N. face, dug pits  $18 \times 18 \times 12$   
ins. E & W. of post  $5\frac{1}{2}$  ft diam and  
raised a mound of earth  $1\frac{1}{2}$  ft



Subdivisions T. 6 S. R. 5 W. - Cont'd

Chambers

79-90 high  $3\frac{1}{2}$  ft base around post  
The cor to Secs 7, 8, 17 & 18.  
Land level.

Soil, sandy loam, strata  
Timber - scattering brush.

N.  $0^{\circ} 3' W.$  bet Secs 7 & 8.

Var  $13^{\circ} 4' E.$

Over level land.

40-00 Set a post 4 ft long 4 ins. square  
with marked stone 12 ins in  
the ground for  $\frac{1}{4}$  Sec cor. marked  
 $\frac{1}{4}$  S. on W. face, dug pits  $18 \times 18 \times 12$   
ins N & S. of post  $5\frac{1}{2}$  ft dist. and  
raised a mound of earth  $1\frac{1}{2}$  ft high  
 $3\frac{1}{2}$  ft base around post.

80-00 Set a post 4 ft long 4 ins square  
with marked stone 12 ins. in  
the ground for cor to secs 5-6.



Subdivision T. 6 S. R. 5 W. - Cont<sup>d</sup>  
 chains

7 & 8 marked

T. 6 S. S. 5 on N. E

R. 5 W. S. 8 on S. E

S. 7 on S. W. and

S. 6 on N. W. face, with  
 5 notches on S. and E. edges, dug  
 pits 18 X 18 X 12 ins. in each Sec. 5  $\frac{1}{2}$  ft  
 dist and raised a mound of earth  
 2 ft high 4  $\frac{1}{2}$  ft base around post  
 Land level

Soil, sandy loam 1<sup>st</sup> rate

Timber, scattering mesquite brush

N. 89° 38' E on a random line bet  
 Secs 5 & 8

Var. 13° 4' E.

Across mesa

40.00 Set temp  $\frac{1}{4}$  Sec cor.

80.10 Intersect N & S line 5<sup>th</sup> to N. of the

Subdivision T. 6 S. R. 5 W. - Cont'd  
 chains

cor. to Secs 4. 5. 8 & 9

Thence I run

S.  $89^{\circ}40'$  W. on a true line bet Secs  
 5 & 8.

Var.  $13^{\circ}4'$  C.

40-05 Set a post 4 ft long 4 ins. square  
 with marked stone 12 ins. in the  
 ground for  $\frac{1}{4}$  Sec Cor. marked  $\frac{1}{4}$  S.  
 on N. face, dig pits 18 X 18 X 12 ins  
 E & W. of post  $5\frac{1}{2}$  ft dist and raised  
 a mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft  
 base around post.

80-10. The cor to Secs 5. 6. 7 & 8

Land, level

Soil, sandy loam 1st rate

Timber, scattering mesquite brush.

## Subdivisions T. 6 S. R. 5 W. Cont'd

Chains

S  $89^{\circ}42'N$ . on a random line bet

Secs 6 &amp; 7

Var.  $13^{\circ}4'E$ .

Across level ground.

40.00 Set temp  $\frac{1}{4}$  Sec Cor.79.82 Intersect W. bd'y of Tp at the cor  
to Secs 1, 6, 7, & 12 previously establishedand hereinbefore described by me  
Thence I runN.  $89^{\circ}42'6$ . on a true line bet

Secs 6 &amp; 7

Var.  $13^{\circ}4'E$ .39.82 Set a post 4 ft long 4 ins square with  
marked stone 12 ins in the ground  
for  $\frac{1}{4}$  Sec Cor. marked  $\frac{1}{4}$  S on

N face, dug pits 18 x 18 x 12 ins E &amp; W.

of post  $5\frac{1}{2}$  ft dist and raised  
a mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft

base around post.

Subdivision T6 S. R 5 W. Cont<sup>d</sup>

Chains

79.82 The cor to Secs 5, 6, 7 & 8  
 Land level  
 Soil, sandy loam, 1<sup>st</sup> rate.  
 Timber, scattering mesquite brush.

N. 0° 3' W. bet Secs 5 & 6

Var. 13° 4' E.

Over level ground.

24.90 Southern Pacific Railroad course  
 Northeastly and Southwestly.

35.70 Wagon road from Gila Bend to  
 Yuma, course Northeastly & Southwestly

40.00 Set a post 4 ft long 4 ins. square with  
 marked stone 12 ins in the ground  
 for  $\frac{1}{4}$  dec cor. marked  $\frac{1}{4}$  S. on W face  
 dig pits 18 x 18 x 12 ins N & S of post  
 5  $\frac{1}{2}$  ft dist and raised a mound  
 of earth 1  $\frac{1}{2}$  ft high 3  $\frac{1}{2}$  ft base  
 around post.



Subdivision T6 S. R. 5 W. - East <sup>d</sup>  
 Chain

80-10

Intersect N. bd'y of T<sub>6</sub> and First  
 Standard Parallel South at a point  
 10.80 chs. N.  $89^{\circ}42'E$  from the Stand  
 Cor. to Secs 31 & 32 T. 5 S. R. 5 W.  
 where I set a post 2 ft long 4 ins  
 square with marked stone 12 ins  
 in the ground for closing corner  
 to Secs 5 & 6 marked

C.C. T. 6 S. R. 5 W. on S.

S 5 on E. and

S 6 on W. faces

with 5 notches on E and 1 notch  
 on W. faces, dug pits 18 X 18 X 12 ins  
 S, E, & W. of post  $5\frac{1}{2}$  ft dist  
 and raised a mound of earth  
 2 ft high  $4\frac{1}{2}$  ft base around post  
 level

Soil sandy loam 1<sup>st</sup> rate

Timber, scattering mesquite brush

Oct 30<sup>th</sup> 1891

105  
General Description

The whole of this township is absolutely level. the soil is generally a rich sandy loam 1<sup>st</sup> rate.

The timber is Palo Verde and mesquite growing on the banks of the washes in the Eastern portions of the township. growing to a height of from 12 to 18 feet. No timber in the Western portion. the washes are dry, except when rain falls. in the Mountains lying to the South, No Springs or natural water appears on

the Surface.

Abundant Crops can be grown with the aid of irrigation. Large Canals are now in process of construction, and when completed, the land will be very valuable.

The Climate is semi tropical and citrus fruits can be grown with success.

The mean declination for the flat, the average of 4 observations is  $13^{\circ} 4'$  East.

The Southern Pacific Railroad runs through Secs. 2, 3, 4, 5, and 6, in a N. E. &

South Westerly direction. The town of Gila Bend



is  $\frac{1}{4}$  mile North of the  
N.E. Cor of the township,  
its estimated population  
is 300.

Daniel Drummond  
U.S. Deputy Surveyor.



U. S. Surveyor-General's Office,

TUCSON, A. T., *May 26 1892*

The foregoing Field Notes of the Surveys of  
*T. 6 S. R. 5 N.*

*Gila and Salt River Meridian*

in *Arizona* executed by

*Daniel Drummond*

U. S. Deputy Surveyor, under his contract dated

*June 13<sup>th</sup> 1891*

having been critically examined, the necessary corrections and explanations made, the said Field Notes and the surveys they describe are hereby approved.

*Charles Johnson*

U. S. Surveyor-General  
for the Territory of Arizona.