

Recd Jan 6-1893

Copied  
Compared  
Platted

Sent to G. L. O. 3-4/93

No. 1219

BOOK 1219

Approved. April 27-1893

1219

4-671

BOOK 1219

FIELD NOTES

GENERAL LAND OFFICE.

of the

SUBDIVISIONS.

T. 6. S. R. 6 W.

by Lewis Woltley

Under Contract. No. 22.

Dated May 26-1892

Survey. Commenced. Nov. 23

" Completed. Nov. 27-1892

Indexed, Book 1218.

62

Township 6S R. 6W

6	98	5	72	4	3	2	1
97		95		70			
7	94	8	67	9	10	11	12
92		90		66			
18	88	17	64	16	15	14	13
86		85		63			
19	83	20		21	22	23	24
82		80					
30	79	29		28	27	26	25
77		76					
31	74	32		33	34	35	36

No. 1219

Subdivisions T<sub>p</sub>. 6. S. R. 6. W.

Chains N  $89^{\circ} 56' E$  on a random  
line bet. Secs 16 + 21

Va.  $12^{\circ} 15' E$ .40.00 Set temporary  $1/4$  Sec. cor

80.00 Intersect the N. and S. line  
at 9. lks. N. of cor. to Secs  
15, 16, 21 + 22

Thence I run

West on a true line bet  
Secs 16 + 21

Va.  $12^{\circ} 15' E$ .

40.00 Set a frost 3 ft. long 2 ins.

square with marked  
stone 12 ins. in the ground  
for  $1/4$  Sec. cor, marked  $1/4$

P. on N. face, dug pits  $18 \times 18 \times$   
12 ins. E. and W. of frost  $5 \frac{1}{2}$

ft. dist. and raised a mound  
of earth  $1 \frac{1}{2}$  ft. high  $3 \frac{1}{2}$  ft. base

## Subdivisions. Sp. 6.

Chains around post

50.00 The cor. to Secs 16, 17, 20 & 21  
Land level mesa  
Soil 1<sup>st</sup> rate

---

N<sup>o</sup> 2' W. bet. Secs 16 & 17

Va 12° 15' E.

40.00 Set a post 3 ft. long 3  
ins. square with marked  
stone 12 ins. in the ground  
for 1/4 Sec. cor marked  
1/4 S. on W. face, deep pits  
15 x 18 x 12 ins. N. End of  
post 1/2 ft. dist and  
raised a mound of  
earth 1 1/2 ft. high 3 1/2 ft  
base around post

50.00 Set a post 4 ft. long

## South Range 6 West.

Chains 4 ins. square with marked  
stone 12 ins. in the ground  
for Cor. to Secs 8, 9, 16 & 17  
marked

T. 6. S. 9. on N.E.

R. 6. W. 16. on S.E.

S. 17. on S.W. End

S. 8. on N.W. faces with 4  
notches on S. End & edges.  
each fits 18x18x12 ins.

For each Sec. 5 1/2 ft. dist.

and raised a mound  
of earth 2 ft. high 4 1/2 ft.  
base around post

Land level mesa

Soil 1/4 rate

Scattering mesquite brush

---

## Subdivisions Sp. 6.

Chains East on a random  
line bet. Secs 9 + 16

99.12° 09'E

40.00 Set temporary 114 Sec cor

79.95 Intersect the N. End S.  
line at 4 lks. S. of cor  
to Secs 9, 10, 15 + 16

Thence run

D. 89° 58' W. on a true  
line bet. Secs 9 + 16

99.12° 09'E

39.98 Set a post 3 ft. long  
3 ins. square with marked  
stone 12 ins. in the ground  
for 114 Sec. cor. marked 114  
D. on N. face, dug pits 18  
x 18 x 12 ins. E End W. of  
post 5 1/2 ft. dist. and  
raised a mound of

## South Range 6 West.

Chain earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft.  
base around foot

7.9.95 The cor. to Secs 8, 9, 16 & 17

Land level mesa

Soil 1<sup>st</sup> rate

Scattering Mesquite <sup>brush</sup>

---

No<sup>o</sup> 2' W. bet. Secs 8 & 9

Sta. 12<sup>o</sup> 09' E.

25.25 Enter Right of way of  
the Gila Bend Reservoir  
and Irrigation Company

26.23 Center of Right of way  
center line of Canal course  
D 47<sup>o</sup> 15' W.

Station 18.88 bet. S. 47<sup>o</sup> 15' W

45.116

27.30 Leave right of way.

## Subdivisions of 6.

Chains

- 40.00 Set a post 3 ft. long 3 ins. square with marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. cor. marked  $\frac{1}{4}$  S. on W. face. dug pits 18 x 18 x 12 ins. N. & S. of post  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around post.
- 42.46 S. O. R. R. brs. S.  $80^{\circ}30'W$ .
- 49.60 Wagon Road brs. E. <sup>and</sup> W.
- 88.10 Set a post 4 ft. long 4 ins. square with marked stone 12 ins. in the ground for cor. to Sect. 4, 5, 8 & 9.



## South Range 6 West.

Chains marked

T. 6. S. 4 on N. E.

R. 6 W. S. 9 on S. E.

S. 8 on S. W. and

S. 5 on N. W. faces

with 5 notches on S  
and 4 notches on E.edges. dug pits 18x18  
x 12 ins. in each Sec.5 1/2 ft. dist. and  
raised a mound of  
earth 2 ft. high  
4 1/2 ft. base around  
post.Land level mesa  
Soil 1<sup>st</sup> rate.Scattering mesquite  
brush.

## Subdivisions Sp. 6.

Chains N.  $89^{\circ}58'E$  on a ran-  
dom line bet. Secs.  
4 & 9.

Va.  $12^{\circ}12'E$

40.00 Set temporary  $\frac{1}{4}$  Sec.  
cor.

80.00 Intersect the N. & S. line  
at 4 lks. S. of the cor.  
to Secs. 3, 4, 9 & 10.

Thence I run

S.  $89^{\circ}56'W$ . on a  
true line bet. Secs. 4 & 9.

Va.  $12^{\circ}12'E$

19.80 Enter right of way of  
the Gla Bend Reservoir  
and Irrigation Co.

20.83 Center of right of way.  
Center line of canal  
course S.  $37^{\circ}W$ .

## South Range 6 West.

- Chains Station 1830 brs. S.  $37^{\circ}$   
W. 35 lks. dist.
- 21.70 Level right of way.
- 40.00 Set a post  $3\frac{1}{2}$  ft. long  
3 ins square with  
marked stone 12 ins. in  
the ground for  $\frac{1}{4}$  Sec  
cor. marked  $\frac{1}{4}$  S. on N.  
face: dug pits  $18 \times 18$   
 $\times 18$  ins. E. & W. of post  
 $5\frac{1}{2}$  ft. dist. and raised  
a mound of earth  $1\frac{1}{2}$   
ft. high  $3\frac{1}{2}$  ft. base  
around post.
- 80.00 The cor. to Secs. 4, 5, 8 & 9  
Land level near  
Soil 1<sup>st</sup> rate  
Scattering mesquite  
brush.

## Subdivisions Sp. 6.

chains N.  $0^{\circ} 2' W$ . lat. Secs. 4 &  
5.

Va.  $12^{\circ} 12' E$

40.00 Set a post 3 ft. long  
3 ins. square with  
marked stone 12 ins. on  
the ground for  $\frac{1}{4}$  Sec. cor.  
marked  $\frac{1}{4}$  S. on W. face.  
Dig pits 18 x 18 x 2 ins.  
N. & S. of post  $5\frac{1}{2}$  ft.  
dist. and raised a  
crown of earth  $1\frac{1}{2}$  ft.  
high  $3\frac{1}{2}$  ft. base  
around post.

77.40 Intersect the first  
standard parallel  
South at a point  
11.40 chs.  $N. 89^{\circ} 33' E$ .  
from standard corner

## South Range 6 West.

Chains to Secs. 32 & 33. T<sub>p</sub>. 5 S.  
 R. 6 W. at which point  
 I set a post 4 ft.  
 long 4 ins square with  
 marked stone 12 ins.  
 in the ground for  
 closing corner to  
 Secs. 4 and 5.

marked

C.C. T<sub>p</sub>. 6 S. R. 6 W. on S.  
 Sec. 4 on E. and Sec.  
 Sec. 5 on W. faces  
 with 4 notches  
 on E. and 2 notches  
 on W. faces. dug pits  
 18 X 18 X 12 ins. S. E. and  
 W. of post 3 1/2 ft. dist  
 and raised a mound  
 of earth 2 ft. high

## Subdivisions Sp. 6.

Chains  $4\frac{1}{2}$  ft. base around  
post.

Land level near  
Soil 1<sup>st</sup> plate

Nov 26 - 1892

---

From the cor. to Secs  
5, 6, 31 and 32. on the  
South Bay. of the Twp.  
I run

$N 0^{\circ} 3' W.$  bet. Secs 31 & 32  
 $99^{\circ} 12' 03'' E.$

40.00 Set to post. 3 ft long 3  
ins. square with marked  
stone 12 ins. in the ground  
for 1/4. Sec. cor. marked  
1/4. S. on W. face, dug pits

## South Range 6 West.

Chains 18 x 18 x 12 ins. N. End S.  
 of post 5 1/2 ft. dist. and  
 raised a mound of  
 earth 1 1/2 ft. high 15 1/2  
 ft. base around post  
 80.00 Set a post 4 ft. long  
 4 ins. square with  
 marked stone 12 ins.  
 in the ground for corner  
 to Secs 29, 30, 31 and 32  
 marked  
 T. 6. S. 29. on N. E.  
 R. 6. W. S. 32. on S. E.  
 S. 31. on S. W. and S. 30. on  
 N. W. faces with 1 notch  
 on N. End 5 notches on  
 E. edges. dug pits 15 x 15  
 x 12 ins. in each Sec. 5 1/2  
 ft. dist. and raised a mound

## Subdivisions Sp. 6.

Chains of earth 2 ft. high  $4\frac{1}{2}$   
ft. base around frost  
Land level mesa

Soil  $1\frac{1}{4}$  rate

Scattering mesquite <sup>brush</sup>

---

S.  $89^{\circ}58'E$ , on a random  
line bet. Secs 29 + 32

$99/12^{\circ}09'E$

40.00 Set temporary  $1/4$  Sec. cor

80.15 Intersect the N. End S.

line 16. lks. S. of the cor  
to Secs 28, 29, 32 + 33

Thence I run

S.  $89^{\circ}55'W$ , on a true line  
bet. Secs 29 + 32

$99/12^{\circ}09'E$

40.08 Set a frost-3 ft. long 3



## South Range 6 West.

chains vis. square with marked  
stone 12 vis. in the ground  
for 1/4 Sec. cor. marked  
1/4 S. on N. face, dug pits  
18x18x12 vis. E and W. of  
post 5 1/2 ft. dist. and raised  
a mound of earth 1 1/2 ft  
high 3 1/2 ft. base around <sup>post</sup>  
80.15 The cor. to Secs 29, 30, 31 & 32  
Land level mesa  
Soil 1 1/4 rate

---

N 89° 58' W. on a random  
line bet. Secs 30 & 31

Va. 12° 09' E.

40.00 Set temporary 1/4 Sec. cor  
77.10 Intersect the W. Bdy. of  
the Twp. at 18. cks. N. of cor

## Subdivision Sp. 6.

Chains to Secs 25, 30, 31 & 36.

Thence I run

N  $89^{\circ} 50' E$ . on a true  
line bet. Secs 30 + 31

N  $9. 12^{\circ} 09' E$

37.10 Set a post 3 ft. long  
3 ins. square with marked  
stone 12 ins. in the ground  
for 1/4 Sec. cor. marked  
1/4 c. on N. face, dig pits  
15 x 15 x 12 ins. E + W. of  
post 5 1/2 ft. dist. and  
raised a mound of  
earth 1 1/2 ft. high, 3 1/2 ft  
base around post

77.10 The cor. to Secs 30, 31, 29 + 32

Land level

Soil 1 <sup>2</sup>/<sub>1</sub> rate

## South Range 6 West.

Chain NO 3 W. bet. Secs 29 + 30

Sta. 12° 09' E.

40.00 Set a post 3 ft. long 9  
ins. square with marked  
stone 12 ins. in the  
ground for 1/4 Sec. cor  
marked 1/4 S. on W. face  
dug pits 15x15x12 ins.  
N. and S. of post 5 1/2 ft. dist.  
and raised a mound  
of earth 1 1/2 ft. high 3 1/2 ft.  
base around post

80.00 Set a post 4 ft. long 4  
ins. square with marked  
stone 12 ins. in the ground  
for cor. to Secs 29, 30, 29 + 30  
marked

T. 6. S. S 20. on N. E.

R 6. W. S 29. on S. E.

## Subdivisions Sp. 6.

Chains S. 30 on S.W.

and S 19. on N.W. face

with 2 notches on S

and 5 notches on E. edges,

dug pits  $18 \times 15 \times 12$  ins.

in each sec.  $5\frac{1}{2}$  ft. dist

and raised a mound

of earth 2 ft. high  $4\frac{1}{2}$

ft. base around post

Land level mesa

Soil 1<sup>st</sup> rate

Scattering mesquite <sup>brush</sup>

---

N  $89^{\circ} 55' E$ . on a random  
line bet. Secs 28 & 29

N  $9.12^{\circ} 18' E$ .

40.00 Set temporary  $\frac{1}{4}$  Sec. cor

80.00 Intersect the N. and S. line

## South Range West

Chains at 2 lks. S. of the cor. to  
Secs 20, 21, 28 & 29.

Thence I run  
S.  $89^{\circ} 54' W.$  on a true line  
bet. Secs 20 & 29

$94.12^{\circ} 18' E.$

40.00 Set a post 3 ft. long 3  
ins. square with marked  
stone 12 ins. in the ground  
for  $\frac{1}{4}$  Sec. cor. marked  
 $\frac{1}{4}$  S. on N. face, aug pits  
 $18 \times 18 \times 12$  ins. E. & W. of  
post  $5\frac{1}{2}$  ft. dist. End raised  
a mound of earth  $1\frac{1}{2}$  ft  
high  $5\frac{1}{2}$  ft. base around  
post

80.00 The cor. to Secs 19, 20, 29 & 30  
Land level mesa  
Soil 1<sup>st</sup> rate

## Subdivisions Sp. 6

chains S  $89^{\circ} 50' W$ , on a random  
line. bet. Secs 19 + 30

S.  $12^{\circ} 18' E$

40.00 Set temporary 1/4 Sec. cor

77.20 Intersect the N. Bdy. of  
the Tp. at 2 E. S. of  
the cor. to Secs 19, 24, 25 + 30

Thence I run

N  $89^{\circ} 57' E$ , on a true line  
bet. Secs 19 and 30

S.  $12^{\circ} 18' E$

37.20 Set a post 0 ft. long  
3 ins. square with marked  
stone 12 ins. in the ground  
for 1/4 Sec. cor. marked  
1 1/4 S. on N. face, dug pits  
18 x 18 x 12 ins. E. and W. of  
post 5 1/2 ft. dist. and  
raised a mound of

## South Range 6 West.

Chain earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base  
around post

77.20 The cor. to Secs 19, 20, 29 + 30  
Land level mesa  
Soil 1<sup>st</sup> rate

---

$N 0^{\circ} 3' W.$  bet. Secs 19 and 20  
 $S 9. 12^{\circ} 18' E.$

40.00 Set a post 3 ft. long 3  
ins. square with marked  
stone 12 ins. in the ground  
for 14 Sec. cor. marked  
 $1\frac{1}{4}$  l. on W. face, dug pits  
 $18 \times 18 \times 12$  ins. N. End l. of  
post  $5\frac{1}{2}$  ft. dist. and raised  
a mound of earth  $1\frac{1}{2}$  ft.  
high  $3\frac{1}{2}$  ft. base around  
post

## Subdivisions T. 6.

Chains

80.00 Set a post 4 ft. long<sup>4</sup>  
 ins. square with marked  
 stone 12 ins. in the ground  
 for cor. to Secs 17, 18, 19 & 20  
 marked

T. 6 S. 17, on N. E.

R. 6 W. 19, on S. E.

P. 19, on S. W. End

018, on N. W. face with  
 3 notches on W. End 5 notches  
 on E. edges, dug pits 18x  
 18x12 ins. in each Sec.  
 5 1/2 ft. dist. End raised  
 a mound of earth 2 ft  
 high 4 1/2 ft. base around  
 post

Land level mesa

Soil 1<sup>st</sup> rate



## South Range 6 West.

chains scattering Mesquite brush

---

N 89° 54' E. on a random  
line bet. Secs 17 & 20

Va. 12° 24' E.

40.00 Set temporary 1/4 Sec cor

79.90 Intersect the N. End S.  
line at cor. to Secs 16, 17  
to End 21

Thence I run

S 89° 54' W. on a true line  
bet. Secs 17 & 20

Va. 12° 24' E.

39.95 Set a post 3 ft. long in  
square with marked  
stone 12 ins. in the ground  
for 1/4 Sec. cor. marked  
1/4 S. on N. face, deg. pits

## Subdivisions 6. D.

Cham 15x15x12 ins. E. and W.  
of post  $5\frac{1}{2}$  ft. dist. and  
raised a mound of earth  
 $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base  
around post

79.90 The cor. to Secs 17, 18, 19 & 20

Land level mesa

Soil 1<sup>st</sup> rate

Scattering Mesquite <sup>brush</sup>

---

$\text{D } 89^{\circ} 51' \text{ W. on a random}$   
line bet. Secs 18 & 19

$\text{Ta. } 12^{\circ} 24' \text{ C}$

40.08 Set temporary  $\frac{1}{4}$  Sec cor

77.50 Intersect The W. Bdy of  
the Tp. at 11 lks. S. of  
cor. to Secs. 13, 15, 19 & 24

Thence I run

R. G. West

Chain  $N 89^{\circ} 56' E$  on a true line  
bet. Secs 18 + 19.

$S 91^{\circ} 24' E$

- 37.00 Enter right of way of  
The Gila Bend Reservoir  
and Irrigation Company
- 37.50 Set a frost fl. long 3  
ins. square with marked  
stone 12 ins. in the ground  
for  $1/4$  Sec. cor, marked  
 $1/4$  C. on N. face, deep pits  
 $15 \times 15 \times 12$  ins. E. and W. of  
frost  $5 \frac{1}{2}$  ft. dist. and  
raised a mound of  
earth  $1 \frac{1}{2}$  ft. high  $15 \frac{1}{2}$   
ft. base around frost
- 37.97 Center of Right of way  
center line of canal  
course  $S. 2^{\circ} 30' W.$  Station

## Subdivisions Tr. 6

Chavis 1995. brs S.  $2^{\circ}30'W$ . 50

lks. dist

3890 Leave right of way

77.50 The br. to Secs 17, 18, 19 & 20

Land level mesa

Soil 1<sup>st</sup> rate

Scattering mesquite <sup>brush</sup>

---

$N0^{\circ}3'W$ . br. Secs 17 & 18

Tq.  $12^{\circ}24'E$

27.14 Enter Right of way of the  
Gila Bend Reservoir &  
Irrigation Company

2857 Center of right of way  
center line of canal course

$N39^{\circ}50'E$ . Station 19.61

br  $N39^{\circ}50'E$ . 65. lks

30.00 Leave right of way

## South Range 6. West

Claims

40.00

Set a post 3 ft. long 3  
 ins. square with marked  
 stone 12 ins. in the ground  
 for 1/4 Sec. cor. marked  
 1/4 S. on W. face, deep pits  
 15 x 15 x 12 ins. N. End S. of  
 post 5 1/2 ft. dist. and  
 raised a mound of  
 earth 1 1/2 ft. high 5 1/2 ft.  
 base around post

80.00

Set a post 4 ft. long 4  
 ins. square with marked  
 stone 12 ins. in the ground  
 for cor. to Secs 7, 8, 17 + 18  
 marked

T 6. S. S 8. on N. E.

R 6 W. S 17. on S. E.

S 18. on S. W. and

## Subdivisions. Tr. 6

Chamie S 7. on N. W. faces with  
 4 notches on S. and 5 notches  
 on E. edges, deep pits 15  
 x 15 x 15 ins. in each sec  
 5 1/2 ft. dist. and raised  
 a mound of earth 2 ft  
 high 4 1/2 ft. base around  
 post

Land level mesa

Oil 1 1/4 rate

Scattering mesquite brush

---

N 89° 54' E. on a random  
 line bet. Secs. 8 + 17

Va. 12° 09' E.

40.00 Set temporary 1/4 Sec. cor  
 80.00 Intersect the N. and S. line

North Range 6. West

chain at 7 lks. S. of the corner  
to Secs 8, 9, 16 & 17  
Thence Iron  
S  $89^{\circ} 51' W.$  on a true line  
bet. Secs 8 & 17  
Va.  $12^{\circ} 09' E.$

29.20 Enter Right of way of  
The Gila Bend Reservoir  
and Irrigation Company

30.20 Center of right of way  
center line of canal bed  
S. westerly

Station 1914, bet N. Easterly  
55. lks. dist.

31.32 Leave right of way

40.00 Set a post 2 ft. long  
ins. square with marked  
stone 12 ins. in the  
ground for 1/4 Sec. cor

## Subdivisions, Tpi. 6

chains marked 114 S. on N. face  
 aug pits 18x18x12 ins  
 E. End W. of frost  $5\frac{1}{2}$  ft  
 dist. and raised a mound  
 of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$   
 ft. base around frost

80.00 The cor. to Secs 7, 8, 17 + 18

Land level mesa

Soil 1<sup>st</sup> rate

---

✓  
 $S. 89^{\circ} 56' W.$  on a random  
 line bet. Secs 7 + 18

$9a. 12^{\circ} 09' E.$

40.00 Set temporary 114 Sec. cor

77.65 Interest at the W. Bdy. of  
 The Tpi at 4 lks. N. of  
 The cor. to Secs 7, 12, 13

518.



## South Range 6. West

chain Thence From

N  $89^{\circ}54'E$ . on a tree  
line bet. Secs 7 + 18

va.  $12^{\circ}09'E$ .

37.65 Set a post 3 ft. long 3  
ins square with marked  
stone 12 ins. in the  
ground for  $\frac{1}{4}$  Sec cor  
marked  $\frac{1}{4}$  S. on N. face  
dug pits  $18 \times 18 \times 12$   
ins. E and W. of post  
 $5\frac{1}{2}$  ft. dist. and raised  
a mound of earth  $1\frac{1}{2}$   
ft. high  $3\frac{1}{2}$  ft. base  
around post

77.65 The cor. to Secs 7, 8, 17 + 18  
Land level mesa  
Soil 1<sup>st</sup> rate

## Subdivisions Tfr. 6

Chassis No<sup>o</sup> 3' W. bet. Secs. 7 + 8

Sa. 12<sup>o</sup> 09' E.

30.25 S. P. R. R. bet. S 80<sup>o</sup> 30' W

36.00 Wagon Road bet. E + W

40.00 Set a post 3 ft. long 3  
 ins. square with marked  
 stone 12 ins. in the ground  
 for 1/4 Sec. cor. marked  
 1/4 S. on W. face, dug pits  
 18 x 18 x 12 ins. N. and S. of  
 post 1 1/2 ft. dist. and  
 raised a mound of earth  
 1 1/2 ft. high 3 1/2 ft. base  
 around post

80.00 Set a post 4 ft. long 4  
 ins. square with marked  
 stone 12 ins. in the ground  
 for cor. to Secs 5. 6. 7 + 8  
 marked.

No. 1219

BOOK 1219 95

Smith Range 6. West

Lawis T. 6. S. S. on N. E.

R 6. W. S. S. on S. E.

S 7. on S. W. End

S 6. on N. W. faces with 5  
notches on S. End E. edges  
dug pits  $18 \times 18 \times 12$  ins.  
in each sec.  $5 \frac{1}{2}$  ft. dist.

and raised a mound of  
earth 2 ft. high  $4 \frac{1}{2}$  ft.  
base around foot

Land level mesa

Soil 1<sup>st</sup> rate

Scattering mesquite brush

---

N  $89^{\circ} 51' E$ . on a random  
line bet. Secs 5 + 8

N  $12^{\circ} 06' E$ .

10.00 Set temporary  $\frac{1}{4}$  Sec. cor

## Subdivisions Twp. 6

Chain

50.00 Intersect The N. End L. line  
at 4 cks. S. of cor. to Secs  
4, 5, 8 + 9.

Thence I run

S  $89^{\circ} 49' N$ . on a true line  
bet. Secs 5 + 8

$79 \frac{1}{2}^{\circ} 06' E$

40.00 Set a post 3 ft. long 3  
ins. square with marked  
stone 12 ins. in the ground  
for  $\frac{1}{4}$  Sec. cor. marked  
 $\frac{1}{4}$  S. on N. face, deep pits  
18 x 18 x 12 ins. E. End W. of  
post  $5 \frac{1}{2}$  ft. dist. and  
raised a mound of earth  
 $1 \frac{1}{2}$  ft. high  $3 \frac{1}{2}$  ft. base  
around post.

80.00 The cor. to Secs 5, 6, 7 + 8

## South Range 6. West

Chains

Land level mesa

Soil  $1\frac{1}{2}$  rateScattering mesquite <sup>brush</sup>

$S 89^{\circ} 54' W.$  on a random  
line bet. Secs 6 + 7

$Va. 12^{\circ} 06' E.$

40.00 Set temporary 1/4 Sec. cor

77.50 Intersect the W. Bdy of  
the Tp. at 7 m. N. of the  
Cor. to Secs 1, 6, 7 + 12

Thence I run

$N 89^{\circ} 51' E.$  on a true  
line bet. Secs 6 + 7

$Va. 12^{\circ} 06' E.$

37.50 Set a post 3 ft. long in  
square with marked  
stone 12 ins. in the ground

Subdivisions Tr. 6

chamie for 1/4 Sec. cor. marked  
 1/4 S. on N. face, deep pits  
 18x18x12 ins. E. and W. of  
 post 5 1/2 ft. dist. and raised  
 a mound of earth 1 1/2 ft  
 high 3 1/2 ft. base around  
 post

77.50 The cor. to Secs. 5, 6, 7 & 8  
 Land level mesa  
 Soil 1<sup>st</sup> rate

---

N 0° 3' W. bet. Secs. 5 & 6

S 91.12° 06' E

40.00 Set a post 3 ft. long 3  
 ins. square with marked  
 stone 12 ins. in the ground  
 for 1/4 Sec. cor. marked 1/4  
 S. on W. face, deep pits 18

## South Range 6. West

Chain  $\times 18 \times 12$  ins. N. End S. of post  
 $5\frac{1}{2}$  ft. dist. and raised a  
 mound of earth  $1\frac{1}{2}$  ft.  
 high  $3\frac{1}{2}$  ft. base around  
 post.

76.75 Intersect the 1<sup>st</sup> Standard  
 Parallel. South at a point  
 11.42. chs. N.  $89^{\circ}33'E$ . From  
 the Standard Cor. to Sec  
 31 and 32. T. 6. S. R. 6. W  
 at which point I set a  
 post. 4 ft. long 4 ins. square  
 with marked stone 12  
 ins. in the ground for  
 bearing Cor. to Secs. 5 + 6  
 marked

C.C. T. 6. S. R. 6. W. on S

D. 5. on E. End

D. 6. on W. faces with 5 notches

Sub. Twp. 6. S. Range 6 west  
 claims on E. End / notches on W-  
 faces, dug pits 15x15x12  
 ins. S. E. End W. of first  $5\frac{1}{2}$   
 ft. dist. and raised a mound  
 of earth 2 ft. high  $4\frac{1}{2}$   
 ft. base around first  
 Land level mesa  
 Soil 1<sup>st</sup> rate

---

Nov 27 - 1892

Lewis Wolfey  
 U. S. Deputy Surveyor



## General Description

This Tr. is all level mesa and very fine land for cultivation and will soon be cultivated from the Gila Bend, Reservoir and Irrigation Co's.

Irrigating Canal,

There is some scattering Mesquite trees and brush and patches of mesa grass.

The right of way of the Gila Bend, Reservoir and Irrigation Co's. Canal passes through this Tr. called the Wolfley Canal.

I took latitude three times during the survey of this Tr.

c Mean Declination  $12^{\circ} 20' E$

U. S. Surveyor-General's Office,

TUCSON, A. T., *March 4* 1893

The foregoing Field Notes of the Surveys of  
*The Subdivision Lines*  
*of T. 6. S. R. 6. W.*

*Of the Gila and Salt River Meridian*  
 in *Territory of Arizona* executed by  
*Lewis Wolfley*

U. S. Deputy Surveyor, under his contract dated  
*May 26<sup>th</sup> 1892*  
 having been critically examined, the necessary correc-  
 tions and explanations made, the said Field Notes and  
 the surveys they describe are hereby approved.

*Raymond Johnson*  
 U. S. Surveyor-General  
 for the Territory of Arizona.