

Range 6-1893

12

Book

Compared
Platted

See to G. O. 3-4/93

No. 1220

BOOK 1220

Approved. April 27-1893

1220

4-671

BOOK 1220

FIELD NOTES

GENERAL LAND OFFICE.

of the

SUBDIVISIONS

T. 6. S. R. 7. W.

by Lewis. Wolley

under Contract No. 22

Dated. May 26-1892.

Survey. Commenced Nov. 17/92

" Completed Nov. 22/92

Indexed, Book 1221

62

Township 6S R. 7W

6	94	5	69	4	3	2	1
92		91		68			
7	89	8	66	9	10	11	12
87		86		64			
18	84	17	63	16	15	14	13
83		81					
19	79	20		21	22	23	24
78		77					
30	75	29		28	27	26	25
74		73					
31	71	32		33	34	35	36

Subdivisions of 6 S. R. 7 W.

- Chains
- $N 0^{\circ} 2' W$. bet. Secs 16 + 17
 $S A. 11^{\circ} 57' E$.
- 27.40 S. P. R. R. brs $S 69^{\circ} W$
- 28.00 Wagon Road to R. R. ^{Parallel}
- 28.00 Painted Rock Station brs
 $N 69^{\circ} E$ 20 chs dist.
- 40.00 Set a post 3 ft. long 3
 ins square with marked
 stone 12 ins. in the ground
 for $\frac{1}{4}$ Sec. cor. marked $\frac{1}{4}$
 on N. face, dug pits $18 \times$
 18×12 ins. N. and S. of post
 $5\frac{1}{2}$ ft. dist. and raised
 a mound of earth $1\frac{1}{2}$ ft.
 high $3\frac{1}{2}$ ft. base around
 post
- 80.00 Set a post 4 ft. long 4
 ins. square with marked
 stone 12 ins. in the ground

Subdivisions Sp. 6.

chains for cor. to Secs 9, 16 & 17.

marked

T 6. D. S 9. on N. E.

R 7. W. D 16. on S. E.

S 17. on S. W. End

S 18. on N. W. faces with
4 notches on S. and E.

edges, dug pits 18 x 18
x 12 ins. in each Sec. 5 1/2

ft. dist. and raised a
mound of earth 2 ft
high 4 1/2 ft. base around
post

Land level mesa

Soil 1 2/3 rate

East on a random
line bet. Secs 9 & 16

Smith Range West

BOOK 1220

65

chain

$7d. 12^{\circ} 06' E.$

40.00 Set temporary $1/4$ Sec. cor
 80.10 Intersect the N. + S. line at
 5 lks. N. of cor. to Secs 9, 10, 15 & 16
 Thence Run
 $N. 89^{\circ} 58' W.$ on a true line
 bet. Secs 9 and 16

$7d. 12^{\circ} 06' E.$

40.05 Set a post 3 ft. long 3 ins
 square with marked
 stone 12 ins. in the ground
 for $1/4$ Sec. cor, marked $1/4 S$
 on N. face, dug pits $18 \times 18 \times$
 12 ins. E and W of post $5 1/2$
 ft. dist. and raised a mound
 of earth $1 1/2$ ft. high $3 1/2$ ft base
 around post

47.00 P. R. Station about $2/3$ of a
 mile South

Subdivisions C/P. 6.

Chains

80.10

The cor. to Secs 8, 9, 16 & 17
 Land level mesa
 Soil 1st rate

N^o 2' W. bet. Secs 8 & 9

Va. 12° 06' E

40.00

Set a post 3 ft. long 3
 ins. square with marked
 stone 12 ins. in the ground
 for 1/4 Sec. cor. marked
 1/4 S. on W. face, dug pits
 18 x 18 x 12 ins. N. and S. of
 post 5 1/2 ft. dist. and raised
 a mound of earth 1 1/2 ft.
 high 3 1/2 ft. base around
 post

80.00

Set a post 4 ft. long 4

South Pruce West.

Chain square with marked stone
 12 ins. in the ground for
 cor. to Secs 4, 5, 8 + 9. ^{marked}
 T. 6. S. 4. on N.E.
 R. 7. W. 9. on S.E.
 S. 8. on S. W. end
 S. 5. on N. W. faces with
 5 notches on S. and 4
 notches on E. edges) dug
 pits 18 x 18 x 12 ins. in
 each Sec. 5 1/2 ft. dist. and
 raised a mound of earth
 2 ft. high 4 1/2 ft. base
 around post

Land level mesa

Soil 1st rate

68

Subdivisions Sp. 6

- Chains $D. 89^{\circ}58' E.$ on a random line bet. Secs. 4 & 9.
 Var. $12^{\circ}09' E.$
- 40.01 Set temporary $\frac{1}{4}$ Sec. cor.
- St. 05 Intersect the N. & S. line at 10 lks. N. of the cor. to Sec. 3, 4, 9 & 10.
 Thence I run
 $N. 89^{\circ}54' W.$ on a true line bet. Secs. 4 & 9.
 Var. $12^{\circ}09' E.$
- 40.03 Set a post 3 ft. long 3 in square with marked stone 12 in. in the ground for $\frac{1}{4}$ Sec. cor. marked $\frac{1}{4}$ S. on N. face. dug pits $18 \times 18 \times 12$ in E. & W. of post $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$

North Range 7 West

Chains ft. high $3\frac{1}{2}$ ft. base around post.

80.05 The corners to Decs. 4, 5, 8 + 9.
Land level mesa
Soil 1st rate.

N. $0^{\circ} 2' W.$ bet. Decs. 4 & 5
Var. $12^{\circ} 09' E.$

40.00 Deka post 3 ft. long &
ins. square with mark-
ed stone 12 ins. in the
ground for $\frac{1}{4}$ Dec. cor.
marked '48 on W. face
dug pits $18 \times 18 \times 12$ ins.
N. & S. of post $5\frac{1}{2}$ ft.
dist. and raised a
mound of earth $1\frac{1}{2}$ ft.
high $3\frac{1}{2}$ ft. base

Subdivision of 6.

Chains around post.

73. 46. Intersect the first standard parallel \bar{I} at a point 14.48 chains $N 89^{\circ} 13' E$ of the Standard corner to Secs. 32 + 33.

T. 5. S. R. 7. W. at which point I set a post 4 ft. long 4 ins. square with marked stone 12 ins. in the ground for closing cor. to Secs 4 + 5 marked

S. 6. T. 6. S. R. 7. W. on S.

S. 4. on E. end

05. on W. faces with 4 notches on E. end 2 notches on W. faces, dug pits 18 x 18 x 12 ins. S. E. end W. of post 5th

South Range 7 West.

Chains Sp. dest. and raised a mound of earth
 2 ft. high 4 1/2 ft. base around post
 Land level meso
 Soil 1 2/3 rate
 Nov 20-1892

From the cor. to Secs
 31 & 32 on the South
 Bdy. of the Tpi.

I run

N 0° 3' W. bet. Secs 31 & 32

Var 12° 18' E.

40.00 Set a post 3 ft. long 3 ins.
 square with marked stone
 12 ins. in the ground for
 1/4 sec. cor. marked 1/4 W. on
 W. face, deep pits 18 x 18 x 12
 ins. N. and S. of post 5 1/2 ft
 dist. and raised a mound
 of earth 1 1/2 ft high 3 1/2 ft

Subdivisions Sp. 6

Chains base around post

50.00 Set a post 4 ft. long 4
ins. square with marked
stone 12 ins. in the ground
for cor. to Sec 29. 30. 31 + 32
marked

T6. P. S 29. on N.E. R7. W

S32. on S.E. 2nd

S31. on S.W. 2nd

S33. on N.W. faces with 5
notches on E. and 1 notch
on S. edges, dug pits 18
x 18 x 12 ins. in each Sec.

5 1/2 ft. dist. and raised a
mound of earth 2 ft. high
4 1/2 ft. base around post

Land level mesa

Soil 1 st/₄ rate

Druth Range West.

Chains

S $89^{\circ}58'E$ on a random line
bet. Secs 29 and 32.

$79.12^{\circ}12'E$

40.00 Set temporary $1/4$ Sec. Cor

79.90 Intersect The N. and S. line
at 5. lks South of Cor. to
Secs 28, 29, 32 & 33

Thence I run

West on a true line bet
Secs 29 and 32

$79.12^{\circ}12'E$

39.95 Set a post 3 ft. long 3 ins.

square with marked
stone 12 ins. in the ground
for $1/4$ Sec. Cor marked $1/4$
N. on N. face, deep pits 18
 $\times 18$ ins. E and W of post $5\frac{1}{2}$
ft. dist. and raised a mound

Subdivisions of 6

Chains of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft
base around post

79.90 29.30, 31 + 32

Land level mesa

Soil $1\frac{1}{2}$ rate

$789^{\circ}58'W.$ on a random
line bet Secs 30 + 31

$79^{\circ}12'E.$

40.00 Set temporary $\frac{1}{4}$ Sec. cor

77.25 Intersect the W. Bdy of
the Twp. at 10 EKS. S. of cor
to Secs 25, 30, 31 + 36

Thence I run

$789^{\circ}54'E.$ on a true line
bet. Secs 30 + 31.

$79^{\circ}12'E.$

37.25 Set a post 3 ft. long 3

South Range 7 West.

Thuisius. Square with marked
stone 12 ins. in the ground
for $\frac{1}{4}$ Sec. cor, marked 148
on N. face, dug pits 18X18
X12 ins. E. End W. of least $\frac{5}{16}$
ft. dist. and raised a
mound of earth $\frac{1}{2}$ ft.
high $\frac{1}{2}$ ft. base around post

77.25 The cor. to Secs 29.30.31+32

Land level mesa

Soil $1\frac{1}{4}$ rate

N $0^{\circ}3'$ W. bet. Secs 29+30

Va. $12^{\circ}13'E$

40.00 Set a post 3 ft. long 3 ins.
square with marked
stone 12 ins. in the ground
for $\frac{1}{4}$ Sec. cor, marked 148

Subdivisions Sp. 6

Chains on W. face, dug pits 18×18
 $\times 12$ ins. N. end of post $5\frac{1}{2}$
 ft. dist. And raised a mound
 of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft
 base around post

50.00 Set a post 4 ft. long
 4 ins. square with marked
 stone 12 ins. in the ground
 for cor. to Secs 19, 20, 29 & 30
 marked

T. 6. S. 20. on N. E.

R. 7. W. 29. on S. E.

S. 30. on S. W. And

S. 19. on N. W. faces with
 2 notches on S. and 5

notches on E. edges. dug
 pits $18 \times 18 \times 12$ ins. in each
 Sec $5\frac{1}{2}$ ft. dist. And raised
 a mound of earth 2 ft.

Fourth Range West.

Chain high $4\frac{1}{2}$ ft. base around post
 Land level mesa
 Soil $1\frac{1}{4}$ rate

East on a random line
 bet. Secs 20 and 29

Pa. $12^{\circ}27'E.$

40.00 Set temporary $\frac{1}{4}$ Sec. cor

80.00 Intersect the N. and S. line
 at Cor. to Secs 20, 21, 28 & 29

Thence I run

West on a true line bet
 Secs 20 and 29

Pa. $12^{\circ}27'E.$

40.00 Set a post 3 ft. long 4 ins.
 square with marked stone
 12 ins. in the ground for
 $\frac{1}{4}$ Sec. Cor marked $\frac{1}{4}P.$

Subdivisions Twp. 6

Chains on N. face, aug pits 15X15
 x 12 ins. E. Ed W. of post
 5 1/2 ft. dist. and raised a
 mound of earth 1 1/2 ft
 high 5 1/2 ft base around post
 80.00 The cor. to Secs 19, 20, 29 & 30
 Land level mesa
 Soil 1st rate

N 89° 54' W. on a random
 line bet. Secs 19 and 30
 Va. 12° 27' E.

40.00 Set temporary 1/4 Sec. cor
 77.25 Intersect the N. Bdy of
 the Twp. at 22. lks. N. of
 of Cor. to Secs 19, 24, 25 & 30
 Thence I run
 N 89° 56' E. on a true line

South Range 7 West.

Chains bet. Secs 19 and 30

$\text{N} 12^{\circ} 27' \text{E}$

37.25 Set a post 3 ft. long 3
 ins. square with marked
 stone 12 ins. in the ground
 for 1/4. Sec. cor, marked 140
 on N. face, dug pits 18 x 18
 x 12 ins. E. End N. of post 5 1/2
 ft. dist. and raised a mound
 of earth 1 1/2 ft. high 3 1/2
 ft. base around post

77.25 The cor. to Secs 19, 20, 29 + 30
 Land level mesa
 Soil 1/4 rate

$\text{N} 0^{\circ} 3' \text{W}$. bet. Secs 19 + 20

$\text{N} 12^{\circ} 27' \text{E}$.

40.00 Set a post 3 ft. long 3

Subdivisions of 6.

- Chairs vis. square with marked
stone 12 vis. in the
ground for $\frac{1}{4}$ Sec. cor
marked $\frac{1}{4}$ S. on W. face
aug pits 18x18x12 vis.
N. and S. of post $5\frac{1}{2}$ ft
dist. and raised a mound
of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$
ft. base around post
- 75.40 S.P.R.R. br S. 69° W
- 76.00 Wagon Road. vis E & W
- 80.00 Set a post 4 ft. long
4 vis. square with
marked stone 12 vis.
in the ground for cor.
to Secs 17, 18, 19 & 20 marked
T. 6 S. S 17. on N. E.
R 7. W. S. 20. on O. E.
S 19. on S. W. and

BOOK 1220 81
North Range West.

Chain A 15. on N. W. faces with
3 notches on S. and 5 notches
on E. edges, dug pits 18x18
x12 ins. in each Sec. 5 1/2
ft. dist. and raised a
mound of earth 2 ft
high 4 1/2 ft. base around
post.

Land level mesa
Soil 1st rate.

East on a random line
bet. Secs 17 and 20

Pa. 12° 30' E

40.00 Set temporary 1/4 Sec. cor

80.00 Intersect the N. and S. line
at 10. lks. S. of Cor. to Secs
16, 17, 20 & 21

Subdivisions of 6.

Chains base around post

77.33 The cor. to Secs 17, 18, 19 & 20
 Land level mesa
 Soil $1\frac{1}{4}\%$ rate

$N 0^{\circ} 3' W.$ bet. Secs 17 & 18

$N 91^{\circ} 20' 30'' E$

40.00 Set a post 3 ft. long 3
 ins. square with marked
 stone 12 ins. in the ground
 for 14. Sec. cor. marked
 14. 0. on W. face, dug pits
 10x10x12 ins. N. and S. of
 post $5\frac{1}{2}$ ft. dist. and raised
 a mound of earth $1\frac{1}{2}$
 ft. high $5\frac{1}{2}$ ft. base
 around post

80.00 Set a post 4 ft. long 4

South Range 7 West.

Chains ins. square with marked
stone 12 ins. in the ground
for cor. to Secs 7, 8, 17 & 18
marked

T. 6. S. 18. on N.E.

R 7. W. 17. on S.E.

D 18. on S.W. Quad

D 7. on N.W. faces with 4
notches on S. Quad 5 notches
on E. edges, dug pits 18x
18x12 ins. in each Sec. 5 1/2

ft. dist. And raised a
mound of earth 2 ft. high
4 1/2 ft. base around hook

Land level mesa

Coil 1 1/2 rate

N 89° 56' E. on a random line

Subdivisions of 6.

Chains bet. Secs 8 & 17

Va 12° 09' E

40.00 Set temporary 1/4 Sec. cor

80.00 Intersect the N. & S. line
at 5.2 kts. N. of the cor. to
Secs 7, 9, 16 & 17

Thence run

S 89° 58' W. on a true
line bet. Secs 8 & 17

Va. 12° 09' E

40.00 Set a post 3 ft. long & ins.
square with marked
stone 12 ins. in the ground
for 1/4 Sec. cor, marked 1/4
N. on N. face, dug pits 18
x 18 x 12 ins. E. End W. of post
5 1/2 ft. dist. End raised a
mound of earth 1 1/2 ft.
high 3/4 ft. base around post

South Range West.

Chains

80.00 The cor. to Secs 7, 8, 17 & 18
 Land level mesa
 Soil 1 $\frac{1}{2}$ rate

West on a random line
 bet. Secs 7 & 18.

∇ 120° 09' E.

40.00 Set a temporary $\frac{1}{4}$ Sec. cor

77.20 Intersect the W. Bdy. of the
 Tr. at cor. to Secs 7, 12, 13 & 18
 Thence I run

East. on a true line bet.
 Secs 7 & 18

∇ 120° 09' E.

along rocky S. slope of
 Painted Rock range, ascending

11.50 Top rocky point br. S.E. & N.W.

Subdivisions Sp. 6.

Chains

- 16.50 Top, rocky point. brs. S.E. 81.24
and descend gradually
- 25.50 Leave Mountains
- 37.30 Set a post 3 ft. long 3
ins. square with marked
stone 12 ins. in the ground
for 1/4 Sec. Cor. marked 14
On N. face, dug pits 18x
18x12 ins. E. End W. of post
5 1/2 ft. dist. and raised
a mound of earth 1/2 ft
high 3 1/2 ft. base around
post
- 38.00 Wash 30 lks. wide Course N.E
- 77.30 The cor. to Secs 7, 8, 17 & 18
Land Mountainous 25.00 cks
Soil. 1st to 4th rate

South Range 7 West.

Chains

N⁰3'W. bet. Secs. 7 & 8T⁹12°02'E.

40.00 Set a post 3 ft long 3 ins. square with marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. corner marked $\frac{1}{4}$ P. on W. face dug pits 18x18x12 ins. in N. and S. of post $5\frac{1}{2}$ ft dist. and raised a mound of earth 11 $\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base around post

51.50 Wash 60 lbs wide course E.

80.00 Set a post 4 ft long 4 ins. square with marked stone 12 ins. in the ground for cor. to Secs 5, 6, 7 & 8 marked

Subdivisions Sp. 6.

Chains T. 6. S. 5. on N.E.

R 7. W. S 8. on D.E.

S 7. on O.W. and

O 6. on N.W. faces with
5 notches on S. and E.

edges, dug pits 15X15
X 12 ins. In each Sec. 5 1/2

ft. dist. and raised a
mound of earth 2 ft
high 4 1/2 ft. base around
post

Land Level ground

Sloping to East

Soil Good rate

Scattering Palo Verde

& mesquite

South Range 7 West

Chains

$N 89^{\circ} 58' E$. on a random
line bet. Secs 5 & 8

$\gamma a. 12^{\circ} 09' E.$

40.00 Set temporary 1/4 Sec. cor
70.00 Intersect the U. and V. line
at .5 lks. N. of the cor
to Secs 4, 5, 8 & 9

Thence I run
west on a true line bet
Secs 5 & 8

$\gamma a. 12^{\circ} 9' E.$

40.00 Set a frost 3 ft. long 3
ins. square with marked
stone 12 ins. in the ground
for 1/4 Sec cor, marked 1/4
N. or N. face dug pits 18x18
x 12 ins. E and W of frost 5-
1/2 ft. dist. and raised a

Subdivisions of 6.

Chain around of earth $1\frac{1}{2}$
ft. high $3\frac{1}{2}$ ft. base
around foot

70.00 Wash 10 eks. wide course
N.E. and ascend slopes
gradually

80.00 The cor. to Secs 5, 6, 7 & 8
Land mostly level
Soil 1^{st} to 2^{nd} rate

West on a random
line bet Secs 6 & 7

$\nabla 12^{\circ} 09' E$

40.00 Set temporary $1/4$ Sec. cor

77.60 Intersect the West Body
of the Tp at 9 eks N
of cor. to Secs 1, 6, 7 & 12
Thence Drive

South Range 7 West.

Chain N 89° 55' E. on a true
line bet. Secs 6 + 7

90.12° 09' E

Descending gradually
Rocky Bluff to the West
about 10 chs 200 ft. high

1.60 Wash 50 yds. wide course
S.E.

6.10 Wash 40 yds. wide course S.E.

37.60 Set a post 3 ft. long 3
ins. square with marked
stone 12 ins. in the ground
for NW Sec. cor. marked 14
Down N. face, dug pits 18
x 18 x 12 ins. E and W of
post 5 1/2 ft. dist. and raised
a mound of earth 1 1/2 ft
high 3 1/2 ft. base around
post

Subdivisions Sp. 6.

Chains

77.60 The cor. to Secs 5, 6, 7 & 8
Land descending to E
Soil 2 and 3rd rate to

N⁰3^W. bet. Secs. 5 & 6.

79.12⁰09⁰E.

39.00 Wash 50 lks wide course E.

40.00 Set a frost 3 ft. long 3 ins.
square with marked
stone 12 ins. in the ground
for 1/4 Sec. cor. marked 1/4
on W face, dug pits 18x18
x12 ins. N and S. of frost 5 1/2
ft. dist. and raised a
mound of earth 1 1/2 ft. high
3 1/2 ft. base around frost

71.40 Intersect the 1st Standard

No. 1220 BOOK 1220/5
South Range 7 West.

Chains parallel south at a point
14.90^{Chs.} N. 88° 56' E. from the Stand
Cor. to Secs 31 and 32 T. 5
S. R. 7. W. at which point I set
a post 4 ft. long 4 ins.
square with marked stone
12 ins. in the ground for
bluing Cor. to Secs 5 & 6 marked
S. 6. T. 6 S. R. 7. W. on S

S 5. on E. end S 6. on W. faces
with 5 notches on E. and
1 notch on W. faces, with
dug pits 18 x 18 x 12 ins. S. E & W
A post 5 1/2 ft. dist. and
raised a mound of earth
2 ft. high 4 1/2 ft. base
around post

Land gradually sloping East
Scab. Mesquite & Palo Verde. Soil 2 ^{and}/₂ R

General Description

Excepting the extreme North West corner, and one or two small knolls, this entire Tr. is excellent for cultivation ^{and} will soon be cultivated from the Gila Bend Reservoir and Irrigation Co's Irrigating Canal. There is some scattering Mesquite, sage, and greasewood brush, with patches of Mesa grass.

I took latitude three times during the survey.

of this *F_h*
Nov. 22, - 1892
Lewis Wolfley, ^{U.S.} Dep't Survey

Moon Declination $12^{\circ} 09' E$.

BOOK 1220

U. S. Surveyor-General's Office,

TUCSON, A. T., *March 7* 18*83*

The foregoing Field Notes of the Surveys of
The Subdivisions of the G. & S. R.
J. W.

Of the Gila and Salt River Meridian
 in *Territory of Ariz.* executed by
Lewis Wolfley

U. S. Deputy Surveyor, under his contract dated
May 26th 1892
 having been critically examined, the necessary corrections and explanations made, the said Field Notes and the surveys they describe are hereby approved.

Raphael Jamison
 U. S. Surveyor-General
 for the Territory of Arizona.