

Recd Jan 46 - 1893

Sent to G.L.O. 3-4/93

Compared
Platted

BOOK 1222

No. 1222

Approved. April. 27 - 1893

1222

4-671

FIELD NOTES

GENERAL LAND OFFICE.

OF THE

SUBDIVISIONS.

Tp. 6. S. R. 8, W.

By Lewis Wolfley.

Under Contract. N^o 22.

Dated. May, 26th 1892.

Survey, Commenced, Oct 27, 1892

Survey, Completed, Oct 31st 1892

No. 1222

1

Field Notes
of the
Survey of the Subdivisions
of Lines of
T. 6. S. R. & W.
of the
Gila and Salt River
Base and Meridian
Territory of Arizona,
as surveyed by
Lewis Wolfley
U. S. Deputy-Surveyor
under his contract No. 22
dated May 26, 1892

Survey com. Oct. 27, 1892
" completed " 31, 1892

1A

(4-674.)

Township 6. N. R. 8. West

Index for { BOOK 1222
BOOK 1223

6	24	5	60	4	42	3	24	2	1	
81		82		58		41				
7	80	8	06	9	39	10	22	11	12	
77		77		55		38				
18	76	17	55	16	36	15	20	14	13	
74		73		52		35		18	9	
19	71	20	50	21	33	22	17	23	7	24
70		68		49		31		15		6
30	69	29	47	28	29	27	13	26	4	25
65		64		46		28		12		2
31	62	32	44	33	26	34	10	35	/	36

Subdivisions, T. 6. S. R. 8. W.

Chains Beginning at the Cor. to
Secs 1, 2, 35 and 36 on the
Bay of the Twp.

From

$N 0^{\circ} 1' W$. bet. Secs 35 & 36

$S 13^{\circ} 06' E$

40.00 Set a post 3 ft. long 3 ins.
square with marked
stone 12 ins. in the ground
for 1/4 Sec. cor. marked 1/4 S
on W. face, dug pits 18 x 18 x
12 ins. N. End of post
5 1/2 ft. dist. and raised a
mound of earth 1 1/2 ft. high
3 1/2 ft. base around post.

80.00 Set a post 4 ft. long 4 ins.
square with marked stone
12 ins. in the ground for
Cor. to Secs 25, 26, 35 & 36

Subdivisions of 6.

Chains marked

T. 6. 1. S 25. on N. E.

R 8 W. 1 36. on S. E.

S 35. on S. W. end

S 26. on N. W. faces) with
 1 notch on S. end & edges
 dug pits 18 x 18 x 2 ins.
 in each sec 5¹/₂ ft. dist.

and raised a mound
 of earth 2 ft. high 4¹/₂
 ft. base around foot

Land Mesa

Soil 1st rate

East on a random
 line bet. Secs 25 + 36

Pa. 13° 06' E

South Range S. West.

ains

2.00 Set temporary $1/4$ Sec. cor2.10 Intersect The E. Bay of the
Tfr. at 14. lks. S. of the
Cor. to Secs) 25, 30, 31 + 36.

Thence I run

S. $89^{\circ} 54' W.$ on a true line bet
Secs) 25 + 36.E. $13^{\circ} 06' E.$ 2.05 Set a post 3 ft. long 3 ins.
square with marked stone
12 ins. in the ground for $1/4$
Sec. cor, marked 14. P. onW. face, dug pits $18 \times 18 \times 12$
ins. E. and W. of post $5 \frac{1}{2}$ ft. dist.
and raised a mound
of earth $1 \frac{1}{2}$ ft. high $3 \frac{1}{2}$ ft.
base around post

2.10 The Cor. to Secs) 25, 26, 35 + 36

Subdivisions of 6.

chains

Land Mesa

Soil 1st rate

N 0° 1' W. bet. Secs 25 & 26

Ta, 10° 06' E.

- 40.00 Set a post 5 ft. long 3
 ins. square with marked
 stone 12 ins. in the
 ground for 1/4 Sec. en
 marked 1/4 on W. face
 dug pits 18 x 18 x 12 ins
 n. End. of post 5 1/2 ft
 dist. and raised a mound
 of earth 1 1/2 ft. high 3 1/2
 ft. dist. around post
- 62.00 Low Malpais Ridge brs E & W
 6 chs. wide
- 80.00 Set a post 4 ft. long 4

South Range & West.

Chain in square with marked
stone 12 ins. in the ground
for cor. to Secs 23, 24, 25 & 26
marked

T. 6. S. 1 24 on N.E.

R 8 W 25. on S.E.

S 26. on S.W. End

S 23. on N.W. faces with 2
notches on N. and 1 notch
on E. edges, dug pits 15 X 15
X 12 ins. in each Sec. 5 1/2 ft. dist.
and raised a mound of
earth 2 ft. high 4 1/2 ft. base
around foot.

Large mesa except 6 chs.
Soil 1 1/2 rate

46

BOOK 1222

Subdivisions T² 6.

ChChains N 89° 54' E on a random
line bet. Secs 24 + 25
V¹³ 13° 16' E.

40.00 Set temporary 1/4 Sec. cor

80.00 Interest The E. Bdy. of
The Tp. at 20.00 W. of
of The cor. to Secs 19, 24, 25
D + 30.

40

Thence I run

N 89° 56' W on a true line
bet. Secs 24 + 25.

V¹³ 13° 16' E.

40.00 Set a post 3 ft. long 3
ins. square with marked
stone 12 ins. in the ground
for 1/4 Sec. cor. marked

62 1/4. S. on N. face, deep pits

18 x 18 x 12 ins. E. and W. of

8. post 5 1/2 ft. dist. and staked

South Range 8 West.

Chain a mound of earth $1\frac{1}{2}$ ft.
 high $5\frac{1}{2}$ ft. base around post
 80.00 The cor. to Secs 23, 24, 25 & 26
 Land mesa
 Soil $1\frac{2}{3}$ rate

$N 0^{\circ} 1' W$. bet. Secs 23 & 24

$S 91^{\circ} 16' E$.

44.20 R. R. brs $S. 69^{\circ} W$

16.60 Wagon road brs. Easterly & Westerly.

40.00 Set a post 5 ft. long 3 ins.

square with marked stone
 12 ins. in the ground for 1/4

Sec. cor, marked 1/4 S. on W

face, dug pits $18 \times 18 \times 12$ ins.

W. End S. of post $5\frac{1}{2}$ ft. dist.

and raised a mound of
 earth $1\frac{1}{2}$ ft. high $5\frac{1}{2}$ ft. base

8
 Subdivisions of 6.

 4
 ch Chains around post

 80.00 Set a post 4 ft. long
 4 ins. square with
 marked stone 12 ins. in
 the ground for cor. to
 Secs 13, 14, 20 + 24 marked
 T. 6. S. 13. on N. E.

 40
 R. 8. W. 24. on S. E.

S 23. on S. W. and

 S 14. on N. W. faces with 3
 notches on N. and 1 notch
 on E. edges, aug pits 18x
 15x12 ins. in each Sec.

 5 1/2 ft. dist. and raised a
 mound of earth 2 ft. high
 4 1/2 ft. base around post

Land mesa, 1/4 rate

 6
Scattering Palo Verde

South Range & West.

Note The land to The North is
 Mountainous and not
 agricultural land. So I
 discontinue the line North

Chains

P. $89^{\circ}56' E.$ on a random
 line bet. Secs 13 & 24

$80.13^{\circ}16' E.$

40.00 Set temporary 1/4. Sec. cor

80.00 Intersect The E. Bdy. of
 Tn. at 9 lks. S. of Cor. to
 Secs 13, 18, 19 & 24

Thence I run
 West on a true line bet
 Secs 13 & 24

$79.13^{\circ}16' E.$

40.00 Set a foot & 1/2 ft. long & 1 in.
 square with marked stone

4 10

Subdivisions of 6.

4. chains 12 ins. in the ground
 for 1/4 Sec. Cor. marked
 1/4. P on N. face, deep pits
 18 x 18 x 12 ins. E. and W. of
 post 5 1/2 ft. dist. and
 raised a mound of
 earth 1 1/2 ft. high 3 1/2 ft
 base around post

80.00 The Cor. to Secs 13, 14, 23 & 24

Land level

Soil 1st/₄ rate

Oct. 27th

From the Cor. to Secs
 23, 24 & 35. on the S. Bdy
 of the Tr.

Run

N 0° 1' W. bet. Secs 24 & 35

50' 18' 27" E.

South Range & West.

Chains

40.00 Set a post 3 ft. long 3 ins. square with marked stone 12 ins. in the ground for 14. Sec. Cor. marked 14 P. on W. face, dug pits 18 x 18 x 12 ins. N. and S. of post $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base around post

80.00 Set a post 4 ft. long 4 ins. square with marked stone 12 ins. in the ground for Cor. to Secs 26. 27. 34 & 35 marked

P. 6. S. S 26. on N. E.

R 8 W. S 35. on S. E.

S 34. on S. W. end

4 12

BOOK 1222

Subdivisions of 6.

40 Chains 0.77. on N.W. faces with
 1 notch out. And 2 notches
 on E. edges, dug pits 15
 x 18 x 12 ins. in each Sec.
 5 1/2 ft. dist. and raised a
 mound of earth 2 ft. high,
 4 1/2 ft. base around post
 Land mesa
 Dwell 1 1/4 rate

East on a random
 line bet. Secs 26 + 35

N 113° 56'

40.00 Set temporary 14 Sec. cor

79.8.0 ~~Intersect the N + S. line~~

62 at 14. lks. S. of the cor
to Secs. 25-26, 35 + 36

8 Thence I run

South Range & West.

Chains 0.89° 54' W. on a true line
bet. Secs 26 & 35

Var. 13° 08' E.

39.90 Set a post 3 ft. long 3 ins.
square with marked stone
12 ins. in the ground for 1/4
Sec. cor, marked 1/4 P. NW
face, deep pits 18 x 18 x 12
ins. E. and W. of post 5/12
dist. and raised a mound
of earth 1 1/2 ft. high 3 1/2
ft. base around post

79.80 The cor. to Secs 26, 27, 34 & 35
Land level
Soil 1 1/2 rate

N 0° 1' W. bet. Secs 26 & 27

Var. 13° 08' E.

Subdivisions P. 6.

C₁ Chains

40.00 Set a post 3 ft. long
 4 in. square with marked
 stone 12 in. in the ground
 for 1/4 Sec. cor. marked
 1/4 S. on W. face, deep pit
 18x18x12 in. N. and S. of
 post 5 1/2 ft. dist. and raised
 a mound of stone 1 1/2
 ft. high 3 1/2 ft. base
 around post.

63.10 R.R. 4 in curve

66.80 Road 1/2 E. 1/2 W. 1/2 E. 1/2 W.

80.00 Set a post 4 ft. long
 4 in. square with
 marked stone 12 in. in

6: The ground for cor. to
 Sec 22, 23, 26 + 27

8 marked

South Range & West.

Chains T. 6. S. P. 23. on N.E.

R. 8. W. P. 26. on N.E.

S 27. on P.W. End

S 22. on NW. faces) with
2 notches on S. End E. edges

each pits $18 \times 18 \times 12$ ins in
each Sec. $5 \frac{1}{2}$ ft. dist. End

raised a mound of earth

2 ft. high $4 \frac{1}{2}$ ft. base around
first row which

a. Palo verde. 8 ins. diam

on $N 30^{\circ} W$ 130 yds. dist.

marked T. 6. S. R. 8. W. P. 22. B. T

Land mesa

Soil $1 \frac{1}{4}$ rate

$N 89^{\circ} 54' E$ on a random
line bet. Secs 23 + 26.

4 16 Subdivisions of 6.

C₁ Chains Va. 13°08'E

40.00 Set temporary 1/4 Sec. cor

79.80 Intersect the N & P. line
at 9. chs. N. of cor. to Secs
23, 24, 25 & 26

Thence run

4. S. 89°58'W on a true line
bet. Secs 23 & 26.

Va. 13°08'E

36.80 S. P. R. R. bet. S. 69°W.

38.20 Wagon Road bet. Easterly & Westerly

39.90 Set a post 3 ft. long 3/4 Cor.

with marked stone

12 ins. in the ground for
1/4 Sec. cor. marked 1/4

P. on N. face, and raised

a mound of stone 1 1/2

ft. high 2 1/2 ft. base

around post

6.

8

South Range & West.

Chain

79.80 The cor. to Secs 22, 23, 26 & 27
Land mesa
Soil 1st rate

N^o 1st W. bet. Secs 22 + 23
To 13^o, S. E.

- 8.00 Over rolling meadows
- 40.00 Set a post 3 ft. long 3 ins. square with marked stone 12 ins. in the ground for 1/4 Sec. cor, marked 1/4 S. W. face and raised a mound of stone 1 1/2 ft. high 2 ft. base around post.
- 50.00 Set a post 4 ft. long 4 ins. square with marked stone 12 ins. in the ground for

41 18

Subdivisions Twp. 6.

40 chains Cor. to Secs 14, 15, 22 & 23
marked

T. S. S. 14. on N.E.

R & W. S. 23. on S.E.

S 22. on S.W. end

S 15. on N.W. faces with
3 notches on S. end 2
notches on E. edges. and
raised a mound of
stone $1\frac{1}{2}$ ft. high & 7 ft. base
around post

Land rolling Malpais

Soil $1\frac{1}{4}$ + $5\frac{1}{4}$ rate

62 N 89° 58' E on a random
line bet Secs 14 & 23.

N 130° 15' E

80 40.00 Det Temporary 1/4. Sec. corr

South Range 8 West.

Chains

50.00

Intersect the N. and S. line
at 4 lks. N. of cor. to Secs
13, 14, 23 + 24

Thence run

West on a true line bet
Secs 14 + 23

$79.13^{\circ} 16' E$

40.00

Set a post 3 ft. long 3
ins. square with marked
stone 12 ins. in the ground
for 14 Sec. cor. marked
14. S. on N face, deep feet
18 x 18 x 12 ins. E. and W. of
post $5\frac{1}{2}$ ft. dist. and
raised a mound of
earth $1\frac{1}{2}$ ft. height $3\frac{1}{2}$ ft
base around post

44.00

Leave mesa & over rolling ^{with} plain

41 20

BOOK 1222

Subdivisions of 6.

C. Chains

50.00

The cor. to Secs 14, 15, 22 + 23
Land Malpais + Mesa
Soil 2nd + 4th rate

40

N 0° 1' W. bet. Secs 14 + 15

Va. 13° 10' E

40.00

Set a post 3 ft. long
3 ins. square with
marked stone 12 ins.
in the ground for 14
Sec. cor. marked 14 S.
on W. face, dug pits 18
x 18 x 12 ins. N. and S. of
post 5 1/2 ft. dist. and
raised a mound of
earth 1 1/2 ft. high 3 1/2 ft.
base around post

62

8

South Range & West.

Chains South end of faintest
 Rock Range about East
 50.00 Set a post 4 ft. long
 4 ins. square with
 marked stone 12 ins. in
 the ground for cor. to
 Sec 10, 11, 14 & 15. Marked
 T. 6. S. 11. on N. E.
 R. 8. W. S. 14 on S. E.
 S. 15 on S. W. End
 S. 10. on N. W. faces with 4
 notches on S. End 2 notches
 on E. edges and raised a
 mound of stone 14 1/2 ft. high
 2 ft. base around post
 Land rolling Malpais
 Soil 1st rate

Subdivisions Sp 6.

400 Note The lines bet. Secs 11 + 14 + 2 + 11
are mountainous, and
not agricultural land.
So. Continue north

Chains

400 N 0° 12' W. bet. Secs 10 + 11
Va 13° 18' E.

Cor level, but rough.

40.00 Set a post 3 ft. long
3 ins. square with marked
stone 12 ins. in the ground
for 1/4 Sec. Cor. marked 1/4
D. on W. face, dug pits
18 x 18 x 12 ins. N. End of
of post 5 1/2 ft. dist. and
raised a mound of
earth 1 1/2 ft. high 3 1/2 ft.
base around post

South Range & West.

Chains

70.00 Set a post 4 ft. long 4
 ins square with marked
 stone 12 ins. in the ground
 for cor. to Secs 2, 3, 10 & 11
 marked

T. 6. P. 12 on N. E.

R 8 W. S. 11 on O. E.

Q 10. on O. W End

O 3. on N. W. faces with 5
 notches on S. and 2
 notches on E. edges and
 raised a mound of stone
 1 1/2 ft. high 2 ft. base around
 post. ^{From which to Palo Verde 10 ins. diam}
 from N. 55° E. 552 yds dist. marked T. 6. S. R. 8 W.
 S. 2. Q 5.

Land level but rough

Soil 2 nd/₄ + 4 th/₄ rate

West slope Painted Rock range

Subdivisions of 6.

Chains. No^o 1' W. bet. Secs 2+3

Va 13^o 18' E.

Over level but rough

40.00 Set a post 3 ft. long 3
ins. square with marked
stone 12 ins. in the ground
for 1/4 Sec. cor. marked 1/4

40 W. on W. face, deep feet
18x18x12 ins. N. End of
post 5 1/2 ft. dist. and raised
a mound of earth 1 1/2 ft
high 3 1/2 ft. base around post

69.30 Intersect the 1st Standard
Parallel South at a point
15.75 chs. S 89^o 51' E. from the Standard
cor. to Secs 34+35. T^h. 5th.

62 R 8. W. at which point I
set a post 4 ft. long 4
ins. square with marked

South Range & West.

Chains stone 12 ins. in the ground
 for ^{bloway} Cor. to Secs 2 & 3 marked
 N. 6. T. 6. S. R. 8. W. on S.

S. 2. on E. End

3 on W. faces with 2 notches
 on E. End 4 notches on W. faces
 dug pits 18x18x12 ins. S. E. & W
 of post 5 1/2 ft. dist. End raised
 a mound of earth 2 ft. high
 4 1/2 ft. base around post

Land level but rough
 west slope of Painted Rock
 Range

Soil 2nd + 4th rate

Oct. 28-1892

Subdivisions T_p 6.

39 Chains From the cor. to Secs. 3, 4,
33 x 34 on E. bay of the
Tp.

Q run

N. 0° 2' W. bet. Secs. 33 & 34
Va. 12° 36' E.

40 23. W Low Malpais ridge
5 chs. wide

40. W Det a post 3 ft. long 3
in. square with
marked stone 12 in.
in the ground, for 1/4
Sec. cor. marked 1/4 S.
on W. face, dug pits
18 x 18 x 12 in. N. & S. of
post 5 1/2 ft. dist. and
raised a mound
earth 1 1/2 ft. high 3 1/2
ft. base around post.

62

80

South Range & West.

Chains

86.00 Set a post 4 ft long
 4 ins. square with
 marked stone 12 ins.
 in the ground for
 cor. to Secs. 27, 28, 33, & 34.
 marked.

T. 6 S. S. 27 on N. E.

R. 8 W. S. 34 on S. E.

S. 33 on S. W. and

S. 28 on N. W. face
 with 1 notch on S. and
 3 notches on E. edges.

Dug pits 18x18x12 ins
 in each Sec. 5 1/2 ft.

dist. and raised
 a mound 2 ft high
 4 1/2 ft. base
 around post.

Chains Land of Mesa
Soil 1st plate

East on a random
line bet. Secs. 27 + 34
Va. $11^{\circ}30' E$.

40.00 Set temporary $\frac{1}{4}$ Sec.
cor.

80.20 Intersect N. + S. line
at 21 lks. S. of the cor.
to Secs. 26, 27, 34 & 35
Thence I run
S. $89^{\circ}51' W$. on a true
line bet. Secs. 27 + 34
Va. $11^{\circ}30' E$.

62 80.10 Set a post 3 ft. long
3 ins. square with
marked stone 17 ins

South Range & West.

Chains in the ground for $\frac{1}{4}$ Sec. cor. marked $\frac{1}{4}$ S. on N. face. dug pits $18 \times 18 \times 12$ ins E & W. of post $5\frac{1}{2}$ ft. dist and raised a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base around post.

St. 70 The cor. to Sec. 27, 28,

33 & 34

Land mesa
Soil 1st grade

N. $0^{\circ} 2' W.$ lat. Secs. 27.

& 28.

Var. $11^{\circ} 30' E.$

40. 10 Set a post 3 ft. long

Subdivisions T^h 6.

- 40
 41
 42
 43
 44
 45
 46
 47
 48
 49
 50
 51
 52
 53
 54
 55
 56
 57
 58
 59
 60
 61
 62
 63
 64
 65
 66
 67
 68
 69
 70
 71
 72
 73
 74
 75
 76
 77
 78
 79
 80
 81
 82
 83
 84
 85
 86
 87
 88
 89
 90
 91
 92
 93
 94
 95
 96
 97
 98
 99
 100
60. Chain 3 ins. square with
 marked stone 12 ins.
 in the ground for $\frac{1}{4}$
 Sec. cor. marked $\frac{1}{4}$ S.
 on W. face. dug pits
 18x18x12 ins. N. S. of
 post. 5 $\frac{1}{2}$ ft. dist. and
 raised a mound of
 earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$
 ft. base around post.
 60.10 D. P. R. R. less. S. 88°
 W.
 65. Wagon road to E. & W.
 80. W. Set a post 4 ft. long
 4 ins. square with
 marked stone 12 ins.
 in the ground for
 cor. to Secs. 21, 22, 27 &
 28. marked

No. 1222
South Range & West.

Chains T. 6, S. S. 22 on N. E.
 R. & W. S. 27 on S. E.
 S. 28 on S. W. and
 S. 21 on N. W. Faces
 with 2 notches on S.
 and 3 notches on
 E. edges. dug pits
 18 X 18 X 18 ins in each
 Sec. 5 1/2 ft. dist
 and raised a mound
 of earth 2 ft. high
 4 1/2 ft. base around
 post

Land Mesa
 Soil 1st, 4th etc

N. 89° 51' E. on a plane
 down line bet. ^{sec 22} 22 + 27.

Subdivisions of 6.

- Chain Va. $12^{\circ}18' E$.
 140.00 Set temporary $1/4$ Sec. cor.
 79.80 Intersect the N. & S. line
 at 7 lks. N. of the cor. to
 Secs. 22, 23, 26. & 27.
 Thence run
 S. $89^{\circ}54' N$. on a true
 line bet. Secs. 22 & 27.
 Va. $12^{\circ}18' E$
 3990 Set a post 3 ft. long
 3 ins. square with
 marked stone 12 ins.
 in the ground for
 $1/4$ Sec. cor. marked
 $1/4$ S. on N. face; dug
 pits $18 \times 18 \times 12$ ins.
 E. & W. of post $5\frac{1}{2}$ ft.
 dist and raised a
 mound of earth $1\frac{1}{2}$

South Range & West.

Chains $3\frac{1}{2}$ ft. high
 around post.
 60.00
 79.87
 Old Road brn n.w. & s.e.
 The cor. to Secs. 21, 22
 27 & 28.

Land mesa
 Soil 1st rate

$N0^{\circ}2'W$. bet. Secs 21 & 22
 $79.12^{\circ}18'E$.

Over level mesa

6.50 Old Road brn n.w. and s.e.

40.00 Set a post 3 ft. long
 in square with marked
 stone 12 ins. in the ground
 for 1/4 Sec. cor. marked
 1/4 S. on W. face; deep pits
 18 x 18 x 12 ins. N. and S. of
 post 5 1/2 ft. dist. and raised

Subdivisions of 6.

Chains a mound of earth $1\frac{1}{2}$
ft. high $2\frac{1}{2}$ ft. base around
frost

78.00 Enter rolling meadows
and ascend

80.00 Set a frost 4 ft long 4
ins. square with marked
stone 12 ins. in the ground
for Cor. to Secs 15. 16 21822
marked

T 6. S. 15. on N. E.

R 8 W. 22. on S. E.

S 21. on S. W. and

S 16. on N. W. faces with
3 notches on S. and E. edges
and raised a mound

of stone $1\frac{1}{2}$ ft. high 2 ft.
base around frost

Land mesa except 2 cks

South Range & West.

Chain Soil $1\frac{1}{2}$ rate

$N 89^{\circ} 54' E$. on a random
line bet. Secs 15 & 22

Va. $12^{\circ} 45' E$.

40.00 Set temporary $1/4$ Sec. cor

79.80 Intersect the N & C. line at

14. lks. N. of the cor. to

Secs 14, 15, 22 & 23

Thence run

West on a true line bet
Secs 15 & 22

Va. $12^{\circ} 45' E$.

Ascending over Malpais

27.00 Top of Malpais divide + descend

3.9.90 Set a post 9 ft. long
in square with marked
stone 12 ins. in the ground

Subdivisions of 6.

61 Chains for 1/4 Sec. Cor. marked
 1/4 l. on N. face, and
 raised a mound of stone
 1 1/2 ft. high 2 ft. base around
 post

79.80 The cor. to Secs 15, 16, 21 & 22
 Land mostly Malpais
 Soil 4th rate & worthless

No 2 W. bet. Secs 15 & 16
 Va. 12° 45' E.

Ascending

40.00 Set a post 3 ft. long 3
 ins. square with marked
 stone 12 ins. in the ground
 for 1/4 Sec. cor. marked 1/4
 on N. face, dug pits 18x18
 x 12 ins. N. side of post

62

80

South Range 8 West.

chains 5 $\frac{1}{2}$ ft. dist. and raised
a mound of earth 1 $\frac{1}{2}$ ft
high 5 $\frac{1}{2}$ ft base around
post

43.00 Top. Malpais ridge
& descend

80.00 Set a post 4 ft. long 4
ins. square with marked
stone 12 ins. in the ground
for cor. to Secs 9, 10, 15 & 16
marked

T. 6. S. 10. on N. E.

R. 8 W. S. 15 on S. E.

S. 16. on N. W. end

S. 9. on N. W. faced with
4 notches on S. end 3

notches on E. edges and
raised a mound of stone
1 $\frac{1}{2}$ ft. high 5 $\frac{1}{2}$ ft. base

Subdivisions of 6.

39 Chains around post
Land surface Malpais
rock
Soil worthless

40 East on a random line
bet. Secs 10 and 15
Va. $11^{\circ}57'E$.

40.00 Set Temporary $1/4$ Sec. cor
79.90 Intersect the N. and S.
line at 23. lks. S. of cor
to Secs 10, 14, 14 + 15

Thence I run
 $S89^{\circ}50'W$. on a true
line bet. Secs 10 and 15
Va. $11^{\circ}57'E$

62 Over rolling Malpais
8. 39.95 Set a post 0 ft. long 3
ins. square with marked

South Range & West.

Chains stone 12 ins. in the ground
for 1/4 Sec. cor. marked 1/4
N. on N. face, and raised
a mound of stone 1 1/2 ft
high 2 ft base around
post

79.90. The cor. to Secs 9, 10, 15 & 16
Land rolling Malpais
Soil worthless
Mountains to the East

N^o 2' W. bet. Secs 9 & 10

Pa. 11° 57' E.

Descending

40.00

Set a post 5 ft. long 3
ins. square with marked
stone 12 ins. in the ground
for 1/4 Sec. cor. marked 1/4

H Ho.

BOOK 1222

Subdivisions Tr 6.

Chains on W. face, dug pits 18x
18x12 ins. N. and S. of post
5 1/2 ft. dist. and raised a
mound of earth 1 1/2 ft. high
3 1/2 ft. base around post
and Foot of descent

40 56.00 Over mesa

80.00

Set a post 4 ft. long
4 ins. square with marked
stone 12 ins. in the ground
for cor. to Secs 3, 4, 9 & 10
marked

T6. S. 3. on N.E.

R8 W. 10. on S.E.

S 9. on S.W. and

S 4. on N.W. faces with 5

notches on S. and 3 notches
on E. edges dug pits 18x18
x12 ins in each. Dec. 5 1/2 ft.

62

80

South Range 8 West.

Chains dist. And raised a mound
of earth 2 ft. high $4\frac{1}{2}$ ft. base
around post
Land Mesa + McFalls
Soil 1st + 3rd rate

$789^{\circ}58'E$. on a random
line bet. Secs 3 + 10

va. $13^{\circ}09'E$.

40.00 Set temporary $1/4$ Sec. cor

80.00 Intersect the N. End S. line
at 14 lks N. of cor. to Secs
2, 3, 10 + 11

Thence Run

$87^{\circ}56'W$. on a true line
bet. Secs 3 and 10

va. $13^{\circ}09'E$.

40.00 Set a post 3 ft. long since

Subdivisions T^o 6.

40 c1 Chain square with marked
stone 12 ins. in the ground
for 14. Sec. cor. marked 14
W. on the face, dug pits 15
x 18 x 12 ins. E. End W. of post
5 1/2 ft. dist. and raised
a mound of earth 1 1/2
ft. high 3 1/2 ft. base around
post

80.00 The lev. to Secs 3, 4, 9 & 10
Land broken
Soil poor

No^o 2 W. bet. Secs 3 & 4
VA 13.° 09' E.

62 40.00 Set a post 0 ft. long
3 ins. square with marked
stone 12 ins. in the ground

South Range 8 West.

Chains for 1/4 Sec. Cor. marked 148
 on W. face, and raised a
 mound of stone, 1 1/2 ft.
 high 2 ft. base around
 post

56.50 Wash course N.W

69.00 Intersect the 1st/₄ Stand
 Parallel South at a point
 15.65 chs. $N89^{\circ}47'E$ from the
 Standard Cor. to Secs
 33 and 34 T₁. S. 1. R. 8. W. at
 which point I set a
 post 4 ft. long 4 ins. square
 with marked stone 12
 ins. in the ground for
 closing Cor. to Secs 3 & 4
 marked
 C. C. T. 6. S. 1. R. 8. W. on S.
 D. 3. on E. end

H

44

BOOK 1222

Subdivisions T^p 6.

40
 Chain S. H. on W. faces with 3
 notches on E. and W. faces
 dug pits 18x18x1/2 ins.
 S. E. + W. of first 5 1/2 ft. dist
 and raised a mound
 of earth 2 ft. high 4 1/2 ft
 base around first

Land broken gradually
 descending to west

Oct. 29 - 1892

From the cor. to Secs
 4. 5. 32 + 33 on the S. Bdy
 of the T^p.

I run

N 0° 2' W. bet. Secs 32 + 33

79.12° 36' E.

62
 8
 40:00 Set a post 3 ft. long in
 square with marked

South Range S West.

Chainstone 12 ins. in the ground
 for 14 Sec. Cor. marked 14
 on W. face, aug pits 18x
 18x12 ins. N. End S. of post
 5 1/2 ft. dist. End raised a
 mound of earth 1 1/2 ft
 high 3 1/2 ft. base around
 post

80.00 Set a post 4 ft. long 4
 ins. square with marked
 stone 12 ins. in the ground
 for cor. to Secs 28, 29, 32 & 33
 marked

Tb. S. 028. on N. E.

R 8 W. S. 33. on N. E.

032. on N. W. end

029. on N. W. faces with
 1 notch on N. end & notches
 on E. edges. aug pits 18x18x12

46. Subdivisions T₆.

Chains run in each sec. $5\frac{1}{2}$ ft
 dist. and raised a mound
 of earth 2 ft. high $4\frac{1}{2}$ ft.
 base around post
 Land mesa
 Soil 1st rate

East on a random
 line bet. Secs 28 + 33

Va $12^{\circ} 20' E$

40.00 Set temporary 1/4 Sec. cor

79.90 Intersect the N. and S.
 line at 14 chs. S. of the cor
 to Secs 27. 28. 33 and 34

Thence I run

S. $89^{\circ} 54'$ W. on a true line
 bet. Secs 28 + 33

Va $12^{\circ} 12' E$

South Range West.

Chains

39.95 Set a post 3 ft. long 3 ins. square with marked stone 12 ins. in the ground for 1/4 Sec. cor. marked 1/4 B. on N face, aug. pits 18x18x12 ins. E. and W. of post. 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base around post

79.90 ^{Cor to Sec} 28.29.32 + 33

Land mesa
Soil 1/4 rate

N 0° 2' W. bet Secs 28 + 29
59, 12° 20' E.

40.00 Set a post 3 ft. long 3 ins. square with marked

48

Subdivisions of 6.

- c Chains stone 12 ins. in the ground
for 1/4 Sec. cor. marked 14
N. on W. face, dug pits 15x
18x12 ins N. and S. of post
5 1/2 ft. dist. and raised a
mound of earth 1 1/2 ft. high
3 1/2 ft. base around post
- 4 56.30 S. P. R. R. brs S. 88° W
- 57.50 Wagon road along R. R.
- 80.00 Set a post 4 ft long 4
ins. square with marked
stone 12 ins. in the ground
for cor. to Secs 20, 21, 28, 29
marked
- 6 T. S. S 21. on N. E.
R 8 W. S 28. on S. E.
S 29. on S. W. End
S 20. on N. W. faces with 2
notches on S. and 4 notches

South Range & West.

Chains on E. edges, aug pits 18x
 18x12 ins. in each Sec 5th
 ft. dist. and raised a
 mound of earth 2 ft. high
 4 1/2 ft. base around post
 Land mess
 Soil 1st rate.

N 89° 54' E. on a random
 line bet. Secs 21 & 28
 N 12° 22' E.

40.00 Set temporary 1/4 Sec cor
 79.90 Intersect the N & P. line
 at 23. lks. N. of the cor. to
 Secs 21, 22, 27 & 28

Thence I run
 N 89° 56' W. on a true line
 bet. Secs 21 & 28

Subdivisions Sp 6.

Chains

V_A 12° 22' E.

39.95 Set a post 3 ft. long
 vis. square with marked
 stone 12 ins. in the ground
 for 14. Sec. cor. marked
 1/4. On N. face, dug pit
 15 x 15 x 12 ins. E. and W. of
 post 5 1/2 ft. dist. and
 raised a mound of earth
 1 1/2 ft. high 5 1/2 ft. base
 around post

79.90 The cor. to Secs 20, 21, 28 & 29

Land level mesa

Soil 1st/₄ rate

N 0° 2' W. bet. Secs 20 & 21.

V_A 12° 22' E.

40.00 Set a post 3 ft. long 3 ins.

South Range & West.

Chain square with marked
stone 12 ins. in the ground
for 14. Sec. cor. marked 14.1
on W. face, dug pits 15X15
X 12 ins. N. and S. of post 5 1/2
ft. dist. and raised a mound
of earth 1 1/2 ft. high 3 1/2 ft
base around post

80.00 Set a post 4 ft. long 4
ins. square with marked
stone 12 ins. in the ground
for cor. to Secs 16. 17. 20 & 21
marked

T 6. P. S. 16. on N.E.

R 5 W S 21. on S.E.

X 29. on S.W. end

P 17. on N.W. faces with
3 notches on S. end 4 notches
on E. edges dug pits 15X15

Subdivisions of 6.

Chains 12 ins. in each Sec. $5\frac{1}{2}$ ft.
 dist. and raised a mound
 of earth 2 ft. high $4\frac{1}{2}$ ft
 base around post
 Land mesa
 Soil 1st rate

$S 89^{\circ} 56' E.$ on a random
 line bet. Secs 16 + 21

$N 12^{\circ} 45' E.$

40.00 Set temporary 1/4 Sec. cor

79.90 Intersect of the N and S. line
 at 23.115 S. of the cor. to Secs
 15, 16, 21 + 22

Thence I run

$S. 89^{\circ} 54' W.$ on a true line
 bet. Secs 16 + 21.

$N 12^{\circ} 45' E.$

South Range 8 West.

- Chains Over malpais
- 6.00 Leave malpais & enter mesa
- 29.95 Set a post 5 ft. long 3 ins. square with marked stone 12 ins. in the ground for 1/4 Sec, or marked 1/4 S on N. face, aug pits 18x18 x 12 ins. E. and W. of post 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base around post
- 49.80 Old Road br. Northerly & Southerly
- 79.90 The lerr. to Secs 16, 17, 20 & 21
Land mesa & malpais
Soil 1st and 4th rate

No 2 W. bet. Secs 16 & 17

N 1/2 1/4 S 1/8 E

Subdivisions Sp 6.

Chain

Over mesa

40.00 Set a post 3 ft. long 3
 ins. square with marked
 stone 12 ins. in the ground
 for 1/4 Sec. cor. marked
 1/4 S. or W. face, deep pits
 15x15x12 ins. N. end of post
 5 1/2 ft. dist. and raised a
 mound of earth 1 1/2 ft
 high 3 1/2 ft. base around
 post

51.50 Old Road bet. D. E. & N. W.
 Leave mesa and ascend
 gradually.

57.00 Top of divide and descend

80.00 Set a post 4 ft. long 4
 ins. square with marked
 stone 12 ins. in the ground
 for cor. to Secs 8, 9, 16 & 17

South Range & West.

Chairs marked

T. 6. S. 19. on N. E.

R & W. 16. on S. E.

S 17. on S. W. End

S 18. on N. W. faces with 4
notches on S. End & edges
and raised a mound of
stone 1 1/2 ft. high 2 ft. base

around foot. From which a. Pale 3rd
8 mi. again. on N. 88° E. 1 ch. dist. marked S. 6. 2. R. S. W. 19. B. 5

and mostly mesa

Dial 1st & 4th rate

N 89° 54' E. on a random
line bet. Secs 9 & 16

Va 11° 57' E.

40.00

Set temporary 1/4 Sec. cor

79.90

Intersect the N. End S. line
at the cor. to Secs 9, 10, 15 & 16

56 Subdivisions T₆ S₈ R₈

Chains Thence I run

S. 89° 54' W. on a tree line
bet. Secs. 9 + 16

Va. 11° 57' E.

39.95 Set a post 3 ft. long 3 ins.
square with marked stone
12 ins. in the ground for
1/4 Sec. cor. marked 1/4 on N
face, and raised a mound
of stone 1 1/2 ft. high 2 ft
base around post79.90 The cor. to Secs 8, 9, 16 + 17
Land rolling Malpais
Soil 4 ~~th~~ rate

N 0° 2' W. bet. Secs. 8 + 9

Va. 11° 57' E.

Descending gradually

U. S. Surveyor-General's Office,

TUCSON, A. T., March 4 1883

The foregoing Field Notes of the Surveys of
The Subdivision Lines of
Twp. 1 R. 5 W

Of The Gila and Salt River Meridian
in Territory of Ariz executed by
Lewis Wolfley

U. S. Deputy Surveyor, under his contract dated
May 26th 1892
having been critically examined, the necessary correc-
tions and explanations made, the said Field Notes and
the surveys they describe are hereby approved.

R. A. Johnson
U. S. Surveyor-General
for the Territory of Arizona.