

Recd Jan 6 1893

Sent to G. L. O. 3-4/93

Compared  
Platted

BOOK 1223

No. 1223

Approved. April 27 1893

1223

4-671

BOOK 1223

FIELD NOTES

GENERAL LAND OFFICE.

OF THE

SUBDIVISIONS.

Tp. 6. S. R. 8. W.

By Lewis Wolfley

Under Contract No 22.

Dated May. 26<sup>th</sup> 1892.

Survey Commenced. <sup>Oct 27</sup> ~~Nov 17~~ 1892.

Survey Completed. <sup>Oct 31<sup>st</sup></sup> ~~Nov 22~~ 1892.

Indexed, Book 1222

Township 65 R. 8W 56

6	84	5	60	4	3	2	1
83		82		58			
7	80	8	57	9	10	11	12
79		77					
18	76	17	16	15	14	13	
74		73					
19	71	20	21	22	23	24	
70		68					
30	67	29	28	27	26	25	
65		64					
31	62	32	33	34	35	36	

## Subdivisions Tp. 6. S. R. 8 W.

Chain

- 33.00 Foot of descent
- 40.00 Set a post 3 ft. long 3 ins.  
square with marked  
stone 12 ins. in the ground  
for  $\frac{1}{4}$  Sec. cor. marked  $\frac{1}{4}$  S.  
on W. face, aug pits  $18 \times 18 \times$   
12 ins. N. and S. of post  $5\frac{1}{2}$   
ft. dist. and raised a mound  
of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft.  
base around post
- 50.00 Set a post 4 ft. long 4 ins.  
square with marked  
stone 12 ins. in the ground  
for cor. to Secs. 4, 5, 8 + 9  
marked  
T. 6. S. 4. on N. E.  
R. 8. W. 9. on S. E.  
D. 8. on D. W. and

## Subdivisions of 6.

Chains and N. 5. on N. W. faces  
 with 5 notches on N. end  
 4 notches on E. edges. dug  
 pits  $18 \times 18 \times 12$  ins in  
 each Sec  $5 \frac{1}{2}$  ft. dist. and  
 raised a mound of earth  
 $2 \frac{1}{2}$  ft. high  $4 \frac{1}{2}$  ft. base around  
 post.

Land mostly mesa  
 Soil  $1 \frac{2}{3}$  +  $4 \frac{2}{3}$  rate

N.  $89^{\circ}54'E$  on a random  
 line bet. Secs. 4 & 9.

Va.  $13^{\circ}09'E$ .

140. or Set temporary  $1/4$  Sec. cr.

80. or Intersect the N. & S. line  
 at 9 lps. S. of the cor. to Sec.  
 3, 4, 9 & 10

## South Range &amp; West

Chains Thence I run

S.  $89^{\circ} 50' W.$  on a true line  
bet. Secs. 4 & 9.

Va.  $13^{\circ} 09' E.$

40.00 Set a post 3 ft. long 3  
ins. square with marked  
stone 12 ins. in the ground  
for  $\frac{1}{4}$  Sec. cor. marked  
 $\frac{1}{4}$  S. on N. face dug  
pit  $18 \times 18 \times 12$  ins. E.  
& W. of post  $5\frac{1}{2}$  ft. dist.  
and raised a mound  
of earth  $1\frac{1}{2}$  ft. high  
 $3\frac{1}{2}$  ft. base around  
post.

50.00 The corner to Secs. 4, 5,  
8 & 9.

Land West half Meas  
" East " Rough

60.

BOOK 1223

## Subdivisions of 6.

Chains Soil 1<sup>st</sup> and 4<sup>th</sup> rate

N.  $0^{\circ} 2' W$ . bet. Secs. 4 & 5  
 Va.  $13^{\circ} 09' E$ .

Over rolling mesa &amp; Malpais

40.00

Set a post 3 ft. long  
 3 in. square with  
 marked stone 12 in  
 in the ground for  $\frac{1}{4}$   
 Sec. cor. marked  $\frac{1}{4}$   
 S. on W. face. dug  
 pits 18 x 18 x 2 in. N. &  
 S. of post.  $5\frac{1}{2}$  ft. dist.  
 and raised a mound  
 of earth  $1\frac{1}{2}$  ft. high  
 $3\frac{1}{2}$  ft. base around  
 post.

## South Range &amp; West.

Chains

69.00

Intersect the 1<sup>st</sup> standard  
parallel S. at a point  
16.00 ch. <sup>each</sup> from the standard  
cor. to Secs 32 & 33 T. 5. N. R.  
8. W. at which point I  
set a post 4 ft. long 4  
ins. with marked stone  
12 ins. in the ground for  
closing cor. to Secs 44 & 45  
marked

b. b. T. 6. N. R. 8. W. on D.

D 4. on E. End

D 5. on W. faces with 4  
notches on E. End 2 notches  
on W. faces, aug pits 18 x  
18 x 12 ins. S. E. & W. of post  
1 1/2 ft. dist. End raised a  
mound of earth 2 ft. high

62

BOOK 1223

## Subdivisions T. 6.

chains 4  $\frac{1}{2}$  ft. base around  
 post From which  
 an Ironwood tree  
 14. ins. diam. brs S. 40° W  
 32. lks. dist. marked  
 C. C. T. 6. S. R 8. W. P 5. B. T.  
 Land mostly mesa  
 Soil  $\frac{1}{4}$  +  $\frac{1}{4}$  the rate

Oct. 30 - 1892

From the cor. to Secs  
 5. 6. 31 and 32. on the  
 South Bay. of the T. 6  
 Iron

N 0° 3' W. bet. Secs 31 + 32  
 Va. 13° 21' E.

ascend over rolling meadows  
 40.00 Set a post 5 ft. long 3 ins  
 square with marked stone



## South Range 8 West.

chains 12 ins. in the ground for  
 1/4 Sec. cor. marked 1/4 S  
 on W. face, and raised  
 a mound of stone 1 1/2 ft  
 high 2 ft. base around  
 post

67.00 Top and descend

80.00 Set a post 4 ft. long  
 4 ins. square with  
 marked stone 12 ins. in  
 the ground for cor. to  
 Secs 29. 30. 31 and 32  
 marked

S. 29. on N.E.

R. & W. 32. on S.E.

S 31. on S.W. end

S 32 on N.W. faces with  
 1 notch on S and 5 notches  
 on E. edges. and raised

Subdivisions T<sub>6</sub>.

Chains a mound of stone  $1\frac{1}{2}$   
ft. high 2 ft. base mound  
first

Land rolling Malpais  
Soil 4<sup>th</sup> Gate

---

East on a random line  
bet. Secs 29 & 32

$\text{Va } 12^{\circ} 15' \text{E}$

40.00 Set temporary  $\frac{1}{4}$  Sec. cor

80.15 Intersect the N. End S. line  
at 21. lks. S. of the cor. to  
Secs 28, 29, 32 & 33

Thence I run

S.  $89^{\circ} 51' \text{W}$ . on a true line  
bet. Secs 29<sup>End</sup> & 32.

$\text{Va } 12^{\circ} 15' \text{E}$ .

40.07 Set a first 3 ft. long 3<sup>rd</sup> vis

## South Range &amp; West

Chain square with marked stone  
 12 ins. in the ground for  
 1/4 Sec. cor marked 1/4 S. on  
 N. face, aug pits 18x18x12  
 ins. E. and W. of post 5 1/2  
 ft. dist. and raised a mound  
 of earth 1 1/2 ft. high 3 1/2 ft.  
 base around post

66.50 Enter Malpais

80.15 The cor. to Secs 29. 30. 31 & 32  
 Land mesa + Malpais  
 Soil 1<sup>st</sup> + 3<sup>rd</sup> rate

West on a random line  
 bet. Secs 30 + 31

Pa. 12° 15' E.

40.00 Set temporary 1/4 Sec. cor

76.50 Intersect the West. Bdy. of

## Subdivisions of 6.

Chain Tr at 14, lks. n. of Cor.  
to Secs. 25, 30, 31 + 36.

Thence Iron

N 79° 54' E. on a true line  
bet. Secs 30 + 31.

Pa. 12° 15' E.

36.50 Set a post 3 ft. long 3 ins.  
square with knapped  
stone 12 ins. in the ground  
for 14. Sec. Cor. marked 14  
W on N. face, and raised a  
mound of stone 1 1/2 ft  
high 2 ft. base around  
post

76.50 The Cor. to Secs. 29, 30, 31 + 32  
Land malfeas  
Soil 4<sup>th</sup> rate

---

## South Range &amp; West.

Chain No 3 W. bet. Secs 29 &amp; 30.

Pa.  $12^{\circ} 15' E$ 

Descending

40.00 Set a post 5 ft. long 3 ins. square with marked stone 12 ins. in the ground for cor. marked 1148 on W. face, and raised a mound of stone  $1\frac{1}{2}$  ft. high 2 ft. base around post

42.00 Foot of descent, and enter mesa

49.20 P. O. R. R. in curve

51.50 wagon road parallel to R R

50.00 Set a post 4 ft. long 4 ins. square with marked stone 12 ins. in the ground for cor. to Secs 19, 20, 29 & 30 marked

68

BOOK 1223

## Subdivisions of 6.

Chains T. 6. S. 1 20. on N. E.  
 R. 5. W. 1 29. on S. E.  
 S 30. on W. and  
 D 19. on N. W. faces with  
 2 notches on S. and 5  
 notches on E. edges. and  
 raised a mound of stone  
 1 1/2 ft. high 2 ft. base <sup>around</sup>  
 foot

Land mesa

Soil 1<sup>st</sup> rate

N 89° 51' E. on a random  
 line bet. Secs 20 & 29

N 12° 22' E

40.00 Set temporary 1/4 Sec. cor  
 80.00 Intersect the N. and S  
 line at 25. lvs. N. of cor. to

## South Range West.

Chains Secs. 20, 21, 28 + 29

Thence I run

N 89° 58' W. on a tree line  
bet. Secs 20 + 29

To 12° 22' E

40.00 Set a post 3 ft. long 3 ins.  
square with marked  
stone 12 ins. in the ground  
for 14. Sec. @. marked 14  
on N. face, dug pits 18 x 18 x  
12 ins. E. End W. of post  
5 1/2 ft. dist. and raised a  
mound of earth 1 1/2 ft.  
high 3 1/2 ft. base around post

80.00 The cor. to Secs 19, 20, 29 + 30

Land mesa

Coil 1 <sup>st</sup>/<sub>4</sub> rate

## Subdivisions of 6.

Chain S.  $89^{\circ}54'W.$  on a random  
line bet. Secs 19 + 30.

$\nabla 12^{\circ}22'E.$

40.00 Set temporary  $\frac{1}{4}$  Sec. cor

76.60 Intersect the W. Bdy. of  
the Tp at 4 EKS. S. of  
cor. to Secs 19, 24, 25 + 30

Thence I run

$N 89^{\circ}56'E.$  on a true line  
bet. Secs 19 + 30.

$\nabla 12^{\circ}22'E.$

Descend gradually over  
maefrais

36.60 Set a post 3 ft. long 3 ins  
square with marked stone  
12 ins. in the ground for  
 $\frac{1}{4}$  Sec. cor. marked  $\frac{1}{4}$  D. on  
N. face, and raised a  
mound of stone  $1\frac{1}{2}$  ft high



## South Range &amp; West.

- Chains 2 ft. base around post  
 37.60 Leave Malpais and over  
 level mesa  
 67.00 Middle of low ridge & clear  
 wide  
 76.60 The cor. to Secs 19, 20, 29 & 30  
 Land mesa + Malpais  
 Soil 1<sup>st</sup> rate + worthless
- 

N<sup>0</sup> 3' W. bet. Secs 19 & 20  
 T<sup>a</sup> 12<sup>o</sup> 22' E.

Over mesa

- 40.00 Set a post 3 ft. long 3 in.  
 square with marked stone  
 12 ins. in the ground for 1/4  
 Sec. cor. marked 1/4 S. or W.  
 face, dug pits 18x18x12 ins.  
 N. and S. of post 5 1/2 ft. dist

72

## Subdivisions Sp. 6.

Chains and raised a mound  
of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$   
ft. base around post

80.00 Set a post 4 ft. long 4  
ins. square with marked  
stone 12 ins. in the ground  
for cor. to Secs 17, 18, 19 & 20  
marked

T. 6. S. 17. on N.E.

R & W. S. 20. on S.E.

S 19. on S.W. End

S 18. on N.W. face with 3  
notches on S. End 5 notches  
on E. edges aug pits  $18 \times 18$   
 $\times 12$  ins. in each Sec.  $5\frac{1}{2}$   
ft. dist. and raised a mound  
of earth 2 ft. high  $4\frac{1}{2}$  ft  
base around post  
Land mesa

South Range & West.

chain

Soil  $\frac{1}{4}$  rate

S 89° 58' E. on a handrun  
line bet. Secs. 17 & 20.  
Va. 12° 38' E.

40.00

Set temporary  $\frac{1}{4}$  Sec. cor.

80.20

Intersect the N. & S. line  
at 17 lks. N. of the cor. to  
Secs. 17, 16, 20 & 21.

Thence I run

N. 89° 57' W. on a true  
line bet. Secs. 17<sup>and</sup> 20.  
Va. 12° 38' E.

x

40.10

Set a post 3 ft. long  
3 ins. square with  
marked stone 12 ins.  
in the ground for  $\frac{1}{4}$   
Sec. cor marked  $\frac{1}{4}$  S. on

74

## Subdivisions of 6.

Chains N. face, dug pits  $18 \times 18 \times$   
 $12$  ins. E. & W. of post  $5\frac{1}{2}$   
 ft. dist. and raised a  
 mound of earth  $1\frac{1}{2}$  ft.  
 high  $3\frac{1}{2}$  ft. base around  
 post.

88.20 The cor. to Secs. 17, 18, 19 & 20  
 Land level mesa  
 Soil 1<sup>st</sup> path.

---

S.  $89^{\circ}56'$  W. on a ran-  
 dom line bet. Secs. 18 &  
 19.

Va.  $12^{\circ}38'$  E.

40.00 Set temporary  $\frac{1}{4}$  Sec. cor.

76.35 Intersect the W. ldy. of the  
 Sp. at 9. lks. S. of the cor. to  
 Secs. 13, 18, 19 & 24.

## South Range 8 West.

Chains Hence I run

East on a true line  
bet. Secs. 18 & 19.

Va.  $17^{\circ}38'$  E.

76.35 Set a post 3 ft. long &  
3 ins. square with marked  
stone 12 ins. in the ground  
for  $\frac{1}{4}$  Sec. cor. marked  
 $\frac{1}{4}$  S. on N. face; dug  
pits 18 x 18 x 12 ins. E. &  
W. of post  $5\frac{1}{2}$  ft. dist  
and raised a mound  
of earth  $1\frac{1}{2}$  ft. high  
 $3\frac{1}{2}$  ft. base around  
post.

76.35 The cor. to Secs. 17, 18, 19 & 20  
Land mesa  
Soil 1<sup>st</sup> rate.

## Subdivisions of 6.

Chain N.  $0^{\circ} 3' W.$  bet. Secs. 17 & 18  
 Va.  $12^{\circ} 38' E.$

40.00 Set a post 3 ft. long 3 ins square with marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. cor. marked  $\frac{1}{4}$  S on N. face. dig pits  $18 \times 18 \times 12$  ins. N. & S. of post.  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around post.

80.00 Set a post 4 ft. long 4 ins square with marked stone 12 ins. in the ground for cor. to Sec. <sup>7.</sup> 17 & 18. marked P. 6. S. S. on N. E. P. 8 W. S. 17 on S. E.

## South Range Street.

chains S. 1800 S. W. and  
 S. 7 on N.W. faces  
 with 4 notches on  
 S. and 5 notches on  
 E. edges. dug pits  
 18x18x12 ins. in each  
 Sec. 5 1/2 ft. dist. and  
 raised a mound of  
 earth 2 ft. high 4 1/2  
 ft. base around post.  
 Land Mesa  
 Very little Malpais  
 Soil 1<sup>st</sup> rate

---

$89^{\circ}51'E$ . on a random  
 line bet. Secs 8 & 17

$79.12^{\circ}37'E$

40.00 Set Temporary 1/4 Sec. cor

## Subdivisions of 6.

Chains

70.20 Intersect the N + S. line  
at 1-1/2 m. S. of the corner  
to Secs 8, 9, 16 + 17

Thence I run

N 89° 57' W. on a true line  
bet. Secs 8 + 17

Ca. 12° 37' E.

7.80 Road via Northernly + Southernly

40.10 Set a post 3 ft. long 3  
ins. square with marked  
stone 12 ins. in the ground  
for 1/4 Sec. cor. marked 1/4  
R. on N. face, aug pits 18 x 18  
x 12 ins. E and W. of post 5 1/2  
ft. dist. and raised a mound  
of earth 1 1/2 ft. high 3 1/2 ft  
base around post

80.20 The cor. to Secs 7, 8, 17, 8, 18



## South Range &amp; West.

Chains Land mesa  
Soil 1<sup>st</sup> rate

---

West on a random line  
bet. Secs 7 + 18

$\varphi$  12° 37' E.

40.00 Set temporary 1/4 Sec. cor.

76.60 Intersect the W. Body of  
the Tpr. at 14 lks. N. of  
The cor. to Secs 7, 12, 13 + 18

Thence run

N 89° 54' E. on a true line  
bet. Secs 7 + 18

$\varphi$  12° 37' E.

Over mesa with scattering  
malpais

36.60 Set a post 3 ft. long 3 in.  
square with marked

Subdivisions T<sub>6</sub>.

chains stone 12 ins. in the ground  
for 1/4 Sec. cor. marked  
1/4 S. on N. face, dug pits  
18 x 18 x 12 ins. E. and W. of  
post 5 1/2 ft. dist. and  
raised a mound of  
earth 1 1/2 ft. high 5 1/2 ft.  
base around post

- 37.00 Leave scattering malpais  
76.60 The cor. to Secs 7, 8, 17 & 18  
Land mesa + malpais  
Soil 1<sup>st</sup>/<sub>n</sub> + 4<sup>th</sup>/<sub>n</sub> rate
- 

N 0° 3' W. bet. Secs. 7 & 8

S 4 12° 37' E.

- 20.00 Enter rolling malpais  
38.00 Top of low malpais ridge  
40.00 Set a post 3 ft. long 3 ins.

## South Range 8 West.

Chain square with marked  
stone 12 ins. in the ground  
for 1/4 Sec. cor. marked 1/4  
on W. face, and raised  
a mound of stone 1 1/2 ft.  
high 2 ft. base around <sup>post</sup>

53.00 Lean Malpais

80.00 Set a post 4 ft. long 4 ins.  
square with marked stone  
12 ins. in the ground for cor  
to Secs. 5, 6, 7 & 8, marked

T. 6. S. 1/4 S. on N. E.

R. 8. W. S. 1/4 on S. E.

D. 7. on S. W. and

D. 6. on N. W. faces with 5  
notches on N. and E. edges  
dig pits 18 x 18 x 12 ins. in  
each Sec 5 1/2 ft. dist. and  
raised a mound of earth

87

## Subdivisions Sp. 6.

Chains

2 ft. high 4 1/2 ft. base  
around post

Land mostly rolling Malpais

Soil 1<sup>st</sup> to 4<sup>th</sup> rateS 89° 51' E on a random  
line bet. Secs. 5 & 8

Va. 12° 37' E.

40.00 Set temporary 1/4 Sec. cor

80.00 Intersect the N + S line  
at 7 E.S. S. of the cor. to  
Secs 4, 5, 8 & 9.

Thence I run

N 89° 54' W. on a true line  
bet. Secs 5 & 8

Va. 12° 37' E

7.00 Road bcs Northerly + Southerly

40.00 Set a post 2 ft. long 3 ins.

## South Range &amp; West.

Chain square with marked  
stone 12 ins. in the ground  
for  $\frac{1}{4}$  Sec. cor. Marked  
 $\frac{1}{4}$  S. on N. face, dug pits  
18 x 18 x 12 ins. E. and W. of  
post  $5\frac{1}{2}$  ft. dist. and raised  
a mound of earth  $1\frac{1}{2}$  ft.  
high  $3\frac{1}{2}$  ft. base around post

80.00

The cor. to Secs. 5, 6, 7 &amp; 8

Land rolling Malpais  
& MesaSoil  $1\frac{2}{3}$  to  $3\frac{2}{3}$  rate

$S 89^{\circ} 54' W.$  on a random  
line bet. Secs 6 & 7

 $T 9. R^{\circ} 37' E.$ 

40.00

Set temporary  $\frac{1}{4}$  Sec. cor

76.70

Intersect the W. Bdy. of

84

## Subdivisions Tr 6.

Chain The Tr at 16 cks. N. of  
 the cor. to Secs 1, 6, 7 & 12  
 Thence I run  
 $N 89^{\circ} 47' E.$  on a true line  
 bet. Secs 6 & 7

$7 a, 12^{\circ} 37' E.$

Over rolling mesa + Malpais

36.70 Set a post 3 ft. long 3 ins.  
 square with marked stone  
 12 ins. in the ground for 1/4  
 Sec. cor. marked 1/4 S. on  
 N. face, and raised a  
 mound of stone 1 1/2 ft  
 high 2 ft base around post  
 76.70 Cor. to Secs 5, 6, 7 + 8  
 sand rolling + mesa

Soil 1 <sup>st</sup>/<sub>4</sub> rate + 4 <sup>th</sup>/<sub>4</sub> rate

7

$N 0^{\circ} 3' W.$  bet. Secs. 5 + 6

## South Range Street

Chains

Va.  $12^{\circ}37'E$ .

40.00

Set a post 3 ft. long 3 ins. square with marked stone 12 ins. in the ground for  $1/4$  Sec. cor, marked  $1/4 S$  on W. face, dug pits  $18 \times 18 \times 12$  ins. U. End A. of post  $5/2$  ft. dist. and raised a mound of earth  $1 1/2$  ft high  $3 1/2$  ft. base around post

69.60

Intersect the  $1^{st}$  Standard parallel south at a point 15.48 chs. S  $89^{\circ}35'E$  <sup>from</sup> Stand. cor. to Secs 31 & 32. Th. 5 S. R. S. W. at which point I set a post 4 ft. long 4 ins. square with marked stone 12 ins in the

86

Subdivisions T<sup>6</sup>. S. R. 8<sup>th</sup> W.

Chain ground for closing cor. to  
Secs 5 & 6. marked  
C. C. T. B. S. R. S. W. on S.

S. S. on E. End

S. 6. on W. faces. with 5 notches  
on E. End 1 notch on W. faces

and raised a mound of  
stone 1 1/2 ft. high 2 ft. base  
around post. From which

a. Pale Verde, 10 ins. diam

br. S. H. 0<sup>0</sup> E. 11 S. S. Ks. dist.

marked <sup>C. C.</sup> T. B. S. R. S. W. S. S. B. T.

Land mesa End Malpais

Soil 1<sup>st</sup>/<sub>11</sub> to 4<sup>th</sup>/<sub>11</sub> rate

Oct. 31<sup>st</sup>/<sub>11</sub> — 1892

Lewis Wolfley

U. S. Deputy Surveyor



## General Description

Sections 1, 2, 11, 12, 13 and 14 are covered by the S end of the Painted Rock Mts. with some broken ground to the S. and W., a large portion of the Tr. can probably will be cultivated in time.

Most of the Malpais except on the ridges is only surface. The soil is all rich and strong.

There is some Palo Verde, Mesquite, greasewood and Sage brush, with considerable grass.

Mew Declination  $12^{\circ}42' E$

List of Names.

58

A List of the Names of the Individuals employed by Lewis Wolfley

U. S. Deputy Surveyor, to assist in running, measuring and marking the lines and corners described

in the foregoing Field Notes of the survey of the

1<sup>st</sup> Stand. Par. South + 2<sup>nd</sup> Guide

Meridian <sup>West</sup> and Exterior + Subdivisions

Lines in T<sup>h</sup> 7. O. R. 7. 8. 9. W

T. 6. S. R. 6. 7. 8. 9. W. T<sup>h</sup> 5. S. R. W

of the Gila and Salt River Base and Meridian, in the Territory of Arizona, showing the respective capacities in which they acted.

..... Chainman.

..... Chainman.

..... Chainman.

..... Chainman.

Saul Bigler

..... Axeman.

..... Axeman.

..... Flagman.



1

Final Oath of Assistants.

I  
 We hereby certify that we assisted Lewis  
Noelfley U. S. Deputy Surveyor, in  
 surveying all those parts or portions of the  
1<sup>st</sup> Town S. from Rs 5 1/2 to  
Rs. 9 + 10 W. all of Tp. 6 & 7  
S. R 9 W. all of Tp. 6 S. R 8 W.  
and the Expenss included

of the Gila and Salt River Base and Meridian, in  
 the Territory of Arizona, as are represented in the  
 foregoing field notes as having been surveyed by him  
 and under his direction; and that said Survey has  
 been in all respects, to the best of our knowledge  
 and belief, well and faithfully surveyed, and the  
 corner monuments established according to the  
 instructions furnished by the United States Surveyor  
 General for Arizona.

..... Chainman.

..... Chainman.

..... Chainman.

..... Chainman.

David Bigler Axeman.


..... Axeman.

..... Flagman.

Sworn to and subscribed before me, this .....

day of Nov 4<sup>th</sup>, 1892

Samuel Murphey  
 Notary Public.



[SEAL.]

## Final Oath of U. S. Deputy Surveyor.

I, Lewis Wolfley

U. S. Deputy Surveyor, do solemnly swear that in pursuance of a contract received from Royal A. Johnson, United States Surveyor-General for Arizona, bearing date of the 26<sup>th</sup> day of

May 1892, I have well, faithfully, and truly, in my own proper person, and in strict conformity with the instructions furnished by the United States Surveyor-General for Arizona, the Manual of Surveying Instructions, and the laws of the United States, surveyed all those parts

or portions of the 1<sup>st</sup> Stand. Par South +

2<sup>nd</sup> Guide W. Meridian + Exterior

and Subdivision Lines in Tps

7. 8. 9. W. Tps. 6. 7. 8.

6. 7. 8. 9. W. Tps. 5. 6. 7. W

of the Gila and Salt River Base and Meridian, in the Territory of Arizona, as are represented in the foregoing Field Notes as having been surveyed by me and under my direction; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Manual of printed instructions, the special instructions of the United States Surveyor-General for Arizona, and in the specific

a)

manner described in the field notes, and that the foregoing are the true Field Notes of such survey and should any fraud be detected I will suffer the penalty of perjury, under the provisions of an act of Congress approved August 8, 1846.

Lewis Wolfrey  
U. S. Deputy Surveyor.

Sworn to and subscribed before me this 6<sup>th</sup>

day of January, 1893.

Paul St. John

BOOK 1223