

Recd Aug 6. 1893  
Copied  
Compared  
Platted

1

Book 1.

Sent. to G.L.O. - 3-7-93

Approved April 27/93

BOOK 1224

No. 1224

BOOK 1224

4-671

# FIELD NOTES

~~GENERAL LAND OFFICE~~

of the

SUBDIVISIONS.

T. 6. S. R. 9 W

by Lewis Wolfley

Dated, May 26 - 1892

under Contract, No. 22

Survey Commenced Oct. 15/92

Completed Oct. 16/92

1224



No. 1224

BOOK 1224

1A

Field notes  
of the  
Survey of the Subdivision  
Lines of  
Twp. 6. S. R. 9. W.  
of the  
Gila<sup>2d</sup> Salt River  
Base and Meridian  
Territory of Arizona,  
as surveyed by  
Lewis Wolfley,  
U. S. Deputy Surveyor.

under his contract No. 22  
dated May 26, 1892.

Survey commenced Oct. 10 - 1892  
" completed Oct 16 - 1892

113

(4-674.)

Township 6 D

R. 9. West

Index for

BOOK 1224  
BOOK 1225

6	95	5	70	4	57	3	34	2	17	1
94		92		65		56		33		15
7	91	8	67	9	48	10	31	11	14	12
89		87		65		47		30		12
18		17	63	16	45	15	28	14	11	13
84		83		62		44		27		9
19	81	20	60	21	42	22	25	23	7	24
80		78		59		41		24		6
30	76	29	57	28	39	27	22	26		25
75		74		55		38		21		3
31	72	32	54	33	36	34	18	35		36

(11921-10 M.)

6-389

Subdivisions. T. 6. S. R. 9. W

Chains Beginning at the cor.  
to Secs 1, 2, 35 and 36 on  
the South Bay of the Twp  
Iron.

N<sup>0</sup> 11<sup>1</sup>/<sub>2</sub> W. bet. Secs 35 and 36

Ta. 13° 20' E.

Over Level mesa

40.00 Set a first 3 ft. long 3 ins.  
square with marked  
stone 12 ins. in the ground  
for 1/4 Sec. cor, marked 1/4  
D. on W. face, dug pits 18 x 18  
x 12 ins. N. and S. of first 5 1/2  
ft. dist. and raised a  
mound of earth 1 1/2 ft.  
high 3 1/2 ft. base around  
first

53.70 P.O.R.R. bet. S. 83° 25' W

60.10 Wagon road bet E & W

## Subdivisions Twp. 6.

Chains

68.00 Leave Mesa &amp; enter Malpais

80.00 Set a post 4 ft. long  
4 ins. square with  
marked stone 12 ins. in  
The ground for cor. To Secs  
25. 26. 35 and 36 marked

T. 6. 1. S 35. on N. E.

R 9. W. S 36. on S. E.

P 35. on S. W. End

S 26. on N. W. faces with  
1 notch on S. End E. edges  
and raised a mound  
of stone  $1\frac{1}{2}$  ft. high 2 ft  
base around post

Land mesa &amp; malpais

Soil 1<sup>st</sup>/<sub>11</sub> and 4<sup>th</sup>/<sub>11</sub> rate

Timber. Scattering Cald &amp;

Grasswood Brush

## South Range 7. West.

Chains

N 89° 57' E. on a random  
line bet. Secs 25 & 36

Va. 12° 10' E.

40.00 Set temporary 1/4 Sec. cor

80.00 Intersect the E. Bdy. of  
the Twp. at 7 lks. N. of Cor.  
to Secs 25, 30, 31 & 36

Thence run  
West on a true line bet  
Secs 25 & 36.

Va. 12° 10' E.

12.20 D.P. R.R. in corner

13.10 Wagon road bis. E. & <sup>Westerly</sup> S.

40.00 Set a post 2 ft. long in  
square with marked stone  
12 ins. in the ground for  
1/4 Sec. cor. marked 1/4 S. on N  
face, dug pits 18 x 18 x 12 ins

## Subdivisions Sp. 6.

- Chains E. End W. of post 5 $\frac{1}{2}$  ft  
 dist. and raised a mound  
 of earth 1 $\frac{1}{2}$  ft. high 3 $\frac{1}{2}$  ft  
 base around post
- 50.00 The cor. to Secs 25, 26, 35 & 36  
 Land nearly level  
 Soil 1 $\frac{1}{4}$  gate  
 scattering greasewood
- 
- N 0° 11' W, bet. Secs 25 & 26  
 Va. 12° 10' E.
- Over Rolling Malpais  
 18.00 ascend over rolling Malpais  
 and mesa
- 40.00 Set a post 3 ft. long 0 ins.  
 square with marked  
 stone 12 ins. in the ground  
 for 1 $\frac{1}{4}$  Sec. cor. marked 14

## South Range 9 West.

Chains on W. faces and raised  
 a mound of stone  $1\frac{1}{2}$  ft.  
 high 2 ft. base around post  
 80.00 Top of ridge and descend  
 along W. Side when I set  
 a post 4 ft. long 4 ins.  
 square with marked  
 stone 12 ins. in the ground  
 for Cor. to Secs 24, 25 & 26  
 marked

T. 6. S. 24. on N. E.

R. 9. W. 25. on S. E.

S. 26. on S. W. end

On N. W. faces with 2  
 notches on S. and 1 notch  
 on E. edge. and raised  
 a mound of stone  $1\frac{1}{2}$  ft.  
 high 2 ft. base around post  
 2 and mountainous rocks

" Broken

" "

## Subdivisions Sp. 6.

C. Chain Timber. Scat. Pald r.  
 Greasewood brush

---

8 East on a random line  
 bet. Secs 24 & 25.

$79^{\circ}12'18''E$

40.00 Set temporary 1/4 Sec. cor

80.80 Intersect the E. Bdy. of  
 the T<sub>1</sub> at 30 lks. N. of  
 the Cor. to Secs 19, 24, 25 & 30

Then a Run

$N 89^{\circ}47'W$ . on a true line  
 bet. Secs 24 & 25

$79^{\circ}12'18''E$

4 ascending over rough Malpais

40.15 Set a post 3 ft. long 3 ins.  
 square with marked stone  
 1/2 ins. in the ground for 1/4

## South Range 9 West.

Chain Sec. cor. marked  $1\frac{1}{4}$  S. on N. face  
and raised a mound of  
stone  $1\frac{1}{2}$  ft. high 2 ft. base  
around post

End ascend more abruptly

72.00 Top of Malpais ridge

Top of peak just North

80.30 The cor. to Secs 23, 24, 25 & 26

Land mountainous 40 lbs

" Broken " "

Soil 3<sup>rd</sup> rate.

N $0^{\circ}$ 1'W. bet. Secs 23 & 24

79.12 $^{\circ}$ 18'E.

Descending

5.00 Sugar loaf Malpais Peak  
just East looks from the  
North like an old Volcano.

8

## Subdivisions T. 6

- 6 Chain Grater, about 200 ft. high  
 38.50 Foot of descent & enter level  
 40.00 Set a post 3 ft. long 3 ins.  
 square with marked  
 stone 12 ins. in the ground  
 for 14 Sec. cor. marked 14  
 N. on W. face, and raised  
 a mound of stone 1 1/2 ft  
 high 2 ft. base around  
 post  
 50.00 Set a post 4 ft. long 4  
 ins. square with marked  
 stone 12 ins. in the ground  
 for cor. to Secs 13, 14, 20 & 24  
 marked  
 4 T. 6. S. 13. on N. E.  
 R 9. W. 24. on S. E.  
 S 23. on S. W. end  
 O 14. on N. W. faces with 3

## South Range 9 West.

Chain notches on S. End / notch on  
E. edges. and raised a  
mound of stone  $1\frac{1}{2}$  ft.  
high 2 ft. base around post  
From which

a Palo Verde 4 ins. diam.

br. S.  $60^{\circ}$  W. 74. lks. dist. marked  
T. 6. S. R. 9. W. Sec. 23. B. T.

a Palo Verde 6 ins. diam. br.

S.  $25^{\circ}$  E. 169. lks. dist. marked  
T. 6. S. R. 9. W. Sec. 24. B. T.

Land descending + level

Soil  $3\frac{1}{4}$  +  $4\frac{1}{4}$  rate

scattering Palo. Verde +  
greasewood

S.  $89^{\circ}$   $47'$  E. on a random  
line bet. Secs 13 + 24

## Subdivisions Twp. 6.

C Chains

Va.  $13^{\circ} 20' E$ 40.00 Set temporary  $\frac{1}{4}$  Sec. cor80.10 Intersect the E. Bay of  
the Twp. at 30 lks. S. of  
the cor. to Secs 13, 18, 19 & 24Thence I run  
west on a true line bet  
Secs 13 & 24Va.  $13^{\circ} 20' E$ 40.05 Set a post 5 ft long 3 ins.  
square with marked  
stone 12 ins. in the ground  
for  $\frac{1}{4}$  Sec. cor. marked  $\frac{1}{4}$   
1 on N. face, and raised  
4 a mound of stone  $1\frac{1}{2}$  ft  
high  $3\frac{1}{2}$  ft. base around  
post80.10 The cor. to Secs 13, 14, 23 & 24  
Land Valley & Malpais

## South Range 9 West.

Chains Soil 1<sup>st</sup> to 3<sup>rd</sup> rate  
 Scattering Greenwood

N 0° 1' W. bet. Secs 13 & 14

99, 13° 25' E

## Over Level

2.40 ascend over Malpais

17.00 Top of E. slope - a peak about  
 100 ft. high 6. chs West

40.00 Set a post 3 ft. long 3 ins.  
 square with marked stone  
 12 ins. in the ground for  
 14. Sec. cor. marked 14 S. on  
 W. face and raised a  
 mound of stone 1/2 ft. high  
 2 ft. base around post

80.00 Set a post 4 ft. long 4 ins.  
 square with marked  
 stone 12 ins. in the ground

## Subdivisions of 6.

Chains for cor. to Secs 11, 12, 13 & 14  
marked

T 6. S. S 12. on N. E.

R 9. W. S 13. on S. E.

S 14. on S. W. and

S 11. on N. W. faces with 4  
notches on S. and 1 notch  
on E. edges, and raised a  
mound of stone  $1\frac{1}{2}$  ft. high  
2 ft. base around post

Land mostly Malpais

Soil 4<sup>th</sup> rate

Scab. greasewood

---

East on a random line  
bet. Secs 12 & 13

Va 12° 10' E.

40.00 Set temporary 1/4. Sec. cor

## Smith Range 9 West.

Chains

80.20 Intersect the E. Bdy. of the  
Tr. at 15. lks. N. of the Cor.  
to Secs 7, 12, 13 & 18

Thence Iron.

N 89° 54' W. on a true line bet  
Secs 12 & 13

Pa. 12° 10' E.

40.10 Set a post 3 ft. long 3 ins.  
square with marked stone  
12 ins. in the ground for  
1/4 Sec. cor. marked 1/4. Run N  
face, and raised a mound  
of stone 1 1/2 ft. high 2 ft  
base around post

80.20 The cor. to Secs 11, 12, 13 & 14  
Land rolling Malpais  
Soil 1<sup>st</sup> & 4<sup>th</sup> rate  
Scat. grasswood

## Subdivisions Twp. 6.

Chains N 0° 1' W. bet. Secs 11 & 12

Va 12° 18' E.

Corr Malpais

3.00 Leave Malpais and enter level mesa

40.00 Set a post 3 ft. long 3 ins. square with marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. cor. marked  $\frac{1}{4}$  on W. face, dug pits 18x18 x 12 ins. N. end of post 5th ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around post

4 80.00 Set a post 4 ft. long 4 ins. square with marked stone 12 ins. in the ground for cor. to Secs 1, 2, 11 & 12 marked

## South Range 9 West.

Chains T. 6. S. S. 1. on N.E.

R 9. W. S. 12. on N.E.

S 11. on S.W. Quad

S 2. on N.W. faces with 5 notches on S. Quad 1 notch on E. edges, aug pits 18x18 x 12 ins. in each Sec. 5 1/2 ft. dist. and raised a mound of earth 2 ft. high 4 1/2 ft. base around post

Land Mulpais + Mesa  
Soil 1<sup>st</sup>/<sub>2</sub> + 4<sup>th</sup>/<sub>4</sub> rate

S 89° 54' E. on a random line bet. Secs 1 and 12

S 9. 13° 20' E.

40.00 Set temporary 14. Sec. cor  
79.60 Intersect the E. Bdy. of the

## Subdivisions of 6.

Chains Tfr. at 16 lks. N. of the  
Cor. to Secs 1, 6, 7 & 12

Thence I run

N 89° 47' W on a true line  
bet. Secs 1 and 12

Td. 13° 20' E.

3.9.80. Set a post 3 ft. long 3  
ins. square with marked  
stone 12 ins. in the ground  
for 14. Sec. cor. marked 14  
N. on N. face, and raised  
a mound of stone 1 1/2 ft  
high 2 ft. base around post

1 79.60 The cor. to Secs 1, 2, 11 & 12

Land Malpais

Soil 4th rate

---

## South Range 9 West

Chains  $N0^{\circ}1'W$ . bet. Secs 1 & 2Sta.  $13^{\circ}20'E$ .

40.00 Set a post 3 ft. long 9 ins. square with marked stone 12 ins. in the ground for 1/4 Sec. cor. marked 14 N. on W. face dug pits  $18 \times 18 \times 12$  ins. N. and S. of post  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around post.

72.00 Intersect the  $1^{\text{st}}$  Standard Parallel South at a point 29.91 chs.  $S87^{\circ}22'E$  from the Standard Cor. to Secs 35 and 36. T. 5. N. R. 9. W. at which point I set a post 4 ft. long 4 ins.

## Subdivisions of 6.

1 chains square with marked stone  
 12 ins. in the ground for <sup>bl.</sup> cor. to Secs 1. and 2 marked  
 l. b. T. b. S. R. P. W. on S.

1. on E. end

2. on W. faces with 1 notch  
 on E. end 5 notches on W.  
 faces, dug pits 18 x 18 x 12  
 ins. S. E. & W. of post 5 1/2  
 ft. dist. and raised a  
 mound of earth 2 ft  
 high 4 1/2 ft. base around  
 post

Land mesa

Soil 1<sup>st</sup> rate

Oct. 10 - 1892

From the cor. to Secs  
 2, 3, 34 & 35 on the South

## South Range 9 West.

Chains Bdy. of The Tr.  
 Iron

No 1/4 W. bet. Secs 34 & 35

40.00 Set a <sup>Through valley</sup> post 3 ft. long 3  
 mis. square with marked  
 stone 12 mis. in the ground  
 for 1/4 Sec. cor. marked 14  
 On W. face, dug pits 18x  
 18x12 mis. N. end P. of post  
 5 1/2 ft. dist. End raised a  
 mound of earth 1 1/2 ft  
 high 3 1/2 ft. base around  
 post

43.90 S.P.R.R. bis S. 82° 40' W

48.80 Wagon road bis. Easterly + Westerly

75.00 Leave Valley end enter  
 rolling meadows

80.00 Set a post 4 ft. long 4 mis.

## Subdivisions of 6.

- 1 Chains Square with marked  
stone 12 ins. in the ground  
for cor. to Secs 26, 27, 34 & 35  
marked
- 2 T. 6. S. 26. on N. E.  
R. 9. W. 35. on S. E.  
S. 34. on R. W. end  
S. 27. on N. W. faces with 1  
notch on S. end 2 notches  
on E. edges, and raised  
a mound of stone  $1\frac{1}{2}$  ft  
high 2 ft. base around post  
From which
- 1 a Palo Verde 12 ins. diam  
br S. 20° E. 120 lks. dist.
- 4 marked T. 6. S. R. 9. W. S. 35. R. T.  
Land Malpais only  
Surface deep  
Soil  $1\frac{1}{2}$  rate

## South Range West.

Chains  $N89^{\circ}57'E$ . on a random  
line bet. Secs 26 + 35  
Va.  $12^{\circ}20'E$ .

40.00 Set temporary  $1/4$  Sec. cor.

79.80 Intersect the N. and S. line  
at 1/4 cks. S. of Cor. to Secs  
26. 25. 35 + 36

Thence run

$S.89^{\circ}54'W$ . on a true line  
bet. Secs 26 + 35

Va  $12^{\circ}20'E$ .

12.70 Wash 30 cks. wide course S.W.

39.90 Set a first 3 ft. long 3 ins.  
square with marked stone  
12 ins. in the ground for  
 $1/4$  Sec. Cor. marked  $1/4$  S  
on N. face, and raised a  
mound of stone  $1/2$  ft. high  
2 ft. base around post

## Subdivisions of 6.

C. Chain

79.80 The cor. to Secs 26, 27, 34 &amp; 35

Land covered with small  
maefraie rockSoil 1<sup>st</sup>/<sub>4</sub> to 3<sup>rd</sup>/<sub>4</sub> rateScattering greasewood &  
Palo Verde

N 0° 1' W. bet. Secs 26 &amp; 27

T 12° 20' E

40.00

Set a post 3 ft. long 3 ins.  
square with marked stone  
12 ins. in the ground for

N. Sec. cor, marked 1/4 on

W. face, dug pits 18x18x

12 ins. N. End S. of post

5 1/2 ft. dist. and raised a

mound of earth 1 1/2 ft. high

## South Range 9 West.

Chains 3 1/2 ft. base around post  
 70.00 Set a post 4 ft. long 4  
 ins. square with marked  
 stone 12 ins. in the ground  
 for cor. to Secs 22, 23, 26 & 27  
 marked

To S.S. 23. on N.E.

A 9.W. & 26. on S.E.

S 27. on S.W. end

S 22. on N.W. faces with 2  
 notches on S. and E. edges  
 dug pits 18x18x12 ins.

in each Sec. 5 1/2 ft. dist.  
 and raised a mound of  
 earth 2 ft. high 4 1/2 ft.  
 base around post

From which

A. Pal. Verde 6. ins. diam

brs. N. 30° W. 15. lks. dist.

## Subdivisions of 6.

C. Chain marked T. b. S. R. 9. W. S. 22. B. T.  
 a Palo Verde 7 ins. diam.  
 brs. N.  $38^{\circ}$  E. 85. lks. dist.

marked. T. b. S. R. 9. W. S. 23. B. T.

Land surface Malpais

Soil 1 $\frac{1}{2}$  rate

N  $89^{\circ} 54'$  E. on a random  
 line bet. Secs 23 + 26

$79^{\circ} 12' 18''$  E

40.00 Set temporary 1/4. Sec. cor

79.75 Intersect the N. and S. line  
 at 39. lks. N. of the cor. to  
 Secs 23. 24. 25 + 26

Thence I run

N  $89^{\circ} 49'$  W. on a true line  
 bet. Secs 28 + 26

$79^{\circ} 12' 18''$  E

corr. Malpais

## South Range 9 West.

Chains Descending 20° slope  
 39.85 Set a post 5 ft. long 3 ins.  
 square with marked stone  
 12 ins. in the ground for  
 1/4. Sec. cor, marked 1/4. S. on  
 n. face, and raised a  
 mound of stone 1 1/2 ft.  
 high 2 ft. base around  
 post  
 and descend more gradually

68.10 Wash course N.W

79.75 The cor. to Secs 22, 23, 26 & 27  
 Lewis Malfrain at. Cor.  
 Land. S 1/2. 40. dis Mountainous  
 " W 1/2. " " Malfrain  
 Oil 5 1/4 to 4 1/4 rate

---

N 0° 11' W. bet. Secs 22 & 23

## Subdivisions Sp 6

- C. Chains Va.  $12^{\circ} 18' E$ .
- 3.50 Wash 35 lps. wide course W
- 40.00 Set a post 3 ft. long 3 ins. square with marked stone 12 ins. in the ground for 1/4 Sec. cor. marked 14 on W. face, and raised a mound of stone  $1\frac{1}{2}$  ft high 2 ft. base around post
- 80.00 Set a post 4 ft. long 4 ins. square with marked stone 12 ins. in the ground for cor. to Secs. 14, 10, 22 & 23 marked
- 4 T. 6. S. P. 14, on N. E.  
 R 9. W. S. 23, on S. E.  
 O 22, on S. W. and  
 S 15, on N. W. faces) with

## South Range West.

Chains 3 notches on S. End 2 notches  
 on E. edges, dug pits 18x  
 18x12 ins. in each Sec. 5 1/2  
 ft. dist. and raised a mound  
 of earth 2 ft. high 4 1/2 ft.  
 base around foot  
 Land rolling Malpais  
 Soil 1<sup>st</sup> to 4<sup>th</sup> rate

N 89° 49' E. on a random  
 line bet. Secs 14 and 23  
 Va 13° 20' E.

40.00 Set temporary 1/4 Sec. cor  
 79.75 Intersect the N. and S. line  
 at 25. cks. S. of the cor. to  
 Secs 13, 14, 20 & 24  
 Then a run  
 West on a true line bet. Secs

## Subdivisions of 6.

C Chains 14 + 23

Va. 13° 20' E.

3.9.88 Set a post 0 ft. long 3 ins.  
square with marked  
stone 12 ins. in the ground  
for 1/4 Sec. cor. marked  
1/4 S. on N. face, and raised  
a mound of stone, 1 1/2 ft.  
high 2 ft. base around post

61.20 Wash 20 lks. wide course N-W

79.75 The cor. to Secs 14, 15, 22 + 23

Land malpais

Soil 1<sup>st</sup>/<sub>4</sub> to 4<sup>th</sup>/<sub>4</sub> rate

4 N 0° 11' W. bet. Secs 14 + 15

Va. 13° 20' E.

16.50 Wash 20 lks. wide course W  
over malpais

40.00 Set a post 3 ft. long 3 ins

## South Range 9 West.

Chain square with marked stone  
12 ins. in the ground for  
1/4 Sec. Cor. marked 1/4 Row  
W. face and raised a mound  
of stone 1 1/2 ft. high 2 ft. base  
around post

80.00

at this point leave well pair  
and set a post 4 ft. long  
4 ins. square with marked  
stone 12 ins. in the ground  
for cor. to Secs 10, 11, 14 & 15  
marked

T. S. D 11. on N. E.

R. 9. W. S 14. on S. E.

D 15. on S. W. end

D 10. on N. W. faces with 4  
notches on S. and 2 notches  
on E. edges, and raised a  
mound of stone 1 1/2 ft. high

## Subdivisions Off 6.

Chains 2 ft. base around post  
Land Malpais  
Soil 4<sup>th</sup> rate  
Scattering brush

---

East on a rounded line  
bet. Secs 11 + 14

Va. 13° 30' E.

40.00 Set temporary 1/4 Sec. cor

79.70 Intersect the N. & S. line at  
14. lks. N. of cor. to Secs

11, 12, 13 + 14

Thence Run

N 79° 54' W. on a true line

bet. Secs 11 + 14

Va 13° 30' E.

3:9.85 Set a post 0 ft. long & ins.

Square with marked stone

## South Range West.

Chain 12 ins. in the ground for  
 1/4 Sec. cor. marked 1/4 S  
 on N. face, and raised a  
 mound of stone 1 1/2 ft  
 high 2 ft. base around  
 post

51.00 Wash 20 LKs. wide course N.W.

79.70 The cor. to Secs 10, 11, 14 & 15

Land rolling

Soil 1<sup>st</sup> class some Malpais

N 0° 12' W. bet. Secs 10 + 11  
 Va. 13° 30' E.

Over mesa

40.00 Set a post 3 ft. long 3 ins.  
 square with raised  
 stone 12 ins. in the ground  
 for 1/4 Sec. cor. marked 1/4 S

## Subdivisions of 6.

- C. Chain on W. face, and raised a mound of stone  $1\frac{1}{2}$  ft high 2 ft. base around <sup>Post</sup>  
 And enter rolling Malpais
- 80.00 Set a post 4 ft. Long 4 ins. square with marked stone 12 ins. in the ground for  
 C. to Secs 2, 3, 10 + 11, marked  
 T. 6. S. 2. on N. E.  
 R. 9. W. S. 11 on S. E.  
 S. 10. on S. W. End  
 S. 3. on N. W. faces with 5 notches on S. End. 2 notches on E. edges. dug pits 18x18 x 12 ins. in each Sec.  $5\frac{1}{2}$  ft dist. End raised a mound of earth 2 ft. high  $4\frac{1}{2}$  ft base around Post  
 Land mesa. a few

## South Range 9 West.

Chain patches of Malpais

Soil 1/4 rate on mesa

D. 89° 54' E. on a random  
line bet. Secs 2 + 11

Va. 13° 20' E

40.00 Set temporary 1/4 Sec. cor.

79.80 Intersect the N. and S. line  
at 23 chs. S. of the cor. to  
Secs 1, 2, 11 + 12

Thence I run

D. 89° 56' W. on a true line  
bet. Secs 2 + 11

Va. 13° 20' E

3.9.90 Set a post 3 ft. long 3 ins.  
square with marked stone  
12 ins. in the ground for 1/4  
Sec. Cor. marked 1/4 S. on N. face

## Subdivisions of 6.

- C. Chains dug pits  $18 \times 18 \times 12$  ins. E. and N. of post  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around post.
- 79.80 The cor. to Secs 2, 3, 10 + 11  
Land level, little malfrais on W. end of line  
Soil  $1\frac{1}{2}$  rate on level

N $0^{\circ}1'W$ . bet. Secs 2 + 3

Va.  $13^{\circ}20'E$ .

- 40.00 Set a post 3 ft. long 3 ins. square with marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. cor, marked  $\frac{1}{4}$ . on W. face, dug pits  $18 \times 18 \times 12$  ins. N. and S. of post  $5\frac{1}{2}$  ft. dist. and raised a mound

## South Range West.

Chains of each  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft.  
base around post.

73.74 Intersect the first Standard  
Parallel South at a point  
30.55. Chs  $S 59^{\circ} 24' E$  from the  
Standard Cor. to Secs  
34. & 35. T. 5. S. R. 9. W. at  
which point I set a  
Post 4 ft. long 4 ins. square  
with marked stone 12 ins  
in the ground for closing  
Cor. to Secs 2 & 3. marked  
b.b. T. 6. S. R. 9. W. on S.

S. 2. on E. end

S. 3. on W. faces with 2 notches  
on E. end & 4 notches on W.

faces and raised a mound  
of stone  $1\frac{1}{2}$  ft. high 2 ft. base  
around post

## Subdivisions of 6.

C. Chain Land mesa + Malpais  
Coil  $1\frac{1}{4}$  to  $3\frac{1}{2}$  rate  
Oct 11 - 1892

From the cor. to Secs 3, 4  
33 and 34 on the South Bdy.  
of the Tp.  
I run

No 2' W. bet. Secs 33 + 34

$\varphi 13^{\circ} 20' E$

36.80 D. P. R. R. br. S.  $82^{\circ} 40' W$

40.00 Set a frost 3 ft. long 3  
ins. square with marked  
stone 12 ins. in the ground  
for 1/4 Sec. cor. marked 1/4  
D. on W. face, dug pits 18x18  
x 12 ins. N. end of frost  $5\frac{1}{2}$   
ft. dist. and raised a mound  
of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base

## Douth Range 9 West.

Chains around post

40.30 Wagon road brs. Easterly &amp; Westerly

80.00 Set a post 4 ft. long 4 ins.  
square with marked stone  
12 ins. in the ground for  
cor. to Secs. 27, 28, 33 & 34  
marked

T. 6. S. 27. on N. E.

R. 9. W. 34. on N. E.

S. 33. on S. W. end

O. 28. on N. W. faces with  
notch on N. end 3 notches  
on E. edges. dug pits 18x18x  
12 ins. in each Sec. 5 1/2 ft.  
dist. and raised a mound of  
earth 2 ft. high 4 1/2 ft. base  
around post

Land mesa

Soil 1<sup>st</sup> rate

## Subdivisions Eff 6.

C. Chains Scattering grasswood  
and Palo verde

---

8 N 89° 57' E. on a random  
line bet. Secs 27 + 34  
Va. 13° 52' E

40.00 Set temporary 1/4 Sec. cor

79.75 Intersect the N. and S. line  
at 16. lks. N. of cor. to Secs  
26. 27. 34 + 35

Thence I run

N 89° 56' W. on a true line  
bet. Secs 27 + 34

Va 13° 52' E

4 3.9 8.8 Set a post 3 ft. long 3 ins.  
square with marked  
stone 12 ins. in the ground  
for 1/4 Sec. cor. marked 4.0

## Fourth Range West.

Chains on N. face, dug pits  $18 \times 18 \times 12$   
 ins. E and W. of post  $5\frac{1}{2}$  ft. dist.  
 and raised a mound of  
 earth  $1\frac{1}{2}$  ft. high  $5\frac{1}{2}$  ft. base  
 around post

79.75 The cor. to Secs 27, 28, 33 & 34  
 Land level  
 Soil  $1\frac{1}{4}$  rate

---

$N 6^{\circ} 2' W.$  bet. Secs 27 & 28

$S 9.13^{\circ} 52' E$

27.00 Top of divide water<sup>shed</sup> to North  
 40.00 Set a post 3 ft. long 3 ins.  
 square with marked stone  
 $12$  ins. in the ground for  
 $1/4$  Sec. cor. marked  $1/4$  S. on  
 W. face, dug pits  $18 \times 18 \times 12$  ins.  
 N. and S. of post  $5\frac{1}{2}$  ft. dist.

## Subdivisions Sp 6.

- C. Chains and raised a mound  
of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft.  
base around post
- 80.00 Set a post 4 ft. long 4 ins.  
square with marked  
stone 12 ins. in the ground  
for ev. to Secs 21. 22. 27 & 28  
marked
- T. 6. S. 1. S. 22. on N. E.  
R. 9. W. S. 27. on S. E.  
S. 28. on S. W. and  
S. 21. on N. W. faces with  
2 notches on S. and 3 notches  
on E. edges, dug pits  $18 \times 18$   
 $\times 12$  ins. in each Sec.  $5\frac{1}{2}$  ft.  
dist. and raised a mound  
of earth 2 ft. high  $4\frac{1}{2}$  ft.  
base around post  
Land level mesa

## Fourth Range 9 West.

Chains

Soil  $1\frac{1}{2}$  rate

Scattering greasewood &amp; Palo Verde

S89°56'E, on a random  
line bet Secs 22 + 27

VII, 13°20'E.

40.00 Set temporary  $1\frac{1}{4}$  Sec. cor

79.85 Intersect the N. and S. line  
at 9 lks. S. of cor. to Secs

22, 23, 26 + 27

Thence run

West on a true line bet  
Secs 22 + 27

VII, 13°20'E.

39.95 Set a post of S. long pins. Square  
with marked stone 12  
ins. in the ground for  $1\frac{1}{4}$  Sec  
cor. marked  $1\frac{1}{4}$  on N. face

42

## Subdivisions Off 6.

C. Chain dug pits  $18 \times 18 \times 12$  ins. E +  
 W. of post  $5\frac{1}{2}$  ft. dist. and  
 raised a mound of earth  
 $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around  
 post

79.85 The cor. to Secs 21, 22, 27 & 28  
 Land level mesa  
 Oil  $1\frac{1}{4}$  rate

$N0^{\circ}2'N$ . bet. Secs 21 & 22

$79.13^{\circ}20'E$

40.00 Set a post 3 ft. long 9 ins.  
 square with marked stone  
 $12$  ins. in the ground for  
 $14$  Sec. cor. marked  $14$  S.

on N. face, dug pits  $18 \times 18 \times$   
 $12$  ins. N. end of post  $5\frac{1}{2}$  ft.  
 dist. and raised a mound

## South Range 9 West.

Chain of earth  $1\frac{1}{2}$  ft. high  $5\frac{1}{2}$  ft. base  
around post

80.00 Set a post 4 ft. long 4 ins. square  
with marked stone 12 ins.  
in the ground for cor. to Sec  
15, 16, 21 & 22

marked

T. 6. S. S. 15. on N. E.

R. 9. W. S. 22. on S. E.

S. 21. on S. W. end

016. on N. W. faces with  
3 notches on S. and E. edges  
dug pits  $18 \times 18 \times 12$  ins. in  
each Sec.  $5\frac{1}{2}$  ft. dist. and  
raised a mound of earth  
2 ft. high  $4\frac{1}{2}$  ft. base around  
post

Land mesa

Soil 1<sup>st</sup> rate except a

44

## Subdivisions Sp. 6.

C. Chains few surface patches of Malpais  
Scattering Palo Verde + Mesquite

---

8 East on a random  
line bet. Secs 15 + 22  
Va.  $13^{\circ} 20' E$

40.00 Set temporary 1/4 Sec. cor

79.80 Intersect the N. and S. line  
at 9. lks. S. of cor. to Secs  
14, 15, 22 + 23

Thence I run

$089^{\circ} 56' W.$  on a true line  
bet. Secs 15 and 22

Va  $13^{\circ} 20' E.$

43.990 Set a post 3 ft. long ins-  
squam with marked  
stone 12 ins. in the ground  
for 1/4 Sec. cor, marked 1/4 S

## Smith Range 9 West.

chains on N. face, and raised a mound of stone  $1\frac{1}{2}$  ft. high 2 ft. base around post

79.00 The cor. to Secs 15, 16, 21 & 22

Land level mesa

Soil 1<sup>st</sup>/<sub>11</sub> to 3<sup>rd</sup>/<sub>11</sub> rate

N<sup>o</sup> 2 W. bet. Secs 15 & 16

Pa. 13<sup>o</sup> 26' E.

40.00 Set a post 3 ft. long 3 ins. square with marked stone 12 ins. in the ground for 1/4 Sec. cor. marked 1/4 P. on W. face, dug pits 18 x 18 x 12 ins. N. and S. of post  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around post

46.

## Subdivisions of 6.

Chains

80.00 Set a post 4 ft. long 4 ins.  
square with marked stone  
1/2 ins. in the ground for  
cor. to Secs. 9, 10, 15 & 16 marked

T. 6. S. 10. on N. E.

R. 9. W. 15. on S. E.

S. 16. on S. W. End

S. 9. on N. W. faces with 4  
notches on S. End 3 notches  
on E. edges, dug pits 18x18  
x 12 ins. in each Sec. 5 1/2

ft. dist. and raised a mound  
of earth 2 ft. high 4 1/2 ft. base  
around post. From which  
a Palo Verde 6 ins. diam.

N. 35° W. 500 ft. dist. marked

T. 6. S. R. 9. W. S. 9. B. T.

Land mesa

## South Range 9 West

Chain

Soil 1<sup>st</sup> rate

Scattering brush. + Palo Verde

N 89° 56' E. on a random line  
bet. Secs 10 + 15

Va. 13° 15' E.

40.00 Set temporary 1/4 Sec. cor

79.80 Intersect the N. and S. line at  
9. cks. N. of the cor. to Secs  
10, 11, 14 + 15

Thence I run

West on a true line bet  
Secs. 10 + 15

Va. 13° 15' E.

37.00 Wash course N.W

39.90 Set a post 0 ft. long 10 ins. sq.  
with marked stone 12 ins. in  
the ground for 1/4 Sec. cor

## Subdivisions Sp 6.

Chains marked  $1\frac{1}{4}$  l. on N. face, dug  
 pits  $18 \times 18 \times 12$  ins. E. and W. of  
 post  $5\frac{1}{2}$  ft. dist. and raised  
 a mound of earth  $1\frac{1}{2}$  ft.  
 high  $3\frac{1}{2}$  ft. base around post

79.80 The cor. to Secs 9, 10, 15 & 16  
 Land rolling Malpais  
 Soil  $1\frac{1}{4}$  to  $4\frac{1}{4}$  rate

No<sup>o</sup> 2<sup>nd</sup> W. bet. Secs 9 & 10

Va.  $13^{\circ} 15' E$

40.00 Set a post 3 ft. long 3 ins.  
 square with marked stone  
 $12$  ins. in the ground for  $1\frac{1}{4}$   
 Sec. cor. marked  $1\frac{1}{4}$  l. on W  
 face, dug pits  $18 \times 18 \times 12$  ins.  
 N. and S. of post  $5\frac{1}{2}$  ft. dist  
 and raised a mound of

## South Range 9 West.

Chain earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base  
around post

Descending over Malpais  
80.00 Set a post  $4\frac{1}{2}$  ft. long 4 ins.

square with marked stone  
pins in the ground from  
to Secs 3, 4, 9 & 10, marked

T. 6. S. 13. on N. E

R. 9. W. 10. on W. E.

S. 9. on S. W. end

S. 4. on N. W. faces with 5 notches  
on S. end 3 notches on E. edges

dug pits  $18 \times 18 \times 12$  ins. in each  
Sec.  $5\frac{1}{2}$  ft. dist. and raised a

mound of earth 2 ft. high  
 $4\frac{1}{2}$  ft. base around post

From which

a. Palo verde, b. pins, chain, bro

N. 86° E. 215. etc. dist. marked

## Subdivisions of 6.

Chain T. 6. P. R. 9. W. P. 3. B. 5.

Land mesa <sup>and</sup> MalpaisSoil 1<sup>st</sup> to 4<sup>th</sup> water.Scattering trees and  
scrub brush.East on a random line  
bet. Secs. 3<sup>rd</sup> & 10.Var.  $13^{\circ} 20' E$ 40.00 Det temporary  $\frac{1}{4}$  Sec. cor.79.80 Intersect the N. & S. line  
at 14 lks. S. of the corner  
to Secs. 2, 3, 10 & 11

Thence I run

S.  $89^{\circ} 54' W$ . on a true  
line bet. Secs. 8 & 10.Var.  $13^{\circ} 20' E$ 

22.050 Low Malpais ridge.

## South Range 9 West.

- chains bears S. E. & N. W.  
 39.90 Set a post 3 ft. long 3  
 ins. square with marked  
 stone 12 ins. in the ground  
 for  $\frac{1}{4}$  Sec. cor. marked  $\frac{1}{4}$  S.  
 on N. face dig pits 18X18  
 X17 ins. E. & W. of post  $5\frac{1}{2}$   
 ft. dist. and raised a  
 mound of earth  $1\frac{1}{2}$  ft. high  
 $3\frac{1}{2}$  ft. base around post.  
 79.80 The corner to Decs. 3, 4, 9 & 10.  
 Land level  
 Soil 1<sup>st</sup> rate except  
 the one named low  
 ridge.

N.  $0^{\circ} 2' W.$  bet. Decs. 3<sup>rd</sup> & 4.  
 Var.  $13^{\circ} 20' E.$

## Subdivisions Sp 6

Chains

40.00 Set a post 3 ft. long  
 3 ins. square with charked  
 stone 12 ins. in the ground  
 for <sup>marked "14.0" on W. face</sup> 1/4 Sec. cor. dug pits  
 18 x 18 x 12 ins N & S. of post  
 5 1/2 ft. dist. and raised a  
 mound of earth 1 1/2 ft. high  
 3 1/2 ft. back around post

50.57 Wash 30 lks. wide course W.

75.07 Intersect the 1<sup>st</sup> Standard  
 parallel South at a point  
 31.00 chs. S 88° 56' E from the  
 Standard cor. to Secs 33 + 34.  
 T. 5. S. R. 9. W. at which point  
 Set a post 4 ft. long 4  
 ins. square with charked  
 stone 12 ins. in the ground  
 for blasing cor. to Secs. 3 + 4

## South Range 9 West

Chain marked

C. C. T. C. S. R. 9. W. on P.

S. 3. on E. End

P. H. on W. faces with 3 notches  
 on E. End W. faces, and raised  
 a mound of <sup>stone</sup>  $\frac{1}{2}$  ft. high 2 ft.  
 base around post

Found which

a Palo verde 8 ins. diam. brs

S. 8° E. 80<sup>2160</sup> dist marked C. C.

T. C. S. R. 9. W. S. 3. B. T.

Land nearly level

Soil 1<sup>st</sup> rate

Scattering Palo verde +

Scrub Bush

Oct 12-1892

Sec 31 + 32 + 33  
 Subdivisions T. 6. S. R. 9. W.

Chains N 0° 2' W. bet. Secs 32 + 33

Va 13° 20' E.

26.60 S. P. R. R. brs S 82° 40' West

32.25 Wagon road brs Easterly &amp; Westerly

40.00 Set a post 3 ft. long 3 ins.

 square with marked  
 stone 12 ins. in the ground.

for 14. Sec. cor, marked 14.

R. on N. face, and raised

 a mound of stone 1 1/2 ft  
 high 2 ft. base around post  
 and gradually descend

 80.00 Set a post 4 ft. long 4  
 ins. square with marked

 stone 12 ins. in the ground  
 for cor. to Secs. 28, 29, 32 + 33  
 marked

T. 6. S. R. 9. W. on N. E.

R. 9. W. S. 33. on N. E.

U. S. Surveyor-General's Office,

TUCSON, A. T., March 4, 1893

The foregoing Field Notes of the Surveys of  
The Subdivision Lines of  
T. 6. S. R. 9. W

Of the Gila and Salt River Meridian  
in Territory of Ariz. executed by  
Lewis Wolfley

U. S. Deputy Surveyor, under his contract dated  
May 26<sup>th</sup> 1892  
having been critically examined, the necessary correc-  
tions and explanations made, the said Field Notes and  
the surveys they describe are hereby approved.

Wm. A. Johnson

U. S. Surveyor-General  
for the Territory of Arizona.